

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : LINOLEUM FLOOR STRIPPER

Other means of identification : Not applicable

Recommended use : Floor care product

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : 9.4 % - 25.0 %

Company : Ecolab Inc.  
1 Ecolab Place  
St. Paul, Minnesota USA 55102  
1-800-352-5326

Emergency health information : 1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date : 05/17/2022

**SECTION 2. HAZARDS IDENTIFICATION**
**GHS Classification**
**Product AS SOLD**

Skin irritation : Category 2  
Eye irritation : Category 2A

**Product AT USE DILUTION**

Eye irritation : Category 2B

**GHS label elements**
**Product AS SOLD**

Hazard pictograms :



Signal Word : Warning

Hazard Statements : Causes skin irritation.  
Causes serious eye irritation.

Precautionary Statements : **Prevention:**  
Wash skin thoroughly after handling. Wear eye protection/ face protection. Wear protective gloves.  
**Response:**  
IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention. Take off contaminated clothing and wash before reuse.

**Product AT USE DILUTION**

Signal Word : Warning

## SAFETY DATA SHEET

### LINOLEUM FLOOR STRIPPER

Hazard Statements	: Causes eye irritation.
Precautionary Statements	: <b>Prevention:</b> Wash skin thoroughly after handling. <b>Response:</b> IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.

#### Product AS SOLD

Other hazards : None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Product AS SOLD

Pure substance/mixture : Mixture

Chemical name	CAS-No.	Concentration (%)
2-phenoxyethanol	122-99-6	10 - 30
2-(2-butoxyethoxy)ethanol	112-34-5	5 - 10
Fattyalcohol ethoxylates > C15 and =< 5EO	160875-66-1	1 - 5
Sodium Xylenesulfonate	1300-72-7	1 - 5

#### Product AT USE DILUTION

Chemical name	CAS-No.	Concentration (%)
2-phenoxyethanol	122-99-6	1 - 5
2-(2-butoxyethoxy)ethanol	112-34-5	1 - 5
Fattyalcohol ethoxylates > C15 and =< 5EO	160875-66-1	1 - 5

### SECTION 4. FIRST AID MEASURES

#### Product AS SOLD

In case of eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.
In case of skin contact	: Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Get medical attention if irritation develops and persists.
If swallowed	: Rinse mouth. Get medical attention if symptoms occur.
If inhaled	: Get medical attention if symptoms occur.
Protection of first-aiders	: If potential for exposure exists refer to Section 8 for specific personal protective equipment.
Notes to physician	: Treat symptomatically.
Most important symptoms and effects, both acute and delayed	: See Section 11 for more detailed information on health effects and symptoms.

#### Product AT USE DILUTION

In case of eye contact	: Rinse with plenty of water.
In case of skin contact	: Rinse with plenty of water.

## SAFETY DATA SHEET

### LINOLEUM FLOOR STRIPPER

If swallowed	: Rinse mouth. Get medical attention if symptoms occur.
If inhaled	: Get medical attention if symptoms occur.

#### SECTION 5. FIRE-FIGHTING MEASURES

##### Product AS SOLD

Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	: None known.
Specific hazards during fire fighting	: Not flammable or combustible.
Hazardous combustion products	: Decomposition products may include the following materials: Carbon oxides Nitrogen oxides (NOx) Sulfur oxides
Special protective equipment for fire-fighters	: Use personal protective equipment.
Specific extinguishing methods	: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

##### Product AS SOLD

Personal precautions, protective equipment and emergency procedures	: Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
Environmental precautions	: Do not allow contact with soil, surface or ground water.
Methods and materials for containment and cleaning up	: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

##### Product AT USE DILUTION

Personal precautions, protective equipment and emergency procedures	: Refer to protective measures listed in sections 7 and 8.
Environmental precautions	: Do not allow contact with soil, surface or ground water.
Methods and materials for containment and cleaning up	: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

# SAFETY DATA SHEET

## LINOLEUM FLOOR STRIPPER

### SECTION 7. HANDLING AND STORAGE

#### Product AS SOLD

Advice on safe handling : Avoid contact with skin and eyes. Wash hands thoroughly after handling. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).

Conditions for safe storage : Keep out of reach of children. Store in suitable labeled containers.

Storage temperature : 0 °C to 50 °C

#### Product AT USE DILUTION

Advice on safe handling : Wash hands thoroughly after handling. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).

Conditions for safe storage : Keep out of reach of children. Store in suitable labeled containers.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Product AS SOLD

##### Ingredients with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
2-(2-butoxyethoxy)ethanol	112-34-5	TWA (Inhalable fraction and vapor)	10 ppm	ACGIH

Engineering measures : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

#### Personal protective equipment

Eye protection : Safety glasses with side-shields

Hand protection : Wear the following personal protective equipment:  
Standard glove type.  
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin protection : No special protective equipment required.

Respiratory protection : No personal respiratory protective equipment normally required.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Wash face, hands and any exposed skin thoroughly after handling.

#### Product AT USE DILUTION

Engineering measures : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

#### Personal protective equipment

## SAFETY DATA SHEET

### LINOLEUM FLOOR STRIPPER

Eye protection	: No special protective equipment required.
Hand protection	: No special protective equipment required.
Skin protection	: No special protective equipment required.
Respiratory protection	: No personal respiratory protective equipment normally required.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

	Product AS SOLD	Product AT USE DILUTION
Appearance	: liquid	liquid
Color	: clear, light yellow	colorless
Odor	: sweet	sweet
pH	: 9.3 - 10.1, (100 %)	9.3 - 9.6
Flash point	: Not applicable, Does not sustain combustion.	
Odor Threshold	: No data available	
Melting point/freezing point	: No data available	
Initial boiling point and boiling range	: No data available	
Evaporation rate	: No data available	
Flammability (solid, gas)	: Not applicable	
Upper explosion limit	: No data available	
Lower explosion limit	: No data available	
Vapor pressure	: No data available	
Relative vapor density	: No data available	
Relative density	: 1.03	
Water solubility	: soluble	
Solubility in other solvents	: No data available	
Partition coefficient: n-octanol/water	: No data available	
Autoignition temperature	: No data available	
Thermal decomposition	: No data available	
Viscosity, kinematic	: No data available	
Explosive properties	: No data available	
Oxidizing properties	: No data available	
Molecular weight	: No data available	
VOC	: No data available	

### SECTION 10. STABILITY AND REACTIVITY

#### Product AS SOLD

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.

## SAFETY DATA SHEET

### LINOLEUM FLOOR STRIPPER

Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: None known.
Incompatible materials	: Acids Metals
Hazardous decomposition products	: In case of fire hazardous decomposition products may be produced such as: Carbon oxides Nitrogen oxides (NOx) Sulfur oxides

### SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

#### Potential Health Effects

##### Product AS SOLD

Eyes	: Causes serious eye irritation.
Skin	: Causes skin irritation.
Ingestion	: Health injuries are not known or expected under normal use.
Inhalation	: Health injuries are not known or expected under normal use.
Chronic Exposure	: Health injuries are not known or expected under normal use.

##### Product AT USE DILUTION

Eyes	: Causes eye irritation.
Skin	: Health injuries are not known or expected under normal use.
Ingestion	: Health injuries are not known or expected under normal use.
Inhalation	: Health injuries are not known or expected under normal use.
Chronic Exposure	: Health injuries are not known or expected under normal use.

#### Experience with human exposure

##### Product AS SOLD

Eye contact	: Redness, Pain, Irritation
Skin contact	: Redness, Irritation
Ingestion	: No symptoms known or expected.
Inhalation	: No symptoms known or expected.

##### Product AT USE DILUTION

Eye contact	: Redness, Irritation
Skin contact	: No symptoms known or expected.

## SAFETY DATA SHEET

### LINOLEUM FLOOR STRIPPER

Ingestion : No symptoms known or expected.

Inhalation : No symptoms known or expected.

#### Toxicity

##### Product AS SOLD

##### Product

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg

Acute inhalation toxicity : No data available

Acute dermal toxicity : Acute toxicity estimate : > 5,000 mg/kg

Skin corrosion/irritation : Skin irritation

Respiratory or skin sensitization : No data available

Carcinogenicity : No data available

Reproductive effects : No data available

Germ cell mutagenicity : No data available

Teratogenicity : No data available

STOT-single exposure : No data available

STOT-repeated exposure : No data available

Aspiration toxicity : No data available

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

##### Product AS SOLD

Environmental Effects : Harmful to aquatic life.

##### Product AT USE DILUTION

Environmental Effects : This product has no known ecotoxicological effects.

##### Product AS SOLD

##### Product

Toxicity to fish : No data available

Toxicity to daphnia and other aquatic invertebrates : No data available

Toxicity to algae : No data available

#### Components

Toxicity to fish : 2-phenoxyethanol  
96 h LC50 Pimephales promelas: 344 mg/l

2-(2-butoxyethoxy)ethanol  
96 h LC50 Fish: 1,300 mg/l

#### Components

Toxicity to daphnia and other aquatic invertebrates : 2-phenoxyethanol  
48 h EC50 Daphnia magna (Water flea): > 500 mg/l

Fattyalcohol ethoxylates > C15 and =< 5EO  
48 h Daphnia magna (Water flea): > 1 mg/l

## SAFETY DATA SHEET

### LINOLEUM FLOOR STRIPPER

#### Components

Toxicity to algae : 2-phenoxyethanol  
72 h EC50 *Desmodesmus subspicatus* (green algae): > 100 mg/l

Sodium Xylenesulfonate  
96 h EC50: 230 mg/l

#### Persistence and degradability

##### Product AT USE DILUTION

Biodegradable

#### Bioaccumulative potential

No data available

#### Mobility in soil

No data available

#### Other adverse effects

No data available

### SECTION 13. DISPOSAL CONSIDERATIONS

#### Product AS SOLD

Disposal methods : Do not contaminate ponds, waterways or ditches with chemical or used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

##### Product AT USE DILUTION

Disposal methods : Diluted product can be flushed to sanitary sewer.

Disposal considerations : Dispose of in accordance with local, state, and federal regulations.

### SECTION 14. TRANSPORT INFORMATION

#### Product AS SOLD

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

#### Land transport (DOT)

Not dangerous goods

#### Sea transport (IMDG/IMO)

Not dangerous goods

### SECTION 15. REGULATORY INFORMATION



# SAFETY DATA SHEET

## LINOLEUM FLOOR STRIPPER

### Product AS SOLD

### EPCRA - Emergency Planning and Community Right-to-Know

### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : Acute Health Hazard

**SARA 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:

2-phenoxyethanol	122-99-6	10 %
2-(2-butoxyethoxy)ethanol	112-34-5	9.9 %

### California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

### California Cleaning Product Right to Know Act of 2017 (SB 258)

This regulation applies to this product.

Chemical Name	CAS-No.	Function	List(s)
water	7732-18-5	Diluent	Not Applicable
2-phenoxyethanol	122-99-6	Solvent	Not Applicable
2-(2-butoxyethoxy)ethanol	112-34-5	Solvent	Not Applicable
Fattyalcohol ethoxylates > C15 and =< 5EO	160875-66-1	Cleaning Agent	Not Applicable
Sodium Xylenesulfonate	1300-72-7	Stabilizer	Not Applicable
Inorganic salt	Withheld	Cleaning Agent	Not Applicable
Substituted alkylamine	Withheld	Buffer	Not Applicable
Sodium poly(oxyethylene) dodecyl ether sulfate	Withheld	Cleaning Agent	Not Applicable

\*refer to [ecolab.com/sds](http://ecolab.com/sds) for electronic links to designated lists

### The ingredients of this product are reported in the following inventories:

#### Switzerland. New notified substances and declared preparations :

The mixture contains substances listed on the Swiss Inventory

#### United States TSCA Inventory :

On TSCA Inventory

#### Canadian Domestic Substances List (DSL) :

All components of this product are on the Canadian DSL

#### Australia. Australian Industrial Chemicals Introduction Scheme (AICIS) :

On the inventory, or in compliance with the inventory

#### New Zealand. Inventory of Chemical Substances :

On the inventory, or in compliance with the inventory

#### Japan. ENCS - Existing and New Chemical Substances Inventory :

## SAFETY DATA SHEET

### LINOLEUM FLOOR STRIPPER

On the inventory, or in compliance with the inventory

**Korea. Korean Existing Chemicals Inventory (KECI) :**

On the inventory, or in compliance with the inventory

**Philippines Inventory of Chemicals and Chemical Substances (PICCS) :**

On the inventory, or in compliance with the inventory

**China. Inventory of Existing Chemical Substances in China (IECSC) :**

On the inventory, or in compliance with the inventory


**Taiwan Chemical Substance Inventory (TCSI) :**

not determined

### SECTION 16. OTHER INFORMATION

#### Product AS SOLD

##### NFPA:




##### HMIS III:

HEALTH	2
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

#### Product AT USE DILUTION

##### NFPA:



##### HMIS III:

HEALTH	1
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

Issuing date : 05/17/2022  
Version : 1.2  
Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific

## SAFETY DATA SHEET

### LINOLEUM FLOOR STRIPPER

material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.