

Safety Data Sheet Spartan Chemical Company, Inc.

Revision Date: 04-May-2015

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name:

PEROXY II FBC ANTIBACTERIAL FOAMING BATH & SURFACE

CLEANER

Product Number:

3535, 3536

Recommended Use:

Disinfectant

Uses Advised Against:

For Industrial and Institutional Use Only

Manufacturer/Supplier:

Spartan Chemical Company, Inc.

1110 Spartan Drive

Maumee, Ohio 43537 USA 800-537-8990 (Business hours) www.spartanchemical.com

24 Hour Emergency Phone Numbers:

Medical Emergency/Information: 888-314-6171

Transportation/Spill/Leak:

CHEMTREC 800-424-9300

2. HAZARDS IDENTIFICATION

GHS Classification

Skin Corrosion/Irritation:

Category 2

Serious Eye Damage/Eye Irritation:

Category 2A Category 1

Skin Sensitization:

GHS Label Elements

Signal Word:

Symbols:

Warning



Hazard Statements:

Causes skin irritation.

Causes serious eye irritation

May cause an allergic skin reaction

Precautionary Statements:

Prevention:

Wash hands and any exposed skin thoroughly after handling.

Wear eye / face protection Wear protective gloves

Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing should not be allowed out of the workplace

Response:

-Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

-Skin

present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash

before reuse. If skin irritation or rash occurs: Get medical attention.

-Specific Treatment:

See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.

Storage:

Not Applicable

Disposal:

Dispose of contents and container in accordance with local, state and federal regulations.

3535 - PEROXY II FBC ANTIBACTERIAL FOAMING BATH &

SURFACE CLEANER

Hazards Not Otherwise Classified: Not Applicable

Other Information:

· May be harmful if swallowed.

Inhalation of vapors or mist may cause respiratory irritation.

Keep out of reach of children.

· Contains hydrogen peroxide. Ingestion may result in distention of esophagus and

Revision Date: 04-May-2015

stomach.

0.69928% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
water	7732-18-5	60-100
hydrogen peroxide	7722-84-1	1-5
citric acid	77-92-9	1-5

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

-Eye Contact:

Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and

-Skin Contact:

easy to do. Continue rinsing. If eye irritation persists: Get medical attention. Wash with plenty of soap and water. Take off contaminated clothing and wash before

reuse. If skin irritation or rash occurs: Get medical attention.

-Inhalation:

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a

poison control center or physician if you feel unwell.

-ingestion:

Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious

person. Get medical attention if you feel unwell.

Note to Physicians:

Contains hydrogen peroxide. Ingestion may result in distention of esophagus and stomach.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media:

Product does not support combustion, Use extinguishing agent suitable for type of

surrounding fire

Specific Hazards Arising from the

Chemical:

Combustion products are toxic. Releases oxygen when heated to decomposition which may

intensify fire.

Hazardous Combustion Products:

May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.

Protective Equipment and Precautions for Firefighters: Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full

protective gear. Cool fire-exposed containers with water spray.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: **Environmental Precautions:** Methods for Clean-Up:

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Do not rinse spill onto the ground, into storm sewers or bodies of water.

Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

7. HANDLING AND STORAGE

Advice on Safe Handling:

Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly

after handling.

Storage Conditions:

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach

of children. Keep from freezing.

Incompatible Materials:

Sodium hypochlorite (or other hypochlorites).

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits:

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH
hydrogen peroxide	TWA: 1 ppm	TWA: 1 ppm	IDLH: 75 ppm
7722-84-1		TWA: 1.4 mg/m ³	TWA: 1 ppm
		(vacated) TWA: 1 ppm	TWA: 1.4 mg/m ³
		(vacated) TWA: 1.4 mg/m ³	-

Engineering Controls:

Provide good general ventilation.

If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other

Revision Date: 04-May-2015

engineering controls should be considered.

Personal Protective Equipment

Eye/Face Protection:

Wear splash goggles.

Skin and Body Protection: Respiratory Protection:

Wear rubber or other chemical-resistant gloves.

Not required with expected use.

If occupational exposure limits are exceeded or respiratory irritation occurs, use of a NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section

3 should be considered.

General Hyglene Considerations:

Wash hands and any exposed skin thoroughly after handling.

See 29 CFR 1910.132-138 for further guidance.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance/Physical State:	Liquid
Color:	Clear
Odor:	Citrus fragrance
pH:	2.5-3.0
Melting Point / Freezing Point:	No information available.
Boiling Point / Boiling Range:	100 °C / 212 °F
Flash Point:	> 100 °C / > 212 °F ASTM D56
Evaporation Rate:	< 1 (Butyl acetate = 1)
Flammability (solid, gas)	No information available.
Upper Flammability Limit:	No information available.
Lower Flammability Limit:	No information available.
Vapor Pressure:	No information available.
Vapor Density:	No information available.
Specific Gravity:	1.02
Solubility(ies):	Soluble in water
Partition Coefficient:	No information available.
Autoignition Temperature:	No information available.
Decomposition Temperature:	No information available.
Viscosity:	No information available.

10. STABILITY AND REACTIVITY

Reactivity:

This material is considered to be non-reactive under normal conditions of use.

Chemical Stability:

Stable under normal conditions.

Possibility of Hazardous Reactions: Not expected to occur with normal handling and storage.

Conditions to Avoid:

Extremes of temperature and direct sunlight.

Incompatible Materials:

Sodium hypochlorite (or other hypochlorites).

Hazardous Decomposition

Products:

May include carbon monoxide, carbon dioxide (CO2) and other toxic gases or vapors.

11 TOXICOLOGICAL INFORMATION

3535 - PEROXY II FBC ANTIBACTERIAL FOAMING BATH & SURFACE CLEANER

Likely Routes of Exposure:

Eyes, Skin, Ingestion, Inhalation.

Symptoms of Exposure:

-Eye Contact:

Pain, redness, swelling of the conjunctiva and blurred vision.

-Skin Contact:

Pain, redness and cracking of the skin. May cause sensitization by skin contact

Revision Date: 04-May-2015

-Inhalation: -Inaestion:

Nasal discomfort and coughing. Pain, nausea, vomiting and diarrhea.

Immediate, Delayed, Chronic Effects

Product Information:

Data not available or insufficient for classification.

Target Organ Effects:

-Eyes. Respiratory System. -Skin.

Numerical Measures of Toxicity

The following acute toxicity estimates (ATE) are calculated based on the GHS document.

ATEmix (oral):

33390 mg/kg

ATEmix (dermal):

97438 mg/kg

ATEmix (inhalation-dust/mist):

97 mg/l

Component Acute Toxicity Information

Chemical Name	Oral LD50	Dermai LD50	Inhalation LC50
water 7732-18-5	> 90 mL/kg (Rat)	Not Available	Not Available
hydrogen peroxide 7722-84-1	= 801 mg/kg (Rat)	= 4060 mg/kg (Rat) = 2000 mg/kg (Rabbit)	= 2 mg/L (Rat) 4 h
citric acid 77-92-9	= 3000 mg/kg (Rat)	Not Available	Not Available

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
hydrogen peroxide 7722-84-1	2.5: 72 h Chlorella vulgaris mg/L EC50	16.4: 96 h Pimephales promelas mg/L LC50 18 - 56: 96 h Lepomis macrochirus mg/L LC50 static 10.0 - 32.0: 96 h Oncomynchus mykiss mg/L LC50 static	Not Available	7.7: 24 h Daphnia magna mg/L EC50 18 - 32: 48 h Daphnia magna mg/L EC50 Static
citric acid 77-92-9	Not Available	1516: 96 h Lepomis macrochirus mg/L LC50 static	Not Available	120: 72 h Daphnia magna mg/L EC50

Persistence and Degradability:

No information available.

Bioaccumulation:

No information available.

Other Adverse Effects:

No information available.

13. DISPOSAL CONSIDERATIONS

Disposal of Wastes:

Contaminated Packaging:

Dispose of in accordance with federal, state and local regulations.

Dispose of in accordance with federal, state and local regulations.

4. TRANSPORT INFORMATION

Proper Shipping Name:

Not Regulated

Non Hazardous Product

Special Provisions:

Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Check with a trained hazardous materials transportation expert for information specific to your situation.

15. REGULATORY INFORMATION

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

SARA 313

This product does not contain listed substances above the "de minimus" level

SARA 311/312 Hazard Categories

Acute Health Hazard:
Chronic Health Hazard:
No
Fire Hazard:
Sudden release of pressure hazard:
No
Reactive Hazard:
No

California Proposition 65

This product contains the following Proposition 65 chemicals

The state of the s	
Chemical Name	California Proposition 65
methanol - 67-56-1	Developmental
chloromethane - 74-87-3	Developmental
	Male Reproductive

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

EPA Pesticide Registration Number: 5741-26

EPA Statement:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

EPA Pesticide Label:

CAUTION: Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. For sensitive skin or prolonged exposure, wear gloves. Harmful if inhaled. Avoid breathing vapor or mist. Wash thoroughly with soap and water after handling. Remove and wash contaminated clothing before reuse. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

16. OTHER INFORMATION

NFPA

Health Hazards: 1

Flammability: 0

Instability: 1

Special: N/A

Revision Date: 04-May-2015

HMIS

Health Hazards: 1

Flammability: 0

Physical Hazards: 1

Revision Date:

04-May-2015

Reasons for Revision:

No information available.

Disclaimer:

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet