Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012. Issue date: 1/12/2023 Revision date: 2/8/2023 Version: 2.0



SECTION 1: Identification

1.1. Identification

Product form : Mixture

Product name : 30 Seconds Multipurpose Power Washer Concentrate

Product code : 30S111

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Cleaner

1.3. Supplier

Manufacturer

PurposeBuilt Brands 755 Tri-State Parkway Gurnee, IL, 60031 USA

T 1-503-669-1953

1.4. Emergency telephone number

Emergency number : 1-800-535-5053

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Skin Corr. 1 Causes severe skin burns
Eye Dam. 1 Causes serious eye damage

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)



Signal word (GHS US) : Danger

Hazard statements (GHS US) : Causes severe skin burns

Causes serious eye damage

Precautionary statements (GHS US) : Do not breathe dust/fume/gas/mist/vapors/spray.

Wash hands thoroughly after handling.

Wear protective gloves/eye protection/ protection. If swallowed: rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

Immediately call a poison center or doctor. Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container to hazardous or special waste collection point, in accordance with

local, regional, national and/or international regulation.

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%
Sodium metasilicate	CAS-No.: 6834-92-0	3-7
Sodium hypochlorite	CAS-No.: 7681-52-9	1 – 5

^{*}Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.

First-aid measures after skin contact : If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

Wash contaminated clothing before reuse. Immediately call a POISON CENTER or doctor. First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.

First-aid measures after ingestion : IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an

unconscious person. Immediately call a POISON CENTER or doctor.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation : Causes burns to the respiratory system.

Symptoms/effects after skin contact : Causes severe skin burns. Symptoms may include redness, pain, blisters.

Symptoms/effects after eye contact : Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. May cause burns.

Symptoms/effects after ingestion : May be harmful if swallowed. May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.

4.3. Immediate medical attention and special treatment, if necessary

Symptoms may be delayed. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media : Do not use water jet.

2/8/2023 (Revision date) EN (English US) 2/8

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

5.2. Specific hazards arising from the chemical

Fire hazard

Products of combustion may include, and are not limited to: oxides of carbon. Corrosive vapors.
 Oxides of sodium.

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting

 Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures

: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

6.1.1. For non-emergency personnel

Emergency procedures

: Do not touch or walk on the spilled product.

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

For containment

: Stop leak if safe to do so. Absorb and/or contain spill with inert material (sand, vermiculite or other appropriate material), then place in suitable container. Do not flush into surface water or sewer system. Wear recommended personal protective equipment.

Methods for cleaning up

: Sweep or shovel spills into appropriate container for disposal. Provide ventilation.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Do not get in eyes, on skin, or on clothing. Do not breathe dust/fume/gas/mist/vapors/spray. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke. Wear appropriate PPE (see Section 8).

Hygiene measures

: Take off immediately all contaminated clothing and wash it before reuse. Wash hands thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Keep out of the reach of children. Store tightly closed in a dry, cool and well-ventilated place. Store in original container. Store locked up.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

 2/8/2023 (Revision date)
 EN (English US)
 3/8

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

30 Seconds Multipurpose Power Washer Concentrate

No additional information available

Sodium hypochlorite (7681-52-9)

USA - AIHA - Occupational Exposure Limits

WEEL STEL 2 mg/m³ (15-min. STEL)

Sodium metasilicate (6834-92-0)

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station. Provide readily accessible eye wash stations and

safety showers.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Wear suitable gloves resistant to chemical penetration

Eye protection:

Wear eye/face protection

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Other information:

Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: LiquidAppearance: Clear liquidColor: Clear StrawOdor: No data availableOdor threshold: No data availablepH: 13 – 13.5

Melting point: No data availableFreezing point: No data availableBoiling point: No data available

Flash point : > 200 °F

Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : No data available Vapor pressure : No data available Relative vapor density at 20°C : No data available

Relative density : 1.070

Solubility : No data available

2/8/2023 (Revision date) EN (English US) 4/8

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Partition coefficient n-octanol/water No data available Auto-ignition temperature : No data available Decomposition temperature : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available **Explosion limits** · No data available : No data available Explosive properties : No data available Oxidizing properties

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known under normal conditions of use.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Heat. Incompatible materials.

10.5. Incompatible materials

Strong acids. Strong oxidizing agents.

10.6. Hazardous decomposition products

May include, and are not limited to: oxides of carbon. Corrosive vapors. Oxides of sodium.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified.

30 Seconds Multipurpose Power Washer Concentrate ATE US (oral) 11316.812 mg/kg Sodium hypochlorite (7681-52-9) LD50 oral rat 1100 mg/kg body weight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity) LD50 dermal rabbit > 20000 mg/kg body weight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: other:16 CFR 1500.40 LC50 inhalation rat > 10.5 mg/l (Exposure time: 1 h)

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Sodium metasilicate (6834-92-0)		
LD50 oral rat	1153 mg/kg	
LD50 dermal rat	> 5000 mg/kg body weight Animal: rat, Guideline: EPA OPPTS 870.1200 (Acute Dermal Toxicity)	
LC50 inhalation rat) inhalation rat > 2.06 mg/l air Animal: rat, Guideline: EPA OPPTS 870.1300 (Acute inhalation toxicity)	
Olding a summer discussion of the still and	Output and the large	

Skin corrosion/irritation : Causes severe skin burns.

pH: 11.75 - 12.25

Aspiration hazard : Not classified Viscosity, kinematic : No data available

Symptoms/effects after inhalation : Causes burns to the respiratory system.

Symptoms/effects after skin contact : Causes severe skin burns. Symptoms may include redness, pain, blisters.

Symptoms/effects after eye contact : Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and

tear production, with marked redness and swelling of the conjunctiva. May cause burns.

: May be harmful if swallowed. May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.

SECTION 12: Ecological information

Symptoms/effects after ingestion

12.1. Toxicity

Ecology - general : Not applicable

12.2. Persistence and degradability

30 Seconds Multipurpose Power Washer Concentrate

Persistence and degradability Not established.

12.3. Bioaccumulative potential

30 Seconds Multipurpose Power Washer Concentrate

Bioaccumulative potential Not established.

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Other information : No other effects known.

SECTION 13: Disposal considerations

13.1. Disposal methods

Product/Packaging disposal recommendations

: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

SECTION 14: Transport information

In accordance with DOT / IMDG / IATA

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

14.1. UN number

DOT	IMDG	IATA	
14.1. UN number			
1760	1760	1760	
14.2. Proper Shipping Name			
Corrosive liquids, n.o.s. (Sodium metasilicate ;	CORROSIVE LIQUID, N.O.S. (Sodium	Corrosive liquid, n.o.s. (Sodium metasilicate ;	
Sodium hypochlorite)	metasilicate ; Sodium hypochlorite)	Sodium hypochlorite)	
14.3. Transport hazard class(es)			
8	8	8	
CORROSIVE 8	8	8	
14.4. Packing group			
III	III	III	
14.5. Environmental hazards			
Dangerous for the environment: No	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: No	
No supplementary information available.			

14.6. Special precautions for user

Special transport precautions : Do not handle until all safety precautions have been read and understood.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

15.2. International regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

 Issue date
 : 01/12/2023

 Revision date
 : 02/8/2023

 Other information
 : None.

Full text of H-phrases

Eye Dam. 1 Serious eye damage/eye irritation Category 1

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Full text of H-phra	nses
Skin Corr. 1	Skin corrosion/irritation Category 1

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.