Confirms to OSHA Hazard Communication Standard (CFR 29 1910,1200) HazCom 2012

Product: Stainless Steel Magic- 3055, 3057, 3057B, 3111A Revision Date: 26-Apr-2018

SECTION 1 – IDENTIFICATION

Product Identifier

Product Name: Stainless Steel Magic
Product Code: 3055, 3057, 3057B, 3111A

Recommended Use of the Chemical and Restrictions for Use

Recommended Use: Cleaner

Restrictions for Use: Use only as directed.

Details of the Supplier

Manufacturer: Magic American

755 Tri-State Parkway Gurnee, IL 60031 800-328-9248

Emergency Phone Number

24-Hour Number: 1-800-535-5053 **International:** 1-352-323-3500

SECTION 2 – HAZARDS IDENTIFICATION

Classification

Not classified.

Label Elements

Hazard Symbols(s): None Signal Word(s): None

Hazard Statement(s): None

Precautionary Statement(s): None

Other Hazards

None

SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Wt %
Mineral oil	8042-47-5	<20

The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

SECTION 4 – FIRST AID MEASURES

First Aid Measures

Inhalation: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.

Eye Contact: In case of contact, immediately flush eyes with plenty of water. Remove contact lenses, if worn. If irritation persists, get medical attention.

Ingestion: If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.

Skin: If irritation occurs, flush skin with plenty of water. Get medical attention if irritation persists.

Most Important Symptoms and Effects (Acute and Delayed)

Inhalation: May cause respiratory irritation.

Eye Contact: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production,

with possible redness and swelling.

Document No.: 130529-5
Release Date: 1/10/2014

Page 1 of 4

Product: Stainless Steel Magic- 3055, 3057, 3057B, 3111A

Ingestion: May be harmful if swallowed. May cause stomach distress, nausea or vomiting.

Skin: May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.

Indication of any Immediate Medical Attention and Special Treatment Needed

Note to Physician: Treat symptomatically.

SECTION 5 – FIRE FIGHTING MEASURES

Revision Date: 26-Apr-2018

Extinguishing Media

Suitable: Treat for surrounding material.

Unsuitable: None known.

Specific Hazards Arising from Chemical

Products of combustion include but are not limited to: oxides of carbon.

Protective Equipment and Precautions for Firefighters

Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures

Personal Precautions: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

Environmental Precautions: See Section 12 for ecological information.

Methods and Material for Containment and Cleaning Up

Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE). Scoop up material and place in a disposal container.

SECTION 7 – HANDLING AND STORAGE

Precautions for Safe Handling

Handling: Avoid contact with skin and eyes. Avoid breathing vapor or mist. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke.

General Hygiene Advice: Launder contaminated clothing before use. Wash hands before eating, drinking, or smoking.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions: Keep out of reach of children. Keep container tightly closed.

Incompatible Materials: None known.

SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Exposure Guidelines:

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Mineral oil (8042-47-5)	l	5 mg/m³ oil mist, respirable fraction	TWA: 10 mg/m³ total mist STEL: 5 mg/m³ respirable mist

Appropriate Engineering Controls

Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.

Individual Protection Measures

Respiratory Protection: None required under normal use. Skin and Body Protection: Wear suitable protective clothing.

Document No.: 130529-5 Page 2 of 4

Release Date: 1/10/2014

Confirms to OSHA Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012

Product: Stainless Steel Magic- 3055, 3057, 3057B, 3111A Revision Date: 26-Apr-2018

Eye/Face Protection: Safety glasses or goggles are recommended when using product.

General Work/Hygienic Practices: Do not eat, smoke or drink where material is handled, processed or stored. Wash

hands carefully before eating or smoking. Handle according to establish industrial hygiene and safety practices.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Opaque white liquid

Odor: Mild citrus

Odor threshold: Not determined

pH: 6.6

Melting point/freezing point: Not determined

Initial boiling point and boiling range: Not determined

Flash point: >93.3°C (>200°F) TCC Evaporation rate: Not determined

Flammability (solid, gas): Not flammable

Upper/lower flammability or explosive limits: Not determined

Vapor pressure: Not determined Vapor density: Not determined

Relative density: 0.97

Solubility(ies): Not determined

Partition coefficient (n-octanol/water): Not determined

Auto-ignition temperature: Not determined

Decomposition temperature: Not determined

Viscosity: 26-43 cP

SECTION 10 – STABILITY AND REACTIVITY

Reactivity: No dangerous reaction under conditions of normal use. **Chemical stability:** Stable under recommended storage conditions. **Possibility of hazardous reactions:** None under normal use.

rossibility of flazardous reactions. Notice under normal us

Conditions to avoid: Heat. Incompatible materials.

Incompatible materials: None known.

Hazardous decomposition products: May include and are not limited to: oxides of carbon.

SECTION 11 - TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

Likely Routes of Exposure: Inhalation, skin contact, eye contact, ingestion

Information Related to Physical, Chemical, and Toxicological Effects

See section 4 of this SDS.

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

Carcinogenicity: NTP: No IARC: No OSHA: No

Numerical Measures of Toxicity

Product	
ATE (oral)	>2000 mg/kg, rat
ATE (dermal)	>2000 mg/kg, rabbit
ATE (inhalation)	>20 mg/l/4h,rat

Document No.: 130529-5 Page 3 of 4

Release Date: 1/10/2014

Revision Date: 26-Apr-2018 Product: Stainless Steel Magic- 3055, 3057, 3057B, 3111A

Component Information:

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Mineral oil (8042-47-5)	> 5000 (rat)	> 2000 (rabbit)	Not available

SECTION 12 - ECOLOGICAL INFORMATION

Ecotoxicity: Not established

Persistence and degradability: Not established Bioaccumulative potential: Not established Mobility in soil: No additional information available

Other adverse effects: No additional information available.

SECTION 13 – DISPOSAL CONSIDERATIONS

See section 8 of this SDS for exposure controls and personal protection.

Dispose of the product and container in accordance with all applicable local, state, and federal regulations.

SECTION 14 – TRANSPORT INFORMATION

Note: Classification changes based on quantity, packaging, and method of shipment. See current shipping paper for most up to date shipping information.

DOT (Ground): Not Regulated IATA (Air): Not Regulated IMDG (Vessel): Not Regulated

SECTION 15 – REGULATORY INFORMATION

All ingredients in this product are listed or are excluded from listing on the US Toxic Substances Act (TSCA) Chemical Substance Inventory.

SECTION 16 - OTHER INFORMATION

Issue Date: 25-Feb-2016 Revision Date: 26-Apr-2018

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designed and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Document No.: 130529-5 Page 4 of 4

Release Date: 1/10/2014