



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHfx Car Air Freshener Cherry Blast Vent Clip

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-10-22

### SECTION 1: Identification

#### 1.1 Product identifier

Trade name **Armor All FRESHfx Car Air Freshener Cherry Blast Vent Clip**

Alternative number(s) 070612185525, 070612188731, 070612191069

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses General use

#### 1.3 Details of the supplier of the safety data sheet

Energizer Manufacturing, Inc.  
25225 Detroit Rd.  
Westlake OH 44145  
United States

Telephone: 800-383-7323; 314-985-2000 (USA / CANADA)  
Website: <http://data.energizer.com>

Energizer Trading Ltd.  
Sword House, Totteridge Road, High Wycombe, HP13 6DG, UK

Telephone: +44(0)8000353376  
e-mail: [ConsumerServiceEU@energizer.com](mailto:ConsumerServiceEU@energizer.com)

#### 1.4 Emergency telephone number

Emergency information service 1-314-985-1511 Int'l: 1-800-526-4727  
This number is only available during the following  
office hours: Mon-Fri 09:00 AM - 05:00 PM

### SECTION 2: Hazard(s) identification

#### 2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and category	Hazard statement
A.1I	acute toxicity (inhal.)	4	Acute Tox. 4	H332
A.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
A.3	serious eye damage/eye irritation	2	Eye Irrit. 2	H319
A.4S	skin sensitization	1	Skin Sens. 1	H317
A.8D	specific target organ toxicity - single exposure (narcotic effects, drowsiness)	3	STOT SE 3	H336

## Armor All FRESHfx Car Air Freshener Cherry Blast Vent Clip

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-10-22

Section	Hazard class	Category	Hazard class and category	Hazard statement
A.9	specific target organ toxicity - repeated exposure	2	STOT RE 2	H373
A.10	aspiration hazard	1	Asp. Tox. 1	H304
B.6	flammable liquid	3	Flam. Liq. 3	H226

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Delayed or immediate effects can be expected after short or long-term exposure. The product is combustible and can be ignited by potential ignition sources.

### 2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word danger

- Pictograms

GHS02, GHS07, GHS08



- Hazard statements

H226 Flammable liquid and vapor.  
H304 May be fatal if swallowed and enters airways.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H332 Harmful if inhaled.  
H336 May cause drowsiness or dizziness.  
H373 May cause damage to organs (nervous system) through prolonged or repeated exposure.

- Precautionary statements

P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P103 Read label before use.  
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.  
P240 Ground/bond container and receiving equipment.  
P241 Use explosion-proof electrical/ventilating/lighting equipment.  
P242 Use only non-sparking tools.  
P243 Take precautionary measures against static discharge.  
P260 Do not breathe dust/fume/gas/mist/vapors/spray.  
P271 Use only outdoors or in a well-ventilated area.  
P272 Contaminated work clothing must not be allowed out of the workplace.  
P280 Wear protective gloves/eye protection/face protection.  
P301+P310 If swallowed: Immediately call a poison center/doctor.  
P302+P352 If on skin: Wash with plenty of water.  
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHfx Car Air Freshener Cherry Blast Vent Clip

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-10-22

### - Precautionary statements

P304+P340	If inhaled: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312	Call a poison center/doctor if you feel unwell.
P321	Specific treatment (see on this label).
P331	Do NOT induce vomiting.
P362	Take off contaminated clothing and wash it before reuse.
P363	Wash contaminated clothing before reuse.
P370+P378	In case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

### 2.2.1.7- Hazardous ingredients for labelling

Distillates (petroleum), hydrotreated light, delta-Damascone, Cinnamonnitrile, Dorisyl

## 2.3 Other hazards

Hazards not otherwise classified

May be harmful if swallowed (GHS category 5: acutely toxic - oral).  
May be harmful in contact with skin (GHS category 5: acutely toxic - dermal).  
Toxic to aquatic life with long lasting effects (GHS category 2: aquatic toxicity - acute and/or chronic).

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.






## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not relevant (mixture)

### 3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Distillates (petroleum), hydrotreated light	CAS No 64742-47-8	25 – < 50	Acute Tox. 3 / H331 STOT SE 3 / H336 STOT RE 2 / H373 Asp. Tox. 1 / H304 Flam. Liq. 3 / H226	   
benzaldehyde	CAS No 100-52-7	10 – < 25	Acute Tox. 4 / H302 Acute Tox. 4 / H332 Flam. Liq. 4 / H227	





# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHfx Car Air Freshener Cherry Blast Vent Clip

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-10-22

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Tetrahydrolinalool	CAS No 78-69-3	10 – < 25	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1B / H317 Flam. Liq. 4 / H227	
Methyl Benzaldehyde	CAS No 104-87-0	5 – < 10	Acute Tox. 4 / H302 Eye Irrit. 2 / H319	
$\alpha,\alpha$ -dimethylphenethyl butyrate	CAS No 10094-34-5	5 – < 10	Skin Irrit. 2 / H315	
Florosol	CAS No 63500-71-0	5 – < 10	Eye Irrit. 2 / H319	
Dorisyl	CAS No 32210-23-4	1 – < 5	Skin Sens. 1B / H317	
delta-Damascone	CAS No 57378-68-4	1 – < 5	Acute Tox. 4 / H302 Skin Irrit. 2 / H315 Skin Sens. 1 / H317	
Cinnamonnitrile	CAS No 1885-38-7	1 – < 5	Acute Tox. 3 / H301 Acute Tox. 4 / H312 Skin Sens. 1A / H317	

For full text of abbreviations: see SECTION 16.

### SECTION 4: First-aid measures

#### 4.1 Description of first- aid measures

##### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

##### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

##### Following skin contact

Wash with plenty of soap and water.

##### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

##### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.



## Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

### Armor All FRESHfx Car Air Freshener Cherry Blast Vent Clip

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-10-22

#### 4.2 Most important symptoms and effects, both acute and delayed

Narcotic effects.

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

### SECTION 5: Fire-fighting measures

#### 5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO<sub>2</sub>)

Unsuitable extinguishing media

Water jet

#### 5.2 Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapor-air mixture. Solvent vapors are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

#### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder



## Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

### Armor All FRESHfx Car Air Freshener Cherry Blast Vent Clip

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-10-22

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

- Specific notes/details

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapors are heavier than air, spread along floors and form explosive mixtures with air. Vapors may form explosive mixtures with air.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

### 7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.

- Flammability hazards

Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.

- Ventilation requirements

Keep any substance that emits harmful vapors or gases in a place that allows these to be permanently extracted. Use local and general ventilation. Ground/bond container and receiving equipment.

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHfx Car Air Freshener Cherry Blast Vent Clip

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-10-22

### 7.3 Specific end use(s)

See section 16 for a general overview.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

This information is not available.

#### Relevant DNELs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
benzaldehyde	100-52-7	DNEL	9.8 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
benzaldehyde	100-52-7	DNEL	9.8 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
benzaldehyde	100-52-7	DNEL	1.14 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Tetrahydrolinalool	78-69-3	DNEL	11.14 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Tetrahydrolinalool	78-69-3	DNEL	3.16 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Tetrahydrolinalool	78-69-3	DNEL	190 µg/cm <sup>2</sup>	human, dermal	worker (industry)	chronic - local effects
α,α-dimethylphenethyl butyrate	10094-34-5	DNEL	4.4 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
α,α-dimethylphenethyl butyrate	10094-34-5	DNEL	8.33 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Florosol	63500-71-0	DNEL	44.1 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Florosol	63500-71-0	DNEL	41.7 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

#### Relevant PNECs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
benzaldehyde	100-52-7	PNEC	0.011 mg/l	aquatic organisms	water	intermittent release
benzaldehyde	100-52-7	PNEC	0 mg/l	aquatic organisms	freshwater	short-term (single instance)



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHfx Car Air Freshener Cherry Blast Vent Clip

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-10-22

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
benzaldehyde	100-52-7	PNEC	0 mg/l	aquatic organisms	marine water	short-term (single instance)
benzaldehyde	100-52-7	PNEC	7.59 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
benzaldehyde	100-52-7	PNEC	0.004 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
benzaldehyde	100-52-7	PNEC	0 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
benzaldehyde	100-52-7	PNEC	0.001 mg/kg	terrestrial organisms	soil	short-term (single instance)
Tetrahydrolinalool	78-69-3	PNEC	0.089 mg/l	aquatic organisms	water	intermittent release
Tetrahydrolinalool	78-69-3	PNEC	0.009 mg/l	aquatic organisms	freshwater	short-term (single instance)
Tetrahydrolinalool	78-69-3	PNEC	0.001 mg/l	aquatic organisms	marine water	short-term (single instance)
Tetrahydrolinalool	78-69-3	PNEC	450 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Tetrahydrolinalool	78-69-3	PNEC	0.082 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Tetrahydrolinalool	78-69-3	PNEC	0.008 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Tetrahydrolinalool	78-69-3	PNEC	0.011 mg/kg	terrestrial organisms	soil	short-term (single instance)
α,α-dimethylphenethyl butyrate	10094-34-5	PNEC	4.766 µg/l	aquatic organisms	freshwater	short-term (single instance)
α,α-dimethylphenethyl butyrate	10094-34-5	PNEC	31.25 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
α,α-dimethylphenethyl butyrate	10094-34-5	PNEC	0.189 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
α,α-dimethylphenethyl butyrate	10094-34-5	PNEC	0.103 mg/kg	terrestrial organisms	soil	short-term (single instance)
Florosol	63500-71-0	PNEC	0.94 mg/l	aquatic organisms	water	intermittent release
Florosol	63500-71-0	PNEC	0.094 mg/l	aquatic organisms	freshwater	short-term (single instance)





# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHfx Car Air Freshener Cherry Blast Vent Clip

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-10-22

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Florosol	63500-71-0	PNEC	0.009 mg/l	aquatic organisms	marine water	short-term (single instance)
Florosol	63500-71-0	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Florosol	63500-71-0	PNEC	0.412 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Florosol	63500-71-0	PNEC	0.041 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Florosol	63500-71-0	PNEC	0.09 mg/kg	terrestrial organisms	soil	short-term (single instance)
Dorisyl	32210-23-4	PNEC	5.3 µg/l	aquatic organisms	freshwater	short-term (single instance)
Dorisyl	32210-23-4	PNEC	0.53 µg/l	aquatic organisms	marine water	short-term (single instance)
Dorisyl	32210-23-4	PNEC	12.2 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Dorisyl	32210-23-4	PNEC	2.01 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Dorisyl	32210-23-4	PNEC	0.21 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Dorisyl	32210-23-4	PNEC	66.67 mg/kg	aquatic organisms	water	short-term (single instance)
Dorisyl	32210-23-4	PNEC	0.42 mg/kg	terrestrial organisms	soil	short-term (single instance)
Dorisyl	32210-23-4	PNEC	53 µg/l	aquatic organisms	water	intermittent release

### 8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHfx Car Air Freshener Cherry Blast Vent Clip

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-10-22

### Skin protection

#### - Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### - Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

### Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

Physical state	liquid
Color	various
Odor	characteristic

#### Other safety parameters

pH (value)	not determined
Melting point/freezing point	not determined
Initial boiling point and boiling range	≥146 °C at 101.3 kPa
Flash point	29 °C at 101.3 kPa
Evaporation rate	not determined
Flammability (solid, gas)	not relevant, (fluid)
Explosive limits	not determined
Vapor pressure	≤3.7 kPa at 37.8 °C



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHfx Car Air Freshener Cherry Blast Vent Clip

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-10-22

Density	not determined
Vapor density	this information is not available
Relative density	information on this property is not available
Solubility(ies)	not determined

### Partition coefficient

- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	192 °C (auto-ignition temperature (liquids and gases))
Viscosity	not determined
Explosive properties	none
Oxidizing properties	none

### 9.2 Other information

Temperature class (USA, acc. to NEC 500)	T3A (maximum permissible surface temperature on the equipment: 180°C)
--	---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Risk of ignition.

If heated:

Risk of ignition

### 10.2 Chemical stability

See below "Conditions to avoid".

### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints to prevent fire or explosion

Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHfx Car Air Freshener Cherry Blast Vent Clip

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-10-22

### 10.5 Incompatible materials

Oxidizers

### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

#### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

#### Acute toxicity

Harmful if inhaled.

GHS of the United Nations, annex 4: May be harmful if swallowed or in contact with skin.

#### - Acute toxicity estimate (ATE)

Inhalation: vapor 13.33 mg/l/4h

#### Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Distillates (petroleum), hydrotreated light	64742-47-8	inhalation: vapor	5.28 mg/l/4h
benzaldehyde	100-52-7	oral	1,430 mg/kg
benzaldehyde	100-52-7	inhalation: vapor	11 mg/l/4h
Methyl Benzaldehyde	104-87-0	oral	500 mg/kg
delta-Damascone	57378-68-4	oral	500 mg/kg
Cinnamonnitrile	1885-38-7	oral	100 mg/kg
Cinnamonnitrile	1885-38-7	dermal	1,100 mg/kg

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Causes serious eye irritation.

#### Respiratory or skin sensitization

May cause an allergic skin reaction.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHfx Car Air Freshener Cherry Blast Vent Clip

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-10-22

### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

### Carcinogenicity

Shall not be classified as carcinogenic.

### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity - single exposure

May cause drowsiness or dizziness.

### Specific target organ toxicity - repeated exposure

May cause damage to organs (nervous system) through prolonged or repeated exposure.

Hazard category	Target organ	Exposure route
2	nervous system	if exposed

### Aspiration hazard

May be fatal if swallowed and enters airways.

## SECTION 12: Ecological information

### 12.1 Toxicity

Toxic to aquatic life with long lasting effects.

#### Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Distillates (petroleum), hydrotreated light	64742-47-8	LL50	5 mg/l	fish	96 h
Distillates (petroleum), hydrotreated light	64742-47-8	EL50	1.4 mg/l	aquatic invertebrates	48 h
Distillates (petroleum), hydrotreated light	64742-47-8	LC50	>1,000 mg/l	rainbow trout (Oncorhynchus mykiss)	96 h
Distillates (petroleum), hydrotreated light	64742-47-8	LC50	>1,000 mg/l	goldfish (Carassius auratus)	72 h
Distillates (petroleum), hydrotreated light	64742-47-8	EC50	>1,000 mg/l	water flea (Daphnia)	48 h
Distillates (petroleum), hydrotreated light	64742-47-8	EC50	>1,000 mg/l	algae	72 h
benzaldehyde	100-52-7	LC50	12.4 mg/l	fish	96 h



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHfx Car Air Freshener Cherry Blast Vent Clip

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-10-22

### Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
benzaldehyde	100-52-7	EC50	19.7 mg/l	aquatic invertebrates	48 h
benzaldehyde	100-52-7	ErC50	33.1 mg/l	algae	72 h
Tetrahydrolinalool	78-69-3	LC50	8.9 mg/l	fish	96 h
Tetrahydrolinalool	78-69-3	EC50	14.2 mg/l	aquatic invertebrates	48 h
Tetrahydrolinalool	78-69-3	ErC50	21.6 mg/l	algae	72 h
$\alpha,\alpha$ -dimethylphenethyl butyrate	10094-34-5	EC50	21.3 mg/l	aquatic invertebrates	24 h
Florosol	63500-71-0	EC50	320 mg/l	aquatic invertebrates	48 h
Florosol	63500-71-0	ErC50	>100 mg/l	algae	72 h
Dorisyl	32210-23-4	LC50	8.6 mg/l	fish	96 h
Dorisyl	32210-23-4	EC50	5.3 mg/l	aquatic invertebrates	48 h
Dorisyl	32210-23-4	ErC50	22 mg/l	algae	72 h

### Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Distillates (petroleum), hydrotreated light	64742-47-8	EL50	0.89 mg/l	aquatic invertebrates	21 d
benzaldehyde	100-52-7	EC50	50 mg/l	aquatic invertebrates	24 h
Tetrahydrolinalool	78-69-3	EC50	1,000 mg/l	microorganisms	30 min
$\alpha,\alpha$ -dimethylphenethyl butyrate	10094-34-5	EC50	684 mg/l	microorganisms	3 h
Florosol	63500-71-0	EC50	>1,000 mg/l	microorganisms	3 h
Dorisyl	32210-23-4	EC50	302 mg/l	microorganisms	3 h

### 12.2 Persistence and degradability

Data are not available.

### 12.3 Bioaccumulative potential

Data are not available.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHfx Car Air Freshener Cherry Blast Vent Clip

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-10-22

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

Data are not available.

### 12.6 Other adverse effects

Endocrine disrupting potential

None of the ingredients are listed.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Waste treatment-relevant information

Solvent reclamation/regeneration.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

## SECTION 14: Transport information

<b>14.1 UN number</b>	3082
<b>14.2 UN proper shipping name</b>	Environmentally hazardous substance, liquid, n.o.s.
Technical name (hazardous ingredients)	$\alpha,\alpha$ -dimethylphenethyl butyrate, Distillates (petroleum), hydrotreated light
<b>14.3 Transport hazard class(es)</b>	
Class	9 (environmentally hazardous)
<b>14.4 Packing group</b>	III (substance presenting low danger)
<b>14.5 Environmental hazards</b>	hazardous to the aquatic environment
Environmentally hazardous substance (aquatic environment)	$\alpha,\alpha$ -dimethylphenethyl butyrate, Distillates (petroleum), hydrotreated light
<b>14.6 Special precautions for user</b>	
There is no additional information.	



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHfx Car Air Freshener Cherry Blast Vent Clip

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-10-22

### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

#### Information for each of the UN Model Regulations

Not regulated when carried in single or combination packaging containing a net quantity of 5L or less or 5 kg or less per the following:

DOT: 171.4(2)

ADR: SP 375

IMDG: 2.10.2.7

IATA: special provision A197, DOT

#### Transport of dangerous goods by road or rail (49 CFR US DOT)

Index number	3082
Proper shipping name	Environmentally hazardous substance, liquid, n.o.s.
- Particulars in the shipper's declaration	UN3082, Environmentally hazardous substance, liquid, n.o.s., (contains: $\alpha,\alpha$ -dimethylphenethyl butyrate, Distillates (petroleum), hydrotreated light), 9, III
Class	9
Packing group	III
Danger label(s)	9, fish and tree



Environmental hazards	yes (hazardous to the aquatic environment)
Special provisions (SP)	8, 146, 173, 335, IB3, T4, TP1, TP29
ERG No	171

#### International Maritime Dangerous Goods Code (IMDG)

UN number	3082
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
- Particulars in the shipper's declaration	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (contains: $\alpha,\alpha$ -dimethylphenethyl butyrate, Distillates (petroleum), hydro-treated light), 9, III, 29°C c.c.
Class	9
Marine pollutant	yes (hazardous to the aquatic environment)
Packing group	III
Danger label(s)	9, fish and tree



## Armor All FRESHfx Car Air Freshener Cherry Blast Vent Clip

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-10-22



Special provisions (SP)	274, 335, 969
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
EmS	F-A, S-F
Stowage category	A

### International Civil Aviation Organization (ICAO-IATA/DGR)

UN number	3082
Proper shipping name	Environmentally hazardous substance, liquid, n.o.s.
- Particulars in the shipper's declaration	UN3082, Environmentally hazardous substance, liquid, n.o.s., (contains: $\alpha,\alpha$ -dimethylphenethyl butyrate, Distillates (petroleum), hydrotreated light), 9, III
Class	9
Environmental hazards	yes (hazardous to the aquatic environment)
Packing group	III
Danger label(s)	9, fish and tree



Special provisions (SP)	A97, A158, A197
Excepted quantities (EQ)	E1
Limited quantities (LQ)	30 kg

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations specific for the product in question

#### National regulations (United States)

**Toxic Substance Control Act (TSCA)** all ingredients are listed

#### Superfund Amendment and Reauthorization Act (SARA TITLE III )

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

- Specific Toxic Chemical Listings (EPCRA Section 313)

none of the ingredients are listed



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHfx Car Air Freshener Cherry Blast Vent Clip

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-10-22

### Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)  
none of the ingredients are listed

### Clean Air Act

none of the ingredients are listed

### Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of substance	Name acc. to inventory	CAS No	Functional-ity	Authoritative Lists
Distillates (petroleum), hydro-treated light		64742-47-8	solvents	
Benzaldehyde		100-52-7	fragrance	
Tetrahydrolinalool		78-69-3	fragrance	
A,α-dimethylphenethyl butyrate		10094-34-5	fragrance	
Florosol		63500-71-0	fragrance	
Methyl Benzaldehyde		104-87-0	fragrance	
2-Ethoxy-4-(methoxymethyl)phenol		5595-79-9	fragrance	
Delta-Damascone		57378-68-4	fragrance	
Cinnamonnitrile		1885-38-7	fragrance	
Dorisyl		32210-23-4	fragrance	

- Toxic or Hazardous Substance List (MA-TURA)

none of the ingredients are listed

- Hazardous Substances List (MN-ERTK)

Name of substance	Name acc. to inventory	CAS No	References	Remarks
benzaldehyde	Benzaldehyde	100-52-7	I	

#### Legend

I American Industrial Hygiene Association (AIHA), "Workplace Environmental Exposure Level Guides" (1992), available from AIHA



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHfx Car Air Freshener Cherry Blast Vent Clip

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-10-22

### - Hazardous Substance List (NJ-RTK)

Name of substance	Name acc. to inventory	CAS No	Remarks	Classifications
benzaldehyde	benzaldehyde	100-52-7		F2

#### Legend

F2 Flammable - Second Degree

### - Hazardous Substance List (Chapter 323) (PA-RTK)

Name of substance	Name acc. to inventory	CAS No	Classification
benzaldehyde	BENZALDEHYDE	100-52-7	

### - Hazardous Substance List (RI-RTK)

Name of substance	Name acc. to inventory	CAS No	References
benzaldehyde	Benzaldehyde	100-52-7	F

#### Legend

F Flammability (NFPA®)

### California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

none of the ingredients are listed

### Industry or sector specific available guidance(s)

#### NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	*	chronic (long-term) health effects may result from repeated overexposure
Health	2	temporary or minor injury may occur
Flammability	3	material that can be ignited under almost all ambient temperature conditions
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

#### NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHfx Car Air Freshener Cherry Blast Vent Clip

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-10-22

Category	Degree of hazard	Description
Flammability	3	material that can be ignited under almost all ambient temperature conditions
Health	2	material that, under emergency conditions, can cause temporary incapacitation or residual injury
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

### National inventories

Country	Inventory	Status
AU	AICS	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	not all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	not all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

#### Legend

AICS	Australian Inventory of Chemical Substances
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHfx Car Air Freshener Cherry Blast Vent Clip

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-10-22

### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

### SECTION 16: Other information, including date of preparation or last revision

#### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
14.1	UN number: 1993	UN number: 3082	yes
14.2	UN proper shipping name: Flammable liquid, n.o.s.	UN proper shipping name: Environmentally hazardous substance, liquid, n.o.s.	yes
14.2	Technical name (hazardous ingredients): Distillates (petroleum), hydrotreated light, Cinnam onitrile	Technical name (hazardous ingredients): $\alpha,\alpha$ -dimethylphenethyl butyrate, Distillates (petro leum), hydrotreated light	yes
14.3	Class: 3 (flammable liquids)	Class: 9 (environmentally hazardous)	yes
14.5	Environmentally hazardous substance (aquatic environment): Distillates (petroleum), hydrotreated light	Environmentally hazardous substance (aquatic environment): $\alpha,\alpha$ -dimethylphenethyl butyrate, Distillates (petro leum), hydrotreated light	yes
14.7	Information for each of the UN Model Regula tions: DOT	Information for each of the UN Model Regula tions: Not regulated when carried in single or combina tion packaging containing a net quantity of 5L or less or 5 kg or less per the following: DOT: 171.4(2) ADR: SP 375 IMDG: 2.10.2.7 IATA: special provision A197, DOT	yes
14.7	Index number: 1993	Index number: 3082	yes
14.7	Proper shipping name: Flammable liquid, n.o.s.	Proper shipping name: Environmentally hazardous substance, liquid, n.o.s.	yes
14.7	Particulars in the shipper's declaration: UN1993, Flammable liquid, n.o.s., (contains: Distil lates (petroleum), hydrotreated light, Cinnamoni trile), 3, III, environmentally hazardous	Particulars in the shipper's declaration: UN3082, Environmentally hazardous substance, liquid, n.o.s., (contains: $\alpha,\alpha$ -dimethylphenethyl bu tyrate, Distillates (petroleum), hydrotreated light), 9, III	yes
14.7	Class: 3	Class: 9	yes
14.7	Danger label(s): 3, fish and tree	Danger label(s): 9, fish and tree	yes



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHfx Car Air Freshener Cherry Blast Vent Clip

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-10-22

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
14.7		Danger label(s): change in the listing (table)	yes
14.7	Special provisions (SP): B1, B52, IB3, T4, TP1, TP29	Special provisions (SP): 8, 146, 173, 335, IB3, T4, TP1, TP29	yes
14.7	ERG No: 128	ERG No: 171	yes
14.7	UN number: 1993	UN number: 3082	yes
14.7	Proper shipping name: FLAMMABLE LIQUID, N.O.S.	Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	yes
14.7	Particulars in the shipper's declaration: UN1993, FLAMMABLE LIQUID, N.O.S., (contains: Distillates (petroleum), hydrotreated light, Cinnamomitrile), 3, III, 29°C c.c., MARINE POLLUTANT	Particulars in the shipper's declaration: UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (contains: α,α-dimethylphenethyl butyrate, Distillates (petroleum), hydrotreated light), 9, III, 29°C c.c.	yes
14.7	Class: 3	Class: 9	yes
14.7	Danger label(s): 3, fish and tree	Danger label(s): 9, fish and tree	yes
14.7		Danger label(s): change in the listing (table)	yes
14.7	Special provisions (SP): 223, 274, 955	Special provisions (SP): 274, 335, 969	yes
14.7	EmS: F-E, S-E	EmS: F-A, S-F	yes
14.7	UN number: 1993	UN number: 3082	yes
14.7	Proper shipping name: Flammable liquid, n.o.s.	Proper shipping name: Environmentally hazardous substance, liquid, n.o.s.	yes
14.7	Particulars in the shipper's declaration: UN1993, Flammable liquid, n.o.s., (contains: Distillates (petroleum), hydrotreated light, Cinnamomitrile), 3, III	Particulars in the shipper's declaration: UN3082, Environmentally hazardous substance, liquid, n.o.s., (contains: α,α-dimethylphenethyl butyrate, Distillates (petroleum), hydrotreated light), 9, III	yes
14.7	Class: 3	Class: 9	yes
14.7	Danger label(s): 3	Danger label(s): 9, fish and tree	yes



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHfx Car Air Freshener Cherry Blast Vent Clip

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-10-22

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
14.7		Danger label(s): change in the listing (table)	yes
14.7	Special provisions (SP): A3	Special provisions (SP): A97, A158, A197	yes
14.7	Limited quantities (LQ): 10 L	Limited quantities (LQ): 30 kg	yes

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
49 CFR US DOT	49 CFR U.S. Department of Transportation
Acute Tox.	Acute toxicity
Asp. Tox.	Aspiration hazard
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
DOT	Department of Transportation (USA)
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EINECS	European Inventory of Existing Commercial Chemical Substances
EL50	Effective Loading 50 %: the EL50 corresponds to the loading rate required to produce a response in 50% of the test organisms
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
ERG No	Emergency Response Guidebook - Number
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHfx Car Air Freshener Cherry Blast Vent Clip

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-10-22

Abbr.	Descriptions of used abbreviations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LL50	Lethal Loading 50 %: the LL50 corresponds to the loading rate causing 50 % lethality
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NFPA®	National Fire Protection Association (United States)
NLP	No-Longer Polymer
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitization
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure
vPvB	Very Persistent and very Bioaccumulative

### Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).





## Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

### Armor All FRESHfx Car Air Freshener Cherry Blast Vent Clip

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-10-22

#### List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H226	Flammable liquid and vapor.
H227	Combustible liquid.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H373	May cause damage to organs (nervous system) through prolonged or repeated exposure.

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.