

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

US GHS SDS

Revision Date: 3/30/2021 Date of Issue: 1/29/21

Version: 1.0

SECTION 1: IDENTIFICATION

1.1. Product Identifier

Product Form: Mixture

Product Name: Zip Wax Car Wash & Wax

Product Code: T-75A (50405), T-75AS (50407), T-77C (50409), T-78 (50410), T-78C (50410), T-78C (50411), T-78PD (50412), T-79

(50413), T-79S (50414)

1.2. Intended Use of the Product

Use of the Substance/Mixture: Motor Vehicle Wash

1.3. Name, Address, and Telephone of the Responsible Party

Manufacturer

Turtle Wax, Inc.

2250 W. Pinehurst Blvd., Suite 150

Addison, IL 60101-6103

Phone Number: 1(630)455-3700 Toll-Free Number: 1(800)887-8539

1.4. Emergency Telephone Number

Emergency Number : CHEMTREC

Within USA and Canada: 1-800-424-9300 or +1-703-527-3887 (collect calls

accepted)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the Substance or Mixture

Eye Irrit. 2B H320

Full text of hazard classes and H-statements : see section 16

2.2. Label Elements

GHS-US Labeling

Signal Word (GHS-US) : Warning

Hazard Statements (GHS-US) : H320 - Causes eye irritation.

Precautionary Statements (GHS-US) : P261 - Avoid breathing vapors, mist, or spray.

P264 - Wash hands, forearms, and other exposed areas thoroughly after handling. P272 - Contaminated work clothing must not be allowed out of the workplace.

P280 - Wear protective gloves, protective clothing, and eye protection.

P302+P352 - If on skin: Wash with plenty of water.

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P321 - Specific treatment (see section 4 on this SDS).

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention.

P363 - Wash contaminated clothing before reuse.

P501 - Dispose of contents/container in accordance with local, regional, national,

and international regulations.

2.3. Other Hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

2.4. Unknown Acute Toxicity (GHS-US)

No data available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substance

Not applicable

3.2. Mixture

Name	Synonyms	Product Identifier	%	GHS US classification
	-1		, -	

01/29/2021 EN (English US) 1/9

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations $\underline{\sf US}$ GHS SDS

Benzenesulfonic acid, C10-16-alkyl derivatives, sodium salts	Sodium C10-16 Alkylbenzenesulfonate / Benzenesulfonic acid, mono-C10- 16-alkyl derivatives, sodium salts / Sodium n-alkyl (C10-16) benzenesulfonate / C10-16- Monoalkyl benzenesulfonic acid, sodium salts	(CAS-No.) 68081-81-2	1.5 – 3	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Sodium lauryl sulfate	Dodecyl sodium sulfate / Dodecyl sulfate, sodium / Dodecyl sulfate, sodium salt / Sodium dodecyl sulfate / Sodium dodecyl sulphate / Sodium lauryl sulphate	(CAS-No.) 151-21-3	≤ 1.45	Flam. Sol. 2, H228 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 2, H401 Aquatic Chronic 3, H412 Comb. Dust
1,2,3-Propanetriol	Glycerin / Glycerine / Glycerol / 1,2,3-Trihydroxypropane	(CAS-No.) 56-81-5	< 0.07	Not classified
Citral	3,7-Dimethyl-2,6-octadienal / 2,6- Octadienal, 3,7-dimethyl- / CITRAL / 3,7-Dimethylocta-2,6- dien-8-al	(CAS-No.) 5392-40-5	< 0.0065	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1B, H317 Aquatic Acute 2, H401
3(2H)-Isothiazolone, 2- methyl-	Methylisothiazolinone / 2- Methyl-3-isothiazolone / 3- Isothiazolone, 2-methyl- / 2- Methyl-2H-isothiazol-3-one	(CAS-No.) 2682-20-4	< 0.0053	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 2 (Inhalation:dust,mist), H330 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 STOT SE 3, H335 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
2,4-Pentanediol, 2- methyl-	Hexylene glycol / 2,4-Dihydroxy- 2-methylpentane / 2-Methyl-2,4- pentanediol / 2-Methylpentane- 2,4-diol	(CAS-No.) 107-41-5	≤ 0.0003	Skin Irrit. 2, H315 Eye Irrit. 2A, H319
Ammonia	Ammonia, anhydrous / Free ammonia / Gaseous ammonia / Non-ionic ammonia	(CAS-No.) 7664-41-7	≤ 0.0003	Flam. Gas 2, H221 Press. Gas (Comp.), H280 Acute Tox. 3 (Inhalation:gas), H331 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 1, H400 Aquatic Chronic 2, H411

Full text of H-phrases: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of First-aid Measures

First-aid Measures General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid Measures After Inhalation: When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

First-aid Measures After Skin Contact: Remove contaminated clothing. Immediately drench affected area with water for at least 15 minutes. Obtain medical attention if irritation/rash develops or persists.

First-aid Measures After Eye Contact: Immediately rinse with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.

01/29/2021 EN (English US) 2/9

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations US GHS SDS

First-aid Measures After Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

4.2. Most Important Symptoms and Effects Both Acute and Delayed

Symptoms/Injuries: Causes eye irritation. Skin sensitization.

Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation.

Symptoms/Injuries After Skin Contact: May cause irritation. Repeated exposure may cause skin dryness or cracking.

Symptoms/Injuries After Eye Contact: May cause moderate irritation, including burning sensation, tearing, redness or swelling.

Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects.

Chronic Symptoms: None expected under normal conditions of use.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media: Water spray, fog, carbon dioxide (CO₂), alcohol-resistant foam, or dry chemical. **Unsuitable Extinguishing Media:** Do not use a heavy water stream. Use of heavy stream of water may spread fire.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not considered flammable but may burn at high temperatures.

Explosion Hazard: Product is not explosive.

Reactivity: Hazardous reactions will not occur under normal conditions.

5.3. Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire. **Firefighting Instructions:** Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon oxides (CO, CO₂). Sulfur oxides. Nitrogen oxides. Irritating fumes.

Other Information: Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid all contact with skin, eyes, or clothing. Avoid breathing (vapor, mist, spray).

6.1.1. For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protective equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

6.1.2. For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

6.2. Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

6.3. Methods and Materials for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Additional Hazards When Processed: When heated to decomposition, emits toxic fumes.

Precautions for Safe Handling: Avoid contact with skin, eyes and clothing. Avoid breathing vapors, mist, spray. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

Incompatible Materials: Strong acids, strong bases, strong oxidizers.

01/29/2021 EN (English US) 3/9

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations US GHS SDS

7.3. Specific End Use(s)

Motor Vehicle Wash

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), or OSHA (PEL).

1,2,3-Propan	etriol (56-81-5)	
USA OSHA	OSHA PEL (TWA) (mg/m³)	15 mg/m³ (mist, total particulate)
		5 mg/m³ (mist, respirable fraction)
Ammonia (7	664-41-7)	
USA ACGIH	ACGIH TWA (ppm)	25 ppm
USA ACGIH	ACGIH STEL (ppm)	35 ppm
USA NIOSH	NIOSH REL (TWA) (mg/m³)	18 mg/m³
USA NIOSH	NIOSH REL TWA [ppm]	25 ppm
USA NIOSH	NIOSH REL (STEL) (mg/m³)	27 mg/m ³
USA NIOSH	NIOSH REL STEL [ppm]	35 ppm
USA IDLH	US IDLH (ppm)	300 ppm
USA OSHA	OSHA PEL (TWA) (mg/m³)	35 mg/m ³
USA OSHA	OSHA PEL (TWA) (ppm)	50 ppm
Citral (5392-	40-5)	
USA ACGIH	ACGIH TWA (ppm)	5 ppm (inhalable fraction and vapor)
USA ACGIH	ACGIH chemical category	Not Classifiable as a Human Carcinogen, Skin - potential significant
		contribution to overall exposure by the cutaneous route, dermal
		sensitizer
2,4-Pentaneo	diol, 2-methyl- (107-41-5)	
USA ACGIH	ACGIH TWA (ppm)	25 ppm (vapor fraction)
USA ACGIH	ACGIH STEL (mg/m³)	10 mg/m³ (inhalable particulate matter, aerosol only)
USA ACGIH	ACGIH STEL (ppm)	50 ppm (vapor fraction)
USA NIOSH	NIOSH REL (ceiling) (mg/m³)	125 mg/m ³
USA NIOSH	NIOSH REL C [ppm]	25 ppm

8.2. Exposure Controls

Appropriate Engineering Controls

 Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

Personal Protective Equipment

: Gloves. Protective clothing. Protective goggles.







Materials for Protective Clothing

Hand Protection

Eye and Face Protection Skin and Body Protection

Respiratory Protection

: Chemically resistant materials and fabrics.

: Wear protective gloves.: Chemical safety goggles.

: Wear suitable protective clothing.

 If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

: When using, do not eat, drink or smoke.

Other Information : When using, do SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties

Physical State: LiquidAppearance: GreenOdor: Lemon

01/29/2021 EN (English US) 4/9

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations US GHS SDS

Odor Threshold : No data available

pH : 8.2

Evaporation Rate: No data availableMelting Point: No data availableFreezing Point: No data availableBoiling Point: No data available

Flash Point : > 93 °C (Closed Cup) (199.4 °F)

Auto-ignition Temperature: No data availableDecomposition Temperature: No data availableFlammability (solid, gas): Not applicableVapor Pressure: No data availableRelative Vapor Density at 20°C: No data availableRelative Density: No data available

Specific Gravity : 1.013

Solubility: No data availablePartition Coefficient: N-Octanol/Water: No data availableViscosity: No data available

Viscosity, Dynamic : 300 cP

9.2. Other Information

VOC content (California) : 0 % % NVM by Weight : 6.3 %

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity: Hazardous reactions will not occur under normal conditions.

- 10.2. Chemical Stability: Stable under recommended handling and storage conditions (see section 7).
- 10.3. Possibility of Hazardous Reactions: Hazardous polymerization will not occur.
- 10.4. Conditions to Avoid: Direct sunlight, extremely high or low temperatures, and incompatible materials.
- **10.5. Incompatible Materials:** Strong acids, strong bases, strong oxidizers.
- **10.6. Hazardous Decomposition Products:** Thermal decomposition may produce: Carbon oxides (CO, CO₂). Nitrogen oxides. Irritating fumes.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on Toxicological Effects

Acute Toxicity (Oral): Not classified
Acute Toxicity (Dermal): Not classified
Acute Toxicity (Inhalation): Not classified

Sodium lauryl sulfate (151-21-3)		
LD50 Oral Rat	1288 mg/kg	
LD50 Dermal Rat	> 2000 mg/kg	
LC50 Inhalation Rat	> 3900 mg/m³ (Exposure time: 1 h)	
1,2,3-Propanetriol (56-81-5)		
LD50 Oral Rat	12600 mg/kg	
LD50 Dermal Rabbit	> 10 g/kg	
LC50 Inhalation Rat	> 2.75 mg/l/4h	
3(2H)-Isothiazolone, 2-methyl- (2682-20-4)		
LD50 Oral Rat	120 mg/kg	
LD50 Dermal Rabbit	200 mg/kg	
LC50 Inhalation Rat	0.11 mg/l/4h	
Ammonia (7664-41-7)		
LD50 Oral Rat	350 mg/kg	
LC50 Inhalation Rat	5.1 mg/l (Exposure time: 1 h)	
LC50 Inhalation Rat	2000 ppm/4h (Exposure time: 4 h)	
Benzenesulfonic acid, C10-16-alkyl derivatives, sodium salts (68081-81-2)		
ATE (Oral)	500.00 mg/kg body weight	

01/29/2021 EN (English US) 5/9

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations US GHS SDS

Citral (5392-40-5)	
LD50 Oral Rat	4960 mg/kg
LD50 Dermal Rabbit	2250 mg/kg
2,4-Pentanediol, 2-methyl- (107-41-5)	
LD50 Oral Rat	3700 mg/kg
LD50 Dermal Rat	> 2000 mg/kg
LD50 Dermal Rabbit	12300 mg/kg
LC50 Inhalation Rat	310 mg/m³ (Exposure time: 1 h)

Skin Corrosion/Irritation: Not classified

pH: 8.2

Serious Eye Damage/Irritation: Causes eye irritation.

pH: 8.2

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Carcinogenicity: Not classified

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified
Specific Target Organ Toxicity (Repeated Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation.

Symptoms/Injuries After Skin Contact: May cause skin irritation. Repeated exposure may cause skin dryness or cracking. **Symptoms/Injuries After Eye Contact:** May cause moderate irritation, including burning sensation, tearing, redness or swelling.

Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects.

Chronic Symptoms: None expected under normal conditions of use

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

•		
Fcology - General	 Not classified 	

Sodium lauryl sulfate (151-21-3)	
LC50 Fish 1	8 (8 – 12.5) mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 Daphnia 1	1.8 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 Fish 2	15 (15 – 18.9) mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
NOEC Chronic Crustacea	0.88 mg/l
1,2,3-Propanetriol (56-81-5)	
LC50 Fish 1	54000 (51000 – 57000) mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss
	[static])
Ammonia (7664-41-7)	
LC50 Fish 1	0.083 mg/l
EC50 Daphnia 1	25.4 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 Fish 2	0.26 – 4.6 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)
Citral (5392-40-5)	
LC50 Fish 1	4.1 mg/l
EC50 Daphnia 1	7 mg/l (Exposure time: 48 h - Species: Daphnia magna)
2,4-Pentanediol, 2-methyl- (107-41-5)	
LC50 Fish 1	10500 (10500 – 11000) mg/l (Exposure time: 96 h - Species: Pimephales promelas
	[flow-through])
EC50 Daphnia 1	2700 (2700 – 3700) mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 Fish 2	10000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])

12.2. Persistence and Degradability

Zip Wax Car Wash & Wax	
Persistence and Degradability	Not established.

12.3. Bioaccumulative Potential

	2.04004
Zip Wax	x Car Wash & Wax

01/29/2021 EN (English US) 6/9

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations US GHS SDS

Bioaccumulative Potential	Not established.
Sodium lauryl sulfate (151-21-3)	
BCF Fish 1	(will not bioconcentrate)
Partition coefficient n-octanol/water (Log	1.6
Pow)	
1,2,3-Propanetriol (56-81-5)	
BCF Fish 1	(no bioaccumulation)
Partition coefficient n-octanol/water (Log	-1.76
Pow)	
Citral (5392-40-5)	
Partition coefficient n-octanol/water (Log	2.76 (at 25 °C)
Pow)	
2,4-Pentanediol, 2-methyl- (107-41-5)	
Partition coefficient n-octanol/water (Log	< 0.14
Pow)	

- **12.4. Mobility in Soil** No additional information available
- 12.5. Other Adverse Effects

Other Information : Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste Treatment Methods

Waste Disposal Recommendations: Dispose of contents/container in accordance with local, regional, national, and international regulations.

Additional Information: Container may remain hazardous when empty. Continue to observe all precautions.

SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

- **14.1.** In Accordance with DOT Not regulated for transport
- 14.2. In Accordance with IMDG Not regulated for transport
- 14.3. In Accordance with IATA Not regulated for transport

SECTION 15: REGULATORY INFORMATION

15.1. US Federal Regulations

All components in this mixture are listed on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, have been exempted, are not listed, not disclosed due to CBI requirements or disclosure rules according to the relevant regulation.

Zip Wax Car Wash & Wax	
SARA Section 311/312 Hazard Classes	Health hazard - Serious eye damage or eye irritation
	Health hazard - Respiratory or skin sensitization
3(2H)-Isothiazolone, 2-methyl- (2682-20-4)	
EPA TSCA Regulatory Flag	PMN - PMN - indicates a commenced PMN substance.
	SP - SP - indicates a substance that is identified in a proposed
	Significant New Uses Rule.
Ammonia (7664-41-7)	
Listed on the United States SARA Section 302	
Subject to reporting requirements of United States SARA	Section 313
CERCLA RQ	100 lb
SARA Section 302 Threshold Planning Quantity (TPQ)	500 lb
SARA Section 313 - Emission Reporting	1 % (includes anhydrous Ammonia and aqueous Ammonia from water
	dissociable Ammonium salts and other sources, 10% of total aqueous
	Ammonia is reportable under this listing)

15.2. US State Regulations

1,2,3-Propanetriol (56-81-5)	
U.S New Jersey - Right to Know Hazardous Su	ubstance List

01/29/2021 EN (English US) 7/9

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations US GHS SDS

- U.S. Pennsylvania RTK (Right to Know) List
- U.S. Massachusetts Right To Know List

Ammonia (7664-41-7)

- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List
- U.S. Massachusetts Right To Know List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List

2,4-Pentanediol, 2-methyl- (107-41-5)

- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List
- U.S. Massachusetts Right To Know List

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Date of Preparation or Latest Revision: 03/30/2021Formula Identification Number: 40781

Other Information : This document has been prepared in accordance with the SDS

requirements of the OSHA Hazard Communication Standard 29 CFR

1910.1200

GHS Full Text Phrases:

Acute Tox. 2 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 2
Acute Tox. 3 (Dermal)	Acute toxicity (dermal) Category 3
Acute Tox. 3 (Inhalation:gas)	Acute toxicity (inhalation:gas) Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3
Comb. Dust	Combustible Dust
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Eye Irrit. 2B	Serious eye damage/eye irritation Category 2B
Flam. Gas 2	Flammable gases Category 2
Flam. Liq. 4	Flammable liquids Category 4
Flam. Sol. 2	Flammable solids Category 2
Press. Gas (Comp.)	Gases under pressure Compressed gas
Skin Corr. 1B	Skin corrosion/irritation Category 1B
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1A	Skin sensitization, category 1A
Skin Sens. 1B	Skin sensitization, category 1B
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3,
	Respiratory tract irritation
H221	Flammable gas
H227	Combustible liquid
H228	Flammable solid
H280	Contains gas under pressure; may explode if heated
H301	Toxic if swallowed
H302	Harmful if swallowed
H311	Toxic in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation

01/29/2021 EN (English US) 8/9

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations US GHS SDS

H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H320	Causes eye irritation
H330	Fatal if inhaled
H331	Toxic if inhaled
H335	May cause respiratory irritation
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

NFPA Health Hazard : 1 - Materials that, under emergency conditions, can

cause significant irritation.

NFPA Fire Hazard : 1 - Materials that must be preheated before

ignition can occur.


NFPA Reactivity Hazard : 0 - Material that in themselves are normally stable,

even under fire conditions.

HMIS III Rating

Health: 1 Slight HazardFlammability: 1 Slight HazardPhysical: 0 Minimal Hazard

Legal disclaimer: Turtle Wax, Inc. All rights reserved.



SDS US (GHS HazCom)

01/29/2021 EN (English US) 9/9