

Have fun in your garage!®

Safety Data Sheet

Ultra-Premium Glass Cleaner

SECTION 1: PRODUCT AND COMPANY INFORMATION

Product Identifiers

Name Ultra-Premium Glass Cleaner

Number 10998

Griot's Garage Brand **Product Use** Glass Cleaner

Supplier

Name Griot's Garage Inc. - www.griotsgarage.com Address 3333 South 38th Street - Tacoma - WA 98409

2185 Airwest Blvd - Plainfield - IN 46168

Telephone 800-345-5789 - 888-252-2252 Fax - info@griotsgarage.com

Emergency Phone 800-345-5789 Prepared/Revised February 12, 2020

SECTION 2: HAZARD IDENTIFICATION

Classification of the substance or mixture

Physical Hazards Liquefied gas (Category 2), Contains gas under pressure; may explode if heated. **Precautionary Statements and Label Elements**

Pictograms Gas Cylinder



Signal Word WARNING

Use only outdoors or in a well-ventilated area. Wash hands and exposed skin after use. Contaminated clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. Prevention

Protect from sunlight and do not expose to temperatures exceeding 50°C/122°F. Store in a well-Storage

ventilated place.

Disposal Dispose of container or contents in accordance with all regulations.

Other hazards None Supplemental Information

See Section 16 for alphanumeric H-Statements.

Section 3: Composition/Information on Ingredients					
Component	CAS No.	% Wt.	Hazard Classification		
Propane Butane Sodium lauroyl sarcosinate	74-98-6 106-97-8 137-16-6	1-5 1-5 0.1-1	Flam. Gas 1 - H220; Press. Gas (*) Flam. Gas 1 - H220; Press. Gas (*) Acute Tox. 2 (Inhalation) – H330; Skin Irrit. 2 – H315; Eye Dam. 1 – H318		
Isopropanol	67-63-0	2-5	Flam. Liq. 2 - H225; Eye Irrit. 2 - H319; STOT SE 3 - H336		
2-Butoxyethanol	111-76-2	<1	Acute. Tox. 4 - H302, H312, H332; Skin Irrit. 2 - H315; Eye Irrit. 2a - H319		

This composition consists of a combination of ingredients. The ones potentially contributing to classified hazards are reported above. The above chemistries are provided for industrial hygiene and environmental purposes and are not intended to represent product specifications.

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice Move out of dangerous area. Consult a physician if you feel unwell. Show this safety data sheet

to the doctor and first responders.

The exact percentage withheld as a trade secret in accordance with 29 CFR 1910.1200.

<u>If inhaled</u> Remove person to fresh air and keep comfortable for breathing. If breathing is labored, administer

oxygen. If symptoms develop, obtain medical attention.

In case of skin contact Wash affected skin with soap and water. Take off all contaminated clothing and shoes. Wash

contaminated clothing before reuse. If irritation develops, get medical attention.

In case of eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. If eye irritation persists, get medical attention.

If swallowed Immediately call a POISON CENTER or doctor/physician. Do not give anything by mouth to an

unconscious person.

Most important symptoms and effects, both acute and delayed: None anticipated.

Indication of any immediate medical attention and special treatment needed: None anticipated.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing Media

<u>Suitable</u> Extinguish with carbon dioxide, dry chemical, foam, or water spray (FOG).

Unsuitable Do not use water jet.

Special hazards arising from the substance or mixture

Pressurized container: May burst if heated.

Advice for firefighters A self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure

mode. (MSHA/NIOSH approved or equivalent) and protective clothing should be worn in fire

conditions. Keep containers cool by spraying with water if exposed to fire.

Further information If employees are expected to fight fires, training and equipment information can be found in OSHA

Fire Brigades Standard (29 CFR 1910.156).

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes. Use appropriate safety equipment. Keep unnecessary and unprotected personnel from entering the area. Keep upwind of spill. Ventilate area of leak or spill. Avoid breathing spray. Wear protective gloves/eye protection.

Environmental precautions

Prevent liquid entering sewers, basements and work pits.

Methods and materials for containment and cleaning up

Cover spills with inert absorbent material. Transfer to a container for disposal or recovery.

Reference to other sections-resources

None.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Use only outdoors in a well-ventilated area. Avoid contact with skin and eyes.

Conditions for safe storage, including any incompatibilities

- Storage temperature Store in a well-ventilated place. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Store locked up.

- Incompatible materials This product should be stored away from sources of strong heat or oxidizing chemicals.

Specific end use Cleaner.

SECTION 8: EXPOSURE CONTROL AND PERSONAL PROTECTION

Component Exposure Limits

		(8hr TWA)		(STEL)		
		PEL	TLV	PEL		
SUBSTANCE.	CAS No.	(OSHA)	(ACGIH)	(OSHA)	TLV (ACGIH)	Note:
n-Butane	106-97-8		250 ppm			
Propane	74-98-6	1000 ppm	Aspyx.#			Assure min. oxy. content of work atm.

Isopropanol	67-63-0	400 ppm	200 ppm	 400 ppm	
2-Butoxyethanol	111-76-2	50 ppm	20 ppm	 	

Recommended monitoring method

NIOSH 1500 (hydrocarbons, B.P. 36-126°C) NIOSH 1400 (Alcohols I); NIOSH 1403 (Alcohols IV).

Appropriate engineering controls

Use only with adequate ventilation to keep exposures (airborne levels of dust, fume, vapour etc) below recommended exposure limits. Post hazard and warning information in the work area. In addition, as part of an ongoing education and training effort, communicate all information on the health and safety hazards to potentially exposed workers.

Personal protective equipment

Eye/face protection



Wear protective eyewear (goggles, face shield, or safety glasses). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection



Wear suitable gloves if prolonged skin contact is likely (Nitrile rubber). Dispose of contaminated gloves after use in accordance with applicable regulations and good practices. Wash and dry hands. Wash contaminated clothing and decontaminate shoes before reuse.

Respiratory protection



Normally no personal respiratory protection is necessary. In case of insufficient ventilation, wear respiratory equipment. Respirators should only be used with a written program as described in the OSHA Respiratory Protection Standard (29 CFR 1910.134).

Thermal Hazards

Control of environmental exposure

Not normally required.

None known.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance: Liquid/Liquified Gas

Color: Clear

Odor: Not available Odor Threshold (ppm): Not available Not available Freezing Point/Melting Point: Not available Boiling Point/Range: Not available Flash Point: Non-flammable **Evaporation Rate:** Not available Flammability (solid, gas): Non-flammable **Explosive Limit Ranges:** Not applicable Vapor Pressure (mm Hg@20°F): Not available Vapor Density (Air= 1): Not available Density: Not available Solubility (Water): Not available Solubility (Other): Not available Partition Coefficient (n-octanol/water): Not Available Auto Ignition Point: Non-flammable

Decomposition Temperature (°C): Not Available Kinematic Viscosity (cSt): <20

Explosive Properties: Not explosive Oxidizing Properties: Not oxidizing Other Information: Not Available

Physical Data is typical values based on material tested, but may vary based on composition. Values should not be accepted as guaranteed for every lot or as specifications for this product.

SECTION 10: STABILITY AND REACTIVITY

Reactivity Does not react under normal conditions of use.

Chemical Stability Stable under normal conditions of use.

Possibility of Hazardous Reactions None anticipated.

Stability/Incompatibility Avoid contact with strong oxidizers.

Conditions to Avoid Avoid contact with heat and ignition sources.

Hazardous Reactions/Decomposition Products

None known.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

Exposure routes Component toxicity Inhalation, Skin contact, eye contact

-Mixtures Acute toxicity – LD50>5000 mg/kg-bw. Irritation/Corrosivity – Causes serious eye irritation.

<u>Acute toxicity</u> – Inhalation LC50 = 1237 mg/L (2 hour, mouse, gas). <u>Irritation/Corrosivity</u> – No evidence of irritant effects from normal handling and use. <u>Sensitization</u> – It is not a skin sensitizer. -Propane

Repeated dose toxicity – NOAEC ≥ 19678 mg/m³ (28 day, rat, systemic effects). LOAEC= 21641 mg/m³ (28 day, rat, effects: body weight). <u>Carcinogenicity</u> – It is unlikely to present a carcinogenic hazard to man. <u>Mutagenicity</u> – There is no evidence of mutagenic potential. <u>Toxicity for</u>

reproduction – None anticipated.

-Isoproponal Acute toxicity - Oral LD50 = 5.84 g/kg (rat),), Inhalation LC50 > 1000 ppm (rat, 6 hours), Dermal

LD50 = 16.4ml/kg (rabbit, 24 hours). May cause drowsiness or dizziness. Irritation/Corrosivity -Irritating to eyes. <u>Sensitization</u> – It is not a skin sensitizer. <u>Repeated dose toxicity</u> – NOAEL = 5,000 ppm (inhalation). May cause drowsiness or dizziness. <u>Carcinogenicity</u> – It is unlikely to present a carcinogenic hazard to man. Mutagenicity – There is no evidence of mutagenic potential. Toxicity

for reproduction - Not available.

Additional Information None known.

SECTION 12: ECOLOGICAL INFORMATION

Component Ecotoxicity

Short-term - LC50 (96 hour): 10,000 mg/L (Fathead minnow (Pimephales - Isopropanol

promelas)); LC50 (24 hour) > 10,000 mg/L (Daphnia magna). Long-term –NOEC: 3.37 μmol/L (Daphnia magna) (Growth rate).

Persistence and biodegradability Not available. **Bioaccumulation potential** Not available.

Mobility in soil Not available.

Results of PBT and vPvB assessment Not classified as PBT or vPvB.

Other adverse effects None known.

Section 13: Disposal Consideration

Waste treatment methods Disposal should be in accordance with local, state or national legislation. Consult

an accredited waste disposal contractor or the local authority for advice.

A : .. + .. - . - .. - .. +

Section 14: Transport Information

	<u>0.3. DOT</u>	(IMDG)	(ICAO/IATA)	
UN number Proper Shipping Name Transport hazard class(es) Packing group	per Shipping Name Aerosols, non-flammable nsport hazard class(es) 2.2		1950 Aerosols, non-flammable 2.2 Not applicable	
		Not applicable		

Environmental hazards None assigned None assigned None assigned Special precautions for user None assigned None assigned None assigned

Transport in bulk according to Annex II of MARPOL 73/38 and the IBC Code: Not applicable.

IIC DOT

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Additional transportation system information can be obtained through a shipper authorized sales or customer service representative.

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture:

Federal

TSCA: All components of this product are listed or polymer exempt.

Designated Hazardous Substances and Reportable Quantities (40 CFR 302.4): None SARA TITLE III: (Superfund Amendments and Reauthorization Act)

302 Components: None are subject to the reporting requirements of Section 302. 313 Components: None are subject to the reporting requirements of Section 313.

311/312 Hazards: Fire, Sudden release, Immediate (acute)

SECTION 16: OTHER INFORMATION

Full alphanumeric H-Statements and P-Statements

H220: Extremely flammable gas.

H225: Highly flammable liquid and vapor.

H301: Toxic if swallowed.

H302: Harmful if swallowed.

H311: Toxic in contact with skin.

H312: Harmful in contact with skin.

H315: Causes skin irritation.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H330: Fatal if inhaled.

H332: Harmful if inhaled.

H335: May cause respiratory irritation.

Disclaimer

The data presented here relates only to the specific material designated herein and does not relate to use in combination with any other materials or in any process. The information set forth above is based on technical data believed to be reliable. It is intended for use by persons having technical skill and at their own discretion and risk. Since conditions of use are outside our control, no warranties, expressed or implied are made, and no liability is assumed in connection with any use of this information. Judgments as to the suitability of this information for the user's purposes are necessarily the user's responsibility. Although reasonable care has been taken in the preparation of this information, no responsibility is assumed as to the accuracy or suitability of this information for its application to the users intended purpose or for consequences of its use.

Prepared by Griot's Garage