

PRIME GUARD PARTS CLEANER

Version Revision Date: SDS Number: Date of last issue: 09/06/2018 4.0 12/11/2019 60000000535 Date of first issue: 05/23/2016

SECTION 1. IDENTIFICATION

Product name : PRIME GUARD ELECTRIC PARTS CLNR 12/20 OZ

Product code : EPC20

Manufacturer or supplier's details

Company name of supplier : Niteo Products, LLC Address : Dallas TX 75225

Email Address : EHS@niteoproducts.com

Telephone : 1-844-696-4836

Emergency telephone num- : 1-800-424-9300 / 1-703-741-5970

ber

Recommended use of the chemical and restrictions on use

Recommended use : BRAKE PARTS CLEANER

Restrictions on use : Use only outdoors or in a well-ventilated area.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200

Acute toxicity (Inhalation) : Category 4

Skin irritation : Category 2

Eye irritation : Category 2A

Skin sensitisation : Category 1

Carcinogenicity : Category 1B

Specific target organ toxicity

- single exposure

Category 3 (Central nervous system)

GHS label elements

Hazard pictograms :





Signal word : Danger

Hazard statements : Causes skin irritation.

May cause an allergic skin reaction. Causes serious eye irritation.

Harmful if inhaled.

May cause drowsiness or dizziness.

May cause cancer.

Precautionary statements : Prevention:

Obtain special instructions before use.

PRIME GUARD PARTS CLEANER



Version Revision Date: SDS Number: Date of last issue: 09/06/2018 4.0 12/11/2019 60000000535 Date of first issue: 05/23/2016

Do not handle until all safety precautions have been read and understood.

Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

Wash skin thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing should not be allowed out of the workplace.

Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

IF ON SKIN: Wash with plenty of soap and water.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/ attention. If skin irritation or rash occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention. Take off contaminated clothing and wash before reuse.

Storage:

Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
Tetrachloroethylene	127-18-4	>= 90 - < 100
Carbon dioxide	124-38-9	>= 5 - < 10
Carbon tetrachloride	56-23-5	>= 0.1 - < 1

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : Move to fresh air.

Call a physician or poison control centre immediately.

If unconscious, place in recovery position and seek medical

dvice.

Keep patient warm and at rest.

PRIME GUARD PARTS CLEANER



Version Revision Date: SDS Number: Date of last issue: 09/06/2018 4.0 12/11/2019 60000000535 Date of first issue: 05/23/2016

If symptoms persist, call a physician.

In case of skin contact : If on clothes, remove clothes.

Remove contaminated clothing. If irritation develops, get med-

ical attention.

If on skin, rinse well with water.

Wash contaminated clothing before re-use. If skin irritation persists, call a physician. Immediately flush eye(s) with plenty of water.

Remove contact lenses. Protect unharmed eve.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Obtain medical attention.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

In case of eye contact

delayed

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

Harmful if inhaled.

May cause drowsiness or dizziness.

May cause cancer.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media

Unsuitable extinguishing

media

: Water spray

High volume water jet

Specific hazards during fire-

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod-

ucts

Carbon oxides

Specific extinguishing meth-

ods

Product is compatible with standard fire-fighting agents.

Further information : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- :

tive equipment and emer-

gency procedures

Use personal protective equipment.

Ensure adequate ventilation.

Avoid breathing dust.

Persons not wearing protective equipment should be excluded

from area of spill until clean-up has been completed.

Environmental precautions : Prevent further leakage or spillage if safe to do so.

Prevent product from entering drains.

Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform

respective authorities.

PRIME GUARD PARTS CLEANER



Version Revision Date: SDS Number: Date of last issue: 09/06/2018 4.0 12/11/2019 60000000535 Date of first issue: 05/23/2016

SECTION 7. HANDLING AND STORAGE

Advice on protection against :

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling : Provide sufficient air exchange and/or exhaust in work rooms.

Do not breathe vapours/dust.

Do not smoke.

Avoid contact with skin and eyes.

Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Dispose of rinse water in accordance with local and national

regulations.

Container hazardous when empty.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

For personal protection see section 8.

Conditions for safe storage : BEWARE: Aerosol is pressurized. Keep away from direct sun

exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or

red-hot objects.

Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Observe label precautions.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of	Control parame- ters / Permissible	Basis
		exposure)	concentration	
Tetrachloroethylene	127-18-4	TWA	25 ppm	ACGIH
		STEL	100 ppm	ACGIH
		TWA	100 ppm	OSHA Z-2
		CEIL	200 ppm	OSHA Z-2
		Peak	300 ppm	OSHA Z-2
			(5 mins. in any 3	
			hrs.)	
		TWA	25 ppm	OSHA P0
			170 mg/m3	
Carbon dioxide	124-38-9	TWA	5,000 ppm	ACGIH
		STEL	30,000 ppm	ACGIH
		TWA	5,000 ppm	NIOSH REL
		0.7	9,000 mg/m3	
		ST	30,000 ppm	NIOSH REL
			54,000 mg/m3	
		TWA	5,000 ppm	OSHA Z-1
			9,000 mg/m3	
		TWA	10,000 ppm	OSHA P0

PRIME GUARD PARTS CLEANER



Version Revision Date: SDS Number: Date of last issue: 09/06/2018 4.0 12/11/2019 60000000535 Date of first issue: 05/23/2016

			18,000 mg/m3	
		STEL	30,000 ppm 54,000 mg/m3	OSHA P0
Carbon tetrachloride	56-23-5	TWA	5 ppm	ACGIH
		STEL	10 ppm	ACGIH
		ST	2 ppm 12.6 mg/m3	NIOSH REL
		TWA	10 ppm	OSHA Z-2
		CEIL	25 ppm	OSHA Z-2
		Peak	200 ppm (5 mins. in any 4 hrs.)	OSHA Z-2
		TWA	2 ppm 12.6 mg/m3	OSHA P0

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentra-tion	Basis
Tetrachloroethylene	127-18-4	Tetrachlo- roethylene	In end- exhaled air	Prior to shift (16 hours after exposure ceases)	3 parts per million	ACGIH BEI
		Tetrachlo- roethylene	In blood	Prior to shift (16 hours after exposure ceases)	0.5 mg/l	ACGIH BEI

Engineering measures : Provide sufficient mechanical (general and/or local exhaust)

ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or

apparent adverse effects.

Personal protective equipment

Respiratory protection : In the case of vapour formation use a respirator with an ap-

proved filter.

In the case of dust or aerosol formation use respirator with an

approved filter.

Hand protection

Remarks : Wear resistant gloves (consult your safety equipment suppli-

er). The suitability for a specific workplace should be discussed with the producers of the protective gloves. Discard

gloves that show tears, pinholes, or signs of wear.

Eye protection : Wear chemical splash goggles when there is the potential for

exposure of the eyes to liquid, vapor or mist.

Skin and body protection : Choose body protection according to the amount and con-

centration of the dangerous substance at the work place.

Wear as appropriate: Impervious clothing

Safety shoes

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.

PRIME GUARD PARTS CLEANER



Version Revision Date: SDS Number: Date of last issue: 09/06/2018 4.0 12/11/2019 60000000535 Date of first issue: 05/23/2016

When using do not smoke.
When using do not eat or drink.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : aerosol

Odour : No data available pH : No data available

Melting point/freezing point : No data available

Boiling point/boiling range : 121.3 °C

The value is calculated

Flash point : does not flash

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Self-ignition : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Vapour pressure : 24.6642 hPa (25 °C)

The value is calculated

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water Viscosity No data available

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Oxidizing properties : No data available

VOC % By Weight : 0 %

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed. Possibility of hazardous reac- : No decomposition if stored and applied as directed.

tions Hazardous polymerisation does not occur.

Conditions to avoid : Heat, flames and sparks.

No data available

Incompatible materials : Strong acids

Strong bases

PRIME GUARD PARTS CLEANER



Version Revision Date: SDS Number: Date of last issue: 09/06/2018 4.0 12/11/2019 60000000535 Date of first issue: 05/23/2016

Strong oxidizing agents

Hazardous decomposition

products

: Carbon oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Eye contact Skin contact Ingestion

Acute toxicity

Harmful if inhaled.

Product:

Acute oral toxicity : Acute toxicity estimate: 2,881 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 1.61 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Components:

Tetrachloroethylene:

Acute oral toxicity : LD50 (Rat, male): 3,835 mg/kg

LD50 (Rat, female): 3,005 mg/kg

Acute inhalation toxicity : Assessment: The component/mixture is moderately toxic after

short term inhalation.

Acute dermal toxicity : LD50 (Rabbit): > 3,228 mg/kg

Assessment: No adverse effect has been observed in acute

dermal toxicity tests.

Carbon tetrachloride:

Acute oral toxicity : Assessment: The component/mixture is toxic after single in-

gestion.

Acute inhalation toxicity : Assessment: The component/mixture is toxic after short term

inhalation.

Acute dermal toxicity : Assessment: The component/mixture is minimally toxic after

single contact with skin.

Skin corrosion/irritation

Causes skin irritation.

Product:

Remarks: May cause skin irritation and/or dermatitis.

PRIME GUARD PARTS CLEANER



Version Revision Date: SDS Number: 4.0 12/11/2019 60000000535

umber: Date of last issue: 09/06/2018 000535 Date of first issue: 05/23/2016

Components:

Tetrachloroethylene:

Result: Irritating to skin.

Carbon dioxide:

Assessment: No skin irritation Result: No skin irritation

Carbon tetrachloride:

Species: Rabbit

Result: No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin.

Components:

Tetrachloroethylene:

Result: Irritating to eyes.

Carbon dioxide:

Result: No eye irritation

Carbon tetrachloride:

Species: Rabbit

Result: No eye irritation

Method: OECD Test Guideline 405

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Product:

Remarks: May cause allergic skin reaction.

Components:

Tetrachloroethylene:

Exposure routes: Dermal

Species: Mouse

Assessment: May cause sensitisation by skin contact.

Method: OECD Test Guideline 429

GLP: yes

PRIME GUARD PARTS CLEANER



Version 4.0

Revision Date: 12/11/2019

SDS Number: 60000000535

Date of last issue: 09/06/2018 Date of first issue: 05/23/2016

Carbon tetrachloride:

Method: OECD Test Guideline 429

Result: The product is a skin sensitiser, sub-category 1B.

Germ cell mutagenicity

Not classified based on available information.

Components:

Tetrachloroethylene:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro

Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation Method: Mutagenicity (Salmonella typhimurium - reverse mu-

tation assay) Result: negative

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Carcinogenicity

May cause cancer.

Components:

Tetrachloroethylene:

Carcinogenicity - Assess-

ment

Limited evidence of carcinogenicity in animal studies

Carbon tetrachloride:

Carcinogenicity - Assess-

ment IARC

: Possible human carcinogen

Group 2A: Probably carcinogenic to humans

Tetrachloroethylene 127-18-4

Group 2B: Possibly carcinogenic to humans

Carbon tetrachloride 56-23-5

OSHA No component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP Reasonably anticipated to be a human carcinogen

Tetrachloroethylene 127-18-4

PRIME GUARD PARTS CLEANER



Version Revision Date: SDS Number: Date of last issue: 09/06/2018 4.0 12/11/2019 60000000535 Date of first issue: 05/23/2016

Carbon tetrachloride 56-23-5

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

May cause drowsiness or dizziness.

Components:

Tetrachloroethylene:

Exposure routes: inhalation (vapour)
Target Organs: Central nervous system

Assessment: May cause drowsiness or dizziness.

Carbon tetrachloride:

Exposure routes: Inhalation

Target Organs: Central nervous system

Assessment: May cause drowsiness or dizziness.

STOT - repeated exposure

Not classified based on available information.

Components:

Carbon tetrachloride:

Target Organs: Kidney, Liver

Assessment: Causes damage to organs through prolonged or repeated exposure.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

SECTION 12. ECOLOGICAL INFORMATION

Toxicity

Additional ecological

information

: An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with all applicable local, state and

federal regulations.

PRIME GUARD PARTS CLEANER



Version Revision Date: SDS Number: Date of last issue: 09/06/2018 4.0 12/11/2019 60000000535 Date of first issue: 05/23/2016

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

Dangerous goods descriptions (if indicated below) may not reflect quantity, end-use, or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

International Regulations

IATA-DGR

UN/ID No. : UN 1950

Proper shipping name : Aerosols, non-flammable, containing substances in Division

6.1, Packing Group III

Class : 2.2 Subsidiary risk : 6.1

Packing group : Not assigned by regulation

Labels : 2.2 (6.1) Packing instruction (cargo : 203

aircraft)

Packing instruction : 203

(passenger aircraft)

IMDG-Code

UN number : UN 1950
Proper shipping name : AEROSOLS

Class : 2.2 Subsidiary risk : 6.1

Packing group : Not assigned by regulation

Labels : 2.2 (6.1) EmS Code : F-D, S-U Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

49 CFR

UN/ID/NA number : UN 1950
Proper shipping name : AEROSOLS

Class : 2.2

Packing group : Not assigned by regulation

Labels : 2.2 ERG Code : 126 Marine pollutant : no

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

|--|





Version Revision Date: SDS Number: Date of last issue: 09/06/2018 4.0 12/11/2019 60000000535 Date of first issue: 05/23/2016

		(lbs)	(lbs)
Tetrachloroethylene	127-18-4	100	100 (D039)
Tetrachloroethylene	127-18-4	100	108
Tetrachloroethylene	127-18-4	10	10 (F001)
Carbon tetrachloride	56-23-5	10	10 (F001)
Tetrachloroethylene	127-18-4	10	10 (F002)
Carbon tetrachloride	56-23-5	10	10 (D019)

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Acute toxicity (any route of exposure)

Skin corrosion or irritation

Serious eye damage or eye irritation Respiratory or skin sensitisation

Specific target organ toxicity (single or repeated exposure)

Carcinogenicity

SARA 313 : The following components are subject to reporting levels es-

tablished by SARA Title III, Section 313:

Tetrachloroethylene 127-18-4 >= 90 - <= 100 %

Carbon tetrachloride 56-23-5 >= 0.1 - < 1 %

International Regulations

Montreal Protocol (Ozone Depleting Substances) : Carbon tetrachloride

California Prop. 65

WARNING: This product can expose you to chemicals including Tetrachloroethylene, Carbon tetrachloride, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

PRIME GUARD PARTS CLEANER



Version 4.0

Revision Date: 12/11/2019


SDS Number: 60000000535

Date of last issue: 09/06/2018 Date of first issue: 05/23/2016

SECTION 16. OTHER INFORMATION

Further information

NFPA:



Special hazard.

Revision Date : 12/11/2019

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN