

acc. to 29 CFR 1910.1200 App D

Armor All FRESHfx Car Air Freshener Twilight Mist Hanging Diffuser

Version number: 4.0 Revision: 2020-10-22 Replaces version of: 2020-10-21 (3)

SECTION 1: Identification

1.1 Product identifier

Trade name Armor All FRESHfx Car Air Freshener Twilight

Mist Hanging Diffuser

Alternative number(s) 070612186010

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses General use

1.3 Details of the supplier of the safety data sheet

Energizer Manufacturing, Inc. 25225 Detroit Rd. Westlake OH 44145 United States

Telephone: 800-383-7323; 314-985-2000 (USA / CANADA)

Website: http://data.energizer.com

Energizer Trading Ltd.

Sword House, Totteridge Road, High Wycombe, HP13 6DG, UK

Telephone: +44(0)8000353376

e-mail: ConsumerServiceEU@energizer.com

1.4 Emergency telephone number

Emergency information service 1-314-985-1511 Int'l: 1-800-526-4727

This number is only available during the following

office hours: Mon-Fri 09:00 AM - 05:00 PM

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and category	Hazard state- ment
A.1I	acute toxicity (inhal.)	4	Acute Tox. 4	H332
A.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
A.3	serious eye damage/eye irritation	2	Eye Irrit. 2	H319
A.4S	skin sensitization	1	Skin Sens. 1	H317
A.8D	specific target organ toxicity - single exposure (narcotic effects, drowsiness)	3	STOT SE 3	H336

United States: en Page: 1 / 33



acc. to 29 CFR 1910.1200 App D

Armor All FRESHfx Car Air Freshener Twilight Mist Hanging Diffuser

Revision: 2020-10-22 Version number: 4.0 Replaces version of: 2020-10-21 (3)

Section	Hazard class	Category	Hazard class and category	Hazard state- ment
A.9	specific target organ toxicity - repeated exposure	2	STOT RE 2	H373
A.10	aspiration hazard	1	Asp. Tox. 1	H304
B.6	flammable liquid	3	Flam. Liq. 3	H226

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Delayed or immediate effects can be expected after short or long-term exposure. The product is combustible and can be ignited by potential ignition sources.

2.2 **Label elements**

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word danger

- Pictograms

GHS02, GHS07, GHS08







- Hazard statements

H226	Flammable liquid and vapor.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H373	May cause damage to organs (nervous system) through prolonged or repeated exposure.

- Precautionary stater	nents
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing must not be allowed out of the workplace.
P280	Wear protective gloves/eye protection/face protection.
P301+P310	If swallowed: Immediately call a poison center/doctor.
P302+P352	If on skin: Wash with plenty of water.
P303+P361+P353	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

United States: en Page: 2 / 33



acc. to 29 CFR 1910.1200 App D

Armor All FRESHfx Car Air Freshener Twilight Mist Hanging Diffuser

Version number: 4.0 Revision: 2020-10-22 Replaces version of: 2020-10-21 (3)

- Precautionary statements

P304+P340 If inhaled: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P312 Call a poison center/doctor if you feel unwell.

P321 Specific treatment (see on this label).

P331 Do NOT induce vomiting.

P362 Take off contaminated clothing and wash it before reuse.

P363 Wash contaminated clothing before reuse.

P370+P378 In case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regula-

tions.

2.2.1.7 - Hazardous ingredients for labelling

Patchouli ethanone, Distillates (petroleum), hydrotreated light, (R)-p-mentha-1,8-diene, α-pinene, Eugenol, Hexyl cinnamaldehyde, Benzyl salicylate, Methyl Ionone, allyl 3-cyclohexylpropionate, Cineole, (ethoxymethoxy)cyclododecane, Hexyl salicylate, L-Carvone, Linalool, acetyl cedrene

2.3 Other hazards

Hazards not otherwise classified

Explosive with or without contact with air.

May be harmful in contact with skin (GHS category 5: acutely toxic - dermal).

Very toxic to aquatic life with long lasting effects (GHS category 1: aquatic toxicity - acute and/or chronic).

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Distillates (petroleum), hy- drotreated light	CAS No 64742-47-8	25 - < 50	Acute Tox. 3 / H331 STOT SE 3 / H336 STOT RE 2 / H373 Asp. Tox. 1 / H304 Flam. Liq. 3 / H226	

United States: en Page: 3 / 33



acc. to 29 CFR 1910.1200 App D

Armor All FRESHfx Car Air Freshener Twilight Mist Hanging Diffuser

Version number: 4.0 Revision: 2020-10-22 Replaces version of: 2020-10-21 (3)

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Dihydromyrcenol	CAS No 18479-58-8			<u>(1)</u>
Hedione	CAS No 24851-98-7	10 - < 25	Acute Tox. 4 / H332	<u>(1)</u>
Linalool	CAS No 78-70-6	10 - < 25	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1B / H317 Flam. Liq. 4 / H227	<u>(1)</u>
Hexyl cinnamaldehyde	CAS No 165184-98-5 101-86-0	5 - < 10	Acute Tox. 4 / H332	<u>(1)</u>
(ethoxymethoxy)cyclodo- decane	CAS No 58567-11-6	5-<10	Skin Irrit. 2 / H315 Skin Sens. 1B / H317	(1)
(R)-p-mentha-1,8-diene	CAS No 5989-27-5	5-<10	Skin Irrit. 2 / H315 Skin Sens. 1 / H317 Flam. Liq. 3 / H226	(1)
Eugenol	CAS No 97-53-0	1-<5	Eye Irrit. 2 / H319 Skin Sens. 1B / H317	<u>(1)</u>
allyl 3-cyclohexylpropion- ate	CAS No 2705-87-5	1-<5	Acute Tox. 4 / H302 Acute Tox. 4 / H312 Acute Tox. 4 / H332 Skin Sens. 1B / H317	<u>(1)</u>
Cineole	CAS No 470-82-6	1-<5	Skin Sens. 1B / H317 Flam. Liq. 3 / H226	(1)
Hexyl salicylate	CAS No 6259-76-3	1 - < 5	Skin Sens. 1B / H317	(1)
L-Carvone	CAS No 6485-40-1	1-<5	Skin Sens. 1 / H317 Flam. Liq. 4 / H227	<u>(1)</u>
α-pinene	CAS No 80-56-8	1-<5	Skin Irrit. 2 / H315 Skin Sens. 1 / H317 Asp. Tox. 1 / H304 Flam. Liq. 3 / H226	(1)
acetyl cedrene	CAS No 32388-55-9	1-<5	Skin Sens. 1B / H317	<u>(1)</u>

For full text of abbreviations: see SECTION 16.

United States: en Page: 4 / 33



acc. to 29 CFR 1910.1200 App D

Armor All FRESHfx Car Air Freshener Twilight Mist Hanging Diffuser

Version number: 4.0 Revision: 2020-10-22 Replaces version of: 2020-10-21 (3)

SECTION 4: First-aid measures

4.1 Description of first- aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Narcotic effects.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapor-air mixture. Solvent vapors are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

United States: en Page: 5 / 33



acc. to 29 CFR 1910.1200 App D

Armor All FRESHfx Car Air Freshener Twilight Mist Hanging Diffuser

Version number: 4.0 Revision: 2020-10-22 Replaces version of: 2020-10-21 (3)

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

- Specific notes/details

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapors are heavier than air, spread along floors and form explosive mixtures with air. Vapors may form explosive mixtures with air.

United States: en Page: 6 / 33



acc. to 29 CFR 1910.1200 App D

Armor All FRESHfx Car Air Freshener Twilight Mist Hanging Diffuser

Version number: 4.0 Replaces version of: 2020-10-21 (3)

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

Revision: 2020-10-22

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.

- Flammability hazards

Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.

- Ventilation requirements

Keep any substance that emits harmful vapors or gases in a place that allows these to be permanently extracted. Use local and general ventilation. Ground/bond container and receiving equipment.

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

Coun try	Name of agent	CAS No	Iden- tifier	TWA [ppm]	TWA [mg/ m³]	STEL [ppm]	STEL [mg/ m³]	Ceil- ing-C [ppm]	Ceil- ing-C [mg/ m³]	Nota tion	Sourc e
US	α-pinene	80-56-8	TLV®	20							AC- GIH® 2019

Notation

Ceiling-C STEL ceiling value is a limit value above which exposure should not occur

short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period

(unless otherwise specified)
TWA time-weighted average (long

time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified

United States: en Page: 7 / 33



acc. to 29 CFR 1910.1200 App D

Armor All FRESHfx Car Air Freshener Twilight Mist Hanging Diffuser

Version number: 4.0 Revision: 2020-10-22 Replaces version of: 2020-10-21 (3)

Relevant DNELs of components of the mixture

Name of substance	CAS No	End- point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Dihydromyrcenol	18479-58-8	DNEL	73.5 mg/m³	human, inhalatory	worker (industry)	chronic - system- ic effects
Dihydromyrcenol	18479-58-8	DNEL	20.8 mg/kg bw/day	human, dermal	worker (industry)	chronic - system- ic effects
Hedione	24851-98-7	DNEL	29.3 mg/m ³	human, inhalatory	worker (industry)	chronic - system- ic effects
Hedione	24851-98-7	DNEL	9.04 mg/kg bw/day	human, dermal	worker (industry)	chronic - system- ic effects
Linalool	78-70-6	DNEL	2.8 mg/m ³	human, inhalatory	worker (industry)	chronic - system- ic effects
Linalool	78-70-6	DNEL	16.5 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects
Linalool	78-70-6	DNEL	2.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - system- ic effects
Linalool	78-70-6	DNEL	5 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects
Hexyl cinnamalde- hyde	165184-98-5 101-86-0	DNEL	0.078 mg/ m³	human, inhalatory	worker (industry)	chronic - system- ic effects
Hexyl cinnamalde- hyde	165184-98-5 101-86-0	DNEL	6.28 mg/m ³	human, inhalatory	worker (industry)	acute - local ef- fects
Hexyl cinnamalde- hyde	165184-98-5 101-86-0	DNEL	18.2 mg/kg bw/day	human, dermal	worker (industry)	chronic - system- ic effects
Hexyl cinnamalde- hyde	165184-98-5 101-86-0	DNEL	525 μg/cm²	human, dermal	worker (industry)	chronic - local ef- fects
Hexyl cinnamalde- hyde	165184-98-5 101-86-0	DNEL	525 μg/cm²	human, dermal	worker (industry)	acute - local ef- fects
(ethoxymethoxy)cyc- lododecane	58567-11-6	DNEL	23.5 mg/m³	human, inhalatory	worker (industry)	chronic - system- ic effects
(ethoxymethoxy)cyc- lododecane	58567-11-6	DNEL	3.3 mg/kg bw/day	human, dermal	worker (industry)	chronic - system- ic effects
(R)-p-mentha-1,8- diene	5989-27-5	DNEL	66.7 mg/m ³	human, inhalatory	worker (industry)	chronic - system- ic effects
(R)-p-mentha-1,8- diene	5989-27-5	DNEL	9.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - system- ic effects
Eugenol	97-53-0	DNEL	21.2 mg/m ³	human, inhalatory	worker (industry)	chronic - system- ic effects

United States: en Page: 8 / 33



acc. to 29 CFR 1910.1200 App D

Armor All FRESHfx Car Air Freshener Twilight Mist Hanging Diffuser

Version number: 4.0 Revision: 2020-10-22 Replaces version of: 2020-10-21 (3)

Relevant DNELs of components of the mixture

Name of substance	CAS No	End- point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Eugenol	97-53-0	DNEL	6 mg/kg bw/day	human, dermal	worker (industry)	chronic - system- ic effects
allyl 3-cyclohexylpro- pionate	2705-87-5	DNEL	15 mg/m³	human, inhalatory	worker (industry)	chronic - system- ic effects
allyl 3-cyclohexylpro- pionate	2705-87-5	DNEL	4.3 mg/kg bw/day	human, dermal	worker (industry)	chronic - system- ic effects
Cineole	470-82-6	DNEL	7.05 mg/m ³	human, inhalatory	worker (industry)	chronic - system- ic effects
Cineole	470-82-6	DNEL	2 mg/kg bw/day	human, dermal	worker (industry)	chronic - system- ic effects
Hexyl salicylate	6259-76-3	DNEL	20,830 mg/ kg	human, dermal	worker (industry)	acute - systemic effects
Hexyl salicylate	6259-76-3	DNEL	7.29 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects
Hexyl salicylate	6259-76-3	DNEL	1.7 mg/m ³	human, inhalatory	worker (industry)	chronic - system- ic effects
Hexyl salicylate	6259-76-3	DNEL	6.4 mg/kg bw/day	human, dermal	worker (industry)	chronic - system- ic effects
Hexyl salicylate	6259-76-3	DNEL	885 μg/cm²	human, dermal	worker (industry)	chronic - local ef- fects
Hexyl salicylate	6259-76-3	DNEL	885 μg/cm²	human, dermal	worker (industry)	acute - local ef- fects
α-pinene	80-56-8	DNEL	3.8 mg/m ³	human, inhalatory	worker (industry)	chronic - system- ic effects
α-pinene	80-56-8	DNEL	0.542 mg/ kg bw/day	human, dermal	worker (industry)	chronic - system- ic effects
acetyl cedrene	32388-55-9	DNEL	1.175 mg/ m³	human, inhalatory	worker (industry)	chronic - system- ic effects
acetyl cedrene	32388-55-9	DNEL	0.333 mg/ kg bw/day	human, dermal	worker (industry)	chronic - system- ic effects

Relevant PNECs of components of the mixture

Name of substance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Dihydromyrcenol	18479-58-8	PNEC	111 ^{mg} / _{kg}	aquatic organisms	water	short-term (single instance)

United States: en Page: 9 / 33



acc. to 29 CFR 1910.1200 App D

Armor All FRESHfx Car Air Freshener Twilight Mist Hanging Diffuser

Version number: 4.0 Revision: 2020-10-22 Replaces version of: 2020-10-21 (3)

Relevant PNECs of components of the mixture

Name of substance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Dihydromyrcenol	18479-58-8	PNEC	0.278 ^{mg} / _l	aquatic organisms	water	intermittent re- lease
Dihydromyrcenol	18479-58-8	PNEC	27.8 ^{µg} / _l	aquatic organisms	freshwater	short-term (single instance)
Dihydromyrcenol	18479-58-8	PNEC	2.78 ^{µg} / _l	aquatic organisms	marine water	short-term (single instance)
Dihydromyrcenol	18479-58-8	PNEC	10 ^{mg} / _l	aquatic organisms	sewage treat- ment plant (STP)	short-term (single instance)
Dihydromyrcenol	18479-58-8	PNEC	0.594 ^{mg} / _{kg}	aquatic organisms	freshwater sedi- ment	short-term (single instance)
Dihydromyrcenol	18479-58-8	PNEC	0.059 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)
Dihydromyrcenol	18479-58-8	PNEC	0.103 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Hedione	24851-98-7	PNEC	186 ^{µg} / _l	aquatic organisms	water	intermittent re- lease
Hedione	24851-98-7	PNEC	37.2 ^{µg} / _l	aquatic organisms	freshwater	short-term (single instance)
Hedione	24851-98-7	PNEC	3.72 ^{µg} / _l	aquatic organisms	marine water	short-term (single instance)
Hedione	24851-98-7	PNEC	10 ^{mg} / _l	aquatic organisms	sewage treat- ment plant (STP)	short-term (single instance)
Hedione	24851-98-7	PNEC	1,897 ^{µg} / _{kg}	aquatic organisms	freshwater sedi- ment	short-term (single instance)
Hedione	24851-98-7	PNEC	189.7 ^{µg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)
Hedione	24851-98-7	PNEC	357.6 ^{µg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Linalool	78-70-6	PNEC	7.8 ^{mg} / _{kg}	aquatic organisms	water	short-term (single instance)
Linalool	78-70-6	PNEC	2 ^{mg} / _l	aquatic organisms	water	intermittent re- lease
Linalool	78-70-6	PNEC	0.2 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)
Linalool	78-70-6	PNEC	0.02 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)

United States: en Page: 10 / 33



acc. to 29 CFR 1910.1200 App D

Armor All FRESHfx Car Air Freshener Twilight Mist Hanging Diffuser

Version number: 4.0 Revision: 2020-10-22 Replaces version of: 2020-10-21 (3)

Relevant PNECs of components of the mixture

Name of substance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Linalool	78-70-6	PNEC	10 ^{mg} / _l	aquatic organisms	sewage treat- ment plant (STP)	short-term (single instance)
Linalool	78-70-6	PNEC	2.22 ^{mg} / _{kg}	aquatic organisms	freshwater sedi- ment	short-term (single instance)
Linalool	78-70-6	PNEC	0.222 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)
Linalool	78-70-6	PNEC	0.327 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Hexyl cinnamalde- hyde	165184-98-5 101-86-0	PNEC	0.001 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)
Hexyl cinnamalde- hyde	165184-98-5 101-86-0	PNEC	0 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)
Hexyl cinnamalde- hyde	165184-98-5 101-86-0	PNEC	10 ^{mg} / _l	aquatic organisms	sewage treat- ment plant (STP)	short-term (single instance)
Hexyl cinnamalde- hyde	165184-98-5 101-86-0	PNEC	3.2 ^{mg} / _{kg}	aquatic organisms	freshwater sedi- ment	short-term (single instance)
Hexyl cinnamalde- hyde	165184-98-5 101-86-0	PNEC	0.064 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)
Hexyl cinnamalde- hyde	165184-98-5 101-86-0	PNEC	0.398 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
(ethoxymethoxy)cyc- lododecane	58567-11-6	PNEC	0.002 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)
(ethoxymethoxy)cyc- lododecane	58567-11-6	PNEC	0 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)
(ethoxymethoxy)cyc- lododecane	58567-11-6	PNEC	100 ^{mg} / _l	aquatic organisms	sewage treat- ment plant (STP)	short-term (single instance)
(ethoxymethoxy)cyc- lododecane	58567-11-6	PNEC	2.35 ^{mg} / _{kg}	aquatic organisms	freshwater sedi- ment	short-term (single instance)
(ethoxymethoxy)cyc- lododecane	58567-11-6	PNEC	0.235 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)
(ethoxymethoxy)cyc- lododecane	58567-11-6	PNEC	0.468 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
(R)-p-mentha-1,8- diene	5989-27-5	PNEC	14 ^{µg} / _l	aquatic organisms	freshwater	short-term (single instance)
(R)-p-mentha-1,8- diene	5989-27-5	PNEC	1.4 ^{µg} / _l	aquatic organisms	marine water	short-term (single instance)

United States: en Page: 11 / 33

acc. to 29 CFR 1910.1200 App D



Armor All FRESHfx Car Air Freshener Twilight Mist Hanging Diffuser

Version number: 4.0 Revision: 2020-10-22 Replaces version of: 2020-10-21 (3)

Relevant PNECs of components of the mixture

Name of substance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
(R)-p-mentha-1,8- diene	5989-27-5	PNEC	1.8 ^{mg} / _l	aquatic organisms	sewage treat- ment plant (STP)	short-term (single instance)
(R)-p-mentha-1,8- diene	5989-27-5	PNEC	3.85 ^{mg} / _{kg}	aquatic organisms	freshwater sedi- ment	short-term (single instance)
(R)-p-mentha-1,8- diene	5989-27-5	PNEC	0.385 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)
(R)-p-mentha-1,8- diene	5989-27-5	PNEC	0.763 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Eugenol	97-53-0	PNEC	11.3 ^{µg} / _l	aquatic organisms	water	intermittent re- lease
Eugenol	97-53-0	PNEC	1.13 ^{µg} / _l	aquatic organisms	freshwater	short-term (single instance)
Eugenol	97-53-0	PNEC	0.113 ^{µg} / _l	aquatic organisms	marine water	short-term (single instance)
Eugenol	97-53-0	PNEC	0.081 ^{mg} / _{kg}	aquatic organisms	freshwater sedi- ment	short-term (single instance)
Eugenol	97-53-0	PNEC	0.008 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)
Eugenol	97-53-0	PNEC	0.015 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
allyl 3-cyclohexylpro- pionate	2705-87-5	PNEC	143 ^{mg} / _{kg}	aquatic organisms	water	short-term (single instance)
allyl 3-cyclohexylpro- pionate	2705-87-5	PNEC	1.3 ^{µg} / _l	aquatic organisms	water	intermittent re- lease
allyl 3-cyclohexylpro- pionate	2705-87-5	PNEC	0.13 ^{µg} / _l	aquatic organisms	freshwater	short-term (single instance)
allyl 3-cyclohexylpro- pionate	2705-87-5	PNEC	0.013 ^{µg} / _l	aquatic organisms	marine water	short-term (single instance)
allyl 3-cyclohexylpro- pionate	2705-87-5	PNEC	0.2 ^{mg} / _l	aquatic organisms	sewage treat- ment plant (STP)	short-term (single instance)
allyl 3-cyclohexylpro- pionate	2705-87-5	PNEC	24.13 ^{µg} / _{kg}	aquatic organisms	freshwater sedi- ment	short-term (single instance)
allyl 3-cyclohexylpro- pionate	2705-87-5	PNEC	2.413 ^{µg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)
allyl 3-cyclohexylpro- pionate	2705-87-5	PNEC	4.75 ^{µg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)

United States: en Page: 12 / 33

acc. to 29 CFR 1910.1200 App D



Armor All FRESHfx Car Air Freshener Twilight Mist Hanging Diffuser

Version number: 4.0 Revision: 2020-10-22 Replaces version of: 2020-10-21 (3)

Relevant PNECs of components of the mixture

Name of substance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Cineole	470-82-6	PNEC	0.57 ^{mg} / _l	aquatic organisms	water	intermittent re- lease
Cineole	470-82-6	PNEC	57 ^{µg} / _l	aquatic organisms	freshwater	short-term (single instance)
Cineole	470-82-6	PNEC	5.7 ^{µg} / _l	aquatic organisms	marine water	short-term (single instance)
Cineole	470-82-6	PNEC	10 ^{mg} / _l	aquatic organisms	sewage treat- ment plant (STP)	short-term (single instance)
Cineole	470-82-6	PNEC	1.425 ^{mg} / _{kg}	aquatic organisms	freshwater sedi- ment	short-term (single instance)
Cineole	470-82-6	PNEC	0.142 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)
Cineole	470-82-6	PNEC	0.25 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Hexyl salicylate	6259-76-3	PNEC	0.00357 ^{mg} / _l	aquatic organisms	water	intermittent re- lease
Hexyl salicylate	6259-76-3	PNEC	0 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)
Hexyl salicylate	6259-76-3	PNEC	0 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)
Hexyl salicylate	6259-76-3	PNEC	10 ^{mg} / _l	aquatic organisms	sewage treat- ment plant (STP)	short-term (single instance)
Hexyl salicylate	6259-76-3	PNEC	0.272 ^{mg} / _{kg}	aquatic organisms	freshwater sedi- ment	short-term (single instance)
Hexyl salicylate	6259-76-3	PNEC	0.027 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)
Hexyl salicylate	6259-76-3	PNEC	0.054 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
α-pinene	80-56-8	PNEC	1.35 ^{mg} / _{kg}	aquatic organisms	water	short-term (single instance)
α-pinene	80-56-8	PNEC	0.606 ^{µg} / _l	aquatic organisms	freshwater	short-term (single instance)
α-pinene	80-56-8	PNEC	0.061 ^{µg} / _l	aquatic organisms	marine water	short-term (single instance)
α-pinene	80-56-8	PNEC	0.2 ^{mg} / _l	aquatic organisms	sewage treat- ment plant (STP)	short-term (single instance)

United States: en Page: 13 / 33



acc. to 29 CFR 1910.1200 App D

Armor All FRESHfx Car Air Freshener Twilight Mist Hanging Diffuser

Version number: 4.0 Revision: 2020-10-22 Replaces version of: 2020-10-21 (3)

Relevant PNECs of components of the mixture

Name of substance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
α-pinene	80-56-8	PNEC	157 ^{µg} / _{kg}	aquatic organisms	freshwater sedi- ment	short-term (single instance)
α-pinene	80-56-8	PNEC	15.7 ^{µg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)
α-pinene	80-56-8	PNEC	31.7 ^{µg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
acetyl cedrene	32388-55-9	PNEC	1.74 ^{µg} / _l	aquatic organisms	freshwater	short-term (single instance)
acetyl cedrene	32388-55-9	PNEC	0.174 ^{µg} / _I	aquatic organisms	marine water	short-term (single instance)
acetyl cedrene	32388-55-9	PNEC	10 ^{mg} / _l	aquatic organisms	sewage treat- ment plant (STP)	short-term (single instance)
acetyl cedrene	32388-55-9	PNEC	24.4 ^{mg} / _{kg}	aquatic organisms	freshwater sedi- ment	short-term (single instance)
acetyl cedrene	32388-55-9	PNEC	2.44 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)
acetyl cedrene	32388-55-9	PNEC	4.87 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

United States: en Page: 14 / 33



acc. to 29 CFR 1910.1200 App D

Armor All FRESHfx Car Air Freshener Twilight Mist Hanging Diffuser

Version number: 4.0 Replaces version of: 2020-10-21 (3) Revision: 2020-10-22

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	liquid
Color	various
Odor	characteristic

Other safety parameters

pH (value)	not determined
Melting point/freezing point	not determined
Initial boiling point and boiling range	≥146 °C at 101.3 kPa
Flash point	29 °C at 101.3 kPa
Evaporation rate	not determined
Flammability (solid, gas)	not relevant, (fluid)
Explosive limits	not determined
Vapor pressure	≤3.7 kPa at 37.8 °C
Density	not determined
Vapor density	this information is not available
Relative density	information on this property is not available
Solubility(ies)	not determined

Partition coefficient

- n-octanol/water (log KOW)	this information is not available
-----------------------------	-----------------------------------

United States: en Page: 15 / 33



acc. to 29 CFR 1910.1200 App D

Armor All FRESHfx Car Air Freshener Twilight Mist Hanging Diffuser

Version number: 4.0 Revision: 2020-10-22 Replaces version of: 2020-10-21 (3)

Auto-ignition temperature	220 °C (auto-ignition temperature (liquids and gases))
Viscosity	not determined
Explosive properties	explosive
Oxidizing properties	none

9.2 Other information

·	T2D (maximum permissible surface temperature on the equipment: 215°C)
---	---

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Risk of ignition.

If heated:

Risk of ignition

If exposed to air:

Danger of explosion.

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints to prevent fire or explosion

Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

10.5 Incompatible materials

Oxidizers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

United States: en Page: 16 / 33



acc. to 29 CFR 1910.1200 App D

Armor All FRESHfx Car Air Freshener Twilight Mist Hanging Diffuser

Version number: 4.0 Revision: 2020-10-22 Replaces version of: 2020-10-21 (3)

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Harmful if inhaled.

GHS of the United Nations, annex 4: May be harmful in contact with skin.

- Acute toxicity estimate (ATE)

Inhalation: vapor 14.01 ^{mg}/_l/4h

Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Distillates (petroleum), hydrotreated light	64742-47-8	inhalation: vapor	5.28 ^{mg} / _l /4h
Hedione	24851-98-7	inhalation: vapor	11 ^{mg} / _l /4h
Hedione	24851-98-7	inhalation: dust/mist	4.93 ^{mg} / _l /4h
Hexyl cinnamaldehyde	165184-98-5 101-86-0	inhalation: vapor	11 ^{mg} / _l /4h
Hexyl cinnamaldehyde	165184-98-5 101-86-0	inhalation: dust/mist	2.12 ^{mg} / _l /4h
allyl 3-cyclohexylpropionate	2705-87-5	oral	500 ^{mg} / _{kg}
allyl 3-cyclohexylpropionate	2705-87-5	dermal	1,600 ^{mg} / _{kg}
allyl 3-cyclohexylpropionate	2705-87-5	inhalation: vapor	11 ^{mg} / _l /4h

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitization

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

United States: en Page: 17 / 33



acc. to 29 CFR 1910.1200 App D

Armor All FRESHfx Car Air Freshener Twilight Mist Hanging Diffuser

Version number: 4.0 Revision: 2020-10-22 Replaces version of: 2020-10-21 (3)

Carcinogenicity

Shall not be classified as carcinogenic.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans

Name of substance	CAS No	Classification	Number
Eugenol	97-53-0	3	
(R)-p-mentha-1,8-diene	5989-27-5	3	

Legend

3

Not classifiable as to carcinogenicity in humans

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

May cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure

May cause damage to organs (nervous system) through prolonged or repeated exposure.

Hazard category	Target organ	Exposure route
2	nervous system	if exposed

Aspiration hazard

May be fatal if swallowed and enters airways.

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Distillates (petroleum), hydrotreated light	64742-47-8	LL50	5 ^{mg} / _l	fish	96 h
Distillates (petroleum), hydrotreated light	64742-47-8	EL50	1.4 ^{mg} / _l	aquatic invertebrates	48 h
Distillates (petroleum), hydrotreated light	64742-47-8	LC50	>1,000 ^{mg} / _l	rainbow trout (Onco- rhynchus mykiss)	96 h

United States: en Page: 18 / 33

acc. to 29 CFR 1910.1200 App D



Armor All FRESHfx Car Air Freshener Twilight Mist Hanging Diffuser

Version number: 4.0 Revision: 2020-10-22 Replaces version of: 2020-10-21 (3)

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Distillates (petroleum), hydrotreated light	64742-47-8	LC50	>1,000 ^{mg} / _l	goldfish (Carassius auratus)	72 h
Distillates (petroleum), hydrotreated light	64742-47-8	EC50	>1,000 ^{mg} / _l	water flea (Daphnia)	48 h
Distillates (petroleum), hydrotreated light	64742-47-8	EC50	>1,000 ^{mg} / _l	algae	72 h
Dihydromyrcenol	18479-58-8	LC50	27.8 ^{mg} / _l	fish	96 h
Dihydromyrcenol	18479-58-8	EC50	38 ^{mg} / _l	aquatic invertebrates	48 h
Dihydromyrcenol	18479-58-8	ErC50	80 ^{mg} / _l	algae	72 h
Hedione	24851-98-7	LC50	28 ^{mg} / _l	fish	24 h
Hedione	24851-98-7	EC50	13.1 ^{mg} / _l	aquatic invertebrates	24 h
Hedione	24851-98-7	ErC50	49.2 ^{mg} / _l	algae	48 h
Linalool	78-70-6	LC50	27.8 ^{mg} / _l	fish	96 h
Linalool	78-70-6	EC50	59 ^{mg} / _l	aquatic invertebrates	48 h
Linalool	78-70-6	ErC50	156.7 ^{mg} / _l	algae	96 h
Hexyl cinnamaldehyde	165184-98-5 101-86-0	LC50	1.7 ^{mg} / _l	fish	96 h
Hexyl cinnamaldehyde	165184-98-5 101-86-0	EC50	<0.59 ^{mg} / _l	aquatic invertebrates	48 h
Hexyl cinnamaldehyde	165184-98-5 101-86-0	ErC50	>0.065 ^{mg} / _l	algae	72 h
(ethoxymethoxy)cyc- lododecane	58567-11-6	LC50	1.9 ^{mg} / _l	fish	96 h
(ethoxymethoxy)cyc- lododecane	58567-11-6	EC50	1.6 ^{mg} / _l	aquatic invertebrates	48 h
(ethoxymethoxy)cyc- lododecane	58567-11-6	ErC50	>2 ^{mg} / _l	algae	72 h
(R)-p-mentha-1,8-diene	5989-27-5	LC50	720 ^{µg} / _I	fish	96 h
(R)-p-mentha-1,8-diene	5989-27-5	EC50	688 ^{µg} / _I	fish	96 h
(R)-p-mentha-1,8-diene	5989-27-5	ErC50	0.32 ^{mg} / _l	algae	72 h
Eugenol	97-53-0	LC50	13 ^{mg} / _l	fish	24 h

United States: en Page: 19 / 33



acc. to 29 CFR 1910.1200 App D

Armor All FRESHfx Car Air Freshener Twilight Mist Hanging Diffuser

Version number: 4.0 Revision: 2020-10-22 Replaces version of: 2020-10-21 (3)

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Eugenol	97-53-0	EC50	1.05 ^{mg} / _l	aquatic invertebrates	48 h
Eugenol	97-53-0	ErC50	24 ^{mg} / _l	algae	72 h
allyl 3-cyclohexylpropionate	2705-87-5	LC50	0.13 ^{mg} / _l	fish	96 h
allyl 3-cyclohexylpropi- onate	2705-87-5	EC50	3.8 ^{mg} / _l	aquatic invertebrates	48 h
allyl 3-cyclohexylpropionate	2705-87-5	ErC50	3 ^{mg} / _l	algae	72 h
Cineole	470-82-6	LC50	57 ^{mg} / _l	fish	96 h
Cineole	470-82-6	EC50	>100 ^{mg} / _l	aquatic invertebrates	48 h
Cineole	470-82-6	ErC50	>74 ^{mg} / _l	algae	72 h
Hexyl salicylate	6259-76-3	EC50	0.543 ^{mg} / _l	aquatic invertebrates	24 h
Hexyl salicylate	6259-76-3	ErC50	0.61 ^{mg} / _l	algae	72 h
L-Carvone	6485-40-1	LC50	6.1 ^{mg} / _l	fish	96 h
L-Carvone	6485-40-1	EC50	38 ^{mg} / _l	aquatic invertebrates	48 h
L-Carvone	6485-40-1	ErC50	19 ^{mg} / _l	algae	72 h
α-pinene	80-56-8	LC50	0.303 ^{mg} / _l	fish	96 h
α-pinene	80-56-8	EC50	0.475 ^{mg} / _l	aquatic invertebrates	48 h
acetyl cedrene	32388-55-9	LC50	2.3 ^{mg} / _l	fish	96 h
acetyl cedrene	32388-55-9	EC50	0.86 ^{mg} / _l	aquatic invertebrates	48 h
acetyl cedrene	32388-55-9	ErC50	>4.3 ^{mg} / _l	algae	96 h

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Distillates (petroleum), hydrotreated light	64742-47-8	EL50	0.89 ^{mg} / _l	aquatic invertebrates	21 d
Dihydromyrcenol	18479-58-8	EC50	17 ^{mg} / _l	aquatic invertebrates	21 d

United States: en Page: 20 / 33



acc. to 29 CFR 1910.1200 App D

Armor All FRESHfx Car Air Freshener Twilight Mist Hanging Diffuser

Version number: 4.0 Revision: 2020-10-22 Replaces version of: 2020-10-21 (3)

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Hedione	24851-98-7	LC50	28 ^{mg} / _l	fish	24 h
Hedione	24851-98-7	EC50	0.732 ^{mg} / _l	aquatic invertebrates	21 d
Linalool	78-70-6	LC50	27.8 ^{mg} / _l	fish	24 h
Linalool	78-70-6	EC50	>100 ^{mg} / _l	microorganisms	30 min
Hexyl cinnamaldehyde	165184-98-5 101-86-0	EC50	>157 ^{µg} / _l	aquatic invertebrates	21 d
(R)-p-mentha-1,8-diene	5989-27-5	EC50	<0.67 ^{mg} / _l	fish	8 d
(R)-p-mentha-1,8-diene	5989-27-5	LC50	0.41 ^{mg} / _l	fish	8 d
Eugenol	97-53-0	LC50	13 ^{mg} / _l	fish	24 h
allyl 3-cyclohexylpropionate	2705-87-5	EC50	7.7 ^{mg} / _l	aquatic invertebrates	24 h
Cineole	470-82-6	EC50	>100 ^{mg} / _l	microorganisms	3 h
acetyl cedrene	32388-55-9	EC50	0.32 ^{mg} / _l	aquatic invertebrates	21 d

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Other adverse effects

Endocrine disrupting potential

None of the ingredients are listed.

United States: en Page: 21 / 33



acc. to 29 CFR 1910.1200 App D

Armor All FRESHfx Car Air Freshener Twilight Mist Hanging Diffuser

Version number: 4.0 Revision: 2020-10-22 Replaces version of: 2020-10-21 (3)

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste treatment-relevant information

Solvent reclamation/regeneration.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1 UN number 3082

14.2 UN proper shipping name Environmentally hazardous substance, liquid, n.o.s.

Technical name (hazardous ingredients) Hexyl cinnamaldehyde, Distillates (petroleum), hy-

drotreated light

14.3 Transport hazard class(es)

Class 9 (environmentally hazardous)

14.4 Packing group III (substance presenting low danger)

14.5 Environmental hazards hazardous to the aquatic environment

Environmentally hazardous substance (aquatic Hexyl cinnamaldehyde, Distillates (petroleum), hy-

environment) drotreated light

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Not regulated when carried in single or combination packaging containing a net quantity of 5L or less or 5 kg or less per the following:

DOT: 171.4(2) ADR: SP 375 IMDG: 2.10.2.7

IATA: special provision A197, DOT

United States: en Page: 22 / 33



acc. to 29 CFR 1910.1200 App D

Armor All FRESHfx Car Air Freshener Twilight Mist Hanging Diffuser

Version number: 4.0 Revision: 2020-10-22 Replaces version of: 2020-10-21 (3)

Transport of dangerous goods by road or rail (49 CFR US DOT)

Index number 3082

Proper shipping name Environmentally hazardous substance, liquid, n.o.s.

- Particulars in the shipper's declaration UN3082, Environmentally hazardous substance, li-

quid, n.o.s., 9, III

Class 9
Packing group III

Danger label(s) 9, fish and tree

UN number

Environmental hazards yes (hazardous to the aquatic environment)

Special provisions (SP)

8, 146, 173, 335, IB3, T4, TP1, TP29

ERG No 171

International Maritime Dangerous Goods Code (IMDG)

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LI-

3082

QUID, N.O.S.

- Particulars in the shipper's declaration UN3082, ENVIRONMENTALLY HAZARDOUS SUB-

STANCE, LIQUID, N.O.S., 9, III, 29°C c.c.

Class 9

Marine pollutant yes (hazardous to the aquatic environment)

Packing group III

Danger label(s) 9, fish and tree

Stowage category

Special provisions (SP) 274, 335, 969

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 L
EmS F-A, S-F

United States: en Page: 23 / 33

Α



acc. to 29 CFR 1910.1200 App D

Armor All FRESHfx Car Air Freshener Twilight Mist Hanging Diffuser

Version number: 4.0 Revision: 2020-10-22 Replaces version of: 2020-10-21 (3)

International Civil Aviation Organization (ICAO-IATA/DGR)

UN number 3082

Proper shipping name Environmentally hazardous substance, liquid, n.o.s.

- Particulars in the shipper's declaration UN3082, Environmentally hazardous substance, li-

quid, n.o.s., 9, III

Class 9

Environmental hazards yes (hazardous to the aquatic environment)

Packing group III

Danger label(s) 9, fish and tree

Special provisions (SP) A97, A158, A197

Excepted quantities (EQ) E1
Limited quantities (LQ) 30 kg

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

National regulations (United States)

Toxic Substance Control Act (TSCA) all ingredients are listed

Superfund Amendment and Reauthorization Act (SARA TITLE III)

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

 Specific Toxic Chemical Listings (EPCRA Section 313) none of the ingredients are listed

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4) none of the ingredients are listed

Clean Air Act

none of the ingredients are listed

United States: en Page: 24 / 33



acc. to 29 CFR 1910.1200 App D

Armor All FRESHfx Car Air Freshener Twilight Mist Hanging Diffuser

Version number: 4.0 Revision: 2020-10-22 Replaces version of: 2020-10-21 (3)

Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of substance	Name acc. to inventory	CAS No	Functional- ity	Authoritative Lists
Distillates (petroleum), hydro- treated light		64742-47-8	solvents	
Patchouli ethanone		54464-57-2	fragrance	
Dihydromyrcenol		18479-58-8	fragrance	
Linalool	Linalool	78-70-6	fragrance	EU Fragrance Allergens
Hedione		24851-98-7	fragrance	
Hexyl cinnamaldehyde	Hexyl cinnam-aldehyde	101-86-0	fragrance	EU Fragrance Allergens
Linalyl acetate		115-95-7	fragrance	
Benzyl salicylate	Benzyl salicylate	118-58-1	fragrance	EU Fragrance Allergens
(Ethoxymethoxy)cyclododecane		58567-11-6	fragrance	
Methyl Ionone	3-Methyl-4-(2,6,6-tri-methyl-2- cyclohexen-1-yl)-3-buten-2-one	127-51-5	fragrance	EU Fragrance Allergens
(R)-p-mentha-1,8-diene	d-Limonene	5989-27-5	fragrance	EU Fragrance Allergens
L-Carvone		6485-40-1	fragrance	
Hexyl salicylate		6259-76-3	fragrance	
Allyl 3-cyclohexylpropionate		2705-87-5	fragrance	
α-Pinene		80-56-8	fragrance	
Eugenol	Eugenol	97-53-0	fragrance	EU Fragrance Allergens
ω-Pentadecalactone		106-02-5	fragrance	
Acetyl cedrene		32388-55-9	fragrance	
Cineole		470-82-6	fragrance	

- Toxic or Hazardous Substance List (MA-TURA) none of the ingredients are listed
- Hazardous Substances List (MN-ERTK)

United States: en Page: 25 / 33



acc. to 29 CFR 1910.1200 App D

Armor All FRESHfx Car Air Freshener Twilight Mist Hanging Diffuser

Version number: 4.0 Revision: 2020-10-22 Replaces version of: 2020-10-21 (3)

Name of substance	Name acc. to inventory	CAS No	References	Remarks
ω-Pentadecalactone	Dust, Inert or Nuisance (When toxic impurities are not present, for example, quartz less than 1 percent.)		А	dust

Legend

American Conference of Governmental Industrial Hygienists (ACGIH), "Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices for 1992-93", available from ACGIH If the substance poses an airborne particulate exposure hazard, the substance is followed by the word "dust."

dust

- Hazardous Substance List (NJ-RTK)

Name of substance	Name acc. to inventory	CAS No	Remarks	Classifications
α-pinene	alpha-PINENE (BICYCLO[3.1.1]HEPT-2-ENE, 2,6,6-TRI- METHYL-)	80-56-8		F3
(R)-p-mentha-1,8-diene	dipentene	138-86-3		F2

Legend

Flammable - Second Degree Flammable - Third Degree

- Hazardous Substance List (Chapter 323) (PA-RTK)

Name of substance	Name acc. to inventory	CAS No	Classification
α-pinene	BICYCLO[3.1.1]HEPT-2-ENE, 2,6,6-TRIMETHYL-	80-56-8	

- Hazardous Substance List (RI-RTK)

none of the ingredients are listed

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and **Toxic Enforcement Act of 1987**

none of the ingredients are listed

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	*	chronic (long-term) health effects may result from repeated overexposure
Health	2	temporary or minor injury may occur
Flammability	3	material that can be ignited under almost all ambient temperature conditions

United States: en Page: 26 / 33



acc. to 29 CFR 1910.1200 App D

Armor All FRESHfx Car Air Freshener Twilight Mist Hanging Diffuser

Version number: 4.0 Revision: 2020-10-22 Replaces version of: 2020-10-21 (3)

Category	Rating	Description
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	=	

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	3	material that can be ignited under almost all ambient temperature conditions
Health	2	material that, under emergency conditions, can cause temporary incapacitation or residual injury
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

National inventories

Country	Inventory	Status	
AU	AICS	all ingredients are listed	
CA	DSL	all ingredients are listed	
CN	IECSC	all ingredients are listed	
EU	ECSI	all ingredients are listed	
EU	REACH Reg.	all ingredients are listed	
JP	CSCL-ENCS	not all ingredients are listed	
JP	ISHA-ENCS	not all ingredients are listed	
KR	KECI	not all ingredients are listed	
MX	INSQ	not all ingredients are listed	
NZ	NZIoC	all ingredients are listed	
PH	PICCS	all ingredients are listed	
TR	CICR	not all ingredients are listed	
TW	TCSI	all ingredients are listed	
US	TSCA	all ingredients are listed	

Legend

AICS Australian Inventory of Chemical Substances

United States: en Page: 27 / 33



acc. to 29 CFR 1910.1200 App D

Armor All FRESHfx Car Air Freshener Twilight Mist Hanging Diffuser

Version number: 4.0 Revision: 2020-10-22 Replaces version of: 2020-10-21 (3)

Legend

CICR Chemical Inventory and Control Regulation

CSCL-ENCS List of Existing and New Chemical Substances (CSCL-ENCS)

DSL Domestic Substances List (DSL)

EC Substance Inventory (EINECS, ELINCS, NLP) ECSI

Inventory of Existing Chemical Substances Produced or Imported in China National Inventory of Chemical Substances **IECSC**

INSQ

ISHA-ENCS Inventory of Existing and New Chemical Substances (ISHA-ENCS)

Korea Existing Chemicals Inventory KECI

New Zealand Inventory of Chemicals NZIoC

Philippine Inventory of Chemicals and Chemical Substances (PICCS) **PICCS**

REACH Reg. REACH registered substances

TCSI Taiwan Chemical Substance Inventory

TSCA Toxic Substance Control Act

Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information, including date of preparation or last revision

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
3.2		Description of the mixture: change in the listing (table)	yes
8.1		Relevant DNELs of components of the mixture: change in the listing (table)	yes
8.1		Relevant PNECs of components of the mixture: change in the listing (table)	yes
12.1		Aquatic toxicity (acute) of components of the mix- ture: change in the listing (table)	yes
14.1	UN number: 3295	UN number: 3082	yes
14.2	UN proper shipping name: Hydrocarbons, liquid, n.o.s.	UN proper shipping name: Environmentally hazardous substance, liquid, n.o.s.	yes
14.2		Technical name (hazardous ingredients): Hexyl cinnamaldehyde, Distillates (petroleum), hy- drotreated light	yes
14.3	Class: 3 (flammable liquids)	Class: 9 (environmentally hazardous)	yes
14.5	Environmentally hazardous substance (aquatic environment): Distillates (petroleum), hydrotreated light	Environmentally hazardous substance (aquatic environment): Hexyl cinnamaldehyde, Distillates (petroleum), hy- drotreated light	yes

United States: en Page: 28 / 33



acc. to 29 CFR 1910.1200 App D

Armor All FRESHfx Car Air Freshener Twilight Mist Hanging Diffuser

Version number: 4.0 Revision: 2020-10-22 Replaces version of: 2020-10-21 (3)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
14.7	Information for each of the UN Model Regula- tions: DOT	Information for each of the UN Model Regulations: Not regulated when carried in single or combination packaging containing a net quantity of 5L or less or 5 kg or less per the following: DOT: 171.4(2) ADR: SP 375 IMDG: 2.10.2.7 IATA: special provision A197, DOT	yes
14.7	Index number: 3295	Index number: 3082	yes
14.7	Proper shipping name: Hydrocarbons, liquid, n.o.s.	Proper shipping name: Environmentally hazardous substance, liquid, n.o.s.	yes
14.7	Particulars in the shipper's declaration: UN3295, Hydrocarbons, liquid, n.o.s., 3, III, envir- onmentally hazardous	Particulars in the shipper's declaration: UN3082, Environmentally hazardous substance, liquid, n.o.s., 9, III	yes
14.7	Class: 3	Class: 9	yes
14.7	Danger label(s): 3, fish and tree	Danger label(s): 9, fish and tree	yes
14.7		Danger label(s): change in the listing (table)	yes
14.7	Special provisions (SP): 144, B1, IB3, T4, TP1, TP29	Special provisions (SP): 8, 146, 173, 335, IB3, T4, TP1, TP29	yes
14.7	ERG No: 128	ERG No: 171	yes
14.7	UN number: 3295	UN number: 3082	yes
14.7	Proper shipping name: HYDROCARBONS, LIQUID, N.O.S.	Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LI- QUID, N.O.S.	yes
14.7	Particulars in the shipper's declaration: UN3295, HYDROCARBONS, LIQUID, N.O.S., 3, III, 29°C c.c., MARINE POLLUTANT	Particulars in the shipper's declaration: UN3082, ENVIRONMENTALLY HAZARDOUS SUB- STANCE, LIQUID, N.O.S., 9, III, 29°C c.c.	yes
14.7	Class: 3	Class: 9	yes
14.7	Danger label(s): 3, fish and tree	Danger label(s): 9, fish and tree	yes
14.7		Danger label(s): change in the listing (table)	yes

United States: en Page: 29 / 33



acc. to 29 CFR 1910.1200 App D

Armor All FRESHfx Car Air Freshener Twilight Mist Hanging Diffuser

Version number: 4.0 Revision: 2020-10-22 Replaces version of: 2020-10-21 (3)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
14.7	Special provisions (SP): 223	Special provisions (SP): 274, 335, 969	yes
14.7	EmS: F-E, S-D	EmS: F-A, S-F	yes
14.7	UN number: 3295	UN number: 3082	yes
14.7	Proper shipping name: Hydrocarbons, liquid, n.o.s.	Proper shipping name: Environmentally hazardous substance, liquid, n.o.s.	yes
14.7	Particulars in the shipper's declaration: UN3295, Hydrocarbons, liquid, n.o.s., 3, III	Particulars in the shipper's declaration: UN3082, Environmentally hazardous substance, liquid, n.o.s., 9, III	yes
14.7	Class: 3	Class: 9	yes
14.7	Danger label(s): 3	Danger label(s): 9, fish and tree	yes
14.7		Danger label(s): change in the listing (table)	yes
14.7	Special provisions (SP): A3	Special provisions (SP): A97, A158, A197	yes
14.7	Limited quantities (LQ): 10 L	Limited quantities (LQ): 30 kg	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
49 CFR US DOT	49 CFR U.S. Department of Transportation
ACGIH® 2019	From ACGIH®, 2019 TLVs® and BEIs® Book. Copyright 2019. Reprinted with permission. Information on the proper use of the TLVs® and BEIs®: http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement
Acute Tox.	Acute toxicity
Asp. Tox.	Aspiration hazard
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)

United States: en Page: 30 / 33



acc. to 29 CFR 1910.1200 App D

Armor All FRESHfx Car Air Freshener Twilight Mist Hanging Diffuser

Version number: 4.0 Revision: 2020-10-22 Replaces version of: 2020-10-21 (3)

Abbr.	Descriptions of used abbreviations
DNEL	Derived No-Effect Level
DOT	Department of Transportation (USA)
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EINECS	European Inventory of Existing Commercial Chemical Substances
EL50	Effective Loading 50 %: the EL50 corresponds to the loading rate required to produce a response in 50% of the test organisms
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
ERG No	Emergency Response Guidebook - Number
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LL50	Lethal Loading 50 %: the LL50 corresponds to the loading rate causing 50 % lethality
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)

United States: en Page: 31 / 33



acc. to 29 CFR 1910.1200 App D

Armor All FRESHfx Car Air Freshener Twilight Mist Hanging Diffuser

Version number: 4.0 Revision: 2020-10-22 Replaces version of: 2020-10-21 (3)

Abbr.	Descriptions of used abbreviations
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitization
STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure
TLV®	Threshold Limit Values
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H226	Flammable liquid and vapor.
H227	Combustible liquid.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.

United States: en Page: 32 / 33



acc. to 29 CFR 1910.1200 App D

Armor All FRESHfx Car Air Freshener Twilight Mist Hanging Diffuser

Version number: 4.0 Revision: 2020-10-22 Replaces version of: 2020-10-21 (3)

Code	Text
H373	May cause damage to organs (nervous system) through prolonged or repeated exposure.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United States: en Page: 33 / 33