



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHfx Car Air Freshener Classic Cotton Hanging Diffuser

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-10-22

### SECTION 1: Identification

#### 1.1 Product identifier

Trade name

**Armor All FRESHfx Car Air Freshener Classic Cotton Hanging Diffuser**

Alternative number(s)

070612185945

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

General use

#### 1.3 Details of the supplier of the safety data sheet

Energizer Manufacturing, Inc.  
25225 Detroit Rd.  
Westlake OH 44145  
United States

Telephone: 800-383-7323; 314-985-2000 (USA / CANADA)  
Website: <http://data.energizer.com>

Energizer Trading Ltd.  
Sword House, Totteridge Road, High Wycombe, HP13 6DG, UK

Telephone: +44(0)8000353376  
e-mail: [ConsumerServiceEU@energizer.com](mailto:ConsumerServiceEU@energizer.com)

#### 1.4 Emergency telephone number

Emergency information service

1-314-985-1511 Int'l: 1-800-526-4727  
This number is only available during the following  
office hours: Mon-Fri 09:00 AM - 05:00 PM

### SECTION 2: Hazard(s) identification

#### 2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and category	Hazard statement
A.1I	acute toxicity (inhal.)	4	Acute Tox. 4	H332
A.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
A.3	serious eye damage/eye irritation	2	Eye Irrit. 2	H319
A.4S	skin sensitization	1	Skin Sens. 1	H317
A.7	reproductive toxicity	2	Repr. 2	H361f

## Armor All FRESHfx Car Air Freshener Classic Cotton Hanging Diffuser

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-10-22

Section	Hazard class	Category	Hazard class and category	Hazard statement
A.8D	specific target organ toxicity - single exposure (narcotic effects, drowsiness)	3	STOT SE 3	H336
A.9	specific target organ toxicity - repeated exposure	2	STOT RE 2	H373
A.10	aspiration hazard	1	Asp. Tox. 1	H304
B.6	flammable liquid	3	Flam. Liq. 3	H226

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Delayed or immediate effects can be expected after short or long-term exposure. The product is combustible and can be ignited by potential ignition sources.

### 2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word danger

- Pictograms

GHS02, GHS07, GHS08



- Hazard statements

H226	Flammable liquid and vapor.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H361f	Suspected of damaging fertility.
H373	May cause damage to organs (nervous system) through prolonged or repeated exposure.

- Precautionary statements

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing must not be allowed out of the workplace.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHfx Car Air Freshener Classic Cotton Hanging Diffuser

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-10-22

### - Precautionary statements

P280	Wear protective gloves/eye protection/face protection.
P301+P310	If swallowed: Immediately call a poison center/doctor.
P302+P352	If on skin: Wash with plenty of water.
P303+P361+P353	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340	If inhaled: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312	Call a poison center/doctor if you feel unwell.
P321	Specific treatment (see on this label).
P331	Do NOT induce vomiting.
P362	Take off contaminated clothing and wash it before reuse.
P363	Wash contaminated clothing before reuse.
P370+P378	In case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

### 2.2.1.7- Hazardous ingredients for labelling

Distillates (petroleum), hydrotreated light, Lilial, Patchouli ethanone, 3-(4-tert-butylphenyl)propionaldehyde, Methyl Ionone, Geraniol, Lylal, Cyclamal, Benzyl salicylate, Dorisyl, (ethoxymethoxy)cyclododecane, (E)-3-[(R)-4-Methyl-3-cyclohexenyl]-2-butenal, (R)-p-mentha-1,8-diene, Hexyl cinnamaldehyde

### 2.3 Other hazards

Hazards not otherwise classified

May be harmful in contact with skin (GHS category 5: acutely toxic - dermal).

Very toxic to aquatic life with long lasting effects (GHS category 1: aquatic toxicity - acute and/or chronic).

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not relevant (mixture)


















### 3.2 Mixtures

Description of the mixture

## Armor All FRESHfx Car Air Freshener Classic Cotton Hanging Diffuser

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-10-22

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Distillates (petroleum), hydrotreated light	CAS No 64742-47-8	50 – < 75	Acute Tox. 3 / H331 STOT SE 3 / H336 STOT RE 2 / H373 Asp. Tox. 1 / H304 Flam. Liq. 3 / H226	   
Citronellyl acetate	CAS No 150-84-5	5 – < 10	Skin Irrit. 2 / H315	
Cyclamal	CAS No 103-95-7	5 – < 10	Skin Irrit. 2 / H315 Skin Sens. 1B / H317	
Dihydromyrcenol	CAS No 18479-58-8	5 – < 10	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Flam. Liq. 4 / H227	
Lilial	CAS No 80-54-6	5 – < 10	Acute Tox. 4 / H302 Flam. Liq. 4 / H227	
Hexyl cinnamaldehyde	CAS No 165184-98-5 101-86-0	5 – < 10	Acute Tox. 4 / H332	
Geraniol	CAS No 106-24-1	1 – < 5	Skin Irrit. 2 / H315 Eye Dam. 1 / H318 Skin Sens. 1 / H317	 
Lylal	CAS No 31906-04-4	1 – < 5	Skin Sens. 1B / H317	
Dorisyl	CAS No 32210-23-4	1 – < 5	Skin Sens. 1B / H317	
(ethoxymethoxy)cyclodecane	CAS No 58567-11-6	1 – < 5	Skin Irrit. 2 / H315 Skin Sens. 1B / H317	
(E)-3-[(R)-4-Methyl-3-cyclohexenyl]-2-butenal	CAS No 6784-13-0	1 – < 5	Skin Sens. 1B / H317	
3-(4-tert-butylphenyl)propionaldehyde	CAS No 18127-01-0	1 – < 5	Flam. Liq. 4 / H227	
(R)-p-mentha-1,8-diene	CAS No 5989-27-5	1 – < 5	Skin Irrit. 2 / H315 Skin Sens. 1 / H317 Flam. Liq. 3 / H226	 

For full text of abbreviations: see SECTION 16.



## Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

### Armor All FRESHfx Car Air Freshener Classic Cotton Hanging Diffuser

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-10-22

#### SECTION 4: First-aid measures

##### 4.1 Description of first- aid measures

###### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

###### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

###### Following skin contact

Wash with plenty of soap and water.

###### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

###### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

##### 4.2 Most important symptoms and effects, both acute and delayed

Narcotic effects.

##### 4.3 Indication of any immediate medical attention and special treatment needed

none

#### SECTION 5: Fire-fighting measures

##### 5.1 Extinguishing media

###### Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO<sub>2</sub>)

###### Unsuitable extinguishing media

Water jet

##### 5.2 Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapor-air mixture. Solvent vapors are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

###### Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

##### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.



## Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

# Armor All FRESHfx Car Air Freshener Classic Cotton Hanging Diffuser

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-10-22

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

- Specific notes/details

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapors are heavier than air, spread along floors and form explosive mixtures with air. Vapors may form explosive mixtures with air.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHfx Car Air Freshener Classic Cotton Hanging Diffuser

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-10-22

### Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingsuffs.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Managing of associated risks

##### - Explosive atmospheres

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.

##### - Flammability hazards

Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.

##### - Ventilation requirements

Keep any substance that emits harmful vapors or gases in a place that allows these to be permanently extracted. Use local and general ventilation. Ground/bond container and receiving equipment.

##### - Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

### 7.3 Specific end use(s)

See section 16 for a general overview.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

This information is not available.

#### Relevant DNELs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Citronellyl acetate	150-84-5	DNEL	17 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Citronellyl acetate	150-84-5	DNEL	4.8 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Cyclamal	103-95-7	DNEL	1.67 mg/kg	human, dermal	worker (industry)	chronic - systemic effects
Cyclamal	103-95-7	DNEL	5.83 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Dihydromyrcenol	18479-58-8	DNEL	73.5 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHfx Car Air Freshener Classic Cotton Hanging Diffuser

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-10-22

### Relevant DNELs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Dihydromyrcenol	18479-58-8	DNEL	20.8 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Lilial	80-54-6	DNEL	0.44 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Lilial	80-54-6	DNEL	1.79 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Lilial	80-54-6	DNEL	410 µg/cm <sup>2</sup>	human, dermal	worker (industry)	chronic - local effects
Lilial	80-54-6	DNEL	410 µg/cm <sup>2</sup>	human, dermal	worker (industry)	acute - local effects
Hexyl cinnamaldehyde	165184-98-5 101-86-0	DNEL	0.078 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Hexyl cinnamaldehyde	165184-98-5 101-86-0	DNEL	6.28 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects
Hexyl cinnamaldehyde	165184-98-5 101-86-0	DNEL	18.2 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Hexyl cinnamaldehyde	165184-98-5 101-86-0	DNEL	525 µg/cm <sup>2</sup>	human, dermal	worker (industry)	chronic - local effects
Hexyl cinnamaldehyde	165184-98-5 101-86-0	DNEL	525 µg/cm <sup>2</sup>	human, dermal	worker (industry)	acute - local effects
Geraniol	106-24-1	DNEL	161.6 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Geraniol	106-24-1	DNEL	12.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Geraniol	106-24-1	DNEL	11,800 µg/cm <sup>2</sup>	human, dermal	worker (industry)	chronic - local effects
(ethoxymethoxy)cyclododecane	58567-11-6	DNEL	23.5 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
(ethoxymethoxy)cyclododecane	58567-11-6	DNEL	3.3 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
3-(4-tert-butylphenyl)propionaldehyde	18127-01-0	DNEL	0.308 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
3-(4-tert-butylphenyl)propionaldehyde	18127-01-0	DNEL	0.88 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic effects





# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHfx Car Air Freshener Classic Cotton Hanging Diffuser

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-10-22

### Relevant DNELs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
3-(4-tert-butylphenyl)propionaldehyde	18127-01-0	DNEL	0.22 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
3-(4-tert-butylphenyl)propionaldehyde	18127-01-0	DNEL	0.88 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects
3-(4-tert-butylphenyl)propionaldehyde	18127-01-0	DNEL	0.89 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
3-(4-tert-butylphenyl)propionaldehyde	18127-01-0	DNEL	3.57 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects
3-(4-tert-butylphenyl)propionaldehyde	18127-01-0	DNEL	215 µg/cm <sup>2</sup>	human, dermal	worker (industry)	chronic - local effects
3-(4-tert-butylphenyl)propionaldehyde	18127-01-0	DNEL	215 µg/cm <sup>2</sup>	human, dermal	worker (industry)	acute - local effects
(R)-p-mentha-1,8-diene	5989-27-5	DNEL	66.7 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
(R)-p-mentha-1,8-diene	5989-27-5	DNEL	9.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

### Relevant PNECs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Citronellyl acetate	150-84-5	PNEC	0.0348 mg/l	aquatic organisms	water	intermittent release
Citronellyl acetate	150-84-5	PNEC	0.003 mg/l	aquatic organisms	freshwater	short-term (single instance)
Citronellyl acetate	150-84-5	PNEC	0 mg/l	aquatic organisms	marine water	short-term (single instance)
Citronellyl acetate	150-84-5	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Citronellyl acetate	150-84-5	PNEC	0.851 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Citronellyl acetate	150-84-5	PNEC	0.085 mg/kg	aquatic organisms	marine sediment	short-term (single instance)



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHfx Car Air Freshener Classic Cotton Hanging Diffuser

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-10-22

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Citronellyl acetate	150-84-5	PNEC	0.168 mg/kg	terrestrial organisms	soil	short-term (single instance)
Cyclamal	103-95-7	PNEC	1.09 µg/l	aquatic organisms	freshwater	short-term (single instance)
Cyclamal	103-95-7	PNEC	0.11 µg/l	aquatic organisms	marine water	short-term (single instance)
Cyclamal	103-95-7	PNEC	1 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Cyclamal	103-95-7	PNEC	0.126 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Cyclamal	103-95-7	PNEC	0.0126 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Cyclamal	103-95-7	PNEC	33.3 mg/kg	aquatic organisms	water	short-term (single instance)
Cyclamal	103-95-7	PNEC	0.0245 mg/kg	terrestrial organisms	soil	short-term (single instance)
Cyclamal	103-95-7	PNEC	10.92 µg/l	aquatic organisms	water	intermittent release
Dihydromyrcenol	18479-58-8	PNEC	111 mg/kg	aquatic organisms	water	short-term (single instance)
Dihydromyrcenol	18479-58-8	PNEC	0.278 mg/l	aquatic organisms	water	intermittent release
Dihydromyrcenol	18479-58-8	PNEC	27.8 µg/l	aquatic organisms	freshwater	short-term (single instance)
Dihydromyrcenol	18479-58-8	PNEC	2.78 µg/l	aquatic organisms	marine water	short-term (single instance)
Dihydromyrcenol	18479-58-8	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Dihydromyrcenol	18479-58-8	PNEC	0.594 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Dihydromyrcenol	18479-58-8	PNEC	0.059 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Dihydromyrcenol	18479-58-8	PNEC	0.103 mg/kg	terrestrial organisms	soil	short-term (single instance)
Lilial	80-54-6	PNEC	0.024 mg/l	aquatic organisms	water	intermittent release



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHfx Car Air Freshener Classic Cotton Hanging Diffuser

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-10-22

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Lilial	80-54-6	PNEC	0.004 mg/l	aquatic organisms	freshwater	short-term (single instance)
Lilial	80-54-6	PNEC	0 mg/l	aquatic organisms	marine water	short-term (single instance)
Lilial	80-54-6	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Lilial	80-54-6	PNEC	0.528 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Lilial	80-54-6	PNEC	0.053 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Lilial	80-54-6	PNEC	0.103 mg/kg	terrestrial organisms	soil	short-term (single instance)
Hexyl cinnamaldehyde	165184-98-5 101-86-0	PNEC	0.001 mg/l	aquatic organisms	freshwater	short-term (single instance)
Hexyl cinnamaldehyde	165184-98-5 101-86-0	PNEC	0 mg/l	aquatic organisms	marine water	short-term (single instance)
Hexyl cinnamaldehyde	165184-98-5 101-86-0	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Hexyl cinnamaldehyde	165184-98-5 101-86-0	PNEC	3.2 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Hexyl cinnamaldehyde	165184-98-5 101-86-0	PNEC	0.064 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Hexyl cinnamaldehyde	165184-98-5 101-86-0	PNEC	0.398 mg/kg	terrestrial organisms	soil	short-term (single instance)
Geraniol	106-24-1	PNEC	0.108 mg/l	aquatic organisms	water	intermittent release
Geraniol	106-24-1	PNEC	0.011 mg/l	aquatic organisms	freshwater	short-term (single instance)
Geraniol	106-24-1	PNEC	0.001 mg/l	aquatic organisms	marine water	short-term (single instance)
Geraniol	106-24-1	PNEC	0.7 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Geraniol	106-24-1	PNEC	0.115 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Geraniol	106-24-1	PNEC	0.011 mg/kg	aquatic organisms	marine sediment	short-term (single instance)



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHfx Car Air Freshener Classic Cotton Hanging Diffuser

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-10-22

### Relevant PNECs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Geraniol	106-24-1	PNEC	0.017 mg/kg	terrestrial organisms	soil	short-term (single instance)
Dorisyl	32210-23-4	PNEC	5.3 µg/l	aquatic organisms	freshwater	short-term (single instance)
Dorisyl	32210-23-4	PNEC	0.53 µg/l	aquatic organisms	marine water	short-term (single instance)
Dorisyl	32210-23-4	PNEC	12.2 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Dorisyl	32210-23-4	PNEC	2.01 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Dorisyl	32210-23-4	PNEC	0.21 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Dorisyl	32210-23-4	PNEC	66.67 mg/kg	aquatic organisms	water	short-term (single instance)
Dorisyl	32210-23-4	PNEC	0.42 mg/kg	terrestrial organisms	soil	short-term (single instance)
Dorisyl	32210-23-4	PNEC	53 µg/l	aquatic organisms	water	intermittent release
(ethoxymethoxy)cyclododecane	58567-11-6	PNEC	0.002 mg/l	aquatic organisms	freshwater	short-term (single instance)
(ethoxymethoxy)cyclododecane	58567-11-6	PNEC	0 mg/l	aquatic organisms	marine water	short-term (single instance)
(ethoxymethoxy)cyclododecane	58567-11-6	PNEC	100 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
(ethoxymethoxy)cyclododecane	58567-11-6	PNEC	2.35 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
(ethoxymethoxy)cyclododecane	58567-11-6	PNEC	0.235 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
(ethoxymethoxy)cyclododecane	58567-11-6	PNEC	0.468 mg/kg	terrestrial organisms	soil	short-term (single instance)
3-(4-tert-butylphenyl)propionaldehyde	18127-01-0	PNEC	5.6 mg/kg	aquatic organisms	water	short-term (single instance)
3-(4-tert-butylphenyl)propionaldehyde	18127-01-0	PNEC	10.5 µg/l	aquatic organisms	water	intermittent release

## Armor All FRESHfx Car Air Freshener Classic Cotton Hanging Diffuser

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-10-22

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
3-(4-tert-butylphenyl)propionaldehyde	18127-01-0	PNEC	1.05 µg/l	aquatic organisms	freshwater	short-term (single instance)
3-(4-tert-butylphenyl)propionaldehyde	18127-01-0	PNEC	0.105 µg/l	aquatic organisms	marine water	short-term (single instance)
3-(4-tert-butylphenyl)propionaldehyde	18127-01-0	PNEC	3.16 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
3-(4-tert-butylphenyl)propionaldehyde	18127-01-0	PNEC	0.104 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
3-(4-tert-butylphenyl)propionaldehyde	18127-01-0	PNEC	10.4 µg/kg	aquatic organisms	marine sediment	short-term (single instance)
3-(4-tert-butylphenyl)propionaldehyde	18127-01-0	PNEC	20.2 µg/kg	terrestrial organisms	soil	short-term (single instance)
(R)-p-mentha-1,8-diene	5989-27-5	PNEC	14 µg/l	aquatic organisms	freshwater	short-term (single instance)
(R)-p-mentha-1,8-diene	5989-27-5	PNEC	1.4 µg/l	aquatic organisms	marine water	short-term (single instance)
(R)-p-mentha-1,8-diene	5989-27-5	PNEC	1.8 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
(R)-p-mentha-1,8-diene	5989-27-5	PNEC	3.85 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
(R)-p-mentha-1,8-diene	5989-27-5	PNEC	0.385 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
(R)-p-mentha-1,8-diene	5989-27-5	PNEC	0.763 mg/kg	terrestrial organisms	soil	short-term (single instance)

### 8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHfx Car Air Freshener Classic Cotton Hanging Diffuser

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-10-22

### Skin protection

#### - Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### - Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

### Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

Physical state	liquid
Color	various
Odor	characteristic

#### Other safety parameters

pH (value)	not determined
Melting point/freezing point	not determined
Initial boiling point and boiling range	≥146 °C at 101.3 kPa
Flash point	29 °C at 101.3 kPa
Evaporation rate	not determined
Flammability (solid, gas)	not relevant, (fluid)
Explosive limits	not determined
Vapor pressure	≤3.7 kPa at 37.8 °C



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHfx Car Air Freshener Classic Cotton Hanging Diffuser

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-10-22

Density	not determined
Vapor density	this information is not available
Relative density	information on this property is not available
Solubility(ies)	not determined

### Partition coefficient

- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	220 °C (auto-ignition temperature (liquids and gases))
Viscosity	not determined
Explosive properties	none
Oxidizing properties	none

### 9.2 Other information

Temperature class (USA, acc. to NEC 500)	T2D (maximum permissible surface temperature on the equipment: 215°C)
--	---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Risk of ignition.

If heated:

Risk of ignition

### 10.2 Chemical stability

See below "Conditions to avoid".

### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints to prevent fire or explosion

Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHfx Car Air Freshener Classic Cotton Hanging Diffuser

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-10-22

### 10.5 Incompatible materials

Oxidizers

### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

#### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

##### Acute toxicity

Harmful if inhaled.

GHS of the United Nations, annex 4: May be harmful in contact with skin.

##### - Acute toxicity estimate (ATE)

Inhalation: vapor 10.08 mg/l/4h

#### Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Distillates (petroleum), hydrotreated light	64742-47-8	inhalation: vapor	5.28 mg/l/4h
Lilial	80-54-6	oral	1,390 mg/kg
Hexyl cinnamaldehyde	165184-98-5 101-86-0	inhalation: vapor	11 mg/l/4h
Hexyl cinnamaldehyde	165184-98-5 101-86-0	inhalation: dust/mist	2.12 mg/l/4h

##### Skin corrosion/irritation

Causes skin irritation.

##### Serious eye damage/eye irritation

Causes serious eye irritation.

##### Respiratory or skin sensitization

May cause an allergic skin reaction.

##### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.





# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHfx Car Air Freshener Classic Cotton Hanging Diffuser

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-10-22

### Carcinogenicity

Shall not be classified as carcinogenic.

#### IARC Monographs on the Evaluation of Carcinogenic Risks to Humans

Name of substance	CAS No	Classification	Number
(R)-p-mentha-1,8-diene	5989-27-5	3	

#### Legend

3 Not classifiable as to carcinogenicity in humans

### Reproductive toxicity

Suspected of damaging fertility.

### Specific target organ toxicity - single exposure

May cause drowsiness or dizziness.

### Specific target organ toxicity - repeated exposure

May cause damage to organs (nervous system) through prolonged or repeated exposure.

Hazard category	Target organ	Exposure route
2	nervous system	if exposed

### Aspiration hazard

May be fatal if swallowed and enters airways.

## SECTION 12: Ecological information

### 12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

#### Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Distillates (petroleum), hydrotreated light	64742-47-8	LL50	5 mg/l	fish	96 h
Distillates (petroleum), hydrotreated light	64742-47-8	EL50	1.4 mg/l	aquatic invertebrates	48 h
Distillates (petroleum), hydrotreated light	64742-47-8	LC50	>1,000 mg/l	rainbow trout (Oncorhynchus mykiss)	96 h
Distillates (petroleum), hydrotreated light	64742-47-8	LC50	>1,000 mg/l	goldfish (Carassius auratus)	72 h



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHfx Car Air Freshener Classic Cotton Hanging Diffuser

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-10-22

### Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Distillates (petroleum), hydrotreated light	64742-47-8	EC50	>1,000 mg/l	water flea (Daphnia)	48 h
Distillates (petroleum), hydrotreated light	64742-47-8	EC50	>1,000 mg/l	algae	72 h
Citronellyl acetate	150-84-5	LC50	6.1 mg/l	fish	96 h
Citronellyl acetate	150-84-5	EC50	3.48 mg/l	aquatic invertebrates	48 h
Citronellyl acetate	150-84-5	ErC50	>7.2 mg/l	algae	72 h
Cyclamal	103-95-7	LC50	1.092 mg/l	fish	96 h
Cyclamal	103-95-7	EC50	1.4 mg/l	aquatic invertebrates	48 h
Cyclamal	103-95-7	ErC50	4.3 mg/l	algae	72 h
Dihydromyrcenol	18479-58-8	LC50	27.8 mg/l	fish	96 h
Dihydromyrcenol	18479-58-8	EC50	38 mg/l	aquatic invertebrates	48 h
Dihydromyrcenol	18479-58-8	ErC50	80 mg/l	algae	72 h
Lilial	80-54-6	LC50	2.04 mg/l	fish	96 h
Lilial	80-54-6	EC50	10.7 mg/l	aquatic invertebrates	48 h
Lilial	80-54-6	ErC50	29.16 mg/l	algae	72 h
Hexyl cinnamaldehyde	165184-98-5 101-86-0	LC50	1.7 mg/l	fish	96 h
Hexyl cinnamaldehyde	165184-98-5 101-86-0	EC50	<0.59 mg/l	aquatic invertebrates	48 h
Hexyl cinnamaldehyde	165184-98-5 101-86-0	ErC50	>0.065 mg/l	algae	72 h
Geraniol	106-24-1	LC50	22 mg/l	fish	96 h
Geraniol	106-24-1	EC50	10.8 mg/l	aquatic invertebrates	48 h
Geraniol	106-24-1	ErC50	13.1 mg/l	algae	72 h
Dorisyl	32210-23-4	LC50	8.6 mg/l	fish	96 h
Dorisyl	32210-23-4	EC50	5.3 mg/l	aquatic invertebrates	48 h
Dorisyl	32210-23-4	ErC50	22 mg/l	algae	72 h



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHfx Car Air Freshener Classic Cotton Hanging Diffuser

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-10-22

### Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
(ethoxymethoxy)cyclo-dodecane	58567-11-6	LC50	1.9 mg/l	fish	96 h
(ethoxymethoxy)cyclo-dodecane	58567-11-6	EC50	1.6 mg/l	aquatic invertebrates	48 h
(ethoxymethoxy)cyclo-dodecane	58567-11-6	ErC50	>2 mg/l	algae	72 h
3-(4-tert-butylphenyl)propionaldehyde	18127-01-0	LC50	1.045 mg/l	fish	96 h
3-(4-tert-butylphenyl)propionaldehyde	18127-01-0	EC50	1.8 mg/l	aquatic invertebrates	48 h
3-(4-tert-butylphenyl)propionaldehyde	18127-01-0	ErC50	4.3 mg/l	algae	72 h
(R)-p-mentha-1,8-diene	5989-27-5	LC50	720 µg/l	fish	96 h
(R)-p-mentha-1,8-diene	5989-27-5	EC50	688 µg/l	fish	96 h
(R)-p-mentha-1,8-diene	5989-27-5	ErC50	0.32 mg/l	algae	72 h

### Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Distillates (petroleum), hydrotreated light	64742-47-8	EL50	0.89 mg/l	aquatic invertebrates	21 d
Cyclamal	103-95-7	EC50	100 mg/l	microorganisms	3 h
Dihydromyrcenol	18479-58-8	EC50	17 mg/l	aquatic invertebrates	21 d
Hexyl cinnamaldehyde	165184-98-5 101-86-0	EC50	>157 µg/l	aquatic invertebrates	21 d
Geraniol	106-24-1	EC50	70 mg/l	microorganisms	30 min
Dorisyl	32210-23-4	EC50	302 mg/l	microorganisms	3 h
3-(4-tert-butylphenyl)propionaldehyde	18127-01-0	EC50	80 mg/l	microorganisms	3 h
(R)-p-mentha-1,8-diene	5989-27-5	EC50	<0.67 mg/l	fish	8 d



## Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

### Armor All FRESHfx Car Air Freshener Classic Cotton Hanging Diffuser

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-10-22

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
(R)-p-mentha-1,8-diene	5989-27-5	LC50	0.41 mg/l	fish	8 d

#### 12.2 Persistence and degradability

Data are not available.

#### 12.3 Bioaccumulative potential

Data are not available.

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

#### 12.6 Other adverse effects

Endocrine disrupting potential

None of the ingredients are listed.

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Waste treatment-relevant information

Solvent reclamation/regeneration.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHfx Car Air Freshener Classic Cotton Hanging Diffuser

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-10-22



### SECTION 14: Transport information

<b>14.1 UN number</b>	3082
<b>14.2 UN proper shipping name</b> Technical name (hazardous ingredients)	Environmentally hazardous substance, liquid, n.o.s. Hexyl cinnamaldehyde, Distillates (petroleum), hydrotreated light
<b>14.3 Transport hazard class(es)</b> Class	9 (environmentally hazardous)
<b>14.4 Packing group</b>	III (substance presenting low danger)
<b>14.5 Environmental hazards</b> Environmentally hazardous substance (aquatic environment)	hazardous to the aquatic environment Hexyl cinnamaldehyde, Distillates (petroleum), hydrotreated light
<b>14.6 Special precautions for user</b> There is no additional information.	
<b>14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code</b> The cargo is not intended to be carried in bulk.	

#### Information for each of the UN Model Regulations

Not regulated when carried in single or combination packaging containing a net quantity of 5L or less or 5 kg or less per the following:  
DOT: 171.4(2)  
ADR: SP 375  
IMDG: 2.10.2.7  
IATA: special provision A197, DOT

#### Transport of dangerous goods by road or rail (49 CFR US DOT)

Index number	3082
Proper shipping name - Particulars in the shipper's declaration	Environmentally hazardous substance, liquid, n.o.s. UN3082, Environmentally hazardous substance, liquid, n.o.s., 9, III
Class	9
Packing group	III
Danger label(s)	9, fish and tree
 	
Environmental hazards	yes (hazardous to the aquatic environment)
Special provisions (SP)	8, 146, 173, 335, IB3, T4, TP1, TP29



# Safety Data Sheet





acc. to 29 CFR 1910.1200 App D

## Armor All FRESHfx Car Air Freshener Classic Cotton Hanging Diffuser

Version number: 4.0

Replaces version of: 2020-10-21 (3)

Revision: 2020-10-22

ERG No	171
<b>International Maritime Dangerous Goods Code (IMDG)</b>	
UN number	3082
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
- Particulars in the shipper's declaration	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III, 29°C c.c.
Class	9
Marine pollutant	yes (hazardous to the aquatic environment)
Packing group	III
Danger label(s)	9, fish and tree
 	
Special provisions (SP)	274, 335, 969
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
EmS	F-A, S-F
Stowage category	A
<b>International Civil Aviation Organization (ICAO-IATA/DGR)</b>	
UN number	3082
Proper shipping name	Environmentally hazardous substance, liquid, n.o.s.
- Particulars in the shipper's declaration	UN3082, Environmentally hazardous substance, liquid, n.o.s., 9, III
Class	9
Environmental hazards	yes (hazardous to the aquatic environment)
Packing group	III
Danger label(s)	9, fish and tree
 	
Special provisions (SP)	A97, A158, A197
Excepted quantities (EQ)	E1
Limited quantities (LQ)	30 kg



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHfx Car Air Freshener Classic Cotton Hanging Diffuser

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-10-22

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations specific for the product in question

##### National regulations (United States)

##### Superfund Amendment and Reauthorization Act (SARA TITLE III )

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

- Specific Toxic Chemical Listings (EPCRA Section 313)

none of the ingredients are listed

##### Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

none of the ingredients are listed

##### Clean Air Act

none of the ingredients are listed

##### Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of substance	Name acc. to inventory	CAS No	Functional-ity	Authoritative Lists
Distillates (petroleum), hydro-treated light		64742-47-8	solvents	
Hexyl cinnamaldehyde	Hexyl cinnam-aldehyde	101-86-0	fragrance	EU Fragrance Allergens
Patchouli ethanone		54464-57-2	fragrance	
Dihydromyrcenol		18479-58-8	fragrance	
Citronellyl acetate		150-84-5	fragrance	
Lilial	2-(4-tert-Butylbenzyl) propional-dehyde	80-54-6	fragrance	EU Fragrance Allergens
Benzyl salicylate	Benzyl salicylate	118-58-1	fragrance	EU Fragrance Allergens
Cyclamal		103-95-7	fragrance	
Methyl Ionone	3-Methyl-4-(2,6,6-tri-methyl-2-cyclohexen-1-yl)-3-buten-2-one	127-51-5	fragrance	EU Fragrance Allergens
Aquanal		1205-17-0	fragrance	
(E)-3-[(R)-4-Methyl-3-cyclohex-enyl]-2-butenal		6784-13-0	fragrance	



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHfx Car Air Freshener Classic Cotton Hanging Diffuser

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-10-22

Name of substance	Name acc. to inventory	CAS No	Functional-ity	Authoritative Lists
(Z)-3,4,5,6,6-Pentamethylhept-3-en-2-one		81786-73-4	fragrance	
Pentamethylheptenone		81786-74-5	fragrance	
3,5,6,6-Tetramethyl-4-methyl-eneheptan-2-one		81786-75-6	fragrance	
(Ethoxymethoxy)cyclododecane		58567-11-6	fragrance	
Geraniol	Geraniol	106-24-1	fragrance	EU Fragrance Allergens
(R)-p-mentha-1,8-diene	d-Limonene	5989-27-5	fragrance	EU Fragrance Allergens
Lylal	Hydroxy-methylpentyl-cyclo-hexenecarboxalde-hyde	31906-04-4	fragrance	EU Fragrance Allergens
3-(4-tert-butylphenyl)propional-dehyde		18127-01-0	fragrance	
Dorisyl		32210-23-4	fragrance	

- Toxic or Hazardous Substance List (MA-TURA)

none of the ingredients are listed

- Hazardous Substances List (MN-ERTK)

none of the ingredients are listed

- Hazardous Substance List (NJ-RTK)

Name of substance	Name acc. to inventory	CAS No	Remarks	Classifications
(R)-p-mentha-1,8-diene	dipentene	138-86-3		F2

Legend

F2 Flammable - Second Degree

- Hazardous Substance List (Chapter 323) (PA-RTK)

none of the ingredients are listed

- Hazardous Substance List (RI-RTK)

none of the ingredients are listed

**California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987**

none of the ingredients are listed





# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHfx Car Air Freshener Classic Cotton Hanging Diffuser

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-10-22

### Industry or sector specific available guidance(s)

#### NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	*	chronic (long-term) health effects may result from repeated overexposure
Health	2	temporary or minor injury may occur
Flammability	3	material that can be ignited under almost all ambient temperature conditions
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

#### NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	3	material that can be ignited under almost all ambient temperature conditions
Health	2	material that, under emergency conditions, can cause temporary incapacitation or residual injury
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

### National inventories

Country	Inventory	Status
AU	AICS	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHfx Car Air Freshener Classic Cotton Hanging Diffuser

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-10-22

Country	Inventory	Status
MX	INSQ	not all ingredients are listed
NZ	NZIoC	not all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	not all ingredients are listed

### Legend

AICS	Australian Inventory of Chemical Substances
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

## 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information, including date of preparation or last revision

### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
3.2		Description of the mixture: change in the listing (table)	yes
8.1		Relevant DNELs of components of the mixture: change in the listing (table)	yes
8.1		Relevant PNECs of components of the mixture: change in the listing (table)	yes
12.1		Aquatic toxicity (acute) of components of the mixture: change in the listing (table)	yes
14.1	UN number: 3295	UN number: 3082	yes



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHfx Car Air Freshener Classic Cotton Hanging Diffuser

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-10-22

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
14.2	UN proper shipping name: Hydrocarbons, liquid, n.o.s.	UN proper shipping name: Environmentally hazardous substance, liquid, n.o.s.	yes
14.2		Technical name (hazardous ingredients): Hexyl cinnamaldehyde, Distillates (petroleum), hydrotreated light	yes
14.3	Class: 3 (flammable liquids)	Class: 9 (environmentally hazardous)	yes
14.5	Environmentally hazardous substance (aquatic environment): Distillates (petroleum), hydrotreated light	Environmentally hazardous substance (aquatic environment): Hexyl cinnamaldehyde, Distillates (petroleum), hydrotreated light	yes
14.7	Information for each of the UN Model Regulations: DOT	Information for each of the UN Model Regulations: Not regulated when carried in single or combination packaging containing a net quantity of 5L or less or 5 kg or less per the following: DOT: 171.4(2) ADR: SP 375 IMDG: 2.10.2.7 IATA: special provision A197, DOT	yes
14.7	Index number: 3295	Index number: 3082	yes
14.7	Proper shipping name: Hydrocarbons, liquid, n.o.s.	Proper shipping name: Environmentally hazardous substance, liquid, n.o.s.	yes
14.7	Particulars in the shipper's declaration: UN3295, Hydrocarbons, liquid, n.o.s., 3, III, environmentally hazardous	Particulars in the shipper's declaration: UN3082, Environmentally hazardous substance, liquid, n.o.s., 9, III	yes
14.7	Class: 3	Class: 9	yes
14.7	Danger label(s): 3, fish and tree	Danger label(s): 9, fish and tree	yes
14.7		Danger label(s): change in the listing (table)	yes
14.7	Special provisions (SP): 144, B1, IB3, T4, TP1, TP29	Special provisions (SP): 8, 146, 173, 335, IB3, T4, TP1, TP29	yes
14.7	ERG No: 128	ERG No: 171	yes
14.7	UN number: 3295	UN number: 3082	yes



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHfx Car Air Freshener Classic Cotton Hanging Diffuser

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-10-22

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
14.7	Proper shipping name: HYDROCARBONS, LIQUID, N.O.S.	Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	yes
14.7	Particulars in the shipper's declaration: UN3295, HYDROCARBONS, LIQUID, N.O.S., 3, III, 29°C c.c., MARINE POLLUTANT	Particulars in the shipper's declaration: UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III, 29°C c.c.	yes
14.7	Class: 3	Class: 9	yes
14.7	Danger label(s): 3, fish and tree	Danger label(s): 9, fish and tree	yes
14.7		Danger label(s): change in the listing (table)	yes
14.7	Special provisions (SP): 223	Special provisions (SP): 274, 335, 969	yes
14.7	EmS: F-E, S-D	EmS: F-A, S-F	yes
14.7	UN number: 3295	UN number: 3082	yes
14.7	Proper shipping name: Hydrocarbons, liquid, n.o.s.	Proper shipping name: Environmentally hazardous substance, liquid, n.o.s.	yes
14.7	Particulars in the shipper's declaration: UN3295, Hydrocarbons, liquid, n.o.s., 3, III	Particulars in the shipper's declaration: UN3082, Environmentally hazardous substance, liquid, n.o.s., 9, III	yes
14.7	Class: 3	Class: 9	yes
14.7	Danger label(s): 3	Danger label(s): 9, fish and tree	yes
14.7		Danger label(s): change in the listing (table)	yes
14.7	Special provisions (SP): A3	Special provisions (SP): A97, A158, A197	yes
14.7	Limited quantities (LQ): 10 L	Limited quantities (LQ): 30 kg	yes



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHfx Car Air Freshener Classic Cotton Hanging Diffuser

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-10-22

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
49 CFR US DOT	49 CFR U.S. Department of Transportation
Acute Tox.	Acute toxicity
Asp. Tox.	Aspiration hazard
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
DOT	Department of Transportation (USA)
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EINECS	European Inventory of Existing Commercial Chemical Substances
EL50	Effective Loading 50 %: the EL50 corresponds to the loading rate required to produce a response in 50% of the test organisms
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
ERG No	Emergency Response Guidebook - Number
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LL50	Lethal Loading 50 %: the LL50 corresponds to the loading rate causing 50 % lethality
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHfx Car Air Freshener Classic Cotton Hanging Diffuser

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-10-22

Abbr.	Descriptions of used abbreviations
NLP	No-Longer Polymer
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitization
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure
vPvB	Very Persistent and very Bioaccumulative

### Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H226	Flammable liquid and vapor.
H227	Combustible liquid.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.



## Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

### Armor All FRESHfx Car Air Freshener Classic Cotton Hanging Diffuser

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-10-22

Code	Text
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H361f	Suspected of damaging fertility.
H373	May cause damage to organs (nervous system) through prolonged or repeated exposure.

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.