



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Air Freshener FreshFX Vent Clip Tobacco & Vanilla

Version number: 3.0  
Replaces version of: 2020-06-09 (2)

Revision: 2020-10-21

### SECTION 1: Identification

#### 1.1 Product identifier

Trade name **Armor All Air Freshener FreshFX Vent Clip Tobacco & Vanilla**  
Alternative number(s) 070612189486

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses General use

#### 1.3 Details of the supplier of the safety data sheet

Energizer Manufacturing, Inc.  
25225 Detroit Rd.  
Westlake OH 44145  
United States

Telephone: 800-383-7323; 314-985-2000 (USA / CANADA)  
Website: <http://data.energizer.com>

Energizer Trading Ltd.  
Sword House, Totteridge Road, High Wycombe, HP13 6DG, UK

Telephone: +44(0)8000353376  
e-mail: [ConsumerServiceEU@energizer.com](mailto:ConsumerServiceEU@energizer.com)

#### 1.4 Emergency telephone number

Emergency information service 1-314-985-1511 Int'l: 1-800-526-4727  
This number is only available during the following  
office hours: Mon-Fri 09:00 AM - 05:00 PM

### SECTION 2: Hazard(s) identification

#### 2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and category	Hazard statement
A.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
A.3	serious eye damage/eye irritation	2	Eye Irrit. 2	H319
A.4S	skin sensitization	1	Skin Sens. 1	H317
B.6	flammable liquid	4	Flam. Liq. 4	H227

For full text of abbreviations: see SECTION 16.

## Armor All Air Freshener FreshFX Vent Clip Tobacco & Vanilla

Version number: 3.0  
Replaces version of: 2020-06-09 (2)

Revision: 2020-10-21

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources.

### 2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word warning

- Pictograms

GHS07



- Hazard statements

H227	Combustible liquid.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.

- Precautionary statements

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
P272	Contaminated work clothing must not be allowed out of the workplace.
P280	Wear protective gloves/eye protection/face protection.
P302+P352	If on skin: Wash with plenty of water.
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P321	Specific treatment (see on this label).
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P362	Take off contaminated clothing and wash it before reuse.
P363	Wash contaminated clothing before reuse.
P370+P378	In case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

#### 2.2.1.7- Hazardous ingredients for labelling

Patchouli ethanone, (R)-p-mentha-1,8-diene, acetyl cedrene, dihydro pentamethylindanone

### 2.3 Other hazards

This material is combustible, but will not ignite readily.

Hazards not otherwise classified

Explosive with or without contact with air.  
May be harmful if swallowed (GHS category 5: acutely toxic - oral).  
Toxic to aquatic life with long lasting effects (GHS category 2: aquatic toxicity - acute and/or chronic).

## Armor All Air Freshener FreshFX Vent Clip Tobacco & Vanilla

Version number: 3.0  
Replaces version of: 2020-06-09 (2)

Revision: 2020-10-21

### Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.







## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not relevant (mixture)

### 3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
3,5,5-trimethylhexyl acetate	CAS No 58430-94-7	50 – < 75	Skin Irrit. 2 / H315	
Dihydromyrcenol	CAS No 18479-58-8	10 – < 25	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Flam. Liq. 4 / H227	
acetyl cedrene	CAS No 32388-55-9	5 – < 10	Skin Sens. 1B / H317	
3-(5,5,6-trimethylbicyclo[2.2.1]hept-2-yl)cyclohexan-1-ol	CAS No 3407-42-9	5 – < 10	Eye Irrit. 2 / H319	
(R)-p-mentha-1,8-diene	CAS No 5989-27-5	5 – < 10	Skin Irrit. 2 / H315 Skin Sens. 1 / H317 Flam. Liq. 3 / H226	
dihydro pentamethylindanone	CAS No 33704-61-9	1 – < 5	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1B / H317	

For full text of abbreviations: see SECTION 16.

## SECTION 4: First-aid measures

### 4.1 Description of first- aid measures

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

#### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.



## Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

### Armor All Air Freshener FreshFX Vent Clip Tobacco & Vanilla

Version number: 3.0  
Replaces version of: 2020-06-09 (2)

Revision: 2020-10-21

#### Following skin contact

Wash with plenty of soap and water.

#### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

#### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

### SECTION 5: Fire-fighting measures

#### 5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO<sub>2</sub>)

Unsuitable extinguishing media

Water jet

#### 5.2 Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapor-air mixture. Solvent vapors are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.



## Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

### Armor All Air Freshener FreshFX Vent Clip Tobacco & Vanilla

Version number: 3.0  
Replaces version of: 2020-06-09 (2)

Revision: 2020-10-21

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

#### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

- Specific notes/details

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapors are heavier than air, spread along floors and form explosive mixtures with air. Vapors may form explosive mixtures with air.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Air Freshener FreshFX Vent Clip Tobacco & Vanilla

Version number: 3.0  
Replaces version of: 2020-06-09 (2)

Revision: 2020-10-21

### - Flammability hazards

Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.

### - Ventilation requirements

Use local and general ventilation. Ground/bond container and receiving equipment.

### - Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

## 7.3 Specific end use(s)

See section 16 for a general overview.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

This information is not available.

Relevant DNELs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
3,5,5-trimethylhexyl acetate	58430-94-7	DNEL	0.13 mg/kg	human, dermal	worker (industry)	chronic - systemic effects
3,5,5-trimethylhexyl acetate	58430-94-7	DNEL	0.94 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Dihydromyrcenol	18479-58-8	DNEL	73.5 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Dihydromyrcenol	18479-58-8	DNEL	20.8 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
acetyl cedrene	32388-55-9	DNEL	1.175 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
acetyl cedrene	32388-55-9	DNEL	0.333 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
3-(5,5,6-trimethylbicyclo[2.2.1]hept-2-yl)cyclohexan-1-ol	3407-42-9	DNEL	3.747 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
3-(5,5,6-trimethylbicyclo[2.2.1]hept-2-yl)cyclohexan-1-ol	3407-42-9	DNEL	2.125 mg/kg	human, dermal	worker (industry)	chronic - systemic effects
(R)-p-mentha-1,8-diene	5989-27-5	DNEL	66.7 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
(R)-p-mentha-1,8-diene	5989-27-5	DNEL	9.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Air Freshener FreshFX Vent Clip Tobacco & Vanilla

Version number: 3.0  
Replaces version of: 2020-06-09 (2)

Revision: 2020-10-21

### Relevant PNECs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
3,5,5-trimethylhexyl acetate	58430-94-7	PNEC	7.7 µg/l	aquatic organisms	freshwater	short-term (single instance)
3,5,5-trimethylhexyl acetate	58430-94-7	PNEC	0.77 µg/l	aquatic organisms	marine water	short-term (single instance)
3,5,5-trimethylhexyl acetate	58430-94-7	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
3,5,5-trimethylhexyl acetate	58430-94-7	PNEC	2.895 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
3,5,5-trimethylhexyl acetate	58430-94-7	PNEC	0.29 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
3,5,5-trimethylhexyl acetate	58430-94-7	PNEC	2.66 mg/kg	aquatic organisms	water	short-term (single instance)
3,5,5-trimethylhexyl acetate	58430-94-7	PNEC	0.573 mg/kg	terrestrial organisms	soil	short-term (single instance)
3,5,5-trimethylhexyl acetate	58430-94-7	PNEC	77 µg/l	aquatic organisms	water	intermittent release
Dihydromyrcenol	18479-58-8	PNEC	111 mg/kg	aquatic organisms	water	short-term (single instance)
Dihydromyrcenol	18479-58-8	PNEC	0.278 mg/l	aquatic organisms	water	intermittent release
Dihydromyrcenol	18479-58-8	PNEC	27.8 µg/l	aquatic organisms	freshwater	short-term (single instance)
Dihydromyrcenol	18479-58-8	PNEC	2.78 µg/l	aquatic organisms	marine water	short-term (single instance)
Dihydromyrcenol	18479-58-8	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Dihydromyrcenol	18479-58-8	PNEC	0.594 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Dihydromyrcenol	18479-58-8	PNEC	0.059 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Dihydromyrcenol	18479-58-8	PNEC	0.103 mg/kg	terrestrial organisms	soil	short-term (single instance)
acetyl cedrene	32388-55-9	PNEC	1.74 µg/l	aquatic organisms	freshwater	short-term (single instance)
acetyl cedrene	32388-55-9	PNEC	0.174 µg/l	aquatic organisms	marine water	short-term (single instance)



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Air Freshener FreshFX Vent Clip Tobacco & Vanilla

Version number: 3.0  
Replaces version of: 2020-06-09 (2)

Revision: 2020-10-21

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
acetyl cedrene	32388-55-9	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
acetyl cedrene	32388-55-9	PNEC	24.4 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
acetyl cedrene	32388-55-9	PNEC	2.44 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
acetyl cedrene	32388-55-9	PNEC	4.87 mg/kg	terrestrial organisms	soil	short-term (single instance)
3-(5,5,6-trimethylbicyclo[2.2.1]hept-2-yl)cyclohexan-1-ol	3407-42-9	PNEC	0.012 mg/l	aquatic organisms	freshwater	short-term (single instance)
3-(5,5,6-trimethylbicyclo[2.2.1]hept-2-yl)cyclohexan-1-ol	3407-42-9	PNEC	0.001 mg/l	aquatic organisms	marine water	short-term (single instance)
3-(5,5,6-trimethylbicyclo[2.2.1]hept-2-yl)cyclohexan-1-ol	3407-42-9	PNEC	0.118 mg/l	aquatic organisms	water	intermittent release
3-(5,5,6-trimethylbicyclo[2.2.1]hept-2-yl)cyclohexan-1-ol	3407-42-9	PNEC	6.083 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
3-(5,5,6-trimethylbicyclo[2.2.1]hept-2-yl)cyclohexan-1-ol	3407-42-9	PNEC	586.8 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
3-(5,5,6-trimethylbicyclo[2.2.1]hept-2-yl)cyclohexan-1-ol	3407-42-9	PNEC	586.8 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
3-(5,5,6-trimethylbicyclo[2.2.1]hept-2-yl)cyclohexan-1-ol	3407-42-9	PNEC	278.9 mg/kg	terrestrial organisms	soil	short-term (single instance)
(R)-p-mentha-1,8-diene	5989-27-5	PNEC	14 µg/l	aquatic organisms	freshwater	short-term (single instance)
(R)-p-mentha-1,8-diene	5989-27-5	PNEC	1.4 µg/l	aquatic organisms	marine water	short-term (single instance)
(R)-p-mentha-1,8-diene	5989-27-5	PNEC	1.8 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
(R)-p-mentha-1,8-diene	5989-27-5	PNEC	3.85 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
(R)-p-mentha-1,8-diene	5989-27-5	PNEC	0.385 mg/kg	aquatic organisms	marine sediment	short-term (single instance)





# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Air Freshener FreshFX Vent Clip Tobacco & Vanilla

Version number: 3.0  
Replaces version of: 2020-06-09 (2)

Revision: 2020-10-21

Relevant PNECs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
(R)-p-mentha-1,8-diene	5989-27-5	PNEC	0.763 mg/kg	terrestrial organisms	soil	short-term (single instance)

### 8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

Physical state	liquid
Color	various
Odor	characteristic



## Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

### Armor All Air Freshener FreshFX Vent Clip Tobacco & Vanilla

Version number: 3.0  
Replaces version of: 2020-06-09 (2)

Revision: 2020-10-21

#### Other safety parameters

pH (value)	not determined
Melting point/freezing point	not determined
Initial boiling point and boiling range	193 °C at 100.9 kPa
Flash point	76 °C at 101.3 kPa
Evaporation rate	not determined
Flammability (solid, gas)	not relevant, (fluid)
Explosive limits	not determined
Vapor pressure	0.25 kPa at 25 °C
Density	not determined
Vapor density	this information is not available
Relative density	information on this property is not available
Solubility(ies)	not determined

#### Partition coefficient

- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	306 °C
Viscosity	not determined
Explosive properties	explosive
Oxidizing properties	none

#### 9.2 Other information

Temperature class (USA, acc. to NEC 500)	T2 (maximum permissible surface temperature on the equipment: 300°C)
--	--



## Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

### Armor All Air Freshener FreshFX Vent Clip Tobacco & Vanilla

Version number: 3.0  
Replaces version of: 2020-06-09 (2)

Revision: 2020-10-21

#### SECTION 10: Stability and reactivity

##### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Risk of ignition.

If heated:

Risk of ignition

If exposed to air:

Danger of explosion.

##### 10.2 Chemical stability

See below "Conditions to avoid".

##### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

##### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints to prevent fire or explosion

Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

##### 10.5 Incompatible materials

Oxidizers

##### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

#### SECTION 11: Toxicological information

##### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

##### **Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)**

Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4: May be harmful if swallowed.

Skin corrosion/irritation

Causes skin irritation.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Air Freshener FreshFX Vent Clip Tobacco & Vanilla

Version number: 3.0  
Replaces version of: 2020-06-09 (2)

Revision: 2020-10-21

### Serious eye damage/eye irritation

Causes serious eye irritation.

### Respiratory or skin sensitization

May cause an allergic skin reaction.

### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

### Carcinogenicity

Shall not be classified as carcinogenic.

#### IARC Monographs on the Evaluation of Carcinogenic Risks to Humans

Name of substance	CAS No	Classification	Number
(R)-p-mentha-1,8-diene	5989-27-5	3	

#### Legend

3 Not classifiable as to carcinogenicity in humans

### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

## SECTION 12: Ecological information

### 12.1 Toxicity

Toxic to aquatic life with long lasting effects.

#### Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
3,5,5-trimethylhexyl acetate	58430-94-7	LC50	7.7 mg/l	fish	96 h
3,5,5-trimethylhexyl acetate	58430-94-7	EC50	>5.8 mg/l	aquatic invertebrates	48 h



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Air Freshener FreshFX Vent Clip Tobacco & Vanilla

Version number: 3.0  
Replaces version of: 2020-06-09 (2)

Revision: 2020-10-21

### Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
3,5,5-trimethylhexyl acetate	58430-94-7	ErC50	>3.8 mg/l	algae	72 h
Dihydromyrcenol	18479-58-8	LC50	27.8 mg/l	fish	96 h
Dihydromyrcenol	18479-58-8	EC50	38 mg/l	aquatic invertebrates	48 h
Dihydromyrcenol	18479-58-8	ErC50	80 mg/l	algae	72 h
acetyl cedrene	32388-55-9	LC50	2.3 mg/l	fish	96 h
acetyl cedrene	32388-55-9	EC50	0.86 mg/l	aquatic invertebrates	48 h
acetyl cedrene	32388-55-9	ErC50	>4.3 mg/l	algae	96 h
(R)-p-mentha-1,8-diene	5989-27-5	LC50	720 µg/l	fish	96 h
(R)-p-mentha-1,8-diene	5989-27-5	EC50	688 µg/l	fish	96 h
(R)-p-mentha-1,8-diene	5989-27-5	ErC50	0.32 mg/l	algae	72 h

### Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
3,5,5-trimethylhexyl acetate	58430-94-7	EC50	>5.4 mg/l	aquatic invertebrates	24 h
Dihydromyrcenol	18479-58-8	EC50	17 mg/l	aquatic invertebrates	21 d
acetyl cedrene	32388-55-9	EC50	0.32 mg/l	aquatic invertebrates	21 d
(R)-p-mentha-1,8-diene	5989-27-5	EC50	<0.67 mg/l	fish	8 d
(R)-p-mentha-1,8-diene	5989-27-5	LC50	0.41 mg/l	fish	8 d

### 12.2 Persistence and degradability

Data are not available.

### 12.3 Bioaccumulative potential

Data are not available.

### 12.4 Mobility in soil

Data are not available.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Air Freshener FreshFX Vent Clip Tobacco & Vanilla

Version number: 3.0  
Replaces version of: 2020-06-09 (2)

Revision: 2020-10-21

### 12.5 Results of PBT and vPvB assessment

Data are not available.

### 12.6 Other adverse effects

Endocrine disrupting potential

The mixture contains substance(s) with an endocrine disrupting potential.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Waste treatment-relevant information

Solvent reclamation/regeneration.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

## SECTION 14: Transport information

14.1	UN number	3082
14.2	UN proper shipping name	Environmentally hazardous substance, liquid, n.o.s.
	Technical name (hazardous ingredients)	3,5,5-trimethylhexyl acetate, Patchouli ethanone
14.3	Transport hazard class(es)	
	Class	9 (environmentally hazardous)
14.4	Packing group	III (substance presenting low danger)
14.5	Environmental hazards	hazardous to the aquatic environment
	Environmentally hazardous substance (aquatic environment)	3,5,5-trimethylhexyl acetate, Patchouli ethanone
14.6	Special precautions for user	
	There is no additional information.	
14.7	Transport in bulk according to Annex II of MARPOL and the IBC Code	
	The cargo is not intended to be carried in bulk.	



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Air Freshener FreshFX Vent Clip Tobacco & Vanilla

Version number: 3.0  
Replaces version of: 2020-06-09 (2)

Revision: 2020-10-21

### Information for each of the UN Model Regulations

Not regulated when carried in single or combination packaging containing a net quantity of 5L or less or 5 kg or less per the following:



DOT: 171.4(2)

ADR: SP 375



IMDG: 2.10.2.7

IATA: special provision A197, DOT

### Transport of dangerous goods by road or rail (49 CFR US DOT)

Index number	3082
Proper shipping name	Environmentally hazardous substance, liquid, n.o.s.
- Particulars in the shipper's declaration	UN3082, Environmentally hazardous substance, liquid, n.o.s., (contains: 3,5,5-trimethylhexyl acetate, Patchouli ethanone), 9, III
Class	9
Packing group	III
Danger label(s)	9, fish and tree
 	
Environmental hazards	yes (hazardous to the aquatic environment)
Special provisions (SP)	8, 146, 173, 335, IB3, T4, TP1, TP29
ERG No	171

### International Maritime Dangerous Goods Code (IMDG)

UN number	3082
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
- Particulars in the shipper's declaration	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (contains: 3,5,5-trimethylhexyl acetate, Patchouli ethanone), 9, III
Class	9
Marine pollutant	yes (hazardous to the aquatic environment)
Packing group	III
Danger label(s)	9, fish and tree
 	
Special provisions (SP)	274, 335, 969
Excepted quantities (EQ)	E1




## Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

### Armor All Air Freshener FreshFX Vent Clip Tobacco & Vanilla

Version number: 3.0  
Replaces version of: 2020-06-09 (2)

Revision: 2020-10-21

Limited quantities (LQ)	5 L
EmS	F-A, S-F
Stowage category	A
<b>International Civil Aviation Organization (ICAO-IATA/DGR)</b>	
UN number	3082
Proper shipping name	Environmentally hazardous substance, liquid, n.o.s.
- Particulars in the shipper's declaration	UN3082, Environmentally hazardous substance, liquid, n.o.s., (contains: 3,5,5-trimethylhexyl acetate, Patchouli ethanone), 9, III
Class	9
Environmental hazards	yes (hazardous to the aquatic environment)
Packing group	III
Danger label(s)	9, fish and tree
	
Special provisions (SP)	A97, A158, A197
Excepted quantities (EQ)	E1
Limited quantities (LQ)	30 kg

#### SECTION 15: Regulatory information

##### 15.1 Safety, health and environmental regulations specific for the product in question

###### National regulations (United States)

**Toxic Substance Control Act (TSCA)** all ingredients are listed

###### Superfund Amendment and Reauthorization Act (SARA TITLE III )

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

- Specific Toxic Chemical Listings (EPCRA Section 313)

none of the ingredients are listed

###### Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

none of the ingredients are listed

###### Clean Air Act

none of the ingredients are listed





# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Air Freshener FreshFX Vent Clip Tobacco & Vanilla

Version number: 3.0  
Replaces version of: 2020-06-09 (2)

Revision: 2020-10-21

### Right to Know Hazardous Substance List

#### - Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of substance	Name acc. to inventory	CAS No	Functional-ity	Authoritative Lists
3,5,5-trimethylhexyl acetate		58430-94-7	fragrance	
Patchouli ethanone		54464-57-2	fragrance	
Dihydromyrcenol		18479-58-8	fragrance	
Linalyl acetate		115-95-7	fragrance	
(R)-p-mentha-1,8-diene	d-Limonene	5989-27-5	fragrance	EU Fragrance Allergens
A, $\beta$ ,2,2,3-pentamethylcyclopent-3-ene-1-butanol		65113-99-7	fragrance	
Acetyl cedrene		32388-55-9	fragrance	
3-(5,5,6-trimethylbicyclo[2.2.1]hept-2-yl)cyclohexan-1-ol		3407-42-9	fragrance	
Dihydro pentamethylindanone		33704-61-9	fragrance	

#### - Toxic or Hazardous Substance List (MA-TURA)

none of the ingredients are listed

#### - Hazardous Substances List (MN-ERTK)

none of the ingredients are listed

#### - Hazardous Substance List (NJ-RTK)

Name of substance	Name acc. to inventory	CAS No	Remarks	Classifications
(R)-p-mentha-1,8-diene	dipentene	138-86-3		F2

#### Legend

F2 Flammable - Second Degree

#### - Hazardous Substance List (Chapter 323) (PA-RTK)

none of the ingredients are listed

#### - Hazardous Substance List (RI-RTK)

none of the ingredients are listed

### California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

none of the ingredients are listed



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Air Freshener FreshFX Vent Clip Tobacco & Vanilla

Version number: 3.0  
Replaces version of: 2020-06-09 (2)

Revision: 2020-10-21

### Industry or sector specific available guidance(s)

#### NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	/	none
Health	2	temporary or minor injury may occur
Flammability	2	material that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

#### NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	2	material that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur
Health	2	material that, under emergency conditions, can cause temporary incapacitation or residual injury
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

### National inventories

Country	Inventory	Status
AU	AICS	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed

## Armor All Air Freshener FreshFX Vent Clip Tobacco & Vanilla

Version number: 3.0  
Replaces version of: 2020-06-09 (2)

Revision: 2020-10-21

Country	Inventory	Status
KR	KECI	all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

### Legend

AICS	Australian Inventory of Chemical Substances
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

## 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information, including date of preparation or last revision

### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
3.2		Description of the mixture: change in the listing (table)	yes
8.1		Relevant DNELs of components of the mixture: change in the listing (table)	yes
8.1		Relevant PNECs of components of the mixture: change in the listing (table)	yes
9.2	Solvent content: 100 %		yes
9.2	Solid content: 0 %		yes



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Air Freshener FreshFX Vent Clip Tobacco & Vanilla

Version number: 3.0  
Replaces version of: 2020-06-09 (2)

Revision: 2020-10-21

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
12.1		Aquatic toxicity (acute) of components of the mixture: change in the listing (table)	yes
12.1		Aquatic toxicity (chronic) of components of the mixture: change in the listing (table)	yes
15.1		Cleaning Product Right to Know Act Substance List (CA-RTK): change in the listing (table)	yes
15.1		Hazardous Substance List (NJ-RTK): change in the listing (table)	yes

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
49 CFR US DOT	49 CFR U.S. Department of Transportation
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
DOT	Department of Transportation (USA)
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
ERG No	Emergency Response Guidebook - Number
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Air Freshener FreshFX Vent Clip Tobacco & Vanilla

Version number: 3.0  
Replaces version of: 2020-06-09 (2)

Revision: 2020-10-21

Abbr.	Descriptions of used abbreviations
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitization
vPvB	Very Persistent and very Bioaccumulative

### Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H226	Flammable liquid and vapor.
H227	Combustible liquid.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.



## Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

### Armor All Air Freshener FreshFX Vent Clip Tobacco & Vanilla

Version number: 3.0  
Replaces version of: 2020-06-09 (2)

Revision: 2020-10-21

---

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.