## Safety Data Sheet (SDS)

### **Marine Trailer Wheel Bearing Grease**

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE /MIXTURE AND OF THE COMPANY /UNDERTAKING

1.1 Product Identifier

Marine Trailer Wheel Bearing Grease

Product Code: 11399, 11400, 11402, 11404, 11406, 11407, 11408,

11409

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product Use: Industrial grease

**Uses advised against:** This product must not be used in applications other than

recommended in section 1 without taking the advice from

supplier/manufacturer

1.3 Details of supplier of safety data sheet

Supplier: Plews. Inc.

1550 Franklin Grove Rd.

Dixon, IL 61021

**Telephone Number:** (800) 545 - 1689

#### **SECTION 2: HAZARD IDENTIFICATION**

#### 2.1 Classification of the substance of mixture

**OSHA Hazard Communication Standard :** This material is not considered hazardous in accordance with OSHA HazCom 2012, 29 CFR 1910.1200

#### 2.2 Label elements

No significant hazard as per GHS

#### 2.3 Other hazards

**Health hazards:** Not expected to be a health hazard when used under normal conditions. Prolonged or repeated skin contact without proper cleaning may clog the skin pores resulting disorders like acne/folliculitis. Used grease may contain harmful impurities/ harmful extraneous substances.

Safety hazard: Not classified as flammable but will burn

Environmental hazard: Not classified as environmental hazard under GHS criteria

#### **Precautionary statements:**

**Prevention:** Wear protective gloves while handling. Wear eye and face protection. Wash hand thoroughly after handling

**Response:** If on skin, wash with plenty of soap and water. Remove contaminated cloth and wash thoroughly before use. If skin irritation occurs, get medical advice. If in eyes, wash with water for several minutes, in case of contact lenses, remove and wash with plenty water. In case of irritation, get medical attention.

**Storage:** Store the product in well-ventilated area. Keep the container straight lid upside. Do not lay down upside down or do not keep container horizontally. This product has natural tendency to squeeze oil if not kept properly.

**Disposal:** Take expert advice of local regulatory agency for disposing this product.

Hazard not otherwise classified (HNOC): None as classified under 29 CFR 1900.1200

### **SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS**

This material is defined as mixture and has no known hazards under GHS classification .

#### Additional information:

As per 29 CFR 1910.1200 paragraph (i), formulation is considered as trade secret and therefore specific chemical names and their percentages of components used have not been disclosed. The details about their specific chemical names and their percentages may be provided on request to health professionals, authorized representatives of regulatory authority, employees concerned in accordance with applicable provisions of this paragraph.

#### **SECTION 4: FIRST AID MEASURES**

#### 4.1 Description of first aid measures

General information: Not expected to be health hazard if used under normal conditions

**Inhalation:** Under normal conditions of intended use, this material is not expected to be inhalation hazard. If some symptom exist, remove to fresh air. If not breathing, give artificial respiration. Get medical attention

**Skin Contact:** Remove contaminated clothes. Flush exposed area with plenty of water followed by washing by soap, if available. If persistent irritation occurs, obtain medical attention. If product is injected into or under the skin due to any reason, the victim, regardless of size or appearance of wound, victim should be brought immediately to medical attention for emergency surgical needs. Though the initial symptoms due to high pressure injection may be minimal / absent, early surgical treatment may significantly reduce the extent of injury.

**Eye Contact:** Immediately flush with large quantities of cool water for at least 15 minutes. Get medical attention.

**Ingestion**: In general no treatment is necessary unless large quantities are swallowed, however, it's advisable to take medical attention. Do not induce vomiting unless directed by medical personnel. Do not give anything by mouth by an unconscious person.

**Self-protection for first aider**: When administering the first aid, ensure that you are wearing the appropriate personal protective equipment according to the incident, injury and surroundings.

#### **SECTION 5: FIRE FIGHTING MEASURES**

#### 5.1 Extinguishing Media:

**Suitable extinguishing media:** Water Spray (fog), dry chemical, foam, or carbon dioxide, sand to extinguish flames.

Unsuitable extinguishing media: Water stream may splash burning liquid and spread fire.

- **5.2 Special hazard arising from the substances or mixture:** Hazardous combustion product may include a complex mixture of airborne solid and liquid particulates and gases (smoke), carbon monoxide, unidentified inorganic and organic compounds.
- **5.3 Advice to firefighters:** Proper protective equipment include chemical resistant gloves to be worn, chemical resistant suit is recommended when large contact with spill product is expected. Self-contained breathing apparatus (SCBA) must be worn when approaching a fire in confined area. Select the fire fighters clothing approved by relevant standard

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Fully encapsulating, vapor protective clothing should be worn for spills and leaks with no fire. Do not touch and walk through spill area. Do not touch damaged container or spilled material unless wearing appropriate protective clothing/equipment. Ventilate the closed area.

#### 6.2 Emergency procedures

Isolate the spill / leak area in all directions for about 50 meters (150 ft) for liquids and about 25 meters (75 ft.) for solids and semi-solids. Eliminate all ignition sources (no smoking, flares, sparks / flames in close vicinity). Keep unauthorize person away and ventilate closed space before entering.

#### 6.3 Environmental procedures:

Use appropriate measures for containment of spilled material to the environment. Prevent from entering/ spreading to drain, water, river, ditches by using sand, earth, floor dryers or other appropriate barriers.

#### 6.4 Methods and materials for containment and cleaning up

Shovel into suitable properly marked container for disposal or reclamation in accordance with local regulations.

#### 6.5 Reference to other sections

Refer to section 8 – exposure control / personal protection and section 13- disposal considerations

#### **SECTION 7: HANDLING AND STORAGE**

#### 7.1 General Precautions

Store in well-ventilated area, if risk on vapor inhalation is there. Use the information in this data sheet as input for risk management arising due to local conditions which help to manage safe handling of this product.

#### 7.2 Precautions for safe handling

Avoid prolonged and repeated contact with skin. Avoid inhaling the vapors/mist. When handling the drums, kegs, pails etc., proper safety shoes, and other protective clothes, safety glasses etc. should be worn. Dispose appropriately any contaminated rags/material as per prevailing local allowable practices. Keep containers in closely tight and, cool and well ventilated areas.

### 7.3 Conditions for safe storage, including any incompatibilities

Keep containers tightly close, well-ventilated areas but covered, avoiding contact with rain or other water ingress possibilities. Keep the storage place cool preferably <120 °F / <50 °C. Higher temperature may create pressure buildup inside container and chances of container busting or leakage may occur under aggravated conditions. Keep away from other oxidizing and incompatible materials.

#### 7.4 Specific End Use (s):

This material should not be used for any other purpose than the intended use as per section 1 without the expert advice.

#### **SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION**

### 8.1 Control parameters

Material	Source	Туре	pp m	mg/m3	Notation
Mineral oil mist	TWA(mist) , ACGIH	Ceiling		5.0 mg/m3	

#### Additional information:

Due to semi-solid nature of the product, generation of mist and dusts is unlikely to occur

#### Biological exposure index (BEI):

No biological limit allocated

#### PNEC related information:

Data not available

#### Monitoring methods:

Monitoring of the concentration of substances in the breathing zone of workers or in general workplace may be required to confirm the compliance with local governing authority.

#### 8.2 Engineering measures/controls

Adequate ventilation systems may be needed to control concentrations of airborne contaminants above permissible threshold applicable limits.

### 8.3 Personal protective equipment pictograms









Respiratory: In case of insufficient ventilation, use suitable respiratory equipment

Eye/Face: Wear safety goggles

Skin/Body: Wear safety shoes and protective gloves

### 8.4 Environmental Exposure controls

Minimize release to the environment. Follow best practices for site management and disposal of waste as per local regulations

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# Information on physical and chemical properties Material description

Appearance	Semi-solid
Color	Green
Odor	Slight hydrocarbon
Odor threshold	Data not available
General properties	
Boiling point	No data available
рН	Not applicable
Specific gravity (15 °C)	0.87, 7.506 (lbs/gal)
Flash point, COC, <sup>0</sup> F/ <sup>0</sup> C	400 / 204
Upper/lower flammability limits	No data available
Auto-ignition temperature	No data available
Flammability	No data available
VOC, % wt., ASTM D-972	1
Vapor pressure @ ambient temp.	< 0.13 kPa (< 1 mm Hg)
Vapor density (air =1)	<1
Explosive properties	Not classified
Oxidizing properties	No data available
Other Information	
Electrical conductivity	Though no data available, this material is not expected to be a static accumulator

### **SECTION 10: STABILITY AND REACTIVITY**

10.2 Chemical Stability:  No hazardous reaction is expected under normal conditions of temperature and pressure	10.1 Reactivity :	No reactivity is expected under normal conditions of intended use. However, under high temperature or adverse operating conditions thermal / chemical decomposition of the product may be possible	
	10.2 Chemical Stability :	·	

10.3 Possibility of hazardous	Hazardous polymerization is not expected. Reacts with
reactions	strong oxidizing agents.
10.4 Conditions to avoid	Extreme temperature and direct sunlight / heat /flame
10.5 incompatible materials	Strong oxidizing agents
10.6 hazardous decomposition	Hazardous decomposition is not expected to form under
products	normal conditions of storage

### **SECTION 11: TOXICOLOGICAL INFORMATION**

### 11.1 Information on toxicological effects

Basis of assessment	Information given hereby is based on the components and the toxicology of similar products and the data indicated here are representative of mainly base oil which is present in majority
Acute oral toxicity	Expected to be low toxicity; LD 50 ( rat) > 5000 mg/kg ( literature)
Acute dermal toxicity	Expected to be low toxicity; LD 50 (rat) > 3000 mg/kg ( literature)
Acute inhalation toxicity	Not determined
Skin corrosion / irritation	Expected to be slightly irritating . prolonged/repeated contact with skin without adequate cleaning may clog the pores of the skin , may result disorder such as oil acne/folliculitis
Serious eye damage /irritation	Expected to be slightly irritating
Respiratory /skin sensitization	Not determined
Aspiration hazard	Not determined
Germ cell mutagenicity	Not determined
Carcinogenicity	Not considered to be carcinogenic as it contain severely hydrotreated mineral oils which are reported to be non-carcinogenic in lab animal studies. The class of oils used in making this product are not classified as carcinogenic by IARC
11.2 Material	Carcinogenicity Classification
Highly refined base oil blend ( IP 346 < 3 % )	ACGIH group A4 ; not classified as human carcinogen
	IARC 3; not classified as to carcinogen to humans
	GHS / CLP , no carcinogenicity classification

Based on our raw material suppliers information/SDS, this material is not known to contain any chemical listed as a carcinogen or suspected carcinogen by OSHA Hazard Communication Standard 29CFR 1910.1200, IARC, or the National Toxicology Program (NTP).

### **SECTION 12: ECOLOGICAL INFORMATION**

Basis of assessment	Eco-toxicological data has not been determined specifically on this product. The information given herewith are based on the information given on eco-toxicity of components and/or on similar products. the information given here are representative of the product as whole and not as individual components
12.1 Toxicity	Sparingly soluble mixture in aqueous media. Not toxic to fish

	but may coat gill structure and cause suffocation if spilled. This product may cause gastrointestinal distress in birds and mammals through ingestion.
12.2 Persistence and degradability	Expected to be not readily biodegradable. The major oil component expected to biodegrade over period of 100-120 days in aerobic environment at temperature above 70 F (21 °C), however finished product contain component that may persist in the environment.
12.3 Bioaccumulative potential	May contain component that bioaccumulate
12.4 Mobility in soil	Product is semi-solid in nature in most conditions and may absorb to soil and may not be mobile. It floats on water
12.5 other adverse effects	Product contain the components that have been classified non-volatile in nature and therefore not expected to release to environment in significant quantities.

### **SECTION 13: DISPOSAL INFORMATION**

#### 13.1 Waste treatment methods

Product disposal	Try to minimize the product waste by using best applicable practices. It is the responsibility of the waste generator to evaluate the waste classification and appropriate disposal methodology in accordance with the applicable regulation. Do not dispose in to environment, in drain or in river / ponds / water reservoirs.
Container disposal	To be disposed in accordance with local prevailing and allowable regulations.

### **SECTION 14: TRANSPORT INFORMATION**

	Bulk shipping	Non-bulk shipping	Identification #	Hazardous class
US DOT	Not required	Not required	Not required	Not required
Canadian TDG	Not required	Not required	Not required	Not required
European	Not required	Not required	Not required	Not required
ADR, IMDG, IATA-DGR	Not classified as	s hazardous product fo	r land, sea and air t	transport

### **SECTION 15: REGULATORY INFORMATION**

**OSHA Hazard Communication Standard**: This material is not considered hazardous in accordance with OSHA HAzCom 2012, 29 CFR 1910.1200.

**TSCA Inventory list**: All components are listed

SARA Ext Haz. Sub.: This substance does not contain > 1.0 % of any chemical substance on SARA

extremely hazardous substance list

**SARA 313):** This product doesn't contain > 1.0 % ( > 0.1 % for carcinogenic substance) of any chemical substances listed under SAR 313

Classification: Immediate (acute) health hazard, delayed (chronic) health hazard

Component	t	Fire hazard	Sudden release of pressure	Reactive	Acute health hazard	Delayed health hazard
Base oil		No	No	No	No	Yes
Calcium	Dodecyl	No	No	No	Yes	Yes
benzene sul	fonate	NO	INO	INO	165	163

**Cal Prop 65:** This product doesn't intentionally contain any chemical known by state of California to cause cancer and/or birth defects.

**WHMIS:** This product is not a controlled product; **Canadian NPRI**: none of the components are listed

CEPA toxic substance: none of the components are listed

Canadian (NDSL): All components are listed

Ausralia Inventory ( AICS): All components are listed or exempted

China Inventory (IECSC): All components are listed Japan Inventory All components are listed or exempted

Korea Inventory: All components are listed

Malaysia Inventory (EHS Register): Not determined

New Zealand inventory of Chemicals ( NZIoC): All components are listed or exempted

Philipines Inventory ( PICCS): All components are listed or exempted

Taiwan Inventory ( CSNN): Not determined

#### **SECTION 16: OTHER INFORMATION**

	NFPA 704	HMIS	KEY
Health	1	0	0 = Minimal
Fire	1	1	1 = slight
Reactivity	0	0	2 = Moderate
Specific	None	N/A	3 = Serious

This safety data sheet contains the following revisions:

Revision Date: June 18, 2015

Supersedes: NIL

Prepared by: Riverside Laboratories

Plews. Inc. believes that the information and recommendations given hereby is based reported information based on the components and of similar products. The data indicated here are representative of the product as whole rather than for individual components. No warranty of fitness, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specific product designated and may not be valid where such product is used in combination with any other materials or process. Further, since the conditions and methods of use of this product and of the information referred to herein are beyond the control of Plews. Inc., Plews. Inc. expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information.



# SAFETY DATA SHEET

## **Section 1. Identification**

GHS product identifier : 11546, 11552 - Hi-Vis Lower Unit

Product code : 11546, 11552 Other means of : Gear Oil

Product type : Liquid.

Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** : Differentials and manual transmissions.

Supplier's details : Plews & Edelmann

1550 Franklin Grove Road

Dixon, IL 61021 Tel: 800-545-1689

www.plews-edelmann.com

Emergency telephone number (with hours of

operation)

identification

: CHEMTREC, U.S.: 1-800-424-9300

International: +1-703-527-3887

(24/7)

## Section 2. Hazards identification

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard Communication Standard

(29 CFR 1910.1200).

Classification of the substance or mixture

: SKIN SENSITIZATION - Category 1

**GHS label elements** 

Hazard pictograms :



Signal word : Warning

**Hazard statements**: H317 - May cause an allergic skin reaction.

**Precautionary statements** 

Prevention : P280 - Wear protective gloves.

P261 - Avoid breathing vapor.

P272 (OSHA) - Contaminated work clothing must not be allowed out of the workplace.

## Section 2. Hazards identification

Response : P302 + P352 + P363 - IF ON SKIN: Wash with plenty of soap and water. Wash

contaminated clothing before reuse.

P333 + P313 - If skin irritation or rash occurs: Get medical attention.

Storage : Not applicable.

Disposal : P501 - Dispose of contents and container in accordance with all local, regional, national

and international regulations.

Hazards not otherwise

classified

: None known.

## Section 3. Composition/information on ingredients

Substance/mixture
Other means of identification

: Mixture : Not available.

Ingredient name	%	CAS number
Amines, C12-14-tert-alkyl (Z)-Octadec-9-Enylamine	≥0.3 - <1 ≥0.3 - <1	68955-53-3 112-90-3

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

#### **Description of necessary first aid measures**

Eye contact

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 20 minutes. Get medical attention if irritation occurs.

Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

**Skin contact** 

: Wash with plenty of soap and water. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 20 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Ingestion

: Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed Potential acute health effects

### Section 4. First aid measures

**Eve contact** : No known significant effects or critical hazards. Inhalation : No known significant effects or critical hazards.

Skin contact : May cause an allergic skin reaction.

Ingestion : No known significant effects or critical hazards.

#### Over-exposure signs/symptoms

Eye contact : No known significant effects or critical hazards. Inhalation : No known significant effects or critical hazards. Skin contact : Adverse symptoms may include the following:

> irritation redness

Ingestion : No known significant effects or critical hazards.

#### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

Specific treatments : No specific treatment.

**Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. It may

: Use an extinguishing agent suitable for the surrounding fire.

be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

## Section 5. Fire-fighting measures

#### **Extinguishing media**

Suitable extinguishing

media

Unsuitable extinguishing

media

: None known.

Specific hazards arising

from the chemical

: In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous thermal decomposition products : No specific data.

**Special protective actions** for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

**Special protective** equipment for fire-fighters Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

### Section 6. Accidental release measures

For emergency responders : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For nonemergency personnel".

#### **Environmental precautions**

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

#### Methods and materials for containment and cleaning up

#### Spill

: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## Section 7. Handling and storage

#### Precautions for safe handling

#### **Protective measures**

: Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

### Advice on general occupational hygiene

: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. See also Section 8 for additional information on hygiene measures. Remove contaminated clothing and protective equipment before entering eating areas.

## including any incompatibilities

Conditions for safe storage, : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

## Section 8. Exposure controls/personal protection

#### **Control parameters**

#### Occupational exposure limits

Ingredient name	Exposure limits
	None. None.

#### **Appropriate engineering** controls

**Environmental exposure** controls

- : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
- : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

## Section 8. Exposure controls/personal protection

#### **Individual protection measures**

**Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before

eating, smoking and using the lavatory and at the end of the working period.

Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety

showers are close to the workstation location.

**Eye/face protection** Safety eyewear complying with an approved standard should be used when a risk

assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

Skin protection

Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be

worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the

protection time of the gloves cannot be accurately estimated.

**Body protection** Personal protective equipment for the body should be selected based on the task being

performed and the risks involved and should be approved by a specialist before

handling this product.

Other skin protection : Appropriate footwear and any additional skin protection measures should be selected

based on the task being performed and the risks involved and should be approved by a

specialist before handling this product.

Based on the hazard and potential for exposure, select a respirator that meets the Respiratory protection

> appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important

aspects of use.

## Section 9. Physical and chemical properties

#### **Appearance**

**Boiling point** 

**Physical state** : Liquid. Color : L3.0, L3.5 : Petroleum. Odor : Not available. **Odor threshold** : Not available. pН **Melting point** : Not available.

: Closed cup: >208°C (>406.4°F) Flash point

: Not available.

: Not available. **Evaporation rate** Flammability (solid, gas) : Not available. Lower and upper explosive : Not available.

(flammable) limits

Vapor pressure : Not available. Vapor density : Not available. Specific gravity @ 60F : 0.88 to 0.895 Solubility : Not available.

## Section 9. Physical and chemical properties

Partition coefficient: n-

octanol/water

: Not available.

**Auto-ignition temperature** : Not available. **Decomposition temperature** : Not available.

**Viscosity** 

: Kinematic (100°C): 0.141 to 0.2971 cm<sup>2</sup>/s (14.1 to 29.71 cSt) [ASTM D445] Kinematic (40°C (104°F)): 1.24 to 4.339 cm<sup>2</sup>/s (124 to 433.9 cSt) [ASTM D445]

: Not available. Flow time (ISO 2431)

# Section 10. Stability and reactivity

Reactivity : No specific test data related to reactivity available for this product or its ingredients.

**Chemical stability** : The product is stable.

Possibility of hazardous

reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid : No specific data.

**Incompatible materials** : Reactive or incompatible with the following materials: oxidizing materials.

**Hazardous decomposition** 

products

: Under normal conditions of storage and use, hazardous decomposition products should

not be produced.

## **Section 11. Toxicological information**

### Information on toxicological effects

#### **Acute toxicity**

Product/ingredient name	Result	Species	Dose	Exposure
,	LC50 Inhalation Gas. LD50 Dermal LD50 Dermal LD50 Oral	Rabbit Rat	157 ppm 1120 mg/kg 251 mg/kg 300 mg/kg	4 hours - -

#### **Irritation/Corrosion**

Product/ingredient name	Result	Species	Score	Exposure	Observation
Amines, C12-14-tert-alkyl	Eyes - Severe irritant	Rabbit	-	0.1 ml	-
	Skin - Severe irritant	Rabbit	-	0.5 ml	-

#### **Sensitization**

There is no data available.

#### Mutagenicity

There is no data available.

#### **Carcinogenicity**

There is no data available.

### Reproductive toxicity

There is no data available.

#### **Teratogenicity**

There is no data available.

Specific target organ toxicity (single exposure)

## **Section 11. Toxicological information**

Name	Category	Target organs
(Z)-Octadec-9-Enylamine	Category 3	Respiratory tract irritation

#### Specific target organ toxicity (repeated exposure)

Name	Category	Target organs
(Z)-Octadec-9-Enylamine	Category 2	gastrointestinal tract, immune system and liver

#### **Aspiration hazard**

Name	Result
(Z)-Octadec-9-Enylamine	ASPIRATION HAZARD - Category 1

Information on the likely

routes of exposure

: Dermal contact. Eye contact. Inhalation. Ingestion.

Potential acute health effects

**Eye contact** : No known significant effects or critical hazards. Inhalation : No known significant effects or critical hazards.

Skin contact : May cause an allergic skin reaction.

Ingestion : No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

**Eye contact** : No known significant effects or critical hazards. Inhalation : No known significant effects or critical hazards. Skin contact : Adverse symptoms may include the following:

> irritation redness

Ingestion : No known significant effects or critical hazards.

Delayed and immediate effects and also chronic effects from short and long term exposure

**Short term exposure** 

Potential immediate

effects

effects

: No known significant effects or critical hazards.

Potential delayed effects : No known significant effects or critical hazards.

Long term exposure

Potential immediate

: No known significant effects or critical hazards.

Potential delayed effects : No known significant effects or critical hazards.

Potential chronic health effects

General : Once sensitized, a severe allergic reaction may occur when subsequently exposed to

very low levels.

Carcinogenicity : No known significant effects or critical hazards. Mutagenicity : No known significant effects or critical hazards. **Teratogenicity** : No known significant effects or critical hazards. **Developmental effects** : No known significant effects or critical hazards. **Fertility effects** : No known significant effects or critical hazards.

**Numerical measures of toxicity** 

## **Section 11. Toxicological information**

#### **Acute toxicity estimates**

There is no data available.

## **Section 12. Ecological information**

#### **Toxicity**

There is no data available.

#### Persistence and degradability

There is no data available.

#### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
Amines, C12-14-tert-alkyl	2.9	-	low

#### **Mobility in soil**

Soil/water partition coefficient (Koc)

: Not available.

Other adverse effects

: No known significant effects or critical hazards.

## Section 13. Disposal considerations

### **Disposal methods**

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling empty containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## **Section 14. Transport information**

	DOT Classification	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-
Transport hazard class(es)	-	-	-
Packing group	-	-	-

#### **Section 14. Transport information Environmental** No. No. No. hazards

**AERG**: Not applicable.

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

## Section 15. Regulatory information

U.S. Federal regulations : TSCA 8(a) PAIR: 2-Ethylhexyl dihydrogen phosphate

TSCA 8(a) CDR Exempt/Partial exemption: Not determined

United States inventory (TSCA 8b): All components are listed or exempted.

**Clean Air Act Section 112** 

(b) Hazardous Air **Pollutants (HAPs)**  : Not listed

Clean Air Act Section 602

**Class I Substances** 

: Not listed

**Clean Air Act Section 602** 

Class II Substances

: Not listed

**DEA List I Chemicals** 

(Precursor Chemicals)

: Not listed

**DEA List II Chemicals** 

(Essential Chemicals)

: Not listed

#### **SARA 302/304**

#### Composition/information on ingredients

No products were found.

**SARA 304 RQ** : Not applicable.

**SARA 311/312** 

Classification : SKIN SENSITIZATION - Category 1

Composition/information on ingredients

Name	Classification
Amines, C12-14-tert-alkyl	FLAMMABLE LIQUIDS - Category 4 ACUTE TOXICITY (oral) - Category 4 ACUTE TOXICITY (dermal) - Category 3 ACUTE TOXICITY (inhalation) - Category 2 SKIN CORROSION/IRRITATION - Category 1B SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1 SKIN SENSITIZATION - Category 1A

#### **SARA 313**

There is no data available.

#### State regulations

**Massachusetts** : The following components are listed: Residual oils (petroleum), solvent-dewaxed;

Distillates (petroleum), hydrotreated heavy paraffinic

**New York** : None of the components are listed.

## Section 15. Regulatory information

New Jersey : The following components are listed: Residual oils (petroleum), solvent-dewaxed;

Distillates (petroleum), hydrotreated heavy paraffinic

**Pennsylvania** : None of the components are listed.

California Prop. 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

Ingredient name	Cancer	Reproductive	level	Maximum acceptable dosage level
Paraffin oils	Yes.	No.	-	-

### Section 16. Other information

#### National Fire Protection Association (U.S.A.)

Health: 1 Flammability: 1 Instability: 0

Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

#### **NFPA Hazard Ratings**

4= extreme

3= high

2= moderate

1= slight

0= insignificant

N= no rating for powders

#### Procedure used to derive the classification

Classification	Justification
SKIN SENSITIZATION - Category 1	Calculation method

#### **History**

Date of issue mm/dd/yyyy : 11/15/2017 Date of previous issue : 04/15/2015

Version : 2

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



# SAFETY DATA SHEET

## **Section 1. Identification**

: 11590, 11591, 11592 - TC-W3 Outboard Motor Oil **GHS** product identifier

**Product code** : 11590, 11591, 11592

Other means of identification

: None

**Product type** 

: Liquid.

Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** : Two-cycled engines.

Supplier's details : Plews & Edelmann

1550 Franklin Grove Road

Dixon, IL 61021 Tel: 800-545-1689

www.plews-edelmann.com

**Emergency telephone** number (with hours of

operation)

: CHEMTREC, U.S.: 1-800-424-9300

(24/7)

International: +1-703-527-3887

### Section 2. Hazards identification

**OSHA/HCS** status

: While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

Classification of the substance or mixture Not classified.

**GHS** label elements

Signal word : No signal word.

**Hazard statements** : No known significant effects or critical hazards.

**Precautionary statements** 

**Prevention** : Not applicable. : Not applicable. Response : Not applicable. **Storage** Disposal : Not applicable. Hazards not otherwise : None known.

classified

## Section 3. Composition/information on ingredients

Substance/mixture : Mixture

Other means of : Not available.
identification

Ingredient name	%	CAS number
Distillates (petroleum), hydrotreated light White mineral oil (petroleum)	≥25 - ≤50 ≥1 - ≤3	64742-47-8 8042-47-5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

#### **Description of necessary first aid measures**

**Eye contact**: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower

eyelids. Check for and remove any contact lenses. Get medical attention if irritation

occurs.

**Inhalation**: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get

medical attention if symptoms occur.

**Skin contact** : Flush contaminated skin with plenty of water. Get medical attention if symptoms occur.

**Ingestion**: Wash out mouth with water. Remove victim to fresh air and keep at rest in a position

comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

#### Most important symptoms/effects, acute and delayed

#### Potential acute health effects

Eye contact
 Inhalation
 No known significant effects or critical hazards.
 Skin contact
 Ingestion
 No known significant effects or critical hazards.
 No known significant effects or critical hazards.
 No known significant effects or critical hazards.

#### Over-exposure signs/symptoms

Eye contact
 Inhalation
 No known significant effects or critical hazards.
 Skin contact
 No known significant effects or critical hazards.
 Ingestion
 No known significant effects or critical hazards.

### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

**Specific treatments** : No specific treatment.

**Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

## **Section 5. Fire-fighting measures**

### **Extinguishing media**

Suitable extinguishing

media

Unsuitable extinguishing media

: None known.

Specific hazards arising

from the chemical
Hazardous thermal
decomposition products

: In a fire or if heated, a pressure increase will occur and the container may burst.

: Use an extinguishing agent suitable for the surrounding fire.

: No specific data.

Special protective actions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training

Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

### Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

For emergency responders:

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

**Environmental precautions** 

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

#### Methods and materials for containment and cleaning up

Spill

: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## Section 7. Handling and storage

### Precautions for safe handling

**Protective measures** 

Advice on general occupational hygiene

- : Put on appropriate personal protective equipment (see Section 8).
- : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. See also Section 8 for additional information on hygiene measures. Remove contaminated clothing and protective equipment before entering eating areas.

## Section 7. Handling and storage

Conditions for safe storage, : including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

## Section 8. Exposure controls/personal protection

#### **Control parameters**

#### Occupational exposure limits

Ingredient name	Exposure limits
Distillates (petroleum), hydrotreated light	ACGIH TLV (United States, 3/2017). Absorbed through skin. TWA: 200 mg/m³, (as total hydrocarbon vapor) 8 hours.
White mineral oil (petroleum)	OSHA PEL (United States, 6/2016).  TWA: 5 mg/m³ 8 hours.  ACGIH TLV (United States, 3/2017).  TWA: 5 mg/m³ 8 hours. Form: Inhalable fraction
	NIOSH REL (United States, 10/2016).  TWA: 5 mg/m³ 10 hours. Form: Mist  STEL: 10 mg/m³ 15 minutes. Form: Mist

# Appropriate engineering controls

**Environmental exposure** controls

- : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
- : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

#### **Individual protection measures**

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/face protection** 

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

### Skin protection

Hand protection

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

**Body protection** 

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

## Section 9. Physical and chemical properties

**Appearance** 

Physical state : Liquid.
Color : Blue.
Odor : Petroleum.
Odor threshold : Not available.
pH : Not available.
Melting point : Not available.
Boiling point : Not available.

Flash point : Closed cup: >98°C (>208.4°F)

Evaporation rate : Not available.
Flammability (solid, gas) : Not available.
Lower and upper explosive : Not available.

(flammable) limits

Vapor pressure : Not available.
Vapor density : Not available.

Specific gravity @ 60F : 0.866

Solubility : Not available.

Partition coefficient: n- : Not available.

octanol/water

Auto-ignition temperature : Not available.

Decomposition temperature : Not available.

Viscosity : Kinematic (100°C): 0.0754 cm<sup>2</sup>/s (7.54 cSt) [ASTM D445]

Kinematic (40°C (104°F)): 0.4122 cm<sup>2</sup>/s (41.22 cSt) [ASTM D445]

Flow time (ISO 2431) : Not available.

## Section 10. Stability and reactivity

**Reactivity**: No specific test data related to reactivity available for this product or its ingredients.

**Chemical stability**: The product is stable.

Possibility of hazardous reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid : No specific data.

**Incompatible materials**: Reactive or incompatible with the following materials: oxidizing materials.

Hazardous decomposition products

: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **Section 11. Toxicological information**

### Information on toxicological effects

#### **Acute toxicity**

Product/ingredient name	Result	Species	Dose	Exposure
White mineral oil (petroleum)	LD50 Oral	Rat	>5000 mg/kg	-

#### Irritation/Corrosion

There is no data available.

#### **Sensitization**

There is no data available.

#### **Mutagenicity**

There is no data available.

#### Carcinogenicity

There is no data available.

#### Reproductive toxicity

There is no data available.

#### **Teratogenicity**

There is no data available.

### Specific target organ toxicity (single exposure)

There is no data available.

#### Specific target organ toxicity (repeated exposure)

There is no data available.

### **Aspiration hazard**

Name	Result
Distillates (petroleum), hydrotreated light	ASPIRATION HAZARD - Category 1

### Information on the likely

routes of exposure

: Dermal contact. Eye contact. Inhalation. Ingestion.

#### Potential acute health effects

Eye contact
 Inhalation
 No known significant effects or critical hazards.
 Skin contact
 No known significant effects or critical hazards.
 Ingestion
 No known significant effects or critical hazards.

#### Symptoms related to the physical, chemical and toxicological characteristics

Eye contact
 Inhalation
 No known significant effects or critical hazards.
 Skin contact
 No known significant effects or critical hazards.
 Ingestion
 No known significant effects or critical hazards.

### Delayed and immediate effects and also chronic effects from short and long term exposure

#### **Short term exposure**

Potential immediate

: No known significant effects or critical hazards.

effects

**Potential delayed effects**: No known significant effects or critical hazards.

Long term exposure

## **Section 11. Toxicological information**

Potential immediate

effects

: No known significant effects or critical hazards.

**Potential delayed effects**: No known significant effects or critical hazards.

Potential chronic health effects

General
 Carcinogenicity
 No known significant effects or critical hazards.
 Mutagenicity
 No known significant effects or critical hazards.
 Teratogenicity
 No known significant effects or critical hazards.
 Developmental effects
 No known significant effects or critical hazards.
 Fertility effects
 No known significant effects or critical hazards.

#### **Numerical measures of toxicity**

#### **Acute toxicity estimates**

There is no data available.

## **Section 12. Ecological information**

#### **Toxicity**

Product/ingredient name	Result	Species	Exposure
Distillates (petroleum), hydrotreated light	Acute LC50 2200 μg/L Fresh water	Fish - Lepomis macrochirus	4 days

#### Persistence and degradability

There is no data available.

#### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
White mineral oil (petroleum)	>6	-	high

#### **Mobility in soil**

Soil/water partition coefficient (Koc)

: Not available.

Other adverse effects : No known significant effects or critical hazards.

## Section 13. Disposal considerations

### **Disposal methods**

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## **Section 14. Transport information**

	DOT Classification	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-
Transport hazard class(es)	-	-	-
Packing group	-	-	-
Environmental hazards	No.	No.	No.

**AERG**: Not applicable.

#### Additional information

**IATA** 

: This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 5.0.2.4.1, 5.0.2.6.1.1 and 5.0.2.8.

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

## **Section 15. Regulatory information**

**U.S. Federal regulations** 

: TSCA 4(a) final test rules: 2-Butenedioic acid (E)-, di-C8-18-alkyl esters

TSCA 8(a) PAIR: 2-Butenedioic acid (E)-, di-C8-18-alkyl esters; Naphthalene

TSCA 8(a) CDR Exempt/Partial exemption: Not determined

United States inventory (TSCA 8b): All components are listed or exempted.

Clean Water Act (CWA) 307: Naphthalene

Clean Water Act (CWA) 311: Vinyl acetate; Naphthalene

Clean Air Act Section 112

(b) Hazardous Air **Pollutants (HAPs)**  : Listed

Clean Air Act Section 602

Class I Substances

: Not listed

Clean Air Act Section 602 Class II Substances

: Not listed

**DEA List I Chemicals** (Precursor Chemicals)

: Not listed

**DEA List II Chemicals** 

: Not listed

(Essential Chemicals)

**SARA 302/304** 

Composition/information on ingredients

## **Section 15. Regulatory information**

		SARA 302 TPQ		SARA 304 RQ	
Name	EHS	(lbs)	(gallons)	(lbs)	(gallons)
Vinyl acetate	Yes.	1000	129	5000	644.8

SARA 304 RQ : 1996805111821.1 lbs / 906549520766.8 kg [7460593368.9 gal / 28241418092.4 L]

**SARA 311/312** 

Classification : Not applicable.

Composition/information on ingredients

Name	Classification
1	FLAMMABLE LIQUIDS - Category 3 ASPIRATION HAZARD - Category 1

#### **SARA 313**

There is no data available.

#### State regulations

Massachusetts : The following components are listed: White mineral oil (petroleum); Distillates

(petroleum), solvent-dewaxed heavy paraffinic

New York : None of the components are listed.

New Jersey : The following components are listed: White mineral oil (petroleum); Distillates

(petroleum), solvent-dewaxed heavy paraffinic

Pennsylvania : None of the components are listed.

California Prop. 65

**WARNING**: This product contains a chemical known to the State of California to cause cancer.

Ingredient name	Cancer	Reproductive	J	Maximum acceptable dosage level
Naphthalene	Yes.	No.	Yes.	-

## Section 16. Other information

### **National Fire Protection Association (U.S.A.)**

Health: 1 Flammability: 1 Instability: 0

Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

**NFPA Hazard Ratings** 

4= extreme

3= high

2= moderate

1= slight

0= insignificant

N= no rating for powders

Procedure used to derive the classification

# Section 16. Other information

Classification	Justification
Not classified.	

### **History**

Date of issue mm/dd/yyyy : 11/15/2017

Version : 1

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.