

acc. to 29 CFR 1910.1200 App D

Bahama Hula Girl Oahu Island Splash

Version number: GHS 7.0 Revision: 2020-12-15

Replaces version of: 2020-12-07 (GHS 6)

SECTION 1: Identification

1.1 Product identifier

Trade name Bahama Hula Girl Oahu Island Splash

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Consumer use: Air Freshener

1.3 Details of the supplier of the safety data sheet

Energizer Manufacturing, Inc. 25225 Detroit Rd. Westlake OH 44145 United States

Telephone: 800-383-7323; 314-985-2000 (USA / CANADA)

Website: http://data.energizer.com

Energizer Trading Ltd.

Sword House, Totteridge Road, High Wycombe, HP13 6DG, UK

Telephone: +44(0)8000353376

e-mail: ConsumerServiceEU@energizer.com

1.4 Emergency telephone number

Emergency information service 1-314-985-1511 Int'l: 1-800-526-4727

This number is only available during the following

office hours: Mon-Fri 09:00 AM - 05:00 PM

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and category	Hazard state- ment
A.4S	skin sensitization	1	Skin Sens. 1	H317

For full text of abbreviations: see SECTION 16.

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word warning

- Pictograms

United States: en Page: 1 / 21



acc. to 29 CFR 1910.1200 App D

Bahama Hula Girl Oahu Island Splash

Version number: GHS 7.0 Revision: 2020-12-15

Replaces version of: 2020-12-07 (GHS 6)

GHS07



- Hazard statements

H317 May cause an allergic skin reaction.

- Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P272 Contaminated work clothing must not be allowed out of the workplace.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 If on skin: Wash with plenty of water. P321 Specific treatment (see on this label).

P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse.

P363 Wash contaminated clothing before reuse.

P501 Dispose of contents/container in accordance with national regulations.

2.2.1.7 - Hazardous ingredients for labelling

Hexyl cinnamaldehyde, dipentene, delta-Damascone, Geranyl acetate, Linalool, Cyclamal, Linalyl acetate

2.3 Other hazards

This material is combustible, but will not ignite readily.

Hazards not otherwise classified

Toxic to aquatic life with long lasting effects (GHS category 2: aquatic toxicity - acute and/or chronic).

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	CAS No	Wt%	Classification acc. to GHS	Pictograms
Hexyl cinnamaldehyde	165184-98-5 101-86-0	1-<5	Acute Tox. 4 / H332 Skin Sens. 1 / H317	<u>(i)</u>

United States: en Page: 2 / 21



acc. to 29 CFR 1910.1200 App D

Bahama Hula Girl Oahu Island Splash

Version number: GHS 7.0 Revision: 2020-12-15 Replaces version of: 2020-12-07 (GHS 6)

Name of substance	CAS No	Wt%	Classification acc. to GHS	Pictograms
Linalyl acetate	115-95-7	<1	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1B / H317 Flam. Liq. 4 / H227	1
dipentene	138-86-3 5989-27-5 5989-54-8	<1	Acute Tox. 4 / H312 Skin Irrit. 2 / H315 Skin Sens. 1 / H317 Flam. Liq. 3 / H226	(1)
Linalool	78-70-6	<1	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1B / H317 Flam. Liq. 4 / H227	<u>(1)</u>
Geranyl acetate	105-87-3	<1	Skin Irrit. 2 / H315 Skin Sens. 1 / H317	(1)
Cyclamal	103-95-7	<1	Skin Irrit. 2 / H315 Skin Sens. 1B / H317	<u>(1)</u>
delta-Damascone	57378-68-4	<1	Acute Tox. 4 / H302 Skin Irrit. 2 / H315 Skin Sens. 1 / H317	<u>(1)</u>

For full text of abbreviations: see SECTION 16.

SECTION 4: First-aid measures

4.1 Description of first-aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

United States: en Page: 3 / 21



acc. to 29 CFR 1910.1200 App D

Bahama Hula Girl Oahu Island Splash

Version number: GHS 7.0 Revision: 2020-12-15 Replaces version of: 2020-12-07 (GHS 6)

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water, Foam, ABC-powder

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains, Take up mechanically

Advice on how to clean up a spill

Take up mechanically.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

United States: en Page: 4 / 21



acc. to 29 CFR 1910.1200 App D

Bahama Hula Girl Oahu Island Splash

Revision: 2020-12-15 Version number: GHS 7.0 Replaces version of: 2020-12-07 (GHS 6)

SECTION 7: Handling and storage 7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas. Ground/bond container and receiving equipment.

- Specific notes/details

Dust deposits may accumulate on all deposition surfaces in a technical room. The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres

Removal of dust deposits.

Control of the effects

Protect against external exposure, such as

Frost

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

Coun try	Name of agent	CAS No	Iden- tifier	TWA [ppm]	TWA [mg/ m³]	STEL [ppm]	STEL [mg/ m³]	Ceil- ing-C [ppm]	Ceil- ing-C [mg/ m³]	Nota tion	Sourc e
US	polyvinyl chloride	9002-86-	TLV®		1					r	AC- GIH® 2019

Notation

Ceiling-C ceiling value is a limit value above which exposure should not occur

respirable fraction **STEL**

short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period

(unless otherwise specified)

United States: en Page: 5 / 21



acc. to 29 CFR 1910.1200 App D

Bahama Hula Girl Oahu Island Splash

Version number: GHS 7.0 Revision: 2020-12-15 Replaces version of: 2020-12-07 (GHS 6)

Notation

TWA

time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified

Relevant DNELs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time
Hexyl cinnamalde- hyde	165184-98-5 101-86-0	DNEL	0.078 mg/ m³	human, inhalatory	worker (industry)	chronic - systemic effects
Hexyl cinnamalde- hyde	165184-98-5 101-86-0	DNEL	6.28 mg/m ³	human, inhalatory	worker (industry)	acute - local effects
Hexyl cinnamalde- hyde	165184-98-5 101-86-0	DNEL	18.2 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Hexyl cinnamalde- hyde	165184-98-5 101-86-0	DNEL	525 μg/cm²	human, dermal	worker (industry)	chronic - local ef- fects
Hexyl cinnamalde- hyde	165184-98-5 101-86-0	DNEL	525 μg/cm²	human, dermal	worker (industry)	acute - local effects
Linalool	78-70-6	DNEL	2.8 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Linalool	78-70-6	DNEL	16.5 mg/m ³	human, inhalatory	worker (industry)	acute - systemic ef- fects
Linalool	78-70-6	DNEL	2.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Linalool	78-70-6	DNEL	5 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic ef- fects
Linalyl acetate	115-95-7	DNEL	2.75 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Linalyl acetate	115-95-7	DNEL	2.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Linalyl acetate	115-95-7	DNEL	236.2 μg/ cm²	human, dermal	worker (industry)	chronic - local ef- fects
Linalyl acetate	115-95-7	DNEL	236.2 μg/ cm²	human, dermal	worker (industry)	acute - local effects
Geranyl acetate	105-87-3	DNEL	62.59 mg/ m³	human, inhalatory	worker (industry)	chronic - systemic effects
Geranyl acetate	105-87-3	DNEL	35.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Cyclamal	103-95-7	DNEL	5.83 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects

United States: en Page: 6 / 21

Energizer

acc. to 29 CFR 1910.1200 App D

Bahama Hula Girl Oahu Island Splash

Version number: GHS 7.0 Revision: 2020-12-15 Replaces version of: 2020-12-07 (GHS 6)

Relevant DNELs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time
Cyclamal	103-95-7	DNEL	1.67 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Cyclamal	103-95-7	DNEL	7.43 µg/ cm²	human, dermal	worker (industry)	chronic - local ef- fects

Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Hexyl cinnamalde- hyde	165184-98-5 101-86-0	PNEC	0.001 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Hexyl cinnamalde- hyde	165184-98-5 101-86-0	PNEC	0 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Hexyl cinnamalde- hyde	165184-98-5 101-86-0	PNEC	10 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Hexyl cinnamalde- hyde	165184-98-5 101-86-0	PNEC	3.2 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Hexyl cinnamalde- hyde	165184-98-5 101-86-0	PNEC	0.064 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Hexyl cinnamalde- hyde	165184-98-5 101-86-0	PNEC	0.398 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Linalool	78-70-6	PNEC	7.8 ^{mg} / _{kg}	aquatic organ- isms	water	short-term (single instance)
Linalool	78-70-6	PNEC	2 ^{mg} / _l	aquatic organ- isms	water	intermittent re- lease
Linalool	78-70-6	PNEC	0.2 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Linalool	78-70-6	PNEC	0.02 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Linalool	78-70-6	PNEC	10 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Linalool	78-70-6	PNEC	2.22 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Linalool	78-70-6	PNEC	0.222 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)

United States: en Page: 7 / 21





Bahama Hula Girl Oahu Island Splash

Version number: GHS 7.0 Revision: 2020-12-15 Replaces version of: 2020-12-07 (GHS 6)

Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Linalool	78-70-6	PNEC	0.327 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Linalyl acetate	115-95-7	PNEC	0.11 ^{mg} / _l	aquatic organ- isms	water	intermittent re- lease
Linalyl acetate	115-95-7	PNEC	0.011 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Linalyl acetate	115-95-7	PNEC	0.001 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Linalyl acetate	115-95-7	PNEC	1 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Linalyl acetate	115-95-7	PNEC	0.609 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Linalyl acetate	115-95-7	PNEC	0.061 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Linalyl acetate	115-95-7	PNEC	0.115 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Geranyl acetate	105-87-3	PNEC	37.2 ^{µg} / _l	aquatic organ- isms	water	intermittent re- lease
Geranyl acetate	105-87-3	PNEC	3.72 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Geranyl acetate	105-87-3	PNEC	0.372 ^{µg} / _I	aquatic organ- isms	marine water	short-term (single instance)
Geranyl acetate	105-87-3	PNEC	8 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Geranyl acetate	105-87-3	PNEC	0.442 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Geranyl acetate	105-87-3	PNEC	0.044 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Geranyl acetate	105-87-3	PNEC	0.086 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Cyclamal	103-95-7	PNEC	33.3 ^{mg} / _{kg}	aquatic organ- isms	water	short-term (single instance)
Cyclamal	103-95-7	PNEC	10.92 ^{µg} / _I	aquatic organ- isms	water	intermittent re- lease
Cyclamal	103-95-7	PNEC	1.09 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (single instance)

United States: en Page: 8 / 21



acc. to 29 CFR 1910.1200 App D

Bahama Hula Girl Oahu Island Splash

Version number: GHS 7.0 Revision: 2020-12-15 Replaces version of: 2020-12-07 (GHS 6)

Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Cyclamal	103-95-7	PNEC	0.11 ^{µg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Cyclamal	103-95-7	PNEC	1 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Cyclamal	103-95-7	PNEC	0.126 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Cyclamal	103-95-7	PNEC	0.013 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Cyclamal	103-95-7	PNEC	0.025 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Type of material

PVA: polyvinyl alcohol, Nitrile

- Material thickness

>0.5 mm

- Breakthrough times of the glove material

>120 minutes (permeation: level 4)

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

United States: en Page: 9 / 21



acc. to 29 CFR 1910.1200 App D

Bahama Hula Girl Oahu Island Splash

Version number: GHS 7.0 Revision: 2020-12-15 Replaces version of: 2020-12-07 (GHS 6)

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	solid	
Color	acc. to product description	
Odor	characteristic	

Other safety parameters

pH (value)	not applicable
Melting point/freezing point	not determined
Initial boiling point and boiling range	100 °C
Flash point	72 °C
Evaporation rate	Not determined
Flammability (solid, gas)	this material is combustible, but will not ignite readily
Explosion limits of dust clouds	not determined
Vapor pressure	0.068 Pa at 25 °C
Density	not determined
Vapor density	this information is not available
Relative density	Information on this property is not available
Solubility(ies)	not determined

Partition coefficient

- n-octanol/water (log KOW)	this information is not available
-----------------------------	-----------------------------------

United States: en Page: 10 / 21



acc. to 29 CFR 1910.1200 App D

Bahama Hula Girl Oahu Island Splash

Revision: 2020-12-15 Version number: GHS 7.0

Replaces version of: 2020-12-07 (GHS 6)

Other information	there is no additional information
Oxidizing properties	none
Explosive properties	none
Viscosity	not relevant (solid matter)
Auto-ignition temperature	not determined

9.2

SECTION 10: Stability and reactivity

Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

Hints to prevent fire or explosion

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

10.5 Incompatible materials

Oxidizers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Shall not be classified as acutely toxic.

United States: en Page: 11 / 21



acc. to 29 CFR 1910.1200 App D

Bahama Hula Girl Oahu Island Splash

Version number: GHS 7.0 Revision: 2020-12-15 Replaces version of: 2020-12-07 (GHS 6)

Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Hexyl cinnamaldehyde	165184-98-5 101-86-0	inhalation: vapor	11 ^{mg} / _l /4h
Hexyl cinnamaldehyde	165184-98-5 101-86-0	inhalation: dust/mist	2.12 ^{mg} / _I /4h
dipentene	138-86-3 5989-27-5 5989-54-8	dermal	2,000 ^{mg} / _{kg}
delta-Damascone	57378-68-4	oral	500 ^{mg} / _{kg}

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitization

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans

Name of substance	CAS No	Classification	Number
dipentene	5989-27-5	3	

Legend

Not classifiable as to carcinogenicity in humans

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

United States: en Page: 12 / 21





Bahama Hula Girl Oahu Island Splash

Version number: GHS 7.0 Revision: 2020-12-15 Replaces version of: 2020-12-07 (GHS 6)

SECTION 12: Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Hexyl cinnamaldehyde	165184-98-5 101-86-0	LC50	1.7 ^{mg} / _l	fish	96 h
Hexyl cinnamaldehyde	165184-98-5 101-86-0	EC50	<0.59 ^{mg} / _l	aquatic invertebrates	48 h
Hexyl cinnamaldehyde	165184-98-5 101-86-0	ErC50	>0.065 ^{mg} / _l	algae	72 h
Hexyl cinnamaldehyde	165184-98-5 101-86-0	NOEC	0.93 ^{mg} / _l	fish	96 h
Linalool	78-70-6	LC50	27.8 ^{mg} / _l	fish	96 h
Linalool	78-70-6	EC50	59 ^{mg} / _l	aquatic invertebrates	48 h
Linalool	78-70-6	ErC50	156.7 ^{mg} / _l	algae	96 h
Linalool	78-70-6	NOEC	<3.5 ^{mg} / _l	fish	96 h
Linalool	78-70-6	growth (EbCx) 10%	38.4 ^{mg} / _l	algae	96 h
Linalool	78-70-6	growth rate (ErCx) 10%	54.3 ^{mg} / _l	algae	96 h
Linalyl acetate	115-95-7	ErC50	62 ^{mg} / _l	algae	72 h
Linalyl acetate	115-95-7	LC50	11 ^{mg} / _l	fish	96 h
Linalyl acetate	115-95-7	EC50	59 ^{mg} / _l	aquatic invertebrates	48 h
Linalyl acetate	115-95-7	NOEC	25 ^{mg} / _l	aquatic invertebrates	48 h
Geranyl acetate	105-87-3	LC50	68.12 ^{mg} / _l	fish	96 h
Geranyl acetate	105-87-3	EC50	14.1 ^{mg} / _l	aquatic invertebrates	48 h
Geranyl acetate	105-87-3	ErC50	3.72 ^{mg} / _l	algae	72 h
Geranyl acetate	105-87-3	NOEC	10 ^{mg} / _l	fish	96 h
Cyclamal	103-95-7	LC50	1.42 ^{mg} / _l	fish	96 h
Cyclamal	103-95-7	EC50	1.4 ^{mg} / _l	aquatic invertebrates	48 h

United States: en Page: 13 / 21





Bahama Hula Girl Oahu Island Splash

Version number: GHS 7.0 Revision: 2020-12-15 Replaces version of: 2020-12-07 (GHS 6)

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Cyclamal	103-95-7	ErC50	4.3 ^{mg} / _l	algae	72 h
Cyclamal	103-95-7	LOEC	2.5 ^{mg} / _l	algae	72 h
Cyclamal	103-95-7	NOEC	0.72 ^{mg} / _l	algae	72 h
Cyclamal	103-95-7	growth rate (ErCx) 10%	2.6 ^{mg} / _l	algae	72 h
Cyclamal	103-95-7	growth (EbCx) 10%	2.1 ^{mg} / _l	algae	72 h

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Hexyl cinnamaldehyde	165184-98-5 101-86-0	EC50	>157 ^{µg} / _I	aquatic invertebrates	21 d
Hexyl cinnamaldehyde	165184-98-5 101-86-0	NOEC	63 ^{µg} / _l	aquatic invertebrates	21 d
Hexyl cinnamaldehyde	165184-98-5 101-86-0	LOEC	157 ^{µg} / _l	aquatic invertebrates	21 d
Hexyl cinnamaldehyde	165184-98-5 101-86-0	growth (EbCx) 10%	107 ^{µg} / _l	aquatic invertebrates	21 d
Linalool	78-70-6	LC50	27.8 ^{mg} / _l	fish	24 h
Linalool	78-70-6	EC50	>100 ^{mg} / _l	microorganisms	30 min
Linalool	78-70-6	growth (EbCx) 10%	>100 ^{mg} / _l	microorganisms	3 h
Linalyl acetate	115-95-7	LC50	11.14 ^{mg} / _l	fish	20 h
Linalyl acetate	115-95-7	NOEC	>25.7 ^{mg} / _l	microorganisms	28 d
Geranyl acetate	105-87-3	growth (EbCx) 20%	800 ^{mg} / _l	microorganisms	30 min
Cyclamal	103-95-7	EC50	1.7 ^{mg} / _l	aquatic invertebrates	21 d
Cyclamal	103-95-7	NOEC	0.71 ^{mg} / _l	aquatic invertebrates	21 d

12.2 Persistence and degradability

Data are not available.

United States: en Page: 14 / 21



acc. to 29 CFR 1910.1200 App D

Bahama Hula Girl Oahu Island Splash

Version number: GHS 7.0 Revision: 2020-12-15 Replaces version of: 2020-12-07 (GHS 6)

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

None of the ingredients are listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1	UN number	not subject to transport regulations
14.2	UN proper shipping name	not assigned
14.3	Transport hazard class(es)	not assigned
14.4	Packing group	not assigned
14.5	Environmental hazards	non-environmentally hazardous acc. to the dangerous goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

United States: en Page: 15 / 21



acc. to 29 CFR 1910.1200 App D

Bahama Hula Girl Oahu Island Splash

Version number: GHS 7.0 Revision: 2020-12-15 Replaces version of: 2020-12-07 (GHS 6)

Information for each of the UN Model Regulations

DOT

Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information

Not subject to transport regulations.

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question National regulations (United States)

Toxic Substance Control Act (TSCA) all ingredients are listed

Superfund Amendment and Reauthorization Act (SARA TITLE III)

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

- Specific Toxic Chemical Listings (EPCRA Section 313) none of the ingredients are listed

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4) none of the ingredients are listed

Clean Air Act

none of the ingredients are listed

Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of substance	Name acc. to inventory	CAS No	Functional- ity	Authoritative Lists
Hexyl cinnamaldehyde	Hexyl cinnam-aldehyde	101-86-0		EU Fragrance Allergens
Linalool	Linalool	78-70-6		EU Fragrance Allergens
Dipentene	d-Limonene	5989-27-5		EU Fragrance Allergens
Cyclamal		103-95-7	fragrance	
Citral	Citral	5392-40-5		EU Fragrance Allergens

United States: en Page: 16 / 21



acc. to 29 CFR 1910.1200 App D

Bahama Hula Girl Oahu Island Splash

Version number: GHS 7.0 Revision: 2020-12-15 Replaces version of: 2020-12-07 (GHS 6)

- Toxic or Hazardous Substance List (MA-TURA) none of the ingredients are listed
- Hazardous Substances List (MN-ERTK) none of the ingredients are listed
- Hazardous Substance List (NJ-RTK)

Name of substance	Name acc. to inventory	CAS No	Remarks	Classifications
dipentene	dipentene	138-86-3		F2
Polyvinyl Chloride	PVC (polyvinyl chloride)	9002-86-2		

Legend

F2 Flammable - Second Degree

- Hazardous Substance List (Chapter 323) (PA-RTK) none of the ingredients are listed
- Hazardous Substance List (RI-RTK) none of the ingredients are listed

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

none of the ingredients are listed

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	/	none
Health	2	temporary or minor injury may occur
Flammability	2	material that must be moderately heated or exposed to relatively high ambient tem- peratures before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

United States: en Page: 17 / 21



acc. to 29 CFR 1910.1200 App D

Bahama Hula Girl Oahu Island Splash

Revision: 2020-12-15 Version number: GHS 7.0 Replaces version of: 2020-12-07 (GHS 6)

Description Category Degree of hazard 2 Flammability material that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur 2 Health material that, under emergency conditions, can cause temporary incapacitation or residual injury Instability 0 material that is normally stable, even under fire conditions Special hazard

National inventories

Country	Inventory	Status
AU	AICS	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	not all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

Legend

AICS Australian Inventory of Chemical Substances CICR Chemical Inventory and Control Regulation

CSCL-ENCS List of Existing and New Chemical Substances (CSCL-ENCS)

DSL

ECSI

Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China **IECSC**

INSQ

National Inventory of Chemical Substances
Inventory of Existing Chemical Substances
Inventory of Existing Chemical Substances (ISHA-ENCS) ISHA-ENCS

Korea Existing Chemicals Inventory KECI NZIoC New Zealand Inventory of Chemicals

PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)

REACH Req. REACH registered substances Taiwan Chemical Substance Inventory TCSI

TSCA Toxic Substance Control Act

United States: en Page: 18 / 21



acc. to 29 CFR 1910.1200 App D

Bahama Hula Girl Oahu Island Splash

Version number: GHS 7.0 Revision: 2020-12-15 Replaces version of: 2020-12-07 (GHS 6)

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information, including date of preparation or last revision

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
3.2		Description of the mixture: change in the listing (table)	yes
12.7	Other adverse effects	Other adverse effects: Data are not available.	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
49 CFR US DOT	49 CFR U.S. Department of Transportation
ACGIH® 2019	From ACGIH®, 2019 TLVs® and BEIs® Book. Copyright 2019. Reprinted with permission. Information on the proper use of the TLVs® and BEIs®: http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement
Acute Tox.	Acute toxicity
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
DOT	Department of Transportation (USA)
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid

United States: en Page: 19 / 21



acc. to 29 CFR 1910.1200 App D

Bahama Hula Girl Oahu Island Splash

Version number: GHS 7.0 Revision: 2020-12-15

Replaces version of: 2020-12-07 (GHS 6)

Abbr.	Descriptions of used abbreviations
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LOEC	Lowest Observed Effect Concentration
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
NOEC	No Observed Effect Concentration
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitization
STEL	Short-term exposure limit
TLV®	Threshold Limit Values
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

United States: en Page: 20 / 21



acc. to 29 CFR 1910.1200 App D

Bahama Hula Girl Oahu Island Splash

Version number: GHS 7.0 Revision: 2020-12-15 Replaces version of: 2020-12-07 (GHS 6)

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H226	Flammable liquid and vapor.
H227	Combustible liquid.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United States: en Page: 21 / 21