Revision Date: 01/07/2020

# SAFETY DATA SHEET

# 1. Identification

Product identifier: LIFTER 1 BUG & TAR REMOVER

Other means of identification

**SDS number:** RE1000003533

Recommended restrictions
Product Use: Cleaner

Restrictions on use: Not known.

#### Manufacturer/Importer/Distributor Information

#### Manufacturer

Company Name: APEX PRODUCTS
Address: 8333 MELROSE
LENEXA,KS 66214

Telephone: 913-894-0305

Fax:

Emergency telephone number: 1-866-836-8855

# 2. Hazard(s) identification

#### **Hazard Classification**

### **Physical Hazards**

Flammable aerosol Category 1

**Health Hazards** 

Skin sensitizer Category 1
Aspiration Hazard Category 1

#### **Environmental Hazards**

Acute hazards to the aquatic Category 3

environment

#### **Label Elements**

# **Hazard Symbol:**



Signal Word: Danger

**Hazard Statement:** Extremely flammable aerosol.

May cause an allergic skin reaction.

May be fatal if swallowed and enters airways.

Harmful to aquatic life.

Revision Date: 01/07/2020

Precautionary Statements

**Prevention:** Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking. Do not spray on an open flame or other ignition

source. Do not pierce or burn, even after use. Avoid breathing

dust/fume/gas/mist/vapors/spray. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye

protection/face protection. Avoid release to the environment.

Response: IF ON SKIN: Wash with plenty of water If skin irritation or rash occurs: Get

medical advice/attention. IF SWALLOWED: Immediately call a POISON CENTER/doctor Do NOT induce vomiting. Specific treatment (see on this

label). Wash contaminated clothing before reuse.

Storage: Protect from sunlight. Do not expose to temperatures exceeding

50°C/122°F. Store locked up.

**Disposal:** Dispose of contents/container to an appropriate treatment and disposal

facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Hazard(s) not otherwise classified (HNOC):

None.

#### 3. Composition/information on ingredients

#### **Mixtures**

Chemical Identity	CAS number	Content in percent (%)*
Butane	106-97-8	10 - <20%
Propane	74-98-6	5 - <10%
Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (4R)-	5989-27-5	1 - <5%

<sup>\*</sup> All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

#### 4. First-aid measures

**Ingestion:** Call a physician or poison control center immediately. Rinse mouth. Never

give liquid to an unconscious person. If vomiting occurs, keep head low so

that stomach content doesn't get into the lungs.

**Inhalation:** Move to fresh air.

**Skin Contact:** Destroy or thoroughly clean contaminated shoes. Immediately remove

contaminated clothing and shoes and wash skin with soap and plenty of water. If skin irritation or an allergic skin reaction develops, get medical

attention.

**Eye contact:** Rinse immediately with plenty of water.

Most important symptoms/effects, acute and delayed

**Symptoms:** No data available.

**Hazards:** No data available.

Indication of immediate medical attention and special treatment needed

**Treatment:** No data available.

Revision Date: 01/07/2020

## 5. Fire-fighting measures

**General Fire Hazards:** Use water spray to keep fire-exposed containers cool. Fight fire from a

protected location. Move containers from fire area if you can do so without

risk.

# Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media:

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical:

Vapors may travel considerable distance to a source of ignition and flash

back.

#### Special protective equipment and precautions for firefighters

Special fire fighting

procedures:

No data available.

Special protective equipment

for fire-fighters:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in

enclosed spaces, SCBA.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind. See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away.

Methods and material for containment and cleaning

up:

Stop the flow of material, if this is without risk. Absorb with sand or other inert absorbent.

**Notification Procedures:** ELIMINATE all ignition sources (no smoking, flares, sparks or flames in

immediate area). Stop leak if you can do so without risk.

**Environmental Precautions:** Avoid release to the environment. Prevent further leakage or spillage if safe

to do so.

#### 7. Handling and storage

Precautions for safe handling: Keep away from heat, hot surfaces, sparks, open flames and other ignition

> sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid contact with eyes, skin,

and clothing. Wash hands thoroughly after handling.

Conditions for safe storage, including any incompatibilities:

Store locked up. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after

use. Aerosol Level 1

Revision Date: 01/07/2020

# 8. Exposure controls/personal protection

#### **Control Parameters**

**Occupational Exposure Limits** 

Chemical Identity	Туре	Exposure Limit Values		Source	
Butane	REL	800 ppm	1,900 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)	
	STEL	1,000 ppm		US. ACGIH Threshold Limit Values (03 2018)	
	TWA	800 ppm	1,900 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)	
Propane	REL	1,000 ppm	1,800 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)	
	PEL	1,000 ppm	1,800 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)	
	TWA	1,000 ppm	1,800 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)	
Bicyclo[3.1.1]hept-2-ene, 2,6,6-trimethyl-	TWA	20 ppm		US. ACGIH Threshold Limit Values (2008)	
Bicyclo[3.1.1]heptane, 6,6-dimethyl-2-methylene-	TWA	20 ppm		US. ACGIH Threshold Limit Values (2008)	

**Appropriate Engineering** 

**Controls** 

No data available.

#### Individual protection measures, such as personal protective equipment

**General information:** Use personal protective equipment as required. Personal protection

equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

**Eye/face protection:** Wear goggles/face shield.

**Skin Protection** 

Hand Protection: No data available.

Other: Wear chemical-resistant gloves, footwear, and protective clothing

appropriate for the risk of exposure. Contact health and safety professional

or manufacturer for specific information.

Respiratory Protection: In case of inadequate ventilation use suitable respirator. Seek advice from

local supervisor.

**Hygiene measures:** When using do not smoke. Observe good industrial hygiene practices.

Contaminated work clothing should not be allowed out of the workplace.

Avoid contact with skin.

#### 9. Physical and chemical properties

**Appearance** 

Physical state: liquid

Form: Spray Aerosol
Color: No data available.
Odor: No data available.
Odor threshold: No data available.
PH: No data available.
Melting point/freezing point: No data available.
Initial boiling point and boiling range: No data available.

Flash Point: -104.44 °C

**Evaporation rate:**No data available. **Flammability (solid, gas):**No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%): Estimated 9.5 %(V)
Flammability limit - lower (%): estimated 1.9 %(V)

Revision Date: 01/07/2020

Explosive limit - upper (%):

No data available.

Explosive limit - lower (%):

No data available.

**Vapor pressure:** 3,309 - 4,688 hPa (20 °C)

Vapor density:No data available.Density:No data available.Relative density:No data available.

Solubility(ies)

Solubility in water:
Solubility (other):
No data available.
Partition coefficient (n-octanol/water):
No data available.
Auto-ignition temperature:
No data available.
Decomposition temperature:
No data available.
Viscosity:
No data available.

# 10. Stability and reactivity

**Reactivity:** No data available.

**Chemical Stability:** Material is stable under normal conditions.

Possibility of hazardous

reactions:

No data available.

**Conditions to avoid:** Avoid heat or contamination.

**Incompatible Materials:** No data available.

**Hazardous Decomposition** 

**Products:** 

No data available.

# 11. Toxicological information

Information on likely routes of exposure

**Inhalation:** No data available.

**Skin Contact:** No data available.

**Eye contact:** No data available.

**Ingestion:** No data available.

Symptoms related to the physical, chemical and toxicological characteristics

**Inhalation:** No data available.

**Skin Contact:** No data available.

**Eye contact:** No data available.

**Ingestion:** No data available.

#### Information on toxicological effects

#### Acute toxicity (list all possible routes of exposure)

Oral

**Product:** Not classified for acute toxicity based on available data.

Specified substance(s):

Cyclohexene, 1-methyl-4- LD 50 (Rat): > 2,000 mg/kg

(1-methylethenyl)-, (4R)-

Revision Date: 01/07/2020

**Dermal** 

**Product:** Not classified for acute toxicity based on available data.

Specified substance(s):

Cyclohexene, 1-methyl-4- LD 50 (Rabbit): > 5,000 mg/kg

(1-methylethenyl)-, (4R)-

Inhalation

**Product:** Not classified for acute toxicity based on available data.

Specified substance(s):

Butane LC 50: > 100 mg/l

LC 50: > 100 mg/l

Propane LC 50: > 100 mg/l

LC 50: > 100 mg/l

Cyclohexene, 1-methyl-4- LC 50: > 20 mg/l (1-methylethenyl)-, (4R)- LC 50: > 5 mg/l

Repeated dose toxicity

**Product:** No data available.

Specified substance(s):

Butane LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation

Experimental result, Key study

NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation

Experimental result, Key study

Propane NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation

Experimental result, Key study

LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation

Experimental result, Key study

Cyclohexene, 1-methyl-4- NOAEL (Rat(Male), Oral, 13 Weeks): 600 mg/kg Oral Experimental result,

(1-methylethenyl)-, (4R)- Key study

Skin Corrosion/Irritation

**Product:** No data available.

Specified substance(s):

Cyclohexene, 1-methyl- in vivo (Rabbit): Not irritant Experimental result, Key study

4-(1-methylethenyl)-,

(4R)-

Serious Eye Damage/Eye Irritation

**Product:** No data available.

Specified substance(s):

Cyclohexene, 1-methyl- Rabbit, 24 - 72 hrs: Not irritating

4-(1-methylethenyl)-,

(4R)-

Respiratory or Skin Sensitization

**Product:** No data available.

Carcinogenicity

**Product:** No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

**US. National Toxicology Program (NTP) Report on Carcinogens:** 

No carcinogenic components identified

Revision Date: 01/07/2020

## US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

#### **Germ Cell Mutagenicity**

In vitro

**Product:** No data available.

In vivo

**Product:** No data available.

Reproductive toxicity

**Product:** No data available.

Specific Target Organ Toxicity - Single Exposure
Product:

No data available.

Specific Target Organ Toxicity - Repeated Exposure
Product:
No data available.

**Aspiration Hazard** 

**Product:** No data available.

Other effects: No data available.

#### 12. Ecological information

# **Ecotoxicity:**

#### Acute hazards to the aquatic environment:

**Fish** 

**Product:** No data available.

Specified substance(s):

Butane LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study

Propane LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study

Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (4R)-

EC 50 (Pimephales promelas, 96 h): 688 μg/l Experimental result, Key study

**Aquatic Invertebrates** 

**Product:** No data available.

Specified substance(s):

Butane LC 50 (Daphnia sp., 48 h): 69.43 mg/l QSAR QSAR, Key study

Cyclohexene, 1-methyl-4- EC 50 (Daphnia magna, 48 h): 0.36 mg/l Experimental result, Key study (1-methylethenyl)-, (4R)- NOAEL (Daphnia magna, 48 h): 0.074 mg/l Experimental result, Key study

#### Chronic hazards to the aquatic environment:

**Fish** 

**Product:** No data available.

**Aquatic Invertebrates** 

**Product:** No data available.

Specified substance(s):

Cyclohexene, 1-methyl-4- NOAEL (Freshwater invertebrates, species frequently include Daphnia (1-methylethenyl)-, (4R)- magna or Daphnia pulex): 0.115 mg/l QSAR QSAR, Weight of Evidence

study

**Toxicity to Aquatic Plants** 

**Product:** No data available.

Revision Date: 01/07/2020

#### Persistence and Degradability

**Biodegradation** 

**Product:** No data available.

Specified substance(s):

Butane 100 % (385.5 h) Detected in water. Experimental result, Key study

Propane 100 % (385.5 h) Detected in water. Experimental result, Key study

50 % (3.19 d) Detected in water. QSAR, Weight of Evidence study

Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (4R)- 80 % (28 d) Detected in water. Read-across from supporting substance

(structural analogue or surrogate), Key study

**BOD/COD Ratio** 

**Product:** No data available.

Bioaccumulative potential

**Bioconcentration Factor (BCF)** 

**Product:** No data available.

Specified substance(s):

Cyclohexene, 1-methyl-4- Bioconcentration Factor (BCF): 864.8 Aquatic sediment QSAR, Key study

(1-methylethenyl)-, (4R)-

Partition Coefficient n-octanol / water (log Kow)

**Product:** No data available.

Specified substance(s):

Cyclohexene, 1-methyl-4- Log Kow: 4.34 - 4.46 25 °C No Experimental result, Supporting study

(1-methylethenyl)-, (4R)-

**Mobility in soil:** No data available.

Known or predicted distribution to environmental compartments

Butane No data available. Propane No data available. Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (4R)- No data available.

Other adverse effects: Harmful to aquatic organisms.

13. Disposal considerations

**Disposal instructions:** Discharge, treatment, or disposal may be subject to national, state, or local

laws.

Contaminated Packaging: No data available.

14. Transport information

DOT

UN Number: UN 1950

UN Proper Shipping Name: Aerosols, flammable

Transport Hazard Class(es)

Class: 2.1
Label(s): –
Packing Group: II
Marine Pollutant: No

Environmental Hazards: No Marine Pollutant No

Special precautions for user: Not regulated.

Revision Date: 01/07/2020

#### **IMDG**

UN Number: UN 1950

UN Proper Shipping Name: Aerosols, flammable

Transport Hazard Class(es)

Class: 2
Label(s): –
EmS No.:

Packing Group: -

Environmental Hazards: No Marine Pollutant No

Special precautions for user: Not regulated.

IATA

UN Number: UN 1950

Proper Shipping Name: Aerosols, flammable

Transport Hazard Class(es):

Class: 2.1
Label(s): Packing Group: -

Environmental Hazards: No Marine Pollutant No

Special precautions for user: Not regulated.

# 15. Regulatory information

#### **US Federal Regulations**

Restrictions on use: Not known.

# TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

#### **CERCLA Hazardous Substance List (40 CFR 302.4):**

<u>Chemical Identity</u> <u>Reportable quantity</u>

Butane lbs. 100 Propane lbs. 100 Bicyclo[3.1.1]hept-2-ene, lbs. 100

2,6,6-trimethyl-

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

# **Hazard categories**

Fire Hazard

Immediate (Acute) Health Hazards

Flammable aerosol Skin sensitizer Aspiration Hazard

#### SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

# **SARA 304 Emergency Release Notification**

<u>Chemical identity</u>	Reportable quantity
Butane	lbs. 100
Propane	lbs. 100
Bicyclo[3.1.1]hept-2-ene, 2,6,6-trimethyl-	lbs. 100

Revision Date: 01/07/2020

# SARA 311/312 Hazardous Chemical

Chemical Identity	Threshold Planning Quantity
Butane	10000 lbs
Propane	10000 lbs
Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (4R)-	10000 lbs
Bicyclo[3.1.1]hept-2-ene, 2,6,6-trimethyl-	10000 lbs
Bicyclo[3.1.1]heptane, 6,6-dimethyl-2-methylene-	10000 lbs

#### SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

# Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130): Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3) US State Regulations

#### **US. California Proposition 65**

No ingredient requiring a warning under CA Prop 65.

# US. New Jersey Worker and Community Right-to-Know Act Chemical Identity

Butane

Propane

Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (4R)-

#### **US. Massachusetts RTK - Substance List**

No ingredient regulated by MA Right-to-Know Law present.

# US. Pennsylvania RTK - Hazardous Substances

# **Chemical Identity**

Naphtha (petroleum), hydrotreated heavy

Butane

Propane

#### **US. Rhode Island RTK**

No ingredient regulated by RI Right-to-Know Law present.

#### International regulations

#### Montreal protocol

Not applicable

#### Stockholm convention

Not applicable

#### **Rotterdam convention**

Not applicable

# **Kyoto protocol**

Not applicable

Revision Date: 01/07/2020

**Inventory Status:** 

Australia AICS: Not in compliance with the inventory.

Canada DSL Inventory List: On or in compliance with the inventory

Canada NDSL Inventory: Not in compliance with the inventory.

Ontario Inventory: Not in compliance with the inventory.

China Inv. Existing Chemical Substances: On or in compliance with the inventory

Japan (ENCS) List: Not in compliance with the inventory.

Japan ISHL Listing: Not in compliance with the inventory.

Japan Pharmacopoeia Listing: Not in compliance with the inventory.

Korea Existing Chemicals Inv. (KECI): Not in compliance with the inventory.

Mexico INSQ: Not in compliance with the inventory.

New Zealand Inventory of Chemicals:

On or in compliance with the inventory

Philippines PICCS: On or in compliance with the inventory

Taiwan Chemical Substance Inventory: On or in compliance with the inventory

US TSCA Inventory: On or in compliance with the inventory

EINECS, ELINCS or NLP: Not in compliance with the inventory.

# 16.Other information, including date of preparation or last revision

**Issue Date:** 01/07/2020

**Revision Information:** No data available.

Version #: 1.0

Further Information: No data available.

**Disclaimer:** This information is provided without warranty. The information is believed to

be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.