

# MOTOR MEDIC® RADIATOR ANTI-RUST & WATER PUMP LUBE

Version Revision Date: SDS Number: Date of last issue: -

1.0 02/04/2020 600000002051 Date of first issue: 02/04/2020

### **SECTION 1. IDENTIFICATION**

Product name : MM WATER PUMP LUBE & RUST INH 12/11OZ

Product code : C1012

Manufacturer or supplier's details

Company name of supplier : Niteo Products, LLC

Address : Dallas TX 75225

Email Address : EHS@niteoproducts.com

Telephone : 1-844-696-4836

Emergency telephone num-

ber

: 1-800-424-9300 / 1-703-741-5970

Recommended use of the chemical and restrictions on use

Recommended use : WATER PUMP LUBE & PROTR

Restrictions on use : Use only outdoors or in a well-ventilated area.

## **SECTION 2. HAZARDS IDENTIFICATION**

GHS classification in accordance with 29 CFR 1910.1200

Reproductive toxicity : Category 2

**GHS** label elements

Hazard pictograms :

Signal word : Warning

Hazard statements : Suspected of damaging fertility or the unborn child.

Precautionary statements : Prevention:

Obtain special instructions before use.

Do not handle until all safety precautions have been read and

understood.

Wear protective gloves/ protective clothing/ eye protection/ face

protection.

Response:



# **MOTOR MEDIC® RADIATOR ANTI-RUST & WATER PUMP LUBE**

Version **Revision Date:** SDS Number: Date of last issue: -

02/04/2020 600000002051 Date of first issue: 02/04/2020 1.0

IF exposed or concerned: Get medical advice/ attention.

Storage:

Store locked up.

Disposal:

Dispose of contents/ container to an approved waste disposal

plant.

Other hazards

None known.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture Mixture

# **Hazardous components**

Chemical name	CAS-No.	Concentration (% w/w)
Sodium tetraborate, anhydrous	1330-43-4	>= 1 - < 5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

## **SECTION 4. FIRST AID MEASURES**

General advice Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled If unconscious, place in recovery position and seek medical

If symptoms persist, call a physician.

In case of skin contact If on skin, rinse well with water.

In case of eye contact Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If swallowed Obtain medical attention.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

Suspected of damaging fertility or the unborn child.

### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Water spray

Carbon dioxide (CO2)



# MOTOR MEDIC® RADIATOR ANTI-RUST & WATER PUMP LUBE

Version Revision Date: SDS Number: Date of last issue: -

1.0 02/04/2020 600000002051 Date of first issue: 02/04/2020

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire-

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod-

ucts

Carbon oxides Boron oxides

Specific extinguishing meth-

ods

Product is compatible with standard fire-fighting agents.

Further information : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protec- :

tive equipment and emer-

gency procedures

Use personal protective equipment.

Avoid breathing dust.

Persons not wearing protective equipment should be excluded

from area of spill until clean-up has been completed.

Environmental precautions : Prevent further leakage or spillage if safe to do so.

Prevent product from entering drains.

Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for

containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

# **SECTION 7. HANDLING AND STORAGE**

Advice on protection against :

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling : Do not breathe vapours/dust.

Do not smoke.

Avoid contact with skin and eyes.

Dispose of rinse water in accordance with local and national

regulations.

Container hazardous when empty.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

For personal protection see section 8.



# MOTOR MEDIC® RADIATOR ANTI-RUST & WATER PUMP LUBE

Version Revision Date: SDS Number: Date of last issue: -

1.0 02/04/2020 600000002051 Date of first issue: 02/04/2020

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place.

Observe label precautions.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Sodium tetraborate, anhydrous	1330-43-4	TWA	1 mg/m3	NIOSH REL
		TWA	10 mg/m3	OSHA P0
		TWA (Inhal-	2 mg/m3	ACGIH
		able fraction)	(Borate)	
		STEL (Inhal-	6 mg/m3	ACGIH
		able fraction)	(Borate)	

**Engineering measures** : Provide sufficient mechanical (general and/or local exhaust)

ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or

apparent adverse effects.

Personal protective equipment

Respiratory protection : In the case of vapour formation use a respirator with an ap-

proved filter.

Hand protection

Remarks : Wear resistant gloves (consult your safety equipment suppli-

er). The suitability for a specific workplace should be dis-

cussed with the producers of the protective gloves.

Eye protection : Not required under normal conditions of use. Wear splash-

proof safety goggles if material could be misted or splashed

into eyes.

Skin and body protection : Choose body protection according to the amount and con-

centration of the dangerous substance at the work place.

Wear as appropriate: Impervious clothing

Safety shoes

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.

When using do not smoke. When using do not eat or drink.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**



# MOTOR MEDIC® RADIATOR ANTI-RUST & WATER PUMP LUBE

Version Revision Date: SDS Number: Date of last issue: -

1.0 02/04/2020 600000002051 Date of first issue: 02/04/2020

Appearance : liquid

Colour : not determined

Odour : not determined

Odour Threshold : not determined

pH : not determined

Melting point/freezing point : not determined

Boiling point/boiling range : not determined

Flash point : > 93.3 °C

Evaporation rate : not determined

Flammability (solid, gas) : No data available

Self-ignition : not determined

Upper explosion limit / Upper

flammability limit

not determined

Lower explosion limit / Lower

flammability limit

not determined

Vapour pressure : not determined

Relative vapour density : not determined

Density : 1.0118 g/cm3

Solubility(ies)

Water solubility : not determined

Partition coefficient: n-

octanol/water

not determined

Decomposition temperature : not determined

Viscosity

Viscosity, dynamic : not determined

Viscosity, kinematic : not determined

Molecular weight : No data available

### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.



# MOTOR MEDIC® RADIATOR ANTI-RUST & WATER PUMP LUBE

Version Revision Date: SDS Number: Date of last issue: -

1.0 02/04/2020 600000002051 Date of first issue: 02/04/2020

Possibility of hazardous reac-

tions

No decomposition if stored and applied as directed.

Hazardous polymerisation does not occur.

Conditions to avoid : No data available

Incompatible materials : Strong oxidizing agents

Hazardous decomposition

products

Carbon oxides

# **SECTION 11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

Inhalation Eye contact Skin contact Ingestion

# **Acute toxicity**

Not classified based on available information.

### **Product:**

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

# **Components:**

# Sodium tetraborate, anhydrous:

Acute oral toxicity : LD50 (Rat): 2,400 - 2,600 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

## Skin corrosion/irritation

Not classified based on available information.

# Serious eye damage/eye irritation

Not classified based on available information.

#### Product:

Remarks: Unlikely to cause eye irritation or injury.

# **Components:**

# Sodium tetraborate, anhydrous:

Result: Irritating to eyes.



# MOTOR MEDIC® RADIATOR ANTI-RUST & WATER PUMP LUBE

Version Revision Date: SDS Number: Date of last issue: -

1.0 02/04/2020 600000002051 Date of first issue: 02/04/2020

## Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

## Respiratory sensitisation

Not classified based on available information.

### Components:

# Sodium tetraborate, anhydrous:

Result: Not a skin sensitizer.

# Germ cell mutagenicity

Not classified based on available information.

# Carcinogenicity

Not classified based on available information.

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

**OSHA**No component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

#### Reproductive toxicity

Suspected of damaging fertility or the unborn child.

## Components:

### Sodium tetraborate, anhydrous:

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

# STOT - single exposure

Not classified based on available information.

# STOT - repeated exposure

Not classified based on available information.

# **Aspiration toxicity**

Not classified based on available information.

## **Further information**

# **Product:**

Remarks: No data available



# MOTOR MEDIC® RADIATOR ANTI-RUST & WATER PUMP LUBE

Version Revision Date: SDS Number: Date of last issue: -

1.0 02/04/2020 600000002051 Date of first issue: 02/04/2020

### **SECTION 12. ECOLOGICAL INFORMATION**

**Toxicity** 

Additional ecological

information

: No data available

# **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues : Dispose of in accordance with all applicable local, state and

federal regulations.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

#### **SECTION 14. TRANSPORT INFORMATION**

Dangerous goods descriptions (if indicated below) may not reflect quantity, end-use, or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

## International Regulations

# IATA-DGR

Not regulated as a dangerous good

## **IMDG-Code**

Not regulated as a dangerous good

# Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

# **National Regulations**

#### **49 CFR**

Not regulated as a dangerous good

# 49 CFR

Not regulated as a dangerous good

## **SECTION 15. REGULATORY INFORMATION**

# **EPCRA - Emergency Planning and Community Right-to-Know Act**

## **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
Propargyl alcohol	107-19-7	1000	*

<sup>\*:</sup> Calculated RQ exceeds reasonably attainable upper limit.



# MOTOR MEDIC® RADIATOR ANTI-RUST & WATER PUMP LUBE

Version Revision Date: SDS Number: Date of last issue: -

1.0 02/04/2020 600000002051 Date of first issue: 02/04/2020

# SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

# SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Reproductive toxicity

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.


## California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

#### **SECTION 16. OTHER INFORMATION**

#### **Further information**

#### NFPA:



Special hazard.

Revision Date : 02/04/2020

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN