

acc. to 29 CFR 1910.1200 App D

Armor All FRESHFx Car Air Freshener Citrus Breeze Vent Clip

Version number: 5.1 Revision: 2021-01-14 Replaces version of: 2021-01-12 (4)

SECTION 1: Identification

1.1 Product identifier

Trade name Armor All FRESHFx Car Air Freshener Citrus

Breeze Vent Clip

Alternative number(s) 070612191816, 070612453020

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses General use

1.3 Details of the supplier of the safety data sheet

Energizer Manufacturing, Inc. 25225 Detroit Rd. Westlake OH 44145 United States

Telephone: 800-383-7323; 314-985-2000 (USA / CANADA)

Website: http://data.energizer.com

Energizer Trading Ltd.

Sword House, Totteridge Road, High Wycombe, HP13 6DG, UK

Telephone: +44(0)8000353376

e-mail: ConsumerServiceEU@energizer.com

1.4 Emergency telephone number

Emergency information service 1-314-985-1511 Int'l: 1-800-526-4727

This number is only available during the following

office hours: Mon-Fri 09:00 AM - 05:00 PM

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and category	Hazard state- ment
A.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
A.3	serious eye damage/eye irritation	2	Eye Irrit. 2	H319
A.4S	skin sensitization	1	Skin Sens. 1	H317
A.7	reproductive toxicity	2	Repr. 2	H361
B.6	flammable liquid	4	Flam. Liq. 4	H227

United States: en Page: 1 / 29



acc. to 29 CFR 1910.1200 App D

Armor All FRESHFx Car Air Freshener Citrus Breeze Vent Clip

Version number: 5.1 Revision: 2021-01-14 Replaces version of: 2021-01-12 (4)

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Signal word warning

- Pictograms

GHS07, GHS08



- Hazard statements

H227	Combustible liquid.
H315	Causes skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

H361 Suspected of damaging fertility or the unborn child.

- Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P261 Avoid breathing mist/vapors.

P272 Contaminated work clothing must not be allowed out of the workplace.

P280 Wear protective gloves/eye protection/face protection.

P302+P352 If on skin: Wash with plenty of water.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P308+P313 If exposed or concerned: Get medical advice/attention.

P321 Specific treatment (see on this label).

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
P362 Take off contaminated clothing and wash it before reuse.

P363 Wash contaminated clothing before reuse.

P370+P378 In case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container in accordance with national regulations.

2.2.1.7 - Hazardous ingredients for labelling

(R)-p-mentha-1,8-diene, p-mentha-1,4-diene, dipentene, Geranyl acetate, Linalyl acetate, Linalool, citral, Neryl acetate

2.3 Other hazards

This material is combustible, but will not ignite readily.

United States: en Page: 2 / 29

acc. to 29 CFR 1910.1200 App D



Armor All FRESHFx Car Air Freshener Citrus Breeze Vent Clip

Version number: 5.1 Revision: 2021-01-14 Replaces version of: 2021-01-12 (4)

Hazards not otherwise classified

Toxic to aquatic life with long lasting effects (GHS category 2: aquatic toxicity - acute and/or chronic).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
decanal	CAS No 112-31-2	10-<25	Eye Irrit. 2 / H319 Flam. Liq. 4 / H227	1
Linalyl acetate	CAS No 115-95-7	5-<10	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1B / H317 Flam. Liq. 4 / H227	(1)
(2- methoxymethylethoxy)pro panol	CAS No 34590-94-8	5 – < 10	Flam. Liq. 4 / H227	
(R)-p-mentha-1,8-diene	CAS No 5989-27-5	5-<10	Skin Irrit. 2 / H315 Skin Sens. 1 / H317 Asp. Tox. 1 / H304 Flam. Liq. 3 / H226	
p-mentha-1,4-diene	CAS No 99-85-4	1-<5	Repr. 2 / H361 Flam. Liq. 3 / H226	(3)
dipentene	CAS No 138-86-3 5989-27-5 5989-54-8	1-<5	Acute Tox. 4 / H312 Skin Irrit. 2 / H315 Skin Sens. 1 / H317 Flam. Liq. 3 / H226	(1)
citral	CAS No 5392-40-5	1-<5	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1B / H317	(1)
Linalool	CAS No 78-70-6	1-<5	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1B / H317 Flam. Liq. 4 / H227	<u>(1)</u>
Geranyl acetate	CAS No 105-87-3	1 - < 5	Skin Irrit. 2 / H315 Skin Sens. 1 / H317	(1)
Neryl acetate	CAS No 141-12-8	1-<5	Skin Sens. 1B / H317	<u>(1)</u>

United States: en Page: 3 / 29



acc. to 29 CFR 1910.1200 App D

Armor All FRESHFx Car Air Freshener Citrus Breeze Vent Clip

Version number: 5.1 Revision: 2021-01-14 Replaces version of: 2021-01-12 (4)

For full text of abbreviations: see SECTION 16.

SECTION 4: First-aid measures

4.1 Description of first-aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapor-air mixture. Solvent vapors are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2)

United States: en Page: 4 / 29



acc. to 29 CFR 1910.1200 App D

Armor All FRESHFx Car Air Freshener Citrus Breeze Vent Clip

Version number: 5.1 Revision: 2021-01-14 Replaces version of: 2021-01-12 (4)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

United States: en Page: 5 / 29



acc. to 29 CFR 1910.1200 App D

Armor All FRESHFx Car Air Freshener Citrus Breeze Vent Clip

Version number: 5.1 Revision: 2021-01-14 Replaces version of: 2021-01-12 (4)

- Specific notes/details

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapors are heavier than air, spread along floors and form explosive mixtures with air. Vapors may form explosive mixtures with air.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.

- Flammability hazards

Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.

- Ventilation requirements

Use local and general ventilation. Ground/bond container and receiving equipment.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

Coun try	Name of agent	CAS No	Iden- tifier	TWA [ppm]	TWA [mg/ m³]	STEL [ppm]	STEL [mg/ m³]	Ceil- ing-C [ppm]	Ceil- ing-C [mg/ m³]	Nota tion	Sourc e
US	(2-methoxy- methylethoxy)pr opanol	34590- 94-8	TLV®	100		150					AC- GIH® 2019
US	dipropylene glycol methyl ether	34590- 94-8	PEL (CA)	100	600	150	900				Cal/ OSHA PEL
US	dipropylene glycol methyl ether	34590- 94-8	REL	100 (10 h)	600 (10 h)	150	900				NIOSH REL
US	dipropylene glycol methyl ether	34590- 94-8	PEL	100	600						29 CFR 1910.1 000

United States: en Page: 6 / 29



acc. to 29 CFR 1910.1200 App D

Armor All FRESHFx Car Air Freshener Citrus Breeze Vent Clip

Version number: 5.1 Revision: 2021-01-14 Replaces version of: 2021-01-12 (4)

Occupational exposure limit values (Workplace Exposure Limits)

Coun try	Name of agent	CAS No	Iden- tifier	TWA [ppm]	TWA [mg/ m³]	STEL [ppm]	STEL [mg/ m³]	Ceil- ing-C [ppm]	Ceil- ing-C [mg/ m³]	Nota tion	Sourc e
US	citral	5392-40- 5	TLV®	5						iv	AC- GIH® 2019

Notation

Ceiling-C ceiling value is a limit value above which exposure should not occur

v inhalable fraction and vapor

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period

(unless otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-

weighted average (unless otherwise specified

Relevant DNELs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time
decanal	112-31-2	DNEL	24.86 mg/ m³	human, inhalatory	worker (industry)	chronic - systemic effects
decanal	112-31-2	DNEL	49.71 mg/ m³	human, inhalatory	worker (industry)	acute - systemic ef- fects
decanal	112-31-2	DNEL	62.14 mg/ m³	human, inhalatory	worker (industry)	chronic - local ef- fects
decanal	112-31-2	DNEL	124.3 mg/ m³	human, inhalatory	worker (industry)	acute - local effects
decanal	112-31-2	DNEL	7.05 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
decanal	112-31-2	DNEL	14.1 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic ef- fects
Linalyl acetate	115-95-7	DNEL	2.75 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Linalyl acetate	115-95-7	DNEL	2.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Linalyl acetate	115-95-7	DNEL	236.2 μg/ cm²	human, dermal	worker (industry)	chronic - local ef- fects
Linalyl acetate	115-95-7	DNEL	236.2 μg/ cm²	human, dermal	worker (industry)	acute - local effects
(2-methoxymethyl- ethoxy)propanol	34590-94-8	DNEL	308 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects

United States: en Page: 7 / 29

Energizer.

Holdings, Inc.

acc. to 29 CFR 1910.1200 App D

Armor All FRESHFx Car Air Freshener Citrus Breeze Vent Clip

Version number: 5.1 Revision: 2021-01-14 Replaces version of: 2021-01-12 (4)

Relevant DNELs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time
(2-methoxymethyl- ethoxy)propanol	34590-94-8	DNEL	283 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
(R)-p-mentha-1,8- diene	5989-27-5	DNEL	66.7 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
(R)-p-mentha-1,8- diene	5989-27-5	DNEL	9.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Linalool	78-70-6	DNEL	2.8 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Linalool	78-70-6	DNEL	16.5 mg/m ³	human, inhalatory	worker (industry)	acute - systemic ef- fects
Linalool	78-70-6	DNEL	2.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Linalool	78-70-6	DNEL	5 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic ef- fects
citral	5392-40-5	DNEL	9 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
citral	5392-40-5	DNEL	1.7 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
citral	5392-40-5	DNEL	140 µg/cm²	human, dermal	worker (industry)	chronic - local ef- fects
Geranyl acetate	105-87-3	DNEL	62.59 mg/ m³	human, inhalatory	worker (industry)	chronic - systemic effects
Geranyl acetate	105-87-3	DNEL	35.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
p-mentha-1,4-diene	99-85-4	DNEL	2.939 mg/ m³	human, inhalatory	worker (industry)	chronic - systemic effects
p-mentha-1,4-diene	99-85-4	DNEL	0.833 mg/ kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
decanal	112-31-2	PNEC	313 ^{mg} / _{kg}	aquatic organ- isms	water	short-term (single instance)

United States: en Page: 8 / 29



acc. to 29 CFR 1910.1200 App D

Armor All FRESHFx Car Air Freshener Citrus Breeze Vent Clip

Version number: 5.1 Revision: 2021-01-14 Replaces version of: 2021-01-12 (4)

Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
decanal	112-31-2	PNEC	11.7 ^{µg} / _l	aquatic organ- isms	water	intermittent re- lease
decanal	112-31-2	PNEC	1.17 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
decanal	112-31-2	PNEC	0.117 ^{µg} / _l	aquatic organ- isms	marine water	short-term (single instance)
decanal	112-31-2	PNEC	3.16 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
decanal	112-31-2	PNEC	0.097 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
decanal	112-31-2	PNEC	0.01 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
decanal	112-31-2	PNEC	0.019 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Linalyl acetate	115-95-7	PNEC	0.11 ^{mg} / _l	aquatic organ- isms	water	intermittent re- lease
Linalyl acetate	115-95-7	PNEC	0.011 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Linalyl acetate	115-95-7	PNEC	0.001 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Linalyl acetate	115-95-7	PNEC	1 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Linalyl acetate	115-95-7	PNEC	0.609 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Linalyl acetate	115-95-7	PNEC	0.061 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Linalyl acetate	115-95-7	PNEC	0.115 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
(2-methoxymethyl- ethoxy)propanol	34590-94-8	PNEC	190 ^{mg} / _l	aquatic organ- isms	water	intermittent re- lease
(2-methoxymethyl- ethoxy)propanol	34590-94-8	PNEC	19 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
(2-methoxymethyl- ethoxy)propanol	34590-94-8	PNEC	1.9 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)
(2-methoxymethyl- ethoxy)propanol	34590-94-8	PNEC	4,168 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)

United States: en Page: 9 / 29





Armor All FRESHFx Car Air Freshener Citrus Breeze Vent Clip

Version number: 5.1 Revision: 2021-01-14 Replaces version of: 2021-01-12 (4)

Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
(2-methoxymethyl- ethoxy)propanol	34590-94-8	PNEC	70.2 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
(2-methoxymethyl- ethoxy)propanol	34590-94-8	PNEC	7.02 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
(2-methoxymethyl- ethoxy)propanol	34590-94-8	PNEC	2.74 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
(R)-p-mentha-1,8- diene	5989-27-5	PNEC	14 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
(R)-p-mentha-1,8- diene	5989-27-5	PNEC	1.4 ^{µg} / _I	aquatic organ- isms	marine water	short-term (single instance)
(R)-p-mentha-1,8- diene	5989-27-5	PNEC	1.8 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
(R)-p-mentha-1,8- diene	5989-27-5	PNEC	3.85 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
(R)-p-mentha-1,8- diene	5989-27-5	PNEC	0.385 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
(R)-p-mentha-1,8- diene	5989-27-5	PNEC	0.763 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Linalool	78-70-6	PNEC	7.8 ^{mg} / _{kg}	aquatic organ- isms	water	short-term (single instance)
Linalool	78-70-6	PNEC	2 ^{mg} / _l	aquatic organ- isms	water	intermittent re- lease
Linalool	78-70-6	PNEC	0.2 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Linalool	78-70-6	PNEC	0.02 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Linalool	78-70-6	PNEC	10 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Linalool	78-70-6	PNEC	2.22 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Linalool	78-70-6	PNEC	0.222 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Linalool	78-70-6	PNEC	0.327 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
citral	5392-40-5	PNEC	0.007 ^{mg} / _i	aquatic organ- isms	freshwater	short-term (single instance)

United States: en Page: 10 / 29

acc. to 29 CFR 1910.1200 App D



Armor All FRESHFx Car Air Freshener Citrus Breeze Vent Clip

Version number: 5.1 Revision: 2021-01-14 Replaces version of: 2021-01-12 (4)

Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
citral	5392-40-5	PNEC	0.001 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)
citral	5392-40-5	PNEC	1.6 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
citral	5392-40-5	PNEC	0.125 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
citral	5392-40-5	PNEC	0.013 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
citral	5392-40-5	PNEC	0.021 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Geranyl acetate	105-87-3	PNEC	37.2 ^{µg} / _l	aquatic organ- isms	water	intermittent re- lease
Geranyl acetate	105-87-3	PNEC	3.72 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Geranyl acetate	105-87-3	PNEC	0.372 ^{µg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Geranyl acetate	105-87-3	PNEC	8 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Geranyl acetate	105-87-3	PNEC	0.442 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Geranyl acetate	105-87-3	PNEC	0.044 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Geranyl acetate	105-87-3	PNEC	0.086 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
p-mentha-1,4-diene	99-85-4	PNEC	0.003 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
p-mentha-1,4-diene	99-85-4	PNEC	0 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)
p-mentha-1,4-diene	99-85-4	PNEC	10 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
p-mentha-1,4-diene	99-85-4	PNEC	0.49 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
p-mentha-1,4-diene	99-85-4	PNEC	0.049 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
p-mentha-1,4-diene	99-85-4	PNEC	0.423 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)

United States: en Page: 11 / 29



acc. to 29 CFR 1910.1200 App D

Armor All FRESHFx Car Air Freshener Citrus Breeze Vent Clip

Version number: 5.1 Revision: 2021-01-14 Replaces version of: 2021-01-12 (4)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	liquid
Color	various
Odor	characteristic

Other safety parameters

pH (value)	not determined
Melting point/freezing point	not determined
Initial boiling point and boiling range	181.8 °C at 100.7 kPa
Flash point	83 °C

United States: en Page: 12 / 29



acc. to 29 CFR 1910.1200 App D

Armor All FRESHFx Car Air Freshener Citrus Breeze Vent Clip

Version number: 5.1 Revision: 2021-01-14 Replaces version of: 2021-01-12 (4)

33 VELSION OI. 2021-01-12 (4)	
Evaporation rate	Not determined
Flammability (solid, gas)	not relevant, (fluid)
Explosive limits	
- Lower explosion limit (LEL)	1.1 vol%
- Upper explosion limit (UEL)	14 vol%
Vapor pressure	8.7 kPa at 20 °C
Density	not determined
Vapor density	this information is not available
Relative density	Information on this property is not available
Solubility(ies)	not determined
Partition coefficient	
- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	>199 °C (auto-ignition temperature (liquids and gases))
Viscosity	not determined
Explosive properties	none
Oxidizing properties	none
Other information	
Temperature class (USA, acc. to NEC 500)	T3A (maximum permissible surface temperature on the equipment: 180°C)

SECTION 10: Stability and reactivity

10.1 Reactivity

9.2

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Risk of ignition.

If heated:

Risk of ignition

United States: en Page: 13 / 29



acc. to 29 CFR 1910.1200 App D

Armor All FRESHFx Car Air Freshener Citrus Breeze Vent Clip

Version number: 5.1 Revision: 2021-01-14 Replaces version of: 2021-01-12 (4)

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints to prevent fire or explosion

Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

10.5 Incompatible materials

Oxidizers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
dipentene	138-86-3 5989-27-5 5989-54-8	dermal	2,000 ^{mg} / _{kg}

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitization

May cause an allergic skin reaction.

United States: en Page: 14 / 29



acc. to 29 CFR 1910.1200 App D

Armor All FRESHFx Car Air Freshener Citrus Breeze Vent Clip

Version number: 5.1 Revision: 2021-01-14 Replaces version of: 2021-01-12 (4)

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans

Name of substance	CAS No	Classification	Number
dipentene	5989-27-5	3	
(R)-p-mentha-1,8-diene	5989-27-5	3	

Legend

Not classifiable as to carcinogenicity in humans

Reproductive toxicity

Suspected of damaging the unborn child. Suspected of damaging fertility.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
decanal	112-31-2	LC50	2.1 ^{mg} / _l	fish	96 h
decanal	112-31-2	EC50	2.95 ^{mg} / _l	aquatic invertebrates	24 h
decanal	112-31-2	ErC50	4.5 ^{mg} / _l	algae	72 h
decanal	112-31-2	NOEC	1.75 ^{mg} / _l	fish	96 h
Linalyl acetate	115-95-7	ErC50	62 ^{mg} / _l	algae	72 h
Linalyl acetate	115-95-7	LC50	11 ^{mg} / _l	fish	96 h

United States: en Page: 15 / 29

acc. to 29 CFR 1910.1200 App D



Armor All FRESHFx Car Air Freshener Citrus Breeze Vent Clip

Version number: 5.1 Revision: 2021-01-14 Replaces version of: 2021-01-12 (4)

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Linalyl acetate	115-95-7	EC50	59 ^{mg} / _l	aquatic invertebrates	48 h
Linalyl acetate	115-95-7	NOEC	25 ^{mg} / _l	aquatic invertebrates	48 h
(2-methoxymethyleth- oxy)propanol	34590-94-8	LC50	>1,000 ^{mg} / _l	fish	96 h
(2-methoxymethyleth- oxy)propanol	34590-94-8	ErC50	>969 ^{mg} / _l	algae	72 h
(2-methoxymethyleth- oxy)propanol	34590-94-8	EC50	>969 ^{mg} / _l	algae	72 h
(2-methoxymethyleth- oxy)propanol	34590-94-8	NOEC	969 ^{mg} / _l	algae	72 h
(R)-p-mentha-1,8-diene	5989-27-5	LC50	720 ^{µg} / _l	fish	96 h
(R)-p-mentha-1,8-diene	5989-27-5	EC50	688 ^{µg} / _I	fish	96 h
(R)-p-mentha-1,8-diene	5989-27-5	ErC50	0.32 ^{mg} / _l	algae	72 h
(R)-p-mentha-1,8-diene	5989-27-5	NOEC	0.09 ^{mg} / _l	algae	48 h
(R)-p-mentha-1,8-diene	5989-27-5	growth (EbCx) 10%	0.45 ^{mg} / _l	aquatic invertebrates	24 h
(R)-p-mentha-1,8-diene	5989-27-5	growth rate (ErCx) 10%	0.174 ^{mg} / _l	algae	72 h
Linalool	78-70-6	LC50	27.8 ^{mg} / _l	fish	96 h
Linalool	78-70-6	EC50	59 ^{mg} / _l	aquatic invertebrates	48 h
Linalool	78-70-6	ErC50	156.7 ^{mg} / _l	algae	96 h
Linalool	78-70-6	NOEC	<3.5 ^{mg} / _l	fish	96 h
Linalool	78-70-6	growth (EbCx) 10%	38.4 ^{mg} / _l	algae	96 h
Linalool	78-70-6	growth rate (ErCx) 10%	54.3 ^{mg} / _l	algae	96 h
citral	5392-40-5	LC50	6.78 ^{mg} / _l	fish	96 h
citral	5392-40-5	EC50	6.8 ^{mg} / _l	aquatic invertebrates	48 h
citral	5392-40-5	ErC50	103.8 ^{mg} / _l	algae	72 h
citral	5392-40-5	NOEC	4.6 ^{mg} / _l	fish	96 h

United States: en Page: 16 / 29

acc. to 29 CFR 1910.1200 App D



Armor All FRESHFx Car Air Freshener Citrus Breeze Vent Clip

Version number: 5.1 Revision: 2021-01-14 Replaces version of: 2021-01-12 (4)

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
citral	5392-40-5	growth rate (ErCx) 10%	3 ^{mg} / _l	algae	72 h
Geranyl acetate	105-87-3	LC50	68.12 ^{mg} / _l	fish	96 h
Geranyl acetate	105-87-3	EC50	14.1 ^{mg} / _l	aquatic invertebrates	48 h
Geranyl acetate	105-87-3	ErC50	3.72 ^{mg} / _l	algae	72 h
Geranyl acetate	105-87-3	NOEC	10 ^{mg} / _l	fish	96 h
Neryl acetate	141-12-8	LC50	6 ^{mg} / _I	fish	96 h
Neryl acetate	141-12-8	EC50	10.68 ^{mg} / _l	aquatic invertebrates	24 h
Neryl acetate	141-12-8	ErC50	4.9 ^{mg} / _l	algae	72 h
p-mentha-1,4-diene	99-85-4	EC50	2.792 ^{mg} / _l	fish	96 h

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
decanal	112-31-2	EC50	70 ^{mg} / _l	microorganisms	3 h
decanal	112-31-2	NOEC	31.6 ^{mg} / _l	microorganisms	3 h
Linalyl acetate	115-95-7	LC50	11.14 ^{mg} / _l	fish	20 h
Linalyl acetate	115-95-7	NOEC	>25.7 ^{mg} / _l	microorganisms	28 d
(2-methoxymethyleth- oxy)propanol	34590-94-8	LC50	>1,000 ^{mg} / _l	aquatic invertebrates	24 h
(2-methoxymethyleth- oxy)propanol	34590-94-8	NOEC	≥0.5 ^{mg} / _l	aquatic invertebrates	22 d
(2-methoxymethyleth- oxy)propanol	34590-94-8	LOEC	0.5 ^{mg} / _l	aquatic invertebrates	22 d
(2-methoxymethyleth- oxy)propanol	34590-94-8	growth (EbCx) 10%	4,168 ^{mg} / _l	microorganisms	18 h
(R)-p-mentha-1,8-diene	5989-27-5	EC50	<0.67 ^{mg} / _l	fish	8 d
(R)-p-mentha-1,8-diene	5989-27-5	LC50	0.41 ^{mg} / _l	fish	8 d
(R)-p-mentha-1,8-diene	5989-27-5	NOEC	0.37 ^{mg} / _l	fish	8 d

United States: en Page: 17 / 29

Energizer.

Holdings, Inc.

acc. to 29 CFR 1910.1200 App D

Armor All FRESHFx Car Air Freshener Citrus Breeze Vent Clip

Version number: 5.1 Revision: 2021-01-14 Replaces version of: 2021-01-12 (4)

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
(R)-p-mentha-1,8-diene	5989-27-5	LOEC	0.67 ^{mg} / _l	fish	8 d
(R)-p-mentha-1,8-diene	5989-27-5	growth (EbCx) 10%	<0.67 ^{mg} / _l	fish	8 d
Linalool	78-70-6	LC50	27.8 ^{mg} / _l	fish	24 h
Linalool	78-70-6	EC50	>100 ^{mg} / _I	microorganisms	30 min
Linalool	78-70-6	growth (EbCx) 10%	>100 ^{mg} / _l	microorganisms	3 h
citral	5392-40-5	EC50	160 ^{mg} / _l	microorganisms	30 min
citral	5392-40-5	growth (EbCx) 20%	68 ^{mg} / _l	microorganisms	30 min
Geranyl acetate	105-87-3	growth (EbCx) 20%	800 ^{mg} / _l	microorganisms	30 min
Neryl acetate	141-12-8	EC50	≥1,000 ^{mg} / _l	microorganisms	3 h
Neryl acetate	141-12-8	NOEC	≥1,000 ^{mg} / _l	microorganisms	3 h
p-mentha-1,4-diene	99-85-4	EC50	>1,000 ^{mg} / _l	microorganisms	3 h

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

None of the ingredients are listed.

12.7 Other adverse effects

Data are not available.

United States: en Page: 18 / 29



acc. to 29 CFR 1910.1200 App D

Armor All FRESHFx Car Air Freshener Citrus Breeze Vent Clip

Version number: 5.1 Revision: 2021-01-14 Replaces version of: 2021-01-12 (4)

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste treatment-relevant information

Solvent reclamation/regeneration.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

141	UN number	not subject to transport regulations
14.1	ON HUHIDEI	HOL SUDJECT TO LIGHTSDOLL TEURIATIONS

14.2 UN proper shipping name not assigned
 14.3 Transport hazard class(es) not assigned
 14.4 Packing group not assigned

14.5 Environmental hazards non-environmentally hazardous acc. to the danger-

ous goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

DOT

Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information

Not subject to transport regulations.

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

United States: en Page: 19 / 29



acc. to 29 CFR 1910.1200 App D

Armor All FRESHFx Car Air Freshener Citrus Breeze Vent Clip

Version number: 5.1 Revision: 2021-01-14 Replaces version of: 2021-01-12 (4)

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question National regulations (United States)

Toxic Substance Control Act (TSCA) all ingredients are listed

Superfund Amendment and Reauthorization Act (SARA TITLE III)

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

Specific Toxic Chemical Listings (EPCRA Section 313)
 none of the ingredients are listed

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4) none of the ingredients are listed

Clean Air Act

none of the ingredients are listed

Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of substance	Name acc. to inventory	CAS No	Functional- ity	Authoritative Lists
Linalyl acetate		115-95-7	fragrance	
(R)-p-mentha-1,8-diene	d-Limonene	5989-27-5	fragrance	EU Fragrance Allergens
Linalool	Linalool	78-70-6	fragrance	EU Fragrance Allergens
Dipentene	d-Limonene	5989-27-5		EU Fragrance Allergens
Citral	Citral	5392-40-5		EU Fragrance Allergens
Geraniol	Geraniol	106-24-1	fragrance	EU Fragrance Allergens
Citronellol	Citronellol	106-22-9	fragrance	EU Fragrance Allergens

 Toxic or Hazardous Substance List (MA-TURA) none of the ingredients are listed

United States: en Page: 20 / 29



acc. to 29 CFR 1910.1200 App D

Armor All FRESHFx Car Air Freshener Citrus Breeze Vent Clip

Version number: 5.1 Revision: 2021-01-14 Replaces version of: 2021-01-12 (4)

- Hazardous Substances List (MN-ERTK)

Name of substance	Name acc. to inventory	CAS No	References	Remarks
(2-methoxymethylethoxy)pro- panol	Dipropylene glycol methyl ether	34590-94-8	A, O	

Legend

American Conference of Governmental Industrial Hygienists (ACGIH), "Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices for 1992-93", available from ACGIH
Occupational Safety and Health Administration (OSHA), Safety and Health Standards, Code of Federal Regulations, title 29, part

O Occupational Safety and Health Administration (OSHA), Safety and Health Standards, Code of Federal Regulations, title 29, part 1910, subpart Z, "Toxic and Hazardous Substances, 1990." General information: Minnesota Department of Labor and Industry, Occupational Safety and Health Division

- Hazardous Substance List (NJ-RTK)

Name of substance	Name acc. to inventory	CAS No	Remarks	Classifications
dipentene	dipentene	138-86-3		F2
(2-methoxymethylethoxy)pro- panol	dipropylene glycol methyl ether	34590-94-8		F2
(R)-p-mentha-1,8-diene	dipentene	138-86-3		F2

Legend

F2 Flammable - Second Degree

- Hazardous Substance List (Chapter 323) (PA-RTK)

Name of substance	Name acc. to inventory	CAS No	Classification
(2-methoxymethylethoxy)pro- panol	PROPANOL, (2-METHOXY- METHYLETHOXY)-	34590-94-8	

- Hazardous Substance List (RI-RTK)

Name of substance	Name acc. to inventory	CAS No	References
(2-methoxymethylethoxy)pro- panol	Dipropylene glycol methyl ether	34590-94-8	Т

Legend

T Toxicity (ACGIH®)

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

none of the ingredients are listed

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

United States: en Page: 21 / 29



acc. to 29 CFR 1910.1200 App D

Armor All FRESHFx Car Air Freshener Citrus Breeze Vent Clip

Version number: 5.1 Revision: 2021-01-14 Replaces version of: 2021-01-12 (4)

Category	Rating	Description
Chronic	*	chronic (long-term) health effects may result from repeated overexposure
Health	2	temporary or minor injury may occur
Flammability	2	material that must be moderately heated or exposed to relatively high ambient tem- peratures before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	2	material that must be moderately heated or exposed to relatively high ambient tem- peratures before ignition can occur
Health	2	material that, under emergency conditions, can cause temporary incapacitation or residual injury
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

National inventories

Country	Inventory	Status
AU	AICS	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed

United States: en Page: 22 / 29



acc. to 29 CFR 1910.1200 App D

Armor All FRESHFx Car Air Freshener Citrus Breeze Vent Clip

Version number: 5.1 Revision: 2021-01-14 Replaces version of: 2021-01-12 (4)

Country	Inventory	Status
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

Legend

AICS Australian Inventory of Chemical Substances Chemical Inventory and Control Regulation CICR

CSCL-ENCS List of Existing and New Chemical Substances (CSCL-ENCS)

DSL Domestic Substances List (DSL)

EC Substance Inventory (EINECS, ELINCS, NLP) **ECSI**

Inventory of Existing Chemical Substances Produced or Imported in China National Inventory of Chemical Substances **IECSC**

INSQ

ISHA-ENCS Inventory of Existing and New Chemical Substances (ISHA-ENCS)

KECI Korea Existing Chemicals Inventory

NZIoC New Zealand Inventory of Chemicals

Philippine Inventory of Chemicals and Chemical Substances (PICCS) **PICCS**

REACH Reg. REACH registered substances TCSI Taiwan Chemical Substance Inventory

TSCA Toxic Substance Control Act

Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information, including date of preparation or last revision

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		Classification acc. to OSHA "Hazard Communica- tion Standard" (29 CFR 1910.1200): change in the listing (table)	yes
2.2		- Pictograms: change in the listing (table)	yes
2.2		- Hazard statements: change in the listing (table)	yes
2.2		- Precautionary statements: change in the listing (table)	yes
2.2.1.7	- Hazardous ingredients for labelling: dipentene, p-mentha-1,4-diene, Geranyl acetate, Linalool, Linalyl acetate, citral, Neryl acetate	- Hazardous ingredients for labelling: (R)-p-mentha-1,8-diene, p-mentha-1,4-diene, dipentene, Geranyl acetate, Linalyl acetate, Lin- alool, citral, Neryl acetate	yes
2.3	Other hazards	Other hazards: This material is combustible, but will not ignite readily.	yes

United States: en Page: 23 / 29



acc. to 29 CFR 1910.1200 App D

Armor All FRESHFx Car Air Freshener Citrus Breeze Vent Clip

Version number: 5.1 Revision: 2021-01-14 Replaces version of: 2021-01-12 (4)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
3.2		Description of the mixture: change in the listing (table)	yes
6.2	Environmental precautions: Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.	Environmental precautions: Keep away from drains, surface and ground wa- ter. Retain contaminated washing water and dis- pose of it.	yes
7.2	- Packaging compatibilities: Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.		yes
8.1		Relevant DNELs of components of the mixture: change in the listing (table)	yes
8.1		Relevant PNECs of components of the mixture: change in the listing (table)	yes
9.1	Flash point: 51.6 °C at 1 atm	Flash point: 83 °C	yes
11.1		IARC Monographs on the Evaluation of Carcino- genic Risks to Humans: change in the listing (table)	yes
12.1		Aquatic toxicity (acute) of components of the mix- ture: change in the listing (table)	yes
12.1		Aquatic toxicity (chronic) of components of the mixture: change in the listing (table)	yes
13.1	Waste treatment of containers/packages: Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied pack- ages can be recycled. Handle contaminated pack- ages in the same way as the substance itself.	Waste treatment of containers/packages: Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.	yes
14.1	UN number	UN number: not subject to transport regulations	yes
14.1	DOT: 1993		yes
14.1	IMDG-Code: 1993		yes
14.1	ICAO-TI: 1993		yes
14.2	DOT: Flammable liquid, n.o.s.		yes

United States: en Page: 24 / 29



acc. to 29 CFR 1910.1200 App D

Armor All FRESHFx Car Air Freshener Citrus Breeze Vent Clip

Version number: 5.1 Revision: 2021-01-14 Replaces version of: 2021-01-12 (4)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
14.2	IMDG-Code: FLAMMABLE LIQUID, N.O.S.		yes
14.2	ICAO-TI: Flammable liquid, n.o.s.		yes
14.2	Technical name (hazardous ingredients): dipentene, p-mentha-1,4-diene		yes
14.3	DOT: 3		yes
14.3	IMDG-Code: 3		yes
14.3	ICAO-TI: 3		yes
14.4	DOT: III		yes
14.4	IMDG-Code: III		yes
14.4	ICAO-TI: III		yes
14.5	Environmentally hazardous substance (aquatic environment): dipentene		yes
14.7	Particulars in the shipper's declaration: UN1993, Flammable liquid, n.o.s., (dipentene, p- mentha-1,4-diene, solution), 3, III, environment- ally hazardous		yes
14.7	Danger label(s): 3, fish and tree		yes
14.7		Danger label(s): change in the listing (table)	yes
14.7	Environmental hazards: yes (hazardous to the aquatic environment)		yes
14.7	Special provisions (SP): B1, B52, IB3, T4, TP1, TP29		yes
14.7	ERG No: 128		yes
14.7	Particulars in the shipper's declaration: UN1993, FLAMMABLE LIQUID, N.O.S., (dipentene, p-mentha-1,4-diene, solution), 3, III, 51.6°C c.c., MARINE POLLUTANT		yes

United States: en Page: 25 / 29



acc. to 29 CFR 1910.1200 App D

Armor All FRESHFx Car Air Freshener Citrus Breeze Vent Clip

Version number: 5.1 Revision: 2021-01-14 Replaces version of: 2021-01-12 (4)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
14.7	Marine pollutant: yes (hazardous to the aquatic environment) (Li- monene)		yes
14.7	Danger label(s): 3, fish and tree		yes
14.7		Danger label(s): change in the listing (table)	yes
14.7	Special provisions (SP): 223, 274, 955		yes
14.7	Excepted quantities (EQ): E1		yes
14.7	Limited quantities (LQ): 5 L		yes
14.7	EmS: F-E, <u>S-E</u>		yes
14.7	Stowage category: A		yes
14.7	Particulars in the shipper's declaration: UN1993, Flammable liquid, n.o.s., (dipentene, p- mentha-1,4-diene, solution), 3, III		yes
14.7	Environmental hazards: yes (hazardous to the aquatic environment)		yes
14.7	Danger label(s): 3		yes
14.7		Danger label(s): change in the listing (table)	yes
14.7	Special provisions (SP): A3		yes
14.7	Excepted quantities (EQ): E1		yes
14.7	Limited quantities (LQ): 10 L		yes
14.2	UN proper shipping name	UN proper shipping name: not assigned	yes
14.3	Transport hazard class(es)	Transport hazard class(es): not assigned	yes
14.4	Packing group	Packing group: not assigned	yes

United States: en Page: 26 / 29



acc. to 29 CFR 1910.1200 App D

Armor All FRESHFx Car Air Freshener Citrus Breeze Vent Clip

Version number: 5.1 Revision: 2021-01-14 Replaces version of: 2021-01-12 (4)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
14.5	Environmental hazards: hazardous to the aquatic environment	Environmental hazards: non-environmentally hazardous acc. to the dan- gerous goods regulations	yes
14.7	Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information	Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information: Not subject to transport regulations.	yes
14.7	International Maritime Dangerous Goods Code (IMDG) - Additional information	International Maritime Dangerous Goods Code (IMDG) - Additional information: Not subject to IMDG.	yes
14.7	International Civil Aviation Organization (ICAO- IATA/DGR) - Additional information	International Civil Aviation Organization (ICAO- IATA/DGR) - Additional information: Not subject to ICAO-IATA.	yes
15.1		Cleaning Product Right to Know Act Substance List (CA-RTK): change in the listing (table)	yes
15.1		Hazardous Substance List (NJ-RTK): change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
29 CFR 1910.1000	29 CFR 1910.1000, Tables Z-1, Z-2, Z-3 - Occupational Safety and Health Standards: Toxic and Hazardous Substances (permissible exposure limits)
49 CFR US DOT	49 CFR U.S. Department of Transportation
ACGIH®	American Conference of Governmental Industrial Hygienists
ACGIH® 2019	From ACGIH®, 2019 TLVs® and BEIs® Book. Copyright 2019. Reprinted with permission. Information on the proper use of the TLVs® and BEIs®: http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement
Acute Tox.	Acute toxicity
Asp. Tox.	Aspiration hazard
ATE	Acute Toxicity Estimate
Cal/OSHA PEL	California Division of Occupational Safety and Health (Cal/OSHA): Permissible Exposure Limits (PELs)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level

United States: en Page: 27 / 29



acc. to 29 CFR 1910.1200 App D

Armor All FRESHFx Car Air Freshener Citrus Breeze Vent Clip

Version number: 5.1 Revision: 2021-01-14 Replaces version of: 2021-01-12 (4)

Abbr.	Descriptions of used abbreviations
DOT	Department of Transportation (USA)
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LOEC	Lowest Observed Effect Concentration
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NIOSH REL	National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs)
NLP	No-Longer Polymer
NOEC	No Observed Effect Concentration
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PEL	Permissible exposure limit
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
Repr.	Reproductive toxicity
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)

United States: en Page: 28 / 29



acc. to 29 CFR 1910.1200 App D

Armor All FRESHFx Car Air Freshener Citrus Breeze Vent Clip

Version number: 5.1 Revision: 2021-01-14 Replaces version of: 2021-01-12 (4)

Abbr.	Descriptions of used abbreviations
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitization
STEL	Short-term exposure limit
TLV®	Threshold Limit Values
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H226	Flammable liquid and vapor.
H227	Combustible liquid.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H361	Suspected of damaging fertility or the unborn child.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United States: en Page: 29 / 29