



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Lexol Leather Cleaner (After 4/26/21)

Version number: 1.0

Date of compilation: 2021-04-26

### SECTION 1: Identification

#### 1.1 Product identifier

Trade name

**Lexol Leather Cleaner (After 4/26/21)**

Alternative number(s)

012844617436, 012844040272, 312090002131,  
012844693102, 312090002155, 312090002186,  
012844970050, 098397396295

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Consumer uses

#### 1.3 Details of the supplier of the safety data sheet

Energizer Manufacturing, Inc.  
25225 Detroit Rd.  
Westlake OH 44145  
United States

Telephone: 800-383-7323; 314-985-2000 (USA / CANADA)  
Website: <http://data.energizer.com>

Energizer Trading Ltd.  
Sword House, Totteridge Road, High Wycombe, HP13 6DG, UK

Telephone: +44(0)8000353376  
e-mail: [ConsumerServiceEU@energizer.com](mailto:ConsumerServiceEU@energizer.com)

#### 1.4 Emergency telephone number

Emergency information service

1-314-985-1511 Int'l: 1-800-526-4727  
This number is only available during the following  
office hours: Mon-Fri 09:00 AM - 05:00 PM

### SECTION 2: Hazard(s) identification

#### 2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and category	Hazard statement
A.10	acute toxicity (oral)	4	Acute Tox. 4	H302
A.3	serious eye damage/eye irritation	2	Eye Irrit. 2	H319

For full text of abbreviations: see SECTION 16.

#### 2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

## Lexol Leather Cleaner (After 4/26/21)

Version number: 1.0

Date of compilation: 2021-04-26

- Signal word warning

- Pictograms

GHS07



- Hazard statements

H302

Harmful if swallowed.

H319

Causes serious eye irritation.

- Precautionary statements

P101

If medical advice is needed, have product container or label at hand.

P102

Keep out of reach of children.

P103

Read label before use.

P270

Do not eat, drink or smoke when using this product.

P280

Wear eye protection/face protection.

P301+P312

If swallowed: Call a poison center/doctor if you feel unwell.

P305+P351+P338

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P330

Rinse mouth.

P337+P313

If eye irritation persists: Get medical advice/attention.

P501

Dispose of contents/container in accordance with national regulations.

### 2.2.1.7- Hazardous ingredients for labelling

Glycerol, Sodium Laureth Sulfate, Sodium alkyl sulfate, ammonium chloride

### 2.3 Other hazards

Hazards not otherwise classified

Contains epoxy constituents. May produce an allergic reaction.

Harmful to aquatic life (GHS category 3: aquatic toxicity - acute).


## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not relevant (mixture)

### 3.2 Mixtures








Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Sodium Laureth Sulfate	CAS No 9004-82-4	5 – < 10	Acute Tox. 4 / H302 Eye Irrit. 2 / H319	

## Lexol Leather Cleaner (After 4/26/21)

Version number: 1.0

Date of compilation: 2021-04-26

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Sodium alkyl sulfate	CAS No trade secret	5 – < 10	Acute Tox. 4 / H302 Acute Tox. 4 / H332 Skin Irrit. 2 / H315 Eye Dam. 1 / H318 STOT SE 3 / H335 Flam. Sol. 2 / H228	  
Glycerol	CAS No 56-81-5	5 – < 10	Acute Tox. 2 / H300	
ethanol	CAS No 64-17-5	1 – < 5	Eye Irrit. 2 / H319 Flam. Liq. 2 / H225	 
ammonium chloride	CAS No 12125-02-9	1 – < 5	Acute Tox. 4 / H302 Eye Irrit. 2 / H319	

For full text of abbreviations: see SECTION 16.

### SECTION 4: First-aid measures

#### 4.1 Description of first-aid measures

##### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

##### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

##### Following skin contact

Wash with plenty of soap and water.

##### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

##### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

#### 4.3 Indication of any immediate medical attention and special treatment needed

none



## Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

### Lexol Leather Cleaner (After 4/26/21)

Version number: 1.0

Date of compilation: 2021-04-26

#### SECTION 5: Fire-fighting measures

##### 5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO<sub>2</sub>)

Unsuitable extinguishing media

Water jet

##### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Nitrogen oxides (NO<sub>x</sub>), Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

##### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

#### SECTION 6: Accidental release measures

##### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

##### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

##### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

##### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Lexol Leather Cleaner (After 4/26/21)

Version number: 1.0

Date of compilation: 2021-04-26

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Control of the effects

Protect against external exposure, such as

frost

#### 7.3 Specific end use(s)

See section 16 for a general overview.

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)											
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m <sup>3</sup> ]	STEL [ppm]	STEL [mg/m <sup>3</sup> ]	Ceiling-C [ppm]	Ceiling-C [mg/m <sup>3</sup> ]	Notation	Source
US	ammonium chloride	12125-02-9	PEL (CA)		10		20			fume	Cal/ OSHA PEL
US	ammonium chloride	12125-02-9	REL		10 (10 h)		20			fume	NIOSH REL
US	ammonium chloride	12125-02-9	TLV®		10		20			fume	AC-GIH® 2021
US	glycerine	56-81-5	REL							mist, appx-D	NIOSH REL
US	glycerol	56-81-5	PEL		15					mist, i	29 CFR 1910.1000



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Lexol Leather Cleaner (After 4/26/21)

Version number: 1.0

Date of compilation: 2021-04-26

### Occupational exposure limit values (Workplace Exposure Limits)

Coun try	Name of agent	CAS No	Iden- tifier	TWA [ppm]	TWA [mg/ m <sup>3</sup> ]	STEL [ppm]	STEL [mg/ m <sup>3</sup> ]	Ceil- ing-C [ppm]	Ceil- ing-C [mg/ m <sup>3</sup> ]	Nota tion	Sourc e
US	glycerol	56-81-5	PEL		5					mist, r	29 CFR 1910.1 000
US	ethanol	64-17-5	TLV®			1,000					AC- GIH® 2021
US	ethyl alcohol	64-17-5	REL	1,000 (10 h)	1,900 (10 h)						NIOSH REL
US	ethyl alcohol (ethanol)	64-17-5	PEL (CA)	1,000	1,900						Cal/ OSHA PEL
US	ethyl alcohol (ethanol)	64-17-5	PEL	1,000	1,900						29 CFR 1910.1 000

#### Notation

appx-D

Ceiling-C

fume

i

mist

r

STEL

TWA

see Appendix D - Substances with No Established RELs

ceiling value is a limit value above which exposure should not occur

as fume

inhalable fraction

as mists

respirable fraction

short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

### Relevant DNELs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time
Sodium alkyl sulfate	trade secret	DNEL	285 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Sodium alkyl sulfate	trade secret	DNEL	4,060 mg/ kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Glycerol	56-81-5	DNEL	56 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local ef- fects
ethanol	64-17-5	DNEL	1,900 mg/ m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects
ethanol	64-17-5	DNEL	343 mg/kg	human, dermal	worker (industry)	chronic - systemic effects



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Lexol Leather Cleaner (After 4/26/21)

Version number: 1.0

Date of compilation: 2021-04-26

### Relevant DNELs of components of the mixture

Name of sub-stance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
ethanol	64-17-5	DNEL	950 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
ammonium chloride	12125-02-9	DNEL	190 mg/kg	human, dermal	worker (industry)	chronic - systemic effects
ammonium chloride	12125-02-9	DNEL	33.5 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects

### Relevant PNECs of components of the mixture

Name of sub-stance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Sodium alkyl sulfate	trade secret	PNEC	0.176 mg/l	aquatic organisms	freshwater	short-term (single instance)
Sodium alkyl sulfate	trade secret	PNEC	0.018 mg/l	aquatic organisms	marine water	short-term (single instance)
Sodium alkyl sulfate	trade secret	PNEC	0.055 mg/l	aquatic organisms	water	intermittent release
Sodium alkyl sulfate	trade secret	PNEC	1.35 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Sodium alkyl sulfate	trade secret	PNEC	6.97 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Sodium alkyl sulfate	trade secret	PNEC	0.697 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Sodium alkyl sulfate	trade secret	PNEC	1.29 mg/kg	terrestrial organisms	soil	short-term (single instance)
Glycerol	56-81-5	PNEC	8.85 mg/l	aquatic organisms	water	intermittent release
Glycerol	56-81-5	PNEC	0.885 mg/l	aquatic organisms	freshwater	short-term (single instance)
Glycerol	56-81-5	PNEC	0.088 mg/l	aquatic organisms	marine water	short-term (single instance)
Glycerol	56-81-5	PNEC	1,000 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Glycerol	56-81-5	PNEC	3.3 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Glycerol	56-81-5	PNEC	0.33 mg/kg	aquatic organisms	marine sediment	short-term (single instance)



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Lexol Leather Cleaner (After 4/26/21)

Version number: 1.0

Date of compilation: 2021-04-26

Relevant PNECs of components of the mixture						
Name of sub-stance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Glycerol	56-81-5	PNEC	0.141 mg/kg	terrestrial organ-isms	soil	short-term (single instance)
ethanol	64-17-5	PNEC	0.96 mg/l	aquatic organ-isms	freshwater	short-term (single instance)
ethanol	64-17-5	PNEC	0.79 mg/l	aquatic organ-isms	marine water	short-term (single instance)
ethanol	64-17-5	PNEC	580 mg/l	aquatic organ-isms	sewage treatment plant (STP)	short-term (single instance)
ethanol	64-17-5	PNEC	3.6 mg/kg	aquatic organ-isms	freshwater sedi-ment	short-term (single instance)
ethanol	64-17-5	PNEC	0.63 mg/kg	terrestrial organ-isms	soil	short-term (single instance)
ethanol	64-17-5	PNEC	2.75 mg/l	aquatic organ-isms	water	intermittent re-lease
ammonium chloride	12125-02-9	PNEC	1.2 mg/l	aquatic organ-isms	freshwater	short-term (single instance)
ammonium chloride	12125-02-9	PNEC	11.2 mg/l	aquatic organ-isms	marine water	short-term (single instance)
ammonium chloride	12125-02-9	PNEC	16.2 mg/l	aquatic organ-isms	sewage treatment plant (STP)	short-term (single instance)
ammonium chloride	12125-02-9	PNEC	0.163 mg/kg	terrestrial organ-isms	soil	short-term (single instance)
ammonium chloride	12125-02-9	PNEC	1.2 mg/l	aquatic organ-isms	water	intermittent re-lease

### 8.2 Exposure controls

#### Appropriate engineering controls

General ventilation.

#### Individual protection measures (personal protective equipment)

##### Eye/face protection

Wear eye/face protection.

##### Skin protection

##### - Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.





# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Lexol Leather Cleaner (After 4/26/21)

Version number: 1.0

Date of compilation: 2021-04-26

### - Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

### Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

Physical state	liquid
Color	Conforms to Standard
Particle	not relevant (liquid)
Odor	Conforms to standard

#### Other safety parameters

pH (value)	6 – 8
Melting point/freezing point	not determined
Initial boiling point and boiling range	64.7 °C at 1,013 hPa
Flash point	> 93 C
Evaporation rate	Not determined
Flammability (solid, gas)	not relevant, (fluid)

#### Explosive limits

- Lower explosion limit (LEL)	2.5 vol%
- Upper explosion limit (UEL)	19 vol%



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Lexol Leather Cleaner (After 4/26/21)

Version number: 1.0

Date of compilation: 2021-04-26

Vapor pressure	169.3 hPa at 25 °C
Density	not determined
Vapor density	this information is not available
Relative density	Information on this property is not available
Solubility(ies)	not determined

### Partition coefficient

- n-octanol/water (log KOW)	this information is not available
-----------------------------	-----------------------------------

### Auto-ignition temperature

Viscosity	not determined
Explosive properties	none
Oxidizing properties	none

<b>9.2</b>	<b>Other information</b>	there is no additional information
------------	--------------------------	------------------------------------

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

### 10.2 Chemical stability

See below "Conditions to avoid".

### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

### 10.5 Incompatible materials

Oxidizers

### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Lexol Leather Cleaner (After 4/26/21)

Version number: 1.0

Date of compilation: 2021-04-26

### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

##### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

##### Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

##### Acute toxicity

Harmful if swallowed.

##### - Acute toxicity estimate (ATE)

Oral 470.7 mg/kg

##### Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Sodium Laureth Sulfate	9004-82-4	oral	500 mg/kg
Sodium alkyl sulfate	trade secret	oral	1,200 mg/kg
Sodium alkyl sulfate	trade secret	inhalation: dust/mist	1.5 mg/l/4h
Glycerol	56-81-5	oral	27 mg/kg
ammonium chloride	12125-02-9	oral	1,410 mg/kg

##### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

##### Serious eye damage/eye irritation

Causes serious eye irritation.

##### Respiratory or skin sensitization

Contains epoxy constituents. May produce an allergic reaction.

##### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

##### Carcinogenicity

Shall not be classified as carcinogenic.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Lexol Leather Cleaner (After 4/26/21)

Version number: 1.0

Date of compilation: 2021-04-26

### IARC Monographs on the Evaluation of Carcinogenic Risks to Humans

Name of substance	CAS No	Classification	Number
ethanol	64-17-5	1	

#### Legend

1 Carcinogenic to humans

#### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

## SECTION 12: Ecological information

### 12.1 Toxicity

Harmful to aquatic life.

#### Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Sodium alkyl sulfate	trade secret	LC50	29 mg/l	fish	96 h
Sodium alkyl sulfate	trade secret	ErC50	>120 mg/l	algae	72 h
Sodium alkyl sulfate	trade secret	EC50	53 mg/l	algae	72 h
Sodium alkyl sulfate	trade secret	NOEC	30 mg/l	algae	72 h
Glycerol	56-81-5	EC50	>10,000 mg/l	water flea (Daphnia)	24 h
Glycerol	56-81-5	EC50	>1,000 mg/l	microorganisms	48 h
Glycerol	56-81-5	LC50	54,000 mg/l	fish	96 h
ethanol	64-17-5	LC50	15,400 mg/l	fish	96 h
ethanol	64-17-5	EC50	12,700 mg/l	fish	96 h
ethanol	64-17-5	ErC50	22,000 mg/l	algae	96 h
ammonium chloride	12125-02-9	LC50	209 mg/l	fish	96 h



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Lexol Leather Cleaner (After 4/26/21)

Version number: 1.0

Date of compilation: 2021-04-26

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
ammonium chloride	12125-02-9	EC50	101 mg/l	aquatic invertebrates	48 h
ammonium chloride	12125-02-9	LOEC	74 mg/l	aquatic invertebrates	48 h

### 12.2 Persistence and degradability

Data are not available.

### 12.3 Bioaccumulative potential

Data are not available.

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

Data are not available.

### 12.6 Endocrine disrupting properties

None of the ingredients are listed.

### 12.7 Other adverse effects

Data are not available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Lexol Leather Cleaner (After 4/26/21)

Version number: 1.0

Date of compilation: 2021-04-26

### SECTION 14: Transport information

- 14.1 UN number** not subject to transport regulations
- 14.2 UN proper shipping name** not relevant
- 14.3 Transport hazard class(es)** not assigned
- 14.4 Packing group** not assigned
- 14.5 Environmental hazards** non-environmentally hazardous acc. to the dangerous goods regulations
- 14.6 Special precautions for user**  
There is no additional information.
- 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code**  
The cargo is not intended to be carried in bulk.

#### Information for each of the UN Model Regulations

DOT

#### **Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information**

Not subject to transport regulations.

#### **International Maritime Dangerous Goods Code (IMDG) - Additional information**

Not subject to IMDG.

#### **International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information**

Not subject to ICAO-IATA.

### SECTION 15: Regulatory information

#### **15.1 Safety, health and environmental regulations specific for the product in question**

##### **National regulations (United States)**

**Toxic Substance Control Act (TSCA)** all ingredients are listed

##### **Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)**

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

Name of substance	CAS No	Remarks	Statutory code	Final RQ pounds (Kg)
ammonium chloride	12125-02-9		1	5000 (2270)

#### Legend

1 "1" indicates that the statutory source is section 311(b)(2) of the Clean Water Act



## Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

### Lexol Leather Cleaner (After 4/26/21)

Version number: 1.0

Date of compilation: 2021-04-26

#### California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

##### Proposition 65 List of chemicals

Name acc. to inventory	CAS No	Remarks	Type of the toxicity
1,4-dioxane	123-91-1		cancer
ethylene oxide	75-21-8		cancer
ethylene oxide	75-21-8		female
ethylene oxide	75-21-8		developmental, male
ethanol (ethyl alcohol)	64-17-5	in alcoholic beverages	developmental

#### Drug precursors, Chemicals designated within the Controlled Substances Act, 21 U.S.C. § 802, paragraphs 34 (list I) and 35 (list II)

none of the ingredients are listed

#### Industry or sector specific available guidance(s)

##### NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	*	chronic (long-term) health effects may result from repeated overexposure
Health	2	temporary or minor injury may occur
Flammability	0	material that will not burn under typical fire conditions
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

##### NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	0	material that will not burn under typical fire conditions
Health	2	material that, under emergency conditions, can cause temporary incapacitation or residual injury
Instability	0	material that is normally stable, even under fire conditions



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Lexol Leather Cleaner (After 4/26/21)

Version number: 1.0

Date of compilation: 2021-04-26

Category	Degree of hazard	Description
Special hazard		

### National inventories

Country	Inventory	Status
AU	AICS	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	not all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

#### Legend

AICS	Australian Inventory of Chemical Substances
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

## 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.





# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Lexol Leather Cleaner (After 4/26/21)

Version number: 1.0

Date of compilation: 2021-04-26

### SECTION 16: Other information, including date of preparation or last revision

#### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
29 CFR 1910.1000	29 CFR 1910.1000, Tables Z-1, Z-2, Z-3 - Occupational Safety and Health Standards: Toxic and Hazardous Substances (permissible exposure limits)
49 CFR US DOT	49 CFR U.S. Department of Transportation
ACGIH® 2021	From ACGIH®, 2021 TLVs® and BEIs® Book. Copyright 2021. Reprinted with permission. Information on the proper use of the TLVs® and BEIs®: <a href="http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement">http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement</a>
Acute Tox.	Acute toxicity
ATE	Acute Toxicity Estimate
Cal/OSHA PEL	California Division of Occupational Safety and Health (Cal/OSHA): Permissible Exposure Limits (PELs)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
DOT	Department of Transportation (USA)
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
Flam. Sol.	Flammable solid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Lexol Leather Cleaner (After 4/26/21)

Version number: 1.0

Date of compilation: 2021-04-26

Abbr.	Descriptions of used abbreviations
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LOEC	Lowest Observed Effect Concentration
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NIOSH REL	National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs)
NLP	No-Longer Polymer
NOEC	No Observed Effect Concentration
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PEL	Permissible exposure limit
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
STOT SE	Specific target organ toxicity - single exposure
TLV®	Threshold Limit Values
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative

### Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).



## Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

### Lexol Leather Cleaner (After 4/26/21)

Version number: 1.0

Date of compilation: 2021-04-26

#### List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H225	Highly flammable liquid and vapor.
H228	Flammable solid.
H300	Fatal if swallowed.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.