

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations US GHS SDS

Revision Date: 11/05/20 Date of Issue: 11/05/2020

Version: 1.0

SECTION 1: IDENTIFICATION

1.1. Product Identifier Product Form: Mixture

Product Name: Hybrid Solutions ICE Seal 'N' Shine **Product Code:** 50975, 50984, 50997, 51027

1.2. Intended Use of the Product Automotive Wax, Polish, Sealant & Glaze – Instant Detailer.

1.3. Name, Address, and Telephone of the Responsible Party

Manufacturer

Turtle Wax, Inc.

2250 W. Pinehurst Blvd., Suite 150

Addison, IL 60101-6103

Phone Number: 1(630)455-3700
Toll-Free Number: 1(800)887-8539

1.4. Emergency Telephone Number

Emergency Number : CHEMTREC

Within USA and Canada: 1-800-424-9300 or +1-703-527-3887 (collect calls

accepted)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the Substance or Mixture

Skin Sens. 1A H317

Full text of hazard classes and H-statements: see section 16

2.2. Label Elements

GHS-US Labeling

Hazard Pictograms (GHS-US)



Signal Word (GHS-US) : Warning

Hazard Statements (GHS-US)
 H317 - May cause an allergic skin reaction.
 Precautionary Statements (GHS-US)
 P261 - Avoid breathing vapors, mist, or spray.

P272 - Contaminated work clothing must not be allowed out of the workplace.

P280 - Wear protective gloves, protective clothing, and eye protection.

P302+P352 - If on skin: Wash with plenty of water. P321 - Specific treatment (see section 4 on this SDS).

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P363 - Wash contaminated clothing before reuse.

P501 - Dispose of contents/container in accordance with local, regional, national,

and international regulations.

2.3. Other Hazards

 $\label{pre-existing-eye} \mbox{Exposure may aggravate pre-existing eye, skin, or respiratory conditions.}$

2.4. Unknown Acute Toxicity (GHS-US)

No data available

11/05/2020 EN (English US) 1/8

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations US GHS SDS

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substance

Not applicable

3.2. Mixture

Name	Synonyms	Product Identifier	%	GHS US classification
Isopropyl alcohol	Isopropanol / 2- Hydroxypropane / 2-Propyl alcohol / 2-Propanol / Propan-2- ol	(CAS-No.) 67-63-0	< 0.1	Flam. Liq. 2, H225 Eye Irrit. 2A, H319 STOT SE 3, H336
Vanillin	m-Anisaldehyde, 4-hydroxy- / Benzaldehyde, 4-hydroxy-3- methoxy- Vanillaldehyde	(CAS-No.) 121-33-5	<0.01	Acute Tox. 4 (Oral), H302 Eye Irrit. 2A, H319 Aquatic Acute 3, H402 Comb. Dust
3(2H)-Isothiazolone, 2-methyl-	Methylisothiazolinone / 2- Methyl-3-isothiazolone / 3- Isothiazolone, 2-methyl- / 2- Methyl-2H-isothiazol-3-one	(CAS-No.) 2682-20-4	<0.01	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 2 (Inhalation:dust,mis t), H330 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 STOT SE 3, H335 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Propylene glycol monomethyl ether acetate	Methoxyisopropyl acetate / Acetate, 1-methoxy-2-propyl / Acetic acid, 2-methoxy-1- methylethyl ester / 2-Methoxy- 1-methylethyl acetate	(CAS-No.) 108-65-6	<0.001	Flam. Liq. 3, H226 STOT SE 3, H336

Full text of H-phrases: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of First-aid Measures

First-aid Measures General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid Measures After Inhalation: When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

First-aid Measures After Skin Contact: Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Obtain medical attention if irritation/rash develops or persists.

First-aid Measures After Eye Contact: Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for at least 15 minutes. Obtain medical attention.

First-aid Measures After Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

4.2. Most Important Symptoms and Effects Both Acute and Delayed

Symptoms/Injuries: Skin sensitization.

Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation. Symptoms/Injuries After Skin Contact: May cause an allergic skin reaction. Symptoms/Injuries After Eye Contact: May cause slight irritation to eyes. Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects. Chronic Symptoms: None expected under normal conditions of use.

11/05/2020 EN (English US) 2/8

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations US GHS SDS

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media: Water spray, fog, carbon dioxide (CO₂), alcohol-resistant foam, or dry chemical. **Unsuitable Extinguishing Media:** Do not use a heavy water stream. Use of heavy stream of water may spread fire.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not considered flammable but may burn at high temperatures.

Explosion Hazard: Product is not explosive.

Reactivity: Hazardous reactions will not occur under normal conditions.

5.3. Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon oxides (CO, CO₂). Sulfur oxides. Nitrogen oxides.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid breathing (vapor, mist, spray). Do not get in eyes, on skin, or on clothing.

6.1.1. For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protective equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

6.1.2. For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

6.2. Environmental Precautions

Prevent entry to sewers and public waters.

6.3. Methods and Materials for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Additional Hazards When Processed: At elevated temperatures, the product may decompose.

Precautions for Safe Handling: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing. Avoid breathing vapors, mist, spray. **Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

Incompatible Materials: Reducing agents. Strong acids, strong bases, strong oxidizers.

7.3. Specific End Use(s) Automotive Wax, Polish, Sealant & Glaze – Instant Detailer.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), or OSHA (PEL).

Isopropyl alcohol (67-63-0)		
USA ACGIH	ACGIH TWA (ppm)	200 ppm
USA ACGIH	ACGIH STEL (ppm)	400 ppm
USA ACGIH	ACGIH chemical category	Not Classifiable as a Human Carcinogen

11/05/2020 EN (English US) 3/8

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations US GHS SDS

USA ACGIH	Biological Exposure Indices (BEI)	40 mg/l Parameter: Acetone - Medium: urine - Sampling time: end	
		of shift at end of workweek (background, nonspecific)	
USA NIOSH	NIOSH REL (TWA) (mg/m³)	980 mg/m³	
USA NIOSH	NIOSH REL (TWA) [ppm]	400 ppm	
USA NIOSH	NIOSH REL (STEL) (mg/m³)	1225 mg/m ³	
USA NIOSH	NIOSH REL (STEL) [ppm]	500 ppm	
USA IDLH	US IDLH (ppm)	2000 ppm (10% LEL)	
USA OSHA	OSHA PEL (TWA) (mg/m³)	980 mg/m³	
USA OSHA	OSHA PEL (TWA) (ppm)	400 ppm	
Vanillin (121-	Vanillin (121-33-5)		
USA AIHA	WEEL TWA (mg/m³)	10 mg/m ³	
Propylene gly	Propylene glycol monomethyl ether acetate (108-65-6)		
USA AIHA	WEEL TWA [ppm]	50 ppm	

Exposure Controls

Appropriate Engineering Controls

: Suitable eye/body wash equipment should be available in the vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

Personal Protective Equipment

: Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection.









Materials for Protective Clothing

Hand Protection

Eve and Face Protection

Skin and Body Protection

Respiratory Protection

: Chemically resistant materials and fabrics.

- : Wear protective gloves.
- Chemical safety goggles.
- : Wear suitable protective clothing.
- : If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory

protection.

Other Information : When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties 9.1.

Physical State : Liquid **Appearance** : Milky Clear Odor : Fruity

Odor Threshold : No data available

рН : 50

Evaporation Rate : No data available **Melting Point** : No data available : No data available **Freezing Point Boiling Point** : No data available

Flash Point : > 93 °C Closed Cup (199.4 °F)

Auto-ignition Temperature : No data available **Decomposition Temperature** : No data available Flammability (solid, gas) : Not applicable **Vapor Pressure** : No data available Relative Vapor Density at 20°C : No data available **Relative Density** No data available

Specific Gravity 0.997

: No data available Solubility Partition Coefficient: N-Octanol/Water : No data available

11/05/2020 EN (English US) 4/8

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

US GHS SDS

: No data available Viscosity Viscosity, Dynamic : Thin Liquid

%Voc : 0 %Nvm : 1.85

9.2. Other Information

VOC content (California) : 0% % NVM by Weight : 1.85 %

SECTION 10: STABILITY AND REACTIVITY

- Reactivity: Hazardous reactions will not occur under normal conditions. 10.1.
- 10.2. Chemical Stability: Stable under recommended handling and storage conditions (see section 7).
- 10.3. Possibility of Hazardous Reactions: Hazardous polymerization will not occur.
- Conditions to Avoid: Direct sunlight, extremely high or low temperatures, and incompatible materials. 10.4.
- 10.5. **Incompatible Materials:** Reducing agents. Strong acids, strong bases, strong oxidizers.
- 10.6. Hazardous Decomposition Products: Thermal decomposition may produce: Carbon oxides (CO, CO₂). Nitrogen oxides. Sulfur oxides

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. **Information on Toxicological Effects**

Acute Toxicity (Oral): Not classified Acute Toxicity (Dermal): Not classified Acute Toxicity (Inhalation): Not classified

Isopropyl alcohol (67-63-0)		
LD50 Dermal Rabbit	12956 mg/kg (16.4 mL/kg bw)	
LC50 Inhalation Rat	72600 mg/m³ (Exposure time: 4 h)	
3(2H)-Isothiazolone, 2-methyl- (2682-20-4)		
LD50 Oral Rat	120 mg/kg	
LD50 Dermal Rabbit	200 mg/kg	
LC50 Inhalation Rat	0.11 mg/l/4h	
Vanillin (121-33-5)		
LD50 Oral Rat	1580 mg/kg	
LD50 Dermal Rabbit	> 5010 mg/kg	
Propylene glycol monomethyl ether acetate (108-65-6)		
LD50 Oral Rat	8532 mg/kg	
LD50 Dermal Rabbit	> 5 g/kg	
LC50 Inhalation Rat	16000 mg/m³ (Exposure time: 6 h)	

Skin Corrosion/Irritation: Not classified

pH: 5.0

Serious Eye Damage/Irritation: Not classified

pH: 5.0

Respiratory or Skin Sensitization: May cause an allergic skin reaction.

Germ Cell Mutagenicity: Not classified Carcinogenicity: Not classified.

Isopropyl alcohol (67-63-0)	
IARC group	3

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified Specific Target Organ Toxicity (Repeated Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation. Symptoms/Injuries After Skin Contact: May cause an allergic skin reaction. Symptoms/Injuries After Eye Contact: May cause slight irritation to eyes. **Symptoms/Injuries After Ingestion:** Ingestion may cause adverse effects. Chronic Symptoms: None expected under normal conditions of use.

11/05/2020 EN (English US) 5/8

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations US GHS SDS

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecology - General : Not classified.

Isopropyl alcohol (67-63-0)	
LC50 Fish 1	9640 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
EC50 Daphnia 1	13299 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 Other Aquatic Organisms 1	1000 mg/l (Exposure time: 96 h - Species: Desmodesmus subspicatus)
LC50 Fish 2	11130 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 Other Aquatic Organisms 2	1000 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus)
Vanillin (121-33-5)	
LC50 Fish 1	53 – 61.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 Fish 2	88 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
NOEC (Acute)	10000 mg/kg (Exposure time: 42 Days - Species: Eisenia foetida [soil dry weight])
NOEC Chronic Crustacea	5.9 mg/l
Propylene glycol monomethyl ether acetate (108-65-6)	
LC50 Fish 1	161 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 Daphnia 1	> 500 mg/l (Exposure time: 48 h - Species: Daphnia magna)

12.2. Persistence and Degradability

Hybrid Solutions ICE Seal 'N' Shine	
Persistence and Degradability	Not established.

12.3. Bioaccumulative Potential

2.5. Dioaceaniaative i otentiai		
Hybrid Solutions ICE Seal 'N' Shine		
Bioaccumulative Potential	Not established.	
Isopropyl alcohol (67-63-0)		
Partition coefficient n-octanol/water (Log	0.05 (at 25 °C)	
Pow)		
Vanillin (121-33-5)		
Partition coefficient n-octanol/water (Log	1.23 (at 22 °C)	
Pow)		
Propylene glycol monomethyl ether acetate (108-65-6)		
Partition coefficient n-octanol/water (Log	0.43	
Pow)		

12.4. Mobility in Soil No additional information available

12.5. Other Adverse Effects

Other Information : Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste Treatment Methods

Waste Disposal Recommendations: Dispose of contents/container in accordance with local, regional, national, and international regulations.

Additional Information: Container may remain hazardous when empty. Continue to observe all precautions.

Ecology - Waste Materials: Avoid release to the environment.

SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

- **14.1.** In Accordance with DOT Not regulated for transport
- 14.2. In Accordance with IMDG Not regulated for transport
- **14.3.** In Accordance with IATA Not regulated for transport

SECTION 15: REGULATORY INFORMATION

15.1. US Federal Regulations

All components in this mixture are listed on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, have been exempted, are not listed, not disclosed due to CBI requirements or disclosure rules according to the relevant regulation.

11/05/2020 EN (English US) 6/8

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations US GHS SDS

Hybrid Solutions ICE Seal 'N' Shine	
SARA Section 311/312 Hazard Classes	Health hazard - Respiratory or skin sensitization
Isopropyl alcohol (67-63-0)	
Subject to reporting requirements of United States SARA	A Section 313
SARA Section 313 - Emission Reporting	1 % (only if manufactured by the strong acid process, no supplier notification)
3(2H)-Isothiazolone, 2-methyl- (2682-20-4)	
EPA TSCA Regulatory Flag	PMN - PMN - indicates a commenced PMN substance.
	SP - SP - indicates a substance that is identified in a proposed
	Significant New Uses Rule.
Propylene glycol monomethyl ether acetate (108-65-6)	
EPA TSCA Regulatory Flag	PMN - PMN - indicates a commenced PMN substance.

15.2. US State Regulations

Isopropyl alcohol (67-63-0)

U.S. - Massachusetts - Right To Know List

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Date of Preparation or Latest Revision : 11/05/2020

Other Information : This document has been prepared in accordance with the SDS

requirements of the OSHA Hazard Communication Standard 29 CFR

1910.1200

GHS Full Text Phrases:

Acute Tox. 2 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 2
Acute Tox. 3 (Dermal)	Acute toxicity (dermal) Category 3
Acute Tox. 3 (Inhalation:vapour)	Acute toxicity (inhalation:vapor) Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Acute 3	Hazardous to the aquatic environment - Acute Hazard Category 3
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Comb. Dust	Combustible Dust
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 2	Flammable liquids Category 2
Flam. Liq. 3	Flammable liquids Category 3
Skin Corr. 1B	Skin corrosion/irritation Category 1B
Skin Sens. 1A	Skin sensitization, category 1A
STOT SE 1	Specific target organ toxicity (single exposure) Category 1
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H225	Highly flammable liquid and vapor
H226	Flammable liquid and vapor
H301	Toxic if swallowed
H302	Harmful if swallowed
H311	Toxic in contact with skin
H314	Causes severe skin burns and eye damage
H317	May cause an allergic skin reaction
H318	Causes serious eye damage

11/05/2020 EN (English US) 7/8

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations US GHS SDS

H319	Causes serious eye irritation
H330	Fatal if inhaled
H331	Toxic if inhaled
H335	May cause respiratory irritation
Н336	May cause drowsiness or dizziness
H370	Causes damage to organs
H400	Very toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects

NFPA Health Hazard : 1 - Materials that, under emergency conditions, can

cause significant irritation.

NFPA Fire Hazard : 1 - Materials that must be preheated before

ignition can occur.


NFPA Reactivity Hazard : 0 - Material that in themselves are normally stable,

even under fire conditions.

HMIS III Rating

Health: 1 Slight HazardFlammability: 1 Slight HazardPhysical: 0 Minimal Hazard

Legal disclaimer: Turtle Wax, Inc. All rights reserved.



SDS US (GHS HazCom)

11/05/2020 EN (English US) 8/8