

acc. to 29 CFR 1910.1200 App D

# Refresh Vent Stick - Alpine Meadow/Summer Breeze 2-12-19

Version number: GHS 4.0 Revision: 2020-10-21 Replaces version of: 2020-06-09 (GHS 3)

1. 2020 00 03 (G113 3)

#### **SECTION 1: Identification**

#### 1.1 Product identifier

Trade name Refresh Vent Stick - Alpine Meadow/Summer Breeze 2-12-19

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses General use

#### 1.3 Details of the supplier of the safety data sheet

Energizer Manufacturing, Inc. 25225 Detroit Rd. Westlake OH 44145 United States

Telephone: 800-383-7323; 314-985-2000 (USA / CANADA)

Website: http://data.energizer.com

Energizer Trading Ltd.

Sword House, Totteridge Road, High Wycombe, HP13 6DG, UK

Telephone: +44(0)8000353376

e-mail: ConsumerServiceEU@energizer.com

#### 1.4 Emergency telephone number

Emergency information service 1-314-985-1511 Int'l: 1-800-526-4727

This number is only available during the following

office hours: Mon-Fri 09:00 AM - 05:00 PM

#### **SECTION 2: Hazard(s) identification**

#### 2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and category	Hazard state- ment
A.4S	skin sensitization	1	Skin Sens. 1	H317
A.7	reproductive toxicity	2	Repr. 2	H361f
B.6	flammable liquid	4	Flam. Liq. 4	H227

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources.

United States: en Page: 1 / 27



acc. to 29 CFR 1910.1200 App D

## Refresh Vent Stick - Alpine Meadow/Summer Breeze 2-12-19

Version number: GHS 4.0 Revision: 2020-10-21 Replaces version of: 2020-06-09 (GHS 3)

#### 2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word warning

- Pictograms

GHS07, GHS08



#### - Hazard statements

H227 Combustible liquid.

H317 May cause an allergic skin reaction.
H361f Suspected of damaging fertility.

#### - Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P202 Do not handle until all safety precautions have been read and understood.
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P272 Contaminated work clothing must not be allowed out of the workplace.

P280 Wear protective gloves/eye protection/face protection.

P302+P352 If on skin: Wash with plenty of water.

P308+P313 If exposed or concerned: Get medical advice/attention.

P321 Specific treatment (see on this label).

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

P370+P378 In case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regula-

tions.

### 2.2.1.7 - Hazardous ingredients for labelling

Lilial, Patchouli ethanone, Hexyl salicylate, Dimethyltetrahydro Benzaldehyde, Isobornyl acetate, Hexyl cinnamaldehyde, Linalool, Dorisyl, Lyral, Coumarin, Terpineol

#### 2.3 Other hazards

This material is combustible, but will not ignite readily.

Hazards not otherwise classified

Toxic to aquatic life with long lasting effects (GHS category 2: aquatic toxicity - acute and/or chronic).

#### Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

United States: en Page: 2 / 27





# Refresh Vent Stick - Alpine Meadow/Summer Breeze 2-12-19

Version number: GHS 4.0 Revision: 2020-10-21 Replaces version of: 2020-06-09 (GHS 3)

### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not relevant (mixture)

#### 3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
benzyl benzoate	CAS No 120-51-4	5 – < 10	Acute Tox. 4 / H302	<u>(1)</u>
Dihydromyrcenol	CAS No 18479-58-8	1-<5	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Flam. Liq. 4 / H227	<u>(1)</u>
Hexyl cinnamaldehyde	CAS No 165184-98-5 101-86-0	1-<5	Acute Tox. 4 / H332	<u>(1)</u>
Lilial	CAS No 80-54-6	1-<5	Acute Tox. 4 / H302 Flam. Liq. 4 / H227	<b>(1)</b>
Linalool	CAS No 78-70-6	<1	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1B / H317 Flam. Liq. 4 / H227	<u>(1)</u>
Hexyl salicylate	CAS No 6259-76-3	<1	Skin Sens. 1B / H317	<u>(1)</u>
Dorisyl	CAS No 32210-23-4	<1	Skin Sens. 1B / H317	<u>(1)</u>
Dimethyltetrahydro Benza- ldehyde	CAS No 68737-61-1	<1	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1 / H317	<u>(1)</u>
Isobornyl acetate	CAS No 125-12-2	<1	Skin Sens. 1B / H317 Flam. Liq. 4 / H227	<b>(1)</b>
Lyral	CAS No 31906-04-4	<1	Skin Sens. 1B / H317	<u>(1)</u>
Coumarin	CAS No 91-64-5	<1	Acute Tox. 3 / H301 Acute Tox. 3 / H311 Skin Sens. 1 / H317	

United States: en Page: 3 / 27



acc. to 29 CFR 1910.1200 App D

# Refresh Vent Stick - Alpine Meadow/Summer Breeze 2-12-19

Version number: GHS 4.0 Revision: 2020-10-21

Replaces version of: 2020-06-09 (GHS 3)

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Terpineol	CAS No 8000-41-7	<1	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1 / H317 Flam. Liq. 4 / H227	1

For full text of abbreviations: see SECTION 16.

#### **SECTION 4: First-aid measures**

#### 4.1 Description of first- aid measures

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

#### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

#### Following skin contact

Wash with plenty of soap and water.

#### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

#### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

#### **SECTION 5: Fire-fighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

#### 5.2 Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapor-air mixture. Solvent vapors are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

United States: en Page: 4 / 27



acc. to 29 CFR 1910.1200 App D

## Refresh Vent Stick - Alpine Meadow/Summer Breeze 2-12-19

Version number: GHS 4.0 Revision: 2020-10-21 Replaces version of: 2020-06-09 (GHS 3)

#### Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

#### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

United States: en Page: 5 / 27



acc. to 29 CFR 1910.1200 App D

## Refresh Vent Stick - Alpine Meadow/Summer Breeze 2-12-19

Version number: GHS 4.0 Revision: 2020-10-21 Replaces version of: 2020-06-09 (GHS 3)

#### - Specific notes/details

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapors are heavier than air, spread along floors and form explosive mixtures with air. Vapors may form explosive mixtures with air.

#### Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.

- Flammability hazards

Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.

- Ventilation requirements

Use local and general ventilation. Ground/bond container and receiving equipment.

#### 7.3 Specific end use(s)

See section 16 for a general overview.

#### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

Coun try	Name of agent	CAS No	Iden- tifier	TWA [ppm]	TWA [mg/ m³]	STEL [ppm]	STEL [mg/ m³]	Ceil- ing-C [ppm]	Ceil- ing-C [mg/ m³]	Nota tion	Sourc e
US	polyvinyl chloride	9002-86-	TLV®		1					r	AC- GIH® 2019

Notation

Ceiling-C ceiling value is a limit value above which exposure should not occur respirable fraction

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period

(unless otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-

weighted average (unless otherwise specified

United States: en Page: 6 / 27



acc. to 29 CFR 1910.1200 App D

# Refresh Vent Stick - Alpine Meadow/Summer Breeze 2-12-19

Version number: GHS 4.0 Revision: 2020-10-21 Replaces version of: 2020-06-09 (GHS 3)

### Relevant DNELs of components of the mixture

Name of substance	CAS No	End- point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
benzyl benzoate	120-51-4	DNEL	5.1 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - system- ic effects
benzyl benzoate	120-51-4	DNEL	102 mg/m³	human, inhalatory	worker (industry)	acute - systemic effects
benzyl benzoate	120-51-4	DNEL	2.6 mg/kg bw/day	human, dermal	worker (industry)	chronic - system- ic effects
Dihydromyrcenol	18479-58-8	DNEL	73.5 mg/m³	human, inhalatory	worker (industry)	chronic - system- ic effects
Dihydromyrcenol	18479-58-8	DNEL	20.8 mg/kg bw/day	human, dermal	worker (industry)	chronic - system- ic effects
Hexyl cinnamalde- hyde	165184-98-5 101-86-0	DNEL	0.078 mg/ m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - system- ic effects
Hexyl cinnamalde- hyde	165184-98-5 101-86-0	DNEL	6.28 mg/m³	human, inhalatory	worker (industry)	acute - local ef- fects
Hexyl cinnamalde- hyde	165184-98-5 101-86-0	DNEL	18.2 mg/kg bw/day	human, dermal	worker (industry)	chronic - system- ic effects
Hexyl cinnamalde- hyde	165184-98-5 101-86-0	DNEL	525 μg/cm²	human, dermal	worker (industry)	chronic - local ef- fects
Hexyl cinnamalde- hyde	165184-98-5 101-86-0	DNEL	525 μg/cm²	human, dermal	worker (industry)	acute - local ef- fects
Lilial	80-54-6	DNEL	0.44 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - system- ic effects
Lilial	80-54-6	DNEL	1.79 mg/kg bw/day	human, dermal	worker (industry)	chronic - system- ic effects
Lilial	80-54-6	DNEL	410 µg/cm²	human, dermal	worker (industry)	chronic - local ef- fects
Lilial	80-54-6	DNEL	410 μg/cm²	human, dermal	worker (industry)	acute - local ef- fects
Linalool	78-70-6	DNEL	2.8 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - system- ic effects
Linalool	78-70-6	DNEL	16.5 mg/m³	human, inhalatory	worker (industry)	acute - systemic effects
Linalool	78-70-6	DNEL	2.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - system- ic effects
Linalool	78-70-6	DNEL	5 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects

United States: en Page: 7 / 27

Energizer.

Holdings Inc.

acc. to 29 CFR 1910.1200 App D

# Refresh Vent Stick - Alpine Meadow/Summer Breeze 2-12-19

Version number: GHS 4.0 Revision: 2020-10-21 Replaces version of: 2020-06-09 (GHS 3)

#### Relevant DNELs of components of the mixture

Name of substance	CAS No	End- point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Hexyl salicylate	6259-76-3	DNEL	20,830 mg/ kg	human, dermal	worker (industry)	acute - systemic effects
Hexyl salicylate	6259-76-3	DNEL	7.29 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic effects
Hexyl salicylate	6259-76-3	DNEL	1.7 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - system- ic effects
Hexyl salicylate	6259-76-3	DNEL	6.4 mg/kg bw/day	human, dermal	worker (industry)	chronic - system- ic effects
Hexyl salicylate	6259-76-3	DNEL	885 μg/cm²	human, dermal	worker (industry)	chronic - local ef- fects
Hexyl salicylate	6259-76-3	DNEL	885 μg/cm²	human, dermal	worker (industry)	acute - local ef- fects
Isobornyl acetate	125-12-2	DNEL	13.22 mg/ m³	human, inhalatory	worker (industry)	chronic - system- ic effects
Isobornyl acetate	125-12-2	DNEL	26.45 mg/ m³	human, inhalatory	worker (industry)	acute - systemic effects
Isobornyl acetate	125-12-2	DNEL	1.15 mg/kg bw/day	human, dermal	worker (industry)	chronic - system- ic effects
Isobornyl acetate	125-12-2	DNEL	0.3 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects
Coumarin	91-64-5	DNEL	6.78 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - system- ic effects
Coumarin	91-64-5	DNEL	0.79 mg/kg bw/day	human, dermal	worker (industry)	chronic - system- ic effects
Terpineol	8000-41-7	DNEL	44.8 mg/m³	human, inhalatory	worker (industry)	chronic - system- ic effects
Terpineol	8000-41-7	DNEL	6.35 mg/kg bw/day	human, dermal	worker (industry)	chronic - system- ic effects

### Relevant PNECs of components of the mixture

Name of substance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
benzyl benzoate	120-51-4	PNEC	0.017 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)
benzyl benzoate	120-51-4	PNEC	0.002 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single instance)

United States: en Page: 8 / 27



acc. to 29 CFR 1910.1200 App D


# Refresh Vent Stick - Alpine Meadow/Summer Breeze 2-12-19

Version number: GHS 4.0 Revision: 2020-10-21 Replaces version of: 2020-06-09 (GHS 3)

### Relevant PNECs of components of the mixture

Name of substance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
benzyl benzoate	120-51-4	PNEC	100 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treat- ment plant (STP)	short-term (single instance)
benzyl benzoate	120-51-4	PNEC	10.66 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sedi- ment	short-term (single instance)
benzyl benzoate	120-51-4	PNEC	1.07 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)
benzyl benzoate	120-51-4	PNEC	2.12 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)
Dihydromyrcenol	18479-58-8	PNEC	111 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	water	short-term (single instance)
Dihydromyrcenol	18479-58-8	PNEC	0.278 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	water	intermittent re- lease
Dihydromyrcenol	18479-58-8	PNEC	27.8 <sup>µg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)
Dihydromyrcenol	18479-58-8	PNEC	2.78 <sup>µg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single instance)
Dihydromyrcenol	18479-58-8	PNEC	10 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treat- ment plant (STP)	short-term (single instance)
Dihydromyrcenol	18479-58-8	PNEC	0.594 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sedi- ment	short-term (single instance)
Dihydromyrcenol	18479-58-8	PNEC	0.059 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)
Dihydromyrcenol	18479-58-8	PNEC	0.103 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)
Hexyl cinnamalde- hyde	165184-98-5 101-86-0	PNEC	0.001 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)
Hexyl cinnamalde- hyde	165184-98-5 101-86-0	PNEC	0 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single instance)
Hexyl cinnamalde- hyde	165184-98-5 101-86-0	PNEC	10 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treat- ment plant (STP)	short-term (single instance)
Hexyl cinnamalde- hyde	165184-98-5 101-86-0	PNEC	3.2 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sedi- ment	short-term (single instance)
Hexyl cinnamalde- hyde	165184-98-5 101-86-0	PNEC	0.064 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)
Hexyl cinnamalde- hyde	165184-98-5 101-86-0	PNEC	0.398 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)

United States: en Page: 9 / 27





# Refresh Vent Stick - Alpine Meadow/Summer Breeze 2-12-19

Version number: GHS 4.0 Revision: 2020-10-21 Replaces version of: 2020-06-09 (GHS 3)

#### Relevant PNECs of components of the mixture

Name of substance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Lilial	80-54-6	PNEC	0.024 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	water	intermittent re- lease
Lilial	80-54-6	PNEC	0.004 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)
Lilial	80-54-6	PNEC	0 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single instance)
Lilial	80-54-6	PNEC	10 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treat- ment plant (STP)	short-term (single instance)
Lilial	80-54-6	PNEC	0.528 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sedi- ment	short-term (single instance)
Lilial	80-54-6	PNEC	0.053 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)
Lilial	80-54-6	PNEC	0.103 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)
Linalool	78-70-6	PNEC	7.8 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	water	short-term (single instance)
Linalool	78-70-6	PNEC	2 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	water	intermittent re- lease
Linalool	78-70-6	PNEC	0.2 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)
Linalool	78-70-6	PNEC	0.02 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single instance)
Linalool	78-70-6	PNEC	10 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treat- ment plant (STP)	short-term (single instance)
Linalool	78-70-6	PNEC	2.22 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sedi- ment	short-term (single instance)
Linalool	78-70-6	PNEC	0.222 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)
Linalool	78-70-6	PNEC	0.327 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)
Hexyl salicylate	6259-76-3	PNEC	0.00357 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	water	intermittent re- lease
Hexyl salicylate	6259-76-3	PNEC	0 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)
Hexyl salicylate	6259-76-3	PNEC	0 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single instance)

United States: en Page: 10 / 27





# Refresh Vent Stick - Alpine Meadow/Summer Breeze 2-12-19

Version number: GHS 4.0 Revision: 2020-10-21 Replaces version of: 2020-06-09 (GHS 3)

#### Relevant PNECs of components of the mixture

Name of substance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Hexyl salicylate	6259-76-3	PNEC	10 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treat- ment plant (STP)	short-term (single instance)
Hexyl salicylate	6259-76-3	PNEC	0.272 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sedi- ment	short-term (single instance)
Hexyl salicylate	6259-76-3	PNEC	0.027 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)
Hexyl salicylate	6259-76-3	PNEC	0.054 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)
Dorisyl	32210-23-4	PNEC	5.3 <sup>µg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)
Dorisyl	32210-23-4	PNEC	0.53 <sup>µg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single instance)
Dorisyl	32210-23-4	PNEC	12.2 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treat- ment plant (STP)	short-term (single instance)
Dorisyl	32210-23-4	PNEC	2.01 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sedi- ment	short-term (single instance)
Dorisyl	32210-23-4	PNEC	0.21 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)
Dorisyl	32210-23-4	PNEC	66.67 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	water	short-term (single instance)
Dorisyl	32210-23-4	PNEC	0.42 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)
Dorisyl	32210-23-4	PNEC	53 <sup>µg</sup> / <sub>l</sub>	aquatic organisms	water	intermittent re- lease
Isobornyl acetate	125-12-2	PNEC	10 <sup>µg</sup> / <sub>I</sub>	aquatic organisms	freshwater	short-term (single instance)
Isobornyl acetate	125-12-2	PNEC	1 <sup>µg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single instance)
Isobornyl acetate	125-12-2	PNEC	2 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treat- ment plant (STP)	short-term (single instance)
Isobornyl acetate	125-12-2	PNEC	460 <sup>µg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sedi- ment	short-term (single instance)
Isobornyl acetate	125-12-2	PNEC	46 <sup>µg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)
Isobornyl acetate	125-12-2	PNEC	86.1 <sup>µg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)

United States: en Page: 11 / 27



acc. to 29 CFR 1910.1200 App D

# Refresh Vent Stick - Alpine Meadow/Summer Breeze 2-12-19

Version number: GHS 4.0 Revision: 2020-10-21 Replaces version of: 2020-06-09 (GHS 3)

Relevant PNECs of components of the mixture

Name of substance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Coumarin	91-64-5	PNEC	0.056 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	water	intermittent re- lease
Coumarin	91-64-5	PNEC	19 <sup>µg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)
Coumarin	91-64-5	PNEC	1.9 <sup>µg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single instance)
Coumarin	91-64-5	PNEC	6.4 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treat- ment plant (STP)	short-term (single instance)
Coumarin	91-64-5	PNEC	0.15 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sedi- ment	short-term (single instance)
Coumarin	91-64-5	PNEC	0.015 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)
Coumarin	91-64-5	PNEC	0.018 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)
Terpineol	8000-41-7	PNEC	62 <sup>µg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)
Terpineol	8000-41-7	PNEC	6.2 <sup>µg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single instance)
Terpineol	8000-41-7	PNEC	2.57 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treat- ment plant (STP)	short-term (single instance)
Terpineol	8000-41-7	PNEC	0.442 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sedi- ment	short-term (single instance)
Terpineol	8000-41-7	PNEC	0.044 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)
Terpineol	8000-41-7	PNEC	0.052 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)

### 8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

United States: en Page: 12 / 27



acc. to 29 CFR 1910.1200 App D

### Refresh Vent Stick - Alpine Meadow/Summer Breeze 2-12-19

Version number: GHS 4.0 Revision: 2020-10-21 Replaces version of: 2020-06-09 (GHS 3)

#### Skin protection

#### - Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### - Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

#### Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

#### **Appearance**

Physical state	liquid
Color	various
Odor	characteristic

#### Other safety parameters

pH (value)	not determined
Melting point/freezing point	not determined
Initial boiling point and boiling range	193 °C at 100.9 kPa
Flash point	85.56 °C at 101.3 kPa
Evaporation rate	not determined
Flammability (solid, gas)	not relevant, (fluid)
Explosive limits	not determined
Vapor pressure	0.2 mmHg at 20 °C

United States: en Page: 13 / 27



acc. to 29 CFR 1910.1200 App D

## Refresh Vent Stick - Alpine Meadow/Summer Breeze 2-12-19

Version number: GHS 4.0 Revision: 2020-10-21 Replaces version of: 2020-06-09 (GHS 3)

Density	not determined
Vapor density	this information is not available
Relative density	information on this property is not available
Solubility(ies)	not determined

#### Partition coefficient

- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	
Viscosity	not determined
Explosive properties	none
Oxidizing properties	none

# 9.2 Other information there is no additional information

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Risk of ignition.

If heated:

Risk of ignition

#### 10.2 Chemical stability

See below "Conditions to avoid".

#### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints to prevent fire or explosion

Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

#### 10.5 Incompatible materials

Oxidizers

United States: en Page: 14 / 27



acc. to 29 CFR 1910.1200 App D

## Refresh Vent Stick - Alpine Meadow/Summer Breeze 2-12-19

Version number: GHS 4.0 Revision: 2020-10-21 Replaces version of: 2020-06-09 (GHS 3)

#### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

#### **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Shall not be classified as acutely toxic.

#### Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Hexyl cinnamaldehyde	165184-98-5 101-86-0	inhalation: vapor	11 <sup>mg</sup> / <sub>l</sub> /4h
Hexyl cinnamaldehyde	165184-98-5 101-86-0	inhalation: dust/mist	2.12 <sup>mg</sup> / <sub>l</sub> /4h
Lilial	80-54-6	oral	1,390 <sup>mg</sup> / <sub>kg</sub>
Coumarin	91-64-5	oral	293 <sup>mg</sup> / <sub>kg</sub>
Coumarin	91-64-5	dermal	293 <sup>mg</sup> / <sub>kg</sub>

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

#### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

#### Respiratory or skin sensitization

May cause an allergic skin reaction.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

United States: en Page: 15 / 27



acc. to 29 CFR 1910.1200 App D

## Refresh Vent Stick - Alpine Meadow/Summer Breeze 2-12-19

Version number: GHS 4.0 Revision: 2020-10-21 Replaces version of: 2020-06-09 (GHS 3)

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans

Name of substance	CAS No	Classification	Number
Coumarin	91-64-5	3	

Legend

3 Not classi

Not classifiable as to carcinogenicity in humans

Reproductive toxicity

Suspected of damaging fertility.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Toxic to aquatic life with long lasting effects.

#### Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint			Exposure time
benzyl benzoate	120-51-4	LC50	2.32 <sup>mg</sup> / <sub>l</sub>	fish	96 h
benzyl benzoate	120-51-4	EC50	4.26 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	24 h
benzyl benzoate	120-51-4	ErC50	0.475 <sup>mg</sup> / <sub>l</sub>	algae	72 h
Dihydromyrcenol	18479-58-8	LC50	27.8 <sup>mg</sup> / <sub>l</sub>	fish	96 h
Dihydromyrcenol	18479-58-8	EC50	38 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h
Dihydromyrcenol	18479-58-8	ErC50	80 <sup>mg</sup> / <sub>l</sub>	algae	72 h
Hexyl cinnamaldehyde	165184-98-5 101-86-0	LC50	1.7 <sup>mg</sup> / <sub>l</sub>	fish	96 h
Hexyl cinnamaldehyde	165184-98-5 101-86-0	EC50	<0.59 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h
Hexyl cinnamaldehyde	165184-98-5 101-86-0	ErC50	>0.065 <sup>mg</sup> / <sub>l</sub>	algae	72 h

United States: en Page: 16 / 27

acc. to 29 CFR 1910.1200 App D



# Refresh Vent Stick - Alpine Meadow/Summer Breeze 2-12-19

Version number: GHS 4.0 Revision: 2020-10-21 Replaces version of: 2020-06-09 (GHS 3)

### Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Lilial	80-54-6	LC50	2.04 <sup>mg</sup> / <sub>l</sub>	fish	96 h
Lilial	80-54-6	EC50	10.7 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h
Lilial	80-54-6	ErC50	29.16 <sup>mg</sup> / <sub>l</sub>	algae	72 h
Linalool	78-70-6	LC50	27.8 <sup>mg</sup> / <sub>l</sub>	fish	96 h
Linalool	78-70-6	EC50	59 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h
Linalool	78-70-6	ErC50	156.7 <sup>mg</sup> / <sub>l</sub>	algae	96 h
Hexyl salicylate	6259-76-3	EC50	0.543 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	24 h
Hexyl salicylate	6259-76-3	ErC50	0.61 <sup>mg</sup> / <sub>l</sub>	algae	72 h
Dorisyl	32210-23-4	LC50	8.6 <sup>mg</sup> / <sub>l</sub>	fish	96 h
Dorisyl	32210-23-4	EC50	5.3 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h
Dorisyl	32210-23-4	ErC50	22 <sup>mg</sup> / <sub>l</sub>	algae	72 h
Isobornyl acetate	125-12-2	LC50	≤18 <sup>mg</sup> / <sub>l</sub>	fish	48 h
Isobornyl acetate	125-12-2	EC50	19.3 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h
Isobornyl acetate	125-12-2	ErC50	>16.6 <sup>mg</sup> / <sub>l</sub>	algae	72 h
Coumarin	91-64-5	LC50	2.94 <sup>mg</sup> / <sub>l</sub>	fish	96 h
Coumarin	91-64-5	EC50	8.012 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h
Terpineol	8000-41-7	LC50	80 <sup>mg</sup> / <sub>l</sub>	fish	48 h
Terpineol	8000-41-7	ErC50	68 <sup>mg</sup> / <sub>l</sub>	algae	72 h
Terpineol	8000-41-7	EC50	17 <sup>mg</sup> / <sub>l</sub>	algae	72 h

### Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
benzyl benzoate	120-51-4	LC50	11 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	24 h
benzyl benzoate	120-51-4	EC50	>10,000 <sup>mg</sup> / <sub>l</sub>	microorganisms	3 h
Dihydromyrcenol	18479-58-8	EC50	17 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	21 d

United States: en Page: 17 / 27



acc. to 29 CFR 1910.1200 App D

## Refresh Vent Stick - Alpine Meadow/Summer Breeze 2-12-19

Version number: GHS 4.0 Revision: 2020-10-21

Replaces version of: 2020-06-09 (GHS 3)

#### Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Hexyl cinnamaldehyde	165184-98-5 101-86-0	EC50	>157 <sup>µg</sup> / <sub>l</sub>	aquatic invertebrates	21 d
Linalool	78-70-6	LC50	27.8 <sup>mg</sup> / <sub>l</sub>	fish	24 h
Linalool	78-70-6	EC50	>100 <sup>mg</sup> / <sub>l</sub>	microorganisms	30 min
Dorisyl	32210-23-4	EC50	302 <sup>mg</sup> / <sub>l</sub>	microorganisms	3 h
Terpineol	8000-41-7	LC50	80 <sup>mg</sup> / <sub>l</sub>	fish	24 h

#### 12.2 Persistence and degradability

Data are not available.

#### 12.3 Bioaccumulative potential

Data are not available.

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

#### 12.6 Other adverse effects

Endocrine disrupting potential

The mixture contains substance(s) with an endocrine disrupting potential.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Waste treatment-relevant information

Solvent reclamation/regeneration.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

#### Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### **Remarks**

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

United States: en Page: 18 / 27



acc. to 29 CFR 1910.1200 App D

## Refresh Vent Stick - Alpine Meadow/Summer Breeze 2-12-19

Version number: GHS 4.0 Revision: 2020-10-21 Replaces version of: 2020-06-09 (GHS 3)

### **SECTION** 14: Transport information

14.1	UN number	not assigned
14.2	UN proper shipping name	not assigned
14.3	Transport hazard class(es)	not assigned
14.4	Packing group	not assigned
14.5	Environmental hazards	non-environmentally hazardous acc. to the dangerous goods regulations

#### 14.6 Special precautions for user

There is no additional information.

#### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

#### **Information for each of the UN Model Regulations**

DOT

#### Transport of dangerous goods by road or rail (49 CFR US DOT)

Not subject to transport regulations.

#### **International Maritime Dangerous Goods Code (IMDG)**

Not subject to IMDG.

#### **International Civil Aviation Organization (ICAO-IATA/DGR)**

Not subject to ICAO-IATA.

#### **SECTION 15: Regulatory information**

### 15.1 Safety, health and environmental regulations specific for the product in question

#### **National regulations (United States)**

**Toxic Substance Control Act (TSCA)** all ingredients are listed

### Superfund Amendment and Reauthorization Act (SARA TITLE III )

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

- Specific Toxic Chemical Listings (EPCRA Section 313) none of the ingredients are listed

United States: en Page: 19 / 27



acc. to 29 CFR 1910.1200 App D

# Refresh Vent Stick - Alpine Meadow/Summer Breeze 2-12-19

Version number: GHS 4.0 Revision: 2020-10-21 Replaces version of: 2020-06-09 (GHS 3)

### Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4) none of the ingredients are listed

#### Clean Air Act

none of the ingredients are listed

#### **Right to Know Hazardous Substance List**

- Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of substance	Name acc. to inventory	CAS No	Functional- ity	Authoritative Lists
Polyvinyl Chloride		9002-86-2	stabilizer	
Benzyl benzoate	Benzyl benzoate	120-51-4	fragrance	EU Fragrance Allergens
Dihydromyrcenol		18479-58-8	fragrance	
Hexyl cinnamaldehyde	Hexyl cinnam-aldehyde	101-86-0	fragrance	EU Fragrance Allergens
Lilial	2-(4-tert-Butylbenzyl) propional- dehyde	80-54-6	fragrance	EU Fragrance Allergens
Linalool	Linalool	78-70-6	fragrance	EU Fragrance Allergens
Patchouli ethanone		54464-57-2	fragrance	
Hexyl salicylate		6259-76-3	fragrance	
Phenethyl alcohol		60-12-8	fragrance	
2-t-Butylcyclohexyl Acetate		88-41-5	fragrance	
Terpineol		98-55-5	fragrance	
Dorisyl		32210-23-4	fragrance	
Dimethyltetrahydro Benzalde- hyde		68737-61-1	fragrance	
Isobornyl acetate		125-12-2	fragrance	
1,3,4,6,7,8-hexahydro- 4,6,6,7,8,8- hexamethylindeno[5,6-c]pyran		1222-05-5	fragrance	
Coumarin	Coumarin	91-64-5	fragrance	EU Fragrance Allergens
Tricyclodecenyl propionate		68912-13-0 17511-60-3	fragrance	
3-(2,2-dimethyl-3- hydroxypropyl)toluene		103694-68- 4	fragrance	
Hedione		24851-98-7	fragrance	

United States: en Page: 20 / 27



acc. to 29 CFR 1910.1200 App D

# Refresh Vent Stick - Alpine Meadow/Summer Breeze 2-12-19

Version number: GHS 4.0 Revision: 2020-10-21 Replaces version of: 2020-06-09 (GHS 3)

Name of substance	Name acc. to inventory	CAS No	Functional- ity	Authoritative Lists
Lyral	Hydroxy-methylpentyl-cyclo- hexenecarboxalde-hyde	31906-04-4	fragrance	EU Fragrance Allergens
Linalyl acetate		115-95-7	fragrance	
BHT		128-37-0	preservative	
Terpineol		8000-41-7	fragrance	
Liffarome		67633-96-9	fragrance	
Citral	Citral	5392-40-5	fragrance	EU Fragrance Allergens
Orange Terpenes		68647-72-3 8028-48-6	fragrance	
Eugenol	Eugenol	97-53-0	fragrance	EU Fragrance Allergens
Citronellol	Citronellol	106-22-9	fragrance	EU Fragrance Allergens
β-Pinene		127-91-3 18172-67-3	fragrance	
3-(P-methoxyphenyl)-2-methyl- propionaldehyde		5462-06-6	fragrance	
Floralozone		67634-15-5	fragrance	
Myrmac Aldehyde		52475-86-2	fragrance	
2,2,6-trimethyl-α-propylcyclo- hexanepropanol		70788-30-6	fragrance	

- Toxic or Hazardous Substance List (MA-TURA) none of the ingredients are listed
- Hazardous Substance List (NJ-RTK)

Name of substance	Name acc. to inventory	CAS No	Remarks	Classifications
внт	2,6-di-tert-butyl-p-cresol (phen- ol, 2,6-bis(1,1-dimethylethyl)-4- methyl-)	128-37-0		
Polyvinyl Chloride	PVC (polyvinyl chloride)	9002-86-2		

- Hazardous Substance List (RI-RTK)

United States: en Page: 21 / 27



acc. to 29 CFR 1910.1200 App D

# Refresh Vent Stick - Alpine Meadow/Summer Breeze 2-12-19

Version number: GHS 4.0 Revision: 2020-10-21

Replaces version of: 2020-06-09 (GHS 3)

Name of substance	Name acc. to inventory	CAS No	References
BHT	2,6-Ditert. butyl-p-cresol	128-37-0	Т

Legend

Γ Toxicity (ACGIH®)

# California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

none of the ingredients are listed

#### Industry or sector specific available guidance(s)

#### **NPCA-HMIS® III**

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	*	chronic (long-term) health effects may result from repeated overexposure
Health	2	temporary or minor injury may occur
Flammability	2	material that must be moderately heated or exposed to relatively high ambient tem- peratures before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

#### **NFPA® 704**

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	2	material that must be moderately heated or exposed to relatively high ambient tem- peratures before ignition can occur
Health	2	material that, under emergency conditions, can cause temporary incapacitation or residual injury
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

United States: en Page: 22 / 27



acc. to 29 CFR 1910.1200 App D

# Refresh Vent Stick - Alpine Meadow/Summer Breeze 2-12-19

Version number: GHS 4.0 Revision: 2020-10-21 Replaces version of: 2020-06-09 (GHS 3)

#### **National inventories**

Country	Inventory	Status
AU	AICS	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	not all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	not all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	not all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

Legend

Australian Inventory of Chemical Substances Chemical Inventory and Control Regulation AICS CICR CSCL-ENCS

List of Existing and New Chemical Substances (CSCL-ENCS)

DSL

Domestic Substances List (DSL) EC Substance Inventory (EINECS, ELINCS, NLP) **ECSI** 

Inventory of Existing Chemical Substances Produced or Imported in China **IECSC** 

**INSQ** National Inventory of Chemical Substances

ISHA-ENCS

KECI NZIoC

Inventory of Existing and New Chemical Substances (ISHA-ENCS)
Korea Existing Chemicals Inventory
New Zealand Inventory of Chemicals
Philippine Inventory of Chemicals and Chemical Substances (PICCS) PICCS

REACH Reg. REACH registered substances

TCSI Taiwan Chemical Substance Inventory

**TSCA Toxic Substance Control Act** 

#### 15.2 **Chemical Safety Assessment**

Chemical safety assessments for substances in this mixture were not carried out.

United States: en Page: 23 / 27



acc. to 29 CFR 1910.1200 App D

# Refresh Vent Stick - Alpine Meadow/Summer Breeze 2-12-19

Version number: GHS 4.0 Revision: 2020-10-21 Replaces version of: 2020-06-09 (GHS 3)

### SECTION 16: Other information, including date of preparation or last revision

### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
3.2		Description of the mixture: change in the listing (table)	yes
8.1		Relevant DNELs of components of the mixture: change in the listing (table)	yes
8.1		Relevant PNECs of components of the mixture: change in the listing (table)	yes
9.2	Other information	other information: there is no additional information	yes
9.2	Solvent content: 94.16 %		yes
9.2	Solid content: 5.839 %		yes
11.1		Acute toxicity estimate (ATE) of components of the mixture: change in the listing (table)	yes
12.1		Aquatic toxicity (acute) of components of the mix- ture: change in the listing (table)	yes
12.1		Aquatic toxicity (chronic) of components of the mixture: change in the listing (table)	yes
14.1	UN number: not subject to transport regulations	UN number: not assigned	yes
15.1		Cleaning Product Right to Know Act Substance List (CA-RTK): change in the listing (table)	yes
15.1		Hazardous Substance List (NJ-RTK): change in the listing (table)	yes
15.1		Hazardous Substance List (RI-RTK): change in the listing (table)	yes

United States: en Page: 24 / 27



acc. to 29 CFR 1910.1200 App D

# Refresh Vent Stick - Alpine Meadow/Summer Breeze 2-12-19

Version number: GHS 4.0 Revision: 2020-10-21 Replaces version of: 2020-06-09 (GHS 3)

### **Abbreviations and acronyms**

Abbr.	Descriptions of used abbreviations
49 CFR US DOT	49 CFR U.S. Department of Transportation
ACGIH®	American Conference of Governmental Industrial Hygienists
ACGIH® 2019	From ACGIH®, 2019 TLVs® and BEIs® Book. Copyright 2019. Reprinted with permission. Information on the proper use of the TLVs® and BEIs®: http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement
Acute Tox.	Acute toxicity
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
DOT	Department of Transportation (USA)
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer

United States: en Page: 25 / 27



acc. to 29 CFR 1910.1200 App D

## Refresh Vent Stick - Alpine Meadow/Summer Breeze 2-12-19

Version number: GHS 4.0 Revision: 2020-10-21

Replaces version of: 2020-06-09 (GHS 3)

Abbr.	Descriptions of used abbreviations
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitization
STEL	Short-term exposure limit
TLV®	Threshold Limit Values
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative

#### Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### **Classification procedure**

Physical and chemical properties: The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H227	Combustible liquid.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.

United States: en Page: 26 / 27



acc. to 29 CFR 1910.1200 App D

# Refresh Vent Stick - Alpine Meadow/Summer Breeze 2-12-19

Version number: GHS 4.0 Replaces version of: 2020-06-09 (GHS 3) Revision: 2020-10-21

Code	Text
H332	Harmful if inhaled.
H361f	Suspected of damaging fertility.

#### **Disclaimer**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United States: en Page: 27 / 27