

# CYCLO® FOAMING GLASS CLEAN®

Version Revision Date: SDS Number: Date of last issue: -

2.0 11/07/2018 600000001235 Date of first issue: 09/12/2014

#### **SECTION 1. IDENTIFICATION**

Product name : CYCLO FOAMING GLASS CLEAN 12/19 FOZ

Product code : C331

Manufacturer or supplier's details

Company name of supplier : Niteo Products, LLC

Address : Dallas TX 75225

Email Address : EHS@niteoproducts.com

Telephone : 1-844-696-4836

Emergency telephone num-

ber

: 1-800-424-9300 / 1-703-741-5970

Recommended use of the chemical and restrictions on use

Recommended use : GLASS CLEANER

Restrictions on use : Use only outdoors or in a well-ventilated area.

#### **SECTION 2. HAZARDS IDENTIFICATION**

## GHS classification in accordance with 29 CFR 1910.1200

Not a hazardous substance or mixture.

## **GHS** label elements

Not a hazardous substance or mixture.

## Other hazards

None known.

## **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

## **Hazardous components**

Chemical name	CAS-No.	Concentration (% w/w)
Isopropanol	67-63-0	>= 1 - < 5
Butane	106-97-8	>= 1 - < 5
Ethylene glycol monobutyl ether	111-76-2	>= 1 - < 5
Propane	74-98-6	>= 1 - < 5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.





# CYCLO® FOAMING GLASS CLEAN®

Version Revision Date: SDS Number: Date of last issue: -

11/07/2018 2.0 600000001235 Date of first issue: 09/12/2014

**SECTION 4. FIRST AID MEASURES** 

General advice No hazards which require special first aid measures.

If inhaled If breathed in, move person into fresh air.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact If on clothes, remove clothes.

Remove contaminated clothing. If irritation develops, get med-

ical attention.

If on skin, rinse well with water.

Wash contaminated clothing before re-use. If skin irritation persists, call a physician.

In case of eye contact Flush eyes with water as a precaution.

> Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

Do not give milk or alcoholic beverages. If swallowed

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

Inhalation of high concentrations of this material, as could occur in enclosed spaces or during deliberate abuse, may be associated with cardiac arrhythmias. Sympathomimetic drugs

may initiate cardiac arrhythmias in persons exposed to this

material.

# **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Water spray

Unsuitable extinguishing

media

High volume water jet

Hazardous combustion prod: :

ucts

Carbon oxides

Specific extinguishing meth-

ods

Product is compatible with standard fire-fighting agents.

Further information Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protec: :

tive equipment and emer-

Use personal protective equipment.

Avoid breathing dust.





## CYCLO® FOAMING GLASS CLEAN®

Version Revision Date: SDS Number: Date of last issue: -

2.0 11/07/2018 600000001235 Date of first issue: 09/12/2014

gency procedures Persons not wearing protective equipment should be excluded

from area of spill until clean-up has been completed.

Environmental precautions : Prevent further leakage or spillage if safe to do so.

#### **SECTION 7. HANDLING AND STORAGE**

Advice on protection against :

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling : Avoid contact with skin and eyes.

Dispose of rinse water in accordance with local and national

regulations.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

For personal protection see section 8.

Conditions for safe storage : BEWARE: Aerosol is pressurized. Keep away from direct sun

exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or

red-hot objects.

Keep container tightly closed in a dry and well-ventilated

place.

Observe label precautions.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Isopropanol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m3	NIOSH REL
	ST 500 ppm 1,225 mg/m3		500 ppm 1,225 mg/m3	NIOSH REL
		TWA	400 ppm 980 mg/m3	OSHA Z-1
		TWA	400 ppm 980 mg/m3	OSHA P0
		STEL	500 ppm 1,225 mg/m3	OSHA P0
Butane	106-97-8	TWA	800 ppm 1,900 mg/m3	NIOSH REL
		TWA	800 ppm 1,900 mg/m3	OSHA P0
		STEL	1,000 ppm	ACGIH
Ethylene glycol monobutyl ether	111-76-2	TWA	20 ppm	ACGIH



# CYCLO® FOAMING GLASS CLEAN®

Version Revision Date: SDS Number: Date of last issue: -

11/07/2018 60000001235 Date of first issue: 09/12/2014 2.0

		TWA	5 ppm 24 mg/m3	NIOSH REL
		TWA	50 ppm 240 mg/m3	OSHA Z-1
		TWA	25 ppm 120 mg/m3	OSHA P0
Propane	74-98-6	TWA	1,000 ppm 1,800 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,800 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,800 mg/m3	OSHA P0

## **Biological occupational exposure limits**

Components	CAS-No.	Control	Biological	Sam-	Permissible	Basis
		parameters	specimen	pling	concentra-	
				time	tion	
Isopropanol	67-63-0	Acetone	Urine	End of	40 mg/l	ACGIH
				shift at		BEI
				end of		
				work-		
				week		
Ethylene glycol mono-	111-76-2	Butoxyace-	Urine	End of	200 mg/g	ACGIH
butyl ether		tic acid		shift (As	Creatinine	BEI
		(BAA)		soon as		
				possible		
				after		
				exposure		
				ceases)		

**Engineering measures** Provide sufficient mechanical (general and/or local exhaust)

ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or

apparent adverse effects.

#### Personal protective equipment

Hand protection

Remarks Wear resistant gloves (consult your safety equipment suppli-

er). The suitability for a specific workplace should be dis-

cussed with the producers of the protective gloves.

Not required under normal conditions of use. Wear splash-Eye protection

proof safety goggles if material could be misted or splashed

into eyes.

Skin and body protection Choose body protection according to the amount and con-

centration of the dangerous substance at the work place.

Wear as appropriate: Impervious clothing Safety shoes

Hygiene measures Handle in accordance with good industrial hygiene and safety

practice.

When using do not smoke. When using do not eat or drink.



## CYCLO® FOAMING GLASS CLEAN®

Version Revision Date: SDS Number: Date of last issue: -

2.0 11/07/2018 600000001235 Date of first issue: 09/12/2014

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : aerosol

Colour : not determined

Odour : No data available

Odour Threshold : No data available

pH : No data available

Melting point/range : No data available

Boiling point/boiling range : -42.22 - 168.89 °C

Flash point : Not classified as a flammability hazard

Evaporation rate : not determined

Flammability (solid, gas) : not determined

Self-ignition : not determined

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : not determined

Density : 1 g/cm3

Solubility(ies)

Water solubility : soluble

Partition coefficient: n-

octanol/water

: No data available

Decomposition temperature : not determined

Viscosity

Viscosity, dynamic : not determined

Viscosity, kinematic : No data available

Molecular weight : No data available

VOC % By Weight : 9.76 %

# **SECTION 10. STABILITY AND REACTIVITY**



## CYCLO® FOAMING GLASS CLEAN®

Version Revision Date: SDS Number: Date of last issue: -

2.0 11/07/2018 600000001235 Date of first issue: 09/12/2014

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

No decomposition if stored and applied as directed.

Hazardous polymerisation does not occur.

Conditions to avoid : No data available

Hazardous decomposition

products

Carbon oxides

## **SECTION 11. TOXICOLOGICAL INFORMATION**

# Information on likely routes of exposure

Inhalation Eye contact Skin contact Ingestion

## **Acute toxicity**

Not classified based on available information.

**Product:** 

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 78.95 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

**Components:** 

Isopropanol:

Acute oral toxicity : LD50 (Rat): 5.84 g/kg

Acute inhalation toxicity : LC50 (Rat): 16000 ppm

Exposure time: 4 h
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): 12,800 mg/kg

**Butane:** 

Acute oral toxicity : LD50 (Rat): > 5 g/kg

Acute dermal toxicity : LD50 (Rabbit): > 3.16 g/kg

Ethylene glycol monobutyl ether:

Acute oral toxicity : LD50 (Guinea pig): 1,200 mg/kg



# CYCLO® FOAMING GLASS CLEAN®

Version Revision Date: SDS Number: Date of last issue: -

2.0 11/07/2018 600000001235 Date of first issue: 09/12/2014

Acute inhalation toxicity : LC50 (Guinea pig): > 633 ppm

Exposure time: 1 h

Test atmosphere: dust/mist

Assessment: The component/mixture is moderately toxic after

short term inhalation.

Acute dermal toxicity : LD50 (Guinea pig): > 2,000 mg/kg

Assessment: The component/mixture is moderately toxic after

single contact with skin.

#### Skin corrosion/irritation

Not classified based on available information.

## **Product:**

Remarks: May irritate skin.

## **Components:**

## Isopropanol:

Result: Possibly irritating to skin

#### **Butane:**

Result: Possibly irritating to skin

## Ethylene glycol monobutyl ether:

Result: Irritating to skin.

## Serious eye damage/eye irritation

Not classified based on available information.

### **Product:**

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin.

## **Components:**

## Isopropanol:

Result: Irritating to eyes.

#### **Butane:**

Result: Possibly irritating to eyes

## Ethylene glycol monobutyl ether:

Result: Irritating to eyes. Assessment: Irritating to eyes.

#### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.



## CYCLO® FOAMING GLASS CLEAN®

Version Revision Date: SDS Number: Date of last issue: -

2.0 11/07/2018 600000001235 Date of first issue: 09/12/2014

#### Respiratory sensitisation

Not classified based on available information.

#### Germ cell mutagenicity

Not classified based on available information.

## **Components:**

#### Ethylene glycol monobutyl ether:

Genotoxicity in vitro : Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Result: negative

Propane:

Genotoxicity in vitro : Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Result: negative

## Carcinogenicity

Not classified based on available information.

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

**OSHA**No component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

## Reproductive toxicity

Not classified based on available information.

#### STOT - single exposure

Not classified based on available information.

## **Components:**

#### **Isopropanol:**

Assessment: May cause drowsiness or dizziness.

# STOT - repeated exposure

Not classified based on available information.

## **Aspiration toxicity**

Not classified based on available information.

#### **Further information**

#### **Product:**

Remarks: No data available



## CYCLO® FOAMING GLASS CLEAN®

Version Revision Date: SDS Number: Date of last issue: -

2.0 11/07/2018 600000001235 Date of first issue: 09/12/2014

#### **SECTION 12. ECOLOGICAL INFORMATION**

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues : Dispose of in accordance with all applicable local, state and

federal regulations.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum.

#### **SECTION 14. TRANSPORT INFORMATION**

Dangerous goods descriptions (if indicated below) may not reflect quantity, end-use, or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

## International Regulations

**IATA-DGR** 

UN/ID No. : UN 1950

Proper shipping name : Aerosols, non-flammable

Class : 2.2

Packing group : Not assigned by regulation

Labels : 2.2 Packing instruction (cargo : 203

aircraft)

Packing instruction : 203

(passenger aircraft)

**IMDG-Code** 

UN number : UN 1950
Proper shipping name : AEROSOLS

Class : 2.2

Packing group : Not assigned by regulation

Labels : 2.2 EmS Code : F-D, S-U Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

# **National Regulations**

**49 CFR** 

UN/ID/NA number : UN 1950
Proper shipping name : AEROSOLS

Class : 2.2

Packing group : Not assigned by regulation

Labels : 2.2



## CYCLO® FOAMING GLASS CLEAN®

Version Revision Date: SDS Number: Date of last issue: -

2.0 11/07/2018 600000001235 Date of first issue: 09/12/2014

ERG Code : 126 Marine pollutant : no

#### **SECTION 15. REGULATORY INFORMATION**

## **EPCRA - Emergency Planning and Community Right-to-Know Act**

### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

## SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

## SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : The following components are subject to reporting levels es-

tablished by SARA Title III, Section 313:

Ethylene glycol mono- 111-76-2 >= 1 - < 5 %

butyl ether


## California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

#### **SECTION 16. OTHER INFORMATION**

## **Further information**

## NFPA:



Special hazard.

Revision Date : 11/07/2018



# **CYCLO® FOAMING GLASS CLEAN®**

Version Revision Date: SDS Number: Date of last issue: -

2.0 11/07/2018 600000001235 Date of first issue: 09/12/2014

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN