

Product identifier used on the label: PRIMEGUARD -50EB RVAF

6/1

Product Code: PR250E6P Revision Date: 08-20-2023 Replaces: 07-24-2023

1. Identification

Product identifier used on the label: PRIMEGUARD -50EB RVAF 6/1

Product Code: PRIM95806

Other means of identification: No data available

Synonyms:

Recommended use of the chemical and restrictions on use:

Recommended use:

RV Antifreeze

Restrictions on use:Uses other than those described above

Name, address, and telephone number

of the chemical manufacturer,

importer, or other responsible party:

Highline Warren LLC

4500 Malone Road

Memphis, TN 38118

Phone number: +01 (901) 437-8615

E-mail address: sds@highlinewarren.com

Emergency phone number: CHEMTREC: +1 (800) 424-9300 International: +01 (703) 527-3887

2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200:

GHS Hazard Symbols:





GHS Classification: Serious Eye Damage/Eye Irritation Category 2A

Flammable Liquid Category 3

Signal Word: Warning

Hazard Statements: Flammable liquid and vapor; Causes serious eye irritation

Precautionary Statements:

Prevention: Keep away from heat/sparks/open flames/hot surfaces. – No smoking.

Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static

discharge. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.

Product identifier used on the label: PRIMEGUARD -50EB RVAF 6/1

Product Code: PR250E6P Revision Date: 08-20-2023 Replaces: 07-24-2023

Response: If on skin (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. In case of fire: Use an appropriate extinguisher (see section 5) to extinguish.

Storage: Store in a well-ventilated place. Keep cool.

Disposal: Dispose of contents/container in accordance with

local/regional/national/international regulations.

Hazards not otherwise classified:No data available

3. Composition/information on ingredients

| Chemical Name | Common name and synonyms | CAS# | % | |
|------------------|--------------------------|---------|---------|--|
| Ethanol | No data available | 64-17-5 | 10 - 30 | |
| Propylene glycol | No data available | 57-55-6 | 1 - 5 | |

4. First-aid measures

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

Inhalation: Remove to fresh air. If breathing is difficult, have a trained individual

administer oxygen.

Eye Contact: If in eyes: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. If eye irritation

persists: Get medical advice/attention.

Skin Contact: If on skin (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower.

Ingestion: Do not induce vomiting. If vomiting occurs naturally, have casualty lean

forward to reduce the risk of aspiration. Seek medical attention

immediately.

Most important symptoms/effects,

acute and delayed:

Causes serious eye irritation

Indication of immediate medical attention and special treatment

needed, if necessary:

No additional first aid information available.

Product identifier used on the label: PRIMEGUARD -50EB RVAF 6/1

Product Code: PR250E6P Revision Date: 08-20-2023 Replaces: 07-24-2023

5. Fire-fighting measures

Suitable (and unsuitable) extinguishing media:

Suitable extinguishing media: Use alcohol resistant foam, carbon dioxide, dry chemical, or water spray

when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the fire. Do not direct a water stream directly into the hot burning liquid.

Unsuitable extinguishing media: No data available

Specific hazards arising from the

chemical:

Vapors may be ignited by sparks, flames or other sources of ignition if material is above the flash point giving rise to a fire (Class B). Vapors are heavier than air and may travel to a source of ignition and flash back. Flammable Liquid. Can release vapors that form explosive mixtures at temperatures at or above the flash point. Empty containers that retain product residue (liquid, solid/sludge, or vapor) can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose container to heat, flame, sparks, static electricity, or other sources of ignition. Any of these actions can potentially cause an explosion that may lead to injury or death. Container may explode in heat of fire.

Hazardous combustion products: Alcohols, Aldehydes, Organic acids, Carbon dioxide, Carbon monoxide

Special protective equipment and precautions for fire-fighters:

In case of fire: Use an appropriate extinguisher (see section 5) to

extinguish.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:

No health affects expected from the clean up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section 8 of this SDS.

Methods and materials for containment and cleaning up:

No special spill clean up considerations. Collect and discard in regular trash.

7. Handling and storage

Precautions for safe handling:

Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

Product identifier used on the label: PRIMEGUARD -50EB RVAF 6/1

Product Code: PR250E6P Revision Date: 08-20-2023 Replaces: 07-24-2023

Conditions for safe storage, including

any incompatibilities:

Safe storage conditions: Store in a well-ventilated place. Keep cool.

Materials to Avoid/Chemical

Incompatibility:

Strong acids, Strong bases, Strong oxidizing agents

8. Exposure controls/personal protection

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

| Chemical component | OSHA PEL | ACGIH TLV | ACGIH STEL | IDLH | US WEEL |
|--------------------|------------------------------------|-----------|---------------|----------------------------|----------------------|
| Ethanol | 1000 ppm TWA; 1900 mg/m3 TWA | No TLV | 1000 ppm STEL | 3300 ppm IDLH (10% LEL) | No data available |
| Propylene glycol | No PEL | No TLV | No STEL | No data available | 10 mg/m3 TWA |

Appropriate engineering controls: Local exhaust ventilation or other engineering controls are normally

required when handling or using this product to avoid overexposure.

Individual protection measures, such as personal protective equipment:

Respiratory Protection: If engineering controls do not maintain airborne concentrations to a level

which is adequate to protect worker health, an approved respirator must

be worn.

Respirator Type(s): None required where adequate ventilation is provided. If airborne

concentrations are above the applicable exposure limits, use

NIOSH/MSHA approved respiratory protection.

Eye protection: Wear chemically resistant safety glasses with side shields when handling

this product. Do not wear contact lenses.

Skin protection: Where use can result in skin contact, practice good personal hygiene and

wear impervious gloves. Wash hands and other exposed areas with mild

soap and water before eating, drinking, and when leaving work.

Gloves: Wear appropriate protective gloves to prevent skin exposure.

General hygiene conditions: Wear protective gloves/protective clothing/eye protection/face

protection. Wash hands thoroughly after handling.

9. Physical and chemical properties

Product identifier used on the label: PRIMEGUARD -50EB RVAF 6/1

Product Code: PR250E6P Revision Date: 08-20-2023 Replaces: 07-24-2023

Appearance (physical state, color etc.):

Physical state: Liquid Color: Pink

Odor: MildAlcohol
Odor Threshold: Not determined
pH: No data available

Melting point/freezing point:

Melting Point:No data availableFreezing point:No data availableInitial boiling point and boiling rangeNo data available

(°C):

Flash Point (°C): 40.56

Evaporation Rate:No data available **Flammability (solid, gas):**No data available

Upper/lower flammability or explosive

limits:

Upper flammability or explosive

limits:

Not established

Lower flammability or explosive

limits:

Not established

Vapor pressure:No data availableVapor density:No data available

Relative density: 1

Solubility(ies): Complete; 100%
Partition coefficient: n-octanol/water: No data available
Auto-ignition temperature: No data available
Decomposition Temperature: Not determined
Viscosity: No data available

10. Stability and reactivity

Reactivity: There are no known reactivity hazards associated with this product.

Chemical stability: Stable under normal conditions.

Possibility of hazardous reactions: None expected under standard conditions of storage.

Product identifier used on the label: PRIMEGUARD -50EB RVAF 6/1

Product Code: PR250E6P Revision Date: 08-20-2023 Replaces: 07-24-2023

Conditions to avoid (e.g., static Temperatures above flash point in combination with sparks, open flames,

discharge, shock, or vibration): or other sources of ignition. Visible light Ultraviolet light

Incompatible materials: Strong acids, Strong bases, Strong oxidizing agents

Hazardous decomposition products: Alcohols, Aldehydes, Organic acids, Carbon dioxide, Carbon monoxide

11. Toxicological information

Description of the various toxicological (health) effects and the available data used to identify those effects:

Information on the likely routes of exposure (inhalation, ingestion, skin

and eye contact):

Eye contact, Skin contact, Ingestion, Inhalation

Symptoms related to the physical,

chemical and toxicological

characteristics:

Causes serious eye irritation

Delayed and immediate effects and also chronic effects from short- and long-term exposure:

Ingestion: No hazard in normal industrial use. Estimated to be > 5.0 g/kg.

Skin Contact: Likely to be non-irritating to skin based on animal data. This material is

likely to be slightly irritating to skin based on animal data. Can cause

minor skin irritation, defatting, and dermatitis.

Inhalation: No hazard in normal industrial use. Likely to be practically non-toxic

based on animal data.

Eye Contact: Causes serious eye irritation

Sensitization: Non-hazardous under Respiratory Sensitization category.

Mutagenicity:No data available to indicate product or any components present at

greater than 0.1% is mutagenic or genotoxic.

Carcinogenicity:Contains a substance that is a probable cancer hazard based on animal

studies using routes of exposure not applicable in the workplace.

Reproductive toxicityContains a substance that is a possible reproductive system hazard based

on animal studies using routes of exposure not applicable in the

workplace.

STOT-single exposure: Based on available data, the classification criteria are not met.

STOT-repeated exposure: Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

Other information: None known.

Product identifier used on the label: PRIMEGUARD -50EB RVAF 6/1

Product Code: PR250E6P Revision Date: 08-20-2023 Replaces: 07-24-2023

Numerical measures of toxicity (such as acute toxicity estimates) Based on available data, the classification criteria are not met.

Is the hazardous chemical is listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA:

| Chemical Name | OSHA Carcinogen | IARC Carcinogen | NTP Carcinogen |
|----------------------------|-----------------|-----------------|----------------|
| There are no components | | | |
| that are known or reported | | | |
| to cause cancer. | | | |

12. Ecological information

Ecotoxicity (aquatic and terrestrial, where available):

This material is not expected to be harmful to the ecology.

Ecological Toxicity Data:

| Chemical Name | CAS# | Aquatic EC50 Crustacea | Aquatic ERC50 Algae | Aquatic LC50 Fish |
|------------------|---------|--|--|---|
| Propylene glycol | 57-55-6 | EC50 (48h) Daphnia magna > 1000 mg/L | EC50 (96h) Pseudokirchneriella subcapitata 19000 mg/L | LC50 (96h) Pimephales promelas (Fathead Minnow) 710 mg/L LC50 (96h) Pimephales promelas (Fathead Minnow) 51400 mg/L LC50 (96h) Rainbow Trout 41 - 47 ml/l LC50 (96h) Rainbow Trout 51600 mg/L |
| Ethanol | 64-17-5 | LC50-48H Daphnia magna 9268 - 14221 mg/L | No data available | LC50 (96h) Pimephales promelas (Fathead Minnow) 13400 - 15100 mg/L LC50 (96h) Pimephales promelas (Fathead |

Product identifier used on the label: PRIMEGUARD -50EB RVAF 6/1

Product Code: PR250E6P Revision Date: 08-20-2023 Replaces: 07-24-2023

Minnow) > 100 mg/L

Persistence and degradability:Biodegrades quickly.

Bioaccumulative potential: Bioconcentration is not expected to occur.

Mobility in soil: This material is expected to have high mobility in soil. It absorbs weakly

to most soil types.

Other adverse effects (such as

hazardous to the ozone layer):

None known.

13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging:

Dispose of contents and container in accordance with local/regional/national/international regulations.

Waste codes / waste designations:

D001

Contaminated packaging:

Empty containers may contain residues. Dispose of in the same way as

waste product.

14. Transport information

Carriage of dangerous goods by road (DOT), rail or inland waterways:

DOT Basic Description: Product classed as a combustible liquid in a non-bulk packaging (<119

gallons) is not subject to the requirements listed in 49 CFR 173.150(f)(2).

International carriage of dangerous goods by sea (IMDG/IMO):

UN number: UN1993

UN Proper shipping name: FLAMMABLE LIQUIDS, N.O.S

Technical Name: ETHANOL

Transport hazard class(es): 3
Packing group, if applicable: |||

Exception: LTD QTY **EMS#:** F-E, S-D

Product identifier used on the label: PRIMEGUARD -50EB RVAF 6/1

Product Code: PR250E6P Revision Date: 08-20-2023 Replaces: 07-24-2023

International carriage of dangerous goods by air (IATA):

UN number: UN1993

UN Proper shipping name: FLAMMABLE LIQUIDS, N.O.S

Technical Name: ETHANOL

Transport hazard class(es): 3
Packing group, if applicable: III

Exception LTD QTY

Environmental hazards (e.g., Marine

pollutant (Yes/No)):

None.

Transport in bulk (according to Annex II

of MARPOL 73/78 and the IBC Code):

No data available

Special precautions which a user needs

to be aware of or needs to comply with

in connection with transport or conveyance either within or outside

their premises:

No data available

15. Regulatory information

Safety, health and environmental regulations specific for the product in question:

TSCA Status: All components of this material are on the Active US TSCA Inventory or

are exempt.

Regulated Components:

| Chemical Name | CAS# | CERCLA | Sara EHS | Sara 313 | U.S. HAP |
|------------------|---------|--------|----------|----------|----------|
| Ethanol | 64-17-5 | N | N | N | N |
| Propylene glycol | 57-55-6 | N | N | N | N |

| Chemical Name | CAS# | California Prop 65 - Cancer | California Prop 65 - Dev. Toxicity | California Prop 65 - Reprod fem | California Prop 65 - Reprod male |
|------------------|---------|--------------------------------|---------------------------------------|------------------------------------|-------------------------------------|
| Ethanol | 64-17-5 | N | N | N | N |
| Propylene glycol | 57-55-6 | N | N | N | N |

California Prop 65

No ingredient(s) requiring a warning under California Prop 65.

Product identifier used on the label: PRIMEGUARD -50EB RVAF 6/1

Product Code: PR250E6P Revision Date: 08-20-2023 Replaces: 07-24-2023

| Chemical Name | CAS# | Massachusetts RTK List | New Jersey RTK List | Pennsylvania RTK List | Rhode Island RTK List | Minnesota Hazardous Substance List |
|------------------|---------|---------------------------|------------------------|--------------------------|-----------------------------|---|
| Ethanol | 64-17-5 | Υ | Υ | Υ | N | Υ |
| Propylene glycol | 57-55-6 | N | Υ | Υ | N | Υ |

16. Other information, including date of preparation or last revision.

SDS Prepared by: EHUGHES
Revision Date: 08-20-2023

Revision Number: 5

Reason for revision: 090DA025 Standard Phrase Change

References:Other Info:
No data available
No data available

Disclaimer: This safety data sheet and the information it contains is offered to you in

good faith as accurate. We have reviewed any information contained in the data sheet which we have received from outside sources and we believe the information to be correct, but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product in a safe manner and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as permission or recommendation for the use of any product in a manner that might infringe existing patents.

No warranty is made, either expressed or implied.