



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHFx Car Air Freshener Desert Nights Vent Clip

Version number: 5.0  
Replaces version of: 2020-10-21 (4)

Revision: 2020-10-22

### SECTION 1: Identification

#### 1.1 Product identifier

Trade name **Armor All FRESHFx Car Air Freshener Desert Nights Vent Clip**  
Alternative number(s) 070612191847

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses General use

#### 1.3 Details of the supplier of the safety data sheet

Energizer Manufacturing, Inc.  
25225 Detroit Rd.  
Westlake OH 44145  
United States

Telephone: 800-383-7323; 314-985-2000 (USA / CANADA)  
Website: <http://data.energizer.com>

Energizer Trading Ltd.  
Sword House, Totteridge Road, High Wycombe, HP13 6DG, UK

Telephone: +44(0)8000353376  
e-mail: [ConsumerServiceEU@energizer.com](mailto:ConsumerServiceEU@energizer.com)

#### 1.4 Emergency telephone number

Emergency information service 1-314-985-1511 Int'l: 1-800-526-4727  
This number is only available during the following office hours: Mon-Fri 09:00 AM - 05:00 PM

### SECTION 2: Hazard(s) identification

#### 2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and category	Hazard statement
A.4S	skin sensitization	1	Skin Sens. 1	H317
B.6	flammable liquid	3	Flam. Liq. 3	H226

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources.

## Armor All FRESHFx Car Air Freshener Desert Nights Vent Clip

Version number: 5.0  
Replaces version of: 2020-10-21 (4)

Revision: 2020-10-22

### 2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word                      warning

- Pictograms

GHS02, GHS07



- Hazard statements

H226                      Flammable liquid and vapor.  
H317                      May cause an allergic skin reaction.

- Precautionary statements

P101                      If medical advice is needed, have product container or label at hand.  
P102                      Keep out of reach of children.  
P103                      Read label before use.  
P210                      Keep away from heat/sparks/open flames/hot surfaces. No smoking.  
P233                      Keep container tightly closed.  
P240                      Ground/bond container and receiving equipment.  
P241                      Use explosion-proof electrical/ventilating/lighting equipment.  
P242                      Use only non-sparking tools.  
P243                      Take precautionary measures against static discharge.  
P261                      Avoid breathing dust/fume/gas/mist/vapors/spray.  
P272                      Contaminated work clothing must not be allowed out of the workplace.  
P280                      Wear protective gloves/eye protection/face protection.  
P302+P352              If on skin: Wash with plenty of water.  
P303+P361+P353      If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P321                      Specific treatment (see on this label).  
P333+P313              If skin irritation or rash occurs: Get medical advice/attention.  
P363                      Wash contaminated clothing before reuse.  
P370+P378              In case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish.  
P403+P235              Store in a well-ventilated place. Keep cool.  
P501                      Dispose of contents/container in accordance with local/regional/national/international regulations.

#### 2.2.1.7- Hazardous ingredients for labelling

(R)-p-mentha-1,8-diene, citral, L-Carvone,  $\alpha$ -pinene, Aldehyde C-16, Linalool, Hexyl cinnamaldehyde, Methyl cinnamate,  $\beta$ -pinene, p-mentha-1,4(8)-diene, citronellol, Geranyl acetate

### 2.3 Other hazards

Hazards not otherwise classified

May be harmful if swallowed (GHS category 5: acutely toxic - oral).  
Toxic to aquatic life with long lasting effects (GHS category 2: aquatic toxicity - acute and/or chronic).

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHFx Car Air Freshener Desert Nights Vent Clip

Version number: 5.0  
Replaces version of: 2020-10-21 (4)

Revision: 2020-10-22















### SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Not relevant (mixture)

#### 3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
(2-methoxymethylethoxy)propanol	CAS No 34590-94-8	1 – < 5	Flam. Liq. 4 / H227	
(R)-p-mentha-1,8-diene	CAS No 5989-27-5	1 – < 5	Skin Irrit. 2 / H315 Skin Sens. 1 / H317 Flam. Liq. 3 / H226	 
citral	CAS No 5392-40-5	1 – < 5	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1 / H317 Asp. Tox. 1 / H304	 
Aldehyde C-16	CAS No 77-83-8	1 – < 5	Skin Sens. 1B / H317	
Linalool	CAS No 78-70-6	1 – < 5	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1B / H317 Flam. Liq. 4 / H227	
Hexyl cinnamaldehyde	CAS No 165184-98-5 101-86-0	1 – < 5	Acute Tox. 4 / H332	
Ethyl Maltol	CAS No 4940-11-8	1 – < 5	Acute Tox. 4 / H302	
Allyl Caproate	CAS No 123-68-2	< 1	Acute Tox. 3 / H301 Acute Tox. 3 / H311 Acute Tox. 3 / H331 Flam. Liq. 4 / H227	
L-Carvone	CAS No 6485-40-1	< 1	Skin Sens. 1 / H317 Flam. Liq. 4 / H227	
Methyl cinnamate	CAS No 103-26-4	< 1	Skin Sens. 1B / H317	
β-pinene	CAS No 127-91-3 18172-67-3	< 1	Skin Irrit. 2 / H315 Skin Sens. 1B / H317 Asp. Tox. 1 / H304 Flam. Liq. 3 / H226	  







# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHFx Car Air Freshener Desert Nights Vent Clip

Version number: 5.0  
Replaces version of: 2020-10-21 (4)

Revision: 2020-10-22

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Allyl heptanoate	CAS No 142-19-8	< 1	Acute Tox. 3 / H301 Acute Tox. 3 / H311 Flam. Liq. 4 / H227	
citronellol	CAS No 106-22-9	< 1	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1B / H317	
$\alpha$ -pinene	CAS No 80-56-8	< 1	Skin Irrit. 2 / H315 Skin Sens. 1 / H317 Asp. Tox. 1 / H304 Flam. Liq. 3 / H226	
Geranyl acetate	CAS No 105-87-3	< 1	Skin Irrit. 2 / H315 Skin Sens. 1 / H317	

For full text of abbreviations: see SECTION 16.

### SECTION 4: First-aid measures

#### 4.1 Description of first- aid measures

##### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

##### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

##### Following skin contact

Wash with plenty of soap and water.

##### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

##### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

#### 4.3 Indication of any immediate medical attention and special treatment needed

none



## Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

### Armor All FRESHFx Car Air Freshener Desert Nights Vent Clip

Version number: 5.0  
Replaces version of: 2020-10-21 (4)

Revision: 2020-10-22

#### SECTION 5: Fire-fighting measures

##### 5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO<sub>2</sub>)

Unsuitable extinguishing media

Water jet

##### 5.2 Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapor-air mixture. Solvent vapors are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

##### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

#### SECTION 6: Accidental release measures

##### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

##### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

##### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.



## Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

### Armor All FRESHFx Car Air Freshener Desert Nights Vent Clip

Version number: 5.0  
Replaces version of: 2020-10-21 (4)

Revision: 2020-10-22

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

##### Recommendations

##### - Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

##### - Specific notes/details

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapors are heavier than air, spread along floors and form explosive mixtures with air. Vapors may form explosive mixtures with air.

##### Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

##### Managing of associated risks

##### - Explosive atmospheres

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.

##### - Flammability hazards

Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.

##### - Ventilation requirements

Use local and general ventilation. Ground/bond container and receiving equipment.

##### - Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

#### 7.3 Specific end use(s)

See section 16 for a general overview.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHFx Car Air Freshener Desert Nights Vent Clip

Version number: 5.0  
Replaces version of: 2020-10-21 (4)

Revision: 2020-10-22

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)											
Coun try	Name of agent	CAS No	Iden- tifier	TWA [ppm]	TWA [mg/ m <sup>3</sup> ]	STEL [ppm]	STEL [mg/ m <sup>3</sup> ]	Ceil- ing-C [ppm]	Ceil- ing-C [mg/ m <sup>3</sup> ]	Nota tion	Sourc e
US	β-pinene	127-91-3	TLV®	20							AC- GIH® 2019
US	(2-methoxy- methylethoxy)pr opanol	34590- 94-8	TLV®	100		150					AC- GIH® 2019
US	dipropylene glycol methyl ether	34590- 94-8	PEL (CA)	100	600	150	900				Cal/ OSHA PEL
US	dipropylene glycol methyl ether	34590- 94-8	REL	100 (10 h)	600 (10 h)	150	900				NIOSH REL
US	dipropylene glycol methyl ether	34590- 94-8	PEL	100	600						29 CFR 1910.1 000
US	citral	5392-40- 5	TLV®	5						iv	AC- GIH® 2019
US	α-pinene	80-56-8	TLV®	20							AC- GIH® 2019

#### Notation

Ceiling-C

iv

STEL

TWA

ceiling value is a limit value above which exposure should not occur

inhalable fraction and vapor

short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

#### Relevant DNELs of components of the mixture

Name of substance	CAS No	End- point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
(2-methoxymethyl- ethoxy)propanol	34590-94-8	DNEL	308 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - system- ic effects



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHFx Car Air Freshener Desert Nights Vent Clip

Version number: 5.0  
Replaces version of: 2020-10-21 (4)

Revision: 2020-10-22

### Relevant DNELs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
(2-methoxymethyl-ethoxy)propanol	34590-94-8	DNEL	283 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
(R)-p-mentha-1,8-diene	5989-27-5	DNEL	66.7 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
(R)-p-mentha-1,8-diene	5989-27-5	DNEL	9.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
citral	5392-40-5	DNEL	9 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
citral	5392-40-5	DNEL	1.7 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
citral	5392-40-5	DNEL	140 µg/cm <sup>2</sup>	human, dermal	worker (industry)	chronic - local effects
Aldehyde C-16	77-83-8	DNEL	2.45 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Aldehyde C-16	77-83-8	DNEL	0.7 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Linalool	78-70-6	DNEL	2.8 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Linalool	78-70-6	DNEL	16.5 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic effects
Linalool	78-70-6	DNEL	2.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Linalool	78-70-6	DNEL	5 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects
Hexyl cinnamaldehyde	165184-98-5 101-86-0	DNEL	0.078 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Hexyl cinnamaldehyde	165184-98-5 101-86-0	DNEL	6.28 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects
Hexyl cinnamaldehyde	165184-98-5 101-86-0	DNEL	18.2 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Hexyl cinnamaldehyde	165184-98-5 101-86-0	DNEL	525 µg/cm <sup>2</sup>	human, dermal	worker (industry)	chronic - local effects
Hexyl cinnamaldehyde	165184-98-5 101-86-0	DNEL	525 µg/cm <sup>2</sup>	human, dermal	worker (industry)	acute - local effects
Ethyl Maltol	4940-11-8	DNEL	58.7 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects





# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHFx Car Air Freshener Desert Nights Vent Clip

Version number: 5.0  
Replaces version of: 2020-10-21 (4)

Revision: 2020-10-22

### Relevant DNELs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Ethyl Maltol	4940-11-8	DNEL	16.7 mg/kg bw/day	human, dermal	worker (industry)	chronic - system-ic effects
Allyl Caproate	123-68-2	DNEL	15 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - system-ic effects
Allyl Caproate	123-68-2	DNEL	4.3 mg/kg bw/day	human, dermal	worker (industry)	chronic - system-ic effects
Methyl cinnamate	103-26-4	DNEL	28.2 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - system-ic effects
Methyl cinnamate	103-26-4	DNEL	4 mg/kg bw/day	human, dermal	worker (industry)	chronic - system-ic effects
β-pinene	127-91-3 18172-67-3	DNEL	5.69 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - system-ic effects
β-pinene	127-91-3 18172-67-3	DNEL	0.8 mg/kg bw/day	human, dermal	worker (industry)	chronic - system-ic effects
β-pinene	127-91-3 18172-67-3	DNEL	54 µg/cm <sup>2</sup>	human, dermal	worker (industry)	chronic - local effects
Allyl heptanoate	142-19-8	DNEL	2.97 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - system-ic effects
Allyl heptanoate	142-19-8	DNEL	0.84 mg/kg bw/day	human, dermal	worker (industry)	chronic - system-ic effects
citronellol	106-22-9	DNEL	161.6 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - system-ic effects
citronellol	106-22-9	DNEL	10 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
citronellol	106-22-9	DNEL	10 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects
citronellol	106-22-9	DNEL	327.4 mg/kg bw/day	human, dermal	worker (industry)	chronic - system-ic effects
citronellol	106-22-9	DNEL	2,950 µg/cm <sup>2</sup>	human, dermal	worker (industry)	acute - local effects
α-pinene	80-56-8	DNEL	3.8 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - system-ic effects
α-pinene	80-56-8	DNEL	0.542 mg/kg bw/day	human, dermal	worker (industry)	chronic - system-ic effects
Geranyl acetate	105-87-3	DNEL	62.59 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - system-ic effects



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHFx Car Air Freshener Desert Nights Vent Clip

Version number: 5.0  
Replaces version of: 2020-10-21 (4)

Revision: 2020-10-22

### Relevant DNELs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Geranyl acetate	105-87-3	DNEL	35.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

### Relevant PNECs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
(2-methoxymethyl-ethoxy)propanol	34590-94-8	PNEC	190 mg/l	aquatic organisms	water	intermittent release
(2-methoxymethyl-ethoxy)propanol	34590-94-8	PNEC	19 mg/l	aquatic organisms	freshwater	short-term (single instance)
(2-methoxymethyl-ethoxy)propanol	34590-94-8	PNEC	1.9 mg/l	aquatic organisms	marine water	short-term (single instance)
(2-methoxymethyl-ethoxy)propanol	34590-94-8	PNEC	4,168 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
(2-methoxymethyl-ethoxy)propanol	34590-94-8	PNEC	70.2 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
(2-methoxymethyl-ethoxy)propanol	34590-94-8	PNEC	7.02 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
(2-methoxymethyl-ethoxy)propanol	34590-94-8	PNEC	2.74 mg/kg	terrestrial organisms	soil	short-term (single instance)
(R)-p-mentha-1,8-diene	5989-27-5	PNEC	14 µg/l	aquatic organisms	freshwater	short-term (single instance)
(R)-p-mentha-1,8-diene	5989-27-5	PNEC	1.4 µg/l	aquatic organisms	marine water	short-term (single instance)
(R)-p-mentha-1,8-diene	5989-27-5	PNEC	1.8 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
(R)-p-mentha-1,8-diene	5989-27-5	PNEC	3.85 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
(R)-p-mentha-1,8-diene	5989-27-5	PNEC	0.385 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
(R)-p-mentha-1,8-diene	5989-27-5	PNEC	0.763 mg/kg	terrestrial organisms	soil	short-term (single instance)
citral	5392-40-5	PNEC	0.007 mg/l	aquatic organisms	freshwater	short-term (single instance)
citral	5392-40-5	PNEC	0.001 mg/l	aquatic organisms	marine water	short-term (single instance)



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHFx Car Air Freshener Desert Nights Vent Clip

Version number: 5.0  
Replaces version of: 2020-10-21 (4)

Revision: 2020-10-22

### Relevant PNECs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
citral	5392-40-5	PNEC	1.6 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
citral	5392-40-5	PNEC	0.125 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
citral	5392-40-5	PNEC	0.013 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
citral	5392-40-5	PNEC	0.021 mg/kg	terrestrial organisms	soil	short-term (single instance)
Aldehyde C-16	77-83-8	PNEC	23.3 mg/kg	aquatic organisms	water	short-term (single instance)
Aldehyde C-16	77-83-8	PNEC	0.084 mg/l	aquatic organisms	water	intermittent release
Aldehyde C-16	77-83-8	PNEC	0.008 mg/l	aquatic organisms	freshwater	short-term (single instance)
Aldehyde C-16	77-83-8	PNEC	8.4 µg/l	aquatic organisms	marine water	short-term (single instance)
Aldehyde C-16	77-83-8	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Aldehyde C-16	77-83-8	PNEC	0.214 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Aldehyde C-16	77-83-8	PNEC	0.021 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Aldehyde C-16	77-83-8	PNEC	0.038 mg/kg	terrestrial organisms	soil	short-term (single instance)
Linalool	78-70-6	PNEC	7.8 mg/kg	aquatic organisms	water	short-term (single instance)
Linalool	78-70-6	PNEC	2 mg/l	aquatic organisms	water	intermittent release
Linalool	78-70-6	PNEC	0.2 mg/l	aquatic organisms	freshwater	short-term (single instance)
Linalool	78-70-6	PNEC	0.02 mg/l	aquatic organisms	marine water	short-term (single instance)
Linalool	78-70-6	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Linalool	78-70-6	PNEC	2.22 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHFx Car Air Freshener Desert Nights Vent Clip

Version number: 5.0  
Replaces version of: 2020-10-21 (4)

Revision: 2020-10-22

### Relevant PNECs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Linalool	78-70-6	PNEC	0.222 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Linalool	78-70-6	PNEC	0.327 mg/kg	terrestrial organisms	soil	short-term (single instance)
Hexyl cinnamaldehyde	165184-98-5 101-86-0	PNEC	0.001 mg/l	aquatic organisms	freshwater	short-term (single instance)
Hexyl cinnamaldehyde	165184-98-5 101-86-0	PNEC	0 mg/l	aquatic organisms	marine water	short-term (single instance)
Hexyl cinnamaldehyde	165184-98-5 101-86-0	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Hexyl cinnamaldehyde	165184-98-5 101-86-0	PNEC	3.2 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Hexyl cinnamaldehyde	165184-98-5 101-86-0	PNEC	0.064 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Hexyl cinnamaldehyde	165184-98-5 101-86-0	PNEC	0.398 mg/kg	terrestrial organisms	soil	short-term (single instance)
Ethyl Maltol	4940-11-8	PNEC	7.2 µg/l	aquatic organisms	freshwater	short-term (single instance)
Ethyl Maltol	4940-11-8	PNEC	0.72 µg/l	aquatic organisms	marine water	short-term (single instance)
Ethyl Maltol	4940-11-8	PNEC	1.55 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Ethyl Maltol	4940-11-8	PNEC	0.27 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Ethyl Maltol	4940-11-8	PNEC	0.027 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Ethyl Maltol	4940-11-8	PNEC	0.049 mg/kg	terrestrial organisms	soil	short-term (single instance)
Allyl Caproate	123-68-2	PNEC	47.56 mg/kg	aquatic organisms	water	short-term (single instance)
Allyl Caproate	123-68-2	PNEC	1.17 µg/l	aquatic organisms	water	intermittent release
Allyl Caproate	123-68-2	PNEC	0.117 µg/l	aquatic organisms	freshwater	short-term (single instance)
Allyl Caproate	123-68-2	PNEC	0.012 µg/l	aquatic organisms	marine water	short-term (single instance)



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHFx Car Air Freshener Desert Nights Vent Clip

Version number: 5.0  
Replaces version of: 2020-10-21 (4)

Revision: 2020-10-22

### Relevant PNECs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Allyl Caproate	123-68-2	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Allyl Caproate	123-68-2	PNEC	4.46 µg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Allyl Caproate	123-68-2	PNEC	0.446 µg/kg	aquatic organisms	marine sediment	short-term (single instance)
Allyl Caproate	123-68-2	PNEC	0.825 µg/kg	terrestrial organisms	soil	short-term (single instance)
Methyl cinnamate	103-26-4	PNEC	2.76 µg/l	aquatic organisms	freshwater	short-term (single instance)
Methyl cinnamate	103-26-4	PNEC	0.276 µg/l	aquatic organisms	marine water	short-term (single instance)
Methyl cinnamate	103-26-4	PNEC	27.6 µg/l	aquatic organisms	water	intermittent release
Methyl cinnamate	103-26-4	PNEC	1.81 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Methyl cinnamate	103-26-4	PNEC	74 µg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Methyl cinnamate	103-26-4	PNEC	7.4 µg/kg	aquatic organisms	marine sediment	short-term (single instance)
Methyl cinnamate	103-26-4	PNEC	13 µg/kg	terrestrial organisms	soil	short-term (single instance)
β-pinene	127-91-3 18172-67-3	PNEC	13.1 mg/kg	aquatic organisms	water	short-term (single instance)
β-pinene	127-91-3 18172-67-3	PNEC	1.004 µg/l	aquatic organisms	freshwater	short-term (single instance)
β-pinene	127-91-3 18172-67-3	PNEC	0.1 µg/l	aquatic organisms	marine water	short-term (single instance)
β-pinene	127-91-3 18172-67-3	PNEC	3.26 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
β-pinene	127-91-3 18172-67-3	PNEC	0.337 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
β-pinene	127-91-3 18172-67-3	PNEC	0.034 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
β-pinene	127-91-3 18172-67-3	PNEC	0.067 mg/kg	terrestrial organisms	soil	short-term (single instance)



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHFx Car Air Freshener Desert Nights Vent Clip

Version number: 5.0  
Replaces version of: 2020-10-21 (4)

Revision: 2020-10-22

### Relevant PNECs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Allyl heptanoate	142-19-8	PNEC	51.78 mg/kg	aquatic organisms	water	short-term (single instance)
Allyl heptanoate	142-19-8	PNEC	1.2 µg/l	aquatic organisms	water	intermittent release
Allyl heptanoate	142-19-8	PNEC	0.12 µg/l	aquatic organisms	freshwater	short-term (single instance)
Allyl heptanoate	142-19-8	PNEC	0.012 µg/l	aquatic organisms	marine water	short-term (single instance)
Allyl heptanoate	142-19-8	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Allyl heptanoate	142-19-8	PNEC	0.012 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Allyl heptanoate	142-19-8	PNEC	0.001 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Allyl heptanoate	142-19-8	PNEC	0.002 mg/kg	terrestrial organisms	soil	short-term (single instance)
citronellol	106-22-9	PNEC	0.024 mg/l	aquatic organisms	water	intermittent release
citronellol	106-22-9	PNEC	0.002 mg/l	aquatic organisms	freshwater	short-term (single instance)
citronellol	106-22-9	PNEC	0 mg/l	aquatic organisms	marine water	short-term (single instance)
citronellol	106-22-9	PNEC	580 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
citronellol	106-22-9	PNEC	0.026 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
citronellol	106-22-9	PNEC	0.003 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
citronellol	106-22-9	PNEC	0.004 mg/kg	terrestrial organisms	soil	short-term (single instance)
α-pinene	80-56-8	PNEC	1.35 mg/kg	aquatic organisms	water	short-term (single instance)
α-pinene	80-56-8	PNEC	0.606 µg/l	aquatic organisms	freshwater	short-term (single instance)
α-pinene	80-56-8	PNEC	0.061 µg/l	aquatic organisms	marine water	short-term (single instance)



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHFx Car Air Freshener Desert Nights Vent Clip

Version number: 5.0  
Replaces version of: 2020-10-21 (4)

Revision: 2020-10-22

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
$\alpha$ -pinene	80-56-8	PNEC	0.2 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
$\alpha$ -pinene	80-56-8	PNEC	157 $\mu$ g/kg	aquatic organisms	freshwater sediment	short-term (single instance)
$\alpha$ -pinene	80-56-8	PNEC	15.7 $\mu$ g/kg	aquatic organisms	marine sediment	short-term (single instance)
$\alpha$ -pinene	80-56-8	PNEC	31.7 $\mu$ g/kg	terrestrial organisms	soil	short-term (single instance)
Geranyl acetate	105-87-3	PNEC	37.2 $\mu$ g/l	aquatic organisms	water	intermittent release
Geranyl acetate	105-87-3	PNEC	3.72 $\mu$ g/l	aquatic organisms	freshwater	short-term (single instance)
Geranyl acetate	105-87-3	PNEC	0.372 $\mu$ g/l	aquatic organisms	marine water	short-term (single instance)
Geranyl acetate	105-87-3	PNEC	8 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Geranyl acetate	105-87-3	PNEC	0.442 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Geranyl acetate	105-87-3	PNEC	0.044 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Geranyl acetate	105-87-3	PNEC	0.086 mg/kg	terrestrial organisms	soil	short-term (single instance)

### 8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHFx Car Air Freshener Desert Nights Vent Clip

Version number: 5.0  
Replaces version of: 2020-10-21 (4)

Revision: 2020-10-22

### - Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

### Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

Physical state	liquid
Color	various
Odor	characteristic

#### Other safety parameters

pH (value)	not determined
Melting point/freezing point	not determined
Initial boiling point and boiling range	189.6 °C at 760 mmHg
Flash point	not determined
Evaporation rate	not determined
Flammability (solid, gas)	not relevant, (fluid)

#### Explosive limits

- Lower explosion limit (LEL)	1.1 vol%
- Upper explosion limit (UEL)	14 vol%





## Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

### Armor All FRESHFx Car Air Freshener Desert Nights Vent Clip

Version number: 5.0  
Replaces version of: 2020-10-21 (4)

Revision: 2020-10-22

Vapor pressure	10 mmHg at 75.1 °C
Density	not determined
Vapor density	this information is not available
Relative density	information on this property is not available
Solubility(ies)	not determined

Partition coefficient

- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	
Viscosity	not determined
Explosive properties	none
Oxidizing properties	none

<b>9.2</b>	<b>Other information</b>	there is no additional information
------------	--------------------------	------------------------------------

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Risk of ignition.

If heated:

Risk of ignition

### 10.2 Chemical stability

See below "Conditions to avoid".

### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints to prevent fire or explosion

Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHFx Car Air Freshener Desert Nights Vent Clip

Version number: 5.0  
Replaces version of: 2020-10-21 (4)

Revision: 2020-10-22

### 10.5 Incompatible materials

Oxidizers

### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

#### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

##### Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4: May be harmful if swallowed.

#### Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Hexyl cinnamaldehyde	165184-98-5 101-86-0	inhalation: vapor	11 mg <sub>l</sub> /4h
Hexyl cinnamaldehyde	165184-98-5 101-86-0	inhalation: dust/mist	2.12 mg <sub>l</sub> /4h
Ethyl Maltol	4940-11-8	oral	1,220 mg <sub>kg</sub>
Allyl Caproate	123-68-2	oral	100 mg <sub>kg</sub>
Allyl Caproate	123-68-2	dermal	820 mg <sub>kg</sub>
Allyl Caproate	123-68-2	inhalation: vapor	3 mg <sub>l</sub> /4h
Allyl heptanoate	142-19-8	oral	218 mg <sub>kg</sub>
Allyl heptanoate	142-19-8	dermal	810 mg <sub>kg</sub>

##### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

##### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

##### Respiratory or skin sensitization

May cause an allergic skin reaction.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHFx Car Air Freshener Desert Nights Vent Clip

Version number: 5.0  
Replaces version of: 2020-10-21 (4)

Revision: 2020-10-22

### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

### Carcinogenicity

Shall not be classified as carcinogenic.

#### IARC Monographs on the Evaluation of Carcinogenic Risks to Humans

Name of substance	CAS No	Classification	Number
(R)-p-mentha-1,8-diene	5989-27-5	3	

#### Legend

3 Not classifiable as to carcinogenicity in humans

### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

## SECTION 12: Ecological information

### 12.1 Toxicity

Toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
(2-methoxymethylethoxy)propanol	34590-94-8	LC50	>1,000 mg/l	fish	96 h
(2-methoxymethylethoxy)propanol	34590-94-8	ErC50	>969 mg/l	algae	72 h
(2-methoxymethylethoxy)propanol	34590-94-8	EC50	>969 mg/l	algae	72 h
(R)-p-mentha-1,8-diene	5989-27-5	LC50	720 µg/l	fish	96 h
(R)-p-mentha-1,8-diene	5989-27-5	EC50	688 µg/l	fish	96 h
(R)-p-mentha-1,8-diene	5989-27-5	ErC50	0.32 mg/l	algae	72 h



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHFx Car Air Freshener Desert Nights Vent Clip

Version number: 5.0  
Replaces version of: 2020-10-21 (4)

Revision: 2020-10-22

### Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
citral	5392-40-5	LC50	6.78 mg/l	fish	96 h
citral	5392-40-5	EC50	6.8 mg/l	aquatic invertebrates	48 h
citral	5392-40-5	ErC50	103.8 mg/l	algae	72 h
Aldehyde C-16	77-83-8	LC50	4.2 mg/l	fish	96 h
Aldehyde C-16	77-83-8	EC50	95 mg/l	aquatic invertebrates	24 h
Aldehyde C-16	77-83-8	ErC50	36 mg/l	algae	72 h
Linalool	78-70-6	LC50	27.8 mg/l	fish	96 h
Linalool	78-70-6	EC50	59 mg/l	aquatic invertebrates	48 h
Linalool	78-70-6	ErC50	156.7 mg/l	algae	96 h
Hexyl cinnamaldehyde	165184-98-5 101-86-0	LC50	1.7 mg/l	fish	96 h
Hexyl cinnamaldehyde	165184-98-5 101-86-0	EC50	<0.59 mg/l	aquatic invertebrates	48 h
Hexyl cinnamaldehyde	165184-98-5 101-86-0	ErC50	>0.065 mg/l	algae	72 h
Ethyl Maltol	4940-11-8	LC50	>85 mg/l	fish	96 h
Ethyl Maltol	4940-11-8	EC50	27 mg/l	aquatic invertebrates	48 h
Ethyl Maltol	4940-11-8	ErC50	7.2 mg/l	algae	72 h
Allyl Caproate	123-68-2	LC50	0.201 mg/l	fish	24 h
Allyl Caproate	123-68-2	EC50	2 mg/l	aquatic invertebrates	48 h
Allyl Caproate	123-68-2	ErC50	>4.6 mg/l	algae	72 h
L-Carvone	6485-40-1	LC50	6.1 mg/l	fish	96 h
L-Carvone	6485-40-1	EC50	38 mg/l	aquatic invertebrates	48 h
L-Carvone	6485-40-1	ErC50	19 mg/l	algae	72 h
Methyl cinnamate	103-26-4	LC50	2.76 mg/l	fish	96 h
Methyl cinnamate	103-26-4	EC50	24 mg/l	aquatic invertebrates	48 h
Methyl cinnamate	103-26-4	ErC50	7.6 mg/l	algae	72 h



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHFx Car Air Freshener Desert Nights Vent Clip

Version number: 5.0  
Replaces version of: 2020-10-21 (4)

Revision: 2020-10-22

### Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
β-pinene	127-91-3 18172-67-3	LC50	0.68 mg/l	fish	96 h
β-pinene	127-91-3 18172-67-3	EC50	1.09 mg/l	aquatic invertebrates	48 h
β-pinene	127-91-3 18172-67-3	ErC50	0.7 mg/l	algae	72 h
Allyl heptanoate	142-19-8	LC50	0.201 mg/l	fish	24 h
Allyl heptanoate	142-19-8	EC50	0.89 mg/l	aquatic invertebrates	48 h
Allyl heptanoate	142-19-8	ErC50	>4.6 mg/l	algae	72 h
citronellol	106-22-9	LC50	14.66 mg/l	fish	96 h
citronellol	106-22-9	EC50	17.48 mg/l	aquatic invertebrates	48 h
α-pinene	80-56-8	LC50	0.303 mg/l	fish	96 h
α-pinene	80-56-8	EC50	0.475 mg/l	aquatic invertebrates	48 h
Geranyl acetate	105-87-3	LC50	68.12 mg/l	fish	96 h
Geranyl acetate	105-87-3	EC50	14.1 mg/l	aquatic invertebrates	48 h
Geranyl acetate	105-87-3	ErC50	3.72 mg/l	algae	72 h

### Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
(2-methoxymethylethoxy)propanol	34590-94-8	LC50	>1,000 mg/l	aquatic invertebrates	24 h
(R)-p-mentha-1,8-diene	5989-27-5	EC50	<0.67 mg/l	fish	8 d
(R)-p-mentha-1,8-diene	5989-27-5	LC50	0.41 mg/l	fish	8 d
citral	5392-40-5	EC50	160 mg/l	microorganisms	30 min
Aldehyde C-16	77-83-8	EC50	95 mg/l	aquatic invertebrates	24 h
Linalool	78-70-6	LC50	27.8 mg/l	fish	24 h
Linalool	78-70-6	EC50	>100 mg/l	microorganisms	30 min

## Armor All FRESHFx Car Air Freshener Desert Nights Vent Clip

Version number: 5.0  
Replaces version of: 2020-10-21 (4)

Revision: 2020-10-22

### Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Hexyl cinnamaldehyde	165184-98-5 101-86-0	EC50	>157 µg/l	aquatic invertebrates	21 d
Methyl cinnamate	103-26-4	EC50	181 mg/l	microorganisms	3 h
β-pinene	127-91-3 18172-67-3	EC50	326 mg/l	microorganisms	3 h
citronellol	106-22-9	EC50	>10,000 mg/l	microorganisms	30 min

### 12.2 Persistence and degradability

Data are not available.

### 12.3 Bioaccumulative potential

Data are not available.

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

Data are not available.

### 12.6 Other adverse effects

Endocrine disrupting potential

None of the ingredients are listed.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Waste treatment-relevant information

Solvent reclamation/regeneration.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHFx Car Air Freshener Desert Nights Vent Clip

Version number: 5.0  
Replaces version of: 2020-10-21 (4)

Revision: 2020-10-22

### SECTION 14: Transport information

<b>14.1 UN number</b>	3082
<b>14.2 UN proper shipping name</b> Technical name (hazardous ingredients)	Environmentally hazardous substance, liquid, n.o.s. Aldehyde C-16, (R)-p-mentha-1,8-diene
<b>14.3 Transport hazard class(es)</b> Class	9 (environmentally hazardous)
<b>14.4 Packing group</b>	III (substance presenting low danger)
<b>14.5 Environmental hazards</b> Environmentally hazardous substance (aquatic environment)	hazardous to the aquatic environment Aldehyde C-16, (R)-p-mentha-1,8-diene
<b>14.6 Special precautions for user</b> There is no additional information.	
<b>14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code</b> The cargo is not intended to be carried in bulk.	

#### Information for each of the UN Model Regulations

Not regulated when carried in single or combination packaging containing a net quantity of 5L or less or 5 kg or less per the following:  
DOT: 171.4(2)  
ADR: SP 375  
IMDG: 2.10.2.7  
IATA: special provision A197, DOT

#### Transport of dangerous goods by road or rail (49 CFR US DOT)

Index number	3082
Proper shipping name	Environmentally hazardous substance, liquid, n.o.s.
- Particulars in the shipper's declaration	UN3082, Environmentally hazardous substance, liquid, n.o.s., 9, III
- Reportable quantity (RQ)	1,428,571 lbs (648,571 kg) (isopentyl acetate)
Class	9
Packing group	III
Danger label(s)	9, fish and tree







Environmental hazards	yes (hazardous to the aquatic environment)
Special provisions (SP)	8, 146, 173, 335, IB3, T4, TP1, TP29

## Armor All FRESHFx Car Air Freshener Desert Nights Vent Clip

Version number: 5.0

Replaces version of: 2020-10-21 (4)

Revision: 2020-10-22

ERG No	171
<b>International Maritime Dangerous Goods Code (IMDG)</b>	
UN number	3082
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
- Particulars in the shipper's declaration	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III
Class	9
Marine pollutant	yes (hazardous to the aquatic environment)
Packing group	III
Danger label(s)	9, fish and tree
 	
Special provisions (SP)	274, 335, 969
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
EmS	F-A, S-F
Stowage category	A
<b>International Civil Aviation Organization (ICAO-IATA/DGR)</b>	
UN number	3082
Proper shipping name	Environmentally hazardous substance, liquid, n.o.s.
- Particulars in the shipper's declaration	UN3082, Environmentally hazardous substance, liquid, n.o.s., 9, III
Class	9
Environmental hazards	yes (hazardous to the aquatic environment)
Packing group	III
Danger label(s)	9, fish and tree
 	
Special provisions (SP)	A97, A158, A197
Excepted quantities (EQ)	E1
Limited quantities (LQ)	30 kg





# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHFx Car Air Freshener Desert Nights Vent Clip

Version number: 5.0  
Replaces version of: 2020-10-21 (4)

Revision: 2020-10-22

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations specific for the product in question

##### National regulations (United States)

**Toxic Substance Control Act (TSCA)** all ingredients are listed

##### Superfund Amendment and Reauthorization Act (SARA TITLE III )

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

- Specific Toxic Chemical Listings (EPCRA Section 313)

none of the ingredients are listed

##### Clean Air Act

none of the ingredients are listed

##### Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of substance	Name acc. to inventory	CAS No	Functional-ity	Authoritative Lists
(2-methoxymethylethoxy)pro-panol		34590-94-8	solvents	
(R)-p-mentha-1,8-diene	d-Limonene	5989-27-5	fragrance	EU Fragrance Allergens
Citral	Citral	5392-40-5	fragrance	EU Fragrance Allergens
Aldehyde C-16		77-83-8	fragrance	
Linalool	Linalool	78-70-6	fragrance	EU Fragrance Allergens
Hexyl cinnamaldehyde	Hexyl cinnam-aldehyde	101-86-0	fragrance	EU Fragrance Allergens
Linalyl acetate		115-95-7	fragrance	
Ethyl Maltol		4940-11-8	fragrance	
Allyl Caproate		123-68-2	fragrance	
L-Carvone		6485-40-1	fragrance	
Decanal		112-31-2	fragrance	
Methyl cinnamate		103-26-4	fragrance	
β-Pinene		127-91-3 18172-67-3	fragrance	
Allyl heptanoate		142-19-8	fragrance	



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHFx Car Air Freshener Desert Nights Vent Clip

Version number: 5.0  
Replaces version of: 2020-10-21 (4)

Revision: 2020-10-22

Name of substance	Name acc. to inventory	CAS No	Functional-ity	Authoritative Lists
Benzyl benzoate	Benzyl benzoate	120-51-4	fragrance	EU Fragrance Allergens
p-Mentha-1,4-diene		99-85-4	fragrance	
p-Mentha-1,4(8)-diene		586-62-9	fragrance	
Citronellol	Citronellol	106-22-9	fragrance	EU Fragrance Allergens
Hexyl Acetate		142-92-7	fragrance	
$\alpha$ -Pinene		80-56-8	fragrance	
Isopentyl acetate		123-92-2	fragrance	
Geranyl acetate		105-87-3	fragrance	
Delta-Damascone		57378-68-4	fragrance	

### - Toxic or Hazardous Substance List (MA-TURA)

Name of substance	Name acc. to inventory	CAS No	DEP CODE	PBT / HHS / LHS	PBT / HHS Thres hold	De Minimis Concentration Threshold
isopentyl acetate	iso-Amyl acetate	123-92-2				1.0 %

### - Hazardous Substances List (MN-ERTK)

Name of substance	Name acc. to inventory	CAS No	References	Remarks
(2-methoxymethylethoxy)propanol	Dipropylene glycol methyl ether	34590-94-8	A, O	

#### Legend

- A American Conference of Governmental Industrial Hygienists (ACGIH), "Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices for 1992-93", available from ACGIH
- O Occupational Safety and Health Administration (OSHA), Safety and Health Standards, Code of Federal Regulations, title 29, part 1910, subpart Z, "Toxic and Hazardous Substances, 1990." General information: Minnesota Department of Labor and Industry, Occupational Safety and Health Division

### - Hazardous Substance List (NJ-RTK)

Name of substance	Name acc. to inventory	CAS No	Remarks	Classifications
$\alpha$ -pinene	alpha-PINENE (BICYCLO[3.1.1]HEPT-2-ENE, 2,6,6-TRIMETHYL-)	80-56-8		F3
(2-methoxymethylethoxy)propanol	dipropylene glycol methyl ether	34590-94-8		F2
isopentyl acetate	isoamyl acetate	123-92-2		F3



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHFx Car Air Freshener Desert Nights Vent Clip

Version number: 5.0  
Replaces version of: 2020-10-21 (4)

Revision: 2020-10-22

Name of substance	Name acc. to inventory	CAS No	Remarks	Classifications
(R)-p-mentha-1,8-diene	dipentene	138-86-3		F2
p-mentha-1,4(8)-diene	TERPINOLENE (CYCLOHEXENE, 1-METHYL-4-(1-METHYLETHYL-IDENE)-)	586-62-9		F3

### Legend

F2 Flammable - Second Degree  
F3 Flammable - Third Degree

### - Hazardous Substance List (Chapter 323) (PA-RTK)

Name of substance	Name acc. to inventory	CAS No	Classification
(2-methoxymethylethoxy)propanol	PROPANOL, (2-METHOXY-METHYLETHOXY)-	34590-94-8	
isopentyl acetate	1-BUTANOL, 3-METHYL-, ACETATE	123-92-2	E

### Legend

E Environmental hazard

### - Hazardous Substance List (RI-RTK)

Name of substance	Name acc. to inventory	CAS No	References
(2-methoxymethylethoxy)propanol	Dipropylene glycol methyl ether	34590-94-8	T
isopentyl acetate	Isoamyl acetate	123-92-2	T

### Legend

T Toxicity (ACGIH®)

### California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

none of the ingredients are listed

### Industry or sector specific available guidance(s)

#### NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	/	none
Health	2	temporary or minor injury may occur



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHFx Car Air Freshener Desert Nights Vent Clip

Version number: 5.0  
Replaces version of: 2020-10-21 (4)

Revision: 2020-10-22

Category	Rating	Description
Flammability	2	material that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

### NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	2	material that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur
Health	2	material that, under emergency conditions, can cause temporary incapacitation or residual injury
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

### National inventories

Country	Inventory	Status
AU	AICS	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	not all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHFx Car Air Freshener Desert Nights Vent Clip

Version number: 5.0  
Replaces version of: 2020-10-21 (4)

Revision: 2020-10-22

Country	Inventory	Status
US	TSCA	all ingredients are listed

### Legend

AICS	Australian Inventory of Chemical Substances
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

## 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information, including date of preparation or last revision

### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
14.1	UN number: 2319	UN number: 3082	yes
14.2	UN proper shipping name: Terpene hydrocarbons, n.o.s.	UN proper shipping name: Environmentally hazardous substance, liquid, n.o.s.	yes
14.2		Technical name (hazardous ingredients): Aldehyde C-16, (R)-p-mentha-1,8-diene	yes
14.3	Class: 3 (flammable liquids)	Class: 9 (environmentally hazardous)	yes
14.5	Environmentally hazardous substance (aquatic environment): (R)-p-mentha-1,8-diene	Environmentally hazardous substance (aquatic environment): Aldehyde C-16, (R)-p-mentha-1,8-diene	yes
14.7	Information for each of the UN Model Regulations: DOT	Information for each of the UN Model Regulations: Not regulated when carried in single or combination packaging containing a net quantity of 5L or less or 5 kg or less per the following: DOT: 171.4(2) ADR: SP 375 IMDG: 2.10.2.7 IATA: special provision A197, DOT	yes



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHFx Car Air Freshener Desert Nights Vent Clip

Version number: 5.0  
Replaces version of: 2020-10-21 (4)

Revision: 2020-10-22

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
14.7	Index number: 2319	Index number: 3082	yes
14.7	Proper shipping name: Terpene hydrocarbons, n.o.s.	Proper shipping name: Environmentally hazardous substance, liquid, n.o.s.	yes
14.7	Particulars in the shipper's declaration: UN2319, Terpene hydrocarbons, n.o.s., 3, III, environmentally hazardous	Particulars in the shipper's declaration: UN3082, Environmentally hazardous substance, liquid, n.o.s., 9, III	yes
14.7	Class: 3	Class: 9	yes
14.7	Danger label(s): 3, fish and tree	Danger label(s): 9, fish and tree	yes
14.7		Danger label(s): change in the listing (table)	yes
14.7	Special provisions (SP): B1, IB3, T4, TP1, TP29	Special provisions (SP): 8, 146, 173, 335, IB3, T4, TP1, TP29	yes
14.7	ERG No: 128	ERG No: 171	yes
14.7	UN number: 2319	UN number: 3082	yes
14.7	Proper shipping name: TERPENE HYDROCARBONS, N.O.S.	Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	yes
14.7	Particulars in the shipper's declaration: UN2319, TERPENE HYDROCARBONS, N.O.S., 3, III, >23°C c.c., MARINE POLLUTANT	Particulars in the shipper's declaration: UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III	yes
14.7	Class: 3	Class: 9	yes
14.7	Danger label(s): 3, fish and tree	Danger label(s): 9, fish and tree	yes
14.7		Danger label(s): change in the listing (table)	yes
14.7	Special provisions (SP): -	Special provisions (SP): 274, 335, 969	yes
14.7	EmS: F-E, S-D	EmS: F-A, S-F	yes
14.7	UN number: 2319	UN number: 3082	yes



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHFx Car Air Freshener Desert Nights Vent Clip

Version number: 5.0  
Replaces version of: 2020-10-21 (4)

Revision: 2020-10-22

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
14.7	Proper shipping name: Terpene hydrocarbons, n.o.s.	Proper shipping name: Environmentally hazardous substance, liquid, n.o.s.	yes
14.7	Particulars in the shipper's declaration: UN2319, Terpene hydrocarbons, n.o.s., 3, III	Particulars in the shipper's declaration: UN3082, Environmentally hazardous substance, liquid, n.o.s., 9, III	yes
14.7	Class: 3	Class: 9	yes
14.7	Danger label(s): 3	Danger label(s): 9, fish and tree	yes
14.7		Danger label(s): change in the listing (table)	yes
14.7		Special provisions (SP): A97, A158, A197	yes
14.7	Limited quantities (LQ): 10 L	Limited quantities (LQ): 30 kg	yes

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
29 CFR 1910.1000	29 CFR 1910.1000, Tables Z-1, Z-2, Z-3 - Occupational Safety and Health Standards: Toxic and Hazardous Substances (permissible exposure limits)
49 CFR US DOT	49 CFR U.S. Department of Transportation
ACGIH®	American Conference of Governmental Industrial Hygienists
ACGIH® 2019	From ACGIH®, 2019 TLVs® and BEIs® Book. Copyright 2019. Reprinted with permission. Information on the proper use of the TLVs® and BEIs®: <a href="http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement">http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement</a>
Acute Tox.	Acute toxicity
Asp. Tox.	Aspiration hazard
ATE	Acute Toxicity Estimate
Cal/OSHA PEL	California Division of Occupational Safety and Health (Cal/OSHA): Permissible Exposure Limits (PELs)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DEP CODE	Department of Environmental Protection Code
DGR	Dangerous Goods Regulations (see IATA/DGR)



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHFx Car Air Freshener Desert Nights Vent Clip

Version number: 5.0  
Replaces version of: 2020-10-21 (4)

Revision: 2020-10-22

Abbr.	Descriptions of used abbreviations
DNEL	Derived No-Effect Level
DOT	Department of Transportation (USA)
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
ERG No	Emergency Response Guidebook - Number
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
HHS	Higher hazard substance
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LHS	Lower hazard substance
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NIOSH REL	National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs)
NLP	No-Longer Polymer
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PEL	Permissible exposure limit
PNEC	Predicted No-Effect Concentration





# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All FRESHFx Car Air Freshener Desert Nights Vent Clip

Version number: 5.0  
Replaces version of: 2020-10-21 (4)

Revision: 2020-10-22

Abbr.	Descriptions of used abbreviations
ppm	Parts per million
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitization
STEL	Short-term exposure limit
TLV®	Threshold Limit Values
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative

### Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H226	Flammable liquid and vapor.
H227	Combustible liquid.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.



## Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

### Armor All FRESHFx Car Air Freshener Desert Nights Vent Clip

Version number: 5.0  
Replaces version of: 2020-10-21 (4)

Revision: 2020-10-22

---

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.