

acc. to 29 CFR 1910.1200 App D

Armor All Extreme Shield Protectant - Spray

Version number: 6.0 Revision: 2021-02-02 Replaces version of: 2021-01-25 (5)

SECTION 1: Identification

1.1 Product identifier

Trade name Armor All Extreme Shield Protectant - Spray

Alternative number(s) 067788191641, 070612191342

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses General use

1.3 Details of the supplier of the safety data sheet

Energizer Manufacturing, Inc. 25225 Detroit Rd. Westlake OH 44145 United States

Telephone: 800-383-7323; 314-985-2000 (USA / CANADA)

Website: http://data.energizer.com

Energizer Trading Ltd.

Sword House, Totteridge Road, High Wycombe, HP13 6DG, UK

Telephone: +44(0)8000353376

e-mail: ConsumerServiceEU@energizer.com

1.4 Emergency telephone number

Emergency information service 1-314-985-1511 Int'l: 1-800-526-4727

This number is only available during the following

office hours: Mon-Fri 09:00 AM - 05:00 PM

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and category	Hazard state- ment
B.6	flammable liquid	3	Flam. Liq. 3	H226

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects
The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

United States: en Page: 1 / 20



acc. to 29 CFR 1910.1200 App D

Armor All Extreme Shield Protectant - Spray

Version number: 6.0 Revision: 2021-02-02 Replaces version of: 2021-01-25 (5)

- Signal word warning

- Pictograms

GHS02



- Hazard statements

H226 Flammable liquid and vapor.

- Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.
P280 Wear protective gloves/eye protection/face protection.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/

shower.

P370+P378 In case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with national regulations.

2.3 Other hazards

Hazards not otherwise classified

Contains 1,2-Benzisothiazolin-3-one. May produce an allergic reaction.

Toxic to aquatic life with long lasting effects (GHS category 2: aquatic toxicity - acute and/or chronic).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Alcohols, C12-15, eth- oxylated	CAS No 68131-39-5	1-<5	Flam. Liq. 3 / H226	
Benzotriazole derivatives	CAS No Proprietary	<1	Acute Tox. 3 / H331	

United States: en Page: 2 / 20



acc. to 29 CFR 1910.1200 App D

Armor All Extreme Shield Protectant - Spray

Version number: 6.0 Revision: 2021-02-02 Replaces version of: 2021-01-25 (5)

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
1,2-Benzisothiazolin-3-one	CAS No 2634-33-5	<1	Acute Tox. 4 / H302 Skin Irrit. 2 / H315 Eye Dam. 1 / H318 Skin Sens. 1 / H317	

For full text of abbreviations: see SECTION 16.

SECTION 4: First-aid measures

4.1 Description of first-aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapor-air mixture. Solvent vapors are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

United States: en Page: 3 / 20



acc. to 29 CFR 1910.1200 App D

Armor All Extreme Shield Protectant - Spray

Version number: 6.0 Revision: 2021-02-02 Replaces version of: 2021-01-25 (5)

Hazardous combustion products

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

United States: en Page: 4 / 20



acc. to 29 CFR 1910.1200 App D

Armor All Extreme Shield Protectant - Spray

Version number: 6.0 Revision: 2021-02-02 Replaces version of: 2021-01-25 (5)

- Specific notes/details

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapors are heavier than air, spread along floors and form explosive mixtures with air. Vapors may form explosive mixtures with air.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.

- Flammability hazards

Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.

Control of the effects

Protect against external exposure, such as

Frost

- Ventilation requirements

Use local and general ventilation. Ground/bond container and receiving equipment.

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

This information is not available.

Relevant DNELs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time
Alcohols, C12-15, ethoxylated	68131-39-5	DNEL	294 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Alcohols, C12-15, ethoxylated	68131-39-5	DNEL	2,080 mg/ kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

United States: en Page: 5 / 20



acc. to 29 CFR 1910.1200 App D

Armor All Extreme Shield Protectant - Spray

Version number: 6.0 Revision: 2021-02-02 Replaces version of: 2021-01-25 (5)

Relevant DNELs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time
1,2-Benzisothiazolin- 3-one	2634-33-5	DNEL	6.81 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
1,2-Benzisothiazolin- 3-one	2634-33-5	DNEL	0.966 mg/ kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Alcohols, C12-15, ethoxylated	68131-39-5	PNEC	0.051 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Alcohols, C12-15, ethoxylated	68131-39-5	PNEC	0.005 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Alcohols, C12-15, ethoxylated	68131-39-5	PNEC	10 ^g / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Alcohols, C12-15, ethoxylated	68131-39-5	PNEC	81.64 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Alcohols, C12-15, ethoxylated	68131-39-5	PNEC	8.16 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Alcohols, C12-15, ethoxylated	68131-39-5	PNEC	1 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
1,2-Benzisothiazolin- 3-one	2634-33-5	PNEC	4.03 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
1,2-Benzisothiazolin- 3-one	2634-33-5	PNEC	0.403 ^{µg} / _l	aquatic organ- isms	marine water	short-term (single instance)
1,2-Benzisothiazolin- 3-one	2634-33-5	PNEC	1.03 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
1,2-Benzisothiazolin- 3-one	2634-33-5	PNEC	49.9 ^{µg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
1,2-Benzisothiazolin- 3-one	2634-33-5	PNEC	4.99 ^{µg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
1,2-Benzisothiazolin- 3-one	2634-33-5	PNEC	3 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)

United States: en Page: 6 / 20



acc. to 29 CFR 1910.1200 App D

Armor All Extreme Shield Protectant - Spray

Version number: 6.0 Revision: 2021-02-02 Replaces version of: 2021-01-25 (5)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	liquid
Color	various
Odor	characteristic

Other safety parameters

pH (value)	not determined
Melting point/freezing point	not determined
Initial boiling point and boiling range	100 °C
Flash point	57 °C

United States: en Page: 7 / 20



acc. to 29 CFR 1910.1200 App D

Armor All Extreme Shield Protectant - Spray

Version number: 6.0 Revision: 2021-02-02 Replaces version of: 2021-01-25 (5)

Evaporation rate	Not determined
Flammability (solid, gas)	not relevant, (fluid)
Vapor pressure	not determined
Density	not determined
Vapor density	this information is not available
Relative density	Information on this property is not available
Solubility(ies)	not determined

Partition coefficient

- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	not determined
Viscosity	not determined
Explosive properties	none
Oxidizing properties	none

9.2 Other information there is no additional information

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Risk of ignition.

If heated:

Risk of ignition

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

United States: en Page: 8 / 20



acc. to 29 CFR 1910.1200 App D

Armor All Extreme Shield Protectant - Spray

Version number: 6.0 Revision: 2021-02-02 Replaces version of: 2021-01-25 (5)

Hints to prevent fire or explosion

Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

10.5 Incompatible materials

Oxidizers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Benzotriazole derivatives	Proprietary	inhalation: vapor	5.8 ^{mg} / _l /4h
1,2-Benzisothiazolin-3-one	2634-33-5	oral	670 ^{mg} / _{kg}

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitization

Contains 1,2-Benzisothiazolin-3-one. May produce an allergic reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

United States: en Page: 9 / 20

Energizer.

Holdings, Inc.

acc. to 29 CFR 1910.1200 App D

Armor All Extreme Shield Protectant - Spray

Version number: 6.0 Revision: 2021-02-02 Replaces version of: 2021-01-25 (5)

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Alcohols, C12-15, eth- oxylated	68131-39-5	EC50	0.14 ^{mg} / _l	aquatic invertebrates	48 h
Alcohols, C12-15, eth- oxylated	68131-39-5	ErC50	0.75 ^{mg} / _l	algae	72 h
Benzotriazole derivat- ives	Proprietary	EC50	>100 ^{mg} / _l	algae	72 h
Benzotriazole derivat- ives	Proprietary	EC50	4 ^{mg} / _l	daphnia magna	48 h
Benzotriazole derivat- ives	Proprietary	LC50	2.8 ^{mg} / _l	fish	96 h
1,2-Benzisothiazolin-3- one	2634-33-5	LC50	16.7 ^{mg} / _l	fish	96 h
1,2-Benzisothiazolin-3- one	2634-33-5	EC50	2.94 ^{mg} / _l	aquatic invertebrates	48 h
1,2-Benzisothiazolin-3- one	2634-33-5	ErC50	150 ^{µg} / _l	algae	72 h
1,2-Benzisothiazolin-3- one	2634-33-5	NOEC	55 ^{µg} / _l	algae	72 h

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Alcohols, C12-15, eth- oxylated	68131-39-5	EC50	>10 ^g / _l	microorganisms	16.9 h

United States: en Page: 10 / 20



acc. to 29 CFR 1910.1200 App D

Armor All Extreme Shield Protectant - Spray

Version number: 6.0 Revision: 2021-02-02 Replaces version of: 2021-01-25 (5)

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Alcohols, C12-15, eth- oxylated	68131-39-5	NOEC	0.16 ^{mg} / _l	fish	10 d
Alcohols, C12-15, eth- oxylated	68131-39-5	growth (EbCx) 10%	>10 ^g / _l	microorganisms	16.9 h
Benzotriazole derivat- ives	Proprietary	NOEC	0.78 ^{mg} / _l	daphnia magna	21 d
1,2-Benzisothiazolin-3- one	2634-33-5	EC50	13 ^{mg} / _l	microorganisms	3 h
1,2-Benzisothiazolin-3- one	2634-33-5	NOEC	11 ^{mg} / _l	microorganisms	3 h

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

The substance fulfills the very bioaccumulative criterion.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

None of the ingredients are listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste treatment-relevant information

Solvent reclamation/regeneration.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

United States: en Page: 11 / 20



acc. to 29 CFR 1910.1200 App D

Armor All Extreme Shield Protectant - Spray

Version number: 6.0 Revision: 2021-02-02 Replaces version of: 2021-01-25 (5)

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1 UN number

DOT UN 1993 IMDG-Code UN 1993 ICAO-TI UN 1993

14.2 UN proper shipping name

DOT Flammable liquid, n.o.s.

IMDG-Code FLAMMABLE LIQUID, N.O.S.

ICAO-TI Flammable liquid, n.o.s.

Technical name (hazardous ingredients)

Alcohols, C12-15, ethoxylated, hexadecyl-trimethyl-

ammoniumchloride

14.3 Transport hazard class(es)

DOT 3
IMDG-Code 3
ICAO-TI 3

14.4 Packing group

DOT III IMDG-Code III ICAO-TI III

14.5 Environmental hazards non-environmentally hazardous acc. to the danger-

ous goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

DOT

United States: en Page: 12 / 20



acc. to 29 CFR 1910.1200 App D

Armor All Extreme Shield Protectant - Spray

Version number: 6.0 Revision: 2021-02-02 Replaces version of: 2021-01-25 (5)

Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information

Particulars in the shipper's declaration UN1993, Flammable liquid, n.o.s., (Alcohols, C12-15,

ethoxylated, hexadecyl-trimethylammoniumchlor-

ide, solution), 3, III

Reportable quantity (RQ) 64,102,564 lbs (29,102,564 kg) (methanol)

Danger label(s) 3



Special provisions (SP) B1, B52, IB3, T4, TP1, TP29

ERG No 128

International Maritime Dangerous Goods Code (IMDG) - Additional information

Particulars in the shipper's declaration UN1993, FLAMMABLE LIQUID, N.O.S., (Alcohols,

C12-15, ethoxylated, hexadecyl-trimethylammoni-

umchloride, solution), 3, III, 57°C c.c.

Marine pollutant Danger label(s) 3



Special provisions (SP) 223, 274, 955

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 L
EmS F-E, <u>S-E</u>
Stowage category A

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Particulars in the shipper's declaration UN1993, Flammable liquid, n.o.s., (Alcohols, C12-15,

ethoxylated, hexadecyl-trimethylammoniumchlor-

ide, solution), 3, III

Danger label(s) 3



Special provisions (SP)

Excepted quantities (EQ)

Limited quantities (LQ)

A3

E1

10 L

United States: en Page: 13 / 20

Energizer.

Holdings, Inc.

acc. to 29 CFR 1910.1200 App D

Armor All Extreme Shield Protectant - Spray

Version number: 6.0 Revision: 2021-02-02 Replaces version of: 2021-01-25 (5)

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question National regulations (United States)

Superfund Amendment and Reauthorization Act (SARA TITLE III)

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

Clean Air Act

none of the ingredients are listed

Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of substance	Name acc. to inventory	CAS No	Functional- ity	Authoritative Lists
Water		7732-18-5	solvents	
Alcohols, C12-15, ethoxylated		68131-39-5	surfactant	
Siloxanes and Silicones, di-Me, polymers with 3-[(2- aminoethyl)amino]propyl silsesquioxanes, hydroxy-ter- minated		68554-54-1	film former	
Triethanolamine		102-71-6	pH Adjuster	
Benzotriazole derivatives		Propriet- ary	polymer	
Glycol		Propriet- ary	solvents	
2-Propenoic acid, 2-methyl-, polymers with Et acrylate and polyethylene glycol methac- rylate C16-18-alkyl ethers		70879-60-6	fragrance	
Octamethylcyclotetrasiloxane	Octamethylcyclotetrasiloxane (D4)	556-67-2	emulsifier	Canada PBiTs CECBP - Priority Chemicals EC PBTs
Ethoxylated branched C11-14, C13-rich alcohols		78330-21-9	surfactant	
Decamethylcyclopentasiloxane	decamethylcyclopentasiloxane (D5)	541-02-6	emulsifier	Canada PBiTs CECBP - Priority Chemicals EC PBTs
Hexadecyltrimethylammonium acetate		51374-75-5	water repel- lent	

United States: en Page: 14 / 20



acc. to 29 CFR 1910.1200 App D

Armor All Extreme Shield Protectant - Spray

Version number: 6.0 Revision: 2021-02-02 Replaces version of: 2021-01-25 (5)

Name of substance	Name acc. to inventory	CAS No	Functional- ity	Authoritative Lists
Surfactant		Propriet- ary	surfactant	
1,2-Benzisothiazolin-3-one		2634-33-5	preservative	
Methanol	Methanol	67-56-1	impurity	CA TACs NTP OHAT - Repr. or Dev. Toxicants OEHHA RELs Prop 65
N,N-Dimethyl-1-hexadecanam- ine-hydrochloride		2016-45-7	emulsifier	
Diethanolamine	Diethanolamine	111-42-2		CA TACs IARC Carcinogens - 2B OEHHA RELs Prop 65
Tristyrylphenol Ethoxylate		70559-25-0		
Magnesium chloride		7786-30-3	fragrance	
Xanthan gum		11138-66-2	thickener	
Magnesium nitrate		10377-60-3	preservative	

- Hazardous Substance List (NJ-RTK)

Name of substance	Name acc. to inventory	CAS No	Remarks	Classifications
Triethanolamine	triethanolamine	102-71-6		

- Hazardous Substance List (RI-RTK)

Name of substance	Name acc. to inventory	CAS No	References
Triethanolamine	Triethanolamine	102-71-6	F

Legend

F Flammability (NFPA®)

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

The presence of Prop 65 chemicals in the product does not indicate whether or not a label warning is required.

United States: en Page: 15 / 20



acc. to 29 CFR 1910.1200 App D

Armor All Extreme Shield Protectant - Spray

Version number: 6.0 Revision: 2021-02-02 Replaces version of: 2021-01-25 (5)

Proposition 65 List of chemicals

Name acc. to inventory	CAS No	Remarks	Type of the toxicity
diethanolamine	111-42-2		cancer
methanol	67-56-1		developmental

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	*	chronic (long-term) health effects may result from repeated overexposure
Health	0	no significant risk to health
Flammability	2	material that must be moderately heated or exposed to relatively high ambient tem- peratures before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	2	material that must be moderately heated or exposed to relatively high ambient tem- peratures before ignition can occur
Health	0	material that, under emergency conditions, would offer no hazard beyond that of or- dinary combustible material
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

National inventories

United States: en Page: 16 / 20



acc. to 29 CFR 1910.1200 App D

Armor All Extreme Shield Protectant - Spray

Version number: 6.0 Revision: 2021-02-02 Replaces version of: 2021-01-25 (5)

Country	Inventory	Status
AU	AICS	not all ingredients are listed
CA	DSL	not all ingredients are listed
CA	NDSL	not all ingredients are listed
CN	IECSC	not all ingredients are listed
EU	ECSI	not all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	not all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	not all ingredients are listed
PH	PICCS	not all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	not all ingredients are listed

Legend

Australian Inventory of Chemical Substances
Chemical Inventory and Control Regulation
List of Existing and New Chemical Substances (CSCL-ENCS)
Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
National Inventory of Chemical Substances AICS CICR

CSCL-ENCS

DSL ECSI

IECSC

INSQ National Inventory of Chemical Substances

ISHA-ENCS Inventory of Existing and New Chemical Substances (ISHA-ENCS)

Korea Existing Chemicals Inventory Non-domestic Substances List (NDSL) KECI NDSL NZIoC

New Zealand Inventory of Chemicals
Philippine Inventory of Chemicals and Chemical Substances (PICCS) **PICCS**

REACH Reg. REACH registered substances

TCSI Taiwan Chemical Substance Inventory

TSCA Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

United States: en Page: 17 / 20



acc. to 29 CFR 1910.1200 App D

Armor All Extreme Shield Protectant - Spray

Version number: 6.0 Revision: 2021-02-02 Replaces version of: 2021-01-25 (5)

SECTION 16: Other information, including date of preparation or last revision

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
9.1	Flash point: 330 K at 1,013 hPa	Flash point: 57 °C	yes
14.7	Particulars in the shipper's declaration: UN1993, FLAMMABLE LIQUID, N.O.S., (Alcohols, C12-15, ethoxylated, hexadecyl-trimethylammoni- umchloride, solution), 3, III, 56.85°C c.c.	Particulars in the shipper's declaration: UN1993, FLAMMABLE LIQUID, N.O.S., (Alcohols, C12-15, ethoxylated, hexadecyl-trimethylammoni- umchloride, solution), 3, III, 57°C c.c.	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
49 CFR US DOT	49 CFR U.S. Department of Transportation
Acute Tox.	Acute toxicity
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
DOT	Department of Transportation (USA)
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
ERG No	Emergency Response Guidebook - Number
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association

United States: en Page: 18 / 20



acc. to 29 CFR 1910.1200 App D

Armor All Extreme Shield Protectant - Spray

Version number: 6.0 Revision: 2021-02-02 Replaces version of: 2021-01-25 (5)

Abbr.	Descriptions of used abbreviations
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NFPA®	National Fire Protection Association (United States)
NLP	No-Longer Polymer
NOEC	No Observed Effect Concentration
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitization
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

United States: en Page: 19 / 20



acc. to 29 CFR 1910.1200 App D

Armor All Extreme Shield Protectant - Spray

Version number: 6.0 Revision: 2021-02-02 Replaces version of: 2021-01-25 (5)

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H226	Flammable liquid and vapor.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H331	Toxic if inhaled.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United States: en Page: 20 / 20