

Safety Data Sheet

VAP901600

USA - According to the OSHA Hazard Communication Standard (2012) Canada - According to the Hazardous Products Regulations (WHMIS 2015) Mexico - According to NMX-R-019-SCFI-2011 and NOM-018-STPS-2000

> Revision date: Initial version Date of issue: October 22, 2017

> > Page: 1/8

ECOZ NeutralTM Trade name:

SECTION 1: Identification / Identification of the dangerous chemical substance or mixture and the supplier or manufacturer

ECOZ NeutralTM Product identifier:

Vaportek ECOZ Liquid Concentrate Odor Neutralizer - Original Classic Neutral

Aroma

Product Code Number: 90-1600, 90-1601, 90-1603, 90-1605

Recommended use: Concentrated, water-soluble, odor-neutralizing liquid. Specifically formulated for

commercial and industrial use on floors, walls and other surfaces.

Recommended restrictions: Uses other than as recommended above.

Manufacturer/Importer/Supplier/Distributor information:

Company Name: Vaportek Inc.

W226 N6339 Village Drive **Company Address:**

Sussex, WI, 53089

USA

Website: www.vaportek.com

info@vaportek.com 1-800-237-6367

Company Telephone:

(262) 246-5060

Hours of operation: 7:00 AM – 4:00 PM Mon-Fri. (CST)

Emergency phone number: 1-800-237-6367

(262) 246-5060

Hours of operation: 7:00 AM – 4:00 PM Mon-Fri. (CST)

SECTION 2: Hazard(s) identification

Classification of the chemical in accordance with the OSHA Hazard Communication Standard (2012) - Hazcom 2012, Hazardous Products Regulations (2015) (Canada) Workplace Hazardous Materials Information System (WHMIS 2015) and Mexican NMX-R-019-SCFI-2011 and NOM-018-STPS-2000:

Classification of the Substance or Mixture (USA, Canada)

Eye Irritation Cat 2A H319 Causes serious eye irritation Skin Sensitization Cat 1 H317 May cause an allergic skin reaction

Label Elements (USA, Canada):

Pictograms



GHS07

Signal Word WARNING

Hazard Phrases H317 – May cause an allergic skin reaction

H319 - Causes serious eye irritation

Precautionary Phrases : P261 – Avoid breathing mist, vapors or spray

P264 - Wash hands thoroughly after handling

P272 - Contaminated work clothing must not be allowed out of the workplace

P280 - Wear protective gloves/ protective clothing/ eye protection P302+P352 - If on skin: Wash with plenty of water and soap

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention P337+P313 - If eye irritation persists: Get medical advice/attention

P363 - Wash contaminated clothing before reuse

P501 - Dispose of contents/container to a licensed waste disposal contractor or

collection site.

Hazard(s) or Health and Physical Hazard(s) not otherwise Classified (HNOC): Not applicable.

Percentage of ingredient(s) of unknown acute toxicity:

15% of the mixture consists of ingredients of unknown acute toxicity.

Classification of the Substance or Mixture (Mexico)

| Eye Irritation Cat 2A | H319 | Causes serious eye irritation |
|--------------------------|------|-------------------------------------|
| Skin Irritation Cat 3 | H316 | Causes mild skin irritation |
| Skin Sensitization Cat 1 | H317 | May cause an allergic skin reaction |

Acute Aquatic Toxicity Cat 3 H402 Harmful to aquatic life

Label Elements (Mexico):

Pictograms (GHS-MX)



GHS07

Signal Word (GHS-MX) WARNING

Hazard Phrases (GHS-MX) H316 – Causes mild skin irritation

> H317 – May cause an allergic skin reaction H319 - Causes serious eye irritation

H402 - Harmful to aquatic life

Precautionary Phrases (GHS-MX) P261 – Avoid breathing mist, vapors or spray

P264 - Wash hands thoroughly after handling

P272 - Contaminated work clothing must not be allowed out of the workplace

P273 – Avoid release to the environment

P280 - Wear protective gloves/ protective clothing/ eye protection P302+P352 - If on skin: Wash with plenty of water and soap

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention

P337+P313 - If eye irritation persists: Get medical advice/attention

P363 - Wash contaminated clothing before reuse

P501 - Dispose of contents/container to a licensed waste disposal contractor or

collection site.

SECTION 3: Composition/information on ingredients

Revision Date: October 22, 2017 Page 2 of 8

Mixture:

| Name | CAS Registry Number | Concentration (% weight) |
|--|---------------------|--------------------------|
| Alcohols, C ₆₋₁₀ , ethoxylated propoxylated | 68987-81-5 | 15 |
| Orange terpenes food grade {(R)-p-mentha-1,8-diene (d-limonene)} | 5989-27-5 | 0.9 |
| Cinnamal (Cinnamaldehyde) | 104-55-2 | 0.4 |
| Linalool | 78-70-6 | 0.2 |
| Clove Leaf Oil | 8000-34-8 | 0.2 |
| Citronella Java Oil | 8000-29-1 | 0.1 |

SECTION 4: First-aid Measures

Description of necessary measures:

Inhalation: Remove person to fresh air and keep comfortable for breathing. Seek medical attention if symptoms occur..

Skin contact: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

Eye contact: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation persists: Get medical advice/attention.

Ingestion: If ingested, and if person is conscious and lucid, rinse mouth with water. Never give anything by mouth to an unconscious person. DO NOT induce vomiting. Drink water and contact a physician.

Most important symptoms/effects, acute and delayed: May cause eye irritation including tearing and redness. May cause skin sensitization which may result in redness, irritation and swelling. May cause mild skin irritation.

Indication of immediate medical attention and special treatment needed: No additional information available.

SECTION 5: Fire-fighting measures

Suitable extinguishing media: Product is not anticipated to support combustion. Use appropriate extinguishing media for surrounding materials.

Unsuitable extinguishing media: None known

Specific hazards arising from the chemical:

Not expected to be a fire/explosion hazard under normal conditions of use. Heat may build pressure and rupture closed containers. Thermal decomposition may generate: aldehydes, acetic acid, irritating vapours, carbon dioxide, carbon monoxide and unidentified organic compounds.

Special protective equipment and precautions for fire-fighters: Exercise caution when fighting any chemical fire. Wear complete protective clothing including self-contained breathing apparatus.

SECTION 6: Accidental release measures / Measures to be taken in case of accidental spill or accidental release

Personal precautions, protective equipment and emergency procedures: Wear appropriate Personal Protective Equipment (PPE) (See information provided in Section 8). Avoid inhalation of vapors or mists of product and avoid all contact with eyes, skin and clothing.

Methods and material for containment and cleaning up: Cover spill with a non-combustible inert absorbent and place in a approved disposal container (See Section 13). In case of a large spill, ventilate the area and absorb with an inert absorbent. Avoid releases to sewers or watercourses. Wear appropriate PPE when cleaning up spilled material (See Section 8).

SECTION 7: Handling and Storage

Precautions for safe handling: Wear appropriate personal protective equipment (See Section 8). Do not inhale vapors or mists of the product. Wash hands, forearms, face and clothing thoroughly after handling the product. Contaminated work clothing should not leave the workplace. Do not eat, drink or smoke while handling this product.

Conditions for safe storage, including any incompatibles: Keep in a cool, dry and well-ventilated area.

SECTION 8: Exposure controls/personal protection

Occupational exposure limits:

| Orange terpenes, food grade {(R)-p-mentha-1,8-diene (d-limonene)} | | | |
|---|----------------|----------------|----------------|
| ACGIH TLV® TWA | OSHA PEL | NIOSH REL | Mexico TWA |
| Not applicable | Not applicable | Not applicable | Not applicable |

Other: AIHA - WEEL TWA: 30 ppm

Appropriate engineering controls: Use engineering controls to maintain airborne levels below recommended exposure limits, if necessary. Local ventilation is recommended. Ventilation rates should be matched to conditions.

Individual protection measures, such as personal protective equipment:

Eye/face protection: In case of use or storage where excessive vapor is released or if mists are formed, wear protective safety goggles to protect eyes from exposure to product.

Skin and Hand protection: Avoid skin contact. Wear suitable protective clothing and protective gloves.

Respiratory protection: If engineering controls do not keep airborne concentrations below established exposure limits an approved respirator must be worn. A chemical cartridge respirator should be used if excessive vapor or mists are present. Seek guidance from your respiratory protection supplier or your health and safety expert.

Thermal hazards: Not applicable based on recommended uses.

General provisions: Minimize exposure to skin and avoid generation of mists or excessive vapor. Ensure appropriate personal protective equipment is available in the workplace. Respect all appropriate legislation regarding health and safety in the workplace and follow all recommends from your health and safety committee.

Page 4 of 8

SECTION 9: Physical and chemical properties

Appearance: Slightly yellow liquid
Odor/odour: Pine and eucalyptus scent

Odor/odour threshold:Not availablepH:Not availableMelting point/freezing point:Not available

Initial Boiling Point and

boiling range:>200°FFlash point:Not availableEvaporation rate:Not availableFlammability (solid, gas):Not applicable

Upper/lower flammability or explosive limits

Flammability limit – lower %):

Flammability limit – upper (%):

Explosive limit – lower (%):

Not applicable

Not applicable

Not applicable

Not applicable

Not applicable

Not applicable

Vapor/Vapour pressure:

Vapor/Vapour density (air=1):

Not available

Revision Date: October 22, 2017

Relative density (water = 1): Not available

Solubility(ies): completely miscible in water

Partition coefficient

(n-octanol/water):Not availableAuto-ignition temperature:Not availableDecomposition temperature:Not availableViscosity:Not available

SECTION 10: Stability and Reactivity

Reactivity: Stable under normal anticipated conditions of use, but may react with

incompatible materials.

Chemical stability: Stable under normal anticipated conditions of use.

Possibility of hazardous reactions: Hazardous reactions are not anticipated.

Conditions to avoid: Avoid contact with incompatible materials. No other known conditions to avoid. Incompatible materials: Potassium tert-butoxide, sulfur, tert-butyl peroxybenzoate, Lewis acids, Ziegler-

natta catalysts, strong acids, reducing agents and oxidizing agents,

Hazardous decomposition products: Decomposition may generate: hydroperoxides, isoprene, benzyl alcohol, acetic

acid, irritating vapours, carbon dioxide, carbon monoxide and unidentified organic

compounds.

SECTION 11: Toxicological information

Information on likely routes of exposure: Ingestion, inhalation, contact with skin and eyes.

Symptoms related to the physical, chemical, and toxicological characteristics: May cause eye irritation including tearing and redness. May cause skin sensitization which may result in redness, irritation and swelling. May cause mild skin irritation.

Delayed and immediate effects and chronic effects from short or long-term exposure:

Skin Irritation and Corrosion: Not anticipated to cause more than mild skin irritation based on information available on the product and the known components in the product. May cause dryness upon prolonged exposure.

Serious Eye Damage/Eye Irritation: Causes eye irritation (Alcohols, C₆₋₁₀, ethoxylated, propoxylated).

Respiratory Sensitization: Not anticipated to cause respiratory sensitization based on information available on the product and the known components of the product.

Skin Sensitization: Based upon information on a component(s) of this product, this product may cause skin sensitization upon repeated or prolonged exposure (Cinnamaldehyde, Orange terpenes food grade {(R)-p-mentha-1,8-diene (d-limonene)}, Clove Leaf Oil, Linalool, Anethole, Eucalyptus).

Germ Cell Mutagenicity: Not anticipated to cause mutagenicity based on information available on the product and the known components of the product.

Carcinogenicity: Not anticipated to cause cancer based on information available on the product. None of the ingredients in this product is listed as a carcinogen by ACGIH, IARC or NTP.

Reproductive Toxicity: Not anticipated to cause reproductive toxicity based on information available on the product and the known components of the product.

Specific Target-Organ Toxicity – Single Exposure: Not anticipated to cause specific target organ toxicity following single exposure, based on information available on the product and the known components of the product.

Specific Target-Organ Toxicity – Repeated Exposure: Not anticipated to cause specific target organ toxicity following repeated or prolonged exposure, based on information available on the product and the known components of the product.

Aspiration Hazard: Not anticipated to be an aspiration hazard if swallowed.

Numerical measures of toxicity:

Revision Date: October 22, 2017 Page 5 of 8

| Alcohols, C6-10, ethoxylated propoxylated (68987-81-5) | | |
|--|-----------------|--|
| LD50 oral rat | 2380-2745 mg/kg | |
| LD50 dermal rabbit | >2000 mg/kg | |
| LC50 inhalation rat | >50 mg/L/4H | |

Acute Toxicity Estimate (ATE) of the product:

Acute Toxicity (oral) –>5000 mg/kg Acute Toxicity (dermal) –>5000 mg/kg

Acute Toxicity (inhalation) - cannot be determined

Further information: Not available

SECTION 12: Ecological information

Ecotoxicity: Acute Ecotoxicity Data

Product data: Not available

Ingredient data:

| Alcohols, C6-10, ethoxylated propoxylated (68987-81-5) | | |
|---|----------------|--|
| LC ₅₀ (Fish – Fathead minnow) (<i>Pimephales promelas</i>) | 1-10 mg/L/96H | |
| EC ₅₀ Aquatic invertebrates | 1-10 mg/L/48H | |
| EC50 Algae | 1-10 mg/L/120H | |

Persistence and Degradability: No biodegradation data is available for this product; however, the components of

this product are all anticipated to be at least inherently biodegradable.

Bioaccumulative Potential: Not anticipated to bioaccumulate.

Mobility in Soil:

Other adverse effects:

Not available
None known

SECTION 13: Disposal considerations / Information on the disposal of products

Disposal instructions:

Product: Dispose in accordance with applicable federal, state/provincial, and local regulations.

Contaminated packaging: Since emptied containers retain product residue, follow label warnings even after container is emptied.

SECTION 14: Transport Information

Land transport DOT (US-DOT): Not regulated

TDG (Transportation of Dangerous Goods) (Canada): Not regulated

IATA (International Air Transport Association): Not regulated

IMDG (International Maritime Dangerous Goods Code): Not regulated

SECTION 15: Regulatory Information

Revision Date: October 22, 2017 Page 6 of 8

Canada:

Classification according to the Hazardous Products Regulations (WHMIS 2015): (See Section 2) This SDS complies with the Hazardous Products Regulations (WHMIS 2015).

Canadian Environmental Protection Act (CEPA) Domestic Substances List (DSL): One or more components of this product are not listed on the DSL.

Substances Categorized in under the Categorization and Screening of the DSL (CSDSL) efforts: No disclosed components have been categorized in for further screening under the CSDSL efforts.

Environment Canada's (EC) National Pollutant Release Inventory (NPRI): Contains (R)-p-mentha-1,8-diene (CAS# 5989-27-5) and alpha-pinene (CAS# 80-56-8) which are listed on the 2014-2015 NPRI list.

Environmental Emergencies Regulations: No known components require an Environmental Emergency Plan (E2 Plan) under the EER.

Mexico:

Classification according to NMX-R-019-SCFI-2011 harmonized system of classification and hazard communication of chemicals and NOM-018-STPS-2014, Harmonized System for the Identification and Communication of Hazards and Risks of Hazardous Chemicals in the Workplace: See section 2.

USA:

Classification according to the OSHA Hazard Communication Standard (HCS) 2012: See Section 2. This Safety Data Sheet complies with the OSHA Hazcom 2012 requirements.

TSCA Inventory: All applicable components of this product are listed on the TSCA Inventory or are exempt from listing on the TSCA Inventory.

Superfund or Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA): No known components are listed.

Emergency Planning and Community Right to Know Act (EPCRA) 302 (SARA 302): No known components are listed.

SARA 313 – Toxic Release Inventory (TRI): No known components are listed on the TRI.

California Proposition 65: This product contains a chemical(s) known to the State of California to cause cancer and birth defects or other reproductive harm.

New Jersey Right To Know (NJ-RTK): The following known components of this product are present on the NJ-RTK list: alphapinene (CAS# 80-56-8), benzyl acetate (CAS#140-11-4).

SECTION 16: Other Information / Other information on the preparation and revision of safety data sheets

Revision Date: October 22, 2017

Acronyms used in this SDS:

ACGIH American Conference of Governmental Industrial Hygienists

AIHA American Industrial Hygiene Association

EC50 Effective Concentration, 50%

GHS-CA/US/MX Globally Harmonized System – Canada / United States / Mexico (as appropriate)

HMIS Hazardous Materials Identification System

LC50 Lethal Concentration, 50%

LD50 Lethal Dose, 50%

HMIS Hazardous Materials Identification System IARC International Agency for Research on Cancer MSHA Mine Safety and Health Administration (US)

Revision Date: October 22, 2017 Page 7 of 8

NFPA National Fire Protection Association (US)

NIOSH National Institute for Occupational Safety and Health (US)

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit
REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act

STELShort-Term Exposure LimitTLVThreshold Limit ValueTWATime Weighted Average

US DOT United States Department of Transport
WEEL Workplace Environmental Exposure Levels

Disclaimer:

The information in this SDS was obtained from current and reliable sources. However; the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions of use, handling storage and disposal of this product are beyond Vaportek's control; it is the responsibility of the user both to determine safe conditions for use of this product and to assume liability for the loss, damage or expenses arising out of the improper use of this product. No warranty expressed or implied regarding this product described herein shall be created by, or inferred from any statement or omission in the SDS.