

### 1. Product and Company Identification

Product Identifier: Cellulose Filled Products

General Use: Cellulose Filled Products absorb high-volume leaks, drips and spills.

**Product Description:** Absorbents are designed to confine and absorb large amounts of oil and water-based non-aggressive leaks and spills. They absorb liquids such as oils, water, coolants and solvents around machinery, drums, etc.

Specific Product Identifiers: (includes but not limited to) Cellulose Socks, Cellulose Pillows, DripPans, Pillow-in-

a-Pans

**COMPANY PROFILE:** 

SpillTech

Brookley Aeroplex

Mobile, AL 36615

**TELEPHONE NUMBERS:** 

Emergency: (770) 929-6609

Technical Information: 1 (800) 228-3877

www.spilltech.com

#### 2. Hazards Identification

GHS Classification: Not a dangerous substance according to GHS

#### **POTENTIAL HEALTH EFFECTS:**

**Eye Contact**: No hazard in normal use of product. If outer material is punctured, may cause irritation.

**Ingestion**: No hazard in normal use of product.

**Inhalation**: If outer material is punctured, breathing of excessive airborne dust may cause symptoms typical of nuisance dusts such as coughing, sneezing or minor respiratory irritation.

Skin Contact: Irritation may occur at high concentrations. If outer material is punctured and skin is wet,

may cause irritation.

## Chronic: Not applicable.

### 3. Composition / Information on Ingredients

| Outer r | naterial: |
|---------|-----------|
|---------|-----------|

CAS: None

| CAS: 9003-07-0  | Polypropylene              | 100%   |
|-----------------|----------------------------|--------|
| Inner material: |                            |        |
| CAS: 9003-07-0  | Cellulose Fiber            | 90-98% |
| EC: 232-674-9   |                            |        |
| CAS: 68333-79-9 | Ammonium polyphosphate <4% |        |
| EC: 269-789-9   |                            |        |
| CAS: 7783-20-2  | Ammonium sulphate <0.1%    |        |
| EC: 231-984-1   |                            |        |
| May contain:    |                            |        |
| CAS: 9002-88-4  | Polyethylene pans          |        |

These products do not contain any hazardous ingredients

Metal hardware



#### 4. First Aid Measures

Eye Contact: Flush with water for 15 minutes. If irritation persists, seek medical attention.

Ingestion: Not considered harmful in small quantities. If discomfort occurs, seek medical attention.

**Inhalation**: Remove to fresh air if excessive amounts of dust inhaled.

**Skin Contact**: Wash with water to prevent irritation.

### 5. Fire Fighting Measures

**Extinguishing Media**: <u>Unused form</u>: standard ABC fire extinguisher. <u>Used form</u>: that which is compatible to liquid(s) absorbed.

**Special Fire Fighting Procedures:** A self-contained breathing apparatus should be worn. Refer to absorbed liquid(s) SDS(s).

**Hazardous Combustion Products:** Incomplete burning can produce carbon monoxide and other harmful products. When heated, it may release ammonia gas (this material is a fire retardant).

**Unusual Hazards:** When heated, the vapors/fumes given off may cause respiratory tract irritation. Sorbents will take on the characteristics/properties of whatever liquid is absorbed. Therefore, all measures must be taken as if you were handling the liquid itself. Sorbents do not make the liquid less hazardous. Refer to absorbed liquid(s) SDS(s) before proceeding. Material can accumulate static charges which may cause an ignition.

#### 6. Accidental Release Measures

**Spill or Leak Procedures**: If material is unused, sweep or pick up and dispose of as a non-hazardous material.

### 7. Handling and Storage

**Handling and Storing Precautions**: Avoid puncturing or tearing outer material. Avoid creating dust. **Storage Precautions**: Store at room temperature.

**General**: Sorbents will take on the characteristics/properties of whatever liquid is absorbed. Therefore, all measures must be taken as if you were handling the liquid itself. Sorbents do not make the liquid less hazardous. Refer to absorbed liquid(s) SDS(s) before proceeding.

The container can be hazardous when empty. Follow label cautions even after the container is empty. Do not re-use empty containers for food, clothing or products for human or animal consumption, or where skin contact can occur.

SDS # SDS105 Page 2 of 5 June 15, 2015



### 8. Exposure Controls / Personal Protection

**Engineering Controls**: Provide general and/or local exhaust ventilation to keep concentrations below PEL/TLV.

#### PERSONAL PROTECTION

**Eyes**: Safety glasses with side shields are a good industrial practice.

Respirator: Use NIOSH/MSHA approved dust respirator if material is used in unventilated area, or if dust

concentrations exceed specified exposure limits.

Gloves: Not normally required. However, cloth, canvas or leather gloves are a good industrial practice.

**Other**: None required.

#### **Exposure Limits:**

OSHA HAZARDOUS COMPONENTS (29 CFR 1910.1200):

EXPOSURE LIMITS 8 hrs. TWA
OSHA PEL ACGIH TLV

Cellulose (Total) 15 mg/m<sup>3</sup> 10 mg/m<sup>3</sup> Cellulose (Respirable) 5 mg/m<sup>3</sup> N.E.

N.E. = Not Established

### 9. Physical and Chemical Properties

**Appearance**: Ground up gray cellulose in pillow or sock, some inside a black pan. **Odor**: May have an ammonia-like or slight

damp odor.

Odor Threshold: Not applicable

pH: Not applicableFlash Point: Not knownMethod: Not applicable

**Auto Ignition**: >450  $\Box$  F (>232  $\Box$ C)

Flammability or Explosive Limits:

Not available.

Conditions of Flammability: Not established

**Melting Point/Freezing Point**: Outer Material:

302° - 338°F (150° - 170°C)

Boiling Point / Boiling Range: Not applicable

**Evaporation Rate**: Not applicable **Vapor Pressure**: *Inner Material*:

Negligible @ 68°F (20°C)

**Vapor Density**: Not applicable **Relative Density (H20 = 1):** 0.7 - 0.85

Solubility in Water: Inner Material: Cellulose fibers

are not soluble. Fire retardant: Miscible Coefficient of Water/Oil Distribution:

Not applicable

### 10 Stability and Reactivity

General: This is a stable material.

Conditions of Reactivity: Not established Incompatible Materials: Strong oxidizing

agents, acids and bases.

Conditions to Avoid: Open flame.

Hazardous Decomposition: Ammonia. If heated

above 500° F (260° C): sulfur dioxide

Hazardous Polymerization: Will not occur

SDS # SDS105 Page 3 of 5 June 15, 2015

<sup>\*\*</sup>In its present form, there is little or no dust to present an OSHA hazard\*\*



### 11 Toxicological Information

**LD50**: Not available **LC50**: Not available

Carcinogenicity: IARC: Not established

NTP: Not established OSHA: Not established

California Prop 65: No listed ingredient

Chronic/Other Effects: Not available Reproduction Toxicity: Not available

**Teratogenicity:** Not available **Mutagenicity:** Not available

Synergistic Products: Not available Irritancy of Product: See Section 2. Sensitization to Product: Not available

**Ammonium polyphosphate:** *Ingestion*: The oral LD50 for rats is > 2000 mg/kg.

**Ammonium sulfate:** *Ingestion*: The oral LD50 for rats is 2840 mg/kg.

### 12 Ecological Information

No data available.

### 13 Waste Disposal Considerations

**Waste Disposal Method**: If unused, no special precautions are necessary. This product is not subject to the 40 CFR Part 268.30 land ban on the disposal of certain hazardous wastes. If used, refer to absorbed liquid(s) SDS(s) before proceeding. Sorbents will take on the characteristics/properties of whatever liquid is absorbed. Therefore, all measures must be taken as if you were handling the liquid itself. Sorbents do not make the liquid less hazardous. Therefore, in certain types of cleanup applications the nature of the material recovered will classify the resulting spent material as a hazardous component. In such instances the material should be disposed of via an approved hazardous waste disposal service and the appropriate manifesting obtained. Dispose of in accordance with Federal, State and local regulations.

### 14 Transportation Information

**DOT (Department of Transportation) Proper Shipping Name**: Not regulated

Hazard Class: Not regulated

Identification Number: Not applicable



### 15 Regulatory Information

**CERCLA (Comprehensive Environmental Response Compensation and Liability Act):** No Reportable Quantity

OSHA Hazard Communication Standard, 29 CFR 1910.1200: Cellulose SARA Title III (Superfund Amendments and Reauthorization Act): No listed ingredient TSCA (Toxic Substances Control Act): All ingredients are listed.

#### 16 Other Information

NFPA Hazard Ratings: Health - 0 none  $\rightarrow$  extreme Fire - 1 0  $\rightarrow$  4 Reactivity - 0

WHMIS Classification: Not a controlled product.

**Prepared by:** Robin Thornett, Marketing Manager, SpillTech **Approved by:** Robin Thornett, Marketing Manager, SpillTech

Approval Date: June 15, 2015

SDS Code: SDS105

The information contained herein is given in good faith, but no warranty, expressed or implied, is made.