# The Cleaning Resource

# SAFETY DATA SHEET

#### 1. Identification

**Product identifier Pro Satin** 

Other means of identification

SDS number 570N-142E HIL00758 **Product code** Recommended use Floor Finish

**Recommended restrictions** For Labeled Use Only

Protect from Freezing

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name HILLYARD INDUSTRIES **Address** 302 North Fourth St. St. Joseph, MO 64501

**Contact person** Regulatory Affairs

(816) 233-1321 (Ext. 8285) Telephone number

Fax (816) 383-8485

regulatoryaffairs@hillyard.com E-mail

**Emergency telephone #** (800) 424-9300

(Only in the event of chemical emergency involving a spill, leak, fire, exposure or accident

involving chemicals)

## 2. Hazard(s) identification

Not classified. Physical hazards

**Health hazards** Acute toxicity, inhalation Category 5

> Serious eye damage/eye irritation Category 2B Reproductive toxicity Category 1B

Not classified. **Environmental hazards OSHA** defined hazards Not classified.

Label elements



Signal word Danger

Causes eye irritation. May be harmful if inhaled. May damage fertility or the unborn child. **Hazard statement** 

**Precautionary statement** 

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Avoid breathing mist or vapor. Keep only in original container. Avoid contact with

eyes. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye

protection/face protection.

IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. IF IN Response

> EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. If eye

irritation persists: Get medical advice/attention. If eye irritation persists: Get medical

advice/attention.

Store in a well-ventilated place. Keep container tightly closed. Store locked up. Storage

Material name: Pro Satin SDS US

#### **Disposal**

Buyer assumes all risk and liability associated with disposal of this product (original concentration or dilution) in violation of applicable law in compliance with applicable federal, state and local requirements. CONTAINER DISPOSAL: Triple rinse (or equivalent), then offer clean, dry container for recycling or reconditioning.

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

NOTICE: Saw dust from freshly sanded floors or dust from wood floors that have been abraded between coats will spontaneously catch fire if improperly discarded. Immediately after abrading or sanding wood floors, place dust waste in a sealed, water-filled metal container and immediately remove from building. NOTICE: Rags or applicators soaked in a combustible liquid will spontaneously catch fire if improperly discarded. Immediately after using rags or applicators soaked in a combustible liquid, place waste in a sealed, water-filled metal container and immediately remove from building.

## 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
1-Methyl-2-Pyrrolidinone		872-50-4	3 - < 5
2-(2-ethoxyethoxy)ethanol		111-90-0	1 - < 3
Other components below repor	table levels		90 - 100

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

**Inhalation** If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.

Call a poison center or doctor/physician if you feel unwell.

**Skin contact** Wash off with soap and water. Get medical attention if irritation develops and persists.

**Eye contact** Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort.

**Ingestion** Rinse mouth. Get medical attention if symptoms occur.

Symptoms may be delayed.

Most important

symptoms/effects, acute and

delayed

Provide general supportive measures and treat symptomatically. Keep victim under observation.

medical attention and special treatment needed

**General information** 

Indication of immediate

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

## 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

....

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods
Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards
No unusual fire or explosion hazards noted.

## 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapors and spray mists. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Material name: Pro Satin

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

**Environmental precautions** 

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling Do not handle until all safety precautions have been read and understood. Avoid breathing mist or

vapor. Avoid contact during pregnancy/while nursing. Avoid prolonged exposure. Observe good

industrial hygiene practices. When using do not eat or drink.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

## Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

#### US. Workplace Environmental Exposure Level (WEEL) Guides

Components	Туре	Value	
1-Methyl-2-Pyrrolidinone (CAS 872-50-4)	TWA	40 mg/m3	
		10 ppm	
2-(2-ethoxyethoxy)ethanol (CAS 111-90-0)	TWA	140 mg/m3	
		25 ppm	

#### **Biological limit values**

## **ACGIH Biological Exposure Indices**

Components	Value	Determinant	Specimen	Sampling Time
1-Methyl-2-Pyrrolidinone (CAS 872-50-4)	100 mg/l	5-Hydroxy-N-m ethyl-2-pyrrolid one	Urine	*

<sup>\* -</sup> For sampling details, please see the source document.

#### **Exposure guidelines**

US - California OELs: Skin designation

1-Methyl-2-Pyrrolidinone (CAS 872-50-4) Can be absorbed through the skin.

**US WEEL Guides: Skin designation** 

1-Methyl-2-Pyrrolidinone (CAS 872-50-4) Can be absorbed through the skin.

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been

established, maintain airborne levels to an acceptable level.

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** Avoid contact with eyes. Wear safety glasses with side shields (or goggles).

Skin protection

**Hand protection** For prolonged or repeated skin contact use suitable protective gloves.

Other Wear suitable protective clothing. Use of an impervious apron is recommended.

**Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards None known.

#### 9. Physical and chemical properties

Appearance Milky, white emulsion

Physical state Liquid.
Form Liquid.

Material name: Pro Satin SDS US

HIL00758 Version #: 04 Revision date: 06-15-2018 Issue date: 07-06-2016

Color Milky white

Odor Non-objectional odor

Odor threshold Not available. pH 7.5 - 8.5

Melting point/freezing point Not applicable / Not available

Initial boiling point and boiling

range

> 200 °F (> 93.33 °C)

Flash point > 200.0 °F (> 93.3 °C) Tag Closed Cup

**Evaporation rate** < 1 Ethyl ether=1 **Flammability (solid, gas)** Not applicable.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not available.
Explosive limit - upper (%) Not available.

Vapor pressure 16.84 mm Hg

Vapor density 1.3 Air=1

Relative density 1.045 @77°F

Solubility(ies)

Solubility (water) 100 %

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Density 8.70 lb/gal

Explosive properties Not explosive.

Oxidizing properties Not oxidizing.

Percent volatile 69.4 - 70.4

VOC < 260 g/l

#### 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid

temperatures exceeding the flash point. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

**Hazardous decomposition** 

products

No hazardous decomposition products are known.

## 11. Toxicological information

#### Information on likely routes of exposure

**Inhalation** May be harmful if inhaled.

**Skin contact** No adverse effects due to skin contact are expected.

**Eye contact** Causes eye irritation.

**Ingestion** Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort.

Information on toxicological effects

**Acute toxicity** May be harmful if inhaled.

Material name: Pro Satin

Components Species Test Results

1-Methyl-2-Pyrrolidinone (CAS 872-50-4)

Acute Dermal

LD50 Rabbit 8000 mg/kg

2-(2-ethoxyethoxy)ethanol (CAS 111-90-0)

Acute Dermal

LD50 Rat 6000 mg/kg

**Skin corrosion/irritation** Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye

irritation

Causes eye irritation.

Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

**Carcinogenicity** Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

**Reproductive toxicity** May damage fertility or the unborn child.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

**Aspiration hazard** Not an aspiration hazard.

**Chronic effects** Prolonged inhalation may be harmful.

12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Product Species Test Results

Pro Satin

Aquatic

Fish LC50 Fish 96541.7734 mg/l, 96 hours estimated

Components Species Test Results

2-(2-ethoxyethoxy)ethanol (CAS 111-90-0)

Aquatic

Fish LC50 Bluegill (Lepomis macrochirus) > 10000 mg/l, 96 hours

Persistence and degradability No data is available on the degradability of this product.

**Bioaccumulative potential** 

Partition coefficient n-octanol / water (log Kow)

1-Methyl-2-Pyrrolidinone -0.54 2-(2-ethoxyethoxy)ethanol -0.54

Mobility in soil No data available.

Other adverse effects

The product contains volatile organic compounds which have a photochemical ozone creation

potential.

Material name: Pro Satin sps us

## 13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations. Buyer assumes all risk and liability associated with disposal of this product (original concentration or

dilution) in violation of applicable law.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). Empty containers or liners may retain some product residues. This material

and its container must be disposed of in a safe manner.

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. Triple rinse (or equivalent). Then offer clean, dry container for recycling or reconditioning.

## 14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Not established.

Annex II of MARPOL 73/78 and

the IBC Code

## 15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

1-Methyl-2-Pyrrolidinone (CAS 872-50-4) 1.0 % Annual Export Notification required.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

Classified hazard

categories

Yes

Acute toxicity (any route of exposure) Serious eye damage or eye irritation

Reproductive toxicity

SARA 313 (TRI reporting)

Chemical nameCAS number% by wt.1-Methyl-2-Pyrrolidinone872-50-43 - < 5</td>

#### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

Material name: Pro Satin SDS U

HIL00758 Version #: 04 Revision date: 06-15-2018 Issue date: 07-06-2016

## **US** state regulations

#### California Proposition 65



WARNING: This product can expose you to 1-Methyl-2-Pyrrolidinone, which is known to the State of California

to cause birth defects or other reproductive harm. For more information go

to www.P65Warnings.ca.gov.

#### California Proposition 65 - CRT: Listed date/Developmental toxin

1-Methyl-2-Pyrrolidinone (CAS 872-50-4) Listed: June 15, 2001

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

1-Methyl-2-Pyrrolidinone (CAS 872-50-4)

#### **International Inventories**

Country(s) or regionInventory nameOn inventory (yes/no)\*CanadaDomestic Substances List (DSL)NoCanadaNon-Domestic Substances List (NDSL)NoUnited States & Puerto RicoToxic Substances Control Act (TSCA) InventoryYes

## 16. Other information, including date of preparation or last revision

 Issue date
 07-06-2016

 Revision date
 06-15-2018

Version # 04

HMIS® ratings Health: 1\*

Flammability: 0 Physical hazard: 0

**Disclaimer** No representations or warranties, either express or implied, of merchantability, fitness for a

particular purpose, or of any nature are made with respect to the product(s) or information contained in this material safety data sheet. The information and recommendations contained in this Material Safety Data Sheet are supplied pursuant to 29 CFR 1910.1200 of the Occupational Safety and Health Standards Hazard Communication Rule. All information contained herein is presented in good faith and is believed to be appropriate and accurate. The buyer or user assumes all risks associated with the use, misuse or disposal of this product. The buyer or user is responsible to comply with all federal, state or local regulations concerning the use, misuse or

disposal of these products.

**Revision information**This document has undergone significant changes and should be reviewed in its entirety.

Material name: Pro Satin sps us

HIL00758 Version #: 04 Revision date: 06-15-2018 Issue date: 07-06-2016

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).