

M A T E R I A L   S A F E T Y   D A T A   S H E E T  
SPLASH CONCRETE CLEANER

Page: 1

PRODUCT NAME: SPLASH CONCRETE CLEANER  
PRODUCT CODE: F00108

HMIS CODES: H F R P  
2 0 0 B

===== SECTION I - MANUFACTURER IDENTIFICATION =====

MANUFACTURER'S NAME: HADCO DENVER CHEMICAL COMPANY  
ADDRESS : 1339 W. CEDAR AVENUE  
DENVER, CO 80223-1729

EMERGENCY PHONE : (800) 535-5053      DATE PRINTED : 11/17/00  
INFORMATION PHONE : (303) 778-1805      NAME OF PREPARER : HAS

===== SECTION II - HAZARDOUS INGREDIENTS/SARA III INFORMATION =====

WEIGHT  
REPORTABLE COMPONENTS      VAPOR PRESSURE  
PERCENT      CAS NUMBER mm Hg @ TEMP

-----  
-----  
\* Trisodium Phosphate (non-chlorinated)      7601-54-9 0.0000068.00000 4  
OSHA PEL: 5mg/m3Dust, ACGIH TLV: 10 mg/M3

\* Indicates toxic chemical(s) subject to the reporting requirements of section  
313 of Title III and of 40 CFR 372.  
N/A

===== SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS =====

BOILING RANGE: N/A      SPECIFIC GRAVITY (H2O=1): 2.56  
VAPOR DENSITY: HEAVIER THAN AIR      EVAPORATION RATE: SLOWER THAN ETHER  
SOLUBILITY IN WATER: COMPLETE  
APPEARANCE AND ODOR: Orange powder, pine odor.

===== SECTION IV - FIRE AND EXPLOSION HAZARD DATA =====

FLASH POINT: NON-FLAMMABLE      METHOD USED: TCC  
FLAMMABLE LIMITS IN AIR BY VOLUME- LOWER: n/a      UPPER: n/a

EXTINGUISHING MEDIA: FOAM, ALCOHOL FOAM, CO2, DRY CHEMICAL, WATER FOG

SPECIAL FIREFIGHTING PROCEDURES  
Not combustible; treat surrounding fire. NIOSH positive pressure, self-contained  
breathing apparatus.

UNUSUAL FIRE AND EXPLOSION HAZARDS  
None

===== SECTION V - REACTIVITY DATA =====

STABILITY: STABLE  
CONDITIONS TO AVOID  
Heat, open flames.

INCOMPATIBILITY (MATERIALS TO AVOID)

Oxidizers, permanganates, chromates, and peroxides.

HAZARDOUS DECOMPOSITION OR BYPRODUCTS

CO, CO<sub>2</sub>, phosphorous pentoxide, sodium oxide, sodium hydroxide.

HAZARDOUS POLYMERIZATION: WILL OCCUR

===== SECTION VI - HEALTH HAZARD DATA =====

INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

Irritation.

M A T E R I A L   S A F E T Y   D A T A   S H E E T  
SPLASH CONCRETE CLEANER

Page: 2

SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE

Irritation, burning.

SKIN ABSORPTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

Not absorbed through skin.

INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

Discomfort, nausea.

HEALTH HAZARDS (ACUTE AND CHRONIC)

Eye and skin irritant. Irritation and possible burns to mouth, throat, lungs.

CARCINOGENICITY: NTP CARCINOGEN: No    IARC MONOGRAPHS: No    OSHA REGULATED: No  
Not carcinogenic.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE

Not known.

EMERGENCY AND FIRST AID PROCEDURES

IF SWALLOWED: Do not induce vomiting. If conscious, drink orange or tomato juice, carbonated soft drinks, milk or water. Seek immediate medical attention.  
IF IN EYES: Flush with water for 15 minutes; seek medical attention. IF ON SKIN: Wash off with water. Seek medical attention if irritation persists.

===== SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE =====

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED

Dike and collect.

WASTE DISPOSAL METHOD

In accordance with local, state, and Federal regulations.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING

Avoid dust.

OTHER PRECAUTIONS

N/A

===== SECTION VIII - CONTROL MEASURES =====

RESPIRATORY PROTECTION

Wear approved respirator in presence of dust.

#### VENTILATION

Good local exhaust.

#### PROTECTIVE GLOVES

Rubber gloves.

#### EYE PROTECTION

Goggles or face shield.

#### OTHER PROTECTIVE CLOTHING OR EQUIPMENT

Rubber footwear.

#### WORK/HYGIENIC PRACTICES

WASH AFTER USING.

### ===== SECTION IX - DISCLAIMER =====

Since every application is unique, user is responsible for considering the particulars of his application before using.

#### M A T E R I A L   S A F E T Y   D A T A   S H E E T

SPLASH CONCRETE CLEANER

Page: 3

\*\*\*\*\*

The following boilerplate keys do not have matching boilerplate key prefixes in the MSDS Master Format file:

HN001

\*\*\*\*\*