

Version 1.1 SDS Number: 400000005227 Revision Date: 08/24/2018

#### **SECTION 1. IDENTIFICATION**

Product name : PROVON® Antimicrobial Foam Handwash with 2% CHG

Manufacturer or supplier's details

Company name of supplier : GOJO Industries, Inc.

Address : One GOJO Plaza, Suite 500

Akron, Ohio 44311

Telephone : 1 (330) 255-6000

Emergency telephone : CHEMTREC 1-800-424-9300

number CHEMTREC +1-703-527-3887: Outside USA & CANADA

Recommended use of the chemical and restrictions on use

Recommended use :

Pharmaceutical

### **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

Skin irritation : Category 2

Serious eye damage : Category 1

Carcinogenicity : Category 2

**GHS** label elements

Hazard pictograms :





Signal word : Danger

Hazard statements : H315 Causes skin irritation.

H318 Causes serious eye damage. H351 Suspected of causing cancer.

Precautionary statements : **Prevention:** 

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P280 Wear eye protection/ face protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.



SDS Number: 400000005227 Revision Date: 08/24/2018 Version 1.1

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

P332 + P313 If skin irritation occurs: Get medical advice/

attention.

P362 Take off contaminated clothing and wash before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards

None known.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

#### **Hazardous components**

Chemical name	CAS-No.	Concentration (%)
Isopropyl Alcohol	67-63-0	>= 1 - < 5
Proprietary Component 1	Not Assigned	>= 1 - < 5
Proprietary Component 2	Not Assigned	>= 1 - < 5
Chlorhexidine Digluconate	18472-51-0	>= 1 - < 5

# **SECTION 4. FIRST AID MEASURES**

General advice : In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

If symptoms persist, call a physician.

In case of skin contact : Wash off with soap and water.

Get medical attention if irritation develops and persists.

: In case of contact, immediately flush eyes with plenty of water In case of eye contact

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Seek medical advice.

If swallowed : Do NOT induce vomiting.

> Rinse mouth with water. Obtain medical attention.

Most important symptoms

and effects, both acute and

delayed

: Causes serious eye damage.

Causes skin irritation.

May be harmful if swallowed.

#### **SECTION 5. FIREFIGHTING MEASURES**



Version 1.1 SDS Number: 400000005227 Revision Date: 08/24/2018

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Unsuitable extinguishing

media

: None known.

Hazardous combustion

products

: Carbon oxides

Nitrogen oxides (NOx)

Specific extinguishing

methods

: Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.

Ensure adequate ventilation. Evacuate personnel to safe areas.

Keep people away from and upwind of spill/leak.

Material can create slippery conditions.

Environmental precautions

: Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

: Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth,

vermiculite) and place in container for disposal according to local / national regulations (see section 13).

Keep in suitable, closed containers for disposal.

Clean contaminated floors and objects thoroughly while

observing environmental regulations.

#### **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : For personal protection see section 8.

Avoid contact with eyes.

Keep container closed when not in use.

Conditions for safe storage : Keep in properly labelled containers.

Keep container tightly closed in a dry and well-ventilated

place.

Store in accordance with the particular national regulations.



Version 1.1 SDS Number: 400000005227 Revision Date: 08/24/2018

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Isopropyl Alcohol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m3	NIOSH REL
		ST	500 ppm 1,225 mg/m3	NIOSH REL
		TWA	400 ppm 980 mg/m3	OSHA Z-1

### **Biological occupational exposure limits**

Components	CAS-No.	Control parameters	Biological specimen	Samplin g time	Permissible concentratio n	Basis
Isopropyl Alcohol	67-63-0	Acetone	Urine	End of shift at end of workwee k	40 mg/l	ACGIH BEI

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally

required.

Hand protection

Remarks : No special protective equipment required.

Eye protection : No special protective equipment required.

Wear face-shield and protective suit for abnormal processing

problems.

Skin and body protection : No special protective equipment required.

Protective measures : Choose body protection in relation to its type, to the

concentration and amount of dangerous substances, and to

the specific work-place.

Ensure that eye flushing systems and safety showers are

located close to the working place.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.

Avoid contact with eyes.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid



Version 1.1 SDS Number: 400000005227 Revision Date: 08/24/2018

Colour : colourless

Odour : No data available

Odour Threshold : No data available

pH : No data available

Melting point/range : No data available

Boiling point/boiling range : 97 °C

Flash point : > 93.3 °C

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Density : 1.06 g/cm3

Solubility(ies)

Water solubility : soluble

Auto-ignition temperature : not determined

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : No data available

Oxidizing properties : No data available

# **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No hazards to be specially mentioned.

Chemical stability : Stable under normal conditions.

Conditions to avoid : Heat.

Incompatible materials : None known.

Hazardous decomposition : Ammonia



Version 1.1 SDS Number: 400000005227 Revision Date: 08/24/2018

products Hydrogen chloride gas

Nitrogen oxides (NOx)

Carbon oxides

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

#### **Acute toxicity**

Not classified based on available information.

**Product:** 

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg

Method: Calculation method

Components:

**Isopropyl Alcohol:** 

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): 72.6 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

**Chlorhexidine Digluconate:** 

Acute oral toxicity : LD50 Oral (Rat): 2,000 mg/kg

Acute toxicity estimate: 500 mg/kg

Acute dermal toxicity : Median lethal dose (Rabbit): 2,000 mg/kg

#### Skin corrosion/irritation

Causes skin irritation.

### **Components:**

# Isopropyl Alcohol:

Species: Rabbit

Result: No skin irritation

# **Proprietary Component 1:**

Assessment: Causes burns.

### Serious eye damage/eye irritation

Causes serious eye damage.

## **Components:**

#### **Isopropyl Alcohol:**

Species: Rabbit

Result: Irritation to eyes, reversing within 21 days

### **Chlorhexidine Digluconate:**

Assessment: Risk of serious damage to eyes.

Remarks: Risk of serious damage to eyes., Severe eye irritation



Version 1.1 SDS Number: 400000005227 Revision Date: 08/24/2018

#### Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

#### **Components:**

Isopropyl Alcohol:
Test Type: Buehler Test
Exposure routes: Skin contact

Species: Guinea pig

Method: OECD Test Guideline 406

Result: negative

# Germ cell mutagenicity

Not classified based on available information.

#### Components:

**Isopropyl Alcohol:** 

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay)
Test species: Mouse

Application Route: Intraperitoneal injection

Result: negative

### Carcinogenicity

Suspected of causing cancer.

## **Components:**

# **Isopropyl Alcohol:**

Species: Rat

Application Route: inhalation (vapour)

Exposure time: 104 weeks

Method: OECD Test Guideline 451

Result: negative

IARC Group 2B: Possibly carcinogenic to humans

**Proprietary Component 2** 

ACGIH No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by ACGIH.

OSHA No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.



Version 1.1 SDS Number: 400000005227 Revision Date: 08/24/2018

#### Reproductive toxicity

Not classified based on available information.

Components:

Isopropyl Alcohol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on foetal : Test Type: Embryo-foetal development

development Species: Rat

**Application Route: Ingestion** 

Result: negative

#### STOT - single exposure

Not classified based on available information.

#### Components:

# **Isopropyl Alcohol:**

Assessment: May cause drowsiness or dizziness.

#### STOT - repeated exposure

Not classified based on available information.

### Repeated dose toxicity

# **Components:**

### **Isopropyl Alcohol:**

Species: Rat NOAEL: 5000 ppm

Application Route: inhalation (vapour)

Exposure time: 104 w

Method: OECD Test Guideline 413

**Proprietary Component 1:** 

Repeated dose toxicity - : Causes severe skin burns and eye damage.

Assessment

**Chlorhexidine Digluconate:** 

Repeated dose toxicity - : Cause

Assessment

: Causes serious eye damage.

### **Aspiration toxicity**

Not classified based on available information.

## **SECTION 12. ECOLOGICAL INFORMATION**

### **Ecotoxicity**

#### **Components:**

# **Isopropyl Alcohol:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 10,000 mg/l

Exposure time: 96 h



Version 1.1 SDS Number: 400000005227 Revision Date: 08/24/2018

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): > 10,000 mg/l

Exposure time: 24 h

Toxicity to bacteria : EC50 (Pseudomonas putida): > 1,050 mg/l

Exposure time: 16 h

**Proprietary Component 2:** 

Toxicity to fish

: LC50 (Brachydanio rerio (zebrafish)): 3.6 mg/l

Exposure time: 96 h
Test Type: semi-static test

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 4.2 mg/l

Exposure time: 24 h

**Chlorhexidine Digluconate:** 

Toxicity to fish

: (Fish): 2.08 mg/l

Toxicity to daphnia and other

aquatic invertebrates

: (Daphnia magna (Water flea)): 0.087 mg/l

Toxicity to algae : (Chlorella pyrenoidosa (aglae)): 0.081 mg/l

**Ecotoxicology Assessment** 

Acute aquatic toxicity

: Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Persistence and degradability

**Components:** 

Isopropyl Alcohol:

Biodegradability : Result: rapidly degradable

**Chlorhexidine Digluconate:** 

Biodegradability : Result: Not readily biodegradable.

Bioaccumulative potential

**Components:** 

Isopropyl Alcohol:

Partition coefficient: n-

octanol/water

: log Pow: 0.05

**Chlorhexidine Digluconate:** 

Bioaccumulation : Bioconcentration factor (BCF): 42

Mobility in soil

No data available

Other adverse effects

No data available

Product:

Regulation 40 CFR Protection of Environment; Part 82 Protection of



Version 1.1 SDS Number: 400000005227 Revision Date: 08/24/2018

Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks This product neither contains, nor was manufactured with a

Class I or Class II ODS as defined by the U.S. Clean Air Act

Section 602 (40 CFR 82, Subpt. A, App.A + B).

### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues : Dispose of in accordance with local regulations.

Contaminated packaging : Dispose of as unused product.

Empty containers should be taken to an approved waste

handling site for recycling or disposal.

#### **SECTION 14. TRANSPORT INFORMATION**

## International Regulation

IATA-DGR

Not regulated as a dangerous good

**IMDG-Code** 

Not regulated as a dangerous good

**National Regulations** 

49 CFR

Not regulated as a dangerous good

#### **SECTION 15. REGULATORY INFORMATION**

## **EPCRA - Emergency Planning and Community Right-to-Know Act**

# **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Chronic Health Hazard

Acute Health Hazard

SARA 302 : No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 313 : The following components are subject to reporting levels

established by SARA Title III, Section 313:

Isopropyl Alcohol 67-63-0 4.9999 %

#### Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).



Version 1.1 SDS Number: 400000005227 Revision Date: 08/24/2018

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

Isopropyl Alcohol 67-63-0 4.9999 %

This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

#### **Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

## **Massachusetts Right To Know**

100010001101	Isopropyl Alcohol	67-63-0	1 - 5 %
--------------	-------------------	---------	---------

# Pennsylvania Right To Know

Water (Aqua)	7732-18-5	90 - 100 %
Isopropyl Alcohol	67-63-0	1 - 5 %
Proprietary Component 1	Not Assigned	1 - 5 %
Proprietary Component 2	Not Assigned	1 - 5 %
Proprietary Component 3	Not Assigned	1 - 5 %
Proprietary Component 4	Not Assigned	1 - 5 %

### **New Jersey Right To Know**

Water (Aqua)	7732-18-5	90 - 100 %
Isopropyl Alcohol	67-63-0	1 - 5 %
Proprietary Component 1	Not Assigned	1 - 5 %
Proprietary Component 2	Not Assigned	1 - 5 %
Proprietary Component 3	Not Assigned	1 - 5 %
Proprietary Component 4	Not Assigned	1 - 5 %

California Prop 65 This product does not require a warning label under California

Proposition 65.

### The components of this product are reported in the following inventories:

CH INV : On the inventory, or in compliance with the inventory

TSCA : On TSCA Inventory

DSL : All components of this product are on the Canadian DSL.

AICS : On the inventory, or in compliance with the inventory

NZIoC : On the inventory, or in compliance with the inventory

ENCS : On the inventory, or in compliance with the inventory

ISHL : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory



Version 1.1 SDS Number: 400000005227 Revision Date: 08/24/2018

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory


#### **Inventories**

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

#### **SECTION 16. OTHER INFORMATION**

### **Further information**

# NFPA:



Special hazard.

#### HMIS III:

HEALTH	2*
FLAMMABILITY	1
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 = Extreme, \* = Chronic

Revision Date : 08/24/2018

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.