Page 1 of 4 Tuesday, August 10, 2004

MSDS - Material Safety Data Sheet

Product Name: PERFORM

MSDS No.: 772

I. Basic Inf	formation:						
Manufacturer	U.N.X. INCORPORATED			N	FPA Fire		
Address: 707 ARLINGTON BLVD.				11.	0	6-20-30	
City, ST Zip:	GREENVILLE, NC 27858			H.	şalth 1	Reastivity 0	
Emergency Contact: CHEMTEL							
Emergency Te	elephone Number: 800-255-3924				Special	Y	
Contact: AME	ENDT; WILSON				o poola.		
Information To	elephone Number: 252-756-8616				Health		
Last Update:	06/25/2002 Expiration Date:			() Flammal	oility	
Chemical Stat	e: X Liquid Gas	Solid		(Reactivi	ity	
Chemical Typ	e: Nixture			C	Pers. Pr	otection	
II. Ingredie	ents:						
Trade Sec	$(N/D = Not \ Disclosed)$						
		E	EHS IAI	i e			
CAS No.	Chemical Name	% Range	NTP	313 SUB Z	OSHA PEL	ACGIH TLV	Other Limits
68604717	Cocoamphodipripionate	0-5					
TradeSecret	PSRN57948000-5001P	0-5					
TradeSecret	PSRN57948000-5058P	0-5					
25155300	Sodium dodecylbenzenesulfonate	0-5				10mg/m3	
6834920	Sodium metasilicate	0-5			2mg/m3	2mg/m3	
7732185	Water	70-80					
III. Hazara	lous Identification:						
Hazard Catego	ory:						
Acute Chronic		Fir	'e	Pre	essure		Reactive
Hazardous Ide	entification Information:						
IV. First A	id Measures:						
Route(s) of Er	ntry:						
SKIN, EYE	ES, INHALATION						

Health Hazards (Acute and Chronic):

INHALATION, CAN IRRITATE NOSE, THROAT, AND LUNGS. SKIN CONTACT, CAN IRRITATE OR CHAP SKIN. INGESTION, WILL CAUSE GASTRIC DISTRESS, VOMITING AND DIARRHEA.

Signs and Symptoms:

PRODUCT CAN IRRITATE SKIN. EYE CONTACT CAN CAUSE BURNING AND EXTREME IRRITATION.

Page 2 of 4 Tuesday, August 10, 2004

MSDS - Material Safety Data Sheet

Product Name: PERFORM

MSDS No.: 772

Medical Conditions Generally Aggravated by Exposure:

Emergency and First Aid Procedures:

FOR SKIN, FLUSH THOROUGHLY WITH SOAP AND WATER.
FOR EYES, FLUSH WITH WARM WATER FOR AT LEAST 15 MINUTES. CONTACT PHYSICIAN.
IF INGESTED, DRINK LARGE VOLUMES OF WATER FOLLOWED BY MILK THEN INDUCE VOMITING. CALL PHYSICIAN.

Other Health Warnings:

V. Fire Fighting Measures:

Flash Point: N/A Lower Explosive Limit: N/A Upper Explosive Limit: N/A

F.P. Method: N/A

Fire Extinguishing Media: NON-FLAMMABLE/NON-COMBUSTIBLE

Special Fire Fighting Procedures:

USE NIOSH/MSHA APPROVED SELF CONTAINED BREATHING APPARATUS WHERE PRODUCT IS INVOLVED IN FIRE.

Unusual Fire and Explosion:

AVOID CONTACT WITH ACIDS, STRONG DECOMPOSITION CAN RESULT.

VI. Accidental Release Measures:

Steps to be Taken in Case Material is Released or Spilled:

FOR A SMALL SPILL, IMMEDIATELY HOSE DOWN WITH COOL WATER AND DISPOSE TO DRAIN. FOR A LARGE SPILL, DIKE, COLLECT AND CONTACT LOCAL AUTHORITIES ABOUT DISPOSAL.

VII. Handling and Storage:

Precautions to be Taken:

STORE IN A COOL DRY PLACE. KEEP CONTAINER CLOSED.

Other Precautions:

AVOID MIXING WITH OTHER CHEMICALS.

VIII. Exposure Controls/Personal Protection:

Ventilation Requirements:

AVOID BREATHING MIST. IF EXPOSURE IS LIKELY, USE FILTER OR PROTECTIVE RESPIRATOR. MECHANICAL VENTILATION IS ACCEPTABLE.

Personal Protective Equipment:

RUBBER GLOVES SHOULD BE WORN.

SAFETY GOGGLES SHOULD BE WORN.

OTHER PROTECTIVE MEASURES: HAVE AN EYE BATH AND SAFETY SHOWER CLOSE BY. IF POTENTIAL FOR SKIN CONTACT, HAVE AN ACID HAND WASH NEAR BY (ie. VINEGAR SOLUTION.).

WORK HYGIENIC PRACTICES: WASH HANDS, CHANGE OUT OF CLOTHES AS SOON AS POSSIBLE. WASH CLOTHES. SHOWER OR BATHE AS SOON AS POSSIBLE.

Page 3 of 4 Tuesday, August 10, 2004

MSDS - Material Safety Data Sheet

Product Name: PERFORM

MSDS No.: 772

IX. Physical and Chemical Properties:

Boiling Point: 101°C Melting Point: NO DATA

Evaporation Rate (Butyl Acetate = 1): NO DATA Vapor Pressure (mm Hg.): NO DATA

Specific Gravity (H20 = 1): 1.08000 **Vapor Density (AIR = 1):** >1

Solubility In Water: EXCELLENT Appearance and Odor: YELLOW LIQUID, FRESH FRAGRANCE

Other Information: THIS PRODUCT CONTAINS NO PHOSPHATES

BATHROOM CLEANER

X. Stability and Reactivity:

Stability:

VERY STABLE

Incompatibility (Materials to Avoid):

AVOID CONTACT WITH BLEACHES AND LAUNDRY COMPOUNDS. STRONG DECOMPOSITION REACTION CAN RESULT.

Decomposition/By Products:

AVOID CONTACT WITH ALUMINUM, ZINC, MAGNESIUM, COPPER. EXPLOSIVE HYDROGEN GAS CAN BE RELEASED.

Hazardous Polymerization:

HAZARDOUS POLYMERIZATION WILL NOT OCCUR.

XI. Toxicological Information:

CONTACT U.N.X. INCORPORATED

XII. Ecological Information:

CONTACT U.N.X. INCORPORATED

XIII. Disposal Considerations:

FOR A SMALL SPILL, IMMEDIATELY HOSE DOWN WITH COOL WATER AND DISPOSE TO DRAIN. FOR A LARGE SPILL, DIKE, COLLECT AND CONTACT LOCAL AUTHORITIES ABOUT DISPOSAL.

XIV. Transport Information:

NOT DOT REGULATED

XV. Regulatory Information:

UNLESS OTHERWISE NOTED, NO COMPONENTS ARE SARA TITLE 3 SECTION 313 40 CFR LISTED MATERIALS. THE INGREDIENTS OF THIS PRODUCT ARE LISTED ON THE TSCA INVENTORY. THIS PRODUCT IS NOT MADE WITH VOC'S THAT COULD CAUSE DAMAGE TO THE OZONE LAYER.

XVI. Other Information:

Page 4 of 4 Tuesday, August 10, 2004

MSDS - Material Safety Data Sheet

Product Name: PERFORM

MSDS No.: 772