# CARROLL

# Safety Data Sheet

Issue Date: 09-Sep-2011 Revision Date: 08-Sep-2014 Version 1

# 1. IDENTIFICATION

**Product Identifier** 

Product Name Aerosol Aqua Steel

Other means of identification

SDS # CARROLL-118

Product Code 812 UN/ID No UN1950

Recommended use of the chemical and restrictions on use
Recommended Use Stainless Steel Cleaner.

Details of the supplier of the safety data sheet

**Supplier Address** 

Carroll Co. 2900 W. Kingsley Road Garland, TX 75041

**Emergency Telephone Number** 

Company Phone Number 1-800-527-5722

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

#### 2. HAZARDS IDENTIFICATION

Physical State Aerosol Odor Bland

# Classification

# **Hazards Not Otherwise Classified (HNOC)**

Pressurized container: May burst if heated

# **Unknown Acute Toxicity**

1.566% of the mixture consists of ingredient(s) of unknown toxicity

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Propane	74-98-6	5-10
Isobutane	75-28-5	5-10

<sup>\*\*</sup>If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

PC 812 - Aerosol Aqua Steel Revision Date: 08-Sep-2014

# 4. FIRST-AID MEASURES

#### **First Aid Measures**

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention immediately.

**Skin Contact** Wash with soap and water. If irritation persists, seek medical attention.

**Inhalation** Remove to fresh air. Seek medical attention if irritation persists.

**Ingestion** Rinse mouth. Do not induce vomiting.

#### Most important symptoms and effects

Symptoms Contact with the skin may cause mild irritation. Contact with the eyes may result in some

irritation. Inhalation of mist may be irritating.

#### Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

#### Suitable Extinguishing Media

Dry chemical, CO2 or water spray.

Unsuitable Extinguishing Media Not determined.

#### **Specific Hazards Arising from the Chemical**

Aerosol cans may rupture in severe heat.

# Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

**Personal Precautions**Use personal protective equipment as required.

**Environmental Precautions** Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See

Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS.

# Methods and material for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for Clean-Up**Use personal protective equipment as required. Wash spill area with plenty of water.

Dispose of in accordance with federal, state and local regulations.

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Use personal protection recommended in Section 8. Use in accordance with product label instructions. Do not destroy or deface the label.

#### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed and store in a cool, dry and well-ventilated place. Keep away

from heat. Store containers upright.

**Incompatible Materials**None known based on information supplied.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Propane	TWA: 1000 ppm	TWA: 1000 ppm	IDLH: 2100 ppm
74-98-6		TWA: 1800 mg/m <sup>3</sup>	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm	TWA: 1800 mg/m <sup>3</sup>
		(vacated) TWA: 1800 mg/m <sup>3</sup>	_
Isobutane	TWA: 1000 ppm	-	TWA: 800 ppm
75-28-5			TWA: 1900 mg/m <sup>3</sup>

#### **Appropriate engineering controls**

**Engineering Controls** Ensure adequate ventilation, especially in confined areas. Eyewash stations. Showers.

#### Individual protection measures, such as personal protective equipment

Eye/Face Protection Goggles.

**Skin and Body Protection** Rubber gloves.

**Respiratory Protection** Use in well-ventilated area.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical State Aerosol

Appearance Not determined Odor Bland

Color N/A Odor Threshold Not determined

PC 812 - Aerosol Aqua Steel Revision Date: 08-Sep-2014

**Property** Values Remarks • Method 6.7 На **Melting Point/Freezing Point** Not Applicable **Boiling Point/Boiling Range** Not determined **Flash Point** Not determined **Evaporation Rate** Not determined Flammability (Solid, Gas) Not determined **Upper Flammability Limits** Not determined **Lower Flammability Limit** Not determined **Vapor Pressure** Not Applicable **Vapor Density** Not determined **Specific Gravity** 0.960 (1=Water) **Water Solubility** Emulsifiable Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

# 10. STABILITY AND REACTIVITY

#### Reactivity

Not reactive under normal conditions.

# **Chemical Stability**

Stable under recommended storage conditions.

# Possibility of Hazardous Reactions

None under normal processing.

# **Conditions to Avoid**

Keep away from sources of ignition such as heat, sparks or open flames.

#### **Incompatible Materials**

None known based on information supplied.

#### **Hazardous Decomposition Products**

None known based on information supplied.

# 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

**Product Information** 

PC 812 - Aerosol Aqua Steel Revision Date: 08-Sep-2014

**Eye Contact** May cause moderate eye irritation.

**Skin Contact** May cause mild irritation to skin.

**Inhalation** Inhalation of mists may be irritating to the respiratory system.

**Ingestion** Not expected to present a hazard by ingestion during prescribed use.

#### **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Trade Secret	> 5000 mg/kg (Rat)	-	-
Propane 74-98-6	-	-	= 658 mg/L (Rat) 4 h
Isobutane 75-28-5	-	-	= 658 mg/L (Rat) 4 h
Trade Secret	= 34500 µL/kg(Rat)	-	-
Trade Secret	= 2100 mg/kg(Rat)	-	-

# Information on physical, chemical and toxicological effects

**Symptoms** Please see section 4 of this SDS for symptoms.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by OSHA,

IARC or NTP.

# **Numerical measures of toxicity**

Not determined

**Unknown Acute Toxicity** 1.566% of the mixture consists of ingredient(s) of unknown toxicity.

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

#### **Component Information**

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Trade Secret		10000: 96 h Lepomis macrochirus mg/L LC50		
Trade Secret		420 - 558: 96 h Pimephales promelas mg/L LC50 flow- through 100: 96 h Pimephales promelas mg/L LC50 static		650: 48 h Daphnia magna mg/L EC50

# Persistence/Degradability

Not determined.

·

Revision Date: 08-Sep-2014

#### **Bioaccumulation**

Not determined.

#### **Mobility**

Not determined

Chemical Name	Partition Coefficient
Propane 74-98-6	2.3
Isobutane 75-28-5	2.88

#### **Other Adverse Effects**

Not determined

# 13. DISPOSAL CONSIDERATIONS

**Waste Treatment Methods** 

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

14. TRANSPORT INFORMATION

**Note** Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT

UN/ID No UN1950
Proper Shipping Name Aerosols
Hazard Class 2.2

**IATA** 

UN/ID No UN1950

Proper Shipping Name Aerosols, non-flammable

Hazard Class 2.2

**IMDG** 

UN/ID No UN1950
Proper Shipping Name Aerosols
Hazard Class 2.2

# 15. REGULATORY INFORMATION

# **International Inventories**

TSCA One or more ingredient(s) in this product is listed on the TSCA inventory

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

#### US Federal Regulations

# **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

# **US State Regulations**

# **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

# U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Propane	X	X	X
74-98-6			
Isobutane	X	X	X
75-28-5			

# **16. OTHER INFORMATION**

NFPA **Health Hazards Flammability** Instability **Special Hazards** Not determined Not determined Not determined Not determined HMIS **Health Hazards Flammability Physical Hazards Personal Protection** 2 B = Goggles, gloves

Issue Date:09-Sep-2011Revision Date:08-Sep-2014Revision Note:New format

# **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**