

# Safety Data Sheet Spartan Chemical Company, Inc.

Revision Date: 08-May-2015

# 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Identifier** 

Product Name: STERIPHENE II BRAND DISINFECTANT DEODORANT SPRING

**BREEZE FRAGRANCE** 

Product Number: 6075
Recommended Use: Disinfectant

Uses Advised Against: For Industrial and Institutional Use Only

Manufacturer/Supplier: Spartan Chemical Company, Inc.

1110 Spartan Drive Maumee, Ohio 43537 USA 800-537-8990 (Business hours)

www.spartanchemical.com

24 Hour Emergency Phone Numbers:

Medical Emergency/Information: 888-314-6171

Transportation/Spill/Leak: CHEMTREC 800-424-9300

# 2. HAZARDS IDENTIFICATION

**GHS Classification** 

Flammable Aerosols Category 1
Gases Under Pressure Liquefied gas

**GHS Label Elements** 

Signal Word: Danger

Symbols:



**Hazard Statements:** 

Extremely flammable aerosol.

Contains gas under pressure; may explode if heated

Precautionary Statements:

**Prevention:** Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Do not spray on an open flame or other ignition source Pressurized container: Do not pierce or burn, even after use

Intentional misuse by deliberately concentrating and inhaling contents may be harmful or

fatal.

Response:

**-Specific Treatment:** See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.

Storage: Protect from sunlight. Do not expose to temperatures exceeding 122°F (50°C) Store in a

well-ventilated place

Disposal: Not Applicable

Hazards Not Otherwise Classified: Not Applicable

Other Information:

· May be harmful if swallowed.

· May cause eye irritation. May cause skin irritation.

• Inhalation of vapors or mist may cause respiratory irritation.

Revision Date: 08-May-2015

Keep out of reach of children.

0.00384% of the mixture consists of ingredient(s) of unknown toxicity.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
ethanol	64-17-5	40-70
water	7732-18-5	10-30
propane	74-98-6	7-13
N-butane	106-97-8	5-10
o-benzyl-p-chlorophenol	120-32-1	<0.1
o-phenylphenol	90-43-7	<0.1

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

-Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

-Skin Contact: Wash with soap and water. If skin irritation occurs: Get medical attention.

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a -Inhalation:

poison control center or physician if you feel unwell.

Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious -Ingestion:

person. Get medical attention if you feel unwell.

Note to Physicians: NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric

lavage.

### 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media: Water spray (fog), Foam

Specific Hazards Arising from the Extremely flammable aerosol. Exposure to high temperature may cause containers to burst.

Chemical: Bursting aerosol containers may be propelled from fire at high speed.

**Hazardous Combustion Products:** May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.

Water may be used to cool closed containers to prevent pressure build-up and possible

**Protective Equipment and** auto ignition or explosion when exposed to extreme heat.

**Precautions for Firefighters:** 

# 6. ACCIDENTAL RELEASE MEASURES

**Personal Precautions: Environmental Precautions:** Methods for Clean-Up:

Use personal protective equipment as required. Remove all sources of ignition.

Do not rinse spill onto the ground, into storm sewers or bodies of water.

Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

### 7. HANDLING AND STORAGE

Advice on Safe Handling:

Handle in accordance with good industrial hygiene and safety practice. Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Wash thoroughly after handling.

Storage Conditions: NFPA 30B Level 2 Aerosol. Do not store in direct sunlight or above 122 F° / 50 C°.

Exposure to high temperature may cause containers to burst. Keep out of the reach of

Revision Date: 08-May-2015

children.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits: None established.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH
ethanol	STEL: 1000 ppm	TWA: 1000 ppm	IDLH: 3300 ppm
64-17-5		TWA: 1900 mg/m <sup>3</sup>	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm	TWA: 1900 mg/m <sup>3</sup>
		(vacated) TWA: 1900 mg/m <sup>3</sup>	
propane	TWA: 1000 ppm	TWA: 1000 ppm	IDLH: 2100 ppm
74-98-6		TWA: 1800 mg/m <sup>3</sup>	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm	TWA: 1800 mg/m <sup>3</sup>
		(vacated) TWA: 1800 mg/m <sup>3</sup>	
N-butane	TWA: 1000 ppm	(vacated) TWA: 800 ppm	TWA: 800 ppm
106-97-8		(vacated) TWA: 1900 mg/m <sup>3</sup>	TWA: 1900 mg/m <sup>3</sup>

**Engineering Controls:** Provide good general ventilation.

If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other

engineering controls should be considered.

Personal Protective Equipment

**Eye/Face Protection:** 

Wear splash goggles.

**Skin and Body Protection:** Wear rubber or other chemical-resistant gloves.

**Respiratory Protection:** Not required with expected use.

If occupational exposure limits are exceeded or respiratory irritation occurs, use of a NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section

3 should be considered.

General Hygiene Considerations: Wash hands and any exposed skin thoroughly after handling.

See 29 CFR 1910.132-138 for further guidance.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance/Physical State:	Aerosol	
Color:	Light yellow	
Odor:	Floral fragrance	
pH:	8.0-9.0	
Melting Point / Freezing Point:	No information available.	
Boiling Point / Boiling Range:	74 °C / 165 °F (Product without propellant)	
Flash Point:	< -18 °C / < 0 °F (Propellant-estimated)	
Evaporation Rate:	1.5 (Butyl acetate = 1)	
Flammability (solid, gas)	No information available.	
Upper Flammability Limit:	No information available.	
Lower Flammability Limit:	No information available.	
Vapor Pressure:	No information available.	
Vapor Density:	No information available.	
Specific Gravity:	0.84 (Product without propellant)	
Solubility(ies):	Soluble in water	
Partition Coefficient:	No information available.	
Autoignition Temperature:	No information available.	
Decomposition Temperature:	No information available.	
Viscosity:	No information available.	

# 10. STABILITY AND REACTIVITY

**Reactivity:** This material is considered to be non-reactive under normal conditions of use.

Chemical Stability: Stable under normal conditions.

6075 - STERIPHENE II BRAND DISINFECTANT DEODORANT SPRING BREEZE FRAGRANCE

Possibility of Hazardous Reactions: Not expected to occur with normal handling and storage.

Conditions to Avoid: Extremes of temperature and direct sunlight. Incompatible Materials: Strong oxidizing agents. Strong acids.

Hazardous Decomposition May include car

Products:

May include carbon monoxide, carbon dioxide (CO2) and other toxic gases or vapors.

Revision Date: 08-May-2015

# 11. TOXICOLOGICAL INFORMATION

**Likely Routes of Exposure:** Eyes, Skin, Ingestion, Inhalation.

Symptoms of Exposure:

-Eye Contact: Pain and redness.
-Skin Contact: Drying of the skin.

-Inhalation: Nasal discomfort and coughing. Intentional misuse by deliberately concentrating and

inhaling contents may be harmful or fatal.

**-Ingestion:** Pain, nausea, vomiting and diarrhea.

Immediate, Delayed, Chronic Effects

Product Information: Data not available or insufficient for classification.

Chronic Toxicity: May cause adverse effects on the bone marrow and blood-forming system. May cause

adverse liver effects. Contains a known or suspected reproductive toxin.

Target Organ Effects: Blood. Central nervous system. -Eyes. Liver. Reproductive System. Respiratory System.

-Skin.

**Numerical Measures of Toxicity** 

The following acute toxicity estimates (ATE) are calculated based on the GHS document.

ATEmix (oral): 9273 mg/kg
ATEmix (inhalation-gas): 1576708 mg/l
ATEmix (inhalation-dust/mist): 195.1 mg/l

**Component Acute Toxicity Information** 

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
ethanol 64-17-5	= 7060 mg/kg (Rat)	Not Available	= 124.7 mg/L (Rat) 4 h
water 7732-18-5	> 90 mL/kg(Rat)	Not Available	Not Available
propane 74-98-6	Not Available	Not Available	= 658 mg/L (Rat) 4 h
N-butane 106-97-8	Not Available	Not Available	= 658 mg/L (Rat) 4 h
o-phenylphenol 90-43-7	= 1049 mg/kg (Rat)	> 2000 mg/kg (Rat)	> 0.949 mg/L (Rat) 1 h

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

# 12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
ethanol 64-17-5	Not Available	12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through	Not Available	9268 - 14221: 48 h Daphnia magna mg/L LC50 10800: 24 h Daphnia magna mg/L EC50 2: 48 h Daphnia magna mg/L EC50 Static

# 6075 - STERIPHENE II BRAND DISINFECTANT DEODORANT SPRING BREEZE FRAGRANCE

				4 0 - 40 1 - 1 1
o-phenylphenol	0.85: 72 h Desmodesmus	3.4: 96 h Pimephales	Not Available	1 - 2.5: 48 h Daphnia magna
90-43-7	subspicatus mg/L EC50	promelas mg/L LC50		mg/L EC50 Static
		flow-through 2.74: 96 h		-
		Lepomis macrochirus mg/L		
		LC50 2.75: 96 h		
		Oncorhynchus mykiss mg/L		
		LC50 5.8: 96 h Poecilia		
		reticulata mg/L LC50 static		

<u>Persistence and Degradability:</u> No information available. <u>Bioaccumulation:</u> No information available.

Other Adverse Effects: No information available.

### 13. DISPOSAL CONSIDERATIONS

**Disposal of Wastes:** Dispose of in accordance with federal, state and local regulations.

Contaminated Packaging: Pressurized container: Do not pierce or burn, even after use. Dispose of in accordance with

federal, state and local regulations.

# 14. TRANSPORT INFORMATION

DOT:

UN/ID No: UN1950
Proper Shipping Name: Aerosols
Hazard Class: 2.1

Special Provisions: This product meets the exception requirements of section 49 CFR 173.306 as a limited

quantity and may be shipped as a limited quantity.

Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Check with a trained hazardous materials transportation

Revision Date: 08-May-2015

expert for information specific to your situation.

### 15. REGULATORY INFORMATION

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

### **SARA 313**

This product does not contain listed substances above the "de minimus" level

### SARA 311/312 Hazard Categories

Acute Health Hazard:
Chronic Health Hazard:
No
Fire Hazard:
Sudden release of pressure hazard:
No
Reactive Hazard:
No

### **California Proposition 65**

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
ethanol - 64-17-5	Carcinogen
	Developmental
o-phenylphenol - 90-43-7	Carcinogen

WARNING: This product contains a chemical known to the State of California to cause cancer.

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

**EPA Pesticide Registration Number:** 5741-22

Revision Date: 08-May-2015

### **EPA Statement:**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

### **EPA Pesticide Label:**

Warning. Causes substantial but temporary eye injury. Harmful if absorbed through the skin. Do not get in eyes or on clothing. Avoid contact with skin. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

# 16. OTHER INFORMATION

NFPA Health Hazards: 1 Flammability: 4 Instability: 0 Special: N/A

Health Hazards: 1 Flammability: 3 Physical Hazards: 2

Revision Date: 08-May-2015

Reasons for Revision: No information available.

### Disclaimer:

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**