

### 1. Chemical Product and Company Identification

**Material name** C6195A

Use of the preparation Inkjet printing

Version #

**Revision date** 26-Mar-2008 CAS# Mixture

**Manufacturer information Hewlett-Packard Company** 

1000 NE Circle Boulevard Corvallis, OR 97330-4239 US

**Hewlett-Packard health effects line** 

(Toll-free within the US) 1-800-457-4209 1-503-494-7199 (Direct)

**General information telephone number** 

**HP Customer Care Line** 1-800-474-6836 (Toll-free) 1-800-474-6836 1-208-323-2551 (Direct) **Date prepared** Mar 26, 2008

#### 2. Hazards Identification

**Emergency overview** Contact with skin and eyes may result in irritation.

**Acute health effects** Any potential hazards are presumed to be due to exposure to the components.

Skin contact

2-pyrrolidone

Contact with skin may result in irritation.

Tetraethylene glycol

Contact with skin may result in irritation.

Eye contact

2-pyrrolidone

Contact with eyes may result in irritation.

Tetraethylene glycol

Contact with eyes may cause irritation.

**Inhalation** 

2-pyrrolidone

Inhalation may result in respiratory irritation.

Tetraethylene glycol

Inhalation may result in respiratory irritation.

**Ingestion** 

2-pyrrolidone

Ingestion may result in nausea, vomiting and diarrhea.

Material name C6195A MSDS US Creation date Apr 30, 2003



Potential health effects

**Routes of exposure** Potential routes of overexposure to this product are skin and eye contact

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this

product under normal use conditions.

Complete toxicity data are not available for this specific formulation

**Chronic health effects** Carbon Black: Chronic inhalation studies performed with fine dust particles resulted in lung

> tumors in animals. The IARC classification was based upon these results. IARC also concluded "there is inadequate evidence in humans for the carcinogenicity of carbon black." Inhalation of

fine dust particles is not expected to occur during normal conditions of use of this ink.

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly Carcinogenicity

carcinogenic to humans). None of the other ingredients in this preparation are classified as

carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

# 3. Composition / Information on Ingredients

Component/substance	CAS number	% by weight			
Water	7732-18-5	> 80			
Tetraethylene glycol 2-pyrrolidone	112-60-7 616-45-5	< 7.5 < 5			
Carbon black	1333-86-4	< 5			
Composition comments	This ink supply contains an aqueous ink formulation.  This product has been evaluated using criteria specified in 29 CFR 1910.1200 (Hazard Communication Standard).				

#### 4. First Aid Measures

First aid procedures

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure)

for at least 15 minutes or until particles are removed. If irritation persists get medical attention.

Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

**Inhalation** Remove to fresh air. If symptoms persist, get medical attention.

**Ingestion** If ingestion of a large amount does occur, seek medical attention.

#### 5. Fire Fighting Measures

Flash point and method > 200 °F (> 93.3 °C); Pensky-Martens Closed Cup

**Hazardous combustion** 

products

Refer to section 10.

Flammable properties None known.

**Extinguishing media** 

Suitable extinguishing

media

Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

None known.

**Unusual fire and explosion** 

hazard

None known.

Special firefighting

procedures

None established.

MSDS US Material name C6195A Creation date Apr 30, 2003 **Version number** 3 2/6



#### 6. Accidental Release Measures

**Personal precautions** Wear appropriate personal protective equipment.

**Environmental precautions** Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

**Methods for containment** Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay,

sand or diatomaceous earth, commercial sorbents, or recover using pumps.

Methods for cleaning up Soak up with inert absorbent material.

Other information Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or

other sealed container. Dispose of in compliance with federal, state, and local regulations. See

also section 13 Disposal considerations.

### 7. Handling and Storage

**Handling** Avoid contact with skin, eyes and clothing.

**Storage** Keep out of the reach of children. Keep away from excessive heat or cold.

# 8. Exposure Controls/Personal Protection

### **Exposure limits**

#### **ACGIH**

Components	CAS #	TWA	STEL	Ceiling
Carbon black	1333-86-4	3.5 mg/m3	Not established	Not established

### **OSHA**

Components	CAS #	TWA	STEL	Ceiling
Carbon black	1333-86-4	3.5 mg/m3	Not established	Not established

**Exposure guidelines** Exposure limits have not been established for this product.

ACGIH - Threshold Limits Values - Time Weighted Averages (TLV-TWA) Carbon black 1333-86-4 3.5 mg/m3 TWA

U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)

Carbon black 1333-86-4 3.5 mg/m3 TWA

#### Personal protective equipment

**General** Use personal protective equipment to minimize exposure to skin and eye.

Eye / face protection Not required under intended use.

Skin protection Protected gloves not required under intended use.

**Respiratory protection** For use other than intended use (such as in the event of a large spill), goggles and respirators

may be required.

**General hygeine** 

considerations

Handle in accordance with good industrial hygiene and safety practice.

# 9. Physical & Chemical Properties

Color Black

Not available **Odor threshold Physical state** Liquid. pН 7.8 - 8.4Not available **Melting point** 

Material name C6195A MSDS US Creation date Apr 30, 2003



Freezing point Not available **Boiling point** Not determined

Flash point > 200 °F (> 93.3 °C); Pensky-Martens Closed Cup

**Evaporation rate** Not determined Not available. **Flammability** Flammability limits in air, Not available upper, % by volume

Flammability limits in air,

lower, % by volume

Not determined

Not determined Vapor pressure Vapor density > 1 (air = 1.0)

Specific gravity 1 - 1.2

**Relative density** Not available Solubility in water Soluble in water **Partition coefficient** Not available

(n-octanol/water)

**Auto-ignition temperature** Not available **Decomposition temperature** Not available VOC < 3 %

**Viscosity** > 2 cp

# 10. Chemical Stability & Reactivity Information

**Chemical stability** Stable under recommended storage conditions.

**Incompatible materials** Incompatible with strong bases and oxidizing agents.

**Hazardous decomposition** 

products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide,

carbon dioxide and/or low molecular weight hydrocarbons.

**Possibility of hazardous** 

reactions

Will not occur.

#### 11. Toxicological Information

### Carcinogenicity

U.S. - OSHA - Hazard Communication Carcinogens

Carbon black 1333-86-4 Present

Symptoms and target organs

NIOSH - Pocket Guide - Target Organs

Carbon black 1333-86-4 respiratory system, eyes (lymphatic cancer in presence of PAHs)

# 12. Ecological Information

**Aquatic toxicity** LC50/96h/Fathead minnows =>750 mg/L

Persistence and degradability Not available

MSDS US Material name C6195A Creation date Apr 30, 2003 **Version number** 3 4/6



# 13. Disposal Considerations

**Disposal instructions** Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

### 14. Transportation Information

### **Department of Transportation (DOT) Requirements**

Not regulated as hazardous goods.

**IATA** 

Proper shipping name Not applicable **Hazard class** Not applicable

**UN number** None **Packing group** N/A **Packaging exceptions** None

### 15. Regulatory Information

**US federal regulations** US TSCA 12(b): Contains tetrahydrofuran (CASRN 109-99-9), subject to export notification

requirements.

#### **CERCLA (Superfund) reportable quantity**

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - No

> Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

Section 302 extremely hazardous substance

No

**Section 311 hazardous** 

chemical

No

International regulations All chemical substances in this HP product have been notified or are exempt from notification

> under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

#### State regulations

U.S. - California - Proposition 65 - Carcinogens List

Carbon black 1333-86-4 carcinogen, initial date 2/21/03 (airborne, unbound particles of

respirable size)

U.S. - Pennsylvania - RTK (Right to Know) List

616-45-5 Present 2-pyrrolidone

U.S. - Pennsylvania - RTK (Right to Know) List

Carbon black 1333-86-4 Present

U.S. - New Jersey - Right to Know Hazardous Substance List

sn 0342 Carbon black 1333-86-4

MSDS US Material name C6195A 5 / 6

Creation date Apr 30, 2003 **Version number** 3



### 16. Other Information

**HMIS®** ratings Health: 1

> Flammability: 1 Physical hazard: 0

**NFPA** ratings Health: 1

> Flammability: 1 Instability: 0

**Issue date** Mar 26 2008 3:33PM

Revision

Replaces sheet dated Mar 28 2007 12:26PM

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard

Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as quaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in

Section 1 above and may not meet regulatory requirements in other countries.

3. Hazards Identification: Routes of exposure MSDS sections updated

3. Hazards Identification: Chronic health effects

3. Hazards Identification: Carcinogenicity

8. Exposure Controls/Personal Protection: Respiratory

### **Explanation of abbreviations**

**ACGIH** American Conference of Governmental Industrial Hygienists

**CAS** Chemical Abstracts Service

**CERCLA** Comprehensive Environmental Response Compensation and Liability Act

**CFR** Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

**EPCRA** Emergency Planning and Community Right-to-Know Act (aka SARA)

**IARC** International Agency for Research on Cancer

**NIOSH** National Institute for Occupational Safety and Health

**NTP** National Toxicology Program

**OSHA** Occupational Safety and Health Administration

**PEL** Permissible Exposure Limit

**RCRA** Resource Conservation and Recovery Act

**REC** Recommended

**REL** Recommended Exposure Limit

**SARA** Superfund Amendments and Reauthorization Act of 1986

**STEL** Short-Term Exposure Limit

**TCLP** Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

**TSCA** Toxic Substances Control Act VOC Volatile Organic Compounds

MSDS US Material name C6195A Creation date Apr 30, 2003 6/6