Product Name : Print Cartridge Black MP CW2200 SDS Number : 841720 Date Prepared : March/9/2012 Date Modified : July/7/2017 Date Printed : Sept/24/2020



Safety Data Sheet

Section1 :Chemical Product and Company Identification

(a) Product identifier used on the label

Product Name : Print Cartridge Black MP CW2200

(b) Other means of identification SDS Number : 841720

(c) Recommended use of the chemical and restrictions on use General Use : The Image Formation of Printing Machine

(d) Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Company Name : Ricoh USA, Inc

Department : Sustainability Management Center

Address : 2 Gatehall Drive, Parsippany, NJ 07054 USA

(e) Emergency phone number.

Telephone : 1-973-882-2000 (for product information) or

Number 1-800-336-6737 (for emergencies)

Telefax Number : 1-973-882-3959

E-mail : Environmentinfo@ricoh-usa.com





Section2: Hazards Identification

Classification

ssification		
	EXPLOSIVES	Classification not possible
	FLAMMABLE GASES	Not Applicable
PHYSICAL HAZARD(S)	FLAMMABLE AEROSOLS	Not Applicable
	OXIDIZING GASES	Not Applicable
	GASES UNDER PRESSURE	Not Applicable
	FLAMMABLE LIQUIDS	Classification not possible
	FLAMMABLE SOLIDS	Not Applicable
	SELF-REACTIVE SUBSTANCES AND MIXTURES	Classification not possible
	PYROPHORIC LIQUIDS	Classification not possible
	PYROPHORIC SOLIDS	Not Applicable
	SELF-HEATING SUBSTANCES AND MIXTURES	Classification not possible
	SUBSTANCES AND MIXTURES, WHICH ON CONTACT WITH WATER, EMIT FLAMMABLE GASES	Classification not possible
	OXIDIZING LIQUIDS	Classification not possible
	OXIDIZING SOLIDS	Not Applicable
	ORGANIC PEROXIDES	Classification not possible
	CORROSIVE TO METALS	Classification not possible
	ACUTE TOXICITY(ORAL)	Not Classified
	ACUTE TOXICITY(DERMAL)	Classification not possible
HEALTH HAZARD(S)	ACUTE TOXICITY (INHALATION - GAS)	Not Applicable
	ACUTE TOXICITY (INHALATION - VAPOUR)	Not Applicable
	ACUTE TOXICITY (INHALATION - DUST AND MIST)	Not Applicable
	SKIN CORROSION/IRRITATION	Not Classified
	SERIOUS EYE DAMAGE/EYE IRRITATION	Classification not possible
	RESPIRATORY SENSITIZER	Classification not possible
	SKIN SENSITIZER	Not Classified
	GERM CELL MUTAGENICITY	Classification not possible
	CARCINOGENICITY	Classification not possible
	TOXIC TO REPRODUCTION	Classification not possible
	TARGET ORGAN SYSTEMIC TOXICITY FOLLOWING SINGLE EXPOSURE	Classification not possible
	TARGET ORGAN SYSTEMIC TOXICITY FOLLOWING REPEAT EXPOSURE	Classification not possible
	ASPIRATION HAZARD	Classification not possible
ENVIRONMENTSL HAZARD(S)	ACUTE HAZARDS TO THE AQUATIC ENVIRONMENT	Classification not possible
	CHRONIC HAZARDS TO THE AQUATIC ENVIRONMENT	Classification not possible
	HAZARDOUS TO THE OZONE LAYER	Classification not possible

Product Name : Print Cartridge Black MP CW2200 SDS Number : 841720 Date Prepared : March/9/2012 Date Modified : July/7/2017 Date Printed : : Sept/24/2020



Label element

201 0101110110	
Pictogram:	
Signal word(s):	Not applicable
Hazard statement(s):	Not applicable
Precautionary statement(s) 【Prevention】	Not applicable
[Response]	Not applicable
[Storage]	Not applicable
[Disposal]	Not applicable

Specific Hazards
There are no significant hazards expected with intended use.





Section3: Composition, Information on Ingredients

Ingredients CAS No./Chemical name	Contents (%)
1333-86-4	<10
Carbon Black	
56-81-5	10-20
Glycerin	
Confidential	<10
Glycol 1	
Confidential	<10
Glycol 2	
7732-18-5	40-60
Water	

Product Name: Print Cartridge Black MP CW2200 SDS Number: 841720

Date Prepared: March/9/2012 Date Modified: July/7/2017 Date Printed: Sept/24/2020



Section4: First Aid Measures

(a) Necessary measures

Inhalation:

Remove from exposure into fresh air if symptoms are experienced. Seek medical advice.

Skin Contact:

Wash thoroughly with soapy water.

Eye Contact:

Flush with a large amount of water until particles are removed. Seek medical advice.

Ingestion:

Make him drink strong salt water, let him vomit. Seek medical advice.

(b) Most important symptoms/effects, acute and delayed.

Not applicable

(c) Indication of immediate medical attention and special treatment needed.

Immediate Medical Attention:

Immediate medical attention is not required.

Section5: Fire Fighting Measures

(a) Suitable (and unsuitable) extinguishing media.

Extinguishing Media to Avoid:

Not applicable.

(b) Specific hazards arising from the chemical (e.g., nature of any hazardous combustion products).

Specific Hazards :

Not applicable

(c) Special protective equipment and precautions for fire-fighters.

Fire-Fighting Instructions / Specific Method:

No special fire protecting method is required. Sprinkling or fire extinguishers can be used.

Protection of Firefighters:

Wear gloves, glasses, a mask if necessary.

Section6: Accidental Release Measures

(a) Personal precautions, protective equipment, and emergency procedures.

Personal Precautions:

Take off dirty clothes and wash them or have them dry-cleaned before wearing again.

Environment Precautions:

Do not exposure to sewers and watercourses.

(b) Methods and materials for containment and cleaning up.

Methods for Cleaning Up:

If spilled, wipe up with paper or cloth.

Section7: Handling and Storage

(a) Precautions for safe handling.

Handling:

Technical Measures/Precautions

Not applicable

Safe Handling Advice

Keep away from heat, flame or spark. Do not dismantle cartridge.

(b) Conditions for safe storage, including any incompatibilities.

Storage:

Technical Measures

Not applicable

Storage Conditions

Keep out of reach of children.

For the sake of quality, store in dry and well-ventilated area it should not exceed 35 degrees centigrade for a long time and avoid direct sunlight.

Packaging material

Not applicable

Specific Use(s):

Image formation in printing machines.

Product Name: Print Cartridge Black MP CW2200 SDS Number: 841720 Date Prepared: March/9/2012 Date Modified: July/7/2017 Date Printed: Sept/24/2020

RICOH

Section8 : Exposure Controls/Personal Protection

(a) OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH)

Threshold Limit Value (TLV), and any other exposure limit

Control Parameters

Exposure Limit Value (I)

USA OSHA PEL (TWA) : Not applicable ACGIH TLV (TWA) : Not applicable DFG MAK : Not applicable

Personal Protection

(b) Appropriate engineering controls.

Technical measures:

Use adequate ventilation. None required with intended use.

(c) Individual protection measures, such as personal protective equipment.

Respiratory Protections (Specify Type)

None required in normal use.

Eye Protection

Put on goggles if necessary.

Protective Gloves

Use vinyl or rubber gloves if necessary.

Protective Clothing or Equipment

Wear chemical-resistant apron or other impervious clothing if necessary.

Hygiene Measures

Wash hands after handling.

Section9: Physical and Chemical Properties

(a)Appearance (physical state, color, etc.)

(d)pH : 8-10 Measuring Temp (degrees centigrade) : 25

(e)Melting point/freezing point : Not applicable

(degrees centigrade)

(f)Initial boiling point and boiling range : Not available

(g)Flash point : Not applicable

(h)Evaporation Rate (Butyl Acetate = 1): Not available

(i)Flammability (solid, gas) : Not flammable

(j)Upper/lower flammability or explosive limits : Upper Not applicable Lower Not applicable

(k)Vapor Pressure (Pa) : Not available (l)Vapor Density (AIR=1) : Not available (m)Relative density : Approx.1.1

(n)Solubility(ies)

Water Solubility (g/L) Soluble

(o)Partition coefficient: n-octanol/water : Not available

(p)Auto-ignition temperature : Not applicable

(q)Decomposition temperature (degrees centigrade): Not applicable

(r)Viscosity (Pa·s) : Approx.0.008 Measuring Temp (degrees centigrade) : 25

Product Name: Print Cartridge Black MP CW2200 SDS Number: 841720

Date Prepared: March/9/2012 Date Modified: July/7/2017 Date Printed: Sept/24/2020



Section 10: Stability and Reactivity

(a)Reactivity

Hazardous Reaction:

There is no significant hazardous reaction expected with intended use.

(b)Chemical stability:

(c)Possibility of hazardous reactions :

Not available

(d)Condition to Avoid:

Not applicable in normal use.

(e)Incompatible materials:

Not applicable in normal use.

(f)Hazardous decomposition products:

Decomposition products will not occur.

Section11: Toxicological Information

(a)Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact)

ingestion, skin, inhalation, eye contact

(b) Symptoms related to the physical, chemical and toxicological characteristics

Not available

(c)Delayed and immediate effects and also chronic effects from short- and long-term exposure

Acute Toxicity

Acute Oral Toxicity (LD50):

5000 or over [mg/kg] (Rat)

Acute Dermal Toxicity:

Not available

Acute Inhalation Toxicity:

Not available

Local effects

Acute Skin Irritation(PII):

1.0 or below (Rabbit) (Slight irritation)

Acute Eye Irritation:

Not available (Ingredients are not classified as dangerous according to Regulation (EC) No 1272/2008.)

Sensitization

Acute Allergenic Effects:

Non-skinsensitive (Mouse) (None skin sensitization.)

Mutagenicity : Negative (Ames test)

Reproduction Toxicity : Does not contain substances listed as hazardous to reproductive health.

Teratogenic : Not available

(d) Numerical measures of toxicity (such as acute toxicity estimates)

Not available

(e)Whether the hazardous chemical is listed in the National Toxicology Program (NTP)

Report on Carcinogens (latest edition) or has been found to be a potential carcinogen

in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA.

Carbon black contained in this product is classified to Group 2B of IARC as the result of inhalation test in use of rat. This is due to the fact that rat alone showed lung tumor in the animal experiment under very high concentration. During a normal use of this product, design of the cartridge proves it impossible to have powder carbon black released

to the air. Intake from the mouth and skin does not show carcinogenicity.

Section 12: Ecological Information

: No data are available on the adverse effect one environment. Mobility

: Not available Persistence/Degradability Bioaccumulation : Not available

Ecotoxicity

Acute Toxicity for Fish (LC50) : Not available Acute Toxicity for Daphnia (EC50) : Not available Algae Inhibition Test (IC50) : Not available



Date Prepared: March/9/2012 Date Modified: July/7/2017 Date Printed: Sept/24/2020



Section13: Disposal Consideration

General information:

Dispose of waste and residues in accordance with local authority requirements.

Disposal methods:

Precautions

Section14: Transport Information

International Regulations

Land Transport

RID/ADR : Not applicable DOT 49 CFR : Not applicable **ADNR** : Not applicable

Sea Transport

IMDG Code : Not applicable

Air Transport

ICAO-TI/IATA-DGR : Not applicable : Not applicable **UN Number** Class : Not applicable

Specific Precautionary Transport Measures and Conditions

Avoid direct sunlight in quality.; Do not keep this over 35 degrees centigrade.

Section15: Regulatory Information

Regulations

US Information

Information on the label: Not required TSCA (Toxic Substances Control Act):

This product complies with all applicable rules and regulations under TSCA.

SARA (Superfund Amendments and Reauthorization Act) Title III

313 Reportable Ingredients: Not regulated California Proposition 65: Not regulated

Canada Information

WHMIS Controlled product : Not a controlled product

EU Information

Information on the label ((EC) No.1272/2008))

Symbol & Indication: Not required

R-Phrase: Not required S-Phrase: Not required (EU) No.1907/2006 Annex XVII

This product complies with applicable rules and regulations under (EU) No.1907/2006 Annex XII

Product Name: Print Cartridge Black MP CW2200 SDS Number: 841720 Date Prepared: March/9/2012 Date Modified: July/7/2017 Date Printed: Sept/24/2020



Section16: Other Information

Explanation of Hazardous Materials Identification System [HMIS]& National Fire Protection Association [NFPA] Hazard Rating Systems:

Both the HMIS and NFPA systems use number from "0" to "4" to show the degree of hazard in an uncontrolled situation:

0=Minimum Hazard 1=Slight Hazard 2=Moderate Hazard 3=Serious Hazard 4=Severe Hazard Colors may also be used in both systems:

Blue=Health Hazard Red=Fire Hazard Yellow=Reactivity Hazard White=Indicate a special hazard HMIS will specify any Personal Protective Equipment regired [PPE],

NFPA will specify OX(oxidizer), Acid(acid), ALK(Alkali), COR(Corrosive), W(use no water), xx(Radioactive). Literature References:

ANSI Z400.1-1993 ISO 11014-1

Commission Directive 91/155/EEC

IARC (1996) "IARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol.65, Printing Process and Printing Inks, Carbon Black and Some Nitro Compounds", Lyon, pp149-261 H.Muhle, B.Bellman, O.Creutzenberg, C.Dasenbrock, H.Emst, R.Kilpper, J.C.MacKenzie, P.Morrow, U.Mohr, S.Takenaka and R.Mermelstein(1991) "Pulmonary Response to Toner upon Chronic Inhalation Exposure in Rats" Fundamental and Applied Toxicology 17,pp280-299

IARC (2008) "IARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol.93" NIOSH CURRENT INTELLIGENCE BULLETIN "Evaluation of Health Hazard and Recommendation for Occupational Exposure to Titanium Dioxide DRAFT

ACGIH-TLV : Threshold Limit Values for Chemical Substances and Physical Agents and

Biological Exposure Indices

: US Department of Labor, 29CFR Part 1910, Tables Z-1, Z-2, and Z-3 OSHA Z-Tables NTP (USA) : US Department of Health and Human Services National Toxicology Program

Annual Report on Carcinogens

DFG-MAK (GER): DFG List of MAK and BAT Value

Symbol (EC) Regulation (EC)No.1272/2008 91/155/ EEC EU Directive 91/155/ EEC

CLP (EC)No.1272/2008 : Regulation (EC)No.1272/2008 of the European Parliamant and of the Council of

16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directive 67/548/EEC and 1999/45/EC, and

amending Regulation (EC)No. 1907/2006

(EC)No.689/2008 : EU. Regulation EC No. 689/2008, Annex 1

WHMIS Controlled product: Canada Workplace Hazardous Information System

OELs-TWA (Australia) : Guidance Note on the Interpretation of Exposure Standards for Atmospheric

Contaminants in the Occupational Environment [NOHSC: 3008 (1995)]

Abbreviations:

OSHA PEL PEL (Permissible Exposure Limit) under Occupational Safety and Health Act

ACGIH-TLV TLV (Threshold Limit Values) under American Conference of Governmental Industrial

REACH ECNo.1907/2006:Council Regulation concerning the Registration, Evaluation, Authorization

and Restriction of Chemicals

Substances of Very High Concern SVHC **ECHA** The European Chemicals Agency

DFG-MAK MAK (Maximale Arbeitsplatz Konzentrationen) by Deutsche Forschungs Gemeinschaft **RoHS** Restriction of the use of certain Hazardous Substances in Electrical and Electronic

Equipment

TWA Time Weighted Average

IARC International Agency for Research on Cancer

NTP National Toxicology Program

WHMIS Workplace Hazardous Information System

NOHSC National Occupational Health and Safety Commission Act 1985

Disclaimer(S)

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Ricoh USA, Inc

It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process.

Ricoh USA, Inc assumes no legal responsibility for use or reliance upon this information.