Product Name: BK DRUM UNIT (Black Developer) SDS Number: 408034 Date Prepared: 07/18/2017 Date Modified: 07/18/2017 Date Printed: 11/20/2017



Safety Data Sheet

Section1 :Chemical Product and Company Identification

(a) Product identifier used on the label

Product Name : BK DRUM UNIT En/Press (Black developer)

(b) Other means of identification Part Number : 200-100380

(c) Recommended use of the chemical and restrictions on use

General Use : The Image Formation of Printing Machine or Copier

(d) Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party Xanté Corporation

2800 Dauphin St., Suite 100

Mobile, AL 36606-2400 Phone: (800) 926-8839

(e) Emergency phone number.

Chem Tel Inc.

(800) 255-3924, +(813) 248-0585

Product Name: BK DRUM UNIT (Black Developer) SDS Number: 408034
Date Prepared: 07/18/2017 Date Modified: 07/18/2017 Date Printed: 11/20/2017



Section2: Hazards Identification

Classification

assincation		
	EXPLOSIVES	Classification not possible
PHYSICAL HAZARD(S)	FLAMMABLE GASES	Not Applicable
	FLAMMABLE AEROSOLS	Not Applicable
	OXIDIZING GASES	Not Applicable
	GASES UNDER PRESSURE	Not Applicable
	FLAMMABLE LIQUIDS	Not Applicable
	FLAMMABLE SOLIDS	Classification not possible
	SELF-REACTIVE SUBSTANCES AND	<u>'</u>
	MIXTURES	Classification not possible
	PYROPHORIC LIQUIDS	Not Applicable
	PYROPHORIC SOLIDS	Classification not possible
	SELF-HEATING SUBSTANCES AND MIXTURES	Classification not possible
	SUBSTANCES AND MIXTURES, WHICH ON CONTACT WITH WATER, EMIT FLAMMABLE GASES	Classification not possible
	OXIDIZING LIQUIDS	Not Applicable
	OXIDIZING SOLIDS	Classification not possible
	ORGANIC PEROXIDES	Classification not possible
	CORROSIVE TO METALS	Classification not possible
HEALTH HAZARD(S)	ACUTE TOXICITY(ORAL)	Classification not possible
	ACUTE TOXICITY(DERMAL)	Classification not possible
	ACUTE TOXICITY (INHALATION - GAS)	Not Applicable
	ACUTE TOXICITY (INHALATION - VAPOUR)	Not Applicable
	ACUTE TOXICITY (INHALATION - DUST AND MIST)	Classification not possible
	SKIN CORROSION/IRRITATION	Classification not possible
	SERIOUS EYE DAMAGE/EYE IRRITATION	Classification not possible
	RESPIRATORY SENSITIZER	Classification not possible
	SKIN SENSITIZER	Classification not possible
	GERM CELL MUTAGENICITY	Classification not possible
	CARCINOGENICITY	Classification not possible
	TOXIC TO REPRODUCTION	Classification not possible
	TARGET ORGAN SYSTEMIC TOXICITY FOLLOWING SINGLE EXPOSURE	Classification not possible
	TARGET ORGAN SYSTEMIC TOXICITY FOLLOWING REPEAT EXPOSURE	Classification not possible
	ASPIRATION HAZARD	Classification not possible
ENVIRONMENTSL HAZARD(S)	ACUTE HAZARDS TO THE AQUATIC ENVIRONMENT	Classification not possible
	CHRONIC HAZARDS TO THE AQUATIC ENVIRONMENT	Classification not possible
	HAZARDOUS TO THE OZONE LAYER	

Product Name : BK DRUM UNIT (Black Developer) SDS Number : 408034
Date Prepared : 07/18/2017 Date Modified : 07/18/ 2017 Date Printed : : 11/20/2017



Lab<u>el element</u> Pictogram: Signal word(s): Not applicable Hazard statement(s): Not applicable Precautionary statement(s) Not applicable (Prevention) [Response] Not applicable [Storage] Not applicable [Disposal] Not applicable

Specific Hazards

Dust explosion (like most finely grained organic powders)

Product Name : BK DRUM UNIT (Black Developer) SDS Number : 408034
Date Prepared : 07/18/2017 Date Modified : 07/18/2017 Date Printed : 11/20/2017



Section3: Composition, Information on Ingredients

Ingredients CAS No./Chemical name	Contents (%)
66402-68-4 Ferrite(Iron Oxide 50~90%, Manganese Oxide 14~45%)	75–95
Confidential Polyester Resin	1-20
1333-86-4 Carbon Black	0.1-1
1344-28-1 Aluminum Oxide	1-10
Confidential Tin Compound	1-10

Product Name: BK DRUM UNIT (Black Developer) SDS Number: 408034 Date Prepared: 2017/07/18 Date Modified: 07/18/2017 Date Printed: 11/20/2017



Section4: First Aid Measures

(a) Necessary measures

Inhalation:

Remove from exposure to fresh air and rinse mouth with water. Seek medical advice.

Skin Contact:

Wash thoroughly with soapy water.

Eve Contact:

Flush with a large amount of water until particles are removed. Seek medical advice.

Ingestion

Drink several glasses of water to dilute ingested toner. Seek medical advice.

(b) Most important symptoms/effects, acute and delayed.

Not applicable

(c) Indication of immediate medical attention and special treatment needed.

Immediate Medical Attention:

Immediate medical attention is not required.

Section5: Fire Fighting Measures

(a) Suitable (and unsuitable) extinguishing media.

Extinguishing Media to Avoid:

Not applicable.

(b) Specific hazards arising from the chemical (e.g., nature of any hazardous combustion products).

Specific Hazards:

Can form explosive dust-air mixtures when finely dispersed in air.

(c) Special protective equipment and precautions for fire-fighters.

Fire-Fighting Instructions / Specific Method:

No special fire protecting method is required. Sprinkling or fire extinguishers can be used.

Protection of Firefighters:

Wear gloves, glasses, a mask if necessary.

Section6: Accidental Release Measures

(a) Personal precautions, protective equipment, and emergency procedures.

Personal Precautions:

Do not breathe in dust.

Environment Precautions:

Do not flush into sewers or watercourses.

(b) Methods and materials for containment and cleaning up.

Methods for Cleaning Up:

Confirm there is no source of fire and if there is a source, remove it. Sweep slowly spilled powder and clean remainder with wet cloth.

Section7: Handling and Storage

(a) Precautions for safe handling.

Handling:

Technical Measures/Precautions

Not applicable

Safe Handling Advice

Do not handle in areas where there is wind or draught, this may cause dust to get into eyes.

Avoid breathing in dust.

(b) Conditions for safe storage, including any incompatibilities.

Storage:

Technical Measures

Not applicable

Storage Conditions

Keep out of reach of children.

For the sake of quality, store in dry and well-ventilated area it should not exceed 35 degrees centigrade for a long time and avoid direct sunlight.

Packaging material

Not applicable

Specific Use(s):

Image formation in printing machines or copiers

Product Name: BK DRUM UNIT (Black Developer) SDS Number: 408034 Date Prepared: 2017/07/18 Date Modified: 07/18/2017 Date Printed: 11/20/2017



Section8 : Exposure Controls/Personal Protection

(a) OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH)

Threshold Limit Value (TLV), and any other exposure limit

Control Parameters

Exposure Limit Value (I)

USA OSHA PEL (TWA): 15mg/m3 (Total dust)

ACGIH TLV (TWA): 10mg/m3 (Inhalable fraction)

DFG MAK: 4.0mg/m3 (Total dust)

5.0mg/m3 (Respirable fraction)

3.0mg/m3 (Respirable fraction)

1.5mg/m3 (Respirable fraction)

Personal Protection

(b) Appropriate engineering controls.

Technical measures:

Use adequate ventilation. None required with intended use.

(c) Individual protection measures, such as personal protective equipment.

Respiratory Protections (Specify Type)

None required in normal use. If the limit of exposure concentration is exceeded, use authorised respirator.

Eye Protection

Put on goggles if necessary.

Protective Gloves

Use vinyl or rubber gloves if necessary.

Protective Clothing or Equipment

Wear chemical-resistant apron or other impervious clothing if necessary.

Hygiene Measures

Wash hands after handling.

Section9: Physical and Chemical Properties

(a)Appearance (physical state, color, etc.)

Physical state : Solid Form : Powder Colour : Black

(b)Odor : Slightly plastic odor (c)Odor threshold : Not available (d)pH : Not applicable

(e)Melting point/freezing point : (Softening point) Approx.110

(degrees centigrade)

(f)Initial boiling point and boiling range : Not applicable

(g)Flash point : Not applicable

(h)Evaporation Rate (Butyl Acetate = 1) : Not applicable

(i)Flammability (solid, gas) : Not flammable

(j)Upper/lower flammability or explosive limits : Upper Not available Lower Not available

(k)Vapor Pressure (Pa) : Not applicable (I)Vapor Density (AIR=1) : Not applicable : Approx. 5

(n)Solubility(ies)

Water Solubility (g/L) : Insoluble (o)Partition coefficient: n-octanol/water : Not available

(p)Auto-ignition temperature : Not available

(q)Decomposition temperature (degrees centigrade): Not available

(r)Viscosity (Pa·s) : Not applicable

Product Name: BK DRUM UNIT (Black Developer) SDS Number: 408034 Date Prepared: 2017/07/18 Date Modified: 07/18/2017 Date Printed: 11/20/2017



Section 10: Stability and Reactivity

(a)Reactivity

Hazardous Reaction:

Dust explosion, like most finely grained organic powders.

(b)Chemical stability:

Stable

(c)Possibility of hazardous reactions :

Not available

(d)Condition to Avoid:

Not applicable in normal use.

(e)Incompatible materials:

Not applicable in normal use.

(f)Hazardous decomposition products:

Decomposition products will not occur.

Section11: Toxicological Information

(a)Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact) ingestion

(b) Symptoms related to the physical, chemical and toxicological characteristics

Not available

(c)Delayed and immediate effects and also chronic effects from short- and long-term exposure

Acute Toxicity

Acute Oral Toxicity (LD50):

5000 or over [mg/kg] (Rat)

Acute Dermal Toxicity:

Not available (Ingredients are not classified as dangerous according to Directive 67/548/EEC.)

Acute Inhalation Toxicity:

Not available

Local effects

Acute Skin Irritation(PII):

1.0 or below (Rabbit)

Acute Eye Irritation:

Not available (Ingredients are not classified as dangerous according to Regulation (EC) No 1272/2008.)

Sensitization

Acute Allergenic Effects:

Non-skinsensitive (Mouse) (Ingredients are not classified as dangerous according to Directive 67/548/EEC.)

Mutagenicity : Negative (Ames test)

Reproduction Toxicity : Does not contain substances listed as hazardous to reproductive health.

Teratogenic : Not available

(d)Numerical measures of toxicity (such as acute toxicity estimates)

Not available

(e)Whether the hazardous chemical is listed in the National Toxicology Program (NTP)

Report on Carcinogens (latest edition) or has been found to be a potential carcinogen

in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA.

In 1996 IARC reevaluated Carbon Black as a Group 2B carcinogen (possible human carcinogen). This evaluation is given to carbon black for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the development of lung tumors in rats receiving chronic inhalation exposures to free carbon black at levels that induce particle overload of the lung. Studies performed in animal models other than rats have not demonstrated an association between carbon black and lung tumors. Moreover, 2-years cancer bioassay using a typical toner preparation containing carbon black did not demonstrate an association between toner exposure and tumor development in rats.

Section12 : Ecological Information

Mobility : No data are available on any adverse effects on the environment.

Persistence/Degradability : Not available Bioaccumulation : Not available

Ecotoxicity

Acute Toxicity for Fish (LC50) : Not classified as toxic (Regulation (EC) No 1272/2008).mg/l/96hr Acute Toxicity for Daphnia (EC50) : Not classified as toxic (Regulation (EC) No 1272/2008).mg/l/48hr Algae Inhibition Test (IC50) : Not classified as toxic (Regulation (EC) No 1272/2008).mg/l/72hr

Product Name : BK DRUM UNIT (Black Developer) SDS Number : 408034 Date Prepared : 2017/07/18 Date Modified : 07/18/2017 Date Printed : 11/20/2017



Section 13: Disposal Consideration

General information:

Used developer should be disposed in an environmentally appropriate manner and accordance with governmental regulations.

Disposal methods:

Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal. Confirm disposal procedures with local regulations.

Precautions

Do not throw the cartridge or developer unit or plastic bag or developer into an open flame. Hot toner included in developer may scatter and cause burns or other damage.

Section14: Transport Information

International Regulations

Land Transport

RID/ADR : Not applicable DOT 49 CFR : Not applicable ADNR : Not applicable

Sea Transport

IMDG Code : Not applicable

Air Transport

ICAO-TI/IATA-DGR : Not applicable
UN Number : Not applicable
Class : Not applicable

Specific Precautionary Transport Measures and Conditions

Avoid direct sunlight in quality.

Section15: Regulatory Information

Regulations

US Information

Information on the label: Not required TSCA (Toxic Substances Control Act):

This product complies with all applicable rules and regulations under TSCA.

SARA (Superfund Amendments and Reauthorization Act) Title III

313 Reportable Ingredients: Not regulated California Proposition 65: Not regulated

Canada Information

WHMIS Controlled product: Not a controlled product

EU Information

Information on the label (CLP (EC)No.1272/2008)

Symbol & Indication : Not required Hazard Statement : Not required Precautionary Statement : Not required

Special Precautions under CLP (EC)No.1272/2008 Annex II: Not required

This product complies with applicable rules and regulations under (EC)No.1907/2006 Annex XVII

Product Name: BK DRUM UNIT (Black Developer) SDS Number: 408034 Date Prepared: 07/18/2017 Date Modified: Date Printed: 11/20/2017



Section16: Other Information

Explanation of Hazardous Materials Identification System [HMIS]& National Fire Protection Association [NFPA] Hazard Rating Systems:

Both the HMIS and NFPA systems use number from "0" to "4" to show the degree of hazard in an uncontrolled situation:

0=Minimum Hazard 1=Slight Hazard 2=Moderate Hazard 3=Serious Hazard 4=Severe Hazard Colors may also be used in both systems:

Blue=Health Hazard Red=Fire Hazard Yellow=Reactivity Hazard White=Indicate a special hazard HMIS will specify any Personal Protective Equipment regired [PPE],

NFPA will specify OX(oxidizer), Acid(acid), ALK(Alkali), COR(Corrosive), W(use no water), xx(Radioactive).

Literature References:

ANSI Z400.1-1993

ISO 11014-1

Commission Directive 91/155/EEC

IARC (1996) "IARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol.65, Printing Process and Printing Inks, Carbon Black and Some Nitro Compounds", Lyon, pp149-261 H.Muhle, B.Bellman, O.Creutzenberg, C.Dasenbrock, H.Emst, R.Kilpper, J.C.MacKenzie, P.Morrow, U.Mohr, S.Takenaka and R.Mermelstein(1991) "Pulmonary Response to Toner upon Chronic Inhalation Exposure in Rats" Fundamental and Applied Toxicology 17,pp280-299

IARC (2008) "IARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol.93" NIOSH CURRENT INTELLIGENCE BULLETIN "Evaluation of Health Hazard and Recommendation for Occupational Exposure to Titanium Dioxide DRAFT"

ACGIH-TLV : Threshold Limit Values for Chemical Substances and Physical Agents and

Biological Exposure Indices

OSHA Z-Tables : US Department of Labor, 29CFR Part 1910, Tables Z-1, Z-2, and Z-3 : US Department of Health and Human Services National Toxicology Program NTP (USA)

Annual Report on Carcinogens

DFG-MAK(GER): DFG List of MAK and BAT Value

: Regulation (EC)No.1272/2008 Symbol (EC) 91/155/ EEC : EU Directive 91/155/ EEC 1999/45/EC : EU Directive 1999/45/EC

CLP (EC)No.1272/2008 : Regulation (EC)No.1272/2008 of the European Parliamant and of the Council

of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directive 67/548/EEC and 1999/45/EC.

and amending Regulation (EC)No. 1907/2006

EC 304/2003 Regulation (EC) No 304/2003 of the European Parliament and of the Council of

28 January 2003 concerning the export and import of dangerous chemicals

WHMIS Controlled product: Canada Workplace Hazardous Information System

OELs-TWA (Australia) Guidance Note on the Interpretation of Exposure Standards for Atmospheric

Contaminants in the Occupational Environment [NOHSC: 3008 (1995)]

Abbreviations:

OSHA PEL PEL (Permissible Exposure Limit) under Occupational Safety and Health Act

ACGIH-TLV TLV (Threshold Limit Values) under American Conference of Governmental Industrial

Hygienists

REACH EONo.1907/2006:Council Regulation concerning the Registration, Evaluation, Authorization

and Restriction of Chemicals Substances of Very High Concern

SVHC ECHA The European Chemicals Agency

DFG-MAK MAK (Maximale Arbeitsplatz Konzentrationen) by Deutsche Forschungs Gemeinschaft R_oHS Restriction of the use of certain Hazardous Substances in Electrical and Electronic

Equipment

Time Weighted Average **TWA**

IARC International Agency for Research on Cancer

NTP National Toxicology Program

WHMIS Workplace Hazardous Information System

NOHSC National Occupational Health and Safety Commission Act 1985

Disclaimer(S):

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Xanté Corporation.

It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process.

Xanté Corporation assumes no legal responsibility for use or reliance upon this information.