

# SAFETY DATA SHEET

## 1. Identification

\*\*\* This Safety Data Sheet is only authorised for use by HP for HP Original products. Any Important information

unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action

being taken by HP. \*\*\*

CB316Series **Product identifier** 

Other means of identification None.

Recommended use Inkjet printing None known. **Recommended restrictions** 

Manufacturer/Importer/Supplier/Distributor information

HP Inc.

1501 Page Mill Road Palo Alto, CA 94304-1112

**United States** 

650-857-1501 Telephone

HP Inc. health effects line

1-800-457-4209 (Toll-free within the US) (Direct) 1-760-710-0048

**HP Inc. Customer Care** 

Line

(Toll-free within the US) 1-800-474-6836 1-208-323-2551 (Direct)

Email: sustainability@hp.com

# 2. Hazard(s) identification

Not classified. **Physical hazards Health hazards** Not classified. Not classified. **Environmental hazards OSHA** defined hazards Not classified.

Label elements

Hazard symbol None. Signal word None.

Not available. **Hazard statement** 

**Precautionary statement** 

Not available. Prevention Not available. Response Not available. Storage Disposal Not available.

Hazard(s) not otherwise

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly classified (HNOC) carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not

present this carcinogenic risk. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

Potential routes of overexposure to this product are skin and eye contact.

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions. Complete toxicity data are not available for this specific

formulation.

2-pyrrolidone: OSHA Hazard Communication Standard cut-off value, Reproductive toxicity Category 1B, fertility or the unborn child 3%. Mixture classification threshold based on data related to developmental toxicity in animals. No adverse effects on sexual function or damage to fertility have been observed in an animal study. See Section 11.

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Water		7732-18-5	70-90
Hydroxy alkylated lactam*		Proprietary*	<7.5
Black Pigment		Proprietary	<5
2-pyrrolidone		616-45-5	<3.0

#### Composition comments

This ink supply contains an aqueous ink formulation.

This product has been evaluated using criteria specified in 29 CFR 1910.1200 (Hazard

Communication Standard).

Carbon black is present only in a bound form in this preparation.

\*Proprietary

2-pyrrolidone: OSHA Hazard Communication Standard cut-off value 3%. Mixture classification threshold based on data related to developmental toxicity in animals. No adverse effects on sexual function or damage to fertility have been observed in an animal study. See Section 11.

#### 4. First-aid measures

Inhalation Move to fresh air. If symptoms persist, get medical attention.

Skin contact Wash affected areas thoroughly with mild soap and water. If irritation persists get medical

attention.

Not available.

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at Eye contact

least 15 minutes or until particles are removed. If irritation persists get medical attention.

If ingestion of a large amount does occur, seek medical attention. Ingestion

CO2, water, dry chemical, or foam

Most important

symptoms/effects, acute and

delayed

# 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Specific hazards arising from

the chemical

Not applicable.

None known.

Special protective equipment

and precautions for firefighters

Specific methods

Not available.

None established.

# 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear appropriate personal protective equipment.

Methods and materials for containment and cleaning up **Environmental precautions** 

Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.

Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

#### 7. Handling and storage

Precautions for safe handling

Avoid contact with skin, eyes and clothing.

Conditions for safe storage. including any incompatibilities Keep out of the reach of children. Keep away from excessive heat or cold.

#### 8. Exposure controls/personal protection

#### Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

 Components
 Type
 Value

 Black Pigment
 PEL
 3.5 mg/m3

**US. ACGIH Threshold Limit Values** 

 Components
 Type
 Value
 Form

 Black Pigment
 TWA
 3 mg/m3
 Inhalable fraction.

 US. NIOSH: Pocket Guide to Chemical Hazards
 Components
 Value

Black Pigment TWA 0.1 mg/m3

Biological limit values

No biological exposure limits noted for the ingredient(s).

Exposure guidelines

Exposure limits have not been established for this product.

Appropriate engineering

controls

Use in a well ventilated area.

Individual protection measures, such as personal protective equipment

Eye/face protection Not available.

Skin protection

Hand protection Not available.

Other Use personal protective equipment to minimize exposure to skin and eye.

Respiratory protection Not available.

Thermal hazards Not available.

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical and chemical properties

**Appearance** 

Physical stateLiquid.FormLiquid.ColorBlack.

Odor Not available.
Odor threshold Not available.
pH 7.5 - 8.2
Melting point/freezing point Not available.
Initial boiling point and boiling Not determined

range

Flash point >230.0 °F (>110.0 °C)

Evaporation rate

Flammability (solid, gas)

Upper/lower flammability or explosive limits

Explosive limit - lower (%)

Not determined

Explosive limit - upper (%)

Not available.

Vapor pressure
Relative vapor density
Not available.

Solubility(ies)

Solubility (water) Soluble in water

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity 2 cp

Material name: CB316Series 8934 Version #: 03 Revision date: 14-Sep-2023 Issue date: 29-Dec-2021 SDS US

Other information For other VOC regulatory data/information see Section 15.

Density 1.04 kg/m3 Oxidizing properties Not determined 1.35 % estimated Percent volatile

VOC <147 g/l

#### 10. Stability and reactivity

Reactivity Not available.

Stable under recommended storage conditions. **Chemical stability** 

Possibility of hazardous

reactions

Will not occur.

Conditions to avoid Not available.

Incompatible with strong bases and oxidizing agents. Incompatible materials

Hazardous decomposition

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

products

## 11. Toxicological information

## Information on likely routes of exposure

Inhalation Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

Skin contact Contact with skin may result in mild irritation. Contact with eyes may result in mild irritation. Eve contact

Health injuries are not known or expected under normal use. Ingestion

Symptoms related to the physical, chemical and toxicological characteristics Not available.

## Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

Components **Species Test Results** 

2-pyrrolidone (CAS 616-45-5)

Acute Oral

Rat LD50 > 5000 mg/kg

**Black Pigment** 

**Acute** Oral

LD50

Rat > 10000 mg/kg

Skin corrosion/irritation Serious eye damage/eye Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

irritation

Respiratory or skin sensitization

Respiratory sensitization Based on available data, the classification criteria are not met.

Skin sensitization Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Germ cell mutagenicity

Carcinogenicity Based on available data, the classification criteria are not met.

> Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

#### IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

#### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

#### US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Based on available data, the classification criteria are not met. Reproductive toxicity

> 2-pyrrolidone: This component showed developmental effects only at high doses that were toxic to pregnant test animals (OECD Testing Guideline 414: Prenatal Developmental Toxicity Study). Uptake by people of small doses is not expected to cause developmental toxicity. This component has not caused adverse effects on sexual function or damage to fertility in an animal study (OECD

Testing Guideline 443: Extended One-Generation Reproductive Toxicity Study).

Specific target organ toxicity -

single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity -

repeated exposure

**Further information** 

Based on available data, the classification criteria are not met.

Complete toxicity data are not available for this specific formulation

Based on available data, the classification criteria are not met. **Aspiration hazard** 

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

## 12. Ecological information

Aquatic toxicity Not expected to be harmful to aquatic organisms.

**Ecotoxicity** 

**Test Results Product Species** 

CB316Series Aquatic

> Fish LC50 Fathead minnow (Pimephales promelas) > 750 mg/l, 96 hours

Components **Species Test Results** 

2-pyrrolidone (CAS 616-45-5)

Aquatic

Acute

Crustacea EC50 Water flea (Daphnia pulex) 13.21 mg/l. 48 hours

Persistence and degradability Not available. Bioaccumulative potential Not available. Partition coefficient n-octanol / water (log Kow)

2-pyrrolidone -0.85

Mobility in soil Not available. Not available. Other adverse effects

#### 13. Disposal considerations

Do not dispose of together with general office waste. Do not allow this material to drain into **Disposal instructions** 

sewers/water supplies.

Dispose of waste material according to Local, State, Federal, and Provincial Environmental

Regulations.

Ensure collection and disposal with an appropriately licensed waste contractor.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service

is available in your location, please visit http://www.hp.com/recycle.

#### 14. Transport information

DOT

**UN** number Not regulated as dangerous goods.

Not Regulated **UN proper shipping name** 

Transport hazard class(es)

Class Not assigned.

Subsidiary risk

Not assigned.

Packing group **Environmental hazards** 

Marine pollutant No

Material name: CB316Series 8934 Version #: 03 Revision date: 14-Sep-2023 Issue date: 29-Dec-2021 Special precautions for user Not assigned.

IATA

**UN** number Not regulated as dangerous goods.

**UN** proper shipping name

Not Regulated Transport hazard class(es)

Class Not assigned

Subsidiary risk

Packing group Not assigned

**Environmental hazards** 

Special precautions for user Not assigned

**IMDG** 

**UN** number Not regulated as dangerous goods.

Not Regulated

**UN proper shipping name** 

Transport hazard class(es)

Class Not assigned.

Subsidiary risk

Packing group Not assigned.

Transport hazard class(es)

Marine pollutant No

**EmS** Not assigned. Special precautions for user Not assigned.

**ADR** 

**UN** number Not regulated as dangerous goods.

**UN** proper shipping name Not Regulated

Transport hazard class(es)

Class Not assigned

Subsidiary risk

Hazard No. (ADR) Not assigned **Tunnel restriction code** Not assigned Packing group Not assigned

**Environmental hazards** No

Soecial precautions for user Not assigned

**Further information** Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC code: Not applicable.

## 15. Regulatory information

US federal regulations US TSCA 12(b): Does not contain listed chemicals.

**Toxic Substances Control Act (TSCA)** 

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

No intentionally added HAP substances.

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

Other information VOC content (less water, less exempt compounds) = <781 g/L (U.S. requirement, not for

emissions)

VOC data based on formulation (Organic compounds minus solids)

Regulatory information HP complies with chemical regulatory requirements in chemical substance notification laws, where

applicable. All chemical substances are notified or exempt from notification or listed in the inventory as existing substances in the following countries: US (TSCA), Canada (DSL/NDSL), Australia (AICIS), Japan (ISHL, ENCS), Philippines (PICCS), New Zealand (NZIoC) and China (IECSC). For guidance on importation and/or additional requirements for registration schemes such as EAEU, EU, South Korea, Turkey, UK, India and Taiwan, please contact the Sustainability

and Compliance Center (sustainability@hp.com).

compatible supplies in our recycling programs.

Clean Air Act (CAA) No intentionally added HAP substances.

## 16. Other information, including date of preparation or last revision

Issue date29-Dec-2021Revision date14-Sep-2023

Version # 03

Other information This SDS was prepared in accordance with USA OSHA Hazard Communications regulation (29

CFR 1910.1200).

**Disclaimer** This Safety Data Sheet document is provided without charge to customers of HP. Data is the most

current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other

countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or

## **Explanation of abbreviations**

ACGIH American Conference of Governmental Industrial Hygienists

Acute Tox. Acute toxicity

Aquatic Acute Short-term (acute) aquatic hazard
Aquatic Chronic Long-term (chronic) aquatic hazard

Asp. Tox. Aspiration hazard Carc. Carcinogenicity

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

**DOT** Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

**Eye Dam.** Serious eye damage

Eye Irrit.Eye IrritationFlam. Liq.Flammable liquidsFlam. Sol.Flammable solids

Lact. Effects on or via lactation

Muta. Germ cell mutagenicity

International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

Ox. Liq. Oxidising liquids

Ozone Hazardous to the ozone layer
PEL Permissible Exposure Limit

Press. Gas Gases under pressure

RCRA Resource Conservation and Recovery Act

**REC** Recommended

REL Recommended Exposure Limit

Repr.Reproductive toxicityResp. Sens.Respiratory sensitization

SARA Superfund Amendments and Reauthorization Act of 1986

Skin Corr.Skin corrosionSkin Irrit.Skin irritationSkin Sens.Skin sensitization

STEL Short-Term Exposure Limit

STOT RESpecific target organ toxicity - repeated exposureSTOT SESpecific target organ toxicity - single exposureTCLPToxicity Characteristics Leaching Procedure

**TLV** Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: CB316Series sps us