

## SAFETY DATA SHEET

1. Identification

\*\*\* This Safety Data Sheet is only authorised for use by HP for HP Original products. Any Important information

unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action

being taken by HP. \*\*\*

**Product identifier** HP Color LaserJet CF281A-X-XC-XH Black Print Cartridge

Other means of identification

Recommended use This product is a toner preparation that is used in HP LaserJet Enterprise MFP M630 series

printers.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

1501 Page Mill Road Palo Alto, CA 94304-1112

United States

**Telephone** 650-857-1501

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209 1-760-710-0048 (Direct)

**HP Inc. Customer Care** 

Line

1-800-474-6836 (Toll-free within the US) (Direct) 1-208-323-2551

Email: sustainability@hp.com

## 2. Hazard(s) identification

Not classified. Physical hazards **Health hazards** Not classified. Not classified. **Environmental hazards OSHA** defined hazards Not classified.

Label elements

**Hazard symbol** None. Signal word None.

Not available. **Hazard statement** 

**Precautionary statement** 

Prevention Not available. Not available. Response Not available. **Storage** Not available. **Disposal** 

Hazard(s) not otherwise

OSHA or ACGIH. classified (HNOC)

Supplemental information This product is not classified as hazardous according to OSHA CFR 1910.1200 (HazCom 2012).

None of the ingredients have been classified as carcinogens according to EU, IARC, MAK, NTP,

## 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Polyester resin	Polyester resin	Trade Secret	<55
Iron oxide	Iron oxide	1317-61-9	<50

Material name: CF281A-X-XC-XH

13448 Version #: 07 Revision date: 21-Feb-2023 Issue date: 21-Jan-2021

Chemical name	Common name and synonyms	CAS number	%
Solid paraffin		Proprietary	<10
Amorphous silica	Amorphous silica	7631-86-9	<3

#### 4. First-aid measures

Inhalation Move person to fresh air immediately. If irritation persists, consult a physician.

Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation Skin contact

develops or persists.

CO2, water, or dry chemical

Not available.

None known.

dispersed in air.

Not available.

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at Eye contact

least 15 minutes or until particles are removed. If irritation persists, consult a physician.

Ingestion Rinse mouth with water. Drink one to two glasses of water. If symptoms occur, consult a physician.

Most important

symptoms/effects, acute and

delayed

## 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Specific hazards arising from

the chemical

Special protective equipment and precautions for firefighters

Fire fighting

equipment/instructions

Specific methods

None established.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Minimize dust generation and accumulation.

If fire occurs in the printer, treat as an electrical fire.

Methods and materials for containment and cleaning up Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with a damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust

Like most organic material in powder form, toner can form explosive dust-air mixtures when finely

explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance with

federal, state, and local regulations.

**Environmental precautions** 

Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.

## 7. Handling and storage

Precautions for safe handling

Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames.

Conditions for safe storage, including any incompatibilities Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store away from strong oxidizers.

#### 8. Exposure controls/personal protection

#### Occupational exposure limits

**US. NIOSH: Pocket Guide to Chemical Hazards** 

Value Components Type Amorphous silica (CAS TWA

7631-86-9)

6 mg/m3

#### **Biological limit values**

**Exposure guidelines** 

No biological exposure limits noted for the ingredient(s).

USA OSHA (TWA/PEL): 15 mg/m3 (Total Dust) 5 mg/m3 (Respirable Fraction)

ACGIH (TWA/TLV): 10 mg/m3 (Inhalable Particulate) 3 mg/m3 (Respirable Particulate)

Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m3)/%SiO2, ACGIH (TWA/TLV):

None

# Appropriate engineering

Material name: CF281A-X-XC-XH

Use in a well ventilated area.

controls

13448 Version #: 07 Revision date: 21-Feb-2023 Issue date: 21-Jan-2021

#### Individual protection measures, such as personal protective equipment

Eye/face protection Not available.

Skin protection

**Hand protection** Not available. Not available. Other Respiratory protection Not available. Thermal hazards Not available.

## 9. Physical and chemical properties

Fine powder **Appearance** 

**Physical state** Solid. solid **Form** Black. Color

Odor Slight plastic odor **Odor threshold** Not available. Not applicable pН Melting point/freezing point Not available. Not applicable Initial boiling point and boiling

range

Flash point Not applicable Not available. **Evaporation rate** Not available. Flammability (solid, gas) Upper/lower flammability or explosive limits Explosive limit - lower (%) Not flammable

Explosive limit - upper (%) Not available. Not applicable Vapor pressure Relative vapor density Not available.

Solubility(ies)

Solubility (water) Negligible in water. Partially soluble in toluene and xylene.

Not available. **Partition coefficient** 

(n-octanol/water)

**Auto-ignition temperature** No data available **Decomposition temperature** >392 °F (>200 °C) **Viscosity** Not applicable

Other information

**Oxidizing properties** No information available.

Percent volatile Negligible

212 - 302 °F (100 - 150 °C) Softening point

VOC Not applicable

## 10. Stability and reactivity

Reactivity Not available.

**Chemical stability** Stable under normal storage conditions.

Possibility of hazardous

reactions

Will not occur.

Conditions to avoid Imaging Drum: Exposure to light

Incompatible materials Strong oxidizers

Hazardous decomposition

products

Carbon monoxide and carbon dioxide.

## 11. Toxicological information

#### Information on likely routes of exposure

Inhalation Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

Material name: CF281A-X-XC-XH 13448 Version #: 07 Revision date: 21-Feb-2023 Issue date: 21-Jan-2021 Skin contact Contact with skin may result in mild irritation. Contact with eyes may result in mild irritation. Eye contact Ingestion Ingestion is not a likely route of exposure.

Symptoms related to the physical, chemical and toxicological characteristics Not available.

## Information on toxicological effects

**Acute toxicity** Based on available data, the classification criteria are not met. Skin corrosion/irritation Based on available data, the classification criteria are not met. Serious eve damage/eve Based on available data, the classification criteria are not met.

irritation

Respiratory or skin sensitization

Respiratory sensitization Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Skin sensitization

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. Carcinogenicity

#### IARC Monographs. Overall Evaluation of Carcinogenicity

#### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

#### US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

Specific target organ toxicity single exposure

Specific target organ toxicity -

repeated exposure

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. **Aspiration hazard Further information** Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

## 12. Ecological information

**Ecotoxicity** LL50: >1000 mg/l, Fish, 96.00 Hours

**Product Species Test Results** CF281A-X-XC-XH

**Aquatic** 

Fish LL50 Fish

Not available. Persistence and degradability Bioaccumulative potential Not available. Mobility in soil Not available. Not available. Other adverse effects

#### 13. Disposal considerations

Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely **Disposal instructions** 

dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal,

state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service

> 1000 mg/l, 96 Hours

is available in your location, please visit http://www.hp.com/recycle.

#### 14. Transport information

DOT

**UN** number Not available.

Material name: CF281A-X-XC-XH SDS US UN proper shipping name Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk -

Packing group Not available.

**Environmental hazards** 

Marine pollutant No

Special precautions for user Not available.

**IATA** 

UN number UN2807

UN proper shipping name Transport hazard class(es)

e Magnetized Material

Class 9 Magnetized Material

Subsidiary risk -

Packing group Not available.

**Environmental hazards** No

Special precautions for user Not available.

**IMDG** 

**UN number** Not available. **UN proper shipping name** Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk

Packing group Not available.

Transport hazard class(es)

Marine pollutant No

EmS Not available.

Special precautions for user Not available.

ADR

UN number Not available.
UN proper shipping name Not regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk

Hazard No. (ADR) Not available.

Tunnel restriction code Not available.

Packing group Not available.

Environmental hazards No.

Special precautions for user Not available.

Further information 19 or more of these cartridges shipped together in a single package (e.g., box, container), by air,

are regulated as a magnetized material. These requirements do not apply to single or dual pack cartridges contained in an original HP package and shrink wrapped on a pallet for shipment by air.

## 15. Regulatory information

US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders

under TSCA.

**Toxic Substances Control Act (TSCA)** 

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Material name: CF281A-X-XC-XH

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

No

chemical

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

No intentionally added HAP substances.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

Regulatory information

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

No internationally added HAP substances. Clean Air Act (CAA)

# 16. Other information, including date of preparation or last revision

Issue date 21-Jan-2021 21-Feb-2023 **Revision date** 

Version #

This SDS was prepared in accordance with USA OSHA Hazard Communications regulation (29 Other information

CFR 1910.1200).

Disclaimer This Safety Data Sheet document is provided without charge to customers of HP. Data is the most

current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other

countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or

compatible supplies in our recycling programs.

**Revision information** Exposure controls/personal protection: Exposure guidelines

Regulatory information: Regulatory information

Material name: CF281A-X-XC-XH SDS US

13448 Version #: 07 Revision date: 21-Feb-2023 Issue date: 21-Jan-2021

## **Explanation of abbreviations**

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

**DOT** Department of Transportation

**EPCRA** Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

**REC** Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

**TLV** Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: CF281A-X-XC-XH SDS US