

# Proline™ HD Kleen

**Revision:** 2025-06-05 **Version:** 01.0

# 1. IDENTIFICATION

Product name: Proline™ HD Kleen SDS #: MS0802906

Recommended use:

• Warewashing product
• Industrial/Institutional

• This product is intended to be diluted prior to use

Uses advised against:

Uses other than those identified are not recommended

Manufacturer, importer, supplier:

U S Chemical

316 Hart Street Watertown, WI 53094 USA

Tel. 1-800-558-9566 USA Website: USCHEMICAL.COM

Emergency telephone number: 1-866-923-4913 USA

# 2. HAZARDS IDENTIFICATION

#### Classification for the undiluted product

Skin corrosion, Category 1A
Serious eye damage, Category 1
Acute toxicity, oral, Category 4

Specific target organ toxicity (single exposure), Category 3



Signal word: Danger.

#### **Hazard Statements**

# CAUSES SEVERE SKIN BURNS AND SERIOUS EYE DAMAGE. HARMFUL IF SWALLOWED. MAY CAUSE RESPIRATORY IRRITATION. Precautionary Statements

Causes burns/ serious damage to mouth, throat and stomach. Do not breathe dust. Avoid contact with eyes, skin and clothing. Wash affected areas thoroughly after handling. Use only in a well-ventilated area. Wear protective gloves, protective clothing and eye or face protection. IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Immediately call a Poison Center (1-866-923-4913) or physician. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of in accordance with all federal, state and local applicable regulations. SUPPLEMENTAL INFORMATION:. DO NOT MIX WITH AMMONIA, BLEACH OR OTHER CHLORINATED COMPOUNDS. Mix only with water. Can react to release hazardous gases. May vigorously react with acids resulting in spattering and excessive heat.

<u>Health hazards not otherwise classified (HHNOC)</u> - Not applicable <u>Physical hazards not otherwise classified (PHNOC)</u> - Not applicable

# Classification for the diluted product 1:667

This product, when diluted as stated on the label, is not classified as hazardous according to OSHA 29CFR 1910.1200 (HazCom 2012-GHS) and Canadian Hazardous Products Regulations (HPR) (WHMIS 2015-GHS).

#### **Hazard and Precautionary Statements**

None required.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Proline™ HD Kleen 1 of 5

Classified Ingredients

Ingredient(s)	CAS#	Weight %
Sodium hydroxide	1310-73-2	15 - 40%
Sodium carbonate	497-19-8	15 - 40%
Sodium dichloroisocyanurate dihydrate	51580-86-0	1 - 5%
Amines, c12-14-tert-alkyl, ethoxylated propoxylated	68603-58-7	1 - 5%
Tetrasodium pyrophosphate	7722-88-5	0.5 - 1.5%

# 4. FIRST AID MEASURES

# **Undiluted Product:**

**Eyes:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes.

**Skin:** IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes. Wash with plenty of water for at least 15 minutes.

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Ingestion: IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water.

Most Important Symptoms/Effects: No information available.

Immediate medical attention and special treatment needed Not applicable.

# **Diluted Product:**

Eyes: Rinse with plenty of water.

<u>Skin:</u> No specific first aid measures are required **Inhalation:** No specific first aid measures are required

Ingestion: IF SWALLOWED: Call a Poison Center (1-866-923-4913) or doctor/physician if you feel unwell.

# 5. FIRE-FIGHTING MEASURES

**Specific methods:** No special methods required

Suitable extinguishing media: The product is not flammable. Extinguish fire using agent suitable for surrounding fire.

Specific hazards: Although this product has a flash point below 200 Deg. F, it is an aqueous solution containing an

alcohol and does not sustain combustion. Corrosive material (See sections 8 and 10).

**Special protective equipment for firefighters:** As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Extinguishing media which must not be used for safety reasons: No information available.

# **6. ACCIDENTAL RELEASE MEASURES**

Personal precautions: Environmental precautions and clean-up methods: Put on appropriate personal protective equipment (see Section 8.).

Clean-up methods - large spillage. Material is toxic to fish. Do not discharge into lakes, streams, ponds, or public water unless in accordance with an NPDES permit. Prevent product from entering drains. Water runoff can cause environmental damage. Soak up with inert absorbent material. Sweep up and

shovel into suitable containers for disposal. Use a water rinse for final clean-up.

## 7. HANDLING AND STORAGE

Handling: Can react to release hazardous gases. May vigorously react with acids resulting in spattering and excessive heat. Do not mix with other products or chemicals except as directed on the label. Mix only with water. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Do not taste or swallow. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. Avoid breathing vapors or mists. Use only with adequate ventilation. Remove and wash contaminated clothing and footwear before re-use. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

Storage: Keep tightly closed in a dry, cool and well-ventilated place.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **Exposure Guidelines:**

Ing	redient(s)	ACGIH	OSHA

Proline™ HD Kleen 2 of 5

Sodium hydroxide 2 mg/m3 (Ceiling) 2 mg/m<sup>3</sup> (TWA)

#### **Undiluted Product:**

# Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels.

# Personal Protective Equipment

It is the responsibility of the employer to determine the potential risk of exposure to hazardous chemicals for employees in the workplace in order to determine the necessity, selection, and use of personal protective equipment.

Eye protection: Chemical-splash goggles. Hand protection: Chemical-resistant gloves.

Skin and body protection: Protective footwear. Wear suitable protective clothing.

Respiratory protection: No personal protective equipment required under normal use conditions. If aerosols, mists, or vapors

are not adequately controlled by ventilation, use appropriate respiratory protection to avoid

over-exposure.

Hygiene measures: Handle in accordance with good industrial hygiene and safety practice.

#### **Diluted Product:**

#### Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels.

Personal Protective Equipment

Eye protection: No personal protective equipment required under normal use conditions. Hand protection: No personal protective equipment required under normal use conditions. Skin and body protection: No personal protective equipment required under normal use conditions. No personal protective equipment required under normal use conditions. Respiratory protection: Handle in accordance with good industrial hygiene and safety practice. Hygiene measures:

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State Powder Color: White Evaporation Rate: No information available Odor: Chlorine

Odor threshold: No information available. Boiling point/range: Not determined

Melting point/freezing point (°C): Not determined Decomposition temperature: Not determined

Autoignition temperature: No information available Solubility: Completely Soluble

Solubility in other solvents: No information available Relative Density (relative to water): 1.05

Density: 1.0548 Kg/L Vapor density: No information available Bulk density: No information available Vapor pressure: No information available.

Flash point (°F): Not applicable Partition coefficient (n-octanol/water): No information available Kinematic viscosity No information available Elemental Phosphorus: 6.80 % by wt.

pH: Not applicable

Flammability (Solid or Gas): Not applicable Sustained combustion: Not applicable

Explosion limits: - upper: Not determined - lower: Not determined

Dilution pH: > 11

Dilution Flash Point (°F): No information available

VOC % by wt. at use dilution: 0 %

# 10. STABILITY AND REACTIVITY

Reactivity: Not Applicable Stability: The product is stable

Possibility of hazardous reactions: May vigorously react with acids resulting in spattering and excessive heat.

Hazardous decomposition products: None reasonably foreseeable.

Materials to avoid: Acids. Strong acids. Do not mix with any other product or chemical unless specified in the use

directions.

Conditions to avoid: None known

# 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure:

Skin contact, Inhalation, Ingestion, Eye contact

Proline™ HD Kleen 3 of 5

<sup>\* -</sup> Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

## Delayed, immediate, or chronic effects and symptoms from short and long-term exposure

**Skin contact:** Corrosive. Causes severe burns. Symptoms may include burns, blisters, redness and pain (which may be delayed).

Eye contact: Corrosive. Causes serious eye damage. Symptoms may include pain, burning sensation, redness, watering, blurred vision or loss of vision.

**Ingestion:** Causes burns/ serious damage to mouth, throat and stomach. Symptoms may include stomach pain and nausea. Harmful if swallowed. Symptoms may include vomiting, nausea, and/or feeling of general unwellness.

**Inhalation:** May cause irritation and corrosive effects to nose, throat and respiratory tract. Symptoms may include coughing and difficulty breathing.

Sensitization: No known effects.

Target Organs (SE): No information available

Target Organs (RE): None known

## Numerical measures of toxicity

ATE - Oral (mg/kg): 1000 ATE - Dermal (mg/kg): >2000 ATE - Inhalatory, gases (mg/l): >20000 ATE - Inhalatory, mists (mg/l): >5 ATE - Inhalatory, vapors (mg/l): >20

# 12. ECOLOGICAL INFORMATION

Ecotoxicity: No information available.

Persistence and Degradability: No information available.

Bioaccumulation: No information available.

Mobility: No information available.

Other adverse effects No information available.

# 13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products (undiluted product): This product, as sold, if discarded or disposed, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

Waste from residues / unused products (diluted product): This product, when diluted as stated on this SDS, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

RCRA Hazard Class (undiluted product): Not Regulated RCRA Hazard Class (diluted product): Not Regulated Contaminated Packaging: Do not re-use empty containers.

# 14. TRANSPORT INFORMATION

<u>DOT/TDG/IMDG:</u> The information provided below is the full transportation classification for this product. This description does not account for the package size(s) of this product, that may fall under a quantity exception, according to the applicable transportation regulations. When shipping dangerous goods, please consult with your internal, certified hazardous materials specialist to determine if any exceptions can be applied to your shipment.

<u>DOT (Ground) Bill of Lading Description:</u> UN3262, CORROSIVE SOLID, BASIC, INORGANIC, N.O.S., (sodium hydroxide, sodium dichloroisocyanurate dihydrate), 8, II

IMDG (Ocean) Bill of Lading Description: UN3262, CORROSIVE SOLID, BASIC, INORGANIC, N.O.S., (sodium hydroxide, sodium dichloroisocyanurate dihydrate), 8, II, MARINE POLLUTANT

Proline™ HD Kleen 4 of 5

# 15. REGULATORY INFORMATION

#### International Inventories at CAS# Level

TSCA All components are listed or otherwise exempt DSL All components are listed or otherwise exempt

WARNING: This product can expose you to chemicals including Lead which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

# **US RIGHT TO KNOW (RTK)**

O KIOTI TO KNOW (KTK)					
Ingredient(s)	CAS#	MARTK:	NJRTK:	PARTK:	RIRTK:
Sodium hydroxide	1310-73-2	Χ	X	X	Χ
Sodium carbonate	497-19-8	=	-	-	=
Sodium tripolyphosphate	7758-29-4	Χ	-	X	=
Sodium dichloroisocyanurate dihydrate	51580-86-0	Х	Х	X	-
Sodium polyacrylate	9003-04-7	=	-	-	=
Amines, c12-14-tert-alkyl, ethoxylated propoxylated	68603-58-7	-	-	-	ı
Tetrasodium pyrophosphate	7722-88-5	X	X	X	-

#### **CERCLA/ SARA**

Ingredient(s)	CAS#	Weight %	CERCLA/SARA RQ (lbs)	Section 302 TPQ (lbs)	Section 313
Sodium hydroxide	1310-73-2	15 - 40%	1000		

## Canadian Regulations

# **16. OTHER INFORMATION**

# NFPA (National Fire Protection Association)

Rating Scale: (Low Hazard) 0 - 4 (Extreme Hazard)

Health 3 Flammability 0 Instability 0 Special Hazards -

# **Diluted Product:**

Health 1 Flammability 0 Instability 0 Special Hazards -

**Revision**: 2025-06-05

Version: 01.0

Reason for revision: Not applicable

Prepared by:

Additional advice:

North American Regulatory Affairs

Does not contain an added fragrance

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Proline™ HD Kleen 5 of 5