

B-10099 B

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.0 SDS Revision Date: 12/10/2018

	1. PRODUCT & COMPANY IDENTIFICATION					
1.1	Product Name: #mydentity #MyThiccbody Body Building Texture Spray					
1.2	Chemical Name:	Aerosol Hairspray				
1.3	Synonyms:	Texture Spray – Texturizing Finisher Hair Spray (55% VOC) –B-10099B				
1.4	Trade Names:	mydentity Texture Spray – Texturizing Finisher Hair Spray				
1.5	Product Uses/ Restrictions	Professional and Cosmetic Use				
1.6	Distributor's Name:	KIK Custom Products				
1.7	Distributor's Address:	2030 Old Candler Road, Gainesville, GA 30507 USA				
1.8	Emergency Phone:	CHEMTEL: +1 (703) 527-3887 / +1 (800) 424-9300				
1.9	Business Phone / Fax:	+1 (770) 534-0300 / +1 (770) 534-8954				

2. HAZARDS IDENTIFICATION

2.1 Hazard Identification: This product is classified as a HAZARDOUS by the 2012 OSHA Hazard Communication Standard (29CFR 1910.1200)

WARNING! FLAMMABLE AEROSOL. PRESSURIZED CONTAINER: MAY BURST IF HEATED. HIGHLY FLAMMABLE LIQUID AND VAPOR. CAUSES EYE IRRITATION.

Classification: Level 1 Aerosol; Category 2 Flammable Aerosol

Hazard Statements:

Flammable Aerosol- Category 2

Gases under Pressure – Liquefied Gas

Causes eye irritation -Category 2 - Sub category B

<u>Precautionary Statement</u> (P): Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No Smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use.

<u>Precautionary Statements – response</u>: Avoid breathing vapors/spray. Use only in well-ventilated area. IF INHALED; Remove person to fresh air and keep comfortable for breathing.

IF IN EYES; Rinse cautiously with water for several minutes. Remove contact lenses, if present, continue rinsing. If eye irritation persists: Get medical advice/attention.

<u>Precautionary Statements – Storage</u>: Protect from sunlight. Do no expose to temperature exceeding 48°C (120 °F). Keep product locked up and out of reach of children. Store in well ventilated areas.

<u>Precautionary Statements – Disposal</u>: Dispose of contents/container to licensed and permitted disposal or recycling facility.

Hazards not otherwise classified (HNOC)

Not Applicable



3. COMPOSITION & INGREDIENT INFORMATION

Substance / Chemical Name(s)	CAS No.	EINECS No.	%	Other
DIFLUOROETHANE (R-152a)	75-37-6	200-866-1	30 – 50	Flam. Gas 1; H220
Butane (A-17)	106-97-8	203-448-7	10 - 30	Flam. Gas 1; Flam. Gas 1; H220
Ethanol (SD Alcohol 40B)	64-17-5	200-578-6	20 - 40	Flam. Liq. 2; H225

4. FIRST AID MEASURES

4.1	First Aid:	Ingestion:	If ingested, do not induce vomiting! If product has been swallowed, drink plenty of water or milk IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give water or milk to an unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed.
		Skin:	If irritation occurs & product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough washing of the affected area with plenty of soap and water. Remove contaminated clothing and wash thoroughly before ruse. If irritation, redness or swelling persists, consult a physician immediately.
		Eyes:	If product get in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes. Raise and lower eyelid(s) while flushing to ensure thorough irrigation. If problems persist seek immediate medical attention.
		Inhalation:	Remove victim to fresh air and keep comfortable for breathing.



B-10099 B

	Prepared to OSHA, ACC, ANS	SI, NOHSC, WH	MIS, 2001/58 & 1272/2008/EC Standards SDS R	evision: 1.0	SDS Revision D	Date: 12/	10/2018		
4.2	Effects of Exposure:	Ingestion:	If product is swallowed, may cause nausea, vomiting a depression.	ınd/or diarrhe	a and central n	ervous s	ystem		
		Skin:	May be irritating to skin. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some sensitive individuals upon prolonged or repeated exposure.						
		Eyes:	Moderately irritating to the eyes.						
		Inhalation:	Vapors of this product may be moderately irritating to respiratory system. Symptoms of overexposure can in difficulty breathing. Inhalation of concentrated vapor drowsiness, dizziness, headaches, nausea).	nclude coughir	ng, wheezing, n	asal con	gestion, and		
4.3	Symptoms of Overexposure	Ingestion:	May cause nausea, vomiting and/or diarrhea and cent	ral nervous sy	stem depression	n.			
		Skin:	Prolonged contact with skin may result in bleaching an skin reactions (e.g., rashes, welts, dermatitis) in some overexposure may include redness, itching, and irritat	nd irritation of sensitive indivion of affected	f skin. The proc viduals. Sympto d areas.	duct can oms of sk	kin		
		Eyes:	Overexposure in eyes, may cause redness, itching and may cause mild eye irritation including stinging, water	ing and redne	ess.				
		Inhalation:	Symptoms of overexposure can include coughing, who	_	-				
4.4	Acute Health Effects:	drowsiness,	itation to eyes and skin near affected areas. Additionall dizziness, headaches and nausea.						
4.5	Chronic Health Effects:	irritating to s	or chronic health effects are expected to occur from a single skin and mucous membrane of the eye and respiratory so a some sensitive individuals. May also induce skin sensitiatitis.	ystem. Overe	xposure may tr	igger ast	hma-like		
4.6	Target Organs:		spiratory system.						
4.7	Medical Conditions	1	hazards may be delayed. Most common symptoms	HEALTH			1		
	Aggravated by Exposure		ting properties to eyes, respiratory system and skin.	FLAMMABIL			3		
		_	natological conditions (such as eczema) and respiratory	PHYSICAL H			0		
		exacerbated	uch as bronchial asthma and/or bronchitis) may be	1	E EQUIPMENT		В		
		CAUCCIDATEA	•	EYES	SKIN				
			5. FIREFIGHTING MEASURES						
5.1	Fire and Explosion Hazards:	uninvolved c bursting. If a and release f	Level 1 Aerosol (NFPA 30B). Aerosols may burst at temperatures above 120° F (48°C). Cool uninvolved containers to prevent possible bursting. Aerosols may be projectile hazards when bursting. If aerosols are bursting, stay clear until bursting is complete. Containers may rupture and release flammable liquids and/or exposed gases if exposed to the heat of fire. Keep						
_			pol by spraying them with water until the fire has been e	extinguished.		4	3		
5.2	Extinguishing Methods: Firefighting Procedures:	Water Fog, Foam, CO ₂ , Dry Chemical As in any fire, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure-demand_ and full protective gear. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personnel. Fight fire upwind. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters must use full bunker gear including NIOSH-approved positive							
			 contained breathing apparatus to protect against poter sition products and oxygen deficiencies. 	ntiai nazardou	is combustion				
		or accompos	stion products and oxygen denticiences.						
			6. ACCIDENTIAL RELEASE MEASUR	RES					
6.1	Spills:	Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment (PPE). Small spills Wear appropriate personal protective equipment including gloves and protective eyewear. Use a non-combustible material such as vermiculite or sand to soak up the product and place into a container for later disposal. Do not use water or a material such as "speedy dry" to soak up material. Sweep up material using non-sparking materials (e.g., plastic brooms, shovels, dustpans) and place into a plastic container or plastic liner within another container. Large spills: Keep incompatible materials (e.g., organics such as oil) away from spill. Stay upwind and away from spill or release. Isolate immediate hazard area and keep unauthorized personnel out of area. Stop spill or release if it can be done with minimal risk. Wear appropriate protective equipment including respiratory protection as conditions warrant.							



B-10099 B

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.0 SDS Revision Date: 12/10/2018

		7 HANDLING	V VID	STOR	ACE IN		ATION				
		7. HANDLING						o Hand	lo as to a	void nu	acturing
.1	Work & Hygiene Practices	Do not eat, drink, or smoke while handling this product. Contents under pressure. Handle as to avoid puncturing container(s). When used as intended, no additional protective equipment is necessary. Use chemical goggles if eye contact is possible. Wash unintentional residues with soan and warm water.									
		contact is possible. Wash unintentional residues with soap and warm water. Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans) away from heat and direct							and direct		
.2	Storage and Handling:	sunlight. Avoid temperatures a									
	Storage and Handing.	physical damage. To avoid unit									italiicis ii oii
.3	Special Precautions:	Spilled material may present a								C. I.	
.5	Special Freeductions.	Spined material may present a	311PP111B 1	10201011	iere anatte	inaca. cici	arr arr spiris	prompti	, ·		
		8. EXPOSURE CON	TROL	S & P	ERSON	IAL PRO	OTECTIO	NC			
.1	Exposure Limits:		AC	GIH		NOHSC			OSHA		OTHER
	Ppm (mg/m³)	Chemical Name(s)	TLV	STEL	ES-TWA	ES-STEL	ES-PEAK	PEL	STEL	IDLH	
		Ethanol (SD Alcohol 40B)	1000	3000	1000	1800	NF	1000	1900	3300	
		DIFLUOROETHANE (R-152a)	1000	NA	1000	NA	NA	NE	NA	NA	
		DIMETHYL ETHER	NA	NA	400	760	NF	NA	NA	NA	
.2	Ventilation & Engineering	General mechanical (e.g., fans)	or natur	al ventila	ition is suf	ficient whe	n this prod	uct is in ı	use. Use	local or	general
	Controls	exhaust ventilation to effective	ly remov	e and pr	event build	dup of vapo	ors or mist a	generate	d from th	ne handl	ling of this
		product.									
.3	Respiratory Protection:	No special respiratory protection	n is requ	iired und	ler typical	circumstan	ices of use of	or			
		handling. In instances where d	usts of th	nis produ	ct are gen	erated, and	d respirator	У			
		protection is needed, use only	orotectio	n author	ized by 29	CFR §1910).134, appli	cable U.S	S.		
		State regulations, or the Canad	ian CAS S	Standard	Z94.4-93 a	and applica	ble standar	ds of			
		Canadian Provinces, EC membe	r States,	or Austr	alia.						
.4	Eye Protection:	None required under normal co	nditions	of use.	Avoid eye	contact. S	afety glasse	s should			
		be used when handling or using	g large qu	uantities	of this pro	duct (e.g.,	≥ 1 gallon (3.8 L)).		E	
.5	Hand Protection:	None required under normal co	nditions	of use.	However,	may cause	skin irritati	on is son	ne		
		sensitive individuals. When ha							l l		(C)
		nitrile or impervious plastic glo	_	0 1	(0 /	_ 0	` '''				
.6	Body Protection:	No apron required when handl	ng small	quantiti	es. When	handling la	rge quantit	ies (e.g.,	>		
	,								_		
		5 lbs.), eye wash station and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas									
		thoroughly with soap and wate			,	, , ,					
		9. PHYSICA	1 & CI	HFMI	CAI PR	OPERT	IFS				
).1	Appearance:	Aerosol, misty spray	_ ~ .		<u> </u>	OI LIVI					
.2	Odor:	Fresh Sweet odor									
9.3	Odor Threshold	NA									
.4	pH:	NA									
.5	Melting/Freezing Point	NA									
1.6	Initial Boiling Point/ Boiling										
.0	Range:	NA .									
.7	Flashpoint:	-30 °F (-34 °C) TCC for propellant only; 35.6 °F (2 °C) EPA method 1010 Concentrate only									
.8	Upper/Lower Flammability		ic Orny, 3	J.O 1 (Z	S) LI A III	C.1100 1010	, concentre	ice offing			
.0	limits	NA .									
0		@ 30 °C (69° E) Can proceure	not to ov	cood 100	ncia @ El	°C /121 °C	1) 12 4 bar				
.9 10	Vapor Pressure:	@ 20 °C (68° F) – Can pressure	iot to ex	ceeu 180	hair m 2:) C(131 F) 12.4 Ddf				
	Vapor Density										
	Relative Density:	0.85 – 0.95									
	Solubility:	Soluble									
.13	Partition Coefficient	NA									
	(log Pow):										
	Autoignition Temperature:	NA									
.15	Decomposition	NA									
	Temperature.										
.16	Viscosity:	Aerosol at ambient temperatur	e								
	Other Information:	Evaporation Rate >1: Percent V	1	FF0/							



B-10099 B

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.0 SDS Revision Date: 12/10/2018

_		10. STABILITY & REACTIVITY				
10.1	Stability:	Stable at normal temperatures.				
10.2	Hazardous Decomposition Products:	Oxides of carbon (CO, CO ₂) and sulfur (SO ₂)				
10.3	Hazardous Polymerization:	Will not occur.				
10.4	Conditions to Avoid	Excessive heat, direct sunlight, flames, heat sources and incompatible substances.				
10.5	Incompatible Substances	Mixture with strong acids, alkalis or oxidizers.				
		11. TOXICOLOGICAL INFORMATION				
11.1	Routes of Entry:	Inhalation: YES Absorption: YES Ingestion: YES				
11.2	· · · · · · · · · · · · · · · · · · ·	This product was not tested on animals.				
11.3		See Section 4.4				
11.4		See Section 4.5				
11.5	Suspected Carcinogen:	NA				
	Reproductive Toxicity:	This product is not reported to cause reproductive toxicity in humans.				
	Mutagenicity:	This product is not reported to produce mutagenic effects in humans.				
	Embryotoxicity:	This product is not reported to produce embryotoxic effects in humans.				
	Teratogenicity:	This product is not report to cause teratogenic effects in humans.				
	Reproductive Toxicity:	This product is not report to cause reproductive effects in humans.				
11.7	Irritancy of Product:	See Section 4.3				
	Biological Exposure					
11.0	Indices:	NA				
11.9						
	Recommendations:	Treat symptomatically.				
	Trecommendations.					
	I	12. ECOLOGICAL INFORMATION				
12.1	Environmental Stability:	There is no specific data available for this product.				
12.2	Effects on Plants & Animals	There is no specific data available for this product.				
12.3		The product itself has not been tested as a whole. There is no specific data available for this product.				
		12 DISPOSAL CONSIDERATIONS				
	Т	13. DISPOSAL CONSIDERATIONS				
13.1	Waste Disposal:	Review current local, state and federal laws, codes, statutes and regulations to determine current status and				
		appropriate disposal method for the ingredients listed in Section 2. Any disposal practice must be in compliance with				
		local, state and federal laws and regulations. Contact the appropriate agency for specific information. A licensed faci				
		or waste hauler must provide treatment, transport, storage and disposal of hazardous waste.				
13.2	Special Considerations:	U.S. EPA Hazardous Waste – Characteristic – Ignitable (D001)				
		14. TRANSPORTATION INFORMATION				
14.1	49 CFR (GND):	UN1950, AEROSOLS, 2.1 (LTD QTY, IP VOL \leq 1.0 L); or CONSUMER COMMODITY, ORM-D (IP VOL \leq 1.0 L) – until 12/31/2020				
14.2	IATA (AIR)	UN1950, AEROSOLS, FLAMMABLE, 2.1 (LTD QTY, IP VOL < 0.5 L); or ID8000, CONSUMER COMMODITY, ORM-D (IP VOL < 0.5 I=L)				
14.3	IMDG (OCN):	UN1950, AEROSOLS, 2.1 (LTD QTY, IP VOL ≤ 1.0 L)				
	` '	UN1950, AEROSOLS, 2.1 (LTD QTY, IP VOL < 1.0 L); or				
14.4	, , , , , ,	MARK PACKAGE "LIMITED QUANTITY", "LTD QTY", OR "QUANT LTÉE" OR "QUANTITÉ LIMITÉE"				
14.4		UN1950, AEROSOLS, 2.1 (LTD QTY, IP VOL < 1.0 L)				
	ADR/RID (EU):					
14.5	ADR/RID (EU): SCT (MEXICO):					
14.5 14.6	ADR/RID (EU): SCT (MEXICO): ADGR (AUS):	UN1950, AEROSOLES, 2.1 (CANTIDAD LIMITADA, IP VOL < 1.0 L)				





B-10099 B

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.0 SDS Revision Date: 12/10/2018

		15. REGULATORY INFOR	MATION				
15.1	SARA Reporting	This product does not contain any substance subject to S	ATA Title III. section 313 reporting requirements				
	Requirements:	ATA THE III, Section 313 reporting requirements.					
15.2	SARA Threshold Planning Quantity:	There are no specific Threshold Planning Quantities for the components of this product.					
15.3	TSCA Inventory Status:	The components of this product are listed on the TSCA Inventory.					
15.4	CERCLA Reportable Quantity (RQ):	Ethanol: 2270 kg; 5000 lbs					
15.5	Other Federal Requirements:	This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR Subchapter G. (Cosmetics)					
15.6	Other Canadian Regulations:	This product has been classified according to the hazard criteria of the CPR and the SDS contains all of the information required by the CPR. The components of the product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substance List. WHMIS Class B5 (Flammable Aerosol)					
15.7	State Regulatory Information:	Ethanol: is found on the following state criteria lists FL, MA, MN, NJ, PA, and WA Dimethyl Ethet can be found on the following state criteria lists: MA, MN, PA, WA and NJ Difluoroethane can be found on the following state criteria lists: MA and NJ No other ingredients of this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI).					
The primary components of this product are listed in Annex I of EU Directive 67/548/EEC: Dimethyl Ether: Flammable (F+). Risk Phrases (R) 12 — Highly Flammable. Safety Phrases (S): 2-6-16-Keep out of reach of children. Keep cool store below 120 0F (48.8 0C). Keep away from sources of ignition — No smoking. Ethanol: Flammable (F). Risk Phrases (R): 11 — Flammable. Safety Phrase (S): 2-7-16 — Keep out of reac children. Keep container tightly closed. Keep away from sources of ignition — No smoking							
		16. OTHER INFORMA	TION				
16.1	Other Information:	AND VAPORS. CAUSES EYE IRRITATION. Keep away from sources. No Smoking. Do not spray on an open flame or Avoid breathing vapor/spray. Wash thoroughly with soa Wear eye protection. Protect from sunlight. Do not expresence person to fresh air and keep comfortable for bready.	TAINER: MAY BURST IF HEATED, HIGHLY FLAMMABLE LIQUID me heat, hot surfaces, sparks open flames and other ignition to other ignition source. Do not pierce or burn, even after use. In pand water after handling. Use only in a well ventilated area. Ones to temperature exceeding 48°C (120°F). IF INHALED: eathing. IF IN EYES: Rinse cautiously with water for several loss. Continue rinsing. If eye irritation persists: Get medical of the property of t				
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.					
16.3	Disclaimer:	This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the base of KIK Custom Product's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or complete=ness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.					
16.4	Prepared By:	KIK Custom Products 2030 Old Candler Road Gainesville, GA 30507 USA http://www.kikcorp.com	KIK CUSTOM PRODUCTS				




B-10099 B

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.0

SDS Revision Date: 12/10/2018





B-10099 B

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.0 SDS Revision Date: 12/10/2018

