Page 1 of 6 **KC-007**

Prepa	ared to OSHA, ACC, ANSI, N	OHSC, WHMIS, 2001/58 & 1272/2008/EC Standards	SDS Revision: 1.0	SDS Revision Date:	12/1/2016			
		1. PRODUCT & COMPANY	IDENTIFICATION					
1.1	Product Name:	#mydentity 30 VOL. CREAM DE	VELOPER PERMAI	NENT				
1.2	Chemical Name:	NA						
1.3	Synonyms:	NA						
1.4	Trade Names:	#mydentity™@GUY-TANG 30 VOL. Cream Develope	er Permanent					
1.5	Product Uses & Restrictions:	Professional or Cosmetic Use Only						
1.6	Distributor's Name:	C-CARE, LLC						
1.7	Distributor's Address:	979 Corporate Boulevard, Linthicum Heights, MD 21	979 Corporate Boulevard, Linthicum Heights, MD 21090 USA					
1.8	Emergency Phone:	CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300 (CCN XXXXX)						
1.9	Business Phone / Fax:	+1 (410) 850-0035						
		2. HAZARDS IDENT	IFICATION					
2.1	Hazard Identification:	This product is classified as a HAZARDOUS SI according to the classification criteria of NOHSC: 10th DANGER! HARMFUL IF SWALLOWED. CAUSES Classification: Eye Irrit. 2; Acute Oral 4 Hazard Statements (H): H302 – Harmful if swallowed Precautionary Statements (P): P264 – Wash thorougloves and eye/face protection. P305+P351+P33 present and easy to do. Continue rinsing. P310 – Store locked up. P501 – Dispose of contents/disposal facility (TSDF).	88 (2004) and ADG Code (Aus SERIOUS EYE DAMAGE. d. H318 - Causes serious eyeughly after handling. P280 - 8 - IF IN EYES: Remove of Immediately call a poison cen	e damage. Wear protective contact lenses, if ter/doctor. P405				

3. COMPOSITION & INGREDIENT INFORMATION

	J. U		CIA & IIAC	INLDI		1141	OKI						
						EXPOSURE LIMITS IN AIR (mg/m³)							
					ACGIH		NOHSC		OSHA				
					p	om		ppm			ppm		
CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	ES- TWA	ES- STEL	ES- PEAK	PEL	STEL	IDLH	OTHER
WATER / AQUA	7732-18-5	ZC0110000	231-791-2	50-70	NA	NA	NF	NF	NF	NA	NA	NA	
WATER / AQUA													
HYDROGEN PEROXIDE	7722-84-1	MX0900000	231-765-0	5.0-10	(1.4)	NA	(1.4)	NF	NF	(1.4)	NA	75	
HTDROGEN PEROXIDE	Eye Irrit. 2; H	319											
CETEARYL ALCOHOL	67762-27-0	NA	267-008-6	1.0-5.0	NA	NA	NF	NF	NF	NA	NA	NA	
#mudentity	NA	NA	NA	0.1-5.0	NA	NA	NF	NF	NF	NA	NA	NA	
#mydentity PROPRIETARY													
BLEND							•			•			
CETEARETH-20	68436-49-6	NA	NA	0.1-1.0	NA	NA	NF	NF	NF	NA	NA	NA	
01.1							1						
PHOSPHORIC ACID	7664-38-2	TB6300000	231-633-2	0.0-0.1	(1)	(3)	NF	NF	NF	NA	NA	1000	
	Skin Corr. 1B	,	1										
LINALOOL	78-70-6	NA	201-134-4	0.0-0.1	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGEN
EII (1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1													
HEXYL CINNAMAL	101-86-0	GD6560000	202-983-3	0.0-0.1	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGEN
TIEXTE OR WINCE	_	Aquatic Chronic					•			•			
LIMONENE	5989-27-5	GW6360000	227-813-5	0.0-0.1	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGEN
			1	1			1						
BUTYLPHENYL	80-54-6	MW4895000	201-289-8	0.0-0.1	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGEN
METHYLPROPIONAL	Acute Tox. Or	ral 4; Skin Irrit. 2;	Aquatic acute 2;	Aquatic Ch	ronic 2	H302,	H315, I	H319					•
CITRONELLOL	106-22-9	UT2975000	203-375-0	0.0-0.1	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGEN
OTTORLELOL	Skin. Irrit. 2; S	Skin Sens. 1B; Ey	e Irrit. 2, H315, H	l317, H319									

4. FIRST AID MEASURES

4.1	First Aid:	Ingestion:	If ingested, do not induce vomiting. If product has been swallowed, drink plenty of water or milk IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give water or milk to an unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an
			estimate of the time at which the material was ingested and the amount of the substance that was swallowed.
		Eyes:	Splashes are not likely; however, if product gets in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes. Seek immediate medical attention.
		<u>Skin</u> :	If irritation occurs and product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough washing of the affected area with soap and water. If irritation, redness or swelling persists, contact a physician immediately.
		Inhalation:	Remove victim to fresh air at once.

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

Page 2 of 6 **KC-007**

SDS Revision Date: 12/1/2016

4. FIRST AID MEASURES - cont'd 42 Effects of Exposure: If product is swallowed, may cause nausea, vomiting and/or diarrhea. Ingestion: Moderately irritating to the eyes. Symptoms of overexposure may include redness, itching, irritation and Eyes: May be irritating to skin. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in Skin: some sensitive individuals. Inhalation: None expected. 4.3 Symptoms of Overexposure: Overexposure in eyes may cause severe damage, redness, itching and watering. Symptoms of skin overexposure may include redness, itching, and irritation of affected areas. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some sensitive individuals. 4.4 Acute Health Effects: Severe irritation to eyes. Symptoms of overexposure may include redness, itching, stinging, irritation and watering. Moderate irritation to skin near affected areas. 4.5 Chronic Health Effects: These ingredients may be irritating to skin and mucous membrane of the eye and respiratory system. 4.6 Target Organs: Eyes, Skin, Respiratory System 47 Medical Conditions Pre-existing dermatitis, other skin conditions, and disorders of the 2 HEALTH Aggravated by Exposure: target organs (eyes, skin, and respiratory system). **FLAMMABILITY** 0 1 PHYSICAL HAZARDS PROTECTIVE EQUIPMENT В **EYES** SKIN 5. FIREFIGHTING MEASURES 5.1 Fire & Explosion Hazards: This product is not flammable. 52 Extinguishing Methods: CO2, Halon (if permitted), Dry Chemical, Foam, as authorized. As in any fire, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure-5.3 Firefighting Procedures: demand) and full protective gear. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters must use full bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies. 6. ACCIDENTAL RELEASE MEASURES 6.1 Spills: Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment (PPE). Keep incompatible materials (e.g., organics such as oil) away from spill. For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows). Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse. For <u>large spills</u> (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. 7. HANDLING & STORAGE INFORMATION Do not eat, drink, or smoke while handling this product. Wash thoroughly after handling. Avoid contact with flammable or 7.1 Work & Hygiene Practices: combustible materials. Avoid contamination from any source, including metals, dust and organic materials. Keep bulk covered. Wash unintentional residues with soap and warm water. Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans). Keep away from excessive 7.2 Storage & Handling: heat and open flames. Avoid temperatures above 120 °F. Keep away from incompatible substances. Protect containers from physical damage. Special Precautions: 7.3 Spilled material may present a slipping hazard if left unattended. Clean all spills promptly.

Page 3 of 6

KC-007 Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 12/1/2016 8. EXPOSURE CONTROLS & PERSONAL PROTECTION NOHSC OTHER 8.1 Exposure Limits: **ACGIH** OSHA ppm (mg/m³) STEL ES-TWA ES-STEL **ES-PEAK** PEL IDLH **CHEMICAL NAME(S)** TLV STEL HYDROGEN PEROXIDE (1.4)NA (1.4)NF NF (1.4)NA 75 PHOSPHORIC ACID (1) (3) NF NF NF NA NA 1000 LINALOOL NA NA NF NF NF NA NΑ NA ALLERGEN HEXYL CINNAMAL NA NA NF NF NF NA NΑ NA ALLERGEN LIMONENE NA NA NF NF NF NA NA NA **ALLERGEN** BUTYLPHENYL NA NA NF NF NF NA NA NA ALLERGEN METHYLPROPRIONAL NA NF NF NF ALLERGEN CITRONELLOL NA NA NA NA 8.2 General mechanical (e.g., fans) or natural ventilation is sufficient when this product is in use. Ventilation & Engineering Use local or general Controls: exhaust ventilation to effectively remove and prevent buildup of vapors or mist generated from the handling of this product. Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash station). No special respiratory protection is required under typical circumstances of use or handling. In 8.3 Respiratory Protection: instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia. Wear protective eyewear (e.g., safety glasses with side-shield) at all times when handling this Eye Protection: 8.4 product. Always use protective eyewear when cleaning spills or leaks. Contact lenses pose a special hazard; soft lenses may absorb and concentrate irritants. 8.5 Hand Protection: AVOID SKIN CONTACT DUE TO SENSITIZING POTENTIAL. If anticipated that prolonged & repeated skin contact will occur during use of this product, wear latex or rubber gloves for routine industrial use. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada, of the E.C. member states. 8.6 Body Protection: AVOID SKIN CONTACT DUE TO SENSITIZING POTENTIAL. However, no special body protection is required under typical circumstances of use and handling. If necessary, refer to appropriate standards of Canada, the E.C. member states, or U.S. OSHA. 9. PHYSICAL & CHEMICAL PROPERTIES Appearance: 9.1 Cream to free flowing lotion 92 Odor: Characteristic 9.3 Odor Threshold: NA 9.4 2.2-2.7 9.5 Melting Point/Freezing Point: NA Initial Boiling Point/Boiling 96 NA Range: 9.7 Flashpoint: NA 9.8 Upper/Lower Flammability NA Limits: 9.9 Vapor Pressure: NA 9.10 Vapor Density: NA 9.11 Relative Density: 0.95-1.10 Solubility: 9.12 Partial to complete Partition Coefficient (log Pow): 9.13 NA 9.14 Autoignition Temperature: NA 9.15 Decomposition Temperature: NA 9 16 Viscosity: 3,000-8,000 cPs 9 17 Other Information: NA 10. STABILITY & REACTIVITY 10.1 Stability: This product is stable. 10.2 Hazardous Decomposition Oxides of carbon (CO, CO₂) and sulfur (SO₂). Liberation of gas my result in dangerous pressure. Products 10.3 Hazardous Polymerization:

Store away from flammable liquids, flammable solids, aerosols and other incompatible materials (e.g., reducing

materials, combustible materials, metal contamination like iron, copper their alloys). Avoid contamination. Do not store any tint, lightener lotion or bleach powder after it has been mixed with developer; the container may rupture. Never return

Open flames, sparks and high heat, direct sunlight.

unused material to original container. Avoid extreme heat and ignition sources.

10.4

10.5

Conditions to Avoid:

Incompatible Substances:

Page 4 of 6 **KC-007**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 12/1/2016 11. TOXICOLOGICAL INFORMATION Routes of Entry: Inhalation: YES Absorption: YES Ingestion: YES 11.1 11 2 Toxicity Data: This product has NOT been tested on animals to obtain toxicology data. Toxicology data, found in scientific literature, is available for some of the components of the product but is not presented in this document. 11.3 Acute Toxicity: See section 4.4 11.4 Chronic Toxicity: See section 4.5 11.5 Suspected Carcinogen: This product contains Hydrogen peroxide listed: ACGIH Group A3; IARC Group 3: Not classifiable as to its carcinogenicity to humans. 11.6 Reproductive Toxicity: This product is not reported to produce reproductive toxicity in humans. Mutagenicity: This product is not reported to produce mutagenic effects in humans. Embryotoxicity: This product is not reported to produce embryotoxic effects in humans. Teratogenicity: This product is not reported to cause teratogenic effects in humans Reproductive Toxicity: This product is not reported to cause reproductive effects in humans. 11.7 Irritancy of Product: See Section 4.3. 11.8 Biological Exposure Indices: NE Physician Recommendations: 11.9 Treat symptomatically. 12. ECOLOGICAL INFORMATION Environmental Stability 12.1 There is no specific data available for this product. 122 Effects on Plants & Animals: There is no specific data available for this product. 12.3 Effects on Aquatic Life: There is no specific data available for this product. 13. DISPOSAL CONSIDERATIONS Dispose of in accordance with federal, state and local regulations. Waste Disposal: 13.1 13.2 Special Considerations 14. TRANSPORTATION INFORMATION The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR. 49 CFR (GND): UN2984, HYDROGEN PEROXIDE, AQUEOUS SOLUTIONS (9.5%), 5.1, III (LTD QTY, IP VOL ≤ 5.0 L) 14.2 IATA (AIR): UN2984, HYDROGEN PEROXIDE, AQUEOUS SOLUTIONS (9.5%), 5.1, III (LTD QTY, IP VOL ≤ 0.5 L, PI Y541) 14.3 IMDG (OCN): UN2984, HYDROGEN PEROXIDE, AQUEOUS SOLUTIONS (9.5%), 5.1, III (LTD QTY, IP VOL ≤ 5.0 L) TDGR (Canadian GND): 14.4 UN2984, HYDROGEN PEROXIDE, AQUEOUS SOLUTIONS (9.5%), 5.1, III (LTD QTY, IP VOL ≤ 5.0 L) ADR/RID (EU): 14.5 UN2984, HYDROGEN PEROXIDE, AQUEOUS SOLUTIONS (9.5%), 5.1, III (LTD QTY, IP VOL ≤ 5.0 L) SCT (MEXICO): UN2984, PEROXIDO DE HIDROGENO EN SOLUCION ACUOSA (9.5%), 5.1, III (CANTIDAD LIMITADA, IP VOL ≤ 5.0 L) ADGR (AUS): UN2984, HYDROGEN PEROXIDE, AQUEOUS SOLUTIONS (9.5%), 5.1, III (LTD QTY, IP VOL ≤ 5.0 L) 15. REGULATORY INFORMATION SARA Reporting 15.1 This product contains Phosphoric Acid a substances subject to SARA Title III, section 313 reporting requirements. Requirements SARA Threshold Planning 15.2 There are no specific Threshold Planning Quantities for the components of this product. Quantity: TSCA Inventory Status: 15.3 The components of this product are listed on the TSCA Inventory. 15.4 CERCLA Reportable Quantity Phosphoric Acid: 5,000 lbs (2,270 kg) 15.5 Other Federal Requirements: This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G This material does not contain any hazardous air pollutants. None of the components in this product are listed as priority pollutants under the CWA. None of the components in this product are listed as toxic pollutants under the CWA 15.6 Other Canadian Regulations: This product has been classified according to the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by the CPR. components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS D2B (Other Toxic Effects).

Page 5 of 6 **KC-007**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 12/1/2016 15. REGULATORY INFORMATION – cont'd 15.7 State Regulatory Information: Hydrogen Peroxide is found on the following state criteria list: Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), Pennsylvania Right-to-Know List (PA) and Washington Permissible Exposures List (WA). Phosphoric Acid is found on the following state criteria lists: FL, MA, MN, and PA. No other ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI). Other Requirements: NA 16. OTHER INFORMATION DANGER! HARMFUL IF SWALLOWED. CAUSES SERIOUS EYE DAMAGE. For external use only. Use only as Other Information: directed. Discontinue use immediately if irritation develops Keep away from children. Keep container tightly closed in a cool place. When using do not eat or drink. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable protective clothing, gloves and eye/face protection. If case of accident or if you feel unwell seek medical advice immediately (show the label where possible). KEEP LOCKED UP AND OUT OF REACH OF CHILDREN. This product is designed and intended for use by a licensed cosmetologist/professional hairdresser only, and carries no warranty expressed or implied if used by others. CAN CAUSE AN ALLERGIC REACTION. Preliminary patch testing is recommended. Tattoos, including black and temporary henna, may increase the risk of allergy, If a severe allergic reaction should occur, immediately seek medical attention. This product must not be used for dyeing the eyelashes or eyebrows; to do so may cause blindness. 16.2 Terms & Definitions: See last page of this Safety Data Sheet. 16.3 Disclaimer: This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & C-Care, LLC's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition. 16.4 Prepared for: C-Care, LLC 979 Corporate Blvd c.care Linthicum Heights, MD USA Tel: +1 (410) 850-0035 Full Filling Service http://www.c-care-company.com Prepared by: 16.5 ShipMate, Inc. P.O. Box 787 **ShipMate** Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600

Fax: +1 (310) 370-5700 http://www.shipmate.com

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.0

SDS Revision Date: 12/1/2016

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number
EXPOSURE	LIMITS IN AIR:
ACGIH	American Conference on Governmental Industrial Hygienists
С	Ceiling Limit
ES	Exposure Standard (Australia)
IDLH	Immediately Dangerous to Life and Health
OSHA	U.S. Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
STEL	Short-Term Exposure Limit
TLV	Threshold Limit Value
TWA	Time Weighted Average

FIRST AID MEASURES:

CPR Cardiopulmonary resuscitation - method in which a person whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body.

HMIS-III HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard				
1	1 Slight Hazard				
2	2 Moderate Hazard				
3	Severe Hazard				
4	Extreme Hazard				



PERSONAL PROTECTION RATINGS:

1 ERCOTORET ROTEOTION ROTEROS.							
Α							
В							
С			TH.				
D			THE PERSON NAMED IN COLUMN TO PERSON NAMED I				
Ε							
F			THE STATE OF THE S				





afety Glasses Sp







Glasses Splash Goggles









Synthetic Apron



Airline Hood/Mask or SCBA

OTHER STANDARD ABBREVIATIONS:


ML	Maximum Limit		
mg/m3 milligrams per cubic meter			
NA Not Available			
ND	Not Determined		
NE	Not Established		
NF	Not Found		
NR	No Results		
ppm	parts per million		
SCBA	Self-Contained Breathing Apparatus		

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILIT	FLAMMABILITY LIMITS IN AIR:								
Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition								
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source								
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source								

HAZARD RATINGS:

TITAL TATAL TO TATAL TO S.				
0	Minimal Hazard			
1	Slight Hazard			
2	Moderate Hazard			
3	Severe Hazard			
4	Extreme Hazard			
ACD	Acidic			
ALK	Alkaline			
COR	Corrosive			
W	Use No Water			
ОХ	Oxidizer			
TREFOIL	Radioactive			



TOXICOLOGICAL INFORMATION:

TOXICOLOGICAL INT	DIMATION.
LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
LC 50	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD _{Io}	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD _{Io} , LD _{Io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic effects
TC, TC _o , LC _{io} , & LC _o	
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TL _m	Median threshold limit
log K _{ow} or log K _{oc}	Coefficient of Oil/Water Distribution

REGULATORY INFORMATION:

KEGGEATG	itt ottillation.
WHMIS	Canadian Workplace Hazardous Material Information System
DOT	U.S. Department of Transportation
TC	Transport Canada
EPA	U.S. Environmental Protection Agency
DSL	Canadian Domestic Substance List
NOHSC	National Occupational Health and Safety Commission (Australia)
NDSL	Canadian Non-Domestic Substance List
PSL	Canadian Priority Substances List
TSCA	U.S. Toxic Substance Control Act
EU	European Union (European Union Directive 67/548/EEC)
WGK	Wassergefährdungsklassen (German Water Hazard Class)
HMIS-III	National Paint & Coatings Association Hazardous Materials Identification System

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	(*)	(\odot	®		(R)
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

EC (67/548/EEC) INFORMATION:

		M	*		9	X	×
С	E	F	N	0	Т	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

CLP/GHS (1272/2008/EC) PICTOGRAMS:

			\Diamond	A Park		\limits		
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment