SAFETY DATA SHEET

Revision Date 24-Apr-2025 Version 2

1. Identification

Product identifier

Product Name Pool Essentials Shock Treatment

Other means of identification

Product Code 25106ESS

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Swimming pool chemical

Restrictions on useDo not mix with other chemicals

Details of the supplier of the safety data sheet

Supplier Address

Recreational Water Products, Inc.

PO Box 1449

Buford, GA 30515-1449 Telephone: (800) 252-7665

Emergency telephone number

Emergency Telephone Chemtrec (Transportation) 1-800-424-9300, 703-527-3887

Poison Control Center (Medical): (877) 800-5553

2. Hazard(s) identification

Classification

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1B
Reproductive toxicity	Category 2
Specific target organ toxicity (single exposure)	Category 3

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Danger

Hazard statements

Harmful if inhaled

Causes skin irritation

Causes serious eye damage

May cause an allergic skin reaction

Suspected of damaging fertility or the unborn child

May cause respiratory irritation



Appearance granules

Physical state Solid

Odor Chlorine

*This product contains a boron compound. This boron compound when fed to test animals at very high doses has shown reproductive and developmental toxicity. When this product is used according to label directions, the boron compound in this product does not represent a practical risk to humans.

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves/clothing and eye/face protection

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Wash face, hands and any exposed skin thoroughly after handling

Contaminated work clothing must not be allowed out of the workplace

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician

IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If skin irritation or rash occurs: Get medical advice/attention

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Precautionary Statements - Storage

Keep out of reach of children. Store locked up

Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

49.792145 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

56.042145 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

99.513045 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

99.513045 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

56.042145 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Other Information

May be harmful in contact with skin. Very toxic to aquatic life with long lasting effects. Very toxic to aquatic life.

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

Chemical name	CAS No.	Weight-%	Trade Secret
Trichloroisocyanuric acid	87-90-1	43.47	
aluminium sulfate	10043-01-3	5 - 10	*

Boron sodium oxide (B4Na2O7),	12179-04-3	5 - 10	*
pentahydrate			

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of first aid measures

General advice Immediate medical attention is required. Show this safety data sheet to the doctor in

attendance. Do not breathe dust/fume/gas/mist/vapors/spray.

Inhalation Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration.

> Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Artificial respiration and/or oxygen may be necessary. If symptoms persist, call a physician.

Get immediate medical attention. Rinse immediately with plenty of water, also under the Eye contact

eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. Keep eye wide open while rinsing. Do not rub affected area.

Skin contact Wash off immediately with soap and plenty of water for at least 15 minutes. In the case of

skin irritation or allergic reactions see a physician. Wash contaminated clothing before

reuse.

Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce Ingestion

vomiting. Get medical attention.

Avoid contact with skin, eyes or clothing. Ensure that medical personnel are aware of the Self-protection of the first aider

> material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid breathing dust/fume/gas/mist/vapors/spray. Use personal protective

equipment as required. See section 8 for more information.

Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation. Itching. Rashes. Hives. Coughing and/ or wheezing. Difficulty in

breathing.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically. Probable mucosal damage may contraindicate the use of gastric

lavage.

5. Fire-fighting measures

Suitable Extinguishing Media

Flood fire area with water from a distance. Large Fire

CAUTION: Use of water spray when fighting fire may be inefficient.

Do not scatter spilled material with high pressure water streams. Unsuitable extinguishing media

Specific hazards arising from the

chemical

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Special protective equipment and

precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. **Personal precautions**

Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from

and upwind of spill/leak. Avoid generation of dust. Do not breathe dust.

Other information Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Use personal protective equipment as required. Cover powder spill with plastic sheet or tarp

to minimize spreading. Avoid generation of dust. Clean contaminated surface thoroughly. Pick up and transfer to properly labeled containers. After cleaning, flush away traces with

water. Sweep up and shovel into suitable containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. Handling and storage

Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with Advice on safe handling

skin, eyes or clothing. Do not eat, drink or smoke when using this product. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Take off contaminated clothing and wash before reuse. Remove contaminated clothing and shoes.

Avoid breathing vapors or mists.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Keep containers tightly

closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of

children.

8. Exposure controls/personal protection

Control parameters

The following ingredients are the only ingredients of the product above the cut-off level (or **Exposure Limits**

level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other

recommended limit. At this time, the other relevant constituents have no known exposure

limits from the sources listed here.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
aluminium sulfate 10043-01-3	-	(vacated) TWA: 2 mg/m³ Al Aluminum	TWA: 2 mg/m³ Al
1001001			
Boron sodium oxide (B4Na2O7),		(vacated) TWA: 10 mg/m ³	TWA: 1 mg/m ³
pentahydrate	particulate matter		
12179-04-3	STEL: 6 mg/m³ inhalable		
	particulate matter		

Other Information Chlorine and chlorine compounds may be found in slight amounts in the head space of

containers of this product.

Appropriate engineering controls

Showers **Engineering controls**

Evewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Tight sealing safety goggles. Eye/face protection

Hand protection Wear suitable gloves. Impervious gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing.

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved Respiratory protection

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do **General hygiene considerations**

not eat, drink or smoke when using this product. Wash hands before breaks and

immediately after handling the product. Avoid breathing dust/fume/gas/mist/vapors/spray.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state Solid **Appearance** granules Color white Odor Chlorine

Odor threshold No data available

Remarks • Method Property Values

5 - 6 in 1% Solution Melting point / freezing point No data available None known Boiling point / boiling range No data available None known Flash point No data available None known **Evaporation rate** No data available None known No data available Flammability (solid, gas) None known Flammability Limit in Air None known

Upper flammability limit: No data available Lower flammability limit: No data available

No data available None known Vapor pressure Vapor density No data available None known No data available None known Relative density

Water solubility Soluble in water

Solubility in other solvents No data available None known **Partition coefficient** No data available None known No data available **Autoignition temperature** None known **Decomposition temperature** None known

No data available Kinematic viscosity None known **Dynamic viscosity** No data available None known

Other information

Explosive propertiesNo information availableOxidizing propertiesNo information availableSoftening pointNo Information AvailableMolecular weightNo Information AvailableVOC contentNo information available

Density 2.14 g/mL **Bulk density** 55 - 62 lb/ft3

10. Stability and reactivity

Reactivity No information available.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions
None under normal processing.

Conditions to avoid Extremes of temperature and direct sunlight.

Incompatible materials Strong acids. Strong bases. Strong oxidizing agents. Calcium hypochlorite. Do not mix with

other swimming pool/spa chemicals in their concentrated forms.

Hazardous decomposition products Chlorine gas.

11. Toxicological information

Information on likely routes of exposure

Inhalation This material in the form as sold is not expected to produce respiratory effects. Particles of

respirable size are generally not encountered. The respirable fraction is typically less than 0.1% by weight. If ground or otherwise in a powdered form, effects similar to a corrosive substance may occur. Exposure to the solid product or to free chlorine evolving from the product may cause irritation, redness of upper and lower airways, coughing, laryngospasm and edema, shortness of breath, bronchoconstriction, and possible pulmonary edema. The

pulmonary edema may develop several hours after a severe acute exposure.

Eye contact Causes serious eye damage. May cause irreversible damage to eyes.

Skin contactCauses skin irritation. Contact with moist skin may cause skin burns.

Ingestion Harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Redness. Burning. May cause blindness. Itching. Rashes. Hives. May cause redness and

tearing of the eyes. Coughing and/ or wheezing.

Acute toxicity

Numerical measures of toxicity

No information available

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 505.00 mg/kg
ATEmix (dermal) 2,024.00 mg/kg
ATEmix (inhalation-dust/mist) 0.20 mg/l

49.792145 % of the mixture consists of ingredient(s) of unknown acute oral toxicity 56.042145 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

99.513045 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

99.513045 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor) 56.042145 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

 Oral LD50
 > 2000 mg/kg (rat)

 Dermal LD50
 > 2020 mg/kg (rat)

 Inhalation LC50
 > 2.07 mg/l dust

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Trichloroisocyanuric acid 87-90-1	= 406 mg/kg (Rat)	> 5000 mg/kg (Rat)	>50 mg/L (Rat) 4 h
aluminium sulfate 10043-01-3	= 770 mg/kg (Mouse)	> 5000 mg/kg (Rabbit)	-
Boron sodium oxide (B4Na2O7), pentahydrate 12179-04-3	= 2403 mg/kg (Rat)	-	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationCauses skin irritation. Contact with moist skin may cause skin burns.

Serious eye damage/eye irritation Causes burns. Causes serious eye damage.

Trichloroisocyanuric acid (87-90-1)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405: Acute	Rabbit	Eye	50	hour	Mild eye irritation
Eye Irritation/Corrosion					

Respiratory or skin sensitization May cause sensitization by skin contact.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

Reproductive toxicityThis product contains a boron compound. This boron compound when fed to test animals

at very high doses has shown reproductive and developmental toxicity. When this product is used according to label directions, the boron compound in this product does not represent

a practical risk to humans.

STOT - single exposure No information available.

STOT - repeated exposureNo information available.

Target organ effects Eyes, Respiratory system, Skin.

Aspiration hazard

No information available.

Other adverse effects

No Information Available.

Interactive effects

No Information Available.

12. Ecological information

Ecotoxicity

Very toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Trichloroisocyanuric acid 87-90-1	-	LC50: 0.13 - 0.5mg/L (96h, Lepomis macrochirus) LC50: 0.06 - 0.11mg/L (96h, Oncorhynchus	-	EC50: =0.21mg/L (48h, Daphnia magna) EC50: 0.16 - 0.18mg/L (48h, Daphnia magna)
		mykiss)		
aluminium sulfate	-	LC50: =27.9mg/L (96h,	-	-
10043-01-3		Pimephales promelas)		

Persistence and degradability No Information Available.

Bioaccumulation Bioaccumulative potential.

Other adverse effects No information available.

13. Disposal considerations

Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

14. Transport information

Note: Product classified as UN 3077 or UN 3082 that are shipped in containers not exceeding 5

kg or 5 L may ship as Not Subject to the provisions of the IMDG Code and Not Restricted

under IATA. Refer to IMDG Ch 2.10 and IATA SP-A197.

DOT Not regulated

IATA

UN number or ID number UN3077

Proper shipping name Environmentally hazardous substance, solid, n.o.s. (Trichloro-s-triazinetrione)

Transport hazard class(es) 9
Packing group | | | |

Description UN3077 Environmentally hazardous substances, solid, n.o.s. (Trichloro-s-triazinetrione), 9,

Ш

IMDG

UN number or ID number UN3077

Proper shipping name Environmentally hazardous substance, solid, n.o.s. (Trichloro-s-triazinetrione)

Transport hazard class(es) 9
Packing Group III
Special Provisions F-A, S-F

Marine pollutant

Description UN3077 Environmentally hazardous substances, solid, n.o.s. (Trichloro-s-triazinetrione), 9,

Ш

15. Regulatory information

International Inventories

TSCA Complies.

DSL/NDSL Complies.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
aluminium sulfate 10043-01-3	5000 lb	-	-	Х

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	Reportable Quantity (RQ)
aluminium sulfate 10043-01-3	5000 lb	-	RQ 5000 lb final RQ RQ 2270 kg final RQ

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Trichloroisocyanuric acid 87-90-1	Х	X	X
aluminium sulfate 10043-01-3	Х	X	Х
Boron sodium oxide (B4Na2O7), pentahydrate 12179-04-3	Х	X	-

U.S. EPA Label Information

EPA Pesticide Registration Number 67262-39

EPA Statement

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:.

Difference between SDS and EPA Pesticide label

DANGER: Corrosive. Causes irreversible eye damage. Harmful if swallowed or absorbed through the skin. Causes skin irritation. Do not get in eyes, on skin, or on clothing. Prolonged and frequently repeated skin contact may cause allergic reactions in some individuals. Wear safety glasses or goggles and rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

16. Other information

NFPA Health hazards 3 Flammability 0 Instability 1 Special hazards - Halls Health hazards 3 Flammability 0 Physical hazards 1 Personal protection X

Chronic Hazard Star Legend *= Chronic Health Hazard

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

Environmental Protection Agency

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Prepared By Regulatory Affairs. Revision Date Revision Date

Revision Note No Information Available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet