US Patent & Trademark Office Patent Public Search | Text View

United States Patent Application Publication Kind Code Publication Date Inventor(s) 20250250338 A1 August 07, 2025 BEIL; Christian et al.

TRISPECIFIC BINDING PROTEINS, METHODS, AND USES THEREOF

Abstract

Provided herein are trispecific and/or trivalent binding proteins comprising four polypeptide chains that form three antigen binding sites that specifically bind one or more target proteins, wherein a first pair of polypeptides forming the binding protein possess dual variable domains having a cross-over orientation, and wherein and a second pair of polypeptides possess a single variable domain forming a single antigen binding site. In some embodiments, the binding proteins comprise a binding site that binds a CD28 polypeptide, a binding site that binds a CD3 polypeptide, and a binding site that binds a third polypeptide, such as a tumor target protein. In some embodiments, the binding proteins comprise four polypeptide chains that form three antigen binding sites that specifically bind one or more HIV target proteins. The disclosure also relates to methods for making trispecific and/or trivalent binding proteins and uses of such binding proteins.

Inventors: BEIL; Christian (Frankfurt am Main, DE), BENINGA; Jochen (Frankfurt am Main, DE),

BIRKENFELD; Joerg (Frankfurt am Main, DE), NABEL; Gary J. (Cambridge, MA), QIU; Huawei (Westborough, MA), RAO; Ercole (Môrfelden-Walldorff, DE), REGULA; Joerg (Munich, DE), SEUNG; Edward (Cambridge, MA), WEI; Ronnie (Needham, MA), WU; Lan (Cambridge, MA), XING; Zhen (Cambridge, MA), XIV, Ling (Cambridge, MA), VANC, Zhi Vang (Cambridge, MA)

(Cambridge, MA), XU; Ling (Cambridge, MA), YANG; Zhi-Yong (Cambridge, MA)

Applicant: Sanofi (Paris, FR)

Family ID: 74038192 Appl. No.: 19/012409

Filed: January 07, 2025

Foreign Application Priority Data

EP 19306261.9 Oct. 02, 2019 EP 19306312.0 Oct. 08, 2019

Related U.S. Application Data

parent US division 18183107 20230313 parent-grant-document US 12227573 child US 19012409 parent US division 16843792 20200408 parent-grant-document US 11613576 child US 18183107 us-provisional-application US 62831572 20190409 us-provisional-application US 62831415 20190409

Publication Classification

Int. Cl.: C07K16/28 (20060101); A61K39/395 (20060101); A61K45/06 (20060101); A61P35/00 (20060101); C07K16/32 (20060101); C07K16/46 (20060101); C12N15/63 (20060101)

U.S. Cl.:

CPC C07K16/2809 (20130101); A61K39/3955 (20130101); A61K39/39558 (20130101); A61K45/06 (20130101); A61P35/00 (20180101); C07K16/2818 (20130101); C07K16/2896 (20130101); C07K16/32 (20130101); C07K16/468 (20130101); C12N15/63 (20130101); C07K2317/31 (20130101); C07K2317/52 (20130101);

C07K2317/522 (20130101); C07K2317/524 (20130101); C07K2317/526 (20130101); C07K2317/53 (20130101); C07K2317/565 (20130101)

Background/Summary

CROSS REFERENCE TO RELATED APPLICATIONS [0001] This application claims priority to U.S. Provisional Application No. 62/831,572, filed Apr. 9, 2019; U.S. Provisional Application No. 62/831,415, filed Apr. 9, 2019; EP Application No. EP19306312.0, filed Oct. 8, 2019; and EP Application No. EP19306311.2, filed Oct. 8, 2019, the disclosures of each of which are incorporated herein by reference in their entirety.

SUBMISSION OF SEQUENCE LISTING ON ASCII TEXT FILE

[0002] The content of the following submission on ASCII text file is incorporated herein by reference in its entirety: a computer readable form (CRF) of the Sequence Listing (file name: 183952032000SEQLIST.TXT, date recorded: Apr. 8, 2020, size: 1,107 KB).

FIELD

[0003] The disclosure relates to trispecific and/or trivalent binding proteins comprising four polypeptide chains that form three antigen binding sites that specifically bind one or more target proteins, wherein a first pair of polypeptides forming the binding protein possess dual variable domains having a cross-over orientation. The disclosure also relates to methods for making trispecific and/or trivalent binding proteins and uses of such binding proteins.

BACKGROUND

[0004] Monoclonal antibody based biotherapeutics have become an important avenue for new drug development. Monoclonal antibody technology offers specific targeting, precise signaling delivery and/or payload to specific cell population, and provides long lasting biological effect through its Fc functions. Efforts in antibody engineering have allowed developing bispecific antibodies combining the specificities of two monoclonal antibodies for various biological applications, expanding the scope of antibody drug development. Newly discovered neutralizing antibodies with improved breadth and potency may provide more options for developing biotherapeutics to treat complexed diseases such as cancer, arthritis, and/or inflammatory disorders.

[0005] Immuno-oncology is a promising, emerging therapeutic approach to disease management in cancer. The immune system is the first line of defense against cancer development and progression. There is now large evidence that T cells are able to control tumor growth and prolong the survival of cancer patients in both early and late stages of disease. However, T cells specific for tumors can be limited in a number of ways preventing them from controlling the disease.

[0006] As part of the human adaptive immunity, T cell immunity plays crucial role in controlling viral infection and cancer, possibly eliminating infected cells and malignant cells which result in clearance of viral infection or cure of cancer. In chronic infectious diseases such as Herpes viral infection (HSV, CMV, EBV, etc.), HIV, and HBV, viruses establish their persistence in humans by various mechanisms including immune suppression, T cell exhaustion, and latency establishment. Nevertheless, viral infection generally induces viral antigen specific immunity including antigen specific CD8 T cells that can readily recognize infected cells for controlling or killing through cytokine release or cytotoxic T cell (CTL) mediated killing processes.

[0007] Thus, viral antigen specific T cell activation and/or amplification in vivo and/or ex vivo may provide therapeutic strategies against chronic viral infections.

[0008] Anti-retroviral therapy (ART) has been the standard of care for HIV/AIDS patients in the past decades. ART drugs target internal proteins such as reverse transcriptase (RT), integrase (IN), and viral protease (PI) by inhibiting reverse transcription of HIV-1 genome, integration of HIV-1 genome, and proteolytic cleavage of protein precursors that are necessary for the production of infectious viral particles. Treatment using ART or combination of different classes of ART results in inhibition of HIV-1 replication and subsequent reduction of viremia, often to undetectable level (aviremic status). Although ART greatly helps HIV patients in controlling their disease progression, and containing the global HIV epidemic, it does require patients taking daily medicines often following a strict regimen. About 10% patients fail therapy each year due to drug toxicity, suboptimal adherence and emerging drug resistance. As more HIV patients can live a normal life span (over 80 years), chronic complications are of particular concern, such as aging and drug-drug interaction, and cardiovascular/renal/bone toxicities. The economic burden treating HIV/AIDS has not subsided thus far.

[0009] HIV latently infects long-lived resting memory CD4+ T cells and others as a form of proviral DNA integrated into the host genome. The latently infected cells survive for decades and self-renew like stem cells via homeostatic proliferation, which is regarded as an HIV-1 reservoir. The HIV-1 reservoirs are neither affected by ART nor the host immune system as they do not express viral proteins. Yet, a small proportion of cells among the reservoirs are randomly reactivated by unknown mechanism(s), which are responsible for recurrence of viremia once ART is stopped.

[0010] Therefore, a need exists for developing HIV/AIDS treatments to target the HIV-1 reservoir(s), and ultimately eliminate them completely, achieving a cure, or long term remission of HIV without any further treatment. Any therapeutic strategy to eliminate the HIV-1 reservoir needs to activate the reservoir first, followed by elimination of the activated HIV-1 reservoir cells.

[0011] All references cited herein, including patent applications, patent publications, and UniProtKB/Swiss-Prot Accession numbers are herein incorporated by reference in their entirety, as if each individual reference were specifically and individually indicated to be incorporated by reference.

BRIEF SUMMARY

[0012] To meet these and other needs, provided herein are trispecific binding proteins (e.g., antibodies) that form three antigen binding sites. These binding proteins can specifically bind one, two, or three antigen targets or target proteins, such as CD28, CD3, and a tumor target protein. Some tumors express specific antigens. For example, HER2 amplification and overexpression can be found in molecular subtypes of breast cancer, and also in gastric, ovarian, lung and prostate carcinomas. Optimal activation of T cells requires two factors: 1. Antigen recognition and 2. Co-stimulation. Using the trispecific HER2/CD28xCD3 trispecific binding proteins described herein, Signal 1 is provided by an agonist anti-CD3 binding site, and Signal 2 is provided by an agonist anti-CD28 binding site. The trispecific binding protein recruits T cells to the tumor via HER2, CD38, or a binding site recognizing another tumor target protein and activates the engaged T cells via anti-CD3 and -CD28. The resulting activation induces the killing potential of the immune cells against the nearby tumor cells. In addition, anti-CD3 binding sites are described with high affinity binding to human CD3 polypeptides and potential manufacturing liabilities (e.g., deamidation sites) removed.

[0013] Further provided herein are anti-CD38/CD28xCD3 trispecific antibodies that were developed and evaluated for their potential in activating T cells, and subsequent proliferation and/or amplification of antigen specific T cells. These trispecific Abs can effectively expand CD4 and CD8 effector and memory populations, including antigen specific CD8 T central memory and effector memory cells in vitro. Specifically, in vitro expansion of CMV, EBV, HIV-1, Influenza specific CD8 central memory and effector memory cells were demonstrated. The anti-CD38/CD28xCD3 trispecific antibodies described herein exhibited novel properties by engaging CD3/CD28/CD38, providing signaling pathways to stimulate and expand T cells, which may offer an effective strategy treating chronic infectious diseases such as HSV, CMV, EBV, HIV-1, and HBV infections.

[0014] To meet these and other needs, provided herein are binding proteins that bind CD38 polypeptides (e.g., human and cynomolgus monkey CD38 polypeptides), including monospecific, bispecific, or trispecific binding proteins with at least one antigen binding site that binds a CD38 polypeptide. Advantageously, these binding proteins have the ability to recruit T cells to the proximity of cancer cells, subsequently to activate T cells and promote the activated T cells killing of adjacent cancer cells through a Granzyme/Perforin mechanism, providing a different mode of action for anti-tumor activity from anti-CD38 antibodies such as DARZALEX® (daratumumab). Moreover, the ability to bind both human and cynomolgus monkey CD38 polypeptides allows binding proteins to be readily tested in preclinical toxicological studies, e.g., to evaluate their safety profiles for later clinical use.

[0015] In some embodiments, provided herein are binding proteins comprising four polypeptide chains that form the three antigen binding sites, wherein a first polypeptide chain comprises a structure represented by the formula:

V.sub.L2-L.sub.1-V.sub.L1-L.sub.2-C.sub.L [I] and a second polypeptide chain comprises a structure represented by the formula:

V.sub.H1-L.sub.3-V.sub.H2-L.sub.4-C.sub.H1-hinge-C.sub.H2-C.sub.H3 [II] and a third polypeptide chain comprises a structure represented by the formula:

V.sub.H3-C.sub.H1-hinge-C.sub.H2-C.sub.H3 [III] and a fourth polypeptide chain comprises a structure represented by the formula:

[IV] [0016] wherein: [0017] V.sub.L1 is a first immunoglobulin light chain variable domain; [0018] V.sub.L3-C.sub.L V.sub.L2 is a second immunoglobulin light chain variable domain; [0019] V.sub.L3 is a third immunoglobulin light chain variable domain; [0020] V.sub.H1 is a first immunoglobulin heavy chain variable domain; [0021] V.sub.H2 is a second immunoglobulin heavy chain variable domain; [0022] V.sub.H3 is a third immunoglobulin heavy chain variable domain; [0023] C.sub.L is an immunoglobulin light chain constant domain; [0024] C.sub.H1 is an immunoglobulin C.sub.H1 heavy chain constant domain; [0025] C.sub.H2 is an immunoglobulin C.sub.H2 heavy chain constant domain; [0026] C.sub.H3 is an immunoglobulin C.sub.H3 heavy chain constant domain; [0027] hinge is an immunoglobulin hinge region connecting the C.sub.H1 and C.sub.H2 domains; and [0028] L.sub.1, L.sub.2, L.sub.3 and L.sub.4 are amino acid linkers; [0029] wherein the polypeptide of formula I and the polypeptide of formula II form a cross-over light chain-heavy chain pair; and [0030] wherein V.sub.H1 and V.sub.L1 form a first antigen binding site; [0031] wherein V.sub.H2 and V.sub.L2 form a second antigen binding site that binds a CD3 polypeptide, [0032] wherein the V.sub.H2 domain comprises a CDR-H1 sequence comprising the amino acid sequence of GFTFTKAW (SEQ ID NO:55), a CDR-H2 sequence comprising the amino acid sequence of IKDKSNSYAT (SEQ ID NO:56), and a CDR-H3 sequence comprising the amino acid sequence of RGVYYALSPFDY (SEQ ID NO:57), and the V.sub.L2 domain comprises a CDR-L1 sequence comprising the amino acid sequence of QSLVHX.sub.1NX.sub.2X.sub.3TY, wherein X.sub.1 is E or Q, X.sub.2 is A or L, and X.sub.3 is Q, R, or F (SEO ID NO:180), a CDR-L2 sequence comprising the amino acid sequence of KVS (SEO ID NO:64), and a CDR-L3 sequence comprising the amino acid sequence of GOGTOYPFT (SEQ ID NO:65); and [0033] wherein V.sub.H3 and V.sub.L3 form a third antigen binding site.

[0034] In some embodiments, the first binding site binds a CD28 polypeptide. In some embodiments, the V.sub.H1 domain comprises a CDR-H1 sequence comprising the amino acid sequence of GYTFTSYY (SEQ ID NO:49), a CDR-H2 sequence comprising the amino acid sequence of IYPGNVNT (SEQ ID NO:50), and a CDR-H3 sequence comprising the amino acid sequence of TRSHYGLDWNFDV (SEQ ID NO:51), and the V.sub.L1 domain comprises a CDR-L1 sequence comprising the amino acid sequence of QNIYVW (SEQ ID NO:52), a CDR-L2 sequence comprising the amino acid sequence of KAS

```
(SEQ ID NO:53), and a CDR-L3 sequence comprising the amino acid sequence of QQGQTYPY (SEQ ID NO:54). In some
embodiments, the V.sub.H1 domain comprises the amino acid sequence of
QVQLVQSGAEVVKPGASVKVSCKASGYTFTSYYIHWVRQAPGQGLEWIGSIYPGN
VNTNYAQKFQGRATLTVDTSISTAYMELSRLRSDDTAVYYCTRSHYGLDWNFDV WGKGTTVTVSS (SEQ ID
NO:91), and/or the V.sub.L1 domain comprises the amino acid sequence of
DIQMTQSPSSLSASVGDRVTITCQASQNIYVWLNWYQQKPGKAPKLLIYKASNLHT
GVPSRFSGSGSGTDFTLTISSLQPEDIATYYCQQGQTYPYTFGQGTKLEIK (SEQ ID NO:92).
[0035] In some embodiments, the CDR-L1 sequence of the V.sub.L2 domain comprises an amino acid sequence selected
from the group consisting of QSLVHQNAQTY (SEQ ID NO:59), QSLVHENLQTY (SEQ ID NO:60), QSLVHENLFTY
(SEQ ID NO:61), and QSLVHENLRTY (SEQ ID NO:62). In some embodiments, a binding protein of the present disclosure
comprises an antigen binding site comprising: an antibody heavy chain variable (VH) domain comprising a CDR-H1
sequence comprising the amino acid sequence of GFTFTKAW (SEQ ID NO:55), a CDR-H2 sequence comprising the amino
acid sequence of IKDKSNSYAT (SEQ ID NO:56), and a CDR-H3 sequence comprising the amino acid sequence of
RGVYYALSPFDY (SEQ ID NO:57); and/or an antibody light chain variable (VL) domain comprising a CDR-L1 sequence
comprising the amino acid sequence of QSLVHQNAQTY (SEQ ID NO:59), a CDR-L2 sequence comprising the amino acid
sequence of KVS (SEQ ID NO:64), and a CDR-L3 sequence comprising the amino acid sequence of GQGTQYPFT (SEQ ID
NO:65). In some embodiments, a binding protein of the present disclosure comprises an antigen binding site comprising: an
antibody heavy chain variable (VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of
GFTFTKAW (SEQ ID NO:55), a CDR-H2 sequence comprising the amino acid sequence of IKDKSNSYAT (SEQ ID
NO:56), and a CDR-H3 sequence comprising the amino acid sequence of RGVYYALSPFDY (SEQ ID NO:57); and/or an
antibody light chain variable (VL) domain comprising a CDR-L1 sequence comprising the amino acid sequence of
QSLVHENLQTY (SEQ ID NO:60), a CDR-L2 sequence comprising the amino acid sequence of KVS (SEQ ID NO:64), and
a CDR-L3 sequence comprising the amino acid sequence of GQGTQYPFT (SEQ ID NO:65). In some embodiments, a
binding protein of the present disclosure comprises an antigen binding site comprising: an antibody heavy chain variable
(VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of GFTFTKAW (SEQ ID NO:55), a
CDR-H2 sequence comprising the amino acid sequence of IKDKSNSYAT (SEQ ID NO:56), and a CDR-H3 sequence
comprising the amino acid sequence of RGVYYALSPFDY (SEQ ID NO:57); and/or an antibody light chain variable (VL)
domain comprising a CDR-L1 sequence comprising the amino acid sequence of QSLVHENLFTY (SEQ ID NO:61), a CDR-
L2 sequence comprising the amino acid sequence of KVS (SEQ ID NO:64), and a CDR-L3 sequence comprising the amino
acid sequence of GQGTQYPFT (SEQ ID NO:65). In some embodiments, a binding protein of the present disclosure
comprises an antigen binding site comprising: an antibody heavy chain variable (VH) domain comprising a CDR-H1
sequence comprising the amino acid sequence of GFTFTKAW (SEQ ID NO:55), a CDR-H2 sequence comprising the amino
acid sequence of IKDKSNSYAT (SEQ ID NO:56), and a CDR-H3 sequence comprising the amino acid sequence of
RGVYYALSPFDY (SEQ ID NO:57); and/or an antibody light chain variable (VL) domain comprising a CDR-L1 sequence
comprising the amino acid sequence of QSLVHENLRTY (SEQ ID NO:62), a CDR-L2 sequence comprising the amino acid
sequence of KVS (SEQ ID NO:64), and a CDR-L3 sequence comprising the amino acid sequence of GQGTQYPFT (SEQ ID
NO:65). In some embodiments, the V.sub.H2 domain comprises the amino acid sequence of
QVQLVESGGGVVQPGRSLRLSCAASGFTFTKAWMHWVRQAPGKQLEWVAQIKD
KSNSYATYYADSVKGRFTISRDDSKNTLYLQMNSLRAEDTAVYYCRGVYYALSPF DYWGQGTLVTVSS (SEQ ID
NO:93), and/or the V.sub.L2 domain comprises an amino acid sequence selected from the group consisting of
DIVMTQTPLSLSVTPGQPASISCKSSQSLVHQNAQTYLSWYLQKPGQSPQSLIYKVS
NRFSGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCGQGTQYPFTFGSGTKVEIK (SEQ ID NO:95),
DIVMTQTPLSLSVTPGQPASISCKSSQSLVHENLQTYLSWYLQKPGQSPQSLIYKVS
NRFSGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCGQGTQYPFTFGSGTKVEIK (SEQ ID NO:96),
DIVMTQTPLSLSVTPGQPASISCKSSQSLVHENLFTYLSWYLQKPGQSPQSLIYKVS
NRFSGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCGQGTQYPFTFGSGTKVEIK (SEQ ID NO:97), and
DIVMTQTPLSLSVTPGQPASISCKSSQSLVHENLRTYLSWYLQKPGQSPQSLIYKVS
NRFSGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCGQGTQYPFTFGSGTKVEIK (SEQ ID NO:98). In some
embodiments, the V.sub.H2 domain comprises the amino acid sequence of
QVQLVESGGGVVQPGRSLRLSCAASGFTFTKAWMHWVRQAPGKQLEWVAQIKD
KSNSYATYYADSVKGRFTISRDDSKNTLYLQMNSLRAEDTAVYYCRGVYYALSPF DYWGQGTLVTVSS (SEQ ID
NO:93) or QVQLVESGGGVVQPGRSLRLSCAASGFTFTKAWMHWVRQAPGKQLEWVAQIKD
KSNSYATYYASSVKGRFTISRDDSKNTLYLOMNSLRAEDTAVYYCRGVYYALSPF DYWGOGTLVTVSS (SEO ID
NO:595), and/or the V.sub.L2 domain comprises an amino acid sequence selected from the group consisting of
DIVMTQTPLSLSVTPGQPASISCKSSQSLVHQNAQTYLSWYLQKPGQSPQSLIYKVS
NRFSGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCGOGTOYPFTFGSGTKVEIK (SEO ID NO:95),
DIVMTOTPLSLSVTPGOPASISCKSSOSLVHENLOTYLSWYLOKPGOSPOSLIYKVS
NRFSGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCGQGTQYPFTFGSGTKVEIK (SEQ ID NO:96),
DIVMTQTPLSLSVTPGQPASISCKSSQSLVHENLFTYLSWYLQKPGQSPQSLIYKVS
NRFSGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCGQGTQYPFTFGSGTKVEIK (SEQ ID NO:97), and
DIVMTQTPLSLSVTPGQPASISCKSSQSLVHENLRTYLSWYLQKPGQSPQSLIYKVS
NRFSGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCGQGTQYPFTFGSGTKVEIK (SEQ ID NO:98). In some
embodiments, a binding protein of the present disclosure comprises an antigen binding site comprising: an antibody heavy
```

chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:93, and/or an antibody light chain variable (VL) domain comprising the amino acid sequence of SEQ ID NO:95. In some embodiments, a binding protein of the present disclosure comprises an antigen binding site comprising: an antibody heavy chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:595, and/or an antibody light chain variable (VL) domain comprising the amino acid sequence of SEQ ID NO:95. In some embodiments, a binding protein of the present disclosure comprises an antigen binding site comprising: an antibody heavy chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:93, and/or an antibody light chain variable (VL) domain comprises an antigen binding site comprising: an antibody heavy chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:93, and/or an antibody light chain variable (VL) domain comprising the amino acid sequence of SEQ ID NO:97. In some embodiments, a binding protein of the present disclosure comprises an antigen binding site comprising: an antibody heavy chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:93, and/or an antibody light chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:93, and/or an antibody light chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:93, and/or an antibody light chain variable (VL) domain comprising the amino acid sequence of SEQ ID NO:98.

[0036] In some embodiments, the third antigen binding site binds a tumor target protein. In some embodiments, the tumor target protein is a CD38 polypeptide (e.g., a human CD38 polypeptide). In some embodiments, the tumor target protein is a HER2 polypeptide (e.g., a human HER2 polypeptide). In some embodiments, a tumor target protein of the present disclosure includes, without limitation, A2AR, APRIL, ATPDase, BAFF, BAFFR, BCMA, BlyS, BTK, BTLA, B7DC, B7H1, B7H4 (also known as VTCN1), B7H5, B7H6, B7H7, B7RP1, B7-4, C3, C5, CCL2 (also known as MCP-1), CCL3 (also known as MIP-1a), CCL4 (also known as MIP-1b), CCL5 (also known as RANTES), CCL7 (also known as MCP-3), CCL8 (also known as mcp-2), CCL11 (also known as eotaxin), CCL15 (also known as MIP-1d), CCL17 (also known as TARC), CCL19 (also known as MIP-3b), CCL20 (also known as MIP-3a), CCL21 (also known as MIP-2), CCL24 (also known as MPIF-2/eotaxin-2), CCL25 (also known as TECK), CCL26 (also known as eotaxin-3), CCR3, CCR4, CD3, CD19, CD20, CD23 (also known as FCER2, a receptor for IgE), CD24, CD27, CD28, CD38, CD39, CD40, CD70, CD80 (also known as B7-1), CD86 (also known as B7-2), CD122, CD137 (also known as 41BB), CD137L, CD152 (also known as CTLA4), CD154 (also known as CD40L), CD160, CD272, CD273 (also known as PDL2), CD274 (also known as PDL1), CD275 (also known as B7H2), CD276 (also known as B7H3), CD278 (also known as ICOS), CD279 (also known as PD-1), CDH1 (also known as E-cadherin), chitinase, CLEC9, CLEC91, CRTH2, CSF-1 (also known as M-CSF), CSF-2 (also known as GM-CSF), CSF-3 (also known as GCSF), CX3CL1 (also known as SCYD1), CXCL12 (also known as SDF1), CXCL13, CXCR3, DNGR-1, ectonucleoside triphosphate diphosphohydrolase 1, EGFR, ENTPD1, FCER1A, FCER1, FLAP, FOLH1, Gi24, GITR, GITRL, GM-CSF, Her2, HHLA2, HMGB1, HVEM, ICOSLG, IDO, IFNα, IgE, IGF1R, IL2Rbeta, IL1, IL1A, IL1B, IL1F10, IL2, IL4, IL4Ra, IL5, IL5R, IL6, IL7, IL7Ra, IL8, IL9, IL9R, IL10, rhIL10, IL12, IL13, IL13Ra1, IL13Ra2, IL15, IL17, IL17Rb (also known as a receptor for IL25), IL18, IL22, IL23, IL25, IL27, IL33, IL35, ITGB4 (also known as b4 integrin), ITK, KIR, LAG3, LAMP1, leptin, LPFS2, MHC class II, MUC-1, NCR3LG1, NKG2D, NTPDase-1, OX40, OX40L, PD-1H, platelet receptor, PROM1, S152, SISP1, SLC, SPG64, ST2 (also known as a receptor for IL33), STEAP2, Syk kinase, TACI, TDO, T14, TIGIT, TIM3, TLR, TLR2, TLR4, TLR5, TLR9, TMEF1, TNFa, TNFRSF7, Tp55, TREM1, TSLP (also known as a co-receptor for IL7Ra), TSLPR, TWEAK, VEGF, VISTA, Vstm3, WUCAM, and XCR1 (also known as GPR5/CCXCR1). In some embodiments, one or more of the above antigen targets are human antigen targets. [0037] In some embodiments, the third antigen binding site binds a human CD38 polypeptide. In some embodiments, the V.sub.H3 domain comprises a CDR-H1 sequence comprising the amino acid sequence of GYTFTSYA (SEQ ID NO:13), a CDR-H2 sequence comprising the amino acid sequence of IYPGQGGT (SEQ ID NO:14), and a CDR-H3 sequence comprising the amino acid sequence of ARTGGLRRAYFTY (SEO ID NO:15), and the V.sub.L3 domain comprises a CDR-L1 sequence comprising the amino acid sequence of QSVSSYGQGF (SEQ ID NO:16), a CDR-L2 sequence comprising the amino acid sequence of GAS (SEQ ID NO:17), and a CDR-L3 sequence comprising the amino acid sequence of QQNKEDPWT (SEQ ID NO:18). In some embodiments, the V.sub.H3 domain comprises a CDR-H1 sequence comprising the amino acid sequence of GYTLTEFS (SEQ ID NO:19), a CDR-H2 sequence comprising the amino acid sequence of FDPEDGET (SEQ ID NO:20), and a CDR-H3 sequence comprising the amino acid sequence of TTGRFFDWF (SEQ ID NO:21), and the V.sub.L3 domain comprises a CDR-L1 sequence comprising the amino acid sequence of QSVISRF (SEQ ID NO:22), a CDR-L2 sequence comprising the amino acid sequence of GAS (SEQ ID NO:23), and a CDR-L3 sequence comprising the amino acid sequence of OODSNLPIT (SEO ID NO:24). In some embodiments, the V.sub.H3 domain comprises a CDR-H1 sequence comprising the amino acid sequence of GYAFTTYL (SEQ ID NO:25), a CDR-H2 sequence comprising the amino acid sequence of INPGSGST (SEQ ID NO:26), and a CDR-H3 sequence comprising the amino acid sequence of ARYAYGY (SEQ ID NO:27), and the V.sub.L3 domain comprises a CDR-L1 sequence comprising the amino acid sequence of ONVGTA (SEQ ID NO:28), a CDR-L2 sequence comprising the amino acid sequence of SAS (SEQ ID NO:29), and a CDR-L3 sequence comprising the amino acid sequence of QQYSTYPFT (SEQ ID NO:30). In some embodiments, the V.sub.H3 domain comprises a CDR-H1 sequence comprising the amino acid sequence of GYSFTNYA (SEO ID NO:31), a CDR-H2 sequence comprising the amino acid sequence of ISPYYGDT (SEQ ID NO:32), and a CDR-H3 sequence comprising the amino acid sequence of ARRFEGFYYSMDY (SEQ ID NO:33), and the V.sub.L3 domain comprises a CDR-L1 sequence comprising the amino acid sequence of QSLVHSNGNTY (SEQ ID NO:34), a CDR-L2 sequence comprising the amino acid sequence of KVS (SEQ ID NO:35), and a CDR-L3 sequence comprising the amino acid sequence of SOSTHVPLT (SEQ ID NO:36).

[0038] In some embodiments, the V.sub.H3 domain comprises a CDR-H1 sequence comprising the amino acid sequence of GFTFSSYG (SEQ ID NO:37), a CDR-H2 sequence comprising the amino acid sequence of IWYDGSNK (SEQ ID NO:38), and a CDR-H3 sequence comprising the amino acid sequence of ARDPGLRYFDGGMDV (SEQ ID NO:39), and the

V.sub.L3 domain comprises a CDR-L1 sequence comprising the amino acid sequence of QGISSY (SEQ ID NO:40), a CDR-L2 sequence comprising the amino acid sequence of AAS (SEQ ID NO:41), and a CDR-L3 sequence comprising the amino acid sequence of QQLNSFPYT (SEQ ID NO:42). In some embodiments, the V.sub.H3 domain comprises a CDR-H1 sequence comprising the amino acid sequence of GFTFSSYG (SEQ ID NO:43), a CDR-H2 sequence comprising the amino acid sequence of IWYDGSNK (SEQ ID NO:44), and a CDR-H3 sequence comprising the amino acid sequence of ARMFRGAFDY (SEQ ID NO:45), and the V.sub.L3 domain comprises a CDR-L1 sequence comprising the amino acid sequence of QGIRND (SEQ ID NO:46), a CDR-L2 sequence comprising the amino acid sequence of AAS (SEQ ID NO:47), and a CDR-L3 sequence comprising the amino acid sequence of LQDYIYYPT (SEQ ID NO:48). In some embodiments, the V.sub.H3 domain comprises the amino acid sequence of

QVQLVQSGAEVVKPGASVKVSCKASGYTFTSYAMHWVKEAPGQRLEWIGYIYPG

QGGTNYNQKFQGRATLTADTSASTAYMELSSLRSEDTAVYFCARTGGLRRAYFTY WGQGTLVTVSS (SEQ ID

NO:79), and/or the V.sub.L3 domain comprises the amino acid sequence of

DIVLTQSPATLSLSPGERATISCRASQSVSSYGQGFMHWYQQKPGQPPRLLIYGASS

RATGIPARFSGSGSGTDFTLTISPLEPEDFAVYYCQQNKEDPWTFGGGTKLEIK (SEQ ID NO:80). In some

embodiments, the V.sub.H3 domain comprises the amino acid sequence of

QVQLVQSGAEVKKPGASVKVSCKVSGYTLTEFSIHWVRQAPGQGLEWMGGFDPE

DGETIYAQKFQGRVIMTEDTSTDTAYMEMNSLRSEDTAIYYCTTGRFFDWFWGQG TLVTVSS (SEQ ID NO:81), and/or the V.sub.L3 domain comprises the amino acid sequence of

EIILTQSPAILSLSPGERATLSCRASQSVISRFLSWYQVKPGLAPRLLIYGASTRATGIP

VRFSGSGSGTDFSLTISSLQPEDCAVYYCQQDSNLPITFGQGTRLEIK (SEQ ID NO:82). In some embodiments, the V.sub.H3 domain comprises the amino acid sequence of

QVQLVQSGAEVKKPGASVKVSCKASGYAFTTYLVEWIRQRPGQGLEWMGVINPG

SGSTNYAQKFQGRVTMTVDRSSTTAYMELSRLRSDDTAVYYCARYAYGYWGQG TLVTVSS (SEQ ID NO:83), and/or the V.sub.L3 domain comprises the amino acid sequence of

DIQMTQSPSSLSASVGDRVTITCRASQNVGTAVAWYQQKPGKSPKQLIYSASNRYT

GVPSRFSGSGSGTDFTLTISSLQPEDLATYYCQQYSTYPFTFGQGTKLEIK (SEQ ID NO:84). In some embodiments, the V.sub.H3 domain comprises the amino acid sequence of

QVQLVESGGGVVQPGRSLRLSCAASGFTFSSYGMYWVRQAPGKGLEWVAVIWYD

GSNKYYADSVKGRFTISRDNSKNTLYLQMNSLRAEDTAVYHCARDPGLRYFDGG MDVWGQGTTVTVSS (SEQ ID NO:87), and/or the V.sub.L3 domain comprises the amino acid sequence of

DIOLTOSPSFLSASVGDRVTITCRASOGISSYLAWYOOKPGKAPKLLIFAASTLHSG

VPSRFSGSGSGTEFTLTISSLQPEDFATYYCQQLNSFPYTFGQGTKLEIK (SEQ ID NO:88). In some embodiments, the V.sub.H3 domain comprises the amino acid sequence of

OVOLVESGGGVVOPGRSLRLSCAASGFTFSSYGMHWVROAPGKGLEWVAVIWYD

GSNKYYADSVKGRFTISGDNSKNTLYLQMNSLRAEDTAVYYCARMFRGAFDYWG QGTLVTVSS (SEQ ID NO:89), and/or the V.sub.L3 domain comprises the amino acid sequence of

AIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKLLIYAASSLQS

GVPSRFSGSGSGTDFTLTISGLQPEDSATYYCLQDYIYYPTFGQGTKVEIK (SEQ ID NO:90). In some embodiments, the V.sub.H3 domain comprises the amino acid sequence of

QVQLVQSGAEVKKPGASVKVSCKASGYSFTNYAVHWVRQAPGQGLEWMGVISPY

YGDTTYAQKFQGRVTMTVDKSSSTAYMELSRLRSDDTAVYYCARRFEGFYYSMD YWGQGTLVTVSS (SEQ ID NO:85), and/or the V.sub.L3 domain comprises the amino acid sequence of

DVVMTQSPLSLPVTLGQPASISCRPSQSLVHSNGNTYLNWYQQRPGQSPKLLIYKV

SKRFSGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCSQSTHVPLTFGGGTKVEIK (SEQ ID NO:86).

[0039] In some embodiments, the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:156 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:156; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:157 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:157; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:158 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEO ID NO:158; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:159 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:159. In some embodiments, the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:160 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:160; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:161 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:161; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:162 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:162; and the fourth polypeptide chain comprises the amino acid sequence of SEO ID NO:163 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:163. In some embodiments, the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:164 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:164; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:165 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:165; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:166 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:166; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:167 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID

```
NO:167. In some embodiments, the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:168 or an
amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:168; the second polypeptide
chain comprises the amino acid sequence of SEQ ID NO:169 or an amino acid sequence that is at least 95% identical to the
amino acid sequence of SEQ ID NO:169; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:170
or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEO ID NO:170; and the fourth
polypeptide chain comprises the amino acid sequence of SEQ ID NO:171 or an amino acid sequence that is at least 95%
identical to the amino acid sequence of SEQ ID NO:171. In some embodiments, the first polypeptide chain comprises the
amino acid sequence of SEQ ID NO:172 or an amino acid sequence that is at least 95% identical to the amino acid sequence
of SEQ ID NO:172; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:173 or an amino acid
sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:173; the third polypeptide chain comprises
the amino acid sequence of SEQ ID NO:174 or an amino acid sequence that is at least 95% identical to the amino acid
sequence of SEQ ID NO:174; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:175 or an
amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:175. In some embodiments, the
first polypeptide chain comprises the amino acid sequence of SEO ID NO:176 or an amino acid sequence that is at least 95%
identical to the amino acid sequence of SEQ ID NO:176; the second polypeptide chain comprises the amino acid sequence of
SEQ ID NO:177 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:177; the
third polypeptide chain comprises the amino acid sequence of SEQ ID NO:178 or an amino acid sequence that is at least
95% identical to the amino acid sequence of SEQ ID NO:178; and the fourth polypeptide chain comprises the amino acid
sequence of SEQ ID NO:179 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID
NO:179. In some embodiments, the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:181 or an
amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:181; the second polypeptide
chain comprises the amino acid sequence of SEQ ID NO:182 or an amino acid sequence that is at least 95% identical to the
amino acid sequence of SEQ ID NO:182; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:183
or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEO ID NO:183; and the fourth
polypeptide chain comprises the amino acid sequence of SEQ ID NO:184 or an amino acid sequence that is at least 95%
identical to the amino acid sequence of SEQ ID NO:184. In some embodiments, the first polypeptide chain comprises the
amino acid sequence of SEO ID NO:185 or an amino acid sequence that is at least 95% identical to the amino acid sequence
of SEQ ID NO:185; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:186 or an amino acid
sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:186; the third polypeptide chain comprises
the amino acid sequence of SEQ ID NO:187 or an amino acid sequence that is at least 95% identical to the amino acid
sequence of SEO ID NO:187; and the fourth polypeptide chain comprises the amino acid sequence of SEO ID NO:188 or an
amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:188.
[0040] In some embodiments, the third antigen binding site binds a human HER2 polypeptide. In some embodiments, the
V.sub.H3 domain comprises a CDR-H1 sequence comprising the amino acid sequence of GFNIKDTY (SEQ ID NO:1) or
GFNIRDTY (SEQ ID NO:2), a CDR-H2 sequence comprising the amino acid sequence of IYPTNGYT (SEQ ID NO:3),
IYPTQGYT (SEQ ID NO:4), or IYPTNAYT (SEQ ID NO:5), and a CDR-H3 sequence comprising the amino acid sequence
of SRWGGDGFYAMDY (SEQ ID NO:6), SRWGGEGFYAMDY (SEQ ID NO:7), or SRWGGSGFYAMDY (SEQ ID
NO:8), and the V.sub.L3 domain comprises a CDR-L1 sequence comprising the amino acid sequence of QDVNTA (SEQ ID
NO:9) or QDVQTA (SEQ ID NO:10), a CDR-L2 sequence comprising the amino acid sequence of SAS (SEQ ID NO:11),
and a CDR-L3 sequence comprising the amino acid sequence of QQHYTTP (SEQ ID NO:12). In some embodiments, the
V.sub.H3 domain comprises a CDR-H1 sequence comprising the amino acid sequence of GFNIKDTY (SEQ ID NO:1), a
CDR-H2 sequence comprising the amino acid sequence of IYPTNGYT (SEQ ID NO:3), and a CDR-H3 sequence
comprising the amino acid sequence of SRWGGDGFYAMDY (SEQ ID NO:6), and the V.sub.L3 domain comprises a CDR-
L1 sequence comprising the amino acid sequence of QDVNTA (SEQ ID NO:9), a CDR-L2 sequence comprising the amino
acid sequence of SAS (SEQ ID NO:11), and a CDR-L3 sequence comprising the amino acid sequence of QQHYTTP (SEQ
ID NO:12). In some embodiments, the V.sub.H3 domain comprises a CDR-H1 sequence comprising the amino acid sequence
of GFNIRDTY (SEQ ID NO:2), a CDR-H2 sequence comprising the amino acid sequence of IYPTQGYT (SEQ ID NO:4),
and a CDR-H3 sequence comprising the amino acid sequence of SRWGGEGFYAMDY (SEQ ID NO:7), and the V.sub.L3
domain comprises a CDR-L1 sequence comprising the amino acid sequence of ODVNTA (SEO ID NO:9), a CDR-L2
sequence comprising the amino acid sequence of SAS (SEQ ID NO:11), and a CDR-L3 sequence comprising the amino acid
sequence of QQHYTTP (SEQ ID NO:12). In some embodiments, the V.sub.H3 domain comprises a CDR-H1 sequence
comprising the amino acid sequence of GFNIRDTY (SEQ ID NO:2), a CDR-H2 sequence comprising the amino acid
sequence of IYPTNAYT (SEQ ID NO:5), and a CDR-H3 sequence comprising the amino acid sequence of
SRWGGSGFYAMDY (SEQ ID NO:8), and the V.sub.L3 domain comprises a CDR-L1 sequence comprising the amino acid
sequence of QDVNTA (SEQ ID NO:9), a CDR-L2 sequence comprising the amino acid sequence of SAS (SEQ ID NO:11),
and a CDR-L3 sequence comprising the amino acid sequence of QQHYTTP (SEQ ID NO:12). In some embodiments, the
V.sub.H3 domain comprises a CDR-H1 sequence comprising the amino acid sequence of GFNIRDTY (SEQ ID NO:2), a
CDR-H2 sequence comprising the amino acid sequence of IYPTQGYT (SEQ ID NO:4), and a CDR-H3 sequence
comprising the amino acid sequence of SRWGGSGFYAMDY (SEQ ID NO:8), and the V.sub.L3 domain comprises a CDR-
L1 sequence comprising the amino acid sequence of QDVNTA (SEQ ID NO:9), a CDR-L2 sequence comprising the amino
acid sequence of SAS (SEQ ID NO:11), and a CDR-L3 sequence comprising the amino acid sequence of QQHYTTP (SEQ
ID NO:12). In some embodiments, the V.sub.H3 domain comprises a CDR-H1 sequence comprising the amino acid sequence
of GFNIRDTY (SEQ ID NO:2), a CDR-H2 sequence comprising the amino acid sequence of IYPTNAYT (SEQ ID NO:5),
```

```
and a CDR-H3 sequence comprising the amino acid sequence of SRWGGEGFYAMDY (SEQ ID NO:7), and the V.sub.L3
domain comprises a CDR-L1 sequence comprising the amino acid sequence of QDVNTA (SEQ ID NO:9), a CDR-L2
sequence comprising the amino acid sequence of SAS (SEQ ID NO:11), and a CDR-L3 sequence comprising the amino acid
sequence of QQHYTTP (SEQ ID NO:12). In some embodiments, the V.sub.H3 domain comprises a CDR-H1 sequence
comprising the amino acid sequence of GFNIKDTY (SEQ ID NO:1), a CDR-H2 sequence comprising the amino acid
sequence of IYPTNGYT (SEQ ID NO:3), and a CDR-H3 sequence comprising the amino acid sequence of
SRWGGDGFYAMDY (SEQ ID NO:6), and the V.sub.L3 domain comprises a CDR-L1 sequence comprising the amino acid
sequence of QDVQTA (SEQ ID NO:10), a CDR-L2 sequence comprising the amino acid sequence of SAS (SEQ ID NO:11),
and a CDR-L3 sequence comprising the amino acid sequence of QQHYTTP (SEQ ID NO:12). In some embodiments, the
V.sub.H3 domain comprises the amino acid sequence of
EVQLVESGGGLVQPGGSLRLSCAASGFNIKDTYIHWVRQAPGKGLEWVARIYPTN
GYTRYADSVKGRFTISADTSKNTAYLQMNSLRAEDTAVYYCSRWGGDGFYAMDY WGQGTLVTVSS (SEQ ID
NO:72), EVQLVESGGGLVQPGGSLRLSCAASGFNIRDTYIHWVRQAPGKGLEWVARIYPTQ
GYTRYADSVKGRFTISADTSKNTAYLQMNSLRAEDTAVYYCSRWGGEGFYAMDY WGQGTLVTVSS (SEQ ID
NO:73), EVQLVESGGGLVQPGGSLRLSCAASGFNIRDTYIHWVRQAPGKGLEWVARIYPTQ
GYTRYADSVKGRFTISADTSKNTAYLQMNSLRAEDTAVYYCSRWGGSGFYAMDY WGQGTLVTVSS (SEQ ID
NO:74), EVQLVESGGGLVQPGGSLRLSCAASGFNIRDTYIHWVRQAPGKGLEWVARIYPTN
AYTRYADSVKGRFTISADTSKNTAYLOMNSLRAEDTAVYYCSRWGGSGFYAMDY WGOGTLVTVSS (SEO ID
NO:75), or EVQLVESGGGLVQPGGSLRLSCAASGFNIRDTYIHWVRQAPGKGLEWVARIYPTN
AYTRYADSVKGRFTISADTSKNTAYLQMNSLRAEDTAVYYCSRWGGEGFYAMDY WGQGTLVTVSS (SEQ ID
NO:76), and/or the V.sub.L3 domain comprises the amino acid sequence of
DIQMTQSPSSLSASVGDRVTITCRASQDVNTAVAWYQQKPGKAPKLLIYSASFLYS
GVPSRFSGSRSGTDFTLTISSLQPEDFATYYCQQHYTTPPTFGQGTKVEIK (SEQ ID NO:77) or
DIQMTQSPSSLSASVGDRVTITCRASQDVQTAVAWYQQKPGKAPKLLIYSASFLYS
GVPSRFSGSRSGTDFTLTISSLQPEDFATYYCQQHYTTPPTFGQGTKVEIK (SEQ ID NO:78). In some embodiments, the
V.sub.H3 domain comprises the amino acid sequence of
EVOLVESGGGLVOPGGSLRLSCAASGFNIKDTYIHWVROAPGKGLEWVARIYPTN
GYTRYADSVKGRFTISADTSKNTAYLQMNSLRAEDTAVYYCSRWGGDGFYAMDY WGQGTLVTVSS (SEQ ID
NO:72), and/or the V.sub.L3 domain comprises the amino acid sequence of
DIQMTQSPSSLSASVGDRVTITCRASQDVNTAVAWYQQKPGKAPKLLIYSASFLYS
GVPSRFSGSRSGTDFTLTISSLQPEDFATYYCQQHYTTPPTFGQGTKVEIK (SEQ ID NO:77). In some embodiments, the
V.sub.H3 domain comprises the amino acid sequence of
EVQLVESGGGLVQPGGSLRLSCAASGFNIRDTYIHWVRQAPGKGLEWVARIYPTQ
GYTRYADSVKGRFTISADTSKNTAYLOMNSLRAEDTAVYYCSRWGGEGFYAMDY WGOGTLVTVSS (SEQ ID
NO:73), and/or the V.sub.L3 domain comprises the amino acid sequence of
DIQMTQSPSSLSASVGDRVTITCRASQDVNTAVAWYQQKPGKAPKLLIYSASFLYS
GVPSRFSGSRSGTDFTLTISSLQPEDFATYYCQQHYTTPPTFGQGTKVEIK (SEQ ID NO:77). In some embodiments, the
V.sub.H3 domain comprises the amino acid sequence of
EVQLVESGGGLVQPGGSLRLSCAASGFNIRDTYIHWVRQAPGKGLEWVARIYPTN
AYTRYADSVKGRFTISADTSKNTAYLQMNSLRAEDTAVYYCSRWGGSGFYAMDY WGQGTLVTVSS (SEQ ID
NO:75), and/or the V.sub.L3 domain comprises the amino acid sequence of
DIQMTQSPSSLSASVGDRVTITCRASQDVNTAVAWYQQKPGKAPKLLIYSASFLYS
GVPSRFSGSRSGTDFTLTISSLQPEDFATYYCQQHYTTPPTFGQGTKVEIK (SEQ ID NO:77). In some embodiments, the
V.sub.H3 domain comprises the amino acid sequence of
EVQLVESGGGLVQPGGSLRLSCAASGFNIRDTYIHWVRQAPGKGLEWVARIYPTQ
GYTRYADSVKGRFTISADTSKNTAYLQMNSLRAEDTAVYYCSRWGGSGFYAMDY WGQGTLVTVSS (SEQ ID
NO:74), and/or the V.sub.L3 domain comprises the amino acid sequence of
DIQMTQSPSSLSASVGDRVTITCRASQDVNTAVAWYQQKPGKAPKLLIYSASFLYS
GVPSRFSGSRSGTDFTLTISSLQPEDFATYYCQQHYTTPPTFGQGTKVEIK (SEQ ID NO:77). In some embodiments, the
V.sub.H3 domain comprises the amino acid sequence of
EVQLVESGGGLVQPGGSLRLSCAASGFNIRDTYIHWVRQAPGKGLEWVARIYPTN
AYTRYADSVKGRFTISADTSKNTAYLQMNSLRAEDTAVYYCSRWGGEGFYAMDY WGQGTLVTVSS (SEQ ID
NO:76), and/or the V.sub.L3 domain comprises the amino acid sequence of
DIQMTQSPSSLSASVGDRVTITCRASQDVNTAVAWYQQKPGKAPKLLIYSASFLYS
GVPSRFSGSRSGTDFTLTISSLQPEDFATYYCQQHYTTPPTFGQGTKVEIK (SEQ ID NO:77). In some embodiments, the
V.sub.H3 domain comprises the amino acid sequence of
EVOLVESGGGLVOPGGSLRLSCAASGFNIKDTYIHWVROAPGKGLEWVARIYPTN
GYTRYADSVKGRFTISADTSKNTAYLQMNSLRAEDTAVYYCSRWGGDGFYAMDY WGQGTLVTVSS (SEQ ID
NO:72), and/or the V.sub.L3 domain comprises the amino acid sequence of
DIOMTOSPSSLSASVGDRVTITCRASODVOTAVAWYOOKPGKAPKLLIYSASFLYS
GVPSRFSGSRSGTDFTLTISSLQPEDFATYYCQQHYTTPPTFGQGTKVEIK (SEQ ID NO:78).
[0041] In some embodiments, the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:100 or an amino
acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:100; the second polypeptide chain
```

```
comprises the amino acid sequence of SEQ ID NO:101 or an amino acid sequence that is at least 95% identical to the amino
acid sequence of SEQ ID NO:101; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:102 or an
amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:102; and the fourth polypeptide
chain comprises the amino acid sequence of SEQ ID NO:103 or an amino acid sequence that is at least 95% identical to the
amino acid sequence of SEO ID NO:103. In some embodiments, the first polypeptide chain comprises the amino acid
sequence of SEQ ID NO:104 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEO ID
NO:104; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:105 or an amino acid sequence
that is at least 95% identical to the amino acid sequence of SEQ ID NO:105; the third polypeptide chain comprises the amino
acid sequence of SEQ ID NO:106 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ
ID NO:106; and the fourth polypeptide chain comprises the amino acid sequence of SEO ID NO:107 or an amino acid
sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:107. In some embodiments, the first
polypeptide chain comprises the amino acid sequence of SEQ ID NO:112 or an amino acid sequence that is at least 95%
identical to the amino acid sequence of SEQ ID NO:112; the second polypeptide chain comprises the amino acid sequence of
SEQ ID NO:113 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:113; the
third polypeptide chain comprises the amino acid sequence of SEQ ID NO:114 or an amino acid sequence that is at least 95%
identical to the amino acid sequence of SEQ ID NO:114; and the fourth polypeptide chain comprises the amino acid
sequence of SEQ ID NO:115 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID
NO:115. In some embodiments, the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:116 or an
amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:116; the second polypeptide
chain comprises the amino acid sequence of SEQ ID NO:117 or an amino acid sequence that is at least 95% identical to the
amino acid sequence of SEO ID NO:117; the third polypeptide chain comprises the amino acid sequence of SEO ID NO:118
or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:118; and the fourth
polypeptide chain comprises the amino acid sequence of SEQ ID NO:119 or an amino acid sequence that is at least 95%
identical to the amino acid sequence of SEQ ID NO:119. In some embodiments, the first polypeptide chain comprises the
amino acid sequence of SEQ ID NO:120 or an amino acid sequence that is at least 95% identical to the amino acid sequence
of SEQ ID NO:120; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:121 or an amino acid
sequence that is at least 95% identical to the amino acid sequence of SEO ID NO:121; the third polypeptide chain comprises
the amino acid sequence of SEQ ID NO:122 or an amino acid sequence that is at least 95% identical to the amino acid
sequence of SEQ ID NO:122; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:123 or an
amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:123. In some embodiments, the
first polypeptide chain comprises the amino acid sequence of SEO ID NO:124 or an amino acid sequence that is at least 95%
identical to the amino acid sequence of SEQ ID NO:124; the second polypeptide chain comprises the amino acid sequence of
SEQ ID NO:125 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:125; the
third polypeptide chain comprises the amino acid sequence of SEO ID NO:126 or an amino acid sequence that is at least
95% identical to the amino acid sequence of SEQ ID NO:126; and the fourth polypeptide chain comprises the amino acid
sequence of SEQ ID NO:127 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID
NO:127. In some embodiments, the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:128 or an
amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:128; the second polypeptide
chain comprises the amino acid sequence of SEQ ID NO:129 or an amino acid sequence that is at least 95% identical to the
amino acid sequence of SEQ ID NO:129; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:130
or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEO ID NO:130; and the fourth
polypeptide chain comprises the amino acid sequence of SEQ ID NO:131 or an amino acid sequence that is at least 95%
identical to the amino acid sequence of SEQ ID NO:131. In some embodiments, the first polypeptide chain comprises the
amino acid sequence of SEQ ID NO:132 or an amino acid sequence that is at least 95% identical to the amino acid sequence
of SEQ ID NO:132; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:133 or an amino acid
sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:133; the third polypeptide chain comprises
the amino acid sequence of SEQ ID NO:134 or an amino acid sequence that is at least 95% identical to the amino acid
sequence of SEQ ID NO:134; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:135 or an
amino acid sequence that is at least 95% identical to the amino acid sequence of SEO ID NO:135. In some embodiments, the
first polypeptide chain comprises the amino acid sequence of SEQ ID NO:136 or an amino acid sequence that is at least 95%
identical to the amino acid sequence of SEQ ID NO:136; the second polypeptide chain comprises the amino acid sequence of
SEQ ID NO:137 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:137; the
third polypeptide chain comprises the amino acid sequence of SEO ID NO:138 or an amino acid sequence that is at least
95% identical to the amino acid sequence of SEQ ID NO:138; and the fourth polypeptide chain comprises the amino acid
sequence of SEQ ID NO:139 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID
NO:139. In some embodiments, the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:140 or an
amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:140; the second polypeptide
chain comprises the amino acid sequence of SEQ ID NO:141 or an amino acid sequence that is at least 95% identical to the
amino acid sequence of SEQ ID NO:141; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:142
or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEO ID NO:142; and the fourth
polypeptide chain comprises the amino acid sequence of SEQ ID NO:143 or an amino acid sequence that is at least 95%
identical to the amino acid sequence of SEQ ID NO:143. In some embodiments, the first polypeptide chain comprises the
amino acid sequence of SEQ ID NO:144 or an amino acid sequence that is at least 95% identical to the amino acid sequence
```

```
of SEQ ID NO:144; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:145 or an amino acid
sequence that is at least 95% identical to the amino acid sequence of SEO ID NO:145; the third polypeptide chain comprises
the amino acid sequence of SEQ ID NO:146 or an amino acid sequence that is at least 95% identical to the amino acid
sequence of SEQ ID NO:146; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:147 or an
amino acid sequence that is at least 95% identical to the amino acid sequence of SEO ID NO:147. In some embodiments, the
first polypeptide chain comprises the amino acid sequence of SEQ ID NO:148 or an amino acid sequence that is at least 95%
identical to the amino acid sequence of SEQ ID NO:148; the second polypeptide chain comprises the amino acid sequence of
SEQ ID NO:149 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:149; the
third polypeptide chain comprises the amino acid sequence of SEQ ID NO:150 or an amino acid sequence that is at least
95% identical to the amino acid sequence of SEQ ID NO:150; and the fourth polypeptide chain comprises the amino acid
sequence of SEQ ID NO:151 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID
NO:151. In some embodiments, the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:152 or an
amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:152; the second polypeptide
chain comprises the amino acid sequence of SEQ ID NO:153 or an amino acid sequence that is at least 95% identical to the
amino acid sequence of SEQ ID NO:153; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:154
or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:154; and the fourth
polypeptide chain comprises the amino acid sequence of SEQ ID NO:155 or an amino acid sequence that is at least 95%
identical to the amino acid sequence of SEO ID NO:155. In some embodiments, the first polypeptide chain comprises the
amino acid sequence of SEQ ID NO:286 or an amino acid sequence that is at least 95% identical to the amino acid sequence
of SEQ ID NO:286; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:287 or an amino acid
sequence that is at least 95% identical to the amino acid sequence of SEO ID NO:287; the third polypeptide chain comprises
the amino acid sequence of SEQ ID NO:288 or an amino acid sequence that is at least 95% identical to the amino acid
sequence of SEQ ID NO:288; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:289 or an
amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:289. In some embodiments, the
first polypeptide chain comprises the amino acid sequence of SEQ ID NO:290 or an amino acid sequence that is at least 95%
identical to the amino acid sequence of SEQ ID NO:290; the second polypeptide chain comprises the amino acid sequence of
SEQ ID NO:291 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:291; the
third polypeptide chain comprises the amino acid sequence of SEQ ID NO:292 or an amino acid sequence that is at least
95% identical to the amino acid sequence of SEQ ID NO:292; and the fourth polypeptide chain comprises the amino acid
sequence of SEQ ID NO:293 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID
NO:293. In some embodiments, the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:294 or an
amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:294; the second polypeptide
chain comprises the amino acid sequence of SEQ ID NO:295 or an amino acid sequence that is at least 95% identical to the
amino acid sequence of SEO ID NO:295; the third polypeptide chain comprises the amino acid sequence of SEO ID NO:296
or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:296; and the fourth
polypeptide chain comprises the amino acid sequence of SEQ ID NO:297 or an amino acid sequence that is at least 95%
identical to the amino acid sequence of SEQ ID NO:297. In some embodiments, the first polypeptide chain comprises the
amino acid sequence of SEQ ID NO:298 or an amino acid sequence that is at least 95% identical to the amino acid sequence
of SEQ ID NO:298; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:299 or an amino acid
sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:299; the third polypeptide chain comprises
the amino acid sequence of SEQ ID NO:300 or an amino acid sequence that is at least 95% identical to the amino acid
sequence of SEQ ID NO:300; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:301 or an
amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:301.
[0042] In some embodiments that may be combined with any other embodiments described herein, at least one of L.sub.1,
L.sub.2, L.sub.3 or L.sub.4 is independently 0 amino acids in length. In some embodiments, L.sub.1, L.sub.2, L.sub.3 and
L.sub.4 each independently are zero amino acids in length or comprise a sequence selected from the group consisting of
GGGGSGGGS (SEQ ID NO:69), GGGGSGGGGSGGGGS (SEQ ID NO:70), S, RT, TKGPS (SEQ ID NO:68),
GQPKAAP (SEQ ID NO:67), and GGSGSSGSGG (SEQ ID NO:71). In some embodiments, L.sub.1, L.sub.2, L.sub.3 and
L.sub.4 each independently comprise a sequence selected from the group consisting of GGGGGGGGGG (SEO ID NO:69).
GGGGSGGGGGGGGGG (SEQ ID NO:70), S, RT, TKGPS (SEQ ID NO:68), GQPKAAP (SEQ ID NO:67), and
GGSGSSGSGG (SEQ ID NO:71). In some embodiments, L.sub.1 comprises the sequence GQPKAAP (SEQ ID NO:67),
L.sub.2 comprises the sequence TKGPS (SEQ ID NO:68), L.sub.3 comprises the sequence S, and L.sub.4 comprises the
sequence RT. In some embodiments, at least one of L.sub.1, L.sub.2, L.sub.3 or L.sub.4 comprises the sequence DKTHT
(SEQ ID NO:66). In some embodiments, L.sub.1, L.sub.2, L.sub.3 and L.sub.4 comprise the sequence DKTHT (SEQ ID
NO:66).
```

[0043] In some embodiments that may be combined with any other embodiments described herein, the hinge-C.sub.H2-C.sub.H3 domains of the second and the third polypeptide chains are human IgG4 hinge-C.sub.H2-C.sub.H3 domains, and wherein the hinge-C.sub.H2-C.sub.H3 domains each comprise amino acid substitutions at positions corresponding to positions 234 and 235 of human IgG4 according to EU Index, wherein the amino acid substitutions are F234A and L235A. In some embodiments, the hinge-C.sub.H2-C.sub.H3 domains of the second and the third polypeptide chains are human IgG4 hinge-C.sub.H2-C.sub.H3 domains, and wherein the hinge-C.sub.H2-C.sub.H3 domains each comprise amino acid substitutions at positions corresponding to positions 233-236 of human IgG4 according to EU Index, wherein the amino acid substitutions are E233P, F234V, L235A, and a deletion at 236. In some embodiments, the hinge-C.sub.H2-C.sub.H3 domains

of the second and the third polypeptide chains are human IgG4 hinge-C.sub.H2-C.sub.H3 domains, and wherein the hinge-C.sub.H2-C.sub.H3 domains each comprise amino acid substitutions at positions corresponding to positions 228 and 409 of human IgG4 according to EU Index, wherein the amino acid substitutions are S228P and R409K. In some embodiments, the hinge-C.sub.H2-C.sub.H3 domains of the second and the third polypeptide chains are human IgG1 hinge-C.sub.H2-C.sub.H3 domains, and wherein the hinge-C.sub.H2-C.sub.H3 domains each comprise amino acid substitutions at positions corresponding to positions 234, 235, and 329 of human IgG1 according to EU Index, wherein the amino acid substitutions are L234A, L235A, and P329A. In some embodiments, the hinge-C.sub.H2-C.sub.H3 domains of the second and the third polypeptide chains are human IgG1 hinge-C.sub.H2-C.sub.H3 domains, and wherein the hinge-C.sub.H2-C.sub.H3 domains each comprise amino acid substitutions at positions corresponding to positions 298, 299, and 300 of human IgG1 according to EU Index, wherein the amino acid substitutions are S298N, T299A, and Y300S. In some embodiments, the hinge-C.sub.H2-C.sub.H3 domain of the second polypeptide chain comprises amino acid substitutions at positions corresponding to positions 349, 366, 368, and 407 of human IgG1 or IgG4 according to EU Index, wherein the amino acid substitutions are Y349C, T366S, L368A, and Y407V; and wherein the hinge-C.sub.H2-C.sub.H3 domain of the third polypeptide chain comprises amino acid substitutions at positions corresponding to positions 354 and 366 of human IgG1 or IgG4 according to EU Index, wherein the amino acid substitutions are S354C and T366W. In some embodiments, the hinge-C.sub.H2-C.sub.H3 domain of the second polypeptide chain comprises amino acid substitutions at positions corresponding to positions 354 and 366 of human IgG1 or IgG4 according to EU Index, wherein the amino acid substitutions are S354C and T366W; and wherein the hinge-C.sub.H2-C.sub.H3 domain of the third polypeptide chain comprises amino acid substitutions at positions corresponding to positions 349, 366, 368, and 407 of human IgG1 or IgG4 according to EU Index, wherein the amino acid substitutions are Y349C, T366S, L368A, and Y407V.

[0044] In some embodiments, provided herein are isolated nucleic acid molecules comprising a nucleotide sequence encoding the binding protein of any one of the above embodiments. In some embodiments, provided herein are expression vectors comprising the nucleic acid molecule of any one of the above embodiments. In some embodiments, provided herein are isolated host cells comprising the nucleic acid molecule of any one of the above embodiments or the expression vector of any one of the above embodiments. In some embodiments, the host cell is a mammalian or insect cell.

[0045] In some embodiments, provided herein are pharmaceutical compositions comprising the binding protein of any one of the above embodiments and a pharmaceutically acceptable carrier.

[0046] In some embodiments, provided herein are methods of preventing and/or treating cancer in a patient comprising administering to the patient a therapeutically effective amount of at least one binding protein or pharmaceutical composition of any one of the above embodiments. In some embodiments, provided herein is a binding protein or pharmaceutical composition according to any one of the above embodiments for use in a method of preventing and/or treating cancer in a patient, wherein the method comprises administering to the patient a therapeutically effective amount of the binding protein or pharmaceutical composition. In some embodiments, provided herein is a binding protein or pharmaceutical composition according to any one of the above embodiments for use in manufacturing a medicament for preventing and/or treating cancer in a patient.

[0047] In some embodiments, the at least one binding protein is co-administered with a chemotherapeutic agent. In some embodiments, the patient is a human.

[0048] In some embodiments, the third antigen binding site binds a human CD38 polypeptide, and wherein cancer cells from the individual or patient express CD38. In some embodiments, the cancer is multiple myeloma. In some embodiments, the cancer is acute myeloid leukemia (AML), acute lymphoblastic leukemia (ALL), chronic lymphocytic leukemia (CLL), or a B cell lymphoma. In some embodiments, prior to administration of the binding protein, the patient has been treated with daratumumab without a wash-out period.

[0049] In some embodiments, the third antigen binding site binds a human HER2 polypeptide, and wherein cancer cells from the individual or patient express HER2. In some embodiments, the cancer is breast cancer, colorectal cancer, gastric cancer, or non-small cell lung cancer (NSCLC).

[0050] In some embodiments, provided herein is a method for expanding virus-specific memory T cells, comprising contacting a virus-specific memory T cell with a binding protein, wherein the binding protein comprises four polypeptide chains that form the three antigen binding sites, wherein a first polypeptide chain comprises a structure represented by the formula:

V.sub.L2-L.sub.1-V.sub.L1-L.sub.2-C.sub.L [I] and a second polypeptide chain comprises a structure represented by the formula:

V.sub.H1-L.sub.3-V.sub.H2-L.sub.4-C.sub.H1-hinge-C.sub.H2-C.sub.H3 and a third polypeptide chain comprises a structure represented by the formula:

V.sub.H3-C.sub.H1-hinge-C.sub.H2-C.sub.H3 [III] and a fourth polypeptide chain comprises a structure represented by the formula:

V.sub.L3-C.sub.L [IV] [0051] wherein: [0052] V.sub.L1 is a first immunoglobulin light chain variable domain; [0053] V.sub.L2 is a second immunoglobulin light chain variable domain; [0054] V.sub.L3 is a third immunoglobulin light chain variable domain; [0055] V.sub.H1 is a first immunoglobulin heavy chain variable domain; [0056] V.sub.H2 is a second immunoglobulin heavy chain variable domain; [0057] V.sub.H3 is a third immunoglobulin heavy chain variable domain;

[0058] C.sub.L is an immunoglobulin light chain constant domain; [0059] C.sub.H1 is an immunoglobulin C.sub.H3 heavy chain constant domain; [0060] C.sub.H2 is an immunoglobulin C.sub.H2 heavy chain constant domain; [0061] C.sub.H3 is an immunoglobulin C.sub.H3 heavy chain constant domain; [0062] hinge is an immunoglobulin hinge region connecting the C.sub.H1 and C.sub.H2 domains; and [0063] L.sub.1, L.sub.2, L.sub.3 and L.sub.4 are amino acid linkers; [0064] wherein the polypeptide of formula I and the polypeptide of formula II form a cross-over light chain-heavy chain pair; and [0065] wherein V.sub.H1 and V.sub.L1 form a first antigen binding site that binds a CD28 polypeptide, wherein V.sub.H2 and V.sub.H2 and V.sub.L2 form a second antigen binding site that binds a CD3 polypeptide, wherein the V.sub.H2 domain comprises a CDR-H1 sequence comprising the amino acid sequence of IKDKSNSYAT (SEQ ID NO:56), and a CDR-H3 sequence comprising the amino acid sequence of RGVYYALSPFDY (SEQ ID NO:57), and the V.sub.L2 domain comprises a CDR-L1 sequence comprising the amino acid sequence of QSLVHX.sub.1NX.sub.2X.sub.3TY, wherein X.sub.1 is E or Q, X.sub.2 is A or L, and X.sub.3 is Q, R, or F (SEQ ID NO:180), a CDR-L2 sequence comprising the amino acid sequence of KVS (SEQ ID NO:64), and a CDR-L3 sequence comprising the amino acid sequence of GQGTQYPFT (SEQ ID NO:65), and wherein V.sub.H3 and V.sub.L3 form a third antigen binding site that binds a CD38 polypeptide.

[0066] In some embodiments, provided herein is a binding protein that comprises four polypeptide chains that form the three antigen binding sites, wherein a first polypeptide chain comprises a structure represented by the formula:

V.sub.L2-L.sub.1-V.sub.L1-L.sub.2-C.sub.L [I] and a second polypeptide chain comprises a structure represented by the formula:

V.sub.H1-L.sub.3-V.sub.H2-L.sub.4-C.sub.H1-hinge-C.sub.H2-C.sub.H3 [II] and a third polypeptide chain comprises a structure represented by the formula:

V.sub.H3-C.sub.H1-hinge-C.sub.H2-C.sub.H3 [III] and a fourth polypeptide chain comprises a structure represented by the formula:

[IV] [0067] wherein: [0068] V.sub.L1 is a first immunoglobulin light chain variable domain; [0069] V.sub.L3-C.sub.L V.sub.L2 is a second immunoglobulin light chain variable domain; [0070] V.sub.L3 is a third immunoglobulin light chain variable domain; [0071] V.sub.H1 is a first immunoglobulin heavy chain variable domain; [0072] V.sub.H2 is a second immunoglobulin heavy chain variable domain; [0073] V.sub.H3 is a third immunoglobulin heavy chain variable domain; [0074] C.sub.L is an immunoglobulin light chain constant domain; [0075] C.sub.H1 is an immunoglobulin C.sub.H1 heavy chain constant domain; [0076] C.sub.H2 is an immunoglobulin C.sub.H2 heavy chain constant domain; [0077] C.sub.H3 is an immunoglobulin C.sub.H3 heavy chain constant domain; [0078] hinge is an immunoglobulin hinge region connecting the C.sub.H1 and C.sub.H2 domains; and [0079] L.sub.1, L.sub.2, L.sub.3 and L.sub.4 are amino acid linkers; [0080] wherein the polypeptide of formula I and the polypeptide of formula II form a cross-over light chain-heavy chain pair; and [0081] wherein V.sub.H1 and V.sub.L1 form a first antigen binding site that binds a CD28 polypeptide, wherein V.sub.H2 and V.sub.L2 form a second antigen binding site that binds a CD3 polypeptide, wherein the V.sub.H2 domain comprises a CDR-H1 sequence comprising the amino acid sequence of GFTFTKAW (SEQ ID NO:55), a CDR-H2 sequence comprising the amino acid sequence of IKDKSNSYAT (SEQ ID NO:56), and a CDR-H3 sequence comprising the amino acid sequence of RGVYYALSPFDY (SEQ ID NO:57), and the V.sub.L2 domain comprises a CDR-L1 sequence comprising the amino acid sequence of QSLVHX.sub.1NX.sub.2X.sub.3TY, wherein X.sub.1 is E or Q, X.sub.2 is A or L, and X.sub.3 is Q, R, or F (SEQ ID NO:180), a CDR-L2 sequence comprising the amino acid sequence of KVS (SEQ ID NO:64), and a CDR-L3 sequence comprising the amino acid sequence of GQGTQYPFT (SEQ ID NO:65), and wherein V.sub.H3 and V.sub.L3 form a third antigen binding site that binds a CD38 polypeptide for use in expanding virus-specific memory T cells. [0082] In some embodiments, the virus-specific memory T cell is contacted with the binding protein in vitro or ex vivo. In some embodiments, contacting the virus-specific memory T cell with the binding protein causes activation and/or proliferation of virus-specific memory T cells.

[0083] In some embodiments, provided herein is a method for expanding T cells, comprising contacting a T cell with a binding protein in vitro or ex vivo, wherein the binding protein comprises four polypeptide chains that form the three antigen binding sites, wherein a first polypeptide chain comprises a structure represented by the formula:

V.sub.L2-L.sub.1-V.sub.L1-L.sub.2-C.sub.L [I] and a second polypeptide chain comprises a structure represented by the formula:

V.sub.H1-L.sub.3-V.sub.H2-L.sub.4-C.sub.H1-hinge-C.sub.H2-C.sub.H3 [II] and a third polypeptide chain comprises a structure represented by the formula:

V.sub.H3-C.sub.H1-hinge-C.sub.H2-C.sub.H3 [III] and a fourth polypeptide chain comprises a structure represented by the formula:

V.sub.L3-C.sub.L [IV] [0084] wherein: [0085] V.sub.L1 is a first immunoglobulin light chain variable domain; [0086] V.sub.L2 is a second immunoglobulin light chain variable domain; [0087] V.sub.L3 is a third immunoglobulin light chain variable domain; [0088] V.sub.H1 is a first immunoglobulin heavy chain variable domain; [0089] V.sub.H2 is a second

immunoglobulin heavy chain variable domain; [0090] V.sub.H3 is a third immunoglobulin heavy chain variable domain; [0091] C.sub.L is an immunoglobulin light chain constant domain; [0092] C.sub.H1 is an immunoglobulin C.sub.H3 heavy chain constant domain; [0093] C.sub.H2 is an immunoglobulin C.sub.H3 heavy chain constant domain; [0095] hinge is an immunoglobulin hinge region connecting the C.sub.H1 and C.sub.H2 domains; and [0096] L.sub.1, L.sub.2, L.sub.3 and L.sub.4 are amino acid linkers; [0097] wherein the polypeptide of formula I and the polypeptide of formula II form a cross-over light chain-heavy chain pair; and [0098] wherein V.sub.H1 and V.sub.L1 form a first antigen binding site that binds a CD28 polypeptide, wherein V.sub.H2 and V.sub.L2 form a second antigen binding site that binds a CD3 polypeptide, wherein the V.sub.H2 domain comprises a CDR-H1 sequence comprising the amino acid sequence of GFTFTKAW (SEQ ID NO:55), a CDR-H2 sequence comprising the amino acid sequence of RGVYYALSPFDY (SEQ ID NO:57), and the V.sub.L2 domain comprises a CDR-L1 sequence comprising the amino acid sequence of QSLVHX.sub.1NX.sub.2X.sub.3TY, wherein X.sub.1 is E or Q, X.sub.2 is A or L, and X.sub.3 is Q, R, or F (SEQ ID NO:180), a CDR-L2 sequence comprising the amino acid sequence of KVS (SEQ ID NO:64), and a CDR-L3 sequence comprising the amino acid sequence of GQGTQYPFT (SEQ ID NO:65), and wherein V.sub.H3 and V.sub.L3 form a third antigen binding site that binds a CD38 polypeptide.

[0099] In some embodiments, provided herein is a binding protein that comprises four polypeptide chains that form the three antigen binding sites, wherein a first polypeptide chain comprises a structure represented by the formula:

V.sub.L2-L.sub.1-V.sub.L1-L.sub.2-C.sub.L [I] and a second polypeptide chain comprises a structure represented by the formula:

V.sub.H1-L.sub.3-V.sub.H2-L.sub.4-C.sub.H1-hinge-C.sub.H2-C.sub.H3 [II] and a third polypeptide chain comprises a structure represented by the formula:

V.sub.H3-C.sub.H1-hinge-C.sub.H2-C.sub.H3 [III] and a fourth polypeptide chain comprises a structure represented by the formula:

[IV] [0100] wherein: [0101] V.sub.L1 is a first immunoglobulin light chain variable domain; [0102] V.sub.L3-C.sub.L V.sub.L2 is a second immunoglobulin light chain variable domain; [0103] V.sub.L3 is a third immunoglobulin light chain variable domain; [0104] V.sub.H1 is a first immunoglobulin heavy chain variable domain; [0105] V.sub.H2 is a second immunoglobulin heavy chain variable domain; [0106] V.sub.H3 is a third immunoglobulin heavy chain variable domain; [0107] C.sub.L is an immunoglobulin light chain constant domain; [0108] C.sub.H1 is an immunoglobulin C.sub.H1 heavy chain constant domain; [0109] C.sub.H2 is an immunoglobulin C.sub.H2 heavy chain constant domain; [0110] C.sub.H3 is an immunoglobulin C.sub.H3 heavy chain constant domain; [0111] hinge is an immunoglobulin hinge region connecting the C.sub.H1 and C.sub.H2 domains; and [0112] L.sub.1, L.sub.2, L.sub.3 and L.sub.4 are amino acid linkers; [0113] wherein the polypeptide of formula I and the polypeptide of formula II form a cross-over light chain-heavy chain pair; and [0114] wherein V.sub.H1 and V.sub.L1 form a first antigen binding site that binds a CD28 polypeptide, wherein V.sub.H2 and V.sub.L2 form a second antigen binding site that binds a CD3 polypeptide, wherein the V.sub.H2 domain comprises a CDR-H1 sequence comprising the amino acid sequence of GFTFTKAW (SEQ ID NO:55), a CDR-H2 sequence comprising the amino acid sequence of IKDKSNSYAT (SEQ ID NO:56), and a CDR-H3 sequence comprising the amino acid sequence of RGVYYALSPFDY (SEQ ID NO:57), and the V.sub.L2 domain comprises a CDR-L1 sequence comprising the amino acid sequence of QSLVHX.sub.1NX.sub.2X.sub.3TY, wherein X.sub.1 is E or Q, X.sub.2 is A or L, and X.sub.3 is Q, R, or F (SEQ ID NO:180), a CDR-L2 sequence comprising the amino acid sequence of KVS (SEQ ID NO:64), and a CDR-L3 sequence comprising the amino acid sequence of GQGTQYPFT (SEQ ID NO:65), and wherein V.sub.H3 and V.sub.L3 form a third antigen binding site that binds a CD38 polypeptide for use in a method for expanding T cells. [0115] In some embodiments, the T cell is a memory T cell or an effector T cell. In some embodiments, the T cell expresses a chimeric antigen receptor (CAR) on its cell surface or comprises a polynucleotide encoding a CAR. [0116] In some embodiments, provided herein is a method for treating chronic viral infection, comprising administering to an individual or patient in need thereof an effective amount of a binding protein, wherein the binding protein comprises four

V.sub.L2-L.sub.1-V.sub.L1-L.sub.2-C.sub.L [I] and a second polypeptide chain comprises a structure represented by the formula:

represented by the formula:

V.sub.H1-L.sub.3-V.sub.H2-L.sub.4-C.sub.H1-hinge-C.sub.H2-C.sub.H3 [II] and a third polypeptide chain comprises a structure represented by the formula:

V.sub.H3-C.sub.H1-hinge-C.sub.H2-C.sub.H3 [III] and a fourth polypeptide chain comprises a structure represented by the formula:

V.sub.L3-C.sub.L [IV] [0117] wherein: [0118] V.sub.L1 is a first immunoglobulin light chain variable domain; [0119] V.sub.L2 is a second immunoglobulin light chain variable domain; [0120] V.sub.L3 is a third immunoglobulin light chain

polypeptide chains that form the three antigen binding sites, wherein a first polypeptide chain comprises a structure

variable domain; [0121] V.sub.H1 is a first immunoglobulin heavy chain variable domain; [0122] V.sub.H2 is a second immunoglobulin heavy chain variable domain; [0123] V.sub.H3 is a third immunoglobulin heavy chain variable domain; [0124] C.sub.L is an immunoglobulin light chain constant domain; [0125] C.sub.H1 is an immunoglobulin C.sub.H1 heavy chain constant domain; [0126] C.sub.H2 is an immunoglobulin C.sub.H2 heavy chain constant domain; [0127] C.sub.H3 is an immunoglobulin C.sub.H3 heavy chain constant domain; [0128] hinge is an immunoglobulin hinge region connecting the C.sub.H1 and C.sub.H2 domains; and [0129] L.sub.1, L.sub.2, L.sub.3 and L.sub.4 are amino acid linkers; [0130] wherein the polypeptide of formula I and the polypeptide of formula II form a cross-over light chain-heavy chain pair; and [0131] wherein V.sub.H1 and V.sub.L1 form a first antigen binding site that binds a CD28 polypeptide, wherein V.sub.H2 and V.sub.L2 form a second antigen binding site that binds a CD3 polypeptide, wherein the V.sub.H2 domain comprises a CDR-H1 sequence comprising the amino acid sequence of GFTFTKAW (SEO ID NO:55), a CDR-H2 sequence comprising the amino acid sequence of IKDKSNSYAT (SEQ ID NO:56), and a CDR-H3 sequence comprising the amino acid sequence of RGVYYALSPFDY (SEQ ID NO:57), and the V.sub.L2 domain comprises a CDR-L1 sequence comprising the amino acid sequence of QSLVHX.sub.1NX.sub.2X.sub.3TY, wherein X.sub.1 is E or Q, X.sub.2 is A or L, and X.sub.3 is Q, R, or F (SEQ ID NO:180), a CDR-L2 sequence comprising the amino acid sequence of KVS (SEQ ID NO:64), and a CDR-L3 sequence comprising the amino acid sequence of GQGTQYPFT (SEQ ID NO:65), and wherein V.sub.H3 and V.sub.L3 form a third antigen binding site that binds a CD38 polypeptide.

[0132] In some embodiments, provided herein is a binding protein that comprises four polypeptide chains that form the three antigen binding sites, wherein a first polypeptide chain comprises a structure represented by the formula:

V.sub.L2-L.sub.1-V.sub.L1-L.sub.2-C.sub.L [I] and a second polypeptide chain comprises a structure represented by the formula:

V.sub.H1-L.sub.3-V.sub.H2-L.sub.4-C.sub.H1-hinge-C.sub.H2-C.sub.H3 [II] and a third polypeptide chain comprises a structure represented by the formula:

V.sub.H3-C.sub.H1-hinge-C.sub.H2-C.sub.H3 [III] and a fourth polypeptide chain comprises a structure represented by the formula:

[IV] [0133] wherein: [0134] V.sub.L1 is a first immunoglobulin light chain variable domain; [0135] V.sub.L2 is a second immunoglobulin light chain variable domain; [0136] V.sub.L3 is a third immunoglobulin light chain variable domain; [0137] V.sub.H1 is a first immunoglobulin heavy chain variable domain; [0138] V.sub.H2 is a second immunoglobulin heavy chain variable domain; [0139] V.sub.H3 is a third immunoglobulin heavy chain variable domain; [0140] C.sub.L is an immunoglobulin light chain constant domain; [0141] C.sub.H1 is an immunoglobulin C.sub.H1 heavy chain constant domain; [0142] C.sub.H2 is an immunoglobulin C.sub.H2 heavy chain constant domain; [0143] C.sub.H3 is an immunoglobulin C.sub.H3 heavy chain constant domain; [0144] hinge is an immunoglobulin hinge region connecting the C.sub.H1 and C.sub.H2 domains; and [0145] L.sub.1, L.sub.2, L.sub.3 and L.sub.4 are amino acid linkers; [0146] wherein the polypeptide of formula I and the polypeptide of formula II form a cross-over light chain-heavy chain pair; and [0147] wherein V.sub.H1 and V.sub.L1 form a first antigen binding site that binds a CD28 polypeptide, wherein V.sub.H2 and V.sub.L2 form a second antigen binding site that binds a CD3 polypeptide, wherein the V.sub.H2 domain comprises a CDR-H1 sequence comprising the amino acid sequence of GFTFTKAW (SEQ ID NO:55), a CDR-H2 sequence comprising the amino acid sequence of IKDKSNSYAT (SEQ ID NO:56), and a CDR-H3 sequence comprising the amino acid sequence of RGVYYALSPFDY (SEQ ID NO:57), and the V.sub.L2 domain comprises a CDR-L1 sequence comprising the amino acid sequence of QSLVHX.sub.1NX.sub.2X.sub.3TY, wherein X.sub.1 is E or Q, X.sub.2 is A or L, and X.sub.3 is Q, R, or F (SEQ ID NO:180), a CDR-L2 sequence comprising the amino acid sequence of KVS (SEQ ID NO:64), and a CDR-L3 sequence comprising the amino acid sequence of GQGTQYPFT (SEQ ID NO:65), and wherein V.sub.H3 and V.sub.L3 form a third antigen binding site that binds a CD38 polypeptide for use in a method for treating chronic viral infection, wherein said method comprises administering to an individual or patient in need thereof an effective amount of the binding protein. [0148] In some embodiments, the individual or patient is a human. In some embodiments, the binding protein is administered to the individual or patient in pharmaceutical formulation comprising the binding protein and a pharmaceutically acceptable carrier. In some embodiments, administration of the binding protein results in activation and/or proliferation of virus-specific memory T cells in the individual or patient.

[0149] In some embodiments that may be combined with any other embodiments described herein, the memory T cells are CD8+ or CD4+ memory T cells. In some embodiments, the memory T cells are central memory T cells (T.sub.CM) or effector memory T cells (T.sub.EM).

[0150] In some embodiments that may be combined with any other embodiments described herein, the virus is a human immunodeficiency virus (HIV), influenza virus, cytomegalovirus (CMV), hepatitis B virus (HBV), human papillomavirus (HPV), Epstein-barr virus (EBV), human foamy virus (HFV), herpes simplex virus 1 (HSV-1), or herpes simplex virus 1 (HSV-2).

[0151] In some embodiments that may be combined with any other embodiments described herein, the CD28 polypeptide is a human CD28 polypeptide, wherein the CD3 polypeptide is a human CD3 polypeptide, and wherein the CD38 polypeptide is a human CD38 polypeptide.

[0152] In some embodiments, provided herein is a vector system comprising one or more vectors encoding a first, second, third, and fourth polypeptide chain of a binding protein of any one of the above embodiments. In some embodiments, the

```
vector system comprises a first vector encoding the first polypeptide chain of the binding protein, a second vector encoding
the second polypeptide chain of the binding protein, a third vector encoding the third polypeptide chain of the binding
protein, and a fourth vector encoding the fourth polypeptide chain of the binding protein.
[0153] In some embodiments, provided herein are kits comprising one, two, three, or four polypeptide chains of a binding
protein according to any one of the above embodiments. In some embodiments, the kits further comprise instructions for
using the polypeptide chain or binding protein according to any of the methods or uses described herein, e.g., supra.
[0154] In some embodiments, provided herein are kits comprising one, two, three, or four polynucleotides according to any
one of the above embodiments. In some embodiments, provided herein are kits of polynucleotides comprising one, two,
three, or four polynucleotides of a kit of polynucleotides comprising: (a) a first polynucleotide comprising the polynucleotide
sequence of SEO ID NO:189, a second polynucleotide comprising the polynucleotide sequence of SEO ID NO:190, a third
polynucleotide comprising the polynucleotide sequence of SEQ ID NO:191, and a fourth polynucleotide comprising the
polynucleotide sequence of SEQ ID NO:192; (b) a first polynucleotide comprising the polynucleotide sequence of SEQ ID
NO:193, a second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:194, a third polynucleotide
comprising the polynucleotide sequence of SEQ ID NO:195, and a fourth polynucleotide comprising the polynucleotide
sequence of SEQ ID NO:196; (c) a first polynucleotide comprising the polynucleotide sequence of SEQ ID NO:197, a
second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:198, a third polynucleotide comprising the
polynucleotide sequence of SEQ ID NO:199, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID
NO:200; (d) a first polynucleotide comprising the polynucleotide sequence of SEQ ID NO:201, a second polynucleotide
comprising the polynucleotide sequence of SEQ ID NO:202, a third polynucleotide comprising the polynucleotide sequence
of SEQ ID NO:203, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:204; (e) a first
polynucleotide comprising the polynucleotide sequence of SEQ ID NO:205, a second polynucleotide comprising the
polynucleotide sequence of SEQ ID NO:206, a third polynucleotide comprising the polynucleotide sequence of SEQ ID
NO:207, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:208; (f) a first polynucleotide
comprising the polynucleotide sequence of SEQ ID NO:209, a second polynucleotide comprising the polynucleotide
sequence of SEQ ID NO:210, a third polynucleotide comprising the polynucleotide sequence of SEQ ID NO:211, and a
fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:212; (g) a first polynucleotide comprising the
polynucleotide sequence of SEO ID NO:213, a second polynucleotide comprising the polynucleotide sequence of SEO ID
NO:214, a third polynucleotide comprising the polynucleotide sequence of SEQ ID NO:215, and a fourth polynucleotide
comprising the polynucleotide sequence of SEQ ID NO:216; (h) a first polynucleotide comprising the polynucleotide
sequence of SEQ ID NO:217, a second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:218, a third
polynucleotide comprising the polynucleotide sequence of SEQ ID NO:219, and a fourth polynucleotide comprising the
polynucleotide sequence of SEQ ID NO:220; (i) a first polynucleotide comprising the polynucleotide sequence of SEQ ID
NO:221, a second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:222, a third polynucleotide
comprising the polynucleotide sequence of SEQ ID NO:223, and a fourth polynucleotide comprising the polynucleotide
sequence of SEQ ID NO:224; (j) a first polynucleotide comprising the polynucleotide sequence of SEQ ID NO:225, a second
polynucleotide comprising the polynucleotide sequence of SEQ ID NO:226, a third polynucleotide comprising the
polynucleotide sequence of SEQ ID NO:227, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID
NO:228; (k) a first polynucleotide comprising the polynucleotide sequence of SEQ ID NO:229, a second polynucleotide
comprising the polynucleotide sequence of SEQ ID NO:230, a third polynucleotide comprising the polynucleotide sequence
of SEQ ID NO:231, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:232; (1) a first
polynucleotide comprising the polynucleotide sequence of SEQ ID NO:233, a second polynucleotide comprising the
polynucleotide sequence of SEQ ID NO:234, a third polynucleotide comprising the polynucleotide sequence of SEQ ID
NO:235, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:236; (m) a first polynucleotide
comprising the polynucleotide sequence of SEQ ID NO:237, a second polynucleotide comprising the polynucleotide
sequence of SEQ ID NO:238, a third polynucleotide comprising the polynucleotide sequence of SEQ ID NO:239, and a
fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:240; (n) a first polynucleotide comprising the
polynucleotide sequence of SEQ ID NO:241, a second polynucleotide comprising the polynucleotide sequence of SEQ ID
NO:242, a third polynucleotide comprising the polynucleotide sequence of SEQ ID NO:243, and a fourth polynucleotide
comprising the polynucleotide sequence of SEO ID NO:244: (o) a first polynucleotide comprising the polynucleotide
sequence of SEQ ID NO:245, a second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:246, a third
polynucleotide comprising the polynucleotide sequence of SEQ ID NO:247, and a fourth polynucleotide comprising the
polynucleotide sequence of SEQ ID NO:248; (p) a first polynucleotide comprising the polynucleotide sequence of SEQ ID
NO:249, a second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:250, a third polynucleotide
comprising the polynucleotide sequence of SEQ ID NO:251, and a fourth polynucleotide comprising the polynucleotide
sequence of SEQ ID NO:252; (q) a first polynucleotide comprising the polynucleotide sequence of SEQ ID NO:253, a
second polynucleotide comprising the polynucleotide sequence of SEO ID NO:254, a third polynucleotide comprising the
polynucleotide sequence of SEO ID NO:255, and a fourth polynucleotide comprising the polynucleotide sequence of SEO ID
NO:256; (r) a first polynucleotide comprising the polynucleotide sequence of SEQ ID NO:257, a second polynucleotide
comprising the polynucleotide sequence of SEQ ID NO:258, a third polynucleotide comprising the polynucleotide sequence
of SEQ ID NO:259, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:260; (s) a first
polynucleotide comprising the polynucleotide sequence of SEQ ID NO:261, a second polynucleotide comprising the
polynucleotide sequence of SEQ ID NO:262, a third polynucleotide comprising the polynucleotide sequence of SEQ ID
NO:263, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:264; (t) a first polynucleotide
```

comprising the polynucleotide sequence of SEQ ID NO:265, a second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:266, a third polynucleotide comprising the polynucleotide sequence of SEQ ID NO:267, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:268; (u) a first polynucleotide comprising the polynucleotide sequence of SEQ ID NO:270, a third polynucleotide comprising the polynucleotide sequence of SEQ ID NO:271, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:272; or (v) a first polynucleotide comprising the polynucleotide sequence of SEQ ID NO:273, a second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:274, a third polynucleotide comprising the polynucleotide sequence of SEQ ID NO:275, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:276.

[0155] To meet these and other needs, further provided herein are multispecific binding proteins (e.g., antibodies) that form three antigen binding sites, e.g., binding proteins that bind one or more HIV target proteins and a CD3 polypeptide, or an HIV target protein, a CD28 polypeptide, and a CD3 polypeptide. The trispecific anti-HIV/CD28xCD3 T cell engager (TCE) concept disclosed herein is thought to be an effective eliminator of the HIV-1 reservoir through activation by anti-CD3, co-activation by anti-CD28, and subsequent killing of activated HIV-1 reservoir cells through anti-HIV/anti-CD28 by engaging activated CD8 T cells, providing a potential strategy for attacking the HIV-1 reservoir. In addition, anti-CD3 binding sites are described with high affinity binding to human CD3 polypeptides and potential manufacturing liabilities (e.g., deamidation sites) removed.

[0156] In some embodiments, provided herein are binding proteins comprising four polypeptide chains that form the three antigen binding sites that specifically bind one or more HIV target proteins, wherein a first polypeptide chain comprises a structure represented by the formula:

V.sub.L2-L.sub.1-V.sub.L1-L.sub.2-C.sub.L [I] and a second polypeptide chain comprises a structure represented by the formula:

V.sub.H1-L.sub.3-V.sub.H2-L.sub.4-C.sub.H1-hinge-C.sub.H2-C.sub.H3 [II and a third polypeptide chain comprises a structure represented by the formula:

V.sub.H3-C.sub.H1-hinge-C.sub.H2-C.sub.H3 [III] and a fourth polypeptide chain comprises a structure represented by the formula:

[IV] [0157] wherein: [0158] V.sub.L1 is a first immunoglobulin light chain variable domain; [0159] V.sub.L3-C.sub.L V.sub.L2 is a second immunoglobulin light chain variable domain; [0160] V.sub.L3 is a third immunoglobulin light chain variable domain; [0161] V.sub.H1 is a first immunoglobulin heavy chain variable domain; [0162] V.sub.H2 is a second immunoglobulin heavy chain variable domain; [0163] V.sub.H3 is a third immunoglobulin heavy chain variable domain; [0164] C.sub.L is an immunoglobulin light chain constant domain; [0165] C.sub.H1 is an immunoglobulin C.sub.H1 heavy chain constant domain; [0166] C.sub.H2 is an immunoglobulin C.sub.H2 heavy chain constant domain; [0167] C.sub.H3 is an immunoglobulin C.sub.H3 heavy chain constant domain; [0168] hinge is an immunoglobulin hinge region connecting the C.sub.H1 and C.sub.H2 domains; and [0169] L.sub.1, L.sub.2, L.sub.3 and L.sub.4 are amino acid linkers; [0170] wherein the polypeptide of formula I and the polypeptide of formula II form a cross-over light chain-heavy chain pair; [0171] wherein V.sub.H1 and V.sub.L1 form a first antigen binding site; [0172] wherein V.sub.H2 and V.sub.L2 form a second antigen binding site that binds a CD3 polypeptide, wherein the V.sub.H2 domain comprises a CDR-H1 sequence comprising the amino acid sequence of GFTFTKAW (SEQ ID NO:321), a CDR-H2 sequence comprising the amino acid sequence of IKDKSNSYAT (SEQ ID NO:322), and a CDR-H3 sequence comprising the amino acid sequence of RGVYYALSPFDY (SEQ ID NO:323), and the V.sub.L2 domain comprises a CDR-L.sub.1 sequence comprising the amino acid sequence of OSLVHX.sub.1NX.sub.2X.sub.3TY, wherein X.sub.1 is E or Q, X.sub.2 is A or L, and X.sub.3 is Q, R, or F (SEQ ID NO:594), a CDR-L2 sequence comprising the amino acid sequence of KVS (SEQ ID NO:330), and a CDR-L3 sequence comprising the amino acid sequence of GQGTQYPFT (SEQ ID NO:331); and [0173] wherein V.sub.H3 and V.sub.L3 form a third antigen binding site that binds an HIV target protein.

[0174] In some embodiments, the first binding site binds a CD28 polypeptide (e.g., a human CD28 polypeptide). In some embodiments, the V.sub.H1 domain comprises a CDR-H1 sequence comprising the amino acid sequence of GYTFTSYY (SEQ ID NO:332), a CDR-H2 sequence comprising the amino acid sequence of IYPGNVNT (SEQ ID NO:333), and a CDR-H3 sequence comprising the amino acid sequence of TRSHYGLDWNFDV (SEQ ID NO:334), and the V.sub.L1 domain comprises a CDR-L1 sequence comprising the amino acid sequence of QNIYVW (SEQ ID NO:335), a CDR-L2 sequence comprising the amino acid sequence of QQGQTYPY (SEQ ID NO:337). In some embodiments, the V.sub.H1 domain comprises the amino acid sequence of QVQLVQSGAEVVKPGASVKVSCKASGYTFTSYYIHWVRQAPGQGLEWIGSIYPGN VNTNYAQKFQGRATLTVDTSISTAYMELSRLRSDDTAVYYCTRSHYGLDWNFDV WGKGTTVTVSS (SEQ ID NO:360), and/or the V.sub.L1 domain comprises the amino acid sequence of

NO:360), and/or the V.sub.L1 domain comprises the amino acid sequence of DIQMTQSPSSLSASVGDRVTITCQASQNIYVWLNWYQQKPGKAPKLLIYKASNLHT

GVPSRFSGSGSGTDFTLTISSLOPEDIATYYCOQGQTYPYTFGQGTKLEIK (SEQ ID NO:361).

[0175] In some embodiments, the CDR-L1 sequence of the V.sub.L2 domain comprises an amino acid sequence selected from the group consisting of QSLVHQNAQTY (SEQ ID NO:325), QSLVHENLQTY (SEQ ID NO:326), QSLVHENLFTY (SEQ ID NO:327), and QSLVHENLRTY (SEQ ID NO:328). In some embodiments, the V.sub.H2 domain comprises: an

```
antibody heavy chain variable (VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of
GFTFTKAW (SEQ ID NO:321), a CDR-H2 sequence comprising the amino acid sequence of IKDKSNSYAT (SEQ ID
NO:322), and a CDR-H3 sequence comprising the amino acid sequence of RGVYYALSPFDY (SEQ ID NO:323); and the
V.sub.L2 domain comprises a CDR-L1 sequence comprising the amino acid sequence of QSLVHQNAQTY (SEQ ID
NO:325), a CDR-L2 sequence comprising the amino acid sequence of KVS (SEQ ID NO:330), and a CDR-L3 sequence
comprising the amino acid sequence of GQGTQYPFT (SEQ ID NO:331). In some embodiments, the V.sub.H2 domain
comprises: a CDR-H1 sequence comprising the amino acid sequence of GFTFTKAW (SEQ ID NO:321), a CDR-H2
sequence comprising the amino acid sequence of IKDKSNSYAT (SEQ ID NO:322), and a CDR-H3 sequence comprising the
amino acid sequence of RGVYYALSPFDY (SEQ ID NO:323); and the V.sub.L2 domain comprises a CDR-L1 sequence
comprising the amino acid sequence of QSLVHENLQTY (SEQ ID NO:326), a CDR-L2 sequence comprising the amino acid
sequence of KVS (SEQ ID NO:330), and a CDR-L3 sequence comprising the amino acid sequence of GQGTQYPFT (SEQ
ID NO:331). In some embodiments, the V.sub.H2 domain comprises: a CDR-H1 sequence comprising the amino acid
sequence of GFTFTKAW (SEQ ID NO:321), a CDR-H2 sequence comprising the amino acid sequence of IKDKSNSYAT
(SEQ ID NO:322), and a CDR-H3 sequence comprising the amino acid sequence of RGVYYALSPFDY (SEQ ID NO:323);
and the V.sub.L2 domain comprises a CDR-L1 sequence comprising the amino acid sequence of QSLVHENLFTY (SEQ ID
NO:327), a CDR-L2 sequence comprising the amino acid sequence of KVS (SEQ ID NO:330), and a CDR-L3 sequence
comprising the amino acid sequence of GQGTQYPFT (SEQ ID NO:331). In some embodiments, the V.sub.H2 domain
comprises: a CDR-H1 sequence comprising the amino acid sequence of GFTFTKAW (SEQ ID NO:321), a CDR-H2
sequence comprising the amino acid sequence of IKDKSNSYAT (SEQ ID NO:322), and a CDR-H3 sequence comprising the
amino acid sequence of RGVYYALSPFDY (SEQ ID NO:323); and the V.sub.L2 domain comprises a CDR-L1 sequence
comprising the amino acid sequence of QSLVHENLRTY (SEQ ID NO:328), a CDR-L2 sequence comprising the amino acid
sequence of KVS (SEQ ID NO:330), and a CDR-L3 sequence comprising the amino acid sequence of GQGTQYPFT (SEQ
ID NO:331). In some embodiments, the V.sub.H2 domain comprises the amino acid sequence of
QVQLVESGGGVVQPGRSLRLSCAASGFTFTKAWMHWVRQAPGKQLEWVAQIKD
KSNSYATYYADSVKGRFTISRDDSKNTLYLQMNSLRAEDTAVYYCRGVYYALSPF DYWGQGTLVTVSS (SEQ ID
NO:353), and/or the V.sub.L2 domain comprises an amino acid sequence selected from the group consisting of
DIVMTQTPLSLSVTPGQPASISCKSSQSLVHQNAQTYLSWYLQKPGQSPQSLIYKVS
NRFSGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCGQGTQYPFTFGSGTKVEIK (SEQ ID NO:355),
DIVMTQTPLSLSVTPGQPASISCKSSQSLVHENLQTYLSWYLQKPGQSPQSLIYKVS
NRFSGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCGQGTQYPFTFGSGTKVEIK (SEQ ID NO:356),
DIVMTQTPLSLSVTPGQPASISCKSSQSLVHENLFTYLSWYLQKPGQSPQSLIYKVS
NRFSGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCGQGTQYPFTFGSGTKVEIK (SEQ ID NO:357), and
DIVMTQTPLSLSVTPGQPASISCKSSQSLVHENLRTYLSWYLQKPGQSPQSLIYKVS
NRFSGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCGOGTQYPFTFGSGTKVEIK (SEQ ID NO:358). In some
embodiments, a binding protein of the present disclosure comprises an antigen binding site comprising: an antibody heavy
chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:353, and/or an antibody light chain variable
(VL) domain comprising the amino acid sequence of SEQ ID NO:355. In some embodiments, a binding protein of the
present disclosure comprises an antigen binding site comprising: an antibody heavy chain variable (VH) domain comprising
the amino acid sequence of SEQ ID NO:353, and/or an antibody light chain variable (VL) domain comprising the amino acid
sequence of SEQ ID NO:356. In some embodiments, a binding protein of the present disclosure comprises an antigen
binding site comprising: an antibody heavy chain variable (VH) domain comprising the amino acid sequence of SEQ ID
NO:353, and/or an antibody light chain variable (VL) domain comprising the amino acid sequence of SEQ ID NO:357. In
some embodiments, a binding protein of the present disclosure comprises an antigen binding site comprising: an antibody
heavy chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:353, and/or an antibody light chain
variable (VL) domain comprising the amino acid sequence of SEQ ID NO:358.
[0176] In some embodiments, the third antigen binding site binds an HIV target protein selected from the group consisting of
glycoprotein 120, glycoprotein 41 and glycoprotein 160. In some embodiments, the V.sub.H3 domain comprises a CDR-H1
sequence comprising the amino acid sequence of NCPIN (SEQ ID NO:302) a CDR-H2 sequence comprising the amino acid
sequence of WMKPRHGAVSYAROLOG (SEO ID NO:303), and a CDR-H3 sequence comprising the amino acid sequence
of GKYCTARDYYNWDFEH (SEQ ID NO:304), and the V.sub.L3 domain comprises a CDR-L1 sequence comprising the
amino acid sequence of RTSQYGSLA (SEQ ID NO:305), a CDR-L2 sequence comprising the amino acid sequence of
SGSTRAA (SEQ ID NO:306), and a CDR-L3 sequence comprising the amino acid sequence of QQYEF (SEQ ID NO:307).
In some embodiments, the V.sub.H3 domain comprises a CDR-H1 sequence comprising the amino acid sequence of
GYTFTAHI (SEQ ID NO:308) a CDR-H2 sequence comprising the amino acid sequence of IKPQYGAV (SEQ ID NO:309)
or IKPQYGAT (SEQ ID NO:310), and a CDR-H3 sequence comprising the amino acid sequence of DRSYGDSSWALDA
(SEO ID NO:311), and the V.sub.L3 domain comprises a CDR-L1 sequence comprising the amino acid sequence of
OGVGSD (SEQ ID NO:312), a CDR-L2 sequence comprising the amino acid sequence of HTS (SEQ ID NO:313), and a
CDR-L3 sequence comprising the amino acid sequence of CQVLQF (SEQ ID NO:314). In some embodiments, the V.sub.H3
domain comprises a CDR-H1 sequence comprising the amino acid sequence of DCTLN (SEQ ID NO:315) a CDR-H2
sequence comprising the amino acid sequence of WLKPRWGAVNYARPLOG (SEO ID NO:316), and a CDR-H3 sequence
comprising the amino acid sequence of GKNCDYNWDFEH (SEQ ID NO:317), and the V.sub.L3 domain comprises a CDR-
L1 sequence comprising the amino acid sequence of RTSQYGSLA (SEQ ID NO:318), a CDR-L2 sequence comprising the
amino acid sequence of SGSTRAA (SEQ ID NO:319), and a CDR-L3 sequence comprising the amino acid sequence of
```

QQYEF (SEQ ID NO:320). In some embodiments, the V.sub.H3 domain comprises the amino acid sequence of

OVRLSOSGGOMKKPGDSMRISCRASGYEFINCPINWIRLAPGKRPEWMGWMKPRH

GAVSYARQLQGRVTMTRDMYSETAFLELRSLTSDDTAVYFCTRGKYCTARDYYN WDFEHWGQGTPVTVSS (SEQ

ID NO:344), and/or the V.sub.L3 domain comprises the amino acid sequence of

SLTOSPGTLSLSPGETAIISCRTSOYGSLAWYOORPGOAPRLVIYSGSTRAAGIPDRF

SGSRWGPDYNLTISNLESGDFGVYYCQQYEFFGQGTKVQVDIK (SEQ ID NO:346). In some embodiments, the V.sub.H3 domain comprises the amino acid sequence of

QVRLSQSGGQMKKPGDSMRISCRASGYEFINCPINWIRLAPGKRPEWMGWMKPRH

GAVSYARQLQGRVTMTRQLSQDPDDPDWGTAFLELRSLTSDDTAVYFCTRGKYC

TARDYYNWDFEHWGQGTPVTVSS (SEQ ID NO:345), and/or the V.sub.L3 domain comprises the amino acid sequence of SLTQSPGTLSLSPGETAIISCRTSQYGSLAWYQQRPGQAPRLVIYSGSTRAAGIPDRF

SGSRWGPDYNLTISNLESGDFGVYYCQQYEFFGQGTKVQVDIK (SEQ ID NO:346). In some embodiments, the V.sub.H3 domain comprises the amino acid sequence of

RAHLVQSGTAMKKPGASVRVSCQTSGYTFTAHILFWFRQAPGRGLEWVGWIKPQ

YGAVNFGGGFRDRVTLTRDVYREIAYMDIRGLKPDDTAVYYCARDRSYGDSSWA LDAWGQGTTVVVSA (SEQ ID

NO:347), and/or the V.sub.L3 domain comprises the amino acid sequence of

YIHVTQSPSSLSVSIGDRVTINCQTSQGVGSDLHWYQHKPGRAPKLLIHHTSSVEDG

VPSRFSGSGFHTSFNLTISDLQADDIATYYCQVLQFFGRGSRLHIK (SEQ ID NO:350). In some embodiments, the V.sub.H3 domain comprises the amino acid sequence of

RAHLVQSGTAMKKPGASVRVSCQTSGYTFTAHILFWFRQAPGRGLEWVGWIKPQ

YGATNFGGGFRDRVTLTRDVYREIAYMDIRGLKPDDTAVYYCARDRSYGDSSWA LDAWGQGTTVVVSA (SEQ ID

NO:348), and/or the V.sub.L3 domain comprises the amino acid sequence of

YIHVTQSPSSLSVSIGDRVTINCQTSQGVGSDLHWYQHKPGRAPKLLIHHTSSVEDG

VPSRFSGSGFHTSFNLTISDLQADDIATYYCQVLQFFGRGSRLHIK (SEQ ID NO:350). In some embodiments, the V.sub.H3 domain comprises the amino acid sequence of

RAHLVQSGTAMKKPGASVRVSCQTSGYTFTAHILFWFRQAPGRGLEWVGWIKPQ

YGAVNFGGGFRDRVTLTRQLSQDPDDPDWGIAYMDIRGLKPDDTAVYYCARDRS

YGDSSWALDAWGQGTTVVVSA (SEQ ID NO:349), and/or the V.sub.L3 domain comprises the amino acid sequence of YIHVTQSPSSLSVSIGDRVTINCQTSQGVGSDLHWYQHKPGRAPKLLIHHTSSVEDG

VPSRFSGSGFHTSFNLTISDLQADDIATYYCQVLQFFGRGSRLHIK (SEQ ID NO:350). In some embodiments, the V.sub.H3 domain comprises the amino acid sequence of

QVQLVQSGQMKKPGESMRISCRASGYEFIDCTLNWIRLAPGKRPEWMGWLKPR

WGAVNYARPLQGRVTMTRQLSQDPDDPDWGTAFLELRSLTVDDTAVYFCTRGKN CDYNWDFEHWGRGTPVIVSS

(SEQ ID NO:351), and/or the V.sub.L3 domain comprises the amino acid sequence of

LTQSPGTLSLSPGETAIISCRTSQYGSLAWYQQRPGQAPRLVIYSGSTRAAGIPDRFS

GSRWGPDYNLTISNLESGDFGVYYCQQYEFFGQGTKVQVDIK (SEQ ID NO:352).

[0178] In some embodiments that may be combined with any other embodiments described herein, the hinge-C.sub.H2-C.sub.H3 domains of the second and the third polypeptide chains are human IgG4 hinge-C.sub.H2-C.sub.H3 domains, and wherein the hinge-C.sub.H2-C.sub.H3 domains each comprise amino acid substitutions at positions corresponding to positions 234 and 235 of human IgG4 according to EU Index, wherein the amino acid substitutions are F234A and L235A. In some embodiments, the hinge-C.sub.H2-C.sub.H3 domains of the second and the third polypeptide chains are human IgG4 hinge-C.sub.H2-C.sub.H3 domains, and wherein the hinge-C.sub.H2-C.sub.H3 domains each comprise amino acid substitutions are E233P, F234V, L235A, and a deletion at 236. In some embodiments, the hinge-C.sub.H2-C.sub.H3 domains of the second and the third polypeptide chains are human IgG4 hinge-C.sub.H2-C.sub.H3 domains, and wherein the hinge-C.sub.H2-C.sub.H3 domains each comprise amino acid substitutions at positions corresponding to positions 228 and 409 of human IgG4 according to EU Index, wherein the amino acid substitutions are S228P and R409K. In some embodiments, the hinge-C.sub.H2-C.sub.H3 domains of the second and the third polypeptide chains are human IgG1 hinge-C.sub.H2-C.sub.H3 domains, and wherein the hinge-C.sub.H2-C.sub.H3 domains each comprise amino acid substitutions at positions corresponding to positions 234, 235, and 329 of human IgG1 according to EU Index, wherein the amino acid substitutions are L234A, L235A, and P329A. In some embodiments, the hinge-C.sub.H3-C.sub.H3 domains of the second and the third

polypeptide chains are human IgG1 hinge-C.sub.H2-C.sub.H3 domains, and wherein the hinge-C.sub.H2-C.sub.H3 domains each comprise amino acid substitutions at positions corresponding to positions 298, 299, and 300 of human IgG1 according to EU Index, wherein the amino acid substitutions are S298N, T299A, and Y300S. In some embodiments, the hinge-C.sub.H2-C.sub.H3 domain of the second polypeptide chain comprises amino acid substitutions at positions corresponding to positions 349, 366, 368, and 407 of human IgG1 or IgG4 according to EU Index, wherein the amino acid substitutions are Y349C, T366S, L368A, and Y407V; and wherein the hinge-C.sub.H2-C.sub.H3 domain of the third polypeptide chain comprises amino acid substitutions at positions corresponding to positions 354 and 366 of human IgG1 or IgG4 according to EU Index, wherein the amino acid substitutions at positions corresponding to positions 354 and 366 of human IgG1 or IgG4 according to EU Index, wherein the amino acid substitutions are S354C and T366W; and wherein the hinge-C.sub.H2-C.sub.H3 domain of the third polypeptide chain comprises amino acid substitutions at positions corresponding to positions 349, 366, 368, and 407 of human IgG1 or IgG4 according to EU Index, wherein the amino acid substitutions are Y349C, T366S, L368A, and Y407V.

[0179] In some embodiments, the first polypeptide chain comprises the amino acid sequence of SEO ID NO:362 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:362; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:363 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:363; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:364 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEO ID NO:364; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:365 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:365. In some embodiments, the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:366 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:366; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:367 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:367; the third polypeptide chain comprises the amino acid sequence of SEO ID NO:368 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEO ID NO:368; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:369 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:369. In some embodiments, the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:370 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:370; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:371 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:371; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:372 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:372; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:373 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:373. In some embodiments, the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:374 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:374; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:375 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:375; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:376 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:376; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:377 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:377. In some embodiments, the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:378 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:378; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:379 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:379; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:380 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:380; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:381 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:381. In some embodiments, the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:382 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:382; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:383 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:383; the third polypeptide chain comprises the amino acid sequence of SEO ID NO:384 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:384; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:385 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:385. In some embodiments, the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:386 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:386; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:387 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:387; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:388 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEO ID NO:388; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:389 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:389. In some embodiments, the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:390 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:390; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:391 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:391; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:392 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:392; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:393 or an

```
amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:393. In some embodiments, the
first polypeptide chain comprises the amino acid sequence of SEO ID NO:394 or an amino acid sequence that is at least 95%
identical to the amino acid sequence of SEQ ID NO:394; the second polypeptide chain comprises the amino acid sequence of
SEQ ID NO:395 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:395; the
third polypeptide chain comprises the amino acid sequence of SEO ID NO:396 or an amino acid sequence that is at least
95% identical to the amino acid sequence of SEQ ID NO:396; and the fourth polypeptide chain comprises the amino acid
sequence of SEQ ID NO:397 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID
NO:397. In some embodiments, the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:398 or an
amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:398; the second polypeptide
chain comprises the amino acid sequence of SEQ ID NO:399 or an amino acid sequence that is at least 95% identical to the
amino acid sequence of SEQ ID NO:399; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:400
or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:400; and the fourth
polypeptide chain comprises the amino acid sequence of SEQ ID NO:401 or an amino acid sequence that is at least 95%
identical to the amino acid sequence of SEQ ID NO:401. In some embodiments, the first polypeptide chain comprises the
amino acid sequence of SEQ ID NO:402 or an amino acid sequence that is at least 95% identical to the amino acid sequence
of SEQ ID NO:402; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:403 or an amino acid
sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:403; the third polypeptide chain comprises
the amino acid sequence of SEO ID NO:404 or an amino acid sequence that is at least 95% identical to the amino acid
sequence of SEQ ID NO:404; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:405 or an
amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:405. In some embodiments, the
first polypeptide chain comprises the amino acid sequence of SEO ID NO:406 or an amino acid sequence that is at least 95%
identical to the amino acid sequence of SEQ ID NO:406; the second polypeptide chain comprises the amino acid sequence of
SEQ ID NO:407 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:407; the
third polypeptide chain comprises the amino acid sequence of SEQ ID NO:408 or an amino acid sequence that is at least
95% identical to the amino acid sequence of SEQ ID NO:408; and the fourth polypeptide chain comprises the amino acid
sequence of SEQ ID NO:409 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID
NO:409. In some embodiments, the first polypeptide chain comprises the amino acid sequence of SEO ID NO:410 or an
amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:410; the second polypeptide
chain comprises the amino acid sequence of SEQ ID NO:411 or an amino acid sequence that is at least 95% identical to the
amino acid sequence of SEQ ID NO:411; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:412
or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:412; and the fourth
polypeptide chain comprises the amino acid sequence of SEQ ID NO:413 or an amino acid sequence that is at least 95%
identical to the amino acid sequence of SEQ ID NO:413. In some embodiments, the first polypeptide chain comprises the
amino acid sequence of SEO ID NO:414 or an amino acid sequence that is at least 95% identical to the amino acid sequence
of SEQ ID NO:414; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:415 or an amino acid
sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:415; the third polypeptide chain comprises
the amino acid sequence of SEQ ID NO:416 or an amino acid sequence that is at least 95% identical to the amino acid
sequence of SEQ ID NO:416; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:417 or an
amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:417. In some embodiments, the
first polypeptide chain comprises the amino acid sequence of SEQ ID NO:418 or an amino acid sequence that is at least 95%
identical to the amino acid sequence of SEQ ID NO:418; the second polypeptide chain comprises the amino acid sequence of
SEQ ID NO:419 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:419; the
third polypeptide chain comprises the amino acid sequence of SEQ ID NO:420 or an amino acid sequence that is at least
95% identical to the amino acid sequence of SEQ ID NO:420; and the fourth polypeptide chain comprises the amino acid
sequence of SEQ ID NO:421 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID
NO:421. In some embodiments, the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:422 or an
amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:422; the second polypeptide
chain comprises the amino acid sequence of SEQ ID NO:423 or an amino acid sequence that is at least 95% identical to the
amino acid sequence of SEO ID NO:423; the third polypeptide chain comprises the amino acid sequence of SEO ID NO:424
or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:424; and the fourth
polypeptide chain comprises the amino acid sequence of SEQ ID NO:425 or an amino acid sequence that is at least 95%
identical to the amino acid sequence of SEQ ID NO:425. In some embodiments, the first polypeptide chain comprises the
amino acid sequence of SEO ID NO:430 or an amino acid sequence that is at least 95% identical to the amino acid sequence
of SEQ ID NO:430; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:431 or an amino acid
sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:431; the third polypeptide chain comprises
the amino acid sequence of SEQ ID NO:432 or an amino acid sequence that is at least 95% identical to the amino acid
sequence of SEO ID NO:432; and the fourth polypeptide chain comprises the amino acid sequence of SEO ID NO:433 or an
amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:433. In some embodiments, the
first polypeptide chain comprises the amino acid sequence of SEQ ID NO:434 or an amino acid sequence that is at least 95%
identical to the amino acid sequence of SEQ ID NO:434; the second polypeptide chain comprises the amino acid sequence of
SEQ ID NO:435 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:435; the
third polypeptide chain comprises the amino acid sequence of SEQ ID NO:436 or an amino acid sequence that is at least
95% identical to the amino acid sequence of SEQ ID NO:436; and the fourth polypeptide chain comprises the amino acid
```

```
sequence of SEQ ID NO:437 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID
NO:437. In some embodiments, the first polypeptide chain comprises the amino acid sequence of SEO ID NO:438 or an
amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:438; the second polypeptide
chain comprises the amino acid sequence of SEQ ID NO:439 or an amino acid sequence that is at least 95% identical to the
amino acid sequence of SEO ID NO:439; the third polypeptide chain comprises the amino acid sequence of SEO ID NO:440
or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:440; and the fourth
polypeptide chain comprises the amino acid sequence of SEQ ID NO:441 or an amino acid sequence that is at least 95%
identical to the amino acid sequence of SEQ ID NO:441. In some embodiments, the first polypeptide chain comprises the
amino acid sequence of SEQ ID NO:442 or an amino acid sequence that is at least 95% identical to the amino acid sequence
of SEO ID NO:442; the second polypeptide chain comprises the amino acid sequence of SEO ID NO:443 or an amino acid
sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:443; the third polypeptide chain comprises
the amino acid sequence of SEQ ID NO:444 or an amino acid sequence that is at least 95% identical to the amino acid
sequence of SEQ ID NO:444; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:445 or an
amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:445. In some embodiments, the
first polypeptide chain comprises the amino acid sequence of SEQ ID NO:446 or an amino acid sequence that is at least 95%
identical to the amino acid sequence of SEQ ID NO:446; the second polypeptide chain comprises the amino acid sequence of
SEQ ID NO:447 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:447; the
third polypeptide chain comprises the amino acid sequence of SEQ ID NO:448 or an amino acid sequence that is at least
95% identical to the amino acid sequence of SEQ ID NO:448; and the fourth polypeptide chain comprises the amino acid
sequence of SEQ ID NO:449 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID
NO:449. In some embodiments, the first polypeptide chain comprises the amino acid sequence of SEO ID NO:450 or an
amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:450; the second polypeptide
chain comprises the amino acid sequence of SEQ ID NO:451 or an amino acid sequence that is at least 95% identical to the
amino acid sequence of SEO ID NO:451; the third polypeptide chain comprises the amino acid sequence of SEO ID NO:452
or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:452; and the fourth
polypeptide chain comprises the amino acid sequence of SEQ ID NO:453 or an amino acid sequence that is at least 95%
identical to the amino acid sequence of SEO ID NO:453. In some embodiments, the first polypeptide chain comprises the
amino acid sequence of SEQ ID NO:454 or an amino acid sequence that is at least 95% identical to the amino acid sequence
of SEQ ID NO:454; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:455 or an amino acid
sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:455; the third polypeptide chain comprises
the amino acid sequence of SEQ ID NO:456 or an amino acid sequence that is at least 95% identical to the amino acid
sequence of SEQ ID NO:456; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:457 or an
amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:457. In some embodiments, the
first polypeptide chain comprises the amino acid sequence of SEO ID NO:458 or an amino acid sequence that is at least 95%
identical to the amino acid sequence of SEQ ID NO:458; the second polypeptide chain comprises the amino acid sequence of
SEQ ID NO:459 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:459; the
third polypeptide chain comprises the amino acid sequence of SEQ ID NO:460 or an amino acid sequence that is at least
95% identical to the amino acid sequence of SEQ ID NO:460; and the fourth polypeptide chain comprises the amino acid
sequence of SEQ ID NO:461 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID
NO:461. In some embodiments, the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:462 or an
amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:462; the second polypeptide
chain comprises the amino acid sequence of SEQ ID NO:463 or an amino acid sequence that is at least 95% identical to the
amino acid sequence of SEQ ID NO:463; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:464
or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:464; and the fourth
polypeptide chain comprises the amino acid sequence of SEQ ID NO:465 or an amino acid sequence that is at least 95%
identical to the amino acid sequence of SEQ ID NO:465. In some embodiments, the first polypeptide chain comprises the
amino acid sequence of SEQ ID NO:466 or an amino acid sequence that is at least 95% identical to the amino acid sequence
of SEQ ID NO:466; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:467 or an amino acid
sequence that is at least 95% identical to the amino acid sequence of SEO ID NO:467; the third polypeptide chain comprises
the amino acid sequence of SEQ ID NO:468 or an amino acid sequence that is at least 95% identical to the amino acid
sequence of SEQ ID NO:468; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:469 or an
amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:469. In some embodiments, the
first polypeptide chain comprises the amino acid sequence of SEO ID NO:470 or an amino acid sequence that is at least 95%
identical to the amino acid sequence of SEQ ID NO:470; the second polypeptide chain comprises the amino acid sequence of
SEQ ID NO:471 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:471; the
third polypeptide chain comprises the amino acid sequence of SEO ID NO:472 or an amino acid sequence that is at least
95% identical to the amino acid sequence of SEO ID NO:472; and the fourth polypeptide chain comprises the amino acid
sequence of SEQ ID NO:473 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID
NO:473. In some embodiments, the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:474 or an
amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:474; the second polypeptide
chain comprises the amino acid sequence of SEQ ID NO:475 or an amino acid sequence that is at least 95% identical to the
amino acid sequence of SEQ ID NO:475; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:476
or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:476; and the fourth
```

polypeptide chain comprises the amino acid sequence of SEQ ID NO:477 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:477.

[0180] In some embodiments, provided herein are isolated nucleic acid molecules comprising a nucleotide sequence encoding the binding protein of any one of the above embodiments. In some embodiments, provided herein are expression vectors comprising the nucleic acid molecule of any one of the above embodiments. In some embodiments, provided herein are isolated host cells comprising the nucleic acid molecule of any one of the above embodiments or the expression vector of any one of the above embodiments. In some embodiments, the host cell is a mammalian or insect cell.

[0181] In some embodiments, provided herein are pharmaceutical compositions comprising the binding protein of any one of the above embodiments and a pharmaceutically acceptable carrier.

[0182] In some embodiments, provided herein are methods of preventing and/or treating HIV infection in a patient comprising administering to the patient a therapeutically effective amount of at least one binding protein of any one of the above embodiments or the pharmaceutical composition of any one of the above embodiments. In some embodiments, the binding protein is co-administered with standard anti-retroviral therapy. In some embodiments, administration of the at least one binding protein results in the elimination of one or more latently and/or chronically HIV-infected cells in the patient. In some embodiments, the patient is a human.

[0183] In some embodiments, the binding protein or pharmaceutical composition of any one of the above embodiments is provided for the prevention and/or treatment of HIV infection in a patient. In some embodiments, the binding protein is to be co-administered with standard anti-retroviral therapy. In some embodiments, the binding protein causes the elimination of one or more latently and/or chronically HIV-infected cells in the patient. In some embodiments, the patient is a human. [0184] In some embodiments, the binding protein or pharmaceutical composition of any one of the above embodiments is provided for use in the manufacture of a medicament for the prevention and/or treatment of HIV infection in a patient. In some embodiments, the binding protein is to be co-administered with standard anti-retroviral therapy. In some embodiments, the binding protein causes the elimination of one or more latently and/or chronically HIV-infected cells in the patient. In some embodiments, the patient is a human.

[0185] In some embodiments, provided herein is a vector system comprising one or more vectors encoding a first, second, third, and fourth polypeptide chain of a binding protein of any one of the above embodiments. In some embodiments, the vector system comprises a first vector encoding the first polypeptide chain of the binding protein, a second vector encoding the second polypeptide chain of the binding protein, at hird vector encoding the third polypeptide chain of the binding protein, and a fourth vector encoding the fourth polypeptide chain of the binding protein.

[0186] In some embodiments, provided herein are kits comprising one, two, three, or four polypeptide chains of a binding protein according to any one of the above embodiments. In some embodiments, the kits further comprise instructions for using the polypeptide chain or binding protein according to any of the methods or uses described herein, e.g., supra. [0187] In some embodiments, provided herein are kits comprising one, two, three, or four polynucleotides according to any one of the above embodiments. In some embodiments, provided herein are kits of polynucleotides comprising one, two, three, or four polynucleotides of a kit of polynucleotides comprising: (a) a first polynucleotide comprising the polynucleotide sequence of SEQ ID NO:478, a second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:479, a third polynucleotide comprising the polynucleotide sequence of SEQ ID NO:480, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:481; (b) a first polynucleotide comprising the polynucleotide sequence of SEQ ID NO:482, a second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:483, a third polynucleotide comprising the polynucleotide sequence of SEQ ID NO:484, and a fourth polynucleotide comprising the polynucleotide sequence of SEO ID NO:485; (c) a first polynucleotide comprising the polynucleotide sequence of SEO ID NO:486, a second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:487, a third polynucleotide comprising the polynucleotide sequence of SEQ ID NO:488, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:489; (d) a first polynucleotide comprising the polynucleotide sequence of SEQ ID NO:490, a second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:491, a third polynucleotide comprising the polynucleotide sequence of SEQ ID NO:492, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:493; (e) a first polynucleotide comprising the polynucleotide sequence of SEQ ID NO:494, a second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:495, a third polynucleotide comprising the polynucleotide sequence of SEQ ID NO:496, and a fourth polynucleotide comprising the polynucleotide sequence of SEO ID NO:497: (f) a first polynucleotide comprising the polynucleotide sequence of SEQ ID NO:498, a second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:499, a third polynucleotide comprising the polynucleotide sequence of SEQ ID NO:500, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:501; (g) a first polynucleotide comprising the polynucleotide sequence of SEO ID NO:502, a second polynucleotide comprising the polynucleotide sequence of SEO ID NO:503, a third polynucleotide comprising the polynucleotide sequence of SEQ ID NO:504, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:505; (h) a first polynucleotide comprising the polynucleotide sequence of SEO ID NO:506, a second polynucleotide comprising the polynucleotide sequence of SEO ID NO:507, a third polynucleotide comprising the polynucleotide sequence of SEO ID NO:508, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:509; (i) a first polynucleotide comprising the polynucleotide sequence of SEQ ID NO:510, a second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:511, a third polynucleotide comprising the polynucleotide sequence of SEQ ID NO:512, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:513; (j) a first polynucleotide comprising the polynucleotide sequence of SEQ ID NO:514, a second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:515, a third polynucleotide comprising the polynucleotide sequence of SEQ ID NO:516, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:517; (k) a first polynucleotide comprising the polynucleotide sequence of SEQ ID NO:518, a second polynucleotide comprising the polynucleotide sequence of SEO ID NO:519, a third polynucleotide comprising the polynucleotide sequence of SEQ ID NO:520, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:521; (l) a first polynucleotide comprising the polynucleotide sequence of SEQ ID NO:522, a second polynucleotide comprising the polynucleotide sequence of SEO ID NO:523, a third polynucleotide comprising the polynucleotide sequence of SEO ID NO:524, and a fourth polynucleotide comprising the polynucleotide sequence of SEO ID NO:525; (m) a first polynucleotide comprising the polynucleotide sequence of SEQ ID NO:526, a second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:527, a third polynucleotide comprising the polynucleotide sequence of SEQ ID NO:528, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:529; (n) a first polynucleotide comprising the polynucleotide sequence of SEO ID NO:530, a second polynucleotide comprising the polynucleotide sequence of SEO ID NO:531, a third polynucleotide comprising the polynucleotide sequence of SEQ ID NO:532, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:533; (o) a first polynucleotide comprising the polynucleotide sequence of SEQ ID NO:534, a second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:535, a third polynucleotide comprising the polynucleotide sequence of SEQ ID NO:536, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:537; (p) a first polynucleotide comprising the polynucleotide sequence of SEQ ID NO:538, a second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:539, a third polynucleotide comprising the polynucleotide sequence of SEQ ID NO:540, and a fourth polynucleotide comprising the polynucleotide sequence of SEO ID NO:541; (q) a first polynucleotide comprising the polynucleotide sequence of SEO ID NO:542, a second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:543, a third polynucleotide comprising the polynucleotide sequence of SEQ ID NO:544, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:545; (r) a first polynucleotide comprising the polynucleotide sequence of SEO ID NO:546, a second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:547, a third polynucleotide comprising the polynucleotide sequence of SEQ ID NO:548, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:549; (s) a first polynucleotide comprising the polynucleotide sequence of SEQ ID NO:550, a second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:551, a third polynucleotide comprising the polynucleotide sequence of SEQ ID NO:552, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:553; (t) a first polynucleotide comprising the polynucleotide sequence of SEO ID NO:554, a second polynucleotide comprising the polynucleotide sequence of SEO ID NO:555, a third polynucleotide comprising the polynucleotide sequence of SEO ID NO:556, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:557; (u) a first polynucleotide comprising the polynucleotide sequence of SEQ ID NO:558, a second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:559, a third polynucleotide comprising the polynucleotide sequence of SEQ ID NO:560, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:561; (v) a first polynucleotide comprising the polynucleotide sequence of SEQ ID NO:562, a second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:563, a third polynucleotide comprising the polynucleotide sequence of SEO ID NO:564, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:565; (w) a first polynucleotide comprising the polynucleotide sequence of SEQ ID NO:566, a second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:567, a third polynucleotide comprising the polynucleotide sequence of SEO ID NO:568, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:569; (x) a first polynucleotide comprising the polynucleotide sequence of SEQ ID NO:570, a second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:571, a third polynucleotide comprising the polynucleotide sequence of SEQ ID NO:572, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:573; (y) a first polynucleotide comprising the polynucleotide sequence of SEO ID NO:574, a second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:575, a third polynucleotide comprising the polynucleotide sequence of SEQ ID NO:576, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:577; (z) a first polynucleotide comprising the polynucleotide sequence of SEQ ID NO:578, a second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:579, a third polynucleotide comprising the polynucleotide sequence of SEQ ID NO:580, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:581; (aa) a first polynucleotide comprising the polynucleotide sequence of SEQ ID NO:582, a second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:583, a third polynucleotide comprising the polynucleotide sequence of SEQ ID NO:584, and a fourth polynucleotide comprising the polynucleotide sequence of SEO ID NO:585; (bb) a first polynucleotide comprising the polynucleotide sequence of SEQ ID NO:586, a second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:587, a third polynucleotide comprising the polynucleotide sequence of SEQ ID NO:588, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:589; or (cc) a first polynucleotide comprising the polynucleotide sequence of SEO ID NO:590, a second polynucleotide comprising the polynucleotide sequence of SEO ID NO:591, a third polynucleotide comprising the polynucleotide sequence of SEQ ID NO:592, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:593. In some embodiments, the first, second, third, and fourth polynucleotides are present on one or more expression vectors, e.g., one, two, three, or four expression vectors. [0188] It is to be understood that one, some, or all of the properties of the various embodiments described herein may be combined to form other embodiments of the present invention. These and other aspects of the invention will become apparent to one of skill in the art. These and other embodiments of the invention are further described by the detailed description that follows.

BRIEF DESCRIPTION OF THE DRAWINGS

[0189] FIG. 1A provides a schematic representation of a trispecific binding protein comprising four polypeptide chains that form three antigen binding sites that binds three target proteins: CD28, CD3, and HER2. A first pair of polypeptides possess dual variable domains having a cross-over orientation (VH1-VH2 and VL2-VL1) forming two antigen binding sites that recognize CD3 and CD28, and a second pair of polypeptides possess a single variable domain (VH3 and VL3) forming a single antigen binding site that recognizes HER2. The trispecific binding protein shown in FIG. 1A uses a constant region with a "knobs-into-holes" mutation, where the knob is on the second pair of polypeptides with a single variable domain. [0190] FIG. 1B provides the fold change (vs. parental) in binding affinities of anti-CD28/CD3/HER2 trispecific antibody variants using the indicated anti-HER2, anti-CD3, and anti-CD28 binding domains. Mutations 3233QQ to QEQ (top to bottom) refer to mutations introduced into residues 32-35 of the VL domain of the anti-CD3 binding site (indicated by *); the remaining mutations were introduced into the VH or VL domain of the trastuzumab anti-HER2 binding site (indicated by #; numbering according to Kabat). For the mutations in the anti-HER2 binding site, mutation 30Q was introduced into the VL domain, and the remaining mutations were introduced into the VH domain. The binding affinities were measured by ELISA, and the values provided are relative to parental trispecific antibody.

[0191] FIG. **1**C provides binding curves for the indicated trispecific antibodies binding to human HER2, human CD28, and CD3, as determined by ELISA.

[0192] FIG. **1**D provides a proposed mechanism of action for HER2/CD28xCD3 trispecific antibody-mediated T cell activation and HER2+ cancer cell killing.

[0193] FIG. **2**A provides a schematic representation of a trispecific binding protein comprising four polypeptide chains that form three antigen binding sites that binds three target proteins: CD28, CD3, and CD38. A first pair of polypeptides possess dual variable domains having a cross-over orientation (VH1-VH2 and VL2-VL1) forming two antigen binding sites that recognize CD3 and CD28, and a second pair of polypeptides possess a single variable domain (VH3 and VL3) forming a single antigen binding site that recognizes CD38. The trispecific binding protein shown in FIG. **2**A uses an IgG4 constant region with a "knobs-into-holes" mutation, where the knob is on the second pair of polypeptides with a single variable domain.

[0194] FIGS. **2**B-**2**E show the binding affinities, as measured by ELISA, of CD38/CD28sup x CD3mid_ENLQ DKTHT IgG4 FALA trispecific antibodies with the indicated anti-CD38 binding domains for the target antigens human CD38 (FIG. **2**B), cynomolgus monkey CD38 (FIG. **2**C), human CD3 (FIG. **2**D), and human CD28 (FIG. **2**E).

[0195] FIG. **3** shows SPR competition assays for binding to CD38 by Daratumumab and anti-CD38 monospecific antibodies with the indicated anti-CD38 binding domains. If an antibody recognized an epitope on CD38 which was different from that of Daratumumab, injection of the antibody resulted in an increased SPR signal. If an antibody recognized an overlapping epitope as Daratumumab, injection of the antibody did not increase SPR signal.

[0196] FIGS. 4A-4B show the in vitro cell killing activity of CD38/CD28sup x CD3mid ENLQ DKTHT IgG4 FALA trispecific antibodies with the indicated anti-CD38 binding domains against human multiple myeloma NCI-H929 cells (CD38+/CD28+). The assays were carried out in the presence of 5 nM isotype control antibody (FIG. 4A) or Daratumumab (FIG. 4B). In the presence of daratumumab, the trispecific antibodies continued to exhibit cell killing activity. [0197] FIGS. 5A-5B show the in vitro cell killing activity of CD38/CD28sup x CD3mid_ENLQ DKTHT IgG4 FALA trispecific antibodies with the indicated anti-CD38 binding domains against human lymphoma OCI-Ly19 cells (CD38+/CD28-). The assays were carried out in the presence of 5 nM isotype control antibody (FIG. 5A) or Daratumumab (FIG. 5B). Daratumumab caused a decrease in the cell killing activity of anti-CD38/CD28xCD3 trispecific antibodies. [0198] FIGS. **6**A-**6**J show the characterization of in vitro T cell subset expansion in PBMCs collected from CMV-infected Donor D in response to CD38/CD28sup x CD3mid ENLQ DKTHT IgG4 FALA trispecific antibodies with the indicated alternative anti-CD38 binding domains. A trispecific antibody lacking the CD38VH1 anti-CD38 binding domain was used as a negative control (Δ CD38VH1/ Δ CD28sup x Δ CD3mid IgG4 FALA). T cell populations were measured at indicated time points (D3 refers to day 3; D7 refers to day 7). The indicated trispecific antibodies were tested at the indicated concentrations of 0.2 nM and 1 nM. Flow cytometry was used to quantify CMV-specific CD8+ T cells (FIGS. 6A-6B), CMV-specific T.sub.cm CD8+ cells (FIGS. 6C-6D), and CMV-specific T.sub.cm CD8+ cells (FIGS. 6E-6F). In addition, the percentages of CMV-specific T.sub.cm (FIGS. **6**G-**6**H) and T.sub.cm (FIGS. **6**I-**6**J) CD8+ cells were quantified at the indicated time points. All tested trispecific antibodies promoted the proliferation of CMV-specific memory CD8+ T cells with different potency and kinetics in a dose-responsive manner.

[0199] FIGS. 7A-7J show the characterization of in vitro T cell subset expansion in PBMCs collected from CMV-infected Donor E in response to CD38/CD28sup x CD3mid_ENLQ DKTHT IgG4 FALA trispecific antibodies with the indicated anti-CD38 binding domains. A trispecific antibody lacking the CD38VH1 anti-CD38 binding domain was used as a negative control (ΔCD38VH1/ΔCD28sup x ΔCD3mid IgG4 FALA). Antibodies shown in legend from top to bottom are shown in the graphs from left to right. T cell populations were measured at indicated time points (D3 refers to day 3; D7 refers to day 7). The indicated trispecific antibodies were tested at the indicated concentrations of 0.2 nM, 1 nM, and 2 nM. Flow cytometry was used to quantify CMV-specific CD8+ T cells (FIGS. 7A-7B), CMV-specific T.sub.cm CD8+ cells (FIGS. 7C-7D), and CMV-specific T.sub.cm CD8+ cells (FIGS. 7E-7F). In addition, the percentages of CMV-specific T.sub.cm (FIGS. 7G-7H) and T.sub.cm (FIGS. 7I-7J) CD8+ cells were quantified at the indicated time points. All tested trispecific antibodies promoted the proliferation of CMV-specific memory CD8+ T cells with different potency and kinetics in dose response manner.

[0200] FIGS. 8A-8J show the characterization of in vitro T cell subset expansion in PBMCs collected from EBV-infected

Donor C in response to CD38/CD28sup x CD3mid_ENLQ DKTHT IgG4 FALA trispecific antibodies with the indicated alternative anti-CD38 binding domains. A trispecific antibody lacking the CD38VH1 anti-CD38 binding domain was used as a negative control (ΔCD38VH1/ΔCD28sup x ΔCD3mid IgG4 FALA). T cell populations were measured at indicated time points (D3 refers to day 3; D7 refers to day 7). The indicated trispecific antibodies were tested at the indicated concentrations of 0.2 nM and 1 nM. Flow cytometry was used to quantify EBV-specific CD8+ T cells (FIGS. 8A-8B), CMV-specific T.sub.cm CD8+ cells (FIGS. 8C-8D), and CMV-specific T.sub.cm CD8+ cells (FIGS. 8E-8F). In addition, the percentages of EBV-specific T.sub.cm (FIGS. 8G-8H) and T.sub.cm (FIGS. 8I-8J) CD8+ cells were quantified at the indicated time points. All tested trispecific antibodies promoted the proliferation of CMV-specific memory CD8+ T cells with different potency and kinetics in dose response manner.

[0201] FIGS. 9A-12 show the characterization of in vitro T cell subset expansion in PBMCs collected from EBV-infected Donor D in response to CD38/CD28sup x CD3mid_ENLQ DKTHT IgG4 FALA trispecific antibodies with the indicated alternative anti-CD38 binding domains. A trispecific antibody lacking the CD38VH1 anti-CD38 binding domain was used as a negative control (ΔCD38VH1/ΔCD28sup x ΔCD3mid IgG4 FALA). T cell populations were measured at indicated time points (D3 refers to day 3; D7 refers to day 7). The indicated trispecific antibodies were tested at the indicated concentrations of 0.2 nM and 1 nM. Flow cytometry was used to quantify EBV-specific CD8+ T cells (FIGS. 9A-9B), EBV-specific T.sub.cm CD8+ cells (FIGS. 9C-9D), and EBV-specific T.sub.cm CD8+ cells (FIGS. 9E-9F). In addition, the percentages of EBV-specific T.sub.cm (FIGS. 9G-10) and T.sub.cm (FIGS. 11-12) CD8+ cells were quantified at the indicated time points. All tested trispecific antibodies promoted the proliferation of EBV-specific memory CD8+ T cells with different potency and kinetics in dose response manner.

[0202] FIGS. **13**A-**13**D show the change over time (days) in tumor volume (FIG. **13**A) and body weight (FIG. **13**B) in ZR-75-1 tumor bearing NSG mice engrafted with in vitro expanded human CD3+ T cells. Groups of 10 mice were either treated with vehicle or Her2/CD28 x CD3 trispecific antibody at the indicated dosages. Arrow heads indicate days of administration. Tumor volume is depicted as mean±SEM, mm.sup.3. Body weight change is depicted as % change, mean±SEM. X-axis shows days after implantation with ZR-75-1 cells. Tumor volume (mm.sup.3) over time for individual mice in each treatment group are shown in FIG. **13**C. Tumor weight (mg) for each treatment group is shown in FIG. **13**D. **=p<0.001; ***=p<0.0003 (two-way ANOVA, control vs. 100 & 10 ug/kg).

[0203] FIGS. 14A-14C show the effect of Her2/CD28 x CD3 trispecific antibody treatment on T cells from whole blood. FIG. 14A shows the analysis of hCD45+, CD8+, CD4+, and mCD45+ cells by flow cytometry. FIG. 14B shows the effect of control or Her2/CD28 x CD3 trispecific antibody treatment (at the indicated doses) on hCD45+, CD8+, CD4+, and mCD45+ cell counts. FIG. **14**C shows the effect of control or Her2/CD28 x CD3 trispecific antibody treatment (at the indicated doses) on human cell ratios (CD4+/CD45+ and CD8+/CD45+). For each x-axis parameter shown in FIGS. 14B & 14C, conditions are (left to right): control, 100 ug/kg trispecific antibody, 10 ug/kg trispecific antibody, 1 ug/kg trispecific antibody, and 0.1 ug/kg trispecific antibody. Percentages shown in FIGS. 14B & 14C are based on control sample vs. 100 ug/kg. [0204] FIGS. 15A-15C show the effect of Her2/CD28 x CD3 trispecific antibody treatment on tumor infiltrating lymphocytes (TILs), as examined by immunohistochemistry (IHC). Arrows indicate tumor infiltrating T cells identified in ZR-75-1 breast tumors. Upper images are at $1\times$ magnification; lower images are at $20\times$ magnification. In both sets of images, staining for human CD45, human CD4, and human CD8 are shown from left to right. Shown are tumors from mice treated with vehicle control (FIG. 15A), 100 ug/kg trispecific antibody (FIG. 15B), or 0.1 ug/kg trispecific antibody (FIG. 15C). [0205] FIGS. **16**A-**16**C show quantitation of the effect of Her2/CD28 x CD3 trispecific antibody treatment on TILs as measured by IHC. Each dot represents one tumor from an individual mouse; rectangles represent group means; and error bars indicate standard deviation. *=p<0.05 compared to vehicle control group (ANOVA). Numbers of CD45+ (FIG. 16A), CD4+ (FIG. 16B), or CD8+ (FIG. 16C) cells are shown. In FIG. 16C, a \$ area quantitation approach was used for CD8+ cells instead of cell counting algorithm due to excessive non-specific signal in the CD8 IHC slide.

[0206] FIGS. 17A-17F show in vitro cell lysis of HER2+ breast cancer target cells in the presence of human CD8+ T cells by Her2/CD28 x CD3 trispecific antibody with wild-type trastuzumab antigen binding domain and an anti-CD3 antigen binding domain without without 32/35 QQ mutations in the VL domain ("ctl") as compared to a Her2/CD28 x CD3 trispecific antibodies having mutations in the anti-HER2 arm and the VL domain of the anti-CD3 arm (numbering as shown in Table 1). Cell killing activities against cell lines with varying expression of HER2 are depicted: HCC1954 for high HER2 expression (FIG. 17A), BT20 for intermediate HER2 expression (FIG. 17C), and MDA-MD-231 for low HER2 expression (FIG. 17E). Graphs depicting cell killing as a function of antibody concentration against target cells HCC1954 (FIG. 17B), BT20 (FIG. 17D), and MDA-MD-231 (FIG. 17F) are shown, comparing binding protein #2 vs. ctl or binding protein #1 and #5 vs. ctl. [0207] FIGS. 18A & 18B summarize the mean EC50 (pM) of in vitro cell killing by experimental or control Her2/CD28 x CD3 trispecific antibodies against the indicated breast cancer (FIG. 18A) or gastric cancer cell lines (FIG. 18B). Amino acid sequences of the indicated trispecific antibodies are provided in Table 1.

[0208] FIG. **19** provides a schematic representation of a trispecific binding protein comprising four polypeptide chains that form three antigen binding sites that binds three target proteins: CD28, CD3, and HIV Env. A first pair of polypeptides possess dual variable domains having a cross-over orientation (VH1-VH2 and VL2-VL1) forming two antigen binding sites (VH1 and VL1; VH2 and VL2) that recognize CD28 and CD3, resepectively, and a second pair of polypeptides possess a single variable domain (VH3 and VL3) forming a single antigen binding site that recognizes HIV Env. The trispecific binding protein shown in FIG. **19** uses a constant region with a "knobs-into-holes" mutation, where the knob is on the second pair of polypeptides with a single variable domain

[0209] FIG. **20** shows a schematic representation of a trispecific T cell Engager (TCE) strategy for using the anti-HIV trispecific binding protein shown in FIG. **19** to target and eliminate the HIV reservoir.

DETAILED DESCRIPTION

[0210] The disclosure provides trispecific and/or trivalent binding proteins comprising four polypeptide chains that form three antigen binding sites that specifically bind to one or more target proteins, wherein a first pair of polypeptides forming the binding protein possess dual variable domains having a cross-over orientation.

[0211] The present disclosure further provides trispecific and/or trivalent binding proteins comprising four polypeptide chains that form three antigen binding sites that specifically bind to one or more human immunodeficiency virus (HIV) target proteins and/or one or more T-cell receptor target proteins, wherein a first pair of polypeptides forming the binding protein possess dual variable domains having a cross-over orientation, and wherein a second pair of polypeptides possess a single variable domain.

I. General Definitions

[0212] As utilized in accordance with the present disclosure, the following terms, unless otherwise indicated, shall be understood to have the following meanings. Unless otherwise required by context, singular terms shall include pluralities and plural terms shall include the singular.

[0213] It is understood that aspects and embodiments of the disclosure described herein include "comprising," "consisting," and "consisting essentially of" aspects and embodiments.

[0214] The term "polynucleotide" as used herein refers to single-stranded or double-stranded nucleic acid polymers of at least 10 nucleotides in length. In certain embodiments, the nucleotides comprising the polynucleotide can be ribonucleotides or deoxyribonucleotides or a modified form of either type of nucleotide. Such modifications include base modifications such as bromuridine, ribose modifications such as arabinoside and 2',3'-dideoxyribose, and internucleotide linkage modifications such as phosphorothioate, phosphorodithioate, phosphoroselenoate, phosphorodiselenoate, phosphoroanilothioate, phosphoroaniladate and phosphoroamidate. The term "polynucleotide" specifically includes single-stranded and double-stranded forms of DNA.

[0215] An "isolated polynucleotide" is a polynucleotide of genomic, cDNA, or synthetic origin or some combination thereof, which: (1) is not associated with all or a portion of a polynucleotide in which the isolated polynucleotide is found in nature, (2) is linked to a polynucleotide to which it is not linked in nature, or (3) does not occur in nature as part of a larger sequence. [0216] An "isolated polypeptide" is one that: (1) is free of at least some other polypeptides with which it would normally be found, (2) is essentially free of other polypeptides from the same source, e.g., from the same species, (3) is expressed by a cell from a different species, (4) has been separated from at least about 50 percent of polynucleotides, lipids, carbohydrates, or other materials with which it is associated in nature, (5) is not associated (by covalent or noncovalent interaction) with portions of a polypeptide with which the "isolated polypeptide" is associated in nature, (6) is operably associated (by covalent or noncovalent interaction) with a polypeptide with which it is not associated in nature, or (7) does not occur in nature. Such an isolated polypeptide can be encoded by genomic DNA, cDNA, mRNA or other RNA, of synthetic origin, or any combination thereof. Preferably, the isolated polypeptide is substantially free from polypeptides or other contaminants that are found in its natural environment that would interfere with its use (therapeutic, diagnostic, prophylactic, research or otherwise).

[0217] Naturally occurring antibodies typically comprise a tetramer. Each such tetramer is typically composed of two identical pairs of polypeptide chains, each pair having one full-length "light" chain (typically having a molecular weight of about 25 kDa) and one full-length "heavy" chain (typically having a molecular weight of about 50-70 kDa). The terms "heavy chain" and "light chain" as used herein refer to any immunoglobulin polypeptide having sufficient variable domain sequence to confer specificity for a target antigen. The amino-terminal portion of each light and heavy chain typically includes a variable domain of about 100 to 110 or more amino acids that typically is responsible for antigen recognition. The carboxy-terminal portion of each chain typically defines a constant domain responsible for effector function. Thus, in a naturally occurring antibody, a full-length heavy chain immunoglobulin polypeptide includes a variable domain (V.sub.H) and three constant domains (C.sub.H1, C.sub.H2, and C.sub.H3), wherein the V.sub.H domain is at the amino-terminus of the polypeptide and the C.sub.H3 domain is at the carboxyl-terminus, and a full-length light chain immunoglobulin polypeptide includes a variable domain (V.sub.L) and a constant domain (C.sub.L), wherein the V.sub.L domain is at the amino-terminus of the polypeptide and the C.sub.L domain is at the carboxyl-terminus.

[0218] Human light chains are typically classified as kappa and lambda light chains, and human heavy chains are typically classified as mu, delta, gamma, alpha, or epsilon, and define the antibody's isotype as IgM, IgD, IgG, IgA, and IgE, respectively. IgG has several subclasses, including, but not limited to, IgG1, IgG2, IgG3, and IgG4. IgM has subclasses including, but not limited to, IgM1 and IgM2. IgA is similarly subdivided into subclasses including, but not limited to, IgA1 and IgA2. Within full-length light and heavy chains, the variable and constant domains typically are joined by a "J" region of about 12 or more amino acids, with the heavy chain also including a "D" region of about 10 more amino acids. See, e.g., FUNDAMENTAL IMMUNOLOGY (Paul, W., ed., Raven Press, 2nd ed., 1989), which is incorporated by reference in its entirety for all purposes. The variable regions of each light/heavy chain pair typically form an antigen binding site. The variable domains of naturally occurring antibodies typically exhibit the same general structure of relatively conserved framework regions (FR) joined by three hypervariable regions, also called complementarity determining regions or CDRs. The CDRs from the two chains of each pair typically are aligned by the framework regions, which may enable binding to a specific epitope. From the amino-terminus to the carboxyl-terminus, both light and heavy chain variable domains typically comprise the domains FR1, CDR1, FR2, CDR2, FR3, CDR3, and FR4.

[0219] The term "CDR set" refers to a group of three CDRs that occur in a single variable region capable of binding the antigen. The exact boundaries of these CDRs have been defined differently according to different systems. The system described by Kabat (Kabat et al., SEQUENCES OF PROTEINS OF IMMUNOLOGICAL INTEREST (National Institutes of

Health, Bethesda, Md. (1987) and (1991)) not only provides an unambiguous residue numbering system applicable to any variable region of an antibody, but also provides precise residue boundaries defining the three CDRs. These CDRs may be referred to as Kabat CDRs. Chothia and coworkers (Chothia and Lesk, 1987, J. Mol. Biol. 196: 901-17; Chothia et al., 1989, *Nature* 342: 877-83) found that certain sub-portions within Kabat CDRs adopt nearly identical peptide backbone conformations, despite having great diversity at the level of amino acid sequence. These sub-portions were designated as L1, L2, and L3 or H1, H2, and H3 where the "L" and the "H" designates the light chain and the heavy chain regions, respectively. These regions may be referred to as Chothia CDRs, which have boundaries that overlap with Kabat CDRs. Other boundaries defining CDRs overlapping with the Kabat CDRs have been described by Padlan, 1995, FASEB J. 9: 133-39; MacCallum, 1996, J. Mol. Biol. 262(5): 732-45; and Lefranc, 2003, Dev. Comp. Immunol. 27: 55-77. Still other CDR boundary definitions may not strictly follow one of the herein systems, but will nonetheless overlap with the Kabat CDRs. although they may be shortened or lengthened in light of prediction or experimental findings that particular residues or groups of residues or even entire CDRs do not significantly impact antigen binding. The methods used herein may utilize CDRs defined according to any of these systems, although certain embodiments use Kabat or Chothia defined CDRs. Identification of predicted CDRs using the amino acid sequence is well known in the field, such as in Martin, A. C. "Protein sequence and structure analysis of antibody variable domains," *In Antibody Engineering*, Vol. 2. Kontermann R., Dubel S., eds. Springer-Verlag, Berlin, p. 33-51 (2010). The amino acid sequence of the heavy and/or light chain variable domain may be also inspected to identify the sequences of the CDRs by other conventional methods, e.g., by comparison to known amino acid sequences of other heavy and light chain variable regions to determine the regions of sequence hypervariability. The numbered sequences may be aligned by eye, or by employing an alignment program such as one of the CLUSTAL suite of programs, as described in Thompson, 1994, Nucleic Acids Res. 22: 4673-80. Molecular models are conventionally used to correctly delineate framework and CDR regions and thus correct the sequence-based assignments. [0220] The term "Fc" as used herein refers to a molecule comprising the sequence of a non-antigen-binding fragment resulting from digestion of an antibody or produced by other means, whether in monomeric or multimeric form, and can contain the hinge region. The original immunoglobulin source of the native Fc is preferably of human origin and can be any of the immunoglobulins, although IgG1 and IgG2 are preferred. Fc molecules are made up of monomeric polypeptides that can be linked into dimeric or multimeric forms by covalent (i.e., disulfide bonds) and non-covalent association. The number of intermolecular disulfide bonds between monomeric subunits of native Fc molecules ranges from 1 to 4 depending on class (e.g., IgG, IgA, and IgE) or subclass (e.g., IgG1, IgG2, IgG3, IgA1, and IgGA2). One example of a Fc is a disulfide-bonded dimer resulting from papain digestion of an IgG. The term "native Fc" as used herein is generic to the monomeric, dimeric,

[0221] A F(ab) fragment typically includes one light chain and the V.sub.H and C.sub.H1 domains of one heavy chain, wherein the V.sub.H-C.sub.H1 heavy chain portion of the F(ab) fragment cannot form a disulfide bond with another heavy chain polypeptide. As used herein, a F(ab) fragment can also include one light chain containing two variable domains separated by an amino acid linker and one heavy chain containing two variable domains separated by an amino acid linker and a C.sub.H1 domain.

[0222] A F(ab') fragment typically includes one light chain and a portion of one heavy chain that contains more of the constant region (between the C.sub.H1 and C.sub.H2 domains), such that an interchain disulfide bond can be formed between two heavy chains to form a F(ab')2 molecule.

[0223] The term "binding protein" as used herein refers to a non-naturally occurring (or recombinant or engineered) molecule that specifically binds to at least one target antigen. A trispecific binding protein of the present disclosure, unless otherwise specified, typically comprises four polypeptide chains that form at least three antigen binding sites, wherein a first polypeptide chain has a structure represented by the formula:

V.sub.L2-L.sub.1-V.sub.L1-L.sub.2-C.sub.L [I] and a second polypeptide chain has a structure represented by the formula:

and multimeric forms.

V.sub.H1-L.sub.3-V.sub.H2-L.sub.4-C.sub.H1-hinge-C.sub.H2-C.sub.H3 [II] and a third polypeptide chain has a structure represented by the formula:

V.sub.H3-C.sub.H1 [III] and a fourth polypeptide chain has a structure represented by the formula:

V.sub.L3-C.sub.L [IV] [0224] wherein: [0225] V.sub.L1 is a first immunoglobulin light chain variable domain; [0226] V.sub.L2 is a second immunoglobulin light chain variable domain; [0227] V.sub.L3 is a third immunoglobulin light chain variable domain; [0228] V.sub.H1 is a first immunoglobulin heavy chain variable domain; [0229] V.sub.H2 is a second immunoglobulin heavy chain variable domain; [0230] V.sub.H3 is a third immunoglobulin heavy chain variable domain; [0231] C.sub.L is an immunoglobulin light chain constant domain; [0232] C.sub.H1 is the immunoglobulin C.sub.H1 heavy chain constant domain; and [0233] hinge is an immunoglobulin hinge region connecting the C.sub.H1 and C.sub.H2 domains; [0234] L.sub.1, L.sub.2, L.sub.3 and L.sub.4 are amino acid linkers; [0235] nd wherein the polypeptide of formula I and the polypeptide of formula II form a cross-over light chain-heavy chain pair.

[0236] A "recombinant" molecule is one that has been prepared, expressed, created, or isolated by recombinant means. [0237] One embodiment of the disclosure provides binding proteins having biological and immunological specificity to between one and three target antigens. Another embodiment of the disclosure provides nucleic acid molecules comprising

nucleotide sequences encoding polypeptide chains that form such binding proteins. Another embodiment of the disclosure provides expression vectors comprising nucleic acid molecules comprising nucleotide sequences encoding polypeptide chains that form such binding proteins. Yet another embodiment of the disclosure provides host cells that express such binding proteins (i.e., comprising nucleic acid molecules or vectors encoding polypeptide chains that form such binding proteins).

[0238] The term "swapability" as used herein refers to the interchangeability of variable domains within the binding protein format and with retention of folding and ultimate binding affinity. "Full swapability" refers to the ability to swap the order of both V.sub.H1 and V.sub.H2 domains, and therefore the order of V.sub.L1 and V.sub.L2 domains, in the polypeptide chain of formula I or the polypeptide chain of formula II (i.e., to reverse the order) while maintaining full functionality of the binding protein as evidenced by the retention of binding affinity. Furthermore, it should be noted that the designations V.sub.H and V.sub.L refer only to the domain's location on a particular protein chain in the final format. For example, V.sub.H1 and V.sub.H2 could be derived from V.sub.L1 and V.sub.L2 domains in parent antibodies and placed into the V.sub.H1 and V.sub.H2 positions in the binding protein. Likewise, V.sub.H1 and V.sub.L2 could be derived from V.sub.H1 and V.sub.H2 domains in parent antibodies and placed in the V.sub.H1 and V.sub.H2 positions in the binding protein. Thus, the V.sub.H and V.sub.L designations refer to the present location and not the original location in a parent antibody. V.sub.H and V.sub.L domains are therefore "swappable."

[0239] The term "antigen" or "target antigen" or "antigen target" as used herein refers to a molecule or a portion of a molecule that is capable of being bound by a binding protein, and additionally is capable of being used in an animal to produce antibodies capable of binding to an epitope of that antigen. A target antigen may have one or more epitopes. With respect to each target antigen recognized by a binding protein, the binding protein is capable of competing with an intact antibody that recognizes the target antigen.

[0240] The term "Her2" refers to human epidermal growth factor receptor 2 which is a member of the epidermal growth factor receptor family.

[0241] "CD3" is cluster of differentiation factor 3 polypeptide and is a T-cell surface protein that is typically part of the T cell receptor (TCR) complex.

[0242] "CD28" is cluster of differentiation 28 polypeptide and is a T-cell surface protein that provides co-stimulatory signals for T-cell activation and survival.

[0243] "CD38" is cluster of differentiation 38 polypeptide and is a glycoprotein found on the surface of many immune cells.

[0244] The term "monospecific binding protein" refers to a binding protein that specifically binds to one antigen target.

[0245] The term "monovalent binding protein" refers to a binding protein that has one antigen binding site.

[0246] The term "bispecific binding protein" refers to a binding protein that specifically binds to two different antigen targets.

[0247] The term "bivalent binding protein" refers to a binding protein that has two binding sites.

[0248] The term "trispecific binding protein" refers to a binding protein that specifically binds to three different antigen targets.

[0249] The term "trivalent binding protein" refers to a binding protein that has three binding sites. In particular embodiments the trivalent binding protein can bind to one antigen target. In other embodiments, the trivalent binding protein can bind to two antigen targets. In other embodiments, the trivalent binding protein can bind to three antigen targets.

[0250] An "isolated" binding protein is one that has been identified and separated and/or recovered from a component of its natural environment. Contaminant components of its natural environment are materials that would interfere with diagnostic or therapeutic uses for the binding protein, and may include enzymes, hormones, and other proteinaceous or non-proteinaceous solutes. In some embodiments, the binding protein will be purified: (1) to greater than 95% by weight of antibody as determined by the Lowry method, and most preferably more than 99% by weight, (2) to a degree sufficient to obtain at least 15 residues of N-terminal or internal amino acid sequence by use of a spinning cup sequenator, or (3) to homogeneity by SDS-PAGE under reducing or nonreducing conditions using Coomassie blue or, preferably, silver stain. Isolated binding proteins include the binding protein in situ within recombinant cells since at least one component of the binding protein's natural environment will not be present.

[0251] The terms "substantially pure" or "substantially purified" as used herein refer to a compound or species that is the predominant species present (i.e., on a molar basis it is more abundant than any other individual species in the composition). In some embodiments, a substantially purified fraction is a composition wherein the species comprises at least about 50% (on a molar basis) of all macromolecular species present. In other embodiments, a substantially pure composition will comprise more than about 80%, 85%, 90%, 95%, or 99% of all macromolar species present in the composition. In still other embodiments, the species is purified to essential homogeneity (contaminant species cannot be detected in the composition by conventional detection methods) wherein the composition consists essentially of a single macromolecular species. [0252] The term "epitope" includes any determinant, preferably a polypeptide determinant, capable of specifically binding to an immunoglobulin or T-cell receptor. In certain embodiments, epitope determinants include chemically active surface groupings of molecules such as amino acids, sugar side chains, phosphoryl groups, or sulfonyl groups, and, in certain embodiments, may have specific three-dimensional structural characteristics and/or specific charge characteristics. An epitope is a region of an antigen that is bound by an antibody or binding protein. In certain embodiments, a binding protein is said to specifically bind an antigen when it preferentially recognizes its target antigen in a complex mixture of proteins and/or macromolecules. In some embodiments, a binding protein is said to specifically bind an antigen when the equilibrium dissociation constant is ≤ 10 .sup. -8 M, more preferably when the equilibrium dissociation constant is ≤ 10 .sup. -9 M, and most preferably when the dissociation constant is ≤ 10 .sup. -10 M.

[0253] The dissociation constant (K.sub.D) of a binding protein can be determined, for example, by surface plasmon resonance. Generally, surface plasmon resonance analysis measures real-time binding interactions between ligand (a target antigen on a biosensor matrix) and analyte (a binding protein in solution) by surface plasmon resonance (SPR) using the BIAcore system (Pharmacia Biosensor; Piscataway, NJ). Surface plasmon analysis can also be performed by immobilizing the analyte (binding protein on a biosensor matrix) and presenting the ligand (target antigen). The term "K.sub.D," as used herein refers to the dissociation constant of the interaction between a particular binding protein and a target antigen. [0254] The term "specifically binds" as used herein refers to the ability of a binding protein or an antigen-binding fragment thereof to bind to an antigen containing an epitope with an Kd of at least about 1×10.sup.—6 M, 1×10.sup.—7 M, 1×10.sup.—8 M, 1×10.sup.—10 M, 1×10.sup.—11 M, 1×10.sup.—12 M, or more, and/or to bind to an epitope with an affinity that is at least two-fold greater than its affinity for a nonspecific antigen.

[0255] In some embodiments, an antigen binding domain and/or binding protein of the present disclosure "cross reacts" with human and cynomolgus monkey CD38 polypeptides, e.g., CD38 extracellular domains, human CD38 isoform A, human CD38 isoform E, and cynomolgus monkey CD38. A binding protein binding to antigen 1 (Ag1) is "cross-reactive" to antigen 2 (Ag2) when the EC50s are in a similar range for both antigens. In the present application, a binding protein binding to Ag1 is cross-reactive to Ag2 when the ratio of affinity of Ag2 to affinity of Ag1 is equal or less than 20, affinities being measured with the same method for both antigens.

[0256] The term "linker" as used herein refers to one or more amino acid residues inserted between immunoglobulin domains to provide sufficient mobility for the domains of the light and heavy chains to fold into cross over dual variable region immunoglobulins. A linker is inserted at the transition between variable domains or between variable and constant domains, respectively, at the sequence level. The transition between domains can be identified because the approximate size of the immunoglobulin domains are well understood. The precise location of a domain transition can be determined by locating peptide stretches that do not form secondary structural elements such as beta-sheets or alpha-helices as demonstrated by experimental data or as can be assumed by techniques of modeling or secondary structure prediction. The linkers described herein are referred to as L.sub.1, which is located on the light chain between the C-terminus of the V.sub.L2 and the N-terminus of the V.sub.L1 domain; and L.sub.2, which is located on the light chain between the C-terminus of the V.sub.H1 and the N-terminus of the V.sub.H2 domain; and L.sub.4, which is located between the C-terminus of the V.sub.H2 and the N-terminus of the C.sub.H1 domain.

[0257] The term "vector" as used herein refers to any molecule (e.g., nucleic acid, plasmid, or virus) that is used to transfer coding information to a host cell. The term "vector" includes a nucleic acid molecule that is capable of transporting another nucleic acid to which it has been linked. One type of vector is a "plasmid," which refers to a circular double-stranded DNA molecule into which additional DNA segments may be inserted. Another type of vector is a viral vector, wherein additional DNA segments may be inserted into the viral genome. Certain vectors are capable of autonomous replication in a host cell into which they are introduced (e.g., bacterial vectors having a bacterial origin of replication and episomal mammalian vectors). Other vectors (e.g., non-episomal mammalian vectors) can be integrated into the genome of a host cell upon introduction into the host cell and thereby are replicated along with the host genome. In addition, certain vectors are capable of directing the expression of genes to which they are operatively linked. Such vectors are referred to herein as "recombinant expression vectors" (or simply, "expression vectors"). In general, expression vectors of utility in recombinant DNA techniques are often in the form of plasmids. The terms "plasmid" and "vector" may be used interchangeably herein, as a plasmid is the most commonly used form of vector. However, the disclosure is intended to include other forms of expression vectors, such as viral vectors (e.g., replication defective retroviruses, adenoviruses, and adeno-associated viruses), which serve equivalent functions.

[0258] The phrase "recombinant host cell" (or "host cell") as used herein refers to a cell into which a recombinant expression vector has been introduced. A recombinant host cell or host cell is intended to refer not only to the particular subject cell, but also to the progeny of such a cell. Because certain modifications may occur in succeeding generations due to either mutation or environmental influences, such progeny may not, in fact, be identical to the parent cell, but such cells are still included within the scope of the term "host cell" as used herein. A wide variety of host cell expression systems can be used to express the binding proteins, including bacterial, yeast, baculoviral, and mammalian expression systems (as well as phage display expression systems). An example of a suitable bacterial expression vector is pUC19. To express a binding protein recombinantly, a host cell is transformed or transfected with one or more recombinant expression vectors carrying DNA fragments encoding the polypeptide chains of the binding protein such that the polypeptide chains are expressed in the host cell and, preferably, secreted into the medium in which the host cells are cultured, from which medium the binding protein can be recovered.

[0259] The term "transformation" as used herein refers to a change in a cell's genetic characteristics, and a cell has been transformed when it has been modified to contain a new DNA. For example, a cell is transformed where it is genetically modified from its native state. Following transformation, the transforming DNA may recombine with that of the cell by physically integrating into a chromosome of the cell, or may be maintained transiently as an episomal element without being replicated, or may replicate independently as a plasmid. A cell is considered to have been stably transformed when the DNA is replicated with the division of the cell. The term "transfection" as used herein refers to the uptake of foreign or exogenous DNA by a cell, and a cell has been "transfected" when the exogenous DNA has been introduced inside the cell membrane. A number of transfection techniques are well known in the art. Such techniques can be used to introduce one or more exogenous DNA molecules into suitable host cells.

[0260] The term "naturally occurring" as used herein and applied to an object refers to the fact that the object can be found in

nature and has not been manipulated by man. For example, a polynucleotide or polypeptide that is present in an organism (including viruses) that can be isolated from a source in nature and that has not been intentionally modified by man is naturally-occurring. Similarly, "non-naturally occurring" as used herein refers to an object that is not found in nature or that has been structurally modified or synthesized by man.

[0261] As used herein, the twenty conventional amino acids and their abbreviations follow conventional usage. Stereoisomers (e.g., D-amino acids) of the twenty conventional amino acids; unnatural amino acids and analogs such as α -, α -disubstituted amino acids, N-alkyl amino acids, lactic acid, and other unconventional amino acids may also be suitable components for the polypeptide chains of the binding proteins. Examples of unconventional amino acids include: 4-hydroxyproline, γ -carboxyglutamate, ϵ -N,N,N-trimethyllysine, ϵ -N-acetyllysine, O-phosphoserine, N-acetylserine, N-formylmethionine, 3-methylhistidine, 5-hydroxylysine, σ -N-methylarginine, and other similar amino acids and imino acids (e.g., 4-hydroxyproline). In the polypeptide notation used herein, the left-hand direction is the amino terminal direction and the right-hand direction is the carboxyl-terminal direction, in accordance with standard usage and convention. [0262] Naturally occurring residues may be divided into classes based on common side chain properties: [0263] (1) hydrophobic: Met, Ala, Val, Leu, Ile, Phe, Trp, Tyr, Pro; [0264] (2) polar hydrophilic: Arg, Asn, Asp, Gln, Glu, His, Lys, Ser, Thr; [0265] (3) aliphatic: Ala, Gly, Ile, Leu, Val, Pro; [0266] (4) aliphatic hydrophobic: Ala, Ile, Leu, Val, Pro; [0267] (5) neutral hydrophilic: Cys, Ser, Thr, Asn, Gln; [0268] (6) acidic: Asp, Glu; [0269] (7) basic: His, Lys, Arg; [0270] (8) residues that influence chain orientation: Gly, Pro; [0271] (9) aromatic: His, Trp, Tyr, Phe; and [0272] (10) aromatic hydrophobic: Phe, Trp, Tyr.

[0273] Conservative amino acid substitutions may involve exchange of a member of one of these classes with another member of the same class. Non-conservative substitutions may involve the exchange of a member of one of these classes for a member from another class.

[0274] A skilled artisan will be able to determine suitable variants of the polypeptide chains of the binding proteins using well-known techniques. For example, one skilled in the art may identify suitable areas of a polypeptide chain that may be changed without destroying activity by targeting regions not believed to be important for activity. Alternatively, one skilled in the art can identify residues and portions of the molecules that are conserved among similar polypeptides. In addition, even areas that may be important for biological activity or for structure may be subject to conservative amino acid substitutions without destroying the biological activity or without adversely affecting the polypeptide structure.

[0275] The term "patient" as used herein includes human and animal subjects.

[0276] The terms "pharmaceutical composition" or "therapeutic composition" as used herein refer to a compound or composition capable of inducing a desired therapeutic effect when properly administered to a patient.

[0277] The term "pharmaceutically acceptable carrier" or "physiologically acceptable carrier" as used herein refers to one or more formulation materials suitable for accomplishing or enhancing the delivery of a binding protein.

[0278] The terms "effective amount" and "therapeutically effective amount" when used in reference to a pharmaceutical composition comprising one or more binding proteins refer to an amount or dosage sufficient to produce a desired therapeutic result. More specifically, a therapeutically effective amount is an amount of a binding protein sufficient to inhibit, for some period of time, one or more of the clinically defined pathological processes associated with the condition being treated. The effective amount may vary depending on the specific binding protein that is being used, and also depends on a variety of factors and conditions related to the patient being treated and the severity of the disorder. For example, if the binding protein is to be administered in vivo, factors such as the age, weight, and health of the patient as well as dose response curves and toxicity data obtained in preclinical animal work would be among those factors considered. The determination of an effective amount or therapeutically effective amount of a given pharmaceutical composition is well within the ability of those skilled in the art.

[0279] One embodiment of the disclosure provides a pharmaceutical composition comprising a pharmaceutically acceptable carrier and a therapeutically effective amount of a binding protein.

II. Trispecific and/or Trivalent Binding Proteins for Treating and/or Preventing Cancer

[0280] Certain aspects of the present disclosure relate to trispecific and/or trivalent binding proteins comprising four polypeptide chains that form three antigen binding sites that specifically bind to one or more target proteins, wherein a first pair of polypeptides forming the binding protein possess dual variable domains having a cross-over orientation and wherein a second pair of polypeptides forming the binding protein possess a single variable domain. Any of the CDRs or variable domains of any of the antigen binding proteins described herein may find use in a trispecific binding protein of the present disclosure.

[0281] In some embodiments, each of the three antigen binding sites binds a different target (e.g., polypeptide antigen). In some embodiments, the trispecific binding protein comprises four polypeptide chains that form the three antigen binding sites, wherein a first polypeptide chain comprises a structure represented by the formula:

V.sub.L2-L.sub.1-V.sub.L1-L.sub.2-C.sub.L [I] and a second polypeptide chain comprises a structure represented by the formula:

V.sub.H1-L.sub.3-V.sub.H2-L.sub.4-C.sub.H1-hinge-C.sub.H2-C.sub.H3 [II] and a third polypeptide chain comprises a structure represented by the formula:

V.sub.H3-C.sub.H1-hinge-C.sub.H2-C.sub.H3 [III] and a fourth polypeptide chain comprises a structure represented by the formula:

V.sub.L3-C.sub.L [IV] [0282] wherein: [0283] V.sub.L1 is a first immunoglobulin light chain variable domain; [0284] V.sub.L2 is a second immunoglobulin light chain variable domain; [0285] V.sub.L3 is a third immunoglobulin light chain variable domain; [0286] V.sub.H1 is a first immunoglobulin heavy chain variable domain; [0287] V.sub.H2 is a second immunoglobulin heavy chain variable domain; [0288] V.sub.H3 is a third immunoglobulin heavy chain variable domain; [0289] C.sub.L is an immunoglobulin light chain constant domain; [0290] C.sub.H1 is an immunoglobulin C.sub.H1 heavy chain constant domain; [0291] C.sub.H2 is an immunoglobulin C.sub.H2 heavy chain constant domain; [0292] C.sub.H3 is an immunoglobulin C.sub.H3 heavy chain constant domain; [0293] hinge is an immunoglobulin hinge region connecting the C.sub.H1 and C.sub.H2 domains; and [0294] L.sub.1, L.sub.2, L.sub.3 and L.sub.4 are amino acid linkers; [0295] wherein the polypeptide of formula I and the polypeptide of formula II form a cross-over light chain-heavy chain pair. [0296] In some embodiments, e.g., as used in reference to binding proteins of the present disclosure for treating and/or preventing cancer, the term "T-cell engager" refers to binding proteins directed to a host's immune system, more specifically the T cells' cytotoxic activity as well as directed to a tumor target protein.

[0297] In some embodiments, e.g., as used in reference to binding proteins of the present disclosure that target cancer, the terms "treatment" or "treat" as used herein refer to both therapeutic treatment and prophylactic or preventative measures. Those in need of treatment include those having a disorder as well as those prone to have the disorder or those in which the disorder is to be prevented. In particular embodiments, binding proteins can be used to treat humans with cancer, or humans susceptible to cancer, or ameliorate cancer in a human subject. The binding proteins can also be used to prevent cancer in a human patient. In particular embodiments, the cancer is multiple myeloma, acute lymphoblastic leukemia, chronic lymphocytic leukemia, acute myeloid leukemia, lymphoma, breast cancer such as Her2+ breast cancer, germinal center B-cell lympohoma or B-cell acute lymphoblastic leukemia. In other embodiments, the binding proteins can be used to treat humans with inflammatory disorders, or humans susceptible to inflammatory disorders, or ameliorate inflammatory disorders in a human subject.

[0298] It is contemplated that any of the antigen binding sites described herein may find use in a trispecific binding protein of the present disclosure, e.g., comprising four polypeptide chains having the structures described supra. For example, in some embodiments, a trispecific binding protein of the present disclosure comprises a V.sub.H1 and V.sub.L1 domain pair that form a first antigen binding site, a V.sub.H2 and V.sub.L2 domain pair that form a second antigen binding site that binds a CD3 polypeptide, and a V.sub.H3 and V.sub.L3 domain pair that form a third antigen binding site. In some embodiments, a trispecific binding protein of the present disclosure comprises a V.sub.H1 and V.sub.L1 domain pair that form a first antigen binding site that binds a CD28 polypeptide, a V.sub.H2 and V.sub.L2 domain pair that form a second antigen binding site that binds a CD3 polypeptide, and a V.sub.H3 and V.sub.L3 domain pair that form a third antigen binding site. In some embodiments, a trispecific binding protein of the present disclosure comprises a V.sub.H1 and V.sub.L1 domain pair that form a first antigen binding site, a V.sub.H2 and V.sub.L2 domain pair that form a second antigen binding site that binds a CD3 polypeptide, and a V.sub.H3 and V.sub.L3 domain pair that form a third antigen binding site that binds a tumor target protein. In some embodiments, a trispecific binding protein of the present disclosure comprises a V.sub.H1 and V.sub.L1 domain pair that form a first antigen binding site that binds a CD28 polypeptide, a V.sub.H2 and V.sub.L2 domain pair that form a second antigen binding site that binds a CD3 polypeptide, and a V.sub.H3 and V.sub.L3 domain pair that form a third antigen binding site that binds a tumor target protein. In some embodiments, a trispecific binding protein of the present disclosure comprises a V.sub.H1 and V.sub.L1 domain pair that form a first antigen binding site that binds a CD28 polypeptide, a V.sub.H2 and V.sub.L2 domain pair that form a second antigen binding site that binds a CD3 polypeptide, and a V.sub.H3 and V.sub.L3 domain pair that form a third antigen binding site that binds a CD38 polypeptide. In some embodiments, a trispecific binding protein of the present disclosure comprises a V.sub.H1 and V.sub.L1 domain pair that form a first antigen binding site that binds a CD28 polypeptide, a V.sub.H2 and V.sub.L2 domain pair that form a second antigen binding site that binds a CD3 polypeptide, and a V.sub.H3 and V.sub.L3 domain pair that form a third antigen binding site that binds a HER2 polypeptide.

[0299] In some embodiments, a binding protein of the present disclosure binds one or more tumor target proteins and one or more T cell target proteins. In some embodiments, the binding protein is capable of specifically binding one tumor target protein and two different epitopes on a single T cell target protein. In some embodiments, the binding protein is capable of specifically binding one tumor target protein and two different T cell target proteins (e.g., CD28 and CD3). In some embodiments, the first and second polypeptide chains of the binding protein form two antigen binding sites that specifically target two T cell target proteins, and the third and fourth polypeptide chains of the binding protein form an antigen binding site that specifically binds a tumor target protein. In some embodiments, the target protein is CD38 or HER2. Additional tumor target proteins are provided infra. In some embodiments, the one or more T cell target proteins are one or more of CD3 and CD28. Exemplary and non-limiting polypeptides that may find use in any of the trispecific binding proteins described herein are provided in Table 1.

[0300] In some embodiments, a binding protein of the present disclosure comprises four polypeptide chains that form three antigen binding sites, wherein the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:156 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:156; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:157 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:158; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:158; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:159.

[0301] In some embodiments, a binding protein of the present disclosure comprises four polypeptide chains that form three antigen binding sites, wherein the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:160 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:160; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:161 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:162 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:162; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:163.

[0302] In some embodiments, a binding protein of the present disclosure comprises four polypeptide chains that form three antigen binding sites, wherein the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:164 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:165; or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:165; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:166 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:166; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:167 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:167.

[0303] In some embodiments, a binding protein of the present disclosure comprises four polypeptide chains that form three antigen binding sites, wherein the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:168 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:168; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:169; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:170 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:170; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:171.

[0304] In some embodiments, a binding protein of the present disclosure comprises four polypeptide chains that form three antigen binding sites, wherein the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:172 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:173; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:173 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:174 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:174; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:175 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:175.

[0305] In some embodiments, a binding protein of the present disclosure comprises four polypeptide chains that form three antigen binding sites, wherein the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:176 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:176; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:177 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:178; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:178 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:178; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:179.

[0306] In some embodiments, a binding protein of the present disclosure comprises four polypeptide chains that form three antigen binding sites, wherein the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:181 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:182; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:182; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:183 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:183; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:184.

[0307] In some embodiments, a binding protein of the present disclosure comprises four polypeptide chains that form three antigen binding sites, wherein the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:185 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:186; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:186; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:187 or an amino acid sequence that is at least 95% identical to the amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:187; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:188.

[0308] In some embodiments, a binding protein of the present disclosure comprises four polypeptide chains that form three antigen binding sites, wherein the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:100 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:100; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:101 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:102 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:102; and the fourth polypeptide chain comprises the amino acid sequence that is at least 95% identical to the

amino acid sequence of SEQ ID NO:103.

[0309] In some embodiments, a binding protein of the present disclosure comprises four polypeptide chains that form three antigen binding sites, wherein the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:104 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:104; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:105 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:106 or an amino acid sequence that is at least 95% identical to the amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:106; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:107.

[0310] In some embodiments, a binding protein of the present disclosure comprises four polypeptide chains that form three antigen binding sites, wherein the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:112 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:113; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:113; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:114 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:114; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:115 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:115.

[0311] In some embodiments, a binding protein of the present disclosure comprises four polypeptide chains that form three antigen binding sites, wherein the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:116 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:116; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:117 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:118 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:118; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:119 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:119.

[0312] In some embodiments, a binding protein of the present disclosure comprises four polypeptide chains that form three antigen binding sites, wherein the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:120 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:120; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:121 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:122; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:122 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:123; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:123.

[0313] In some embodiments, a binding protein of the present disclosure comprises four polypeptide chains that form three antigen binding sites, wherein the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:124 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:124; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:125 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:126 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:126; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:127 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:127.

[0314] In some embodiments, a binding protein of the present disclosure comprises four polypeptide chains that form three antigen binding sites, wherein the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:128 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:128; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:129 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:130 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:130; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:131 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:131.

[0315] In some embodiments, a binding protein of the present disclosure comprises four polypeptide chains that form three antigen binding sites, wherein the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:132 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:133; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:133; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:134 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:134; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:135 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:135.

[0316] In some embodiments, a binding protein of the present disclosure comprises four polypeptide chains that form three antigen binding sites, wherein the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:136 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:136; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:137 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:138 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:138; and the fourth polypeptide

chain comprises the amino acid sequence of SEQ ID NO:139 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:139.

[0317] In some embodiments, a binding protein of the present disclosure comprises four polypeptide chains that form three antigen binding sites, wherein the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:140 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:140; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:141 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:142; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:142 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:142; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:143.

[0318] In some embodiments, a binding protein of the present disclosure comprises four polypeptide chains that form three antigen binding sites, wherein the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:144 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:145; the amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:145; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:146 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:146; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:147.

[0319] In some embodiments, a binding protein of the present disclosure comprises four polypeptide chains that form three antigen binding sites, wherein the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:148 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:149; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:149; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:150 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:150; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:151 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:151.

[0320] In some embodiments, a binding protein of the present disclosure comprises four polypeptide chains that form three antigen binding sites, wherein the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:152 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:153; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:153; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:154 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:154; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:155.

[0321] In some embodiments, a binding protein of the present disclosure comprises four polypeptide chains that form three antigen binding sites, wherein the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:286 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:287 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:287; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:288 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:288; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:289.

[0322] In some embodiments, a binding protein of the present disclosure comprises four polypeptide chains that form three antigen binding sites, wherein the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:290 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:291; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:291; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:292 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:292; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:293.

[0323] In some embodiments, a binding protein of the present disclosure comprises four polypeptide chains that form three antigen binding sites, wherein the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:294 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:295; it entirely polypeptide chain comprises the amino acid sequence of SEQ ID NO:295; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:296 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:296; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:297.

[0324] In some embodiments, a binding protein of the present disclosure comprises four polypeptide chains that form three antigen binding sites, wherein the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:298 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:298; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:299 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:299; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:300 or an

amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:300; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:301 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:301.

Anti-CD38 Binding Sites

[0325] Certain aspects of the present disclosure relate to binding proteins that comprise an antigen binding site that binds a CD38 polypeptide. In some embodiments, the CD38 polypeptide is a human CD38 polypeptide, also known as ADPRC1. Human CD38 polypeptides are known in the art and include, without limitation, the polypeptide represented by NCBI Accession Number NP_001766.2, or a polypeptide produced from NCBI Gene ID Number 952. In some embodiments, the antigen binding site binds a human CD38 polypeptide, a non-human primate (e.g., cynomolgus monkey) CD38 polypeptide, or a human CD38 polypeptide and anon-human primate (e.g., cynomolgus monkey) CD38 polypeptide. In some embodiments, a binding protein comprising an antigen binding site that binds a CD38 polypeptide is monospecific and/or monovalent, bispecific and/or bivalent, trispecific and/or trivalent, or multispecific and/or multivalent. [0326] In some embodiments, any of the CDRs and/or variable domains of the anti-CD38 binding sites described below can be used in a monospecific antibody.

[0327] In other embodiments, any of the CDRs and/or variable domains of the anti-CD38 binding sites described below can be used in any binding site of a trispecific binding protein comprising four polypeptides that form three antigen binding sites, e.g., as described supra. In certain embodiments, a binding protein that comprises an antigen binding site that binds a CD38 polypeptide is a trispecific binding protein comprising four polypeptides that form three antigen binding sites as described supra, wherein the V.sub.H3 and V.sub.L3 domains pair and form a third antigen binding site that binds a CD38 polypeptide. [0328] A variety of features of exemplary binding sites and binding proteins are described herein. For example, in some embodiments, an anti-CD38 binding site cross-reacts with human CD38 (e.g., a human CD38 isoform A and/or isoform E polypeptide) and cynomolgus monkey CD38. In some embodiments, a binding protein comprising an anti-CD38 binding site induces apoptosis of a CD38+ cell. In some embodiments, a binding protein comprising an anti-CD38 binding site recruits a T cell to a CD38+ cell and optionally activates the T cell (e.g., though TCR stimulation and/or costimulation). [0329] In some embodiments, a binding site that binds CD38 comprises: an antibody heavy chain variable (VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of GYTFTSYA (SEQ ID NO:13), a CDR-H2 sequence comprising the amino acid sequence of IYPGQGGT (SEQ ID NO:14), and a CDR-H3 sequence comprising the amino acid sequence of ARTGGLRRAYFTY (SEQ ID NO:15); and/or an antibody light chain variable (VL) domain comprising a CDR-L1 sequence comprising the amino acid sequence of QSVSSYGQGF (SEQ ID NO:16), a CDR-L2 sequence comprising the amino acid sequence of GAS (SEQ ID NO:17), and a CDR-L3 sequence comprising the amino acid sequence of OONKEDPWT (SEO ID NO:18). In some embodiments, a binding site that binds CD38 comprises: an antibody heavy chain variable (VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of GYTFTSYA (SEQ ID NO:13), a CDR-H2 sequence comprising the amino acid sequence of IYPGQGGT (SEQ ID NO:14), and a CDR-H3 sequence comprising the amino acid sequence of ARTGGLRRAYFTY (SEO ID NO:15); and an antibody light chain variable (VL) domain comprising a CDR-L1 sequence comprising the amino acid sequence of QSVSSYGQGF (SEQ ID NO:16), a CDR-L2 sequence comprising the amino acid sequence of GAS (SEQ ID NO:17), and a CDR-L3 sequence comprising the amino acid sequence of QQNKEDPWT (SEQ ID NO:18).

[0330] In some embodiments, a binding site that binds CD38 comprises: an antibody heavy chain variable (VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of GYTLTEFS (SEQ ID NO:19), a CDR-H2 sequence comprising the amino acid sequence of FDPEDGET (SEQ ID NO:20), and a CDR-H3 sequence comprising the amino acid sequence of TTGRFFDWF (SEQ ID NO:21); and/or an antibody light chain variable (VL) domain comprising a CDR-L1 sequence comprising the amino acid sequence of QSVISRF (SEQ ID NO:22), a CDR-L2 sequence comprising the amino acid sequence of QQDSNLPIT (SEQ ID NO:24). In some embodiments, a binding site that binds CD38 comprises: an antibody heavy chain variable (VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of GYTLTEFS (SEQ ID NO:19), a CDR-H2 sequence comprising the amino acid sequence of FDPEDGET (SEQ ID NO:20), and a CDR-H3 sequence comprising the amino acid sequence of TTGRFFDWF (SEQ ID NO:21); and an antibody light chain variable (VL) domain comprising a CDR-L1 sequence comprising the amino acid sequence of QSVISRF (SEQ ID NO:22), a CDR-L2 sequence comprising the amino acid sequence of GAS (SEQ ID NO:23), and a CDR-L3 sequence comprising the amino acid sequence of QDSNLPIT (SEQ ID NO:24).

[0331] In some embodiments, a binding site that binds CD38 comprises: an antibody heavy chain variable (VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of GYAFTTYL (SEQ ID NO:25), a CDR-H2 sequence comprising the amino acid sequence of INPGSGST (SEQ ID NO:26), and a CDR-H3 sequence comprising the amino acid sequence of ARYAYGY (SEQ ID NO:27); and/or an antibody light chain variable (VL) domain comprising a CDR-L1 sequence comprising the amino acid sequence of QNVGTA (SEQ ID NO:28), a CDR-L2 sequence comprising the amino acid sequence of QQYSTYPFT (SEQ ID NO:30). In some embodiments, a binding site that binds CD38 comprises: an antibody heavy chain variable (VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of GYAFTTYL (SEQ ID NO:25), a CDR-H2 sequence comprising the amino acid sequence of INPGSGST (SEQ ID NO:26), and a CDR-H3 sequence comprising the amino acid sequence of ARYAYGY (SEQ ID NO:27); and an antibody light chain variable (VL) domain comprising a CDR-L1 sequence comprising the amino acid sequence of GNVGTA (SEQ ID NO:28), a CDR-L2 sequence comprising the amino acid sequence of SAS (SEQ ID NO:29), and a CDR-L3 sequence comprising the amino acid sequence of QQYSTYPFT (SEQ ID NO:30).

[0332] In some embodiments, a binding site that binds CD38 comprises: an antibody heavy chain variable (VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of GYSFTNYA (SEQ ID NO:31), a CDR-H2 sequence comprising the amino acid sequence of ISPYYGDT (SEQ ID NO:32), and a CDR-H3 sequence comprising the amino acid sequence of ARRFEGFYYSMDY (SEQ ID NO:33); and/or an antibody light chain variable (VL) domain comprising a CDR-L1 sequence comprising the amino acid sequence of QSLVHSNGNTY (SEQ ID NO:34), a CDR-L2 sequence comprising the amino acid sequence of KVS (SEQ ID NO:35), and a CDR-L3 sequence comprising the amino acid sequence of SQSTHVPLT (SEQ ID NO:36). In some embodiments, a binding site that binds CD38 comprises: an antibody heavy chain variable (VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of GYSFTNYA (SEQ ID NO:31), a CDR-H2 sequence comprising the amino acid sequence of ISPYYGDT (SEQ ID NO:32), and a CDR-H3 sequence comprising the amino acid sequence of ARRFEGFYYSMDY (SEQ ID NO:33); and an antibody light chain variable (VL) domain comprising a CDR-L1 sequence comprising the amino acid sequence of QSLVHSNGNTY (SEQ ID NO:34), a CDR-L2 sequence comprising the amino acid sequence of KVS (SEQ ID NO:35), and a CDR-L3 sequence comprising the amino acid sequence of SQSTHVPLT (SEQ ID NO:36).

[0333] In some embodiments, a binding site that binds CD38 comprises: an antibody heavy chain variable (VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of GFTFSSYG (SEQ ID NO:37), a CDR-H2 sequence comprising the amino acid sequence of IWYDGSNK (SEQ ID NO:38), and a CDR-H3 sequence comprising the amino acid sequence of ARDPGLRYFDGGMDV (SEQ ID NO:39); and/or an antibody light chain variable (VL) domain comprising a CDR-L1 sequence comprising the amino acid sequence of QGISSY (SEQ ID NO:40), a CDR-L2 sequence comprising the amino acid sequence of QQLNSFPYT (SEQ ID NO:41), and a CDR-L3 sequence comprising the amino acid sequence of QQLNSFPYT (SEQ ID NO:42). In some embodiments, a binding site that binds CD38 comprises: an antibody heavy chain variable (VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of GFTFSSYG (SEQ ID NO:37), a CDR-H2 sequence comprising the amino acid sequence of IWYDGSNK (SEQ ID NO:38), and a CDR-H3 sequence comprising the amino acid sequence comprising the amino acid sequence of QGISSY (SEQ ID NO:40), a CDR-L2 sequence comprising the amino acid sequence of AAS (SEQ ID NO:41), and a CDR-L3 sequence comprising the amino acid sequence of QQLNSFPYT (SEQ ID NO:42).

[0334] In some embodiments, a binding site that binds CD38 comprises: an antibody heavy chain variable (VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of GFTFSSYG (SEQ ID NO:43), a CDR-H2 sequence comprising the amino acid sequence of IWYDGSNK (SEQ ID NO:44), and a CDR-H3 sequence comprising the amino acid sequence of ARMFRGAFDY (SEQ ID NO:45); and/or an antibody light chain variable (VL) domain comprising a CDR-L1 sequence comprising the amino acid sequence of QGIRND (SEQ ID NO:46), a CDR-L2 sequence comprising the amino acid sequence of LQDYIYYPT (SEQ ID NO:48). In some embodiments, a binding site that binds CD38 comprises: an antibody heavy chain variable (VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of GFTFSSYG (SEQ ID NO:43), a CDR-H2 sequence comprising the amino acid sequence of IWYDGSNK (SEQ ID NO:44), and a CDR-H3 sequence comprising the amino acid sequence of ARMFRGAFDY (SEQ ID NO:45); and an antibody light chain variable (VL) domain comprising a CDR-L1 sequence comprising the amino acid sequence of QGIRND (SEQ ID NO:46), a CDR-L2 sequence comprising the amino acid sequence of AAS (SEQ ID NO:47), and a CDR-L3 sequence comprising the amino acid sequence of LQDYIYYPT (SEQ ID NO:48).

[0335] In some embodiments, a binding site that binds CD38 comprises: an antibody heavy chain variable (VH) domain comprising an amino acid sequence that is at least 85%, at least 86%, at least 87%, at least 88%, at least 89%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% identical to the amino acid sequence of

QVQLVQSGAEVVKPGASVKVSCKASGYTFTSYAMHWVKEAPGQRLEWIGYIYPGQ

GGTNYNQKFQGRATLTADTSASTAYMELSSLRSEDTAVYFCARTGGLRRAYFTYWG QGTLVTVSS (SEQ ID NO:79), and/or an antibody light chain variable (VL) domain comprising an amino acid sequence that is at least 85%, at least 86%, at least 87%, at least 88%, at least 89%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% identical to the amino acid sequence of

DIVLTQSPATLSLSPGERATISCRASQSVSSYGQGFMHWYQQKPGQPPRLLIYGASSR

ATGIPARFSGSGSGTDFTLTISPLEPEDFAVYYCQQNKEDPWTFGGGTKLEIK (SEQ ID NO:80). In some embodiments, a binding site that binds CD38 comprises: an antibody heavy chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:79, and/or an antibody light chain variable (VL) domain comprising the amino acid sequence of SEQ ID NO:80. In some embodiments, a binding site that binds CD38 comprises: an antibody heavy chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:79, and an antibody light chain variable (VL) domain comprising the amino acid sequence of SEQ ID NO:80.

[0336] In some embodiments, a binding site that binds CD38 comprises: an antibody heavy chain variable (VH) domain comprising an amino acid sequence that is at least 85%, at least 86%, at least 87%, at least 88%, at least 89%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% identical to the amino acid sequence of

QVQLVQSGAEVKKPGASVKVSCKVSGYTLTEFSIHWVRQAPGQGLEWMGGFDPED

GETIYAQKFQGRVIMTEDTSTDTAYMEMNSLRSEDTAIYYCTTGRFFDWFWGQGTL VTVSS (SEQ ID NO:81), and/or an antibody light chain variable (VL) domain comprising an amino acid sequence that is at least 85%, at least 86%, at least 87%, at least 89%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 95

96%, at least 97%, at least 98%, at least 99%, or 100% identical to the amino acid sequence of

EIILTOSPAILSLSPGERATLSCRASOSVISRFLSWYQVKPGLAPRLLIYGASTRATGIPV

RFSGSGSGTDFSLTISSLQPEDCAVYYCQQDSNLPITFGQGTRLEIK (SEQ ID NO:82). In some embodiments, a binding site that binds CD38 comprises: an antibody heavy chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:81, and/or an antibody light chain variable (VL) domain comprising the amino acid sequence of SEQ ID NO:82. In some embodiments, a binding site that binds CD38 comprises: an antibody heavy chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:81, and an antibody light chain variable (VL) domain comprising the amino acid sequence of SEQ ID NO:82.

[0337] In some embodiments, a binding site that binds CD38 comprises: an antibody heavy chain variable (VH) domain comprising an amino acid sequence that is at least 85%, at least 86%, at least 87%, at least 88%, at least 89%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% identical to the amino acid sequence of

QVQLVQSGAEVKKPGASVKVSCKASGYAFTTYLVEWIRQRPGQGLEWMGVINPGS

GSTNYAQKFQGRVTMTVDRSSTTAYMELSRLRSDDTAVYYCARYAYGYWGQGTL VTVSS (SEQ ID NO:83), and/or an antibody light chain variable (VL) domain comprising an amino acid sequence that is at least 85%, at least 86%, at least 87%, at least 88%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% identical to the amino acid sequence of

DIQMTQSPSSLSASVGDRVTITCRASQNVGTAVAWYQQKPGKSPKQLIYSASNRYTG

VPSRFSGSGSGTDFTLTISSLQPEDLATYYCQQYSTYPFTFGQGTKLEIK (SEQ ID NO:84). In some embodiments, a binding site that binds CD38 comprises: an antibody heavy chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:83, and/or an antibody light chain variable (VL) domain comprising the amino acid sequence of SEQ ID NO:84. In some embodiments, a binding site that binds CD38 comprises: an antibody heavy chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:83, and an antibody light chain variable (VL) domain comprising the amino acid sequence of SEQ ID NO:84.

[0338] In some embodiments, a binding site that binds CD38 comprises: an antibody heavy chain variable (VH) domain comprising an amino acid sequence that is at least 85%, at least 86%, at least 87%, at least 88%, at least 89%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% identical to the amino acid sequence of

QVQLVESGGGVVQPGRSLRLSCAASGFTFSSYGMYWVRQAPGKGLEWVAVIWYDG

SNKYYADSVKGRFTISRDNSKNTLYLQMNSLRAEDTAVYHCARDPGLRYFDGGMD VWGQGTTVTVSS (SEQ ID NO:87), and/or an antibody light chain variable (VL) domain comprising an amino acid sequence that is at least 85%, at least 86%, at least 87%, at least 88%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% identical to the amino acid sequence of

DIQLTQSPSFLSASVGDRVTITCRASQGISSYLAWYQQKPGKAPKLLIFAASTLHSGVP

SRFSGSGSGTEFTLTISSLQPEDFATYYCQQLNSFPYTFGQGTKLEIK (SEQ ID NO:88). In some embodiments, a binding site that binds CD38 comprises: an antibody heavy chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:87, and/or an antibody light chain variable (VL) domain comprising the amino acid sequence of SEQ ID NO:88. In some embodiments, a binding site that binds CD38 comprises: an antibody heavy chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:87, and an antibody light chain variable (VL) domain comprising the amino acid sequence of SEQ ID NO:88.

[0339] In some embodiments, a binding site that binds CD38 comprises: an antibody heavy chain variable (VH) domain comprising an amino acid sequence that is at least 85%, at least 86%, at least 87%, at least 88%, at least 89%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% identical to the amino acid sequence of

QVQLVESGGGVVQPGRSLRLSCAASGFTFSSYGMHWVRQAPGKGLEWVAVIWYDG

SNKYYADSVKGRFTISGDNSKNTLYLQMNSLRAEDTAVYYCARMFRGAFDYWGQG TLVTVSS (SEQ ID NO:89), and/or an antibody light chain variable (VL) domain comprising an amino acid sequence that is at least 85%, at least 86%, at least 87%, at least 88%, at least 99%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 99%, or 100% identical to the amino acid sequence of

AIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKLLIYAASSLQSG

VPSRFSGSGSGTDFTLTISGLQPEDSATYYCLQDYIYYPTFGQGTKVEIK (SEQ ID NO:90). In some embodiments, a binding site that binds CD38 comprises: an antibody heavy chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:89, and/or an antibody light chain variable (VL) domain comprising the amino acid sequence of SEQ ID NO:90. In some embodiments, a binding site that binds CD38 comprises: an antibody heavy chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:89, and an antibody light chain variable (VL) domain comprising the amino acid sequence of SEQ ID NO:90.

[0340] In some embodiments, a binding site that binds CD38 comprises: an antibody heavy chain variable (VH) domain comprising an amino acid sequence that is at least 85%, at least 86%, at least 87%, at least 88%, at least 89%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% identical to the amino acid sequence of

QVQLVQSGAEVKKPGASVKVSCKASGYSFTNYAVHWVRQAPGQGLEWMGVISPY

YGDTTYAQKFQGRVTMTVDKSSSTAYMELSRLRSDDTAVYYCARRFEGFYYSMDY WGQGTLVTVSS (SEQ ID NO:85), and/or an antibody light chain variable (VL) domain comprising an amino acid sequence that is at least 85%, at least

86%, at least 87%, at least 88%, at least 89%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% identical to the amino acid sequence of DVVMTQSPLSLPVTLGQPASISCRPSQSLVHSNGNTYLNWYQQRPGQSPKLLIYKVS

KRFSGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCSQSTHVPLTFGGGTKVEIK (SEQ ID NO:86). In some embodiments, a binding site that binds CD38 comprises: an antibody heavy chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:85, and/or an antibody light chain variable (VL) domain comprising the amino acid sequence of SEQ ID NO:86. In some embodiments, a binding site that binds CD38 comprises: an antibody heavy chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:85, and an antibody light chain variable (VL) domain comprising the amino acid sequence of SEQ ID NO:86.

[0341] In some embodiments, a binding site that binds CD38 comprises: an antibody heavy chain variable (VH) domain comprising an amino acid sequence that is at least 85%, at least 86%, at least 87%, at least 88%, at least 89%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% identical to the amino acid sequence of

OVOLOOSGPELVRPGTSVKVSCKASGYAFTTYLVEWIKORPGOGLEWIGVINPGSGS

TNYNEKFKGKATLTVDRSSTTAYMHLSGLTSDDSAVYFCARYAYGYWGQGTTLTV SS (SEQ ID NO:277), and/or an antibody light chain variable (VL) domain comprising an amino acid sequence that is at least 85%, at least 86%, at least 87%, at least 89%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 99%, or 100% identical to the amino acid sequence of

DIVMTQSQKFMSASVGDRVSITCKASQNVGTAVAWYQQQPGHSPKQLIYSASNRYT

GVPDRFTGSGAGTDFTLTISNIQSEDLADYFCQQYSTYPFTFGSGTKLEIK (SEQ ID NO:278). In some embodiments, a binding site that binds CD38 comprises: an antibody heavy chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:277, and/or an antibody light chain variable (VL) domain comprising the amino acid sequence of SEQ ID NO:278. In some embodiments, a binding site that binds CD38 comprises: an antibody heavy chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:277, and an antibody light chain variable (VL) domain comprising the amino acid sequence of SEQ ID NO:278. In some embodiments, the VH and/or VL domains are humanized.

[0342] In some embodiments, a binding site that binds CD38 comprises: an antibody heavy chain variable (VH) domain comprising an amino acid sequence that is at least 85%, at least 86%, at least 87%, at least 88%, at least 89%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% identical to the amino acid sequence of

QVQLLQSGAELVRPGVSVKISCTGSGYSFTNYAVHWVKQSHVKSLEWIGVISPYYGD

TTYNQKFTGKATMTVDKSSSTAYMELARLTSEDSAIYFCARRFEGFYYSMDYWGQG TSVTVSS (SEQ ID NO:279), and/or an antibody light chain variable (VL) domain comprising an amino acid sequence that is at least 85%, at least 86%, at least 87%, at least 88%, at least 99%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 99%, or 100% identical to the amino acid sequence of

DVVMIQTPLSLPVSLGDQASISCRPSQSLVHSNGNTYLNWYLQRPGQSPKLLIYKVSK

RFSGVPDRFSGSGSGTDFTLKISRVEAEDLGVYLCSQSTHVPLTFGSGTQLEIK (SEQ ID NO:280). In some embodiments, a binding site that binds CD38 comprises: an antibody heavy chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:279, and/or an antibody light chain variable (VL) domain comprising the amino acid sequence of SEQ ID NO:280. In some embodiments, a binding site that binds CD38 comprises: an antibody heavy chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:279, and an antibody light chain variable (VL) domain comprising the amino acid sequence of SEQ ID NO:280. In some embodiments, the VH and/or VL domains are humanized.

[0343] In some embodiments of any of the above embodiments, the binding protein is a trispecific binding protein. In some embodiments, the trispecific binding protein comprising an antigen binding site that binds a CD38 polypeptide, an antigen binding site that binds a CD3 polypeptide. In some embodiments, the binding protein is a trispecific binding protein comprising four polypeptides comprising three antigen binding sites, wherein the polypeptide of formula I and the polypeptide of formula II form a cross-over light chain-heavy chain pair (e.g., as described herein). In some embodiments, the VH and VL domains of any of the anti-CD38 antigen binding sites described above represent V.sub.H3 and V.sub.L3 and form a third antigen binding site that binds a CD38 polypeptide. In some embodiments, V.sub.H1 and V.sub.L1 form a first antigen binding site that binds a CD28 polypeptide, V.sub.H2 and V.sub.L2 form a second antigen binding site that binds a CD3 polypeptide, and the VH and VL domains of any of the anti-CD38 antigen binding sites described above and/or in Table 2 represent V.sub.H3 and V.sub.L3 and form a third antigen binding site that binds a CD38 polypeptide.

[0344] Sequences of exemplary anti-CD38 antigen binding sites are provided in Table 2. In some embodiments, a binding protein comprising an anti-CD38 antigen binding site of the present disclosure comprises 1, 2, 3, 4, 5, or all 6 CDR sequences of an anti-CD38 antibody described in Table 2. In some embodiments, a binding protein comprising an anti-CD38 antigen binding site of the present disclosure comprises a VH domain sequence and/or VL domain sequence of an anti-CD38 antibody described in Table 2.

TABLE-US-00001 TABLE 2 Anti-CD38 binding protein sequences. Se- SEQ quence Descrip- ID Type Molecule tion NO Sequence CDR Anti-CD38 CDR-H1 13 GYTFTSYA (VH1) CDR-H2 14 IYPGQGGT CDR-H3 15 ARTGGLRRAYFTY CDR-L1 16 QSVSSYGQGF CDR-L2 17 GAS CDR-L3 18 QQNKEDPWT Anti-CD38 CDR-H1 19 GYTLTEFS (hhy992) CDR-H2 20 FDPEDGET CDR-H3 21 TTGRFFDWF CDR-L1 22 QSVISRF CDR-L2 23 GAS CDR-L3 24 QQDSNLPIT Anti-CD38 CDR-H1 25 GYAFTTYL (hyb5739) CDR-H2 26 INPGSGST CDR-H3 27 ARYAYGY

```
CDR-L1 28 QNVGTA CDR-L2 29 SAS CDR-L3 30 QQYSTYPFT Anti-CD38 CDR-H1 31 GYSFTNYA (hyb6284) CDR-
H2 32 ISPYYGDT CDR-H3 33 ARRFEGFYYSMDY CDR-L1 34 QSLVHSNGNTY CDR-L2 35 KVS CDR-L3 36
SQSTHVPLT Anti-CD38 CDR-H1 37 GFTFSSYG (hhy1195) CDR-H2 38 IWYDGSNK CDR-H3 39
ARDPGLRYFDGGMDV CDR-L1 40 QGISSY CDR-L2 41 AAS CDR-L3 42 QQLNSFPYT Anti-CD38 CDR-H1 43
GFTFSSYG (hhv1370) CDR-H2 44 IWYDGSNK CDR-H3 45 ARMFRGAFDY CDR-L1 46 OGIRND CDR-L2 47 AAS
CDR-L3 48 LQDYIYYPT Vari- CD38 VH 79 QVQLVQSGAEVVKPGASVKVSCKASG able VH1
YTFTSYAMHWVKEAPGQRLEWIGYIYP domain GQGGTNYNQKFQGRATLTADTSASTA
YMELSSLRSEDTAVYFCARTGGLRRAY FTYWGQGTLVTVSS VL 80 DIVLTQSPATLSLSPGERATISCRASQSV
SSYGQGFMHWYQQKPGQPPRLLIYGAS SRATGIPARFSGSGSGTDFTLTISPLEPED
FAVYYCQQNKEDPWTFGGGTKLEIK CD38 VH 81 QVQLVQSGAEVKKPGASVKVSCKVSG hhy992
YTLTEFSIHWVRQAPGQGLEWMGGFDP EDGETIYAQKFQGRVIMTEDTSTDTAY
MEMNSLRSEDTAIYYCTTGRFFDWFWG QGTLVTVSS VL 82 EIILTQSPAILSLSPGERATLSCRASQSVI
SRFLSWYQVKPGLAPRLLIYGASTRATG IPVRFSGSGSGTDFSLTISSLQPEDCAVY YCQQDSNLPITFGQGTRLEIK
CD38 VH 83 QVQLVQSGAEVKKPGASVKVSCKASG hu5739 YAFTTYLVEWIRQRPGQGLEWMGVINP
GSGSTNYAQKFQGRVTMTVDRSSTTAY MELSRLRSDDTAVYYCARYAYGYWGQ GTLVTVSS VL 84
DIQMTQSPSSLSASVGDRVTITCRASQN VGTAVAWYQQKPGKSPKQLIYSASNRY
TGVPSRFSGSGSGTDFTLTISSLQPEDLA TYYCQQYSTYPFTFGQGTKLEIK CD38 VH 85
OVOLVOSGAEVKKPGASVKVSCKASG hu6284 YSFTNYAVHWVROAPGOGLEWMGVIS
PYYGDTTYAQKFQGRVTMTVDKSSSTA YMELSRLRSDDTAVYYCARRFEGFYYS MDYWGQGTLVTVSS VL 86
DVVMTQSPLSLPVTLGQPASISCRPSQS LVHSNGNTYLNWYQQRPGQSPKLLIYK
VSKRFSGVPDRFSGSGSGTDFTLKISRV EAEDVGVYYCSQSTHVPLTFGGGTKVE IK CD38 VH 87
QVQLVESGGGVVQPGRSLRLSCAASGF hhy1195 TFSSYGMYWVRQAPGKGLEWVAVIWY
DGSNKYYADSVKGRFTISRDNSKNTLY LQMNSLRAEDTAVYHCARDPGLRYFD GGMDVWGQGTTVTVSS VL 88
DIQLTQSPSFLSASVGDRVTITCRASQGI SSYLAWYQQKPGKAPKLLIFAASTLHS
GVPSRFSGSGSGTEFTLTISSLQPEDFAT YYCQQLNSFPYTFGQGTKLEIK CD38 VH 89
QVQLVESGGGVVQPGRSLRLSCAASGF hhy1370 TFSSYGMHWVRQAPGKGLEWVAVIWY
DGSNKYYADSVKGRFTISGDNSKNTLY LQMNSLRAEDTAVYYCARMFRGAFDY WGQGTLVTVSS VL 90
AIQMTQSPSSLSASVGDRVTITCRASQGI RNDLGWYQQKPGKAPKLLIYAASSLQS
GVPSRFSGSGSGTDFTLTISGLQPEDSAT YYCLQDYIYYPTFGQGTKVEIK CD38 VH 277
QVQLQQSGPELVRPGTSVKVSCKASGY hyb5739 AFTTYLVEWIKQRPGQGLEWIGVINPGS
GSTNYNEKFKGKATLTVDRSSTTAYMH LSGLTSDDSAVYFCARYAYGYWGOGT TLTVSS VL 278
DIVMTQSQKFMSASVGDRVSITCKASQ NVGTAVAWYQQQPGHSPKQLIYSASNR
YTGVPDRFTGSGAGTDFTLTISNIQSEDL ADYFCQQYSTYPFTFGSGTKLEIK CD38 VH 279
OVOLLOSGAELVRPGVSVKISCTGSGYS hvb6284 FTNYAVHWVKOSHVKSLEWIGVISPYY
GDTTYNQKFTGKATMTVDKSSSTAYM ELARLTSEDSAIYFCARRFEGFYYSMDY WGQGTSVTVSS VL 280
DVVMIQTPLSLPVSLGDQASISCRPSQSL VHSNGNTYLNWYLQRPGQSPKLLIYKV
SKRFSGVPDRFSGSGSGTDFTLKISRVE AEDLGVYLCSQSTHVPLTFGSGTQLEIK
[0345] Further provided herein are antibodies (e.g., monospecific antibodies) comprising any of the anti-CD38 CDRs and/or
variable domains described supra.
[0346] In some embodiments, a binding protein of the present disclosure comprises an antigen binding site that binds an
extracellular domain of a human CD38 polypeptide and an extracellular domain of a cynomolgus monkey CD38 polypeptide.
Exemplary assays for determining whether an antigen binding site binds an antigen are described herein and known in the
art, including (without limitation) ELISA, SPR, and flow cytometry assays.
Anti-HER2 Binding Sites
[0347] Certain aspects of the present disclosure relate to binding proteins that comprise an antigen binding site that binds a
HER2 polypeptide. In some embodiments, the HER2 polypeptide is a human HER2 polypeptide, also known as NEU, NGL,
ERBB2, TKR1, CD340, HER-2, MLN19, and HER-2/neu. Human HER2 polypeptides are known in the art and include,
```

without limitation, the polypeptides represented by NCBI Accession Numbers XP 024306411.1, XP 024306410.1, XP 024306409.1, NP 001276867.1, NP 001276866.1, NP 001276865.1, NP 001005862.1, or NP 004439.2, or a polypeptide produced from NCBI Gene ID Number 2064. In some embodiments, a binding protein comprising an antigen binding site that binds a HER2 polypeptide is monospecific and/or monovalent, bispecific and/or bivalent, trispecific and/or trivalent, or multispecific and/or multivalent. In some embodiments, a binding protein that comprises an antigen binding site that binds a HER2 polypeptide is a trispecific binding protein comprising four polypeptides that form three antigen binding sites as described supra, wherein V.sub.H3 and V.sub.L3 domain pair that form a third antigen binding site that binds a HER2 polypeptide.

[0348] In some embodiments, a binding site that binds HER2 comprises: an antibody heavy chain variable (VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of GFNIKDTY (SEQ ID NO:1) or GFNIRDTY (SEQ ID NO:2), a CDR-H2 sequence comprising the amino acid sequence of IYPTNGYT (SEQ ID NO:3), IYPTQGYT (SEQ ID NO:4), or IYPTNAYT (SEQ ID NO:5), and a CDR-H3 sequence comprising the amino acid sequence of SRWGGDGFYAMDY (SEQ ID NO:6), SRWGGEGFYAMDY (SEQ ID NO:7), or SRWGGSGFYAMDY (SEQ ID NO:8); and/or an antibody light chain variable (VL) domain comprising a CDR-L1 sequence comprising the amino acid sequence of QDVNTA (SEQ ID NO:9) or QDVQTA (SEQ ID NO:10), a CDR-L2 sequence comprising the amino acid sequence of SAS (SEQ ID NO:11), and a CDR-L3 sequence comprising the amino acid sequence of QQHYTTP (SEQ ID NO:12). In some

embodiments, a binding site that binds HER2 comprises: an antibody heavy chain variable (VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of GFNIKDTY (SEQ ID NO:1) or GFNIRDTY (SEQ ID NO:2), a CDR-H2 sequence comprising the amino acid sequence of IYPTNGYT (SEQ ID NO:3), IYPTQGYT (SEQ ID NO:4), or IYPTNAYT (SEQ ID NO:5), and a CDR-H3 sequence comprising the amino acid sequence of SRWGGDGFYAMDY (SEQ ID NO:6), SRWGGEGFYAMDY (SEQ ID NO:7), or SRWGGSGFYAMDY (SEQ ID NO:8); and an antibody light chain variable (VL) domain comprising a CDR-L1 sequence comprising the amino acid sequence of QDVNTA (SEQ ID NO:10), a CDR-L2 sequence comprising the amino acid sequence of SAS (SEQ ID NO:11), and a CDR-L3 sequence comprising the amino acid sequence of QQHYTTP (SEQ ID NO:12).

[0349] In some embodiments, a binding site that binds HER2 comprises: an antibody heavy chain variable (VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of GFNIKDTY (SEQ ID NO:1), a CDR-H2 sequence comprising the amino acid sequence of IYPTNGYT (SEQ ID NO:3), and a CDR-H3 sequence comprising the amino acid sequence of SRWGGDGFYAMDY (SEQ ID NO:6); and/or an antibody light chain variable (VL) domain comprising a CDR-L1 sequence comprising the amino acid sequence of QDVNTA (SEQ ID NO:9), a CDR-L2 sequence comprising the amino acid sequence of SAS (SEQ ID NO:11), and a CDR-L3 sequence comprising the amino acid sequence of QQHYTTP (SEQ ID NO:12). In some embodiments, a binding site that binds HER2 comprises: an antibody heavy chain variable (VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of GFNIKDTY (SEQ ID NO:1), a CDR-H2 sequence comprising the amino acid sequence of IYPTNGYT (SEQ ID NO:3), and a CDR-H3 sequence comprising the amino acid sequence of QDVNTA (SEQ ID NO:9), a CDR-L2 sequence comprising a CDR-L1 sequence comprising the amino acid sequence of QDVNTA (SEQ ID NO:9), a CDR-L2 sequence comprising the amino acid sequence of SAS (SEQ ID NO:11), and a CDR-L3 sequence comprising the amino acid sequence of QDVNTA (SEQ ID NO:9), a CDR-L2 sequence comprising the amino acid sequence of QDVNTA (SEQ ID NO:9), a CDR-L2 sequence comprising the amino acid sequence comprising the ami

[0350] In some embodiments, a binding site that binds HER2 comprises: an antibody heavy chain variable (VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of GFNIRDTY (SEQ ID NO:2), a CDR-H2 sequence comprising the amino acid sequence of IYPTQGYT (SEQ ID NO:4), and a CDR-H3 sequence comprising the amino acid sequence of SRWGGEGFYAMDY (SEQ ID NO:7); and/or an antibody light chain variable (VL) domain comprising a CDR-L1 sequence comprising the amino acid sequence of SAS (SEQ ID NO:11), and a CDR-L3 sequence comprising the amino acid sequence of QHYTTP (SEQ ID NO:12). In some embodiments, a binding site that binds HER2 comprises: an antibody heavy chain variable (VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of GFNIRDTY (SEQ ID NO:2), a CDR-H2 sequence comprising the amino acid sequence of SRWGGEGFYAMDY (SEQ ID NO:7); and an antibody light chain variable (VL) domain comprising a CDR-L1 sequence comprising the amino acid sequence of QDVNTA (SEQ ID NO:9), a CDR-L2 sequence comprising the amino acid sequence of SAS (SEQ ID NO:11), and a CDR-L3 sequence comprising the amino acid sequence of QDVNTA (SEQ ID NO:9), a CDR-L2 sequence comprising the amino acid sequence of SAS (SEQ ID NO:11), and a CDR-L3 sequence comprising the amino acid sequence of QDVNTA (SEQ ID NO:9), a CDR-L2 sequence comprising the amino acid sequence of SAS (SEQ ID NO:11), and a CDR-L3 sequence comprising the amino acid sequence of QDVNTA (SEQ ID NO:9), a CDR-L2 sequence of QDVNTA (SEQ ID NO:12).

[0351] In some embodiments, a binding site that binds HER2 comprises: an antibody heavy chain variable (VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of GFNIRDTY (SEQ ID NO:2), a CDR-H2 sequence comprising the amino acid sequence of IYPTNAYT (SEQ ID NO:5), and a CDR-H3 sequence comprising the amino acid sequence of SRWGGSGFYAMDY (SEQ ID NO:8); and/or an antibody light chain variable (VL) domain comprising a CDR-L1 sequence comprising the amino acid sequence of QDVNTA (SEQ ID NO:9), a CDR-L2 sequence comprising the amino acid sequence of SAS (SEQ ID NO:11), and a CDR-L3 sequence comprising the amino acid sequence of QPHYTTP (SEQ ID NO:12). In some embodiments, a binding site that binds HER2 comprises: an antibody heavy chain variable (VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of GFNIRDTY (SEQ ID NO:2), a CDR-H2 sequence comprising the amino acid sequence of SRWGGSGFYAMDY (SEQ ID NO:8); and an antibody light chain variable (VL) domain comprising a CDR-L1 sequence comprising the amino acid sequence of QDVNTA (SEQ ID NO:9), a CDR-L2 sequence comprising the amino acid sequence of SAS (SEQ ID NO:11), and a CDR-L3 sequence comprising the amino acid sequence of QDVNTA (SEQ ID NO:9), a CDR-L2 sequence of QQHYTTP (SEQ ID NO:12).

[0352] In some embodiments, a binding site that binds HER2 comprises: an antibody heavy chain variable (VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of GFNIRDTY (SEQ ID NO:2), a CDR-H2 sequence comprising the amino acid sequence of IYPTQGYT (SEQ ID NO:4), and a CDR-H3 sequence comprising the amino acid sequence of SRWGGSGFYAMDY (SEQ ID NO:8); and/or an antibody light chain variable (VL) domain comprising a CDR-L1 sequence comprising the amino acid sequence of QDVNTA (SEQ ID NO:9), a CDR-L2 sequence comprising the amino acid sequence of SAS (SEQ ID NO:11), and a CDR-L3 sequence comprising the amino acid sequence of QPHYTTP (SEQ ID NO:12). In some embodiments, a binding site that binds HER2 comprises: an antibody heavy chain variable (VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of GFNIRDTY (SEQ ID NO:2), a CDR-H2 sequence comprising the amino acid sequence of SRWGGSGFYAMDY (SEQ ID NO:8); and an antibody light chain variable (VL) domain comprising a CDR-L1 sequence comprising the amino acid sequence of QDVNTA (SEQ ID NO:9), a CDR-L2 sequence comprising the amino acid sequence of SAS (SEQ ID NO:11), and a CDR-L3 sequence comprising the amino acid sequence of QDVNTA (SEQ ID NO:9), a CDR-L2 sequence of QQHYTTP (SEQ ID NO:12).

[0353] In some embodiments, a binding site that binds HER2 comprises: an antibody heavy chain variable (VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of GFNIRDTY (SEQ ID NO:2), a CDR-H2 sequence comprising the amino acid sequence comprising the amino acid

sequence of SRWGGEGFYAMDY (SEQ ID NO:7); and/or an antibody light chain variable (VL) domain comprising a CDR-L1 sequence comprising the amino acid sequence of QDVNTA (SEQ ID NO:9), a CDR-L2 sequence comprising the amino acid sequence of SAS (SEQ ID NO:11), and a CDR-L3 sequence comprising the amino acid sequence of QQHYTTP (SEQ ID NO:12). In some embodiments, a binding site that binds HER2 comprises: an antibody heavy chain variable (VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of GFNIRDTY (SEQ ID NO:2), a CDR-H2 sequence comprising the amino acid sequence of SRWGGEGFYAMDY (SEQ ID NO:7); and an antibody light chain variable (VL) domain comprising a CDR-L1 sequence comprising the amino acid sequence of QDVNTA (SEQ ID NO:9), a CDR-L2 sequence comprising the amino acid sequence of SAS (SEQ ID NO:11), and a CDR-L3 sequence comprising the amino acid sequence of QDVNTA (SEQ ID NO:9).

[0354] In some embodiments, a binding site that binds HER2 comprises: an antibody heavy chain variable (VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of GFNIKDTY (SEQ ID NO:1), a CDR-H2 sequence comprising the amino acid sequence of IYPTNGYT (SEQ ID NO:3), and a CDR-H3 sequence comprising the amino acid sequence of SRWGGDGFYAMDY (SEQ ID NO:6); and/or an antibody light chain variable (VL) domain comprising a CDR-L1 sequence comprising the amino acid sequence of QDVQTA (SEQ ID NO:10), a CDR-L2 sequence comprising the amino acid sequence of SAS (SEQ ID NO:11), and a CDR-L3 sequence comprising the amino acid sequence of QQHYTTP (SEQ ID NO:12). In some embodiments, a binding site that binds HER2 comprises: an antibody heavy chain variable (VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of GFNIKDTY (SEQ ID NO:1), a CDR-H2 sequence comprising the amino acid sequence of SRWGGDGFYAMDY (SEQ ID NO:6); and an antibody light chain variable (VL) domain comprising a CDR-L1 sequence comprising the amino acid sequence of QDVQTA (SEQ ID NO:10), a CDR-L2 sequence comprising the amino acid sequence of SAS (SEQ ID NO:11), and a CDR-L3 sequence comprising the amino acid sequence of QDVQTA (SEQ ID NO:10), a CDR-L2 sequence comprising the amino acid sequence of SAS (SEQ ID NO:11), and a CDR-L3 sequence comprising the amino acid sequence of QDVQTA (SEQ ID NO:10).

[0355] In some embodiments, a binding site that binds HER2 comprises: an antibody heavy chain variable (VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of GFNIRDTY (SEQ ID NO:2), a CDR-H2 sequence comprising the amino acid sequence of IYPTQGYT (SEQ ID NO:4), and a CDR-H3 sequence comprising the amino acid sequence of SRWGGEGFYAMDY (SEQ ID NO:7), and a CDR-H3 sequence comprising the amino acid sequence of SRWGGSGFYAMDY (SEQ ID NO:8); and/or an antibody light chain variable (VL) domain comprising a CDR-L1 sequence comprising the amino acid sequence of SAS (SEQ ID NO:11), and a CDR-L3 sequence comprising the amino acid sequence of QQHYTTP (SEQ ID NO:12). In some embodiments, a binding site that binds HER2 comprises: an antibody heavy chain variable (VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of GFNIRDTY (SEQ ID NO:2), a CDR-H2 sequence comprising the amino acid sequence of SRWGGEGFYAMDY (SEQ ID NO:7), and a CDR-H3 sequence comprising the amino acid sequence of SRWGGSGFYAMDY (SEQ ID NO:7), and a CDR-H3 sequence comprising a CDR-L1 sequence comprising the amino acid sequence of SAS (SEQ ID NO:8); and an antibody light chain variable (VL) domain comprising a CDR-L1 sequence comprising the amino acid sequence of QDVQTA (SEQ ID NO:10), a CDR-L2 sequence comprising the amino acid sequence of QDVQTA (SEQ ID NO:10), a CDR-L2 sequence comprising the amino acid sequence of QDVQTA (SEQ ID NO:10), a CDR-L2 sequence comprising the amino acid sequence of QDVQTA (SEQ ID NO:10), a CDR-L2 sequence comprising the amino acid sequence of QDVQTA (SEQ ID NO:10), a CDR-L2 sequence comprising the amino acid sequence of QDVQTA (SEQ ID NO:10), a CDR-L2 sequence comprising the amino acid sequence of QDVQTA (SEQ ID NO:10), a CDR-L2 sequence comprising the amino acid sequence of QDVQTA (SEQ ID NO:10), a CDR-L2 sequence comprising the amino acid sequence of QDVQTA (SEQ ID NO:11), and a CDR-L3 sequence comprising the amino acid sequence of QDVQTA (SEQ ID NO:11), and a CDR-L3 sequence co

[0356] In some embodiments, a binding site that binds HER2 comprises: an antibody heavy chain variable (VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of GFNIRDTY (SEQ ID NO:2), a CDR-H2 sequence comprising the amino acid sequence of IYPTNAYT (SEQ ID NO:5), and a CDR-H3 sequence comprising the amino acid sequence of SRWGGSGFYAMDY (SEQ ID NO:8); and/or an antibody light chain variable (VL) domain comprising a CDR-L1 sequence comprising the amino acid sequence of QDVQTA (SEQ ID NO:10), a CDR-L2 sequence comprising the amino acid sequence of SAS (SEQ ID NO:11), and a CDR-L3 sequence comprising the amino acid sequence of QPHYTTP (SEQ ID NO:12). In some embodiments, a binding site that binds HER2 comprises: an antibody heavy chain variable (VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of GFNIRDTY (SEQ ID NO:2), a CDR-H2 sequence comprising the amino acid sequence of SRWGGSGFYAMDY (SEQ ID NO:8); and an antibody light chain variable (VL) domain comprising a CDR-L1 sequence comprising the amino acid sequence of QDVQTA (SEQ ID NO:10), a CDR-L2 sequence comprising the amino acid sequence of SAS (SEQ ID NO:11), and a CDR-L3 sequence comprising the amino acid sequence of QQHYTTP (SEQ ID NO:12).

[0357] In some embodiments, a binding site that binds HER2 comprises: an antibody heavy chain variable (VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of GFNIRDTY (SEQ ID NO:2), a CDR-H2 sequence comprising the amino acid sequence of IYPTQGYT (SEQ ID NO:4), and a CDR-H3 sequence comprising the amino acid sequence of SRWGGSGFYAMDY (SEQ ID NO:8); and/or an antibody light chain variable (VL) domain comprising a CDR-L1 sequence comprising the amino acid sequence of QDVQTA (SEQ ID NO:10), a CDR-L2 sequence comprising the amino acid sequence of QHYTTP (SEQ ID NO:12). In some embodiments, a binding site that binds HER2 comprises: an antibody heavy chain variable (VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of GFNIRDTY (SEQ ID NO:2), a CDR-H2 sequence comprising the amino acid sequence of SRWGGSGFYAMDY (SEQ ID NO:8); and an antibody light chain variable (VL) domain comprising a CDR-L1 sequence comprising the amino acid sequence of QDVQTA (SEQ ID NO:10), a CDR-L2 sequence comprising the amino acid sequence of SAS (SEQ ID NO:11), and a CDR-L3 sequence comprising the amino acid sequence of QDVQTA (SEQ ID NO:10), a CDR-L2 sequence comprising the amino acid sequence of QDVQTA (SEQ ID NO:10), a CDR-L2 sequence comprising the amino acid sequence of QDVQTA (SEQ ID NO:10), a CDR-L2 sequence comprising the amino acid sequence of QDVQTA (SEQ ID NO:10), a CDR-L2 sequence comprising the amino acid sequence of QDVQTA (SEQ ID NO:10), a CDR-L2 sequence comprising the amino acid sequence of QDVQTA (SEQ ID NO:10), a CDR-L2 sequence comprising the amino acid sequence of QDVQTA (SEQ ID NO:10), a CDR-L2 sequence comprising the amino acid sequence of QDVQTA (SEQ ID NO:10), a CDR-L2 sequence comprising the amino acid sequence of QDVQTA (SEQ ID NO:10), a CDR-L2 sequence comprising the amino acid sequence of QDVQTA (SEQ ID NO:10), a CDR-L2 sequence comprising the amino acid sequence of QDVQTA (SEQ ID NO:10), a CDR-L2 sequence comprising the amino acid sequence of QDVQTA (SEQ ID NO:10).

ID NO:12).

[0358] In some embodiments, a binding site that binds HER2 comprises: an antibody heavy chain variable (VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of GFNIRDTY (SEQ ID NO:2), a CDR-H2 sequence comprising the amino acid sequence of IYPTNAYT (SEQ ID NO:5), and a CDR-H3 sequence comprising the amino acid sequence of SRWGGEGFYAMDY (SEQ ID NO:7); and/or an antibody light chain variable (VL) domain comprising a CDR-L1 sequence comprising the amino acid sequence of QDVQTA (SEQ ID NO:10), a CDR-L2 sequence comprising the amino acid sequence of SAS (SEQ ID NO:11), and a CDR-L3 sequence comprising the amino acid sequence of QPHYTTP (SEQ ID NO:12). In some embodiments, a binding site that binds HER2 comprises: an antibody heavy chain variable (VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of GFNIRDTY (SEQ ID NO:2), a CDR-H2 sequence comprising the amino acid sequence of IYPTNAYT (SEQ ID NO:5), and a CDR-H3 sequence comprising the amino acid sequence of SRWGGEGFYAMDY (SEQ ID NO:7); and an antibody light chain variable (VL) domain comprising a CDR-L1 sequence comprising the amino acid sequence of QDVQTA (SEQ ID NO:10), a CDR-L2 sequence comprising the amino acid sequence of SAS (SEQ ID NO:11), and a CDR-L3 sequence comprising the amino acid sequence of QDVQTA (SEQ ID NO:10).

[0359] In some embodiments, a binding site that binds HER2 comprises: an antibody heavy chain variable (VH) domain comprising an amino acid sequence that is at least 85%, at least 86%, at least 87%, at least 88%, at least 89%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% identical to the amino acid sequence of

EVQLVESGGGLVQPGGSLRLSCAASGFNIKDTYIHWVRQAPGKGLEWVARIYPTNG

YTRYADSVKGRFTISADTSKNTAYLQMNSLRAEDTAVYYCSRWGGDGFYAMDYW GQGTLVTVSS (SEQ ID NO:72), EVQLVESGGGLVQPGGSLRLSCAASGFNIRDTYIHWVRQAPGKGLEWVARIYPTQG

YTRYADSVKGRFTISADTSKNTAYLQMNSLRAEDTAVYYCSRWGGEGFYAMDYW GQGTLVTVSS (SEQ ID NO:73), EVQLVESGGGLVQPGGSLRLSCAASGFNIRDTYIHWVRQAPGKGLEWVARIYPTQG

YTRYADSVKGRFTISADTSKNTAYLQMNSLRAEDTAVYYCSRWGGSGFYAMDYW GQGTLVTVSS (SEQ ID NO:74), EVQLVESGGGLVQPGGSLRLSCAASGFNIRDTYIHWVRQAPGKGLEWVARIYPTNA

YTRYADSVKGRFTISADTSKNTAYLQMNSLRAEDTAVYYCSRWGGSGFYAMDYW GQGTLVTVSS (SEQ ID NO:75), or EVQLVESGGGLVQPGGSLRLSCAASGFNIRDTYIHWVRQAPGKGLEWVARIYPTNA

YTRYADSVKGRFTISADTSKNTAYLQMNSLRAEDTAVYYCSRWGGEGFYAMDYW GQGTLVTVSS (SEQ ID NO:76); and/or an antibody light chain variable (VL) domain comprising an amino acid sequence that is at least 85%, at least 86%, at least 87%, at least 88%, at least 89%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% identical to the amino acid sequence of

DIQMTQSPSSLSASVGDRVTITCRASQDVNTAVAWYQQKPGKAPKLLIYSASFLYSG

VPSRFSGSRSGTDFTLTISSLQPEDFATYYCQQHYTTPPTFGQGTKVEIK (SEQ ID NO:77) or

DIQMTQSPSSLSASVGDRVTITCRASQDVQTAVAWYQQKPGKAPKLLIYSASFLYSG

VPSRFSGSRSGTDFTLTISSLQPEDFATYYCQQHYTTPPTFGQGTKVEIK (SEQ ID NO:78). In some embodiments, a binding site that binds HER2 comprises: an antibody heavy chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:72, SEQ ID NO:73, SEQ ID NO:74, SEQ ID NO:75, or SEQ ID NO:76; and/or an antibody light chain variable (VL) domain comprising the amino acid sequence of SEQ ID NO:77 or SEQ ID NO:78. In some embodiments, a binding site that binds HER2 comprises: an antibody heavy chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:72, SEQ ID NO:73, SEQ ID NO:74, SEQ ID NO:75, or SEQ ID NO:76; and an antibody light chain variable (VL) domain comprising the amino acid sequence of SEQ ID NO:77 or SEQ ID NO:78.

[0360] In some embodiments, a binding site that binds HER2 comprises: an antibody heavy chain variable (VH) domain comprising an amino acid sequence that is at least 85%, at least 86%, at least 87%, at least 88%, at least 89%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% identical to the amino acid sequence of

EVQLVESGGGLVQPGGSLRLSCAASGFNIKDTYIHWVRQAPGKGLEWVARIYPTNG

YTRYADSVKGRFTISADTSKNTAYLQMNSLRAEDTAVYYCSRWGGDGFYAMDYW GQGTLVTVSS (SEQ ID NO:72), and/or an antibody light chain variable (VL) domain comprising an amino acid sequence that is at least 85%, at least 86%, at least 87%, at least 89%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 99%, or 100% identical to the amino acid sequence of DIQMTQSPSSLSASVGDRVTITCRASQDVNTAVAWYQQKPGKAPKLLIYSASFLYSG

VPSRFSGSRSGTDFTLTISSLQPEDFATYYCQQHYTTPPTFGQGTKVEIK (SEQ ID NO:77). In some embodiments, a binding site that binds HER2 comprises: an antibody heavy chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:72, and/or an antibody light chain variable (VL) domain comprising the amino acid sequence of SEQ ID NO:77. In some embodiments, a binding site that binds HER2 comprises: an antibody heavy chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:72, and an antibody light chain variable (VL) domain comprising the amino acid sequence of SEQ ID NO:77.

[0361] In some embodiments, a binding site that binds HER2 comprises: an antibody heavy chain variable (VH) domain comprising an amino acid sequence that is at least 85%, at least 86%, at least 87%, at least 88%, at least 89%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% identical to the amino acid sequence of

EVQLVESGGGLVQPGGSLRLSCAASGFNIRDTYIHWVRQAPGKGLEWVARIYPTQG

YTRYADSVKGRFTISADTSKNTAYLQMNSLRAEDTAVYYCSRWGGEGFYAMDYW GQGTLVTVSS (SEQ ID NO:73),

and/or an antibody light chain variable (VL) domain comprising an amino acid sequence that is at least 85%, at least 86%, at least 87%, at least 88%, at least 99%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 99%, or 100% identical to the amino acid sequence of

DIQMTQSPSSLSASVGDRVTITCRASQDVNTAVAWYQQKPGKAPKLLIYSASFLYSG

VPSRFSGSRSGTDFTLTISSLQPEDFATYYCQQHYTTPPTFGQGTKVEIK (SEQ ID NO:77). In some embodiments, a binding site that binds HER2 comprises: an antibody heavy chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:73, and/or an antibody light chain variable (VL) domain comprising the amino acid sequence of SEQ ID NO:77. In some embodiments, a binding site that binds HER2 comprises: an antibody heavy chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:73, and an antibody light chain variable (VL) domain comprising the amino acid sequence of SEQ ID NO:77.

[0362] In some embodiments, a binding site that binds HER2 comprises: an antibody heavy chain variable (VH) domain comprising an amino acid sequence that is at least 85%, at least 86%, at least 87%, at least 88%, at least 89%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% identical to the amino acid sequence of

EVQLVESGGGLVQPGGSLRLSCAASGFNIRDTYIHWVRQAPGKGLEWVARIYPTNA

YTRYADSVKGRFTISADTSKNTAYLQMNSLRAEDTAVYYCSRWGGSGFYAMDYW GQGTLVTVSS (SEQ ID NO:75), and/or an antibody light chain variable (VL) domain comprising an amino acid sequence that is at least 85%, at least 86%, at least 87%, at least 88%, at least 99%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 99%, or 100% identical to the amino acid sequence of

DIQMTQSPSSLSASVGDRVTITCRASQDVNTAVAWYQQKPGKAPKLLIYSASFLYSG

VPSRFSGSRSGTDFTLTISSLQPEDFATYYCQQHYTTPPTFGQGTKVEIK (SEQ ID NO:77). In some embodiments, a binding site that binds HER2 comprises: an antibody heavy chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:75, and/or an antibody light chain variable (VL) domain comprising the amino acid sequence of SEQ ID NO:77. In some embodiments, a binding site that binds HER2 comprises: an antibody heavy chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:75, and an antibody light chain variable (VL) domain comprising the amino acid sequence of SEQ ID NO:77.

[0363] In some embodiments, a binding site that binds HER2 comprises: an antibody heavy chain variable (VH) domain comprising an amino acid sequence that is at least 85%, at least 86%, at least 87%, at least 88%, at least 89%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% identical to the amino acid sequence of

EVOLVESGGGLVOPGGSLRLSCAASGFNIRDTYIHWVROAPGKGLEWVARIYPTOG

YTRYADSVKGRFTISADTSKNTAYLQMNSLRAEDTAVYYCSRWGGSGFYAMDYW GQGTLVTVSS (SEQ ID NO:74), and/or an antibody light chain variable (VL) domain comprising an amino acid sequence that is at least 85%, at least 86%, at least 87%, at least 88%, at least 99%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 99%, or 100% identical to the amino acid sequence of

DIQMTQSPSSLSASVGDRVTITCRASQDVNTAVAWYQQKPGKAPKLLIYSASFLYSG

VPSRFSGSRSGTDFTLTISSLQPEDFATYYCQQHYTTPPTFGQGTKVEIK (SEQ ID NO:77). In some embodiments, a binding site that binds HER2 comprises: an antibody heavy chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:74, and/or an antibody light chain variable (VL) domain comprising the amino acid sequence of SEQ ID NO:77. In some embodiments, a binding site that binds HER2 comprises: an antibody heavy chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:74, and an antibody light chain variable (VL) domain comprising the amino acid sequence of SEQ ID NO:77.

[0364] In some embodiments, a binding site that binds HER2 comprises: an antibody heavy chain variable (VH) domain comprising an amino acid sequence that is at least 85%, at least 86%, at least 87%, at least 88%, at least 89%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% identical to the amino acid sequence of

EVQLVESGGGLVQPGGSLRLSCAASGFNIRDTYIHWVRQAPGKGLEWVARIYPTNA

YTRYADSVKGRFTISADTSKNTAYLQMNSLRAEDTAVYYCSRWGGEGFYAMDYW GQGTLVTVSS (SEQ ID NO:76), and/or an antibody light chain variable (VL) domain comprising an amino acid sequence that is at least 85%, at least 86%, at least 87%, at least 88%, at least 99%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 99%, or 100% identical to the amino acid sequence of

DIQMTQSPSSLSASVGDRVTITCRASQDVNTAVAWYQQKPGKAPKLLIYSASFLYSG

VPSRFSGSRSGTDFTLTISSLQPEDFATYYCQQHYTTPPTFGQGTKVEIK (SEQ ID NO:77). In some embodiments, a binding site that binds HER2 comprises: an antibody heavy chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:76, and/or an antibody light chain variable (VL) domain comprising the amino acid sequence of SEQ ID NO:77. In some embodiments, a binding site that binds HER2 comprises: an antibody heavy chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:76, and an antibody light chain variable (VL) domain comprising the amino acid sequence of SEQ ID NO:77.

[0365] In some embodiments, a binding site that binds HER2 comprises: an antibody heavy chain variable (VH) domain comprising an amino acid sequence that is at least 85%, at least 86%, at least 87%, at least 88%, at least 89%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% identical to the amino acid sequence of

EVQLVESGGGLVQPGGSLRLSCAASGFNIKDTYIHWVRQAPGKGLEWVARIYPTNG

```
NO:72), and/or an antibody light chain variable (VL) domain comprising an amino acid sequence that is at least 85%, at least
86%, at least 87%, at least 88%, at least 89%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least
95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% identical to the amino acid sequence of
DIOMTOSPSSLSASVGDRVTITCRASODVOTAVAWYOOKPGKAPKLLIYSASFLYSG
VPSRFSGSRSGTDFTLTISSLQPEDFATYYCQQHYTTPPTFGQGTKVEIK (SEQ ID NO:78). In some embodiments, a
binding site that binds HER2 comprises: an antibody heavy chain variable (VH) domain comprising the amino acid sequence
of SEQ ID NO:72, and/or an antibody light chain variable (VL) domain comprising the amino acid sequence of SEQ ID
NO:78. In some embodiments, a binding site that binds HER2 comprises: an antibody heavy chain variable (VH) domain
comprising the amino acid sequence of SEQ ID NO:72, and an antibody light chain variable (VL) domain comprising the
amino acid sequence of SEQ ID NO:78.
[0366] In some embodiments, an anti-HER2 antigen binding site of the present disclosure comprises 1, 2, 3, 4, 5, or all 6
CDR sequences of anti-HER2 antibody trastuzumab, 30R/55Q/102E, 30R/56A/102S, 30R/55Q/102S, 30R/56A/102E, or
30Q. In some embodiments, an anti-HER2 antigen binding site of the present disclosure comprises a VH domain sequence
and/or VL domain sequence of anti-HER2 antibody trastuzumab, 30R/55Q/102E, 30R/56A/102S, 30R/55Q/102S,
30R/56A/102E, or 30Q.
[0367] Sequences of exemplary anti-HER2 antigen binding sites are provided in Table 3. In some embodiments, an anti-
HER2 antigen binding site of the present disclosure comprises 1, 2, 3, 4, 5, or all 6 CDR sequences of an anti-HER2 antibody
described in Table 3. In some embodiments, an anti-HER2 antigen binding site of the present disclosure comprises a VH
domain sequence and/or VL domain sequence of an anti-HER2 antibody described in Table 3.
TABLE-US-00002 TABLE 3 Anti-HER2 binding protein sequences. Sequence SEQ Type Molecule Description ID
NO Sequence CDR Anti-Her2 CDR-H1 1 GFNIKDTY (trastuzumab) (original) Heavy chain CDR-H1 2 GFNIRDTY
CDRs 30R CDR-H2 3 IYPTNGYT (original) CDR-H2 4 IYPTQGYT 55Q CDR-H2 5 IYPTNAYT 56A CDR-H3 6
SRWGGDGFYAMDY (original) CDR-H3 7 SRWGGEGFYAMDY 102E CDR-H3 8 SRWGGSGFYAMDY 102S Anti-Her2
CDR-L1 9 QDVNTA (trastuzumab) (original) Light chain CDR-L1 10 QDVQTA CDRs 30Q CDR-L2 11 SAS (original)
CDR-L3 12 QQHYTTP (original) Variable Anti-Her2 VH wt 72 EVQLVESGGGLVQPGGSLRLSCAASGF domain
Trastuzumab NIKDTYIHWVRQAPGKGLEWVARIYP and variant TNGYTRYADSVKGRFTISADTSKNTAY VH
LOMNSLRAEDTAVYYCSRWGGDGFY AMDYWGOGTLVTVSS VH 73 EVOLVESGGGLVOPGGSLRLSCAASGF
30R/55Q/102E NIRDTYIHWVRQAPGKGLEWVARIYPT QGYTRYADSVKGRFTISADTSKNTAYL
QMNSLRAEDTAVYYCSRWGGEGFYA MDYWGQGTLVTVSS VH 74 EVQLVESGGGLVQPGGSLRLSCAASGF
30R/55O/102S NIRDTYIHWVROAPGKGLEWVARIYPT OGYTRYADSVKGRFTISADTSKNTAYL
QMNSLRAEDTAVYYCSRWGGSGFYA MDYWGQGTLVTVSS VH 75 EVQLVESGGGLVQPGGSLRLSCAASGF
30R/56A/102S NIRDTYIHWVRQAPGKGLEWVARIYPT NAYTRYADSVKGRFTISADTSKNTAYL
OMNSLRAEDTAVYYCSRWGGSGFYA MDYWGOGTLVTVSS VH 76 EVOLVESGGGLVOPGGSLRLSCAASGF
30R/56A/102E NIRDTYIHWVRQAPGKGLEWVARIYPT NAYTRYADSVKGRFTISADTSKNTAYL
QMNSLRAEDTAVYYCSRWGGEGFYA MDYWGQGTLVTVSS Anti-Her2 VL wt 77
DIOMTOSPSSLSASVGDRVTITCRASO Trastuzumab DVNTAVAWYOOKPGKAPKLLIYSASF and
LYSGVPSRFSGSRSGTDFTLTISSLQPE VL DFATYYCQQHYTTPPTFGQGTKVEIK VL
DIQMTQSPSSLSASVGDRVTITCRASQ DVQTAVAWYQQKPGKAPKLLIYSASF
LYSGVPSRFSGSRSGTDFTLTISSLQPE DFATYYCQQHYTTPPTFGQGTKVEIK
Other Anti-Tumor Target Binding Sites
[0368] In some embodiments, a binding protein of the present disclosures comprises an antigen binding site that binds a
tumor target protein. In some embodiments, the tumor target protein is a CD38 polypeptide (e.g., a human CD38
polypeptide). In some embodiments, the tumor target protein is a HER2 polypeptide (e.g., a human HER2 polypeptide). In
some embodiments, a tumor target protein of the present disclosure includes, without limitation, A2AR, APRIL, ATPDase,
BAFF, BAFFR, BCMA, BlyS, BTK, BTLA, B7DC, B7H1, B7H4 (also known as VTCN1), B7H5, B7H6, B7H7, B7RP1,
B7-4, C3, C5, CCL2 (also known as MCP-1), CCL3 (also known as MIP-1a), CCL4 (also known as MIP-1b), CCL5 (also
known as RANTES), CCL7 (also known as MCP-3), CCL8 (also known as mcp-2), CCL11 (also known as eotaxin), CCL15
(also known as MIP-1d), CCL17 (also known as TARC), CCL19 (also known as MIP-3b), CCL20 (also known as MIP-3a),
CCL21 (also known as MIP-2), CCL24 (also known as MPIF-2/eotaxin-2), CCL25 (also known as TECK), CCL26 (also
known as eotaxin-3), CCR3, CCR4, CD3, CD19, CD20, CD23 (also known as FCER2, a receptor for IgE), CD24, CD27,
CD28, CD38, CD39, CD40, CD70, CD80 (also known as B7-1), CD86 (also known as B7-2), CD122, CD137 (also known
as 41BB), CD137L, CD152 (also known as CTLA4), CD154 (also known as CD40L), CD160, CD272, CD273 (also known
as PDL2), CD274 (also known as PDL1), CD275 (also known as B7H2), CD276 (also known as B7H3), CD278 (also known
as ICOS), CD279 (also known as PD-1), CDH1 (also known as E-cadherin), chitinase, CLEC9, CLEC91, CRTH2, CSF-1
(also known as M-CSF), CSF-2 (also known as GM-CSF), CSF-3 (also known as GCSF), CX3CL1 (also known as SCYD1),
CXCL12 (also known as SDF1), CXCL13, CXCR3, DNGR-1, ectonucleoside triphosphate diphosphohydrolase 1, EGFR,
ENTPD1, FCER1A, FCER1, FLAP, FOLH1, Gi24, GITR, GITRL, GM-CSF, Her2, HHLA2, HMGB1, HVEM, ICOSLG,
IDO, IFNα, IgE, IGF1R, IL2Rbeta, IL1, IL1A, IL1B, IL1F10, IL2, IL4, IL4Ra, IL5, IL5R, IL6, IL7, IL7Ra, IL8, IL9, IL9R,
IL10, rhIL10, IL12, IL13, IL13Ra1, IL13Ra2, IL15, IL17, IL17Rb (also known as a receptor for IL25), IL18, IL22, IL23,
IL25, IL27, IL33, IL35, ITGB4 (also known as b4 integrin), ITK, KIR, LAG3, LAMP1, leptin, LPFS2, MHC class II, MUC-
1, NCR3LG1, NKG2D, NTPDase-1, OX40, OX40L, PD-1H, platelet receptor, PROM1, S152, SISP1, SLC, SPG64, ST2
```

(also known as a receptor for IL33), STEAP2, Syk kinase, TACI, TDO, T14, TIGIT, TIM3, TLR, TLR2, TLR4, TLR5,

YTRYADSVKGRFTISADTSKNTAYLQMNSLRAEDTAVYYCSRWGGDGFYAMDYW GQGTLVTVSS (SEQ ID

TLR9, TMEF1, TNFa, TNFRSF7, Tp55, TREM1, TSLP (also known as a co-receptor for IL7Ra), TSLPR, TWEAK, VEGF, VISTA, Vstm3, WUCAM, and XCR1 (also known as GPR5/CCXCR1). In some embodiments, one or more of the above antigen targets are human antigen targets.

Anti-CD28 Binding Sites

[0369] Certain aspects of the present disclosure relate to binding proteins that comprise an antigen binding site that binds a CD28 polypeptide. In some embodiments, the CD28 polypeptide is a human CD28 polypeptide, also known as Tp44. Human CD28 polypeptides are known in the art and include, without limitation, the polypeptides represented by NCBI Accession Numbers XP_011510499.1, XP_011510497.1, XP_011510496.1, NP_001230007.1, NP_001230006.1, or NP_006130.1, or a polypeptide produced from NCBI Gene ID Number 940. In some embodiments, a binding protein comprising an antigen binding site that binds a CD28 polypeptide is monospecific and/or monovalent, bispecific and/or bivalent, trispecific and/or trivalent, or multispecific and/or multivalent. In some embodiments, a binding protein that comprises an antigen binding site that binds a CD28 polypeptide is a trispecific binding protein comprising four polypeptides that form three antigen binding sites. In some embodiments, a binding protein that comprises an antigen binding site that binds a CD28 polypeptide is a trispecific binding protein comprising four polypeptides that form three antigen binding sites, one of which binds a CD28 polypeptide, and one of which binds a CD3 polypeptide. In some embodiments, a binding protein that comprises an antigen binding site that binds a CD3 polypeptide is a trispecific binding protein comprising four polypeptides that form three antigen binding sites, one of which binds a CD28 polypeptide, one of which binds a CD3 polypeptide, and one of which binds a CD38 polypeptide. In some embodiments, a binding protein that comprises an antigen binding site that binds a CD3 polypeptide is a trispecific binding protein comprising four polypeptides that form three antigen binding sites, one of which binds a CD28 polypeptide, one of which binds a CD3 polypeptide, and one of which binds a HER2 polypeptide. In some embodiments, a binding protein that comprises an antigen binding site that binds a CD3 polypeptide is a trispecific binding protein comprising four polypeptides that form three antigen binding sites, one of which binds a CD28 polypeptide, one of which binds a CD3 polypeptide, and one of which binds a tumor target protein.

[0370] In some embodiments, a binding site that binds CD28 comprises: an antibody heavy chain variable (VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of GYTFTSYY (SEQ ID NO:49), a CDR-H2 sequence comprising the amino acid sequence of IYPGNVNT (SEQ ID NO:50), and a CDR-H3 sequence comprising the amino acid sequence of TRSHYGLDWNFDV (SEQ ID NO:51) and/or an antibody light chain variable (VL) domain comprising a CDR-L1 sequence comprising the amino acid sequence of QNIYVW (SEQ ID NO:52), a CDR-L2 sequence comprising the amino acid sequence of QQGQTYPY (SEQ ID NO:54). In some embodiments, a binding site that binds CD28 comprises: an antibody heavy chain variable (VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of GYTFTSYY (SEQ ID NO:49), a CDR-H2 sequence comprising the amino acid sequence of IYPGNVNT (SEQ ID NO:50), and a CDR-H3 sequence comprising the amino acid sequence of TRSHYGLDWNFDV (SEQ ID NO:51); and an antibody light chain variable (VL) domain comprising a CDR-L1 sequence comprising the amino acid sequence of QNIYVW (SEQ ID NO:52), a CDR-L2 sequence comprising the amino acid sequence of KAS (SEQ ID NO:53), and a CDR-L3 sequence comprising the amino acid sequence of QQGQTYPY (SEQ ID NO:54).

[0371] In some embodiments, a binding site that binds CD28 comprises: an antibody heavy chain variable (VH) domain comprising an amino acid sequence that is at least 85%, at least 86%, at least 87%, at least 88%, at least 89%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% identical to the amino acid sequence of

QVQLVQSGAEVVKPGASVKVSCKASGYTFTSYYIHWVRQAPGQGLEWIGSIYPGNV

NTNYAQKFQGRATLTVDTSISTAYMELSRLRSDDTAVYYCTRSHYGLDWNFDVWG KGTTVTVSS (SEQ ID NO:91), and/or an antibody light chain variable (VL) domain comprising an amino acid sequence that is at least 85%, at least 86%, at least 87%, at least 88%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% identical to the amino acid sequence of

DIQMTQSPSSLSASVGDRVTITCQASQNIYVWLNWYQQKPGKAPKLLIYKASNLHTG

VPSRFSGSGSGTDFTLTISSLQPEDIATYYCQQGQTYPYTFGQGTKLEIK (SEQ ID NO:92). In some embodiments, a binding site that binds CD28 comprises: an antibody heavy chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:91, and/or an antibody light chain variable (VL) domain comprising the amino acid sequence of SEQ ID NO:92. In some embodiments, a binding site that binds CD28 comprises: an antibody heavy chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:91, and an antibody light chain variable (VL) domain comprising the amino acid sequence of SEQ ID NO:92.

[0372] In some embodiments of any of the above embodiments, the binding protein is a trispecific binding protein. In some embodiments, the trispecific binding protein comprising an antigen binding site that binds a tumor target protein (including, without limitation, CD38 or HER2), an antigen binding site that binds a CD28 polypeptide, and an antigen binding site that binds a CD3 polypeptide. In some embodiments, the binding protein is a trispecific binding protein comprising four polypeptides comprising three antigen binding sites, wherein the polypeptide of formula I and the polypeptide of formula II form a cross-over light chain-heavy chain pair (e.g., as described herein). In some embodiments, the VH and VL domains of any of the anti-CD28 antigen binding site that binds a CD28 polypeptide. In some embodiments, the VH and VL domains of any of the anti-CD28 antigen binding sites described above and/or in Table 4 represent V.sub.H1 and V.sub.L1 and form a first antigen binding site that binds a CD28 polypeptide, V.sub.H2 and V.sub.L2 form a second antigen binding site that binds a CD3 polypeptide, and V.sub.H3 and V.sub.L3 and form a third antigen binding site that binds a tumor target protein (including, without limitation, CD38 or

HER2).

[0373] Sequences of exemplary anti-CD28 antigen binding sites are provided in Table 4. In some embodiments, an anti-CD28 antigen binding site of the present disclosure comprises 1, 2, 3, 4, 5, or all 6 CDR sequences of an anti-CD28 antibody described in Table 4. In some embodiments, an anti-CD28 antigen binding site of the present disclosure comprises a VH domain sequence and/or VL domain sequence of an anti-CD28 antibody described in Table 4.

TABLE-US-00003 TABLE 4 Anti-CD28 binding protein sequences. Sequence SEQ Type Molecule Description ID NO Sequence CDR Anti-CD28 CDR-H1 49 GYTFTSYY (sup) CDR-H2 50 IYPGNVNT CDR-H3 51 TRSHYGLDWNFDV CDR-L1 52 QNIYVW CDR-L2 53 KAS CDR-L3 54 QQGQTYPY Variable Anti-CD28 VH 91

QVQLVQSGAEVVKPGASVKVSCKASGYT domain (sup) FTSYYIHWVRQAPGQGLEWIGSIYPGNVN TNYAQKFQGRATLTVDTSISTAYMELSRL RSDDTAVYYCTRSHYGLDWNFDVWGKG TTVTVSS VL 92 DIQMTQSPSSLSASVGDRVTITCQASQNIY VWLNWYQQKPGKAPKLLIYKASNLHTGV

PSRFSGSGSGTDFTLTISSLQPEDIATYYCQ QGQTYPYTFGQGTKLEIK

Anti-CD3 Binding Sites

[0374] Certain aspects of the present disclosure relate to binding proteins that comprise an antigen binding site that binds a CD3 polypeptide. In some embodiments, the CD3 polypeptide is a human CD3 polypeptide, including CD3-delta (also known as T3D, IMD19, and CD3-DELTA), CD3-epsilon (also known as T3E, IMD18, and TCRE), and CD3-gamma (also known as T3G, IMD17, and CD3-GAMMA). Human CD3 polypeptides are known in the art and include, without limitation, the polypeptides represented by NCBI Accession Numbers XP 006510029.1 or NP 031674.1, or a polypeptide produced from NCBI Gene ID Numbers 915, 916, or 917. In some embodiments, a binding protein comprising an antigen binding site that binds a CD3 polypeptide is monospecific and/or monovalent, bispecific and/or bivalent, trispecific and/or trivalent, or multispecific and/or multivalent. In some embodiments, a binding protein that comprises an antigen binding site that binds a CD3 polypeptide is a trispecific binding protein comprising four polypeptides that form three antigen binding sites. In some embodiments, a binding protein that comprises an antigen binding site that binds a CD3 polypeptide is a trispecific binding protein comprising four polypeptides that form three antigen binding sites, one of which binds a CD28 polypeptide, and one of which binds a CD3 polypeptide. In some embodiments, a binding protein that comprises an antigen binding site that binds a CD3 polypeptide is a trispecific binding protein comprising four polypeptides that form three antigen binding sites, one of which binds a CD28 polypeptide, one of which binds a CD3 polypeptide, and one of which binds a CD38 polypeptide. In some embodiments, a binding protein that comprises an antigen binding site that binds a CD3 polypeptide is a trispecific binding protein comprising four polypeptides that form three antigen binding sites, one of which binds a CD28 polypeptide, one of which binds a CD3 polypeptide, and one of which binds a HER2 polypeptide. In some embodiments, a binding protein that comprises an antigen binding site that binds a CD3 polypeptide is a trispecific binding protein comprising four polypeptides that form three antigen binding sites, one of which binds a CD28 polypeptide, one of which binds a CD3 polypeptide, and one of which binds a tumor target protein.

[0375] In some embodiments, a binding site that binds CD3 comprises: an antibody heavy chain variable (VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of GFTFTKAW (SEQ ID NO:55), a CDR-H2 sequence comprising the amino acid sequence of IKDKSNSYAT (SEQ ID NO:56), and a CDR-H3 sequence comprising the amino acid sequence of RGVYYALSPFDY (SEQ ID NO:57); and/or an antibody light chain variable (VL) domain comprising a CDR-L1 sequence comprising the amino acid sequence of QSLVHX.sub.1NX.sub.2X.sub.3TY, wherein X.sub.1 is E or Q, X.sub.2 is A or L, and X.sub.3 is Q, R, or F (SEQ ID NO:180), a CDR-L2 sequence comprising the amino acid sequence of KVS (SEQ ID NO:64), and a CDR-L3 sequence comprising the amino acid sequence of GQGTQYPFT (SEQ ID NO:65). In some embodiments, the CDR-L1 sequence of the V.sub.L2 domain comprises an amino acid sequence selected from the group consisting of QSLVHQNAQTY (SEQ ID NO:59), QSLVHENLQTY (SEQ ID NO:60), QSLVHENLFTY (SEQ ID NO:61), and QSLVHENLRTY (SEQ ID NO:62).

[0376] In some embodiments, a binding site that binds CD3 comprises: an antibody heavy chain variable (VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of GFTFTKAW (SEQ ID NO:55), a CDR-H2 sequence comprising the amino acid sequence of IKDKSNSYAT (SEQ ID NO:56), and a CDR-H3 sequence comprising the amino acid sequence of RGVYYALSPFDY (SEQ ID NO:57); and/or an antibody light chain variable (VL) domain comprising a CDR-L1 sequence comprising the amino acid sequence of QSLVHQNAQTY (SEQ ID NO:59), a CDR-L2 sequence comprising the amino acid sequence of KVS (SEQ ID NO:64), and a CDR-L3 sequence comprising the amino acid sequence of GQGTQYPFT (SEQ ID NO:65). In some embodiments, a binding site that binds CD3 comprises: an antibody heavy chain variable (VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of GFTFTKAW (SEQ ID NO:55), a CDR-H2 sequence comprising the amino acid sequence of IKDKSNSYAT (SEQ ID NO:56), and a CDR-H3 sequence comprising the amino acid sequence of RGVYYALSPFDY (SEQ ID NO:57); and an antibody light chain variable (VL) domain comprising a CDR-L1 sequence comprising the amino acid sequence of QSLVHQNAQTY (SEQ ID NO:59), a CDR-L2 sequence comprising the amino acid sequence of KVS (SEQ ID NO:64), and a CDR-L3 sequence comprising the amino acid sequence of GQGTQYPFT (SEQ ID NO:65).

[0377] In some embodiments, a binding site that binds CD3 comprises: an antibody heavy chain variable (VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of GFTFTKAW (SEQ ID NO:55), a CDR-H2 sequence comprising the amino acid sequence of IKDKSNSYAT (SEQ ID NO:56), and a CDR-H3 sequence comprising the amino acid sequence of RGVYYALSPFDY (SEQ ID NO:57); and/or an antibody light chain variable (VL) domain comprising a CDR-L1 sequence comprising the amino acid sequence of QSLVHENLQTY (SEQ ID NO:60), a CDR-L2 sequence comprising the amino acid sequence of KVS (SEQ ID NO:64), and a CDR-L3 sequence comprising the amino acid sequence of GQGTQYPFT (SEQ ID NO:65). In some embodiments, a binding site that binds CD3 comprises: an antibody heavy chain

variable (VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of GFTFTKAW (SEQ ID NO:55), a CDR-H2 sequence comprising the amino acid sequence of IKDKSNSYAT (SEQ ID NO:56), and a CDR-H3 sequence comprising the amino acid sequence of RGVYYALSPFDY (SEQ ID NO:57); and an antibody light chain variable (VL) domain comprising a CDR-L1 sequence comprising the amino acid sequence of QSLVHENLQTY (SEQ ID NO:60), a CDR-L2 sequence comprising the amino acid sequence of KVS (SEQ ID NO:64), and a CDR-L3 sequence comprising the amino acid sequence of GQGTQYPFT (SEQ ID NO:65).

[0378] In some embodiments, a binding site that binds CD3 comprises: an antibody heavy chain variable (VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of GFTFTKAW (SEQ ID NO:55), a CDR-H2 sequence comprising the amino acid sequence of IKDKSNSYAT (SEQ ID NO:56), and a CDR-H3 sequence comprising the amino acid sequence of RGVYYALSPFDY (SEQ ID NO:57); and/or an antibody light chain variable (VL) domain comprising a CDR-L1 sequence comprising the amino acid sequence of QSLVHENLFTY (SEQ ID NO:61), a CDR-L2 sequence comprising the amino acid sequence of GQGTQYPFT (SEQ ID NO:65). In some embodiments, a binding site that binds CD3 comprises: an antibody heavy chain variable (VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of GFTFTKAW (SEQ ID NO:55), a CDR-H2 sequence comprising the amino acid sequence of IKDKSNSYAT (SEQ ID NO:56), and a CDR-H3 sequence comprising the amino acid sequence of RGVYYALSPFDY (SEQ ID NO:57); and an antibody light chain variable (VL) domain comprising a CDR-L1 sequence comprising the amino acid sequence of QSLVHENLFTY (SEQ ID NO:61), a CDR-L2 sequence comprising the amino acid sequence of KVS (SEQ ID NO:64), and a CDR-L3 sequence comprising the amino acid sequence of GQGTQYPFT (SEQ ID NO:65).

[0379] In some embodiments, a binding site that binds CD3 comprises: an antibody heavy chain variable (VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of GFTFTKAW (SEQ ID NO:55), a CDR-H2 sequence comprising the amino acid sequence of IKDKSNSYAT (SEQ ID NO:56), and a CDR-H3 sequence comprising the amino acid sequence of RGVYYALSPFDY (SEQ ID NO:57); and/or an antibody light chain variable (VL) domain comprising a CDR-L1 sequence comprising the amino acid sequence of QSLVHENLRTY (SEQ ID NO:62), a CDR-L2 sequence comprising the amino acid sequence of KVS (SEQ ID NO:64), and a CDR-L3 sequence comprising the amino acid sequence of GQGTQYPFT (SEQ ID NO:65). In some embodiments, a binding site that binds CD3 comprises: an antibody heavy chain variable (VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of GFTFTKAW (SEQ ID NO:55), a CDR-H2 sequence comprising the amino acid sequence of IKDKSNSYAT (SEQ ID NO:56), and a CDR-H3 sequence comprising the amino acid sequence of RGVYYALSPFDY (SEQ ID NO:57); and an antibody light chain variable (VL) domain comprising a CDR-L1 sequence comprising the amino acid sequence of QSLVHENLRTY (SEQ ID NO:62), a CDR-L2 sequence comprising the amino acid sequence of KVS (SEQ ID NO:64), and a CDR-L3 sequence comprising the amino acid sequence of GQGTQYPFT (SEQ ID NO:65).

[0380] In some embodiments, a binding site that binds CD3 comprises: an antibody heavy chain variable (VH) domain comprising an amino acid sequence that is at least 85%, at least 86%, at least 87%, at least 88%, at least 89%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% identical to the amino acid sequence of

QVQLVESGGGVVQPGRSLRLSCAASGFTFTKAWMHWVRQAPGKQLEWVAQIKDKS

NSYATYYADSVKGRFTISRDDSKNTLYLQMNSLRAEDTAVYYCRGVYYALSPFDY WGQGTLVTVSS (SEQ ID NO:93), and/or an antibody light chain variable (VL) domain comprising an amino acid sequence that is at least 85%, at least 86%, at least 87%, at least 88%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 99%, or 100% identical to an amino acid sequence selected from the group consisting of DIVMTQTPLSLSVTPGQPASISCKSSQSLVHQNAQTYLSWYLQKPGQSPQSLIYKVSN RFSGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCGQGTQYPFTFGSGTKVEIK (SEQ ID NO:95), DIVMTQTPLSLSVTPGQPASISCKSSQSLVHENLQTYLSWYLQKPGQSPQSLIYKVSN RFSGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCGQGTQYPFTFGSGTKVEIK (SEQ ID NO:96),

DIVMTQTPLSLSVTPGQPASISCKSSQSLVHENLFTYLSWYLQKPGQSPQSLIYKVSNR

FSGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCGQGTQYPFTFGSGTKVEIK (SEQ ID NO:97), and

DIVMTQTPLSLSVTPGQPASISCKSSQSLVHENLRTYLSWYLQKPGQSPQSLIYKVSN

RFSGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCGQGTQYPFTFGSGTKVEIK (SEQ ID NO:98). In some embodiments, a binding site that binds CD3 comprises: an antibody heavy chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:93, and/or an antibody light chain variable (VL) domain comprising an amino acid sequence selected from the group consisting of SEQ ID NO:95, SEQ ID NO:96, SEQ ID NO:97, and SEQ ID NO:98. In some embodiments, a binding site that binds CD3 comprises: an antibody heavy chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:93, and an antibody light chain variable (VL) domain comprising an amino acid sequence selected from the group consisting of SEQ ID NO:95, SEQ ID NO:96, SEQ ID NO:97, and SEQ ID NO:98.

[0381] In some embodiments, a binding site that binds CD3 comprises: an antibody heavy chain variable (VH) domain comprising an amino acid sequence that is at least 85%, at least 86%, at least 87%, at least 88%, at least 89%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% identical to the amino acid sequence of

QVQLVESGGGVVQPGRSLRLSCAASGFTFTKAWMHWVRQAPGKQLEWVAQIKDKS

NSYATYYADSVKGRFTISRDDSKNTLYLQMNSLRAEDTAVYYCRGVYYALSPFDY WGQGTLVTVSS (SEQ ID NO:93), and/or an antibody light chain variable (VL) domain comprising an amino acid sequence that is at least 85%, at least 86%, at least 87%, at least 89%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least

95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% identical to the amino acid sequence of

DIVMTQTPLSLSVTPGQPASISCKSSQSLVHQNAQTYLSWYLQKPGQSPQSLIYKVSN

RFSGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCGQGTQYPFTFGSGTKVEIK (SEQ ID NO:95). In some embodiments, a binding site that binds CD3 comprises: an antibody heavy chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:93, and/or an antibody light chain variable (VL) domain comprising the amino acid sequence of SEQ ID NO:95. In some embodiments, a binding site that binds CD3 comprises: an antibody heavy chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:93, and an antibody light chain variable (VL) domain comprising the amino acid sequence of SEQ ID NO:95.

[0382] In some embodiments, a binding site that binds CD3 comprises: an antibody heavy chain variable (VH) domain comprising an amino acid sequence that is at least 85%, at least 86%, at least 87%, at least 88%, at least 89%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% identical to the amino acid sequence of

QVQLVESGGGVVQPGRSLRLSCAASGFTFTKAWMHWVRQAPGKQLEWVAQIKDKS

NSYATYYADSVKGRFTISRDDSKNTLYLQMNSLRAEDTAVYYCRGVYYALSPFDY WGQGTLVTVSS (SEQ ID

NO:93), and/or an antibody light chain variable (VL) domain comprising an amino acid sequence that is at least 85%, at least 86%, at least 87%, at least 88%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 99%, or 100% identical to the amino acid sequence of DIVMTOTPLSLSVTPGOPASISCKSSOSLVHENLOTYLSWYLOKPGOSPOSLIYKVSN

RFSGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCGQGTQYPFTFGSGTKVEIK (SEQ ID NO:96). In some embodiments, a binding site that binds CD3 comprises: an antibody heavy chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:93, and/or an antibody light chain variable (VL) domain comprising the amino acid sequence of SEQ ID NO:96. In some embodiments, a binding site that binds CD3 comprises: an antibody heavy chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:93, and an antibody light chain variable (VL) domain comprising the amino acid sequence of SEQ ID NO:96.

[0383] In some embodiments, a binding site that binds CD3 comprises: an antibody heavy chain variable (VH) domain comprising an amino acid sequence that is at least 85%, at least 86%, at least 87%, at least 88%, at least 89%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% identical to the amino acid sequence of

QVQLVESGGGVVQPGRSLRLSCAASGFTFTKAWMHWVRQAPGKQLEWVAQIKDKS

NSYATYYADSVKGRFTISRDDSKNTLYLQMNSLRAEDTAVYYCRGVYYALSPFDY WGQGTLVTVSS (SEQ ID

NO:93), and/or an antibody light chain variable (VL) domain comprising an amino acid sequence that is at least 85%, at least 86%, at least 87%, at least 88%, at least 99%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% identical to the amino acid sequence of

DIVMTQTPLSLSVTPGQPASISCKSSQSLVHENLFTYLSWYLQKPGQSPQSLIYKVSNR

FSGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCGQGTQYPFTFGSGTKVEIK (SEQ ID NO:97). In some embodiments, a binding site that binds CD3 comprises: an antibody heavy chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:93, and/or an antibody light chain variable (VL) domain comprising the amino acid sequence of SEQ ID NO:97. In some embodiments, a binding site that binds CD3 comprises: an antibody heavy chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:93, and an antibody light chain variable (VL) domain comprising the amino acid sequence of SEQ ID NO:97.

[0384] In some embodiments, a binding site that binds CD3 comprises: an antibody heavy chain variable (VH) domain comprising an amino acid sequence that is at least 85%, at least 86%, at least 87%, at least 88%, at least 89%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% identical to the amino acid sequence of

QVQLVESGGGVVQPGRSLRLSCAASGFTFTKAWMHWVRQAPGKQLEWVAQIKDKS

NSYATYYADSVKGRFTISRDDSKNTLYLQMNSLRAEDTAVYYCRGVYYALSPFDY WGQGTLVTVSS (SEQ ID

NO:93), and/or an antibody light chain variable (VL) domain comprising an amino acid sequence that is at least 85%, at least 86%, at least 87%, at least 88%, at least 99%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% identical to the amino acid sequence of

DIVMTQTPLSLSVTPGQPASISCKSSQSLVHENLRTYLSWYLQKPGQSPQSLIYKVSN

RFSGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCGQGTQYPFTFGSGTKVEIK (SEQ ID NO:98). In some embodiments, a binding site that binds CD3 comprises: an antibody heavy chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:93, and/or an antibody light chain variable (VL) domain comprising the amino acid sequence of SEQ ID NO:98. In some embodiments, a binding site that binds CD3 comprises: an antibody heavy chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:93, and an antibody light chain variable (VL) domain comprising the amino acid sequence of SEQ ID NO:98.

[0385] In some embodiments, a binding site that binds CD3 comprises: an antibody heavy chain variable (VH) domain comprising an amino acid sequence that is at least 85%, at least 86%, at least 87%, at least 88%, at least 89%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% identical to the amino acid sequence of

QVQLVESGGGVVQPGRSLRLSCAASGFTFTKAWMHWVRQAPGKQLEWVAQIKDKS

NSYATYYASSVKGRFTISRDDSKNTLYLQMNSLRAEDTAVYYCRGVYYALSPFDYW GQGTLVTVSS (SEQ ID

NO:595), and/or an antibody light chain variable (VL) domain comprising an amino acid sequence that is at least 85%, at

```
least 86%, at least 87%, at least 88%, at least 89%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% identical to the amino acid sequence of DIVMTQTPLSLSVTPGQPASISCKSSQSLVHQNAQTYLSWYLQKPGQSPQSLIYKVSN
RFSGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCGQGTQYPFTFGSGTKVEIK (SEQ ID NO:95). In some embodiments, a binding site that binds CD3 comprises: an antibody heavy chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:95. In some embodiments, a binding site that binds CD3 comprises: an antibody heavy chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:95, and an antibody light chain variable (VL) domain comprising the amino acid sequence of SEQ ID NO:95
```

[0386] In some embodiments of any of the above embodiments, the binding protein is a trispecific binding protein. In some embodiments, the trispecific binding protein comprising an antigen binding site that binds a tumor target protein (including, without limitation, CD38 or HER2), an antigen binding site that binds a CD28 polypeptide, and an antigen binding site that binds a CD3 polypeptide. In some embodiments, the binding protein is a trispecific binding protein comprising four polypeptides comprising three antigen binding sites, wherein the polypeptide of formula I and the polypeptide of formula II form a cross-over light chain-heavy chain pair (e.g., as described herein). In some embodiments, the VH and VL domains of any of the anti-CD3 antigen binding sites described above represent V.sub.H2 and V.sub.L2 and form a second antigen binding site that binds a CD3 polypeptide. In some embodiments, V.sub.H1 and V.sub.L1 form a first antigen binding site that binds a CD28 polypeptide, the VH and VL domains of any of the anti-CD3 antigen binding sites described above and/or in Table 5 represent V.sub.H2 and V.sub.L2 and form a second antigen binding site that binds a CD3 polypeptide, and V.sub.H3 and V.sub.L3 form a third antigen binding site that binds a tumor target protein (including, without limitation, CD38 or HER2).

antigen binding site of the present disclosure comprises 1, 2, 3, 4, 5, or all 6 CDR sequences of an anti-CD3 antibody described in Table 5. In some embodiments, an anti-CD3 antigen binding site of the present disclosure comprises a VH domain sequence and/or VL domain sequence of an anti-CD3 antibody described in Table 5. TABLE-US-00004 TABLE 5 Anti-CD3 binding protein sequences. Sequence SEQ ID Type Molecule Description NO Sequence CDR Anti-CD3 CDR-H1 55 GFTFTKAW (mid) original CDR-H2 56 IKDKSNSYAT original CDR-H3 57 RGVYYALSPFDY original CDR-L1 58 QSLVHNNANTY original CDR-L1 59 QSLVHQNAQTY QQ CDR-L1 60 QSLVHENLQTY ENLQ CDR-L1 61 QSLVHENLFTY ENLF CDR-L1 62 QSLVHENLRTY ENLR CDR-L1 63 QSLVHDNAQTY DNAQ CDR-L2 64 KVS original CDR-L3 65 GQGTQYPFT Original CD3mid 180 QSLVHX.sub.1NX.sub.2X.sub.3TY, consensus wherein X.sub.1 is E or Q, X.sub.2 is A CDR-L1 or L, and X.sub.3 is Q, R, or F Variable Anti-CD3 VH 93 QVQLVESGGGVVQPGRSLRLSCAASGFT Domain (mid) FTKAWMHWVRQAPGKQLEWVAQIKDK SNSYATYYADSVKGRFTISRDDSKNTLY LOMNSLRAEDTAVYYCRGVYYALSPFD YWGOGTLVTVSS VL 94 DIVMTOTPLSLSVTPGOPASISCKSSOSL Original VHNNANTYLSWYLQKPGQSPQSLIYKVS NRFSGVPDRFSGSGSGTDFTLKISRVEAE DVGVYYCGQGTQYPFTFGSGTKVEIK VL 95 DIVMTQTPLSLSVTPGQPASISCKSSQSL 32/35 QQ VHQNAQTYLSWYLQKPGQSPQSLIYKVS NRFSGVPDRFSGSGSGTDFTLKISRVEAE DVGVYYCGQGTQYPFTFGSGTKVEIK VL 96 DIVMTQTPLSLSVTPGQPASISCKSSQSL ENLQ VHENLQTYLSWYLQKPGQSPQSLIYKVS NRFSGVPDRFSGSGSGTDFTLKISRVEAE DVGVYYCGQGTQYPFTFGSGTKVEIK VL 97 DIVMTQTPLSLSVTPGQPASISCKSSQSL ENLF VHENLFTYLSWYLQKPGQSPQSLIYKVS NRFSGVPDRFSGSGSGTDFTLKISRVEAE DVGVYYCGQGTQYPFTFGSGTKVEIK VL 98 DIVMTQTPLSLSVTPGQPASISCKSSQSL ENLR VHENLRTYLSWYLQKPGQSPQSLIYKVS NRFSGVPDRFSGSGSGTDFTLKISRVEAE DVGVYYCGOGTOYPFTFGSGTKVEIK VL 99 DIVMTOTPLSLSVTPGOPASISCKSSOSL DNAO VHDNAQTYLSWYLQKPGQSPQSLIYKVS NRFSGVPDRFSGSGSGTDFTLKISRVEAE DVGVYYCGQGTQYPFTFGSGTKVEIK VH 185S 595 QVQLVESGGGVVQPGRSLRLSCAASGFT FTKAWMHWVRQAPGKQLEWVAQIKDK SNSYATYYASSVKGRFTISRDDSKNTLY

[0388] In some embodiments, the linkers L.sub.1, L.sub.2, L.sub.3, and L.sub.4 range from no amino acids (length=0) to about 100 amino acids long, or less than 100, 50, 40, 30, 20, or 15 amino acids or less. The linkers can also be 10, 9, 8, 7, 6, 5, 4, 3, 2, or 1 amino acids long. L.sub.1, L.sub.2, L.sub.3, and L.sub.4 in one binding protein may all have the same amino acid sequence or may all have different amino acid sequences.

LQMNSLRAEDTAVYYCRGVYYALSPFD YWGQGTLVTVSS

Linkers

[0390] The identity and sequence of amino acid residues in the linker may vary depending on the type of secondary structural element necessary to achieve in the linker. For example, glycine, serine, and alanine are best for linkers having maximum flexibility. Some combination of glycine, proline, threonine, and serine are useful if a more rigid and extended linker is

necessary. Any amino acid residue may be considered as a linker in combination with other amino acid residues to construct larger peptide linkers as necessary depending on the desired properties.

[0391] In some embodiments, the length of L.sub.1 is at least twice the length of L.sub.3. In some embodiments, the length of L.sub.2 is at least twice the length of L.sub.4. In some embodiments, the length of L.sub.1 is at least twice the length of L.sub.3, and the length of L.sub.2 is at least twice the length of L.sub.4. In some embodiments, L.sub.1 is 3 to 12 amino acid residues in length, L.sub.2 is 3 to 14 amino acid residues in length, L.sub.3 is 1 to 8 amino acid residues in length, and L.sub.4 is 1 to 3 amino acid residues in length. In some embodiments, L.sub.1 is 5 to 10 amino acid residues in length, L.sub.2 is 5 to 8 amino acid residues in length, L.sub.3 is 1 to 5 amino acid residues in length, L.sub.4 is 1 to 2 amino acid residues in length, L.sub.3 is 1 amino acid residues in length, L.sub.3 is 1 amino acid residue in length, and L.sub.4 is 2 amino acid residues in length.

[0393] In some embodiments, at least one of L.sub.1, L.sub.2, L.sub.3 or L.sub.4 comprises the sequence DKTHT (SEQ ID NO:66). In some embodiments, L.sub.1, L.sub.2, L.sub.3 and L.sub.4 comprise the sequence DKTHT (SEQ ID NO:66). Fc Regions and Constant Domains

[0394] In some embodiments, a binding protein of the present disclosure comprises a second polypeptide chain further comprising an Fc region linked to C.sub.H1, the Fc region comprising an immunoglobulin hinge region and C.sub.H2 and C.sub.H3 immunoglobulin heavy chain constant domains. In some embodiments, a binding protein of the present disclosure comprises a third polypeptide chain further comprising an Fc region linked to C.sub.H1, the Fc region comprising an immunoglobulin hinge region and C.sub.H2 and C.sub.H3 immunoglobulin heavy chain constant domains. In some embodiments, a binding protein of the present disclosure comprises a second polypeptide chain further comprising an Fc region linked to C.sub.H1, the Fc region comprising an immunoglobulin hinge region and C.sub.H2 and C.sub.H3 immunoglobulin heavy chain constant domains, and a third polypeptide chain further comprising an Fc region linked to C.sub.H1, the Fc region comprising an immunoglobulin hinge region and C.sub.H3 immunoglobulin heavy chain constant domains.

[0395] In some embodiments, a binding protein of the present disclosure comprises a full-length antibody heavy chain or a polypeptide chain comprising an Fc region. In some embodiments, the Fc region is a human Fc region, e.g., a human IgG1, IgG2, IgG3, or IgG4 Fc region. In some embodiments, the Fc region includes an antibody hinge, C.sub.H1, C.sub.H2, C.sub.H3, and optionally C.sub.H4 domains. In some embodiments, the Fc region is a human IgG1 Fc region. In some embodiments, the Fc region includes one or more of the mutations described infra. In some embodiments, the Fc region is an Fc region of one of the heavy chain polypeptides (e.g., polypeptide 2 or 3) of a binding protein shown in Table 4. In some embodiments, the heavy chain polypeptides (e.g., polypeptide 2 or 3) of a binding protein shown in Table 4. In some embodiments, the light chain constant region is a constant region of one of the light chain polypeptides (e.g., polypeptide 1 or 4) of a binding protein shown in Table 4.

[0396] In some embodiments, a binding protein of the present disclosure includes one or two Fc variants. The term "Fc variant" as used herein refers to a molecule or sequence that is modified from a native Fc but still comprises a binding site for the salvage receptor, FcRn (neonatal Fc receptor). Exemplary Fc variants, and their interaction with the salvage receptor, are known in the art. Thus, the term "Fc variant" can comprise a molecule or sequence that is humanized from a non-human native Fc. Furthermore, a native Fc comprises regions that can be removed because they provide structural features or biological activity that are not required for the antibody-like binding proteins of the invention. Thus, the term "Fc variant" comprises a molecule or sequence that lacks one or more native Fc sites or residues, or in which one or more Fc sites or residues has be modified, that affect or are involved in: (1) disulfide bond formation, (2) incompatibility with a selected host cell, (3) N-terminal heterogeneity upon expression in a selected host cell, (4) glycosylation, (5) interaction with complement, (6) binding to an Fc receptor other than a salvage receptor, or (7) antibody-dependent cellular cytotoxicity (ADCC). [0397] In some embodiments, a binding protein of the present disclosure (e.g., a trispecific binding protein) comprises a "knob" mutation on the second polypeptide chain and a "hole" mutation on the third polypeptide chain. In some embodiments, a binding protein of the present disclosure comprises a "knob" mutation on the third polypeptide chain and a "hole" mutation on the second polypeptide chain. In some embodiments, the "knob" mutation comprises substitution(s) at positions corresponding to positions 354 and/or 366 of human IgG1 or IgG4 according to EU Index. In some embodiments, the amino acid substitutions are S354C, T366W, T366Y, S354C and T366W, or S354C and T366Y. In some embodiments, the "knob" mutation comprises substitutions at positions corresponding to positions 354 and 366 of human IgG1 or IgG4 according to EU Index. In some embodiments, the amino acid substitutions are S354C and T366W. In some embodiments, the "hole" mutation comprises substitution(s) at positions corresponding to positions 407 and, optionally, 349, 366, and/or 368 and of human IgG1 or IgG4 according to EU Index. In some embodiments, the amino acid substitutions are Y407V or Y407T and optionally Y349C, T366S, and/or L368A. In some embodiments, the "hole" mutation comprises substitutions at positions corresponding to positions 349, 366, 368, and 407 of human IgG1 or IgG4 according to EU Index. In some

embodiments, the amino acid substitutions are Y349C, T366S, L368A, and Y407V.

[0398] In some embodiments, the second polypeptide chain further comprises a first Fc region linked to CH1, the first Fc region comprising an immunoglobulin hinge region and CH2 and CH3 immunoglobulin heavy chain constant domains, wherein the first Fc region comprises amino acid substitution(s) at positions corresponding to positions 366 and optionally 354 of human IgG1 or IgG4 according to EU Index, wherein the amino acid substitutions are T366W or T366Y and optionally S354C; and wherein the third polypeptide chain further comprises a second Fc region linked to CH1, the second Fc region comprising an immunoglobulin hinge region and CH2 and CH3 immunoglobulin heavy chain constant domains, wherein the second Fc region comprises amino acid substitution(s) at positions corresponding to positions 407 and optionally 349, 366, and/or 368 and of human IgG1 or IgG4 according to EU Index, wherein the amino acid substitutions are Y407V or Y407T and optionally Y349C, T366S, and/or L368A.

[0399] In some embodiments, the second polypeptide chain further comprises a first Fc region linked to CH1, the first Fc region comprising an immunoglobulin hinge region and CH2 and CH3 immunoglobulin heavy chain constant domains, wherein the first Fc region comprises amino acid substitution(s) at positions corresponding to positions 407 and optionally 349, 366, and/or 368 and of human IgG1 or IgG4 according to EU Index, wherein the amino acid substitutions are Y407V or Y407T and optionally Y349C, T366S, and/or L368A; and wherein the third polypeptide chain further comprises a second Fc region linked to CH1, the second Fc region comprising an immunoglobulin hinge region and CH2 and CH3 immunoglobulin heavy chain constant domains, wherein the second Fc region comprises amino acid substitution(s) at positions corresponding to positions 366 and optionally 354 of human IgG1 or IgG4 according to EU Index, wherein the amino acid substitutions are T366W or T366Y and optionally S354C.

[0400] In some embodiments, the second polypeptide chain further comprises a first Fc region linked to CH1, the first Fc region comprising an immunoglobulin hinge region and CH2 and CH3 immunoglobulin heavy chain constant domains, wherein the first Fc region comprises amino acid substitution at position corresponding to position 366 of human IgG1 or IgG4 according to EU Index, wherein the amino acid substitution is T366W; and wherein the third polypeptide chain further comprises a second Fc region linked to CH1, the second Fc region comprising an immunoglobulin hinge region and CH2 and CH3 immunoglobulin heavy chain constant domains, wherein the second Fc region comprises amino acid substitution(s) at positions corresponding to positions 366, 368, and/or 407 and of human IgG1 or IgG4 according to EU Index, wherein the amino acid substitutions are T366S, L368A, and/or Y407V.

[0401] In some embodiments, the second polypeptide chain further comprises a first Fc region linked to CH1, the first Fc region comprising an immunoglobulin hinge region and CH2 and CH3 immunoglobulin heavy chain constant domains, wherein the first Fc region comprises amino acid substitution(s) at positions corresponding to positions 366, 368, and/or 407 and of human IgG1 or IgG4 according to EU Index, wherein the amino acid substitutions are T366S, L368A, and/or Y407V; and wherein the third polypeptide chain further comprises a second Fc region linked to CH1, the second Fc region comprising an immunoglobulin hinge region and CH2 and CH3 immunoglobulin heavy chain constant domains, wherein the second Fc region comprises amino acid substitution at position corresponding to position 366 of human IgG1 or IgG4 according to EU Index, wherein the amino acid substitution is T366W.

[0402] In some embodiments, the second polypeptide chain further comprises a first Fc region linked to CH1, the first Fc region comprising an immunoglobulin hinge region and CH2 and CH3 immunoglobulin heavy chain constant domains, wherein the first Fc region comprises amino acid substitutions at positions corresponding to positions 354 and 366 of human IgG1 or IgG4 according to EU Index, wherein the amino acid substitutions are S354C and T366W; and wherein the third polypeptide chain further comprises a second Fc region linked to CH1, the second Fc region comprising an immunoglobulin hinge region and CH2 and CH3 immunoglobulin heavy chain constant domains, wherein the second Fc region comprises amino acid substitutions at positions corresponding to positions 349, 366, 368, and 407 of human IgG1 or IgG4 according to EU Index, wherein the amino acid substitutions are Y349C, T366S, L368A, and Y407V. In some embodiments, the second polypeptide chain further comprises a first Fc region linked to CH1, the first Fc region comprising an immunoglobulin hinge region and CH2 and CH3 immunoglobulin heavy chain constant domains, wherein the first Fc region comprises amino acid substitutions at positions corresponding to positions 349, 366, 368, and 407 of human IgG1 or IgG4 according to EU Index, wherein the amino acid substitutions are Y349C, T366S, L368A, and Y407V; and wherein the third polypeptide chain further comprises a second Fc region linked to CH1, the second Fc region comprising an immunoglobulin hinge region and CH2 and CH3 immunoglobulin heavy chain constant domains, wherein the second Fc region comprises amino acid substitutions at positions corresponding to positions 354 and 366 of human IgG1 or IgG4 according to EU Index, wherein the amino acid substitutions are S354C and T366W. In some embodiments, the first and/or second Fc regions are human IgG1 Fc regions. In some embodiments, the first and/or second Fc regions are human IgG4 Fc regions.

[0403] In some embodiments, the second polypeptide chain further comprises a first Fc region linked to CH1, wherein the first Fc region is a human IgG4 Fc region comprising an immunoglobulin hinge region and CH2 and CH3 immunoglobulin heavy chain constant domains, wherein the first Fc region comprises amino acid substitutions at positions corresponding to positions 228, 354, 366, and 409 of human IgG4 according to EU Index, wherein the amino acid substitutions are S228P, S354C, T366W, and R409K; and wherein the third polypeptide chain further comprises a second Fc region linked to CH1, wherein the second Fc region is a human IgG4 Fc region comprising an immunoglobulin hinge region and CH2 and CH3 immunoglobulin heavy chain constant domains, wherein the second Fc region comprises amino acid substitutions at positions corresponding to positions 228, 349, 366, 368, 407, and 409 of human IgG4 according to EU Index, wherein the amino acid substitutions are S228P, Y349C, T366S, L368A, Y407V, and R409K. In some embodiments, the second polypeptide chain further comprises a first Fc region linked to CH1, wherein the first Fc region is a human IgG4 Fc region comprising an immunoglobulin hinge region and CH2 and CH3 immunoglobulin heavy chain constant domains, wherein the

first Fc region comprises amino acid substitutions at positions corresponding to positions 228, 349, 366, 368, 407, and 409 of human IgG4 according to EU Index, wherein the amino acid substitutions are S228P, Y349C, T366S, L368A, Y407V, and R409K; and wherein the third polypeptide chain further comprises a second Fc region linked to CH1, wherein the second Fc region is a human IgG4 Fc region comprising an immunoglobulin hinge region and CH2 and CH3 immunoglobulin heavy chain constant domains, wherein the second Fc region comprises amino acid substitutions at positions corresponding to positions 228, 354, 366, and 409 of human IgG4 according to EU Index, wherein the amino acid substitutions are S228P, S354C, T366W, and R409K.

[0404] In some embodiments, the second polypeptide chain further comprises a first Fc region linked to CH1, wherein the first Fc region is a human IgG4 Fc region comprising an immunoglobulin hinge region and CH2 and CH3 immunoglobulin heavy chain constant domains, wherein the first Fc region comprises amino acid substitutions at positions corresponding to positions 234, 235, 354, and 366 of human IgG4 according to EU Index, wherein the amino acid substitutions are F234A, L235A, S354C, and T366W; and wherein the third polypeptide chain further comprises a second Fc region linked to CH1, wherein the second Fc region is a human IgG4 Fc region comprising an immunoglobulin hinge region and CH2 and CH3 immunoglobulin heavy chain constant domains, wherein the second Fc region comprises amino acid substitutions at positions corresponding to positions 234, 235, 349, 366, 368, and 407 of human IgG4 according to EU Index, wherein the amino acid substitutions are F234A, L235A, Y349C, T366S, L368A, and Y407V. In some embodiments, the second polypeptide chain further comprises a first Fc region linked to CH1, wherein the first Fc region is a human IgG4 Fc region comprising an immunoglobulin hinge region and CH2 and CH3 immunoglobulin heavy chain constant domains, wherein the first Fc region comprises amino acid substitutions at positions corresponding to positions 234, 235, 349, 366, 368, and 407 of human IgG4 according to EU Index, wherein the amino acid substitutions are F234A, L235A, Y349C, T366S, L368A, and Y407V; and wherein the third polypeptide chain further comprises a second Fc region linked to CH1, wherein the second Fc region is a human IgG4 Fc region comprising an immunoglobulin hinge region and CH2 and CH3 immunoglobulin heavy chain constant domains, wherein the second Fc region comprises amino acid substitutions at positions corresponding to positions 234, 235, 354, and 366 of human IgG4 according to EU Index, wherein the amino acid substitutions are F234A, L235A, S354C, and T366W.

[0405] In some embodiments, a binding protein of the present disclosure comprises one or more mutations to reduce effector function, e.g., Fc receptor-mediated antibody-dependent cellular phagocytosis (ADCP), complement-dependent cytotoxicity (CDC), and/or antibody-dependent cellular cytotoxicity (ADCC). In some embodiments, the second polypeptide chain further comprises a first Fc region linked to C.sub.H1, the first Fc region comprising an immunoglobulin hinge region and C.sub.H2 and C.sub.H3 immunoglobulin heavy chain constant domains; wherein the third polypeptide chain further comprises a second Fc region linked to C.sub.H1, the second Fc region comprising an immunoglobulin hinge region and C.sub.H2 and C.sub.H3 immunoglobulin heavy chain constant domains; wherein the first and second Fc regions are human IgG1 Fc regions; and wherein the first and the second Fc regions each comprise amino acid substitutions at positions corresponding to positions 234 and 235 of human IgG1 according to EU Index, wherein the amino acid substitutions are L234A and L235A. In some embodiments, the Fc regions of the second and the third polypeptide chains are human IgG1 Fc regions, and wherein the Fc regions each comprise amino acid substitutions at positions corresponding to positions 234 and 235 of human IgG1 according to EU Index, wherein the amino acid substitutions are L234A and L235A. In some embodiments, the second polypeptide chain further comprises a first Fc region linked to C.sub.H1, the first Fc region comprising an immunoglobulin hinge region and C.sub.H2 and C.sub.H3 immunoglobulin heavy chain constant domains; wherein the third polypeptide chain further comprises a second Fc region linked to C.sub.H1, the second Fc region comprising an immunoglobulin hinge region and C.sub.H2 and C.sub.H3 immunoglobulin heavy chain constant domains; wherein the first and second Fc regions are human IgG1 Fc regions; and wherein the first and the second Fc regions each comprise amino acid substitutions at positions corresponding to positions 234, 235, and 329 of human IgG1 according to EU Index, wherein the amino acid substitutions are L234A, L235A, and P329A. In some embodiments, the Fc regions of the second and the third polypeptide chains are human IgG1 Fc regions, and wherein the Fc regions each comprise amino acid substitutions at positions corresponding to positions 234, 235, and 329 of human IgG1 according to EU Index, wherein the amino acid substitutions are L234A, L235A, and P329A. In some embodiments, the Fc regions of the second and the third polypeptide chains are human IgG4 Fc regions, and the Fc regions each comprise amino acid substitutions at positions corresponding to positions 234 and 235 of human IgG4 according to EU Index, wherein the amino acid substitutions are F234A and L235A. In some embodiments, the binding protein comprises a second polypeptide chain further comprising a first Fc region linked to C.sub.H1, the first Fc region comprising an immunoglobulin hinge region and C.sub.H2 and C.sub.H3 immunoglobulin heavy chain constant domains, and a third polypeptide chain further comprising a second Fc region linked to C.sub.H1, the second Fc region comprising an immunoglobulin hinge region and C.sub.H2 and C.sub.H3 immunoglobulin heavy chain constant domains; and wherein the first and the second Fc regions each comprise amino acid substitutions at positions corresponding to positions 234 and 235 of human IgG4 according to EU Index, wherein the amino acid substitutions are F234A and L235A.

[0406] In some embodiments, the second polypeptide chain further comprises a first Fc region linked to CH1, wherein the first Fc region is a human IgG4 Fc region comprising an immunoglobulin hinge region and CH2 and CH3 immunoglobulin heavy chain constant domains, wherein the first Fc region comprises amino acid substitutions at positions corresponding to positions 228, 234, 235, 354, 366, and 409 of human IgG4 according to EU Index, wherein the amino acid substitutions are S228P, F234A, L235A, S354C, T366W, and R409K; and wherein the third polypeptide chain further comprises a second Fc region linked to CH1, wherein the second Fc region is a human IgG4 Fc region comprising an immunoglobulin hinge region and CH2 and CH3 immunoglobulin heavy chain constant domains, wherein the second Fc region comprises amino acid

substitutions at positions corresponding to positions 228, 234, 235, 349, 366, 368, 407, and 409 of human IgG4 according to EU Index, wherein the amino acid substitutions are S228P, F234A, L235A, Y349C, T366S, L368A, Y407V, and R409K. In some embodiments, the second polypeptide chain further comprises a first Fc region linked to CH1, wherein the first Fc region is a human IgG4 Fc region comprising an immunoglobulin hinge region and CH2 and CH3 immunoglobulin heavy chain constant domains, wherein the first Fc region comprises amino acid substitutions at positions corresponding to positions 228, 234, 235, 349, 366, 368, 407, and 409 of human IgG4 according to EU Index, wherein the amino acid substitutions are S228P, F234A, L235A, Y349C, T366S, L368A, Y407V, and R409K; and wherein the third polypeptide chain further comprises a second Fc region linked to CH1, wherein the second Fc region is a human IgG4 Fc region comprising an immunoglobulin hinge region and CH2 and CH3 immunoglobulin heavy chain constant domains, wherein the second Fc region comprises amino acid substitutions at positions corresponding to positions 228, 234, 235, 354, 366, and 409 of human IgG4 according to EU Index, wherein the amino acid substitutions are S228P, F234A, L235A, S354C, T366W, and PA00K

[0407] In some embodiments, the Fc region is a human IgG4 Fc region comprising one or more mutations that reduce or eliminate FcyI and/or FcyII binding. In some embodiments, the Fc region is a human IgG4 Fc region comprising one or more mutations that reduce or eliminate FcyI and/or FcyII binding but do not affect FcRn binding. In some embodiments, the Fc region is a human IgG4 Fc region comprising amino acid substitutions at positions corresponding to positions 228 and/or 409 of human IgG4 according to EU Index. In some embodiments, the amino acid substitutions are S228P and/or R409K. In some embodiments, the Fc region is a human IgG4 pregion comprising amino acid substitutions at positions 234 and/or 235 of human IgG4 according to EU Index. In some embodiments, the amino acid substitutions are F234A and/or L235A. In some embodiments, the Fc region is a human IgG4 Fc region comprising amino acid substitutions at positions corresponding to positions 228, 234, 235, and/or 409 of human IgG4 according to EU Index. In some embodiments, the amino acid substitutions are S228P, F234A, L235A, and/or R409K. In some embodiments, the Fc region is a human IgG4 Fc region comprising amino acid substitutions are E233P, F234V, L235A, and a deletion at 236. In some embodiments, the Fc region is a human IgG4 Fc region comprising amino acid mutations at substitutions corresponding to positions 228, 233-236, and/or 409 of human IgG4 according to EU Index. In some embodiments, the amino acid mutations are S228P; E233P, F234V, L235A, and a deletion at 236; and/or R409K.

[0408] In some embodiments, the Fc region comprises one or more mutations that reduce or eliminate Fc receptor binding and/or effector function of the Fc region (e.g., Fc receptor-mediated antibody-dependent cellular phagocytosis (ADCP), complement-dependent cytotoxicity (CDC), and/or antibody-dependent cellular cytotoxicity (ADCC)).

[0409] In some embodiments, the Fc region is a human IgG1 Fc region comprising one or more amino acid substitutions at positions corresponding to positions 234, 235, and/or 329 of human IgG1 according to EU Index. In some embodiments, the amino acid substitutions are L234A, L235A, and/or P329A. In some embodiments, the Fc region is a human IgG1 Fc region comprising amino acid substitutions at positions corresponding to positions 298, 299, and/or 300 of human IgG1 according to EU Index. In some embodiments, the amino acid substitutions are S298N, T299A, and/or Y300S.

[0410] In some embodiments, a binding protein of the present disclosure comprises one or more mutations to improve stability, e.g., of the hinge region and/or dimer interface of IgG4 (See e.g., Spiess, C. et al. (2013) J. Biol. Chem. 288:26583-26593). In some embodiments, the mutation comprises substitutions at positions corresponding to positions 228 and 409 of human IgG4 according to EU Index, wherein the amino acid substitutions are S228P and R409K. In some embodiments, the binding protein comprises a second polypeptide chain further comprising a first Fc region linked to C.sub.H1, the first Fc region comprising an immunoglobulin hinge region and C.sub.H2 and C.sub.H3 immunoglobulin heavy chain constant domains, and a third polypeptide chain further comprising a second Fc region linked to C.sub.H1, the second Fc region comprising an immunoglobulin hinge region and C.sub.H2 and C.sub.H3 immunoglobulin heavy chain constant domains; wherein the first and second Fc regions are human IgG4 Fc regions; and wherein the first and the second Fc regions each comprise amino acid substitutions at positions corresponding to positions 228 and 409 of human IgG4 according to EU Index, wherein the amino acid substitutions are S228P and R409K. In some embodiments, a binding protein of the present disclosure comprises knob and hole mutations and one or more mutations to improve stability. In some embodiments, the first and/or second Fc regions are human IgG4 Fc regions.

[0411] In some embodiments, the Fc region is a human IgG1 Fc region comprising one or more amino acid substitutions at positions corresponding to positions 234, 235, and/or 329 of human IgG1 according to EU Index. In some embodiments, the amino acid substitutions are L234A, L235A, and/or P329A. In some embodiments, the Fc region is a human IgG1 Fc region comprising amino acid substitutions at positions corresponding to positions 298, 299, and/or 300 of human IgG1 according to EU Index. In some embodiments, the amino acid substitutions are S298N, T299A, and/or Y300S.

Nucleic Acids

[0412] Other aspects of the present disclosure relate to isolated nucleic acid molecules comprising a nucleotide sequence encoding any of the binding proteins described herein. Exemplary and non-limiting nucleic acid sequences are provided in Table 5.

[0413] Other aspects of the present disclosure relate to kits of polynucleotides, e.g., that encode one or more polypeptides of a binding protein as described herein. In some embodiments, a kit of polynucleotides of the present disclosure comprises one, two, three, or four polynucleotides of a kit of polynucleotides comprising: (a) a first polynucleotide comprising the polynucleotide sequence of SEQ ID NO:189, a second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:191, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:192; (b) a first polynucleotide comprising the polynucleotide

```
sequence of SEQ ID NO:193, a second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:194, a third
polynucleotide comprising the polynucleotide sequence of SEO ID NO:195, and a fourth polynucleotide comprising the
polynucleotide sequence of SEQ ID NO:196; (c) a first polynucleotide comprising the polynucleotide sequence of SEQ ID
NO:197, a second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:198, a third polynucleotide
comprising the polynucleotide sequence of SEQ ID NO:199, and a fourth polynucleotide comprising the polynucleotide
sequence of SEQ ID NO:200; (d) a first polynucleotide comprising the polynucleotide sequence of SEQ ID NO:201, a
second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:202, a third polynucleotide comprising the
polynucleotide sequence of SEQ ID NO:203, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID
NO:204; (e) a first polynucleotide comprising the polynucleotide sequence of SEQ ID NO:205, a second polynucleotide
comprising the polynucleotide sequence of SEQ ID NO:206, a third polynucleotide comprising the polynucleotide sequence
of SEQ ID NO:207, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:208; (f) a first
polynucleotide comprising the polynucleotide sequence of SEQ ID NO:209, a second polynucleotide comprising the
polynucleotide sequence of SEQ ID NO:210, a third polynucleotide comprising the polynucleotide sequence of SEQ ID
NO:211, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:212; (g) a first polynucleotide
comprising the polynucleotide sequence of SEQ ID NO:213, a second polynucleotide comprising the polynucleotide
sequence of SEQ ID NO:214, a third polynucleotide comprising the polynucleotide sequence of SEQ ID NO:215, and a
fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:216; (h) a first polynucleotide comprising the
polynucleotide sequence of SEO ID NO:217, a second polynucleotide comprising the polynucleotide sequence of SEO ID
NO:218, a third polynucleotide comprising the polynucleotide sequence of SEQ ID NO:219, and a fourth polynucleotide
comprising the polynucleotide sequence of SEQ ID NO:220; (i) a first polynucleotide comprising the polynucleotide
sequence of SEQ ID NO:221, a second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:222, a third
polynucleotide comprising the polynucleotide sequence of SEQ ID NO:223, and a fourth polynucleotide comprising the
polynucleotide sequence of SEQ ID NO:224; (j) a first polynucleotide comprising the polynucleotide sequence of SEQ ID
NO:225, a second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:226, a third polynucleotide
comprising the polynucleotide sequence of SEQ ID NO:227, and a fourth polynucleotide comprising the polynucleotide
sequence of SEQ ID NO:228; (k) a first polynucleotide comprising the polynucleotide sequence of SEQ ID NO:229, a
second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:230, a third polynucleotide comprising the
polynucleotide sequence of SEQ ID NO:231, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID
NO:232; (1) a first polynucleotide comprising the polynucleotide sequence of SEQ ID NO:233, a second polynucleotide
comprising the polynucleotide sequence of SEQ ID NO:234, a third polynucleotide comprising the polynucleotide sequence
of SEQ ID NO:235, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:236; (m) a first
polynucleotide comprising the polynucleotide sequence of SEQ ID NO:237, a second polynucleotide comprising the
polynucleotide sequence of SEQ ID NO:238, a third polynucleotide comprising the polynucleotide sequence of SEQ ID
NO:239, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:240; (n) a first polynucleotide
comprising the polynucleotide sequence of SEQ ID NO:241, a second polynucleotide comprising the polynucleotide
sequence of SEQ ID NO:242, a third polynucleotide comprising the polynucleotide sequence of SEQ ID NO:243, and a
fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:244; (o) a first polynucleotide comprising the
polynucleotide sequence of SEQ ID NO:245, a second polynucleotide comprising the polynucleotide sequence of SEQ ID
NO:246, a third polynucleotide comprising the polynucleotide sequence of SEQ ID NO:247, and a fourth polynucleotide
comprising the polynucleotide sequence of SEQ ID NO:248; (p) a first polynucleotide comprising the polynucleotide
sequence of SEQ ID NO:249, a second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:250, a third
polynucleotide comprising the polynucleotide sequence of SEQ ID NO:251, and a fourth polynucleotide comprising the
polynucleotide sequence of SEQ ID NO:252; (q) a first polynucleotide comprising the polynucleotide sequence of SEQ ID
NO:253, a second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:254, a third polynucleotide
comprising the polynucleotide sequence of SEQ ID NO:255, and a fourth polynucleotide comprising the polynucleotide
sequence of SEQ ID NO:256; (r) a first polynucleotide comprising the polynucleotide sequence of SEQ ID NO:257, a second
polynucleotide comprising the polynucleotide sequence of SEQ ID NO:258, a third polynucleotide comprising the
polynucleotide sequence of SEQ ID NO:259, and a fourth polynucleotide comprising the polynucleotide sequence of SEO ID
NO:260: (s) a first polynucleotide comprising the polynucleotide sequence of SEO ID NO:261, a second polynucleotide
comprising the polynucleotide sequence of SEQ ID NO:262, a third polynucleotide comprising the polynucleotide sequence
of SEQ ID NO:263, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:264; (t) a first
polynucleotide comprising the polynucleotide sequence of SEQ ID NO:265, a second polynucleotide comprising the
polynucleotide sequence of SEO ID NO:266, a third polynucleotide comprising the polynucleotide sequence of SEO ID
NO:267, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:268; (u) a first polynucleotide
comprising the polynucleotide sequence of SEQ ID NO:269, a second polynucleotide comprising the polynucleotide
sequence of SEO ID NO:270, a third polynucleotide comprising the polynucleotide sequence of SEO ID NO:271, and a
fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:272; or (v) a first polynucleotide comprising
the polynucleotide sequence of SEQ ID NO:273, a second polynucleotide comprising the polynucleotide sequence of SEQ
ID NO:274, a third polynucleotide comprising the polynucleotide sequence of SEQ ID NO:275, and a fourth polynucleotide
comprising the polynucleotide sequence of SEQ ID NO:276.
[0414] Other aspects of the present disclosure relate to a vector system comprising one or more vectors encoding a first,
```

second, third, and fourth polypeptide chain of any of the binding proteins described herein. In some embodiments, the vector system comprises a first vector encoding the first polypeptide chain of the binding protein, a second vector encoding the

second polypeptide chain of the binding protein, a third vector encoding the third polypeptide chain of the binding protein, and a fourth vector encoding the fourth polypeptide chain of the binding protein, e.g., as shown in the polynucleotides of Table 6. In some embodiments, the vector system comprises a first vector encoding the first and second polypeptide chains of the binding protein, and a second vector encoding the third and fourth polypeptide chains of the binding protein. In some embodiments, the vector system comprises a first vector encoding the first and third polypeptide chains of the binding protein, and a second vector encoding the second and fourth polypeptide chains of the binding protein, the vector system comprises a first vector encoding the first and fourth polypeptide chains of the binding protein, and a second vector encoding the second and third polypeptide chains of the binding protein. In some embodiments, the vector system comprises a first vector encoding the first, second, third, and fourth polypeptide chains of the binding protein. The one or more vectors of the vector system may be any of the vectors described herein. In some embodiments, the one or more vectors are expression vectors. In some embodiments, the first, second, third, and fourth polynucleotides are present on one or more expression vectors, e.g., one, two, three, or four expression vectors.

[0415] Standard recombinant DNA methodologies are used to construct the polynucleotides that encode the polypeptides which form the binding proteins, incorporate these polynucleotides into recombinant expression vectors, and introduce such vectors into host cells. See e.g., Sambrook et al., 2001, MOLECULAR CLONING: A LABORATORY MANUAL (Cold Spring Harbor Laboratory Press, 3rd ed.). Enzymatic reactions and purification techniques may be performed according to manufacturer's specifications, as commonly accomplished in the art, or as described herein. Unless specific definitions are provided, the nomenclature utilized in connection with, and the laboratory procedures and techniques of, analytical chemistry, synthetic organic chemistry, and medicinal and pharmaceutical chemistry described herein are those well-known and commonly used in the art. Similarly, conventional techniques may be used for chemical syntheses, chemical analyses, pharmaceutical preparation, formulation, delivery, and treatment of patients.

[0416] In some embodiments, the isolated nucleic acid is operably linked to a heterologous promoter to direct transcription of the binding protein-coding nucleic acid sequence. A promoter may refer to nucleic acid control sequences which direct transcription of a nucleic acid. A first nucleic acid sequence is operably linked to a second nucleic acid sequence when the first nucleic acid sequence is placed in a functional relationship with the second nucleic acid sequence. For instance, a promoter is operably linked to a coding sequence of a binding protein if the promoter affects the transcription or expression of the coding sequence. Examples of promoters may include, but are not limited to, promoters obtained from the genomes of viruses (such as polyoma virus, fowlpox virus, adenovirus (such as Adenovirus 2), bovine papilloma virus, avian sarcoma virus, cytomegalovirus, a retrovirus, hepatitis-B virus, Simian Virus 40 (SV40), and the like), from heterologous eukaryotic promoters (such as the actin promoter, an immunoglobulin promoter, from heat-shock promoters, and the like), the CAG-promoter (Niwa et al., Gene 108(2):193-9, 1991), the phosphoglycerate kinase (PGK)-promoter, a tetracycline-inducible promoter (Masui et al., Nucleic Acids Res. 33:e43, 2005), the lac system, the trp system, the tac system, the trc system, major operator and promoter regions of phage lambda, the promoter for 3-phosphoglycerate kinase, the promoters of yeast acid phosphatase, and the promoter of the yeast alpha-mating factors. Polynucleotides encoding binding proteins of the present disclosure may be under the control of a constitutive promoter, an inducible promoter, or any other suitable promoter described herein or other suitable promoter that will be readily recognized by one skilled in the art.

[0417] In some embodiments, the isolated nucleic acid is incorporated into a vector. In some embodiments, the vector is an expression vector. Expression vectors may include one or more regulatory sequences operatively linked to the polynucleotide to be expressed. The term "regulatory sequence" includes promoters, enhancers and other expression control elements (e.g., polyadenylation signals). Examples of suitable enhancers may include, but are not limited to, enhancer sequences from mammalian genes (such as globin, elastase, albumin, α -fetoprotein, insulin and the like), and enhancer sequences from a eukaryotic cell virus (such as SV40 enhancer on the late side of the replication origin (bp 100-270), the cytomegalovirus early promoter enhancer, the polyoma enhancer on the late side of the replication origin, adenovirus enhancers, and the like). Examples of suitable vectors may include, for example, plasmids, cosmids, episomes, transposons, and viral vectors (e.g., adenoviral, vaccinia viral, Sindbis-viral, measles, herpes viral, lentiviral, retroviral, adeno-associated viral vectors, etc.). Expression vectors can be used to transfect host cells, such as, for example, bacterial cells, yeast cells, insect cells, and mammalian cells. Biologically functional viral and plasmid DNA vectors capable of expression and replication in a host are known in the art, and can be used to transfect any cell of interest.

Host Cells

[0418] Other aspects of the present disclosure relate to a host cell (e.g., an isolated host cell) comprising one or more isolated polynucleotides, vectors, and/or vector systems described herein. In some embodiments, an isolated host cell of the present disclosure is cultured in vitro. In some embodiments, the host cell is a bacterial cell (e.g., an *E. coli* cell). In some embodiments, the host cell is a yeast cell (e.g., an *S. cerevisiae* cell). In some embodiments, the host cell is an insect cell. Examples of insect host cells may include, for example, *Drosophila* cells (e.g., S2 cells), *Trichoplusia ni* cells (e.g., High Five™ cells), and *Spodoptera frugiperda* cells (e.g., Sf21 or Sf9 cells). In some embodiments, the host cell is a mammalian cell. Examples of mammalian host cells may include, for example, human embryonic kidney cells (e.g., 293 or 293 cells subcloned for growth in suspension culture), Expi293™ cells, CHO cells, baby hamster kidney cells (e.g., BHK, ATCC CCL 10), mouse sertoli cells (e.g., TM4 cells), monkey kidney cells (e.g., CV1 ATCC CCL 70), African green monkey kidney cells (e.g., VERO-76, ATCC CRL-1587), human cervical carcinoma cells (e.g., HELA, ATCC CCL 2), canine kidney cells (e.g., MDCK, ATCC CCL 34), buffalo rat liver cells (e.g., BRL 3A, ATCC CRL 1442), human lung cells (e.g., W138, ATCC CCL 75), human liver cells (e.g., Hep G2, HB 8065), mouse mammary tumor cells (e.g., MMT 060562, ATCC CCL51), TRI cells, MRC 5 cells, FS4 cells, a human hepatoma line (e.g., Hep G2), and myeloma cells (e.g., NS0 and Sp2/0 cells).

In some embodiments, the method includes a) culturing a host cell (e.g., any of the host cells described herein) comprising an isolated nucleic acid, vector, and/or vector system (e.g., any of the isolated nucleic acids, vectors, and/or vector systems described herein) under conditions such that the host cell expresses the binding protein; and b) isolating the binding protein from the host cell. Methods of culturing host cells under conditions to express a protein are well known to one of ordinary skill in the art. Methods of isolating proteins from cultured host cells are well known to one of ordinary skill in the art, including, for example, by affinity chromatography (e.g., two step affinity chromatography comprising protein A affinity chromatography followed by size exclusion chromatography).

Pharmaceutical Compositions for Treating and/or Preventing Cancer

[0420] Therapeutic or pharmaceutical compositions comprising binding proteins are within the scope of the disclosure. Such therapeutic or pharmaceutical compositions can comprise a therapeutically effective amount of a binding protein, or binding protein-drug conjugate, in admixture with a pharmaceutically or physiologically acceptable formulation agent selected for suitability with the mode of administration.

[0421] Acceptable formulation materials are nontoxic to recipients at the dosages and concentrations employed. [0422] The pharmaceutical composition can contain formulation materials for modifying, maintaining, or preserving, for example, the pH, osmolarity, viscosity, clarity, color, isotonicity, odor, sterility, stability, rate of dissolution or release, adsorption, or penetration of the composition. Suitable formulation materials include, but are not limited to, amino acids (such as glycine, glutamine, asparagine, arginine, or lysine), antimicrobials, antioxidants (such as ascorbic acid, sodium sulfite, or sodium hydrogen-sulfite), buffers (such as borate, bicarbonate, Tris-HCl, citrates, phosphates, or other organic acids), bulking agents (such as mannitol or glycine), chelating agents (such as ethylenediamine tetraacetic acid (EDTA)), complexing agents (such as caffeine, polyvinylpyrrolidone, beta-cyclodextrin, or hydroxypropyl-beta-cyclodextrin), fillers, monosaccharides, disaccharides, and other carbohydrates (such as glucose, mannose, or dextrins), proteins (such as serum albumin, gelatin, or immunoglobulins), coloring, flavoring and diluting agents, emulsifying agents, hydrophilic polymers (such as polyvinylpyrrolidone), low molecular weight polypeptides, salt-forming counterions (such as sodium), preservatives (such as benzalkonium chloride, benzoic acid, salicylic acid, thimerosal, phenethyl alcohol, methylparaben, propylparaben, chlorhexidine, sorbic acid, or hydrogen peroxide), solvents (such as glycerin, propylene glycol, or polyethylene glycol), sugar alcohols (such as mannitol or sorbitol), suspending agents, surfactants or wetting agents (such as pluronics; PEG; sorbitan esters; polysorbates such as polysorbate 20 or polysorbate 80; triton; tromethamine; lecithin; cholesterol or tyloxapal), stability enhancing agents (such as sucrose or sorbitol), tonicity enhancing agents (such as alkali metal halides e.g., sodium or potassium chloride—or mannitol sorbitol), delivery vehicles, diluents, excipients and/or pharmaceutical adjuvants (see, e.g., REMINGTON'S PHARMACEUTICAL SCIENCES (18th Ed., A. R. Gennaro, ed., Mack Publishing Company 1990), and subsequent editions of the same, incorporated herein by reference for any purpose). [0423] The optimal pharmaceutical composition will be determined by a skilled artisan depending upon, for example, the intended route of administration, delivery format, and desired dosage. Such compositions can influence the physical state,

stability, rate of in vivo release, and rate of in vivo clearance of the binding protein.

[0424] The primary vehicle or carrier in a pharmaceutical composition can be either aqueous or non-aqueous in nature. For example, a suitable vehicle or carrier for injection can be water, physiological saline solution, or artificial cerebrospinal fluid, possibly supplemented with other materials common in compositions for parenteral administration. Neutral buffered saline or saline mixed with serum albumin are further exemplary vehicles. Other exemplary pharmaceutical compositions comprise Tris buffer of about pH 7.0-8.5, or acetate buffer of about pH 4.0-5.5, which can further include sorbitol or a suitable substitute. In one embodiment of the disclosure, binding protein compositions can be prepared for storage by mixing the selected composition having the desired degree of purity with optional formulation agents in the form of a lyophilized cake or an aqueous solution. Further, the binding protein can be formulated as a lyophilizate using appropriate excipients such as sucrose.

[0425] The pharmaceutical compositions of the disclosure can be selected for parenteral delivery or subcutaneous. Alternatively, the compositions can be selected for inhalation or for delivery through the digestive tract, such as orally. The preparation of such pharmaceutically acceptable compositions is within the skill of the art.

[0426] The formulation components are present in concentrations that are acceptable to the site of administration. For example, buffers are used to maintain the composition at physiological pH or at a slightly lower pH, typically within a pH range of from about 5 to about 8.

[0427] When parenteral administration is contemplated, the therapeutic compositions for use can be in the form of a pyrogen-free, parenterally acceptable, aqueous solution comprising the desired binding protein in a pharmaceutically acceptable vehicle. A particularly suitable vehicle for parenteral injection is sterile distilled water in which a binding protein is formulated as a sterile, isotonic solution, properly preserved. Yet another preparation can involve the formulation of the desired molecule with an agent, such as injectable microspheres, bio-erodible particles, polymeric compounds (such as polylactic acid or polyglycolic acid), beads, or liposomes, that provides for the controlled or sustained release of the product which can then be delivered via a depot injection. Hyaluronic acid can also be used, and this can have the effect of promoting sustained duration in the circulation. Other suitable means for the introduction of the desired molecule include implantable drug delivery devices.

[0428] In one embodiment, a pharmaceutical composition can be formulated for inhalation. For example, a binding protein can be formulated as a dry powder for inhalation. Binding protein inhalation solutions can also be formulated with a propellant for aerosol delivery. In yet another embodiment, solutions can be nebulized.

[0429] It is also contemplated that certain formulations can be administered orally. In one embodiment of the disclosure, binding proteins that are administered in this fashion can be formulated with or without those carriers customarily used in the compounding of solid dosage forms such as tablets and capsules. For example, a capsule can be designed to release the active portion of the formulation at the point in the gastrointestinal tract where bioavailability is maximized and pre-systemic degradation is minimized. Additional agents can be included to facilitate absorption of the binding protein. Diluents, flavorings, low melting point waxes, vegetable oils, lubricants, suspending agents, tablet disintegrating agents, and binders can also be employed.

[0430] Another pharmaceutical composition can involve an effective quantity of binding proteins in a mixture with non-toxic excipients that are suitable for the manufacture of tablets. By dissolving the tablets in sterile water, or another appropriate vehicle, solutions can be prepared in unit-dose form. Suitable excipients include, but are not limited to, inert diluents, such as calcium carbonate, sodium carbonate or bicarbonate, lactose, or calcium phosphate; or binding agents, such as starch, gelatin, or acacia; or lubricating agents such as magnesium stearate, stearic acid, or talc.

[0431] Additional pharmaceutical compositions of the disclosure will be evident to those skilled in the art, including formulations involving binding proteins in sustained- or controlled-delivery formulations. Techniques for formulating a variety of other sustained- or controlled-delivery means, such as liposome carriers, bio-erodible microparticles or porous beads and depot injections, are also known to those skilled in the art. Additional examples of sustained-release preparations include semipermeable polymer matrices in the form of shaped articles, e.g. films, or microcapsules. Sustained release matrices can include polyesters, hydrogels, polylactides, copolymers of L-glutamic acid and gamma ethyl-L-glutamate, poly(2-hydroxyethyl-methacrylate), ethylene vinyl acetate, or poly-D(-)-3-hydroxybutyric acid. Sustained-release compositions can also include liposomes, which can be prepared by any of several methods known in the art. [0432] Pharmaceutical compositions to be used for in vivo administration typically must be sterile. This can be accomplished by filtration through sterile filtration membranes. Where the composition is lyophilized, sterilization using this method can be conducted either prior to, or following, lyophilization and reconstitution. The composition for parenteral administration can be stored in lyophilized form or in a solution. In addition, parenteral compositions generally are placed into a container having a sterile access port, for example, an intravenous solution bag or vial having a stopper pierceable by a hypodermic injection needle.

[0433] Once the pharmaceutical composition has been formulated, it can be stored in sterile vials as a solution, suspension, gel, emulsion, solid, or as a dehydrated or lyophilized powder. Such formulations can be stored either in a ready-to-use form or in a form (e.g., lyophilized) requiring reconstitution prior to administration.

[0434] The disclosure also encompasses kits for producing a single-dose administration unit. The kits can each contain both a first container having a dried protein and a second container having an aqueous formulation. Also included within the scope of this disclosure are kits containing single and multi-chambered pre-filled syringes (e.g., liquid syringes and lyosyringes). [0435] The effective amount of a binding protein pharmaceutical composition to be employed therapeutically will depend, for example, upon the therapeutic context and objectives. One skilled in the art will appreciate that the appropriate dosage levels for treatment will thus vary depending, in part, upon the molecule delivered, the indication for which the binding protein is being used, the route of administration, and the size (body weight, body surface, or organ size) and condition (the age and general health) of the patient. Accordingly, the clinician can titer the dosage and modify the route of administration to obtain the optimal therapeutic effect.

[0436] Dosing frequency will depend upon the pharmacokinetic parameters of the binding protein in the formulation being used. Typically, a clinician will administer the composition until a dosage is reached that achieves the desired effect. The composition can therefore be administered as a single dose, as two or more doses (which may or may not contain the same amount of the desired molecule) over time, or as a continuous infusion via an implantation device or catheter. Further refinement of the appropriate dosage is routinely made by those of ordinary skill in the art and is within the ambit of tasks routinely performed by them. Appropriate dosages can be ascertained through use of appropriate dose-response data. [0437] The route of administration of the pharmaceutical composition is in accord with known methods, e.g., orally; through injection by intravenous, intraperitoneal, intracerebral (intraparenchymal), intracerebroventricular, intramuscular, intraocular, intraarterial, intraportal, or intralesional routes; by sustained release systems; or by implantation devices. Where desired, the compositions can be administered by bolus injection or continuously by infusion, or by implantation device.

[0438] The composition can also be administered locally via implantation of a membrane, sponge, or other appropriate material onto which the desired molecule has been absorbed or encapsulated. Where an implantation device is used, the device can be implanted into any suitable tissue or organ, and delivery of the desired molecule can be via diffusion, timed-release bolus, or continuous administration.

[0439] The pharmaceutical compositions can be used to prevent and/or treat HIV infection. The pharmaceutical compositions can be used as a standalone therapy or in combination with standard anti-retroviral therapy.

[0440] The disclosure also relates to a kit comprising a binding protein and other reagents useful for detecting target antigen levels in biological samples. Such reagents can include a detectable label, blocking serum, positive and negative control samples, and detection reagents. In some embodiments, the kit comprises a composition comprising any binding protein, polynucleotide, vector, vector system, and/or host cell described herein. In some embodiments, the kit comprises a container and a label or package insert on or associated with the container. Suitable containers include, for example, bottles, vials, syringes, IV solution bags, etc. The containers may be formed from a variety of materials such as glass or plastic. The container holds a composition which is by itself or combined with another composition effective for treating, preventing and/or diagnosing a condition (e.g., HIV infection) and may have a sterile access port (for example the container may be an intravenous solution bag or a vial having a stopper pierceable by a hypodermic injection needle). In some embodiments, the label or package insert indicates that the composition is used for preventing, diagnosing, and/or treating the condition of choice. Alternatively, or additionally, the article of manufacture or kit may further comprise a second (or third) container

comprising a pharmaceutically-acceptable buffer, such as bacteriostatic water for injection (BWFI), phosphate-buffered saline, Ringer's solution and dextrose solution. It may further include other materials desirable from a commercial and user standpoint, including other buffers, diluents, filters, needles, and syringes.

Methods and Uses for Binding Proteins

Virus

[0441] Certain aspects of the present disclosure relate to methods for expanding virus-specific memory T cells. In some embodiments, the methods comprise contacting a virus-specific memory T cell with a binding protein of the present disclosure, e.g., a trispecific binding protein that comprises a first antigen binding site that binds a CD28 polypeptide, a second antigen binding site that binds a CD38 polypeptide, and a third antigen binding site that binds a CD38 polypeptide. [0442] In some embodiments, the virus-specific memory T cell is contacted with the binding protein in vitro or ex vivo. [0443] In some embodiments, contacting the virus-specific memory T cell with the binding protein causes activation and/or proliferation of virus-specific memory T cells.

[0444] Other aspects of the present disclosure relate to methods for expanding T cells. In some embodiments, the methods comprise contacting a T cell with a binding protein of the present disclosure, e.g., a trispecific binding protein that comprises a first antigen binding site that binds a CD28 polypeptide, a second antigen binding site that binds a CD3 polypeptide, and a third antigen binding site that binds a CD38 polypeptide.

[0445] In some embodiments, the T cell is a memory T cell or an effector T cell.

[0446] In some embodiments, the T cell expresses a chimeric antigen receptor (CAR) on its cell surface or comprises a polynucleotide encoding a CAR.

[0447] Other aspects of the present disclosure relate to methods for treating chronic viral infection, e.g., in an individual in need thereof. In some embodiments, the methods comprise administering to an individual in need thereof an effective amount of a binding protein of the present disclosure, e.g., a trispecific binding protein that comprises a first antigen binding site that binds a CD28 polypeptide, a second antigen binding site that binds a CD38 polypeptide.

[0448] In some embodiments, the individual is a human.

[0449] In some embodiments, the binding protein is administered to the individual in pharmaceutical formulation comprising the binding protein and a pharmaceutically acceptable carrier.

[0450] In some embodiments, administration of the binding protein results in activation and/or proliferation of virus-specific memory T cells in the individual.

[0451] In any of the above methods, memory T cells can be CD8+ or CD4+ memory T cells. In any of the above methods, memory T cells can be central memory T cells (T.sub.CM) or effector memory T cells (T.sub.EM).

Cancer

[0452] Certain aspects of the present disclosure relate to methods for preventing and/or treating cancer in a patient. In some embodiments, the methods comprise administering to the patient a therapeutically effective amount of a binding protein or pharmaceutical composition of the present disclosure.

[0453] In some embodiments, a binding protein of the present disclosure is administered to a patient in need thereof for the treatment or prevention of cancer. In some embodiments, the present disclosure relates to a method of preventing and/or treating a proliferative disease or disorder (e.g., cancer). In some embodiments, the method comprises administering to a patient a therapeutically effective amount of at least one of the binding proteins, or pharmaceutical compositions related thereto, described herein. In some embodiments, the present disclosure relates to uses of at least one of the binding proteins, or pharmaceutical compositions related thereto, described herein for preventing and/or treating a proliferative disease or disorder (e.g., cancer) in a patient in need thereof. In some embodiments, the present disclosure relates to at least one of the binding proteins, or pharmaceutical compositions related thereto, described herein for use in the manufacture of a medicament for preventing and/or treating a proliferative disease or disorder (e.g., cancer) in a patient in need thereof. In some embodiments, the patient is a human.

[0454] In some embodiments, the at least one binding protein is administered (or is to be administered) in combination with one or more anti-cancer therapies (e.g., any anti-cancer therapy known in the art, such as a chemotherapeutic agent or therapy). In some embodiments, the at least one binding protein is administered (or is to be administered) before the one or more anti-cancer therapies. In some embodiments, the at least one binding protein is administered (or is to be administered) concurrently with the one or more anti-cancer therapies. In some embodiments, the at least one binding protein is administered (or is to be administered) after the one or more anti-cancer therapies.

[0455] In some embodiments, the binding protein comprises one or two antigen binding site(s) that binds a T-cell surface protein and another antigen binding site that binds the extracellular domain of a human HER2 polypeptide. In some embodiments, the binding protein comprises an antigen binding site that binds the extracellular domain of a human HER2 polypeptide, an antigen binding site that binds a human CD3 polypeptide.

[0456] In some embodiments, cancer cells from the individual express HER2. In some embodiments, the patient is selected for treatment on the basis that the cells of the cancer express a human HER2 polypeptide. Assays known in the art suitable for detecting HER2 expression by cancer cells include, without limitation, immunohistochemical (IHC) and fluorescence in situ hybridization (FISH) assays.

[0457] In some embodiments, the cancer (e.g., HER2-positive cancer) is breast cancer, colorectal cancer, gastric cancer, or non-small cell lung cancer (NSCLC).

[0458] In some embodiments, the binding protein comprises one or two antigen binding site(s) that binds a T-cell surface

protein and another antigen binding site that binds the extracellular domain of a human CD38 polypeptide. In some embodiments, the binding protein comprises an antigen binding site that binds the extracellular domain of a human CD38 polypeptide, an antigen binding site that binds a human CD38 polypeptide, and an antigen binding site that binds a human CD3 polypeptide.

[0459] In some embodiments, cancer cells from the individual express CD38. In some embodiments, cells of the cancer express a human CD38 isoform A polypeptide on their cell surface. In some embodiments, the patient is selected for treatment on the basis that the cells of the cancer express a human CD38 isoform E polypeptide on their cell surface. In some embodiments, the cancer cells express CD38 and CD28. In some embodiments, the cancer cells express CD38 and do not express CD28. [0460] In some embodiments, the cancer (e.g., CD38-positive cancer) is multiple myeloma, acute lymphoblastic leukemia, chronic lymphocytic leukemia, acute myeloid leukemia, lymphoma, breast cancer such as Her2+ breast cancer, prostate cancer, germinal center B-cell lympohoma or B-cell acute lymphoblastic leukemia. In certain embodiments, the cancer is multiple myeloma. In certain embodiments, the cancer is acute myeloid leukemia (AML), acute lymphoblastic leukemia (ALL), chronic lymphocytic leukemia (CLL), or a B cell lymphoma.

[0461] In certain embodiments, the cancer is multiple myeloma. Anti-CD38 antibodies have been tested for the treatment of multiple myeloma, such as daratumumab. However, while multiple myeloma is considered treatable, relapse is inevitable in almost all patients, leading to the development of treatment-refractory disease. In some embodiments, the cancer is relapsed or refractory multiple myeloma. In some embodiments, the patient has been treated with a prior multiple myeloma treatment. In some embodiments, a binding protein of the present disclosure is administered to the patient as a 1.sup.st, 2.sup.nd or 3.sup.rd line treatment for multiple myeloma. Without wishing to be bound to theory, it is thought that an anti-CD38xanti-CD28xanti-CD3 binding protein of the present disclosure may be useful in treating multiple myeloma, e.g., by recruiting T cells to tumor cells via anti-CD38 (or anti-CD28/anti-CD38), activation of engaged T cells via anti-CD3/anti-CD28, and/or killing of tumor cells through perforin/granzyme-based mechanisms. CD28 has been reported as a novel cancer marker for multiple myeloma. See Nair, J. R. et al. (2011) J. Immunol. 187:1243-1253.

[0462] Any of the binding proteins described herein may find use in the methods of the present disclosure.

[0463] In some embodiments of any of the methods of the present disclosure, prior to administration of the binding protein, the patient has been treated with daratumumab. As described herein, the present disclosure provides anti-CD38 binding proteins and sites that do not compete for binding CD38 with daratumumab. Without wishing to be bound to theory, it is thought that this is advantageous because a patient previously treated with daratumumab can be treated with a binding protein of the present disclosure, e.g., without a wash-out period prior to treatment.

[0464] The binding proteins can be employed in any known assay method, such as competitive binding assays, direct and indirect sandwich assays, and immunoprecipitation assays for the detection and quantitation of one or more target antigens. The binding proteins will bind the one or more target antigens with an affinity that is appropriate for the assay method being employed.

[0465] For diagnostic applications, in certain embodiments, binding proteins can be labeled with a detectable moiety. The detectable moiety can be any one that is capable of producing, either directly or indirectly, a detectable signal. For example, the detectable moiety can be a radioisotope, such as .sup.3H, .sup.14C, .sup.32P, .sup.35S, .sup.125I, .sup.99Tc, .sup.111In, or .sup.67Ga; a fluorescent or chemiluminescent compound, such as fluorescein isothiocyanate, rhodamine, or luciferin; or an enzyme, such as alkaline phosphatase, β -galactosidase, or horseradish peroxidase.

[0466] The binding proteins are also useful for in vivo imaging. A binding protein labeled with a detectable moiety can be administered to an animal, preferably into the bloodstream, and the presence and location of the labeled antibody in the host assayed. The binding protein can be labeled with any moiety that is detectable in an animal, whether by nuclear magnetic resonance, radiology, or other detection means known in the art.

[0467] For clinical or research applications, in certain embodiments, binding proteins can be conjugated to a cytotoxic agent. A variety of antibodies coupled to cytotoxic agents (i.e., antibody-drug conjugates) have been used to target cytotoxic payloads to specific tumor cells. Cytotoxic agents and linkers that conjugate the agents to an antibody are known in the art; see, e.g., Parslow, A. C. et al. (2016) *Biomedicines* 4:14 and Kalim, M. et al. (2017) *Drug Des. Devel. Ther.* 11:2265-2276. Binding Protein Therapeutic Compositions and Administration Thereof for Treating and/or Preventing Cancer [0468] Therapeutic or pharmaceutical compositions comprising binding proteins are within the scope of the disclosure. Such therapeutic or pharmaceutical compositions can comprise a therapeutically effective amount of a binding protein, or binding protein-drug conjugate, in admixture with a pharmaceutically or physiologically acceptable formulation agent selected for suitability with the mode of administration. These pharmaceutical compositions may find use in any of the methods and uses described herein (e.g., ex vivo, in vitro, and/or in vivo).

[0470] The pharmaceutical composition can contain formulation materials for modifying, maintaining, or preserving, for example, the pH, osmolarity, viscosity, clarity, color, isotonicity, odor, sterility, stability, rate of dissolution or release, adsorption, or penetration of the composition. Suitable formulation materials include, but are not limited to, amino acids (such as glycine, glutamine, asparagine, arginine, or lysine), antimicrobials, antioxidants (such as ascorbic acid, sodium sulfite, or sodium hydrogen-sulfite), buffers (such as borate, bicarbonate, Tris-HCl, citrates, phosphates, or other organic acids), bulking agents (such as mannitol or glycine), chelating agents (such as ethylenediamine tetraacetic acid (EDTA)), complexing agents (such as caffeine, polyvinylpyrrolidone, beta-cyclodextrin, or hydroxypropyl-beta-cyclodextrin), fillers, monosaccharides, disaccharides, and other carbohydrates (such as glucose, mannose, or dextrins), proteins (such as serum albumin, gelatin, or immunoglobulins), coloring, flavoring and diluting agents, emulsifying agents, hydrophilic polymers

(such as polyvinylpyrrolidone), low molecular weight polypeptides, salt-forming counterions (such as sodium), preservatives (such as benzalkonium chloride, benzoic acid, salicylic acid, thimerosal, phenethyl alcohol, methylparaben, propylparaben, chlorhexidine, sorbic acid, or hydrogen peroxide), solvents (such as glycerin, propylene glycol, or polyethylene glycol), sugar alcohols (such as mannitol or sorbitol), suspending agents, surfactants or wetting agents (such as pluronics; PEG; sorbitan esters; polysorbates such as polysorbate 20 or polysorbate 80; triton; tromethamine; lecithin; cholesterol or tyloxapal), stability enhancing agents (such as sucrose or sorbitol), tonicity enhancing agents (such as alkali metal halides—preferably sodium or potassium chloride—or mannitol sorbitol), delivery vehicles, diluents, excipients and/or pharmaceutical adjuvants (see, e.g., REMINGTON'S PHARMACEUTICAL SCIENCES (18th Ed., A. R. Gennaro, ed., Mack Publishing Company 1990), and subsequent editions of the same, incorporated herein by reference for any purpose).

[0471] The optimal pharmaceutical composition will be determined by a skilled artisan depending upon, for example, the

intended route of administration, delivery format, and desired dosage. Such compositions can influence the physical state,

stability, rate of in vivo release, and rate of in vivo clearance of the binding protein.

[0472] The primary vehicle or carrier in a pharmaceutical composition can be either aqueous or non-aqueous in nature. For example, a suitable vehicle or carrier for injection can be water, physiological saline solution, or artificial cerebrospinal fluid, possibly supplemented with other materials common in compositions for parenteral administration. Neutral buffered saline or saline mixed with serum albumin are further exemplary vehicles. Other exemplary pharmaceutical compositions comprise Tris buffer of about pH 7.0-8.5, or acetate buffer of about pH 4.0-5.5, which can further include sorbitol or a suitable substitute. In one embodiment of the disclosure, binding protein compositions can be prepared for storage by mixing the selected composition having the desired degree of purity with optional formulation agents in the form of a lyophilized cake or an aqueous solution. Further, the binding protein can be formulated as a lyophilizate using appropriate excipients such as sucrose.

[0473] The pharmaceutical compositions of the disclosure can be selected for parenteral delivery or subcutaneous. Alternatively, the compositions can be selected for inhalation or for delivery through the digestive tract, such as orally. The preparation of such pharmaceutically acceptable compositions is within the skill of the art.

[0474] The formulation components are present in concentrations that are acceptable to the site of administration. For example, buffers are used to maintain the composition at physiological pH or at a slightly lower pH, typically within a pH range of from about 5 to about 8.

[0475] When parenteral administration is contemplated, the therapeutic compositions for use can be in the form of a pyrogen-free, parenterally acceptable, aqueous solution comprising the desired binding protein in a pharmaceutically acceptable vehicle. A particularly suitable vehicle for parenteral injection is sterile distilled water in which a binding protein is formulated as a sterile, isotonic solution, properly preserved. Yet another preparation can involve the formulation of the desired molecule with an agent, such as injectable microspheres, bio-erodible particles, polymeric compounds (such as polylactic acid or polyglycolic acid), beads, or liposomes, that provides for the controlled or sustained release of the product which can then be delivered via a depot injection. Hyaluronic acid can also be used, and this can have the effect of promoting sustained duration in the circulation. Other suitable means for the introduction of the desired molecule include implantable drug delivery devices.

[0476] In one embodiment, a pharmaceutical composition can be formulated for inhalation. For example, a binding protein can be formulated as a dry powder for inhalation. Binding protein inhalation solutions can also be formulated with a propellant for aerosol delivery. In yet another embodiment, solutions can be nebulized.

[0477] It is also contemplated that certain formulations can be administered orally. In one embodiment of the disclosure, binding proteins that are administered in this fashion can be formulated with or without those carriers customarily used in the compounding of solid dosage forms such as tablets and capsules. For example, a capsule can be designed to release the active portion of the formulation at the point in the gastrointestinal tract when bioavailability is maximized and pre-systemic degradation is minimized. Additional agents can be included to facilitate absorption of the binding protein. Diluents, flavorings, low melting point waxes, vegetable oils, lubricants, suspending agents, tablet disintegrating agents, and binders can also be employed.

[0478] Another pharmaceutical composition can involve an effective quantity of binding proteins in a mixture with non-toxic excipients that are suitable for the manufacture of tablets. By dissolving the tablets in sterile water, or another appropriate vehicle, solutions can be prepared in unit-dose form. Suitable excipients include, but are not limited to, inert diluents, such as calcium carbonate, sodium carbonate or bicarbonate, lactose, or calcium phosphate; or binding agents, such as starch, gelatin, or acacia; or lubricating agents such as magnesium stearate, stearic acid, or talc.

[0479] Additional pharmaceutical compositions of the disclosure will be evident to those skilled in the art, including formulations involving binding proteins in sustained- or controlled-delivery formulations. Techniques for formulating a variety of other sustained- or controlled-delivery means, such as liposome carriers, bio-erodible microparticles or porous beads and depot injections, are also known to those skilled in the art. Additional examples of sustained-release preparations include semipermeable polymer matrices in the form of shaped articles, e.g. films, or microcapsules. Sustained release matrices can include polyesters, hydrogels, polylactides, copolymers of L-glutamic acid and gamma ethyl-L-glutamate, poly(2-hydroxyethyl-methacrylate), ethylene vinyl acetate, or poly-D(¬)-3-hydroxybutyric acid. Sustained-release compositions can also include liposomes, which can be prepared by any of several methods known in the art. [0480] Pharmaceutical compositions to be used for in vivo administration typically must be sterile. This can be accomplished by filtration through sterile filtration membranes. Where the composition is lyophilized, sterilization using this method can be conducted either prior to, or following, lyophilization and reconstitution. The composition for parenteral administration

can be stored in lyophilized form or in a solution. In addition, parenteral compositions generally are placed into a container

having a sterile access port, for example, an intravenous solution bag or vial having a stopper pierceable by a hypodermic injection needle.

[0481] Once the pharmaceutical composition has been formulated, it can be stored in sterile vials as a solution, suspension, gel, emulsion, solid, or as a dehydrated or lyophilized powder. Such formulations can be stored either in a ready-to-use form or in a form (e.g., lyophilized) requiring reconstitution prior to administration.

[0482] The disclosure also relates to a kit comprising a binding protein and other reagents useful for detecting target antigen levels in biological samples. Such reagents can include a detectable label, blocking serum, positive and negative control samples, and detection reagents. In some embodiments, the kit comprises a composition comprising any binding protein, polynucleotide, vector, vector system, and/or host cell described herein. In some embodiments, the kit comprises a container and a label or package insert on or associated with the container. Suitable containers include, for example, bottles, vials, syringes, IV solution bags, etc. The containers may be formed from a variety of materials such as glass or plastic. The container holds a composition which is by itself or combined with another composition effective for treating, preventing and/or diagnosing a condition and may have a sterile access port (for example the container may be an intravenous solution bag or a vial having a stopper pierceable by a hypodermic injection needle). In some embodiments, the label or package insert indicates that the composition is used for preventing, diagnosing, and/or treating the condition of choice. Alternatively, or additionally, the article of manufacture or kit may further comprise a second (or third) container comprising a pharmaceutically-acceptable buffer, such as bacteriostatic water for injection (BWFI), phosphate-buffered saline, Ringer's solution and dextrose solution. It may further include other materials desirable from a commercial and user standpoint, including other buffers, diluents, filters, needles, and syringes.

[0483] The disclosure also encompasses kits for producing a single-dose administration unit. The kits can each contain both a first container having a dried protein and a second container having an aqueous formulation. Also included within the scope of this disclosure are kits containing single and multi-chambered pre-filled syringes (e.g., liquid syringes and lyosyringes). [0484] The effective amount of a binding protein pharmaceutical composition to be employed therapeutically will depend, for example, upon the therapeutic context and objectives. One skilled in the art will appreciate that the appropriate dosage levels for treatment will thus vary depending, in part, upon the molecule delivered, the indication for which the binding protein is being used, the route of administration, and the size (body weight, body surface, or organ size) and condition (the age and general health) of the patient. Accordingly, the clinician can titer the dosage and modify the route of administration to obtain the optimal therapeutic effect.

[0485] Dosing frequency will depend upon the pharmacokinetic parameters of the binding protein in the formulation being used. Typically, a clinician will administer the composition until a dosage is reached that achieves the desired effect. The composition can therefore be administered as a single dose, as two or more doses (which may or may not contain the same amount of the desired molecule) over time, or as a continuous infusion via an implantation device or catheter. Further refinement of the appropriate dosage is routinely made by those of ordinary skill in the art and is within the ambit of tasks routinely performed by them. Appropriate dosages can be ascertained through use of appropriate dose-response data. [0486] The route of administration of the pharmaceutical composition is in accord with known methods, e.g., orally; through injection by intravenous, intraperitoneal, intracerebral (intraparenchymal), intracerebroventricular, intramuscular, intraocular, intraarterial, intraportal, or intralesional routes; by sustained release systems; or by implantation devices. Where desired, the compositions can be administered by bolus injection or continuously by infusion, or by implantation device.

[0487] The composition can also be administered locally via implantation of a membrane, sponge, or other appropriate material onto which the desired molecule has been absorbed or encapsulated. Where an implantation device is used, the device can be implanted into any suitable tissue or organ, and delivery of the desired molecule can be via diffusion, timed-release bolus, or continuous administration.

TABLE-US-00005 TABLE 1 Trispecific binding protein polypeptide sequences Poly- peptide Number SEQ (acc. to ID Molecule formula) NO Sequence HER2 (WT- 1 100

 $\label{lem:poly} DIVMTQTPLSLSVTPGQPASISCKSSQSLVHQNAQTYLSWYLQKPGQSPQSLIYKVSNRFSGVPDRFSGSGSG trastuzumab)/$

TDFTLKISRVEAEDVGVYYCGQGTQYPFTFGSGTKVEIKDKTHTDIQMTQSPSSLSASVGDRVTITCQASQNI CD28supxCD3mid

YVWLNWYQQKPGKAPKLLIYKASNLHTGVPSRFSGSGSGTDFTLTISSLQPEDIATYYCQQGQTYPYTFGQG (32/35 QQ

TKLEIKDKTHTRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQDS (LC); DKTHT KDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC linkers on 2 101 QVQLVQSGAEVVKPGASVKVSCKASGYTFTSYYIHWVRQAPGQGLEWIGSIYPGNVNTNYAQKFQGRATL

TVDTSISTAYMELSRLRSDDTAVYYCTRSHYGLDWNFDVWGKGTTVTVSSDKTHTQVQLVESGGGVVQPG FALA RSLRLSCAASGFTFTKAWMHWVRQAPGKQLEWVAQIKDKSNSYATYYADSVKGRFTISRDDSKNTLYLQM BP # 1 NSLRAEDTAVYYCRGVYYALSPFDYWGQGTLVTVSSDKTHTASTKGPSVFPLAPCSRSTSESTAALGCLVK DYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTKVDKRVESKY GPPCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEVHNAKTKPREE QFNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVCTLPPSQEEMTKNQVSLS CAVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLVSKLTVDKSRWQEGNVFSCSVMHEALHNHYT QKSLSLSLG 3 102

EVQLVESGGGLVQPGGSLRLSCAASGFNIKDTYIHWVRQAPGKGLEWVARIYPTNGYTRYADSVKGRFTIS

ADTSKNTAYLQMNSLRAEDTAVYYCSRWGGDGFYAMDYWGQGTLVTVSSASTKGPSVFPLAPCSRSTSES TAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTK VDKRVESKYGPPCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEV HNAKTKPREEQFNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVYTLPPCQE EMTKNQVSLWCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQEGNVFSCSV MHEALHNHYTQKSLSLSLG 4 103

DIQMTQSPSSLSASVGDRVTITCRASQDVNTAVAWYQQKPGKAPKLLIYSASFLYSGVPSRFSGSRSGTDFTL
TISSLQPEDFATYYCQQHYTTPPTFGQGTKVEIKRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREA
KVQWKVDNALQSGNSQESVTEQDSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC HER2 1
104 DIVMTQTPLSLSVTPGQPASISCKSSQSLVHQNAQTYLSWYLQKPGQSPQSLIYKVSNRFSGVPDRFSGSGSG
(30R/55Q/102E +

TDFTLKISRVEAEDVGVYYCGQGTQYPFTFGSGTKVEIKDKTHTDIQMTQSPSSLSASVGDRVTITCQASQNI LC-WT-YVWLNWYQQKPGKAPKLLIYKASNLHTGVPSRFSGSGSGTDFTLTISSLQPEDIATYYCQQGQTYPYTFGQG trastuzumab)/

TKLEIKDKTHTRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQDS CD28supxCD3mid KDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC (32/35 QQ 2 105 QVQLVQSGAEVVKPGASVKVSCKASGYTFTSYYIHWVRQAPGQGLEWIGSIYPGNVNTNYAQKFQGRATL (LC); DKTHT TVDTSISTAYMELSRLRSDDTAVYYCTRSHYGLDWNFDVWGKGTTVTVSSDKTHTQVQLVESGGGVVQPG linkers on

RSLRLSCAASGFTFTKAWMHWVRQAPGKQLEWVAQIKDKSNSYATYYADSVKGRFTISRDDSKNTLYLQM HC/LC) $\;$ IgG4

NSLRAEDTAVYYCRGVYYALSPFDYWGQGTLVTVSSDKTHTASTKGPSVFPLAPCSRSTSESTAALGCLVK FALA DYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTKVDKRVESKY BP # 2 GPPCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEVHNAKTKPREE QFNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVCTLPPSQEEMTKNQVSLS CAVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLVSKLTVDKSRWQEGNVFSCSVMHEALHNHYT QKSLSLSLG 3 106

EVQLVESGGGLVQPGGSLRLSCAASGFNIRDTYIHWVRQAPGKGLEWVARIYPTQGYTRYADSVKGRFTIS ADTSKNTAYLQMNSLRAEDTAVYYCSRWGGEGFYAMDYWGQGTLVTVSSASTKGPSVFPLAPCSRSTSES TAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTK VDKRVESKYGPPCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEV HNAKTKPREEQFNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVYTLPPCQE EMTKNQVSLWCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQEGNVFSCSV MHEALHNHYTOKSLSLSLG 4 107

DIQMTQSPSSLSASVGDRVTITCRASQDVNTAVAWYQQKPGKAPKLLIYSASFLYSGVPSRFSGSRSGTDFTL
TISSLQPEDFATYYCQQHYTTPPTFGQGTKVEIKRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAK
VQWKVDNALQSGNSQESVTEQDSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC HER2 1
108 DIVMTQTPLSLSVTPGQPASISCKSSQSLVHDNAQTYLSWYLQKPGQSPQSLIYKVSNRFSGVPDRFSGSGSG
(30R/55O/102E +

TDFTLKISRVEAEDVGVYYCGQGTQYPFTFGSGTKVEIKDKTHTDIQMTQSPSSLSASVGDRVTITCQASQNI LC-WT-YVWLNWYQQKPGKAPKLLIYKASNLHTGVPSRFSGSGSGTDFTLTISSLQPEDIATYYCQQGQTYPYTFGQG trastuzumab)/

TKLEIKDKTHTRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQDS CD28.sub.supxCD3.sub.mid KDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC (DNAQ (LC); 2 109 QVQLVQSGAEVVKPGASVKVSCKASGYTFTSYYIHWVRQAPGQGLEWIGSIYPGNVNTNYAQKFQGRATL DKTHT linkers

TVDTSISTAYMELSRLRSDDTAVYYCTRSHYGLDWNFDVWGKGTTVTVSSDKTHTQVQLVESGGGVVQPG on HC/LC) $\,$ IgG4

RSLRLSCAASGFTFTKAWMHWVRQAPGKQLEWVAQIKDKSNSYATYYADSVKGRFTISRDDSKNTLYLQM FALA NSLRAEDTAVYYCRGVYYALSPFDYWGQGTLVTVSSDKTHTASTKGPSVFPLAPCSRSTSESTAALGCLVK BP # 8 DYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTKVDKRVESKY GPPCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEVHNAKTKPREE QFNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVCTLPPSQEEMTKNQVSLS CAVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLVSKLTVDKSRWQEGNVFSCSVMHEALHNHYT QKSLSLSLG 3 110

EVQLVESGGGLVQPGGSLRLSCAASGFNIRDTYIHWVRQAPGKGLEWVARIYPTQGYTRYADSVKGRFTIS ADTSKNTAYLQMNSLRAEDTAVYYCSRWGGEGFYAMDYWGQGTLVTVSSASTKGPSVFPLAPCSRSTSES TAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTK VDKRVESKYGPPCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEV HNAKTKPREEQFNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVYTLPPCQE EMTKNQVSLWCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQEGNVFSCSV MHEALHNHYTQKSLSLSLG 4 111

DIQMTQSPSSLSASVGDRVTITCRASQDVNTAVAWYQQKPGKAPKLLIYSASFLYSGVPSRFSGSRSGTDFTL

TISSLQPEDFATYYCQQHYTTPPTFGQGTKVEIKRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREA KVQWKVDNALQSGNSQESVTEQDSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC HER2 1 286 DIVMTQTPLSLSVTPGQPASISCKSSQSLVHQNAQTYLSWYLQKPGQSPQSLIYKVSNRFSGVPDRFSGSGSG (30R/56A/

TDFTLKISRVEAEDVGVYYCGQGTQYPFTFGSGTKVEIKDKTHTDIQMTQSPSSLSASVGDRVTITCQASQNI 102S + LC-WT-

YVWLNWYQQKPGKAPKLLIYKASNLHTGVPSRFSGSGSGTDFTLTISSLQPEDIATYYCQQGQTYPYTFGQG trastuzumab)/

TKLEIKDKTHTRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQDS CD28supxCD3mid KDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC (32/35QQ185E) 2 287 QVQLVQSGAEVVKPGASVKVSCKASGYTFTSYYIHWVRQAPGQGLEWIGSIYPGNVNTNYAQKFQGRATL IgG4 FALA TVDTSISTAYMELSRLRSDDTAVYYCTRSHYGLDWNFDVWGKGTTVTVSSDKTHTQVQLVESGGGVVQPG BP # 3

RSLRLSCAASGFTFTKAWMHWVRQAPGKQLEWVAQIKDKSNSYATYYADSVKGRFTISRDDSKNTLYLQM NSLRAEDTAVYYCRGVYYALSPFDYWGQGTLVTVSSDKTHTASTKGPSVFPLAPCSRSTSESTAALGCLVK DYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTKVDKRVESKY GPPCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEVHNAKTKPREE QFNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVCTLPPSQEEMTKNQVSLS CAVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLVSKLTVDKSRWQEGNVFSCSVMHEALHNHYT OKSLSLSLG 3 288

EVQLVESGGGLVQPGGSLRLSCAASGFNIRDTYIHWVRQAPGKGLEWVARTYPTNAYTRYADSVKGRFTIS ADTSKNTAYLQMNSLRAEDTAVYYCSRWGGSGFYAMDYWGQGTLVTVSSASTKGPSVFPLAPCSRSTSES TAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTK VDKRVESKYGPPCPPCPAPEFLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEVH NAKTKPREEQFNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVYTLPPCQEE MTKNQVSLWCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQEGNVFSCSV MHEALHNHYTQKSLSLSLG 4 289

DIQMTQSPSSLSASVGDRVTITCRASQDVNTAVAWYQQKPGKAPKLLIYSASFLYSGVPSRFSGSRSGTDFTL
TISSLQPEDFATYYCQQHYTTPPTFGQGTKVEIKRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREA
KVQWKVDNALQSGNSQESVTEQDSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC HER2 1
290 DIVMTQTPLSLSVTPGQPASISCKSSQSLVHQNAQTYLSWYLQKPGQSPQSLIYKVSNRFSGVPDRFSGSGSG
(30R/55Q/102E +

TDFTLKISRVEAEDVGVYYCGQGTQYPFTFGSGTKVEIKGQPKAAPDIQMTQSPSSLSASVGDRVTITCQASQ LC-WT-NIYVWLNWYQQKPGKAPKWYKASNLHTGVPSRFSGSGSGTDFTLTISSLQPEDIATYYCQQGQTYPYTFG trastuzumab)/

QGTKLEIKTKGPSRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQ CD28supxCD3mid DSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC (32/35QQ185E) 2 291 QVQLVQSGAEVVKPGASVKVSCKASGYTFTSYYIHWVRQAPGQGLEWIGSIYPGNVNTNYAQKFQGRATL IgG4 FALA TVDTSISTAYMELSRLRSDDTAVYYCTRSHYGLDWNFDVWGKGTTVTVSSDKTHTQVQLVESGGGVVQPG RP # 4

RSLRLSCAASGFTFTKAWMHWVRQAPGKQLEWVAQIKDKSNSYATYYAESVKGRFTISRDDSKNTLYLQM NSLRAEDTAVYYCRGVYYALSPFDYWGQGTLVTVSSDKTHTASTKGPSVFPLAPCSRSTSESTAALGCLVK DYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTKVDKRVESKY GPPCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEVHNAKTKPREE QFNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVCTLPPSQEEMTKNQVSLS CAVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLVSKLTVDKSRWQEGNVFSCSVMHEALHNHYT OKSLSLSLG 3 292

EVQLVESGGGLVQPGGSLRLSCAASGFNIRDTYIHWVRQAPGKGLEWVARIYPTQGYTRYADSVKGRFTIS ADTSKNTAYLQMNSLRAEDTAVYYCSRWGGEGFYAMDYWGQGTLVTVSSASTKGPSVFPLAPCSRSTSES TAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTK VDKRVESKYGPPCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEV HNAKTKPREEQFNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVYTLPPCQE EMTKNQVSLWCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQEGNVFSCSV MHEALHNHYTQKSLSLSLG 4 293

DIQMTQSPSSLSASVGDRVTITCRASQDVNTAVAWYQQKPGKAPKLLIYSASFLYSGVPSRFSGSRSGTDFTL
TISSLQPEDFATYYCQQHYTTPPTFGQGTKVEIKRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAK
VQWKVDNALQSGNSQESVTEQDSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC HER2 1
294 DIVMTQTPLSLSVTPGQPASISCKSSQSLVHQNAQTYLSWYLQKPGQSPQSLIYKVSNRFSGVPDRFSGSGSG
(30R/55O/102E +

TDFTLKISRVEAEDVGVYYCGQGTQYPFTFGSGTKVEIKGQPKAAPDIQMTQSPSSLSASVGDRVTITCQASQ LC-WT-NIYVWLNWYQQKPGKAPKLLIYKASNLHTGVPSRFSGSGSGTDFTLTISSLQPEDIATYYCQQGQTYPYTFG trastuzumab)/

QGTKLEIKTKGPSRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQ

CD28supxCD3mid DSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC (32/35QQ185S) 2 295 QVQLVQSGAEVVKPGASVKVSCKASGYTFTSYYIHWVRQAPGQGLEWIGSIYPGNVNTNYAQKFQGRATL IgG4 FALA TVDTSISTAYMELSRLRSDDTAVYYCTRSHYGLDWNFDVWGKGTTVTVSSSQVQLVESGGGVVQPGRSLR BP # 5

LSCAASGFTFTKAWMHWVRQAPGKQLEWVAQIKDKSNSYATYYASSVKGRFTISRDDSKNTLYLQMNSLR
AEDTAVYYCRGVYYALSPFDYWGQGTLVTVSSRTASTKGPSVFPLAPCSRSTSESTAALGCLVKDYFPEPVT
VSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTKVDKRVESKYGPPCPPCP
APEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEVHNAKTKPREEQFNSTYR
VVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVCTLPPSQEEMTKNQVSLSCAVKGF
YPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLVSKLTVDKSRWQEGNVFSCSVMHEALHNHYTQKSLSL SLG 3
296 EVQLVESGGGLVQPGGSLRLSCAASGFNIRDTYIHWVRQAPGKGLEWVARIYPTQGYTRYADSVKGRFTIS
ADTSKNTAYLQMNSLRAEDTAVYYCSRWGGEGFYAMDYWGQGTLVTVSSASTKGPSVFPLAPCSRSTSES
TAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTK
VDKRVESKYGPPCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEV
HNAKTKPREEQFNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVYTLPPCQE
EMTKNQVSLWCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQEGNVFSCSV
MHEALHNHYTQKSLSLSLG 4 297

DIQMTQSPSSLSASVGDRVTITCRASQDVNTAVAWYQQKPGKAPKLLIYSASFLYSGVPSRFSGSRSGTDFTL
TISSLQPEDFATYYCQQHYTTPPTFGQGTKVEIKRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAK
VQWKVDNALQSGNSQESVTEQDSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC HER2 1
298 DIVMTQTPLSLSVTPGQPASISCKSSQSLVHQSAQTYLSWYLQKPGQSPQSLIYKVSNRFSGVPDRFSGSGS
(30R/55Q/102E +

GTDFTLKISRVEAEDVGVYYCGQGTQYPFTFGSGTKVEIKGQPKAAPDIQMTQSPSSLSASVGDRVTITCQAS LC-WT-QNIYVWLNWYQQKPGKAPKLLIYKASNLHTGVPSRFSGSGSGTDFTLTISSLQPEDIATYYCQQGQTYPYTF trastuzumab)/

GQGTKLEIKTKGPSRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTE CD28supxCD3mid QDSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC (32/33/35QSQ 2 299 QVQLVQSGAEVVKPGASVKVSCKASGYTFTSYYIHWVRQAPGQGLEWIGSIYPGNVNTNYAQKFQGRATL 185S) IgG4 TVDTSISTAYMELSRLRSDDTAVYYCTRSHYGLDWNFDVWGKGTTVTVSSSQVQLVESGGGVVQPGRSLR FALA LSCAASGFTFTKAWMHWVRQAPGKQLEWVAQIKDKSNSYATYYASSVKGRFTISRDDSKNTLYLQMNSLR BP # 6

AEDTAVYYCRGVYYALSPFDYWGQGTLVTVSSRTASTKGPSVFPLAPCSRSTSESTAALGCLVKDYFPEPVT
VSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTKVDKRVESKYGPPCPPCP
APEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEVHNAKTKPREEQFNSTYR
VVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVCTLPPSQEEMTKNQVSLSCAVKGF
YPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLVSKLTVDKSRWQEGNVFSCSVMHEALHNHYTQKSLSL SLG 3
300 EVQLVESGGGLVQPGGSLRLSCAASGFNIRDTYIHWVRQAPGKGLEWVARIYPTQGYTRYADSVKGRFTIS
ADTSKNTAYLQMNSLRAEDTAVYYCSRWGGEGFYAMDYWGQGTLVTVSSASTKGPSVFPLAPCSRSTSES
TAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLOSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTK
VDKRVESKYGPPCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEV
HNAKTKPREEQFNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVYTLPPCQE
EMTKNQVSLWCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQEGNVFSCSV
MHEALHNHYTQKSLSLSLG 4 301

DIQMTQSPSSLSASVGDRVTITCRASQDVNTAVAWYQQKPGKAPKLLIYSASFLYSGVPSRFSGSRSGTDFTL
TISSLQPEDFATYYCQQHYTTPPTFGQGTKVEIKRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAK
VQWKVDNALQSGNSQESVTEQDSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC HER2 1
112 DIVMTQTPLSLSVTPGQPASISCKSSQSLVHQNAQTYLSWYLQKPGQSPQSLIYKVSNRFSGVPDRFSGSGSG
(30R/55Q/102E +

TDFTLKISRVEAEDVGVYYCGQGTQYPFTFGSGTKVEIKGQPKAAPDIQMTQSPSSLSASVGDRVTITCQASQ LC-WT-NIYVWLNWYQQKPGKAPKLLIYKASNLHTGVPSRFSGSGSGTDFTLTISSLQPEDIATYYCQQGQTYPYTFG trastuzumab)/

QGTKLEIKTKGPSRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQ CD28.sub.supxCD3.sub.mid DSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC (32/35QQ (LC); 2 113

QVQLVQSGAEVVKPGASVKVSCKASGYTFTSYYIHWVRQAPGQGLEWIGSIYPGNVNTNYAQKFQGRATL L1 linker) IgG4

TVDTSISTAYMELSRLRSDDTAVYYCTRSHYGLDWNFDVWGKGTTVTVSSSQVQLVESGGGVVQPGRSLR FALA LSCAASGFTFTKAWMHWVRQAPGKQLEWVAQIKDKSNSYATYYADSVKGRFTISRDDSKNTLYLQMNSLR BP # 9 AEDTAVYYCRGVYYALSPFDYWGQGTLVTVSSRTASTKGPSVFPLAPCSRSTSESTAALGCLVKDYFPEPVT VSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTKVDKRVESKYGPPCPPCP APEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEVHNAKTKPREEQFNSTYR VVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVCTLPPSQEEMTKNQVSLSCAVKGF YPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLVSKLTVDKSRWQEGNVFSCSVMHEALHNHYTQKSLSL SLG 3

114 EVQLVESGGGLVQPGGSLRLSCAASGFNIRDTYIHWVRQAPGKGLEWVARIYPTQGYTRYADSVKGRFTIS ADTSKNTAYLQMNSLRAEDTAVYYCSRWGGEGFYAMDYWGQGTLVTVSSASTKGPSVFPLAPCSRSTSES TAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTK VDKRVESKYGPPCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEV HNAKTKPREEQFNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVYTLPPCQE EMTKNQVSLWCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQEGNVFSCSV MHEALHNHYTQKSLSLSLG 4 115

DIQMTQSPSSLSASVGDRVTITCRASQDVNTAVAWYQQKPGKAPKLLIYSASFLYSGVPSRFSGSRSGTDFTL TISSLQPEDFATYYCQQHYTTPPTFGQGTKVEIKRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAK VQWKVDNALQSGNSQESVTEQDSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC HER2-30R/ 1 116

DIVMTQTPLSLSVTPGQPASISCKSSQSLVHNNANTYLSWYLQKPGQSPQSLIYKVSNRFSGVPDRFSGSGSG5Q/102S +

TDFTLKISRVEAEDVGVYYCGQGTQYPFTFGSGTKVEIKGQPKAAPDIQMTQSPSSLSASVGDRVTITCQASQ LC-WT-NIYVWLNWYQQKPGKAPKLLIYKASNLHTGVPSRFSGSGSGTDFTLTISSLQPEDIATYYCQQGQTYPYTFG trastuzumab/

QGTKLEIKTKGPSRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQ CD28supxCD3mid DSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC L1 linker 2 117 QVQLVQSGAEVVKPGASVKVSCKASGYTFTSYYIHWVRQAPGQGLEWIGSIYPGNVNTNYAQKFQGRATL IgG4 FALA TVDTSISTAYMELSRLRSDDTAVYYCTRSHYGLDWNFDVWGKGTTVTVSSSQVQLVESGGGVVQPGRSLR BP # 10

LSCAASGFTFTKAWMHWVRQAPGKQLEWVAQIKDKSNSYATYYADSVKGRFTISRDDSKNTLYLQMNSLR
AEDTAVYYCRGVYYALSPFDYWGQGTLVTVSSRTASTKGPSVFPLAPCSRSTSESTAALGCLVKDYFPEPVT
VSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTKVDKRVESKYGPPCPPCP
APEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEVHNAKTKPREEQFNSTYR
VVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVCTLPPSQEEMTKNQVSLSCAVKGF
YPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLVSKLTVDKSRWQEGNVFSCSVMHEALHNHYTQKSLSL SLG 3
118 EVQLVESGGGLVQPGGSLRLSCAASGFNIRDTYIHWVRQAPGKGLEWVARTYPTQGYTRYADSVKGRFTIS
ADTSKNTAYLQMNSLRAEDTAVYYCSRWGGSGFYAMDYWGQGTLVTVSSASTKGPSVFPLAPCSRSTSES
TAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTK
VDKRVESKYGPPCPPCPAPEFLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEVH
NAKTKPREEQFNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVYTLPPCQEE
MTKNQVSLWCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQEGNVFSCSV
MHEALHNHYTOKSLSLSLG 4 119

DIQMTQSPSSLSASVGDRVTITCRASQDVNTAVAWYQQKPGKAPKLLIYSASFLYSGVPSRFSGSRSGTDFTL TISSLQPEDFATYYCQQHYTTPPTFGQGTKVEIKRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAK VQWKVDNALQSGNSQESVTEQDSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC HER2-30R/ 1 120

DIVMTQTPLSLSVTPGQPASISCKSSQSLVHNNANTYLSWYLQKPGQSPQSLIYKVSNRFSGVPDRFSGSGSG 56A/102S +

TDFTLKISRVEAEDVGVYYCGQGTQYPFTFGSGTKVEIKGQPKAAPDIQMTQSPSSLSASVGDRVTITCQASQ LC-WT- NIYVWLNWYQQKPGKAPKLLIYKASNLHTGVPSRFSGSGSGTDFTLTISSLQPEDIATYYCQQGQTYPYTFG trastuzumab/

QGTKLEIKTKGPSRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQ CD28supxCD3mid DSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC L1 linker 2 121 QVQLVQSGAEVVKPGASVKVSCKASGYTFTSYYIHWVRQAPGQGLEWIGSIYPGNVNTNYAQKFQGRATL IgG4 FALA TVDTSISTAYMELSRLRSDDTAVYYCTRSHYGLDWNFDVWGKGTTVTVSSSQVQLVESGGGVVQPGRSLR BP # 11

LSCAASGFTFTKAWMHWVRQAPGKQLEWVAQIKDKSNSYATYYADSVKGRFTISRDDSKNTLYLQMNSLR
AEDTAVYYCRGVYYALSPFDYWGQGTLVTVSSRTASTKGPSVFPLAPCSRSTSESTAALGCLVKDYFPEPVT
VSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTKVDKRVESKYGPPCPPCP
APEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEVHNAKTKPREEQFNSTYR
VVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVCTLPPSQEEMTKNQVSLSCAVKGF
YPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLVSKLTVDKSRWQEGNVFSCSVMHEALHNHYTQKSLSL SLG 3
122 EVQLVESGGGLVQPGGSLRLSCAASGFNIRDTYIHWVRQAPGKGLEWVARIYPTNAYTRYADSVKGRFTIS
ADTSKNTAYLQMNSLRAEDTAVYYCSRWGGSGFYAMDYWGQGTLVTVSSASTKGPSVFPLAPCSRSTSES
TAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTK
VDKRVESKYGPPCPPCPAPEFLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEVH
NAKTKPREEQFNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVYTLPPCQEE
MTKNQVSLWCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQEGNVFSCSV
MHEALHNHYTQKSLSLSLG 4 123

DIQMTQSPSSLSASVGDRVTITCRASQDVNTAVAWYQQKPGKAPKLLIYSASFLYSGVPSRFSGSRSGTDFTL TISSLQPEDFATYYCQQHYTTPPTFGQGTKVEIKRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAK

VQWKVDNALQSGNSQESVTEQDSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC HER2-30R/ 1 124

DIVMTQTPLSLSVTPGQPASISCKSSQSLVHNNANTYLSWYLQKPGQSPQSLIYKVSNRFSGVPDRFSGSGSG 56A/102E/

TDFTLKISRVEAEDVGVYYCGQGTQYPFTFGSGTKVEIKGQPKAAPDIQMTQSPSSLSASVGDRVTITCQASQ CD28supxCD3mid

NIYVWLNWYQQKPGKAPKWYKASNLHTGVPSRFSGSGSGTDFTLTISSLQPEDIATYYCQQGQTYPYTFG L1 linker QGTKLEIKTKGPSRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQ IgG4 FALA DSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC BP $\,\,$ # $\,$ 12 2 125 QVQLVQSGAEVVKPGASVKVSCKASGYTFTSYYIHWVRQAPGQGLEWIGSIYPGNVNTNYAQKFQGRATL TVDTSISTAYMELSRLRSDDTAVYYCTRSHYGLDWNFDVWGKGTTVTVSSSQVQLVESGGGVVQPGRSLR LSCAASGFTFTKAWMHWVRQAPGKQLEWVAQIKDKSNSYATYYADSVKGRFTISRDDSKNTLYLQMNSLR AEDTAVYYCRGVYYALSPFDYWGQGTLVTVSSRTASTKGPSVFPLAPCSRSTSESTAALGCLVKDYFPEPVT VSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTKVDKRVESKYGPPCPPCP APEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEVHNAKTKPREEQFNSTYR VVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVCTLPPSQEEMTKNQVSLSCAVKGF ${\tt YPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLVSKLTVDKSRWQEGNVFSCSVMHEALHNHYTQKSLSL~SLG~3}$ 126 EVQLVESGGGLVQPGGSLRLSCAASGFNIRDTYIHWVRQAPGKGLEWVARTYPTNAYTRYADSVKGRFTIS ADTSKNTAYLQMNSLRAEDTAVYYCSRWGGEGFYAMDYWGQGTLVTVSSASTKGPSVFPLAPCSRSTSES TAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTK VDKRVESKYGPPCPPCPAPEFLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEVH NAKTKPREEQFNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVYTLPPCQEE MTKNQVSLWCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQEGNVFSCSV MHEALHNHYTQKSLSLSLG 4 127

DIQMTQSPSSLSASVGDRVTITCRASQDVNTAVAWYQQKPGKAPKLLIYSASFLYSGVPSRFSGSRSGTDFTL
TISSLQPEDFATYYCQQHYTTPPTFGQGTKVEIKRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAK
VQWKVDNALQSGNSQESVTEQDSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC HER2- 1
128 DIVMTQTPLSLSVTPGQPASISCKSSQSLVHQNAQTYLSWYLQKPGQSPQSLIYKVSNRFSGVPDRFSGSGSG
WT +

TDFTLKISRVEAEDVGVYYCGQGTQYPFTFGSGTKVEIKGQPKAAPDIQMTQSPSSLSASVGDRVTITCQASQ trastuzumab/

NIYVWLNWYQQKPGKAPKWYKASNLHTGVPSRFSGSGSGTDFTLTISSLQPEDIATYYCQQGQTYPYTFGCD28supxCD3mid

QGTKLEIKTKGPSRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQ (32/35QQ) DSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC L1 linker IgG4 2 129 QVQLVQSGAEVVKPGASVKVSCKASGYTFTSYYIHWVRQAPGQGLEWIGSIYPGNVNTNYAQKFQGRATL FALA TVDTSISTAYMELSRLRSDDTAVYYCTRSHYGLDWNFDVWGKGTTVTVSSSQVQLVESGGGVVQPGRSLR BP # 15 LSCAASGFTFTKAWMHWVRQAPGKQLEWVAQIKDKSNSYATYYADSVKGRFTISRDDSKNTLYLQMNSLR AEDTAVYYCRGVYYALSPFDYWGQGTLVTVSSRTASTKGPSVFPLAPCSRSTSESTAALGCLVKDYFPEPVT VSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTKVDKRVESKYGPPCPPCP APEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEVHNAKTKPREEQFNSTYR VVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVCTLPPSQEEMTKNQVSLSCAVKGF YPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLVSKLTVDKSRWQEGNVFSCSVMHEALHNHYTQKSLSL SLG 3 130 EVQLVESGGGLVQPGGSLRLSCAASGFNIKDTYIHWVRQAPGKGLEWVARIYPTNGYTRYADSVKGRFTIS ADTSKNTAYLQMNSLRAEDTAVYYCSRWGGDGFYAMDYWGQGTLVTVSSASTKGPSVFPLAPCSRSTSES TAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTK VDKRVESKYGPPCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEV HNAKTKPREEQFNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVYTLPPCQE EMTKNQVSLWCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQEGNVFSCSV MHEALHNHYTQKSLSLSLG 4 131

DIQMTQSPSSLSASVGDRVTITCRASQDVNTAVAWYQQKPGKAPKLLIYSASFLYSGVPSRFSGSRSGTDFTL TISSLQPEDFATYYCQQHYTTPPTFGQGTKVEIKRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAK VQWKVDNALQSGNSQESVTEQDSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC HER2/ 1 132 DIVMTQTPLSLSVTPGQPASISCKSSQSLVHNNANTYLSWYLQKPGQSPQSLIYKVSNRFSGVPDRFSGSGSG CD28.sub.supxCD3.sub.mid

TDFTLKISRVEAEDVGVYYCGQGTQYPFTFGSGTKVEIKDKTHTDIQMTQSPSSLSASVGDRVTITCQASQNI DKTHT linkers

 $YVWLNWYQQKPGKAPKWYKASNLHTGVPSRFSGSGSGTDFTLTISSLQPEDIATYYCQQGQTYPYTFGQG\ on\ HC/LC) \quad IgG4$

TKLEIKDKTHTRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQDS FALA KDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC BP # 25 2 133

QVQLVQSGAEVVKPGASVKVSCKASGYTFTSYYIHWVRQAPGQGLEWIGSIYPGNVNTNYAQKFQGRATL TVDTSISTAYMELSRLRSDDTAVYYCTRSHYGLDWNFDVWGKGTTVTVSSDKTHTQVQLVESGGGVVQPG

RSLRLSCAASGFTFTKAWMHWVRQAPGKQLEWVAQIKDKSNSYATYYADSVKGRFTISRDDSKNTLYLQM NSLRAEDTAVYYCRGVYYALSPFDYWGQGTLVTVSSDKTHTASTKGPSVFPLAPCSRSTSESTAALGCLVK DYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTKVDKRVESKY GPPCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEVHNAKTKPREE QFNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVCTLPPSQEEMTKNQVSLS CAVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLVSKLTVDKSRWQEGNVFSCSVMHEALHNHYT OKSLSLSLG 3 134

EVQLVESGGGLVQPGGSLRLSCAASGFNIKDTYIHWVRQAPGKGLEWVARIYPTNGYTRYADSVKGRFTIS ADTSKNTAYLQMNSLRAEDTAVYYCSRWGGDGFYAMDYWGQGTLVTVSSASTKGPSVFPLAPCSRSTSES TAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTK VDKRVESKYGPPCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEV HNAKTKPREEQFNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVYTLPPCQE EMTKNQVSLWCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQEGNVFSCSV MHEALHNHYTQKSLSLSLG 4 135

DIQMTQSPSSLSASVGDRVTITCRASQDVNTAVAWYQQKPGKAPKLLIYSASFLYSGVPSRFSGSRSGTD FTLTISSLQPEDFATYYCQQHYTTPPTFGQGTKVEIKRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFY PREAKVQWKVDNALQSGNSQESVTEQDSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTK SFNRGEC HER2/ 1 136

 $\label{lem:linear_policy} DIVMTQTPLSLSVTPGQPASISCKSSQSLVHENLRTYLSWYLQKPGQSPQSLIYKVSNRFSGVPDRFSGSGCD28.sub.supxCD3.sub.mid$

SGTDFTLKISRVEAEDVGVYYCGQGTQYPFTFGSGTKVEIKDKTHTDIQMTQSPSSLSASVGDRVTITCQA (32/33/3435

SQNIYVWLNWYQQKPGKAPKWYKASNLHTGVPSRFSGSGSGTDFTLTISSLQPEDIATYYCQQGQTYPYTFGQ ENLR (LC);

GTKLEIKDKTHTRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQD DKTHT linkers SKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC on HC/LC) IgG4 2 137 QVQLVQSGAEVVKPGASVKVSCKASGYTFTSYYIHWVRQAPGQGLEWIGSIYPGNVNTNYAQKFQGRATL FALA TVDTSISTAYMELSRLRSDDTAVYYCTRSHYGLDWNFDVWGKGTTVTVSSDKTHTQVQLVESGGGVVQPG BP # 26 RSLRLSCAASGFTFTKAWMHWVRQAPGKQLEWVAQIKDKSNSYATYYADSVKGRFTISRDDSKNTLYLQM NSLRAEDTAVYYCRGVYYALSPFDYWGQGTLVTVSSDKTHTASTKGPSVFPLAPCSRSTSESTAALGCLVK DYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTKVDKRVESKY GPPCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEVHNAKTKPREE QFNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVCTLPPSQEEMTKNQVSLS CAVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLVSKLTVDKSRWQEGNVFSCSVMHEALHNHYT QKSLSLSLG 3 138

EVQLVESGGGLVQPGGSLRLSCAASGFNIKDTYIHWVRQAPGKGLEWVARIYPTNGYTRYADSVKGRFTIS ADTSKNTAYLQMNSLRAEDTAVYYCSRWGGDGFYAMDYWGQGTLVTVSSASTKGPSVFPLAPCSRSTSES TAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTK VDKRVESKYGPPCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEV HNAKTKPREEQFNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVYTLPPCQE EMTKNQVSLWCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQEGNVFSCSV MHEALHNHYTQKSLSLSLG 4 139

DIQMTQSPSSLSASVGDRVTITCRASQDVNTAVAWYQQKPGKAPKLLIYSASFLYSGVPSRFSGSRSGTDFTL TISSLQPEDFATYYCQQHYTTPPTFGQGTKVEIKRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAK VQWKVDNALQSGNSQESVTEQDSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC HER2/ 1 140 DIVMTQTPLSLSVTPGQPASISCKSSQSLVHENLQTYLSWYLQKPGQSPQSLIYKVSNRFSGVPDRFSGSG CD28.sub.supxCD3.sub.mid

SGTDFTLKISRVEAEDVGVYYCGQGTQYPFTFGSGTKVEIKDKTHTDIQMTQSPSSLSASVGDRVTITCQA (32/33/3435

SQNIYVWLNWYQQKPGKAPKLLIYKASNLHTGVPSRFSGSGSGTDFTLTISSLQPEDIATYYCQQGQTYPY ENLQ (LC); TFGQGTKLEIKDKTHTRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQES DKTHT linkers VTEQDSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC on HC/LC) IgG4 2 141 QVQLVQSGAEVVKPGASVKVSCKASGYTFTSYYIHWVRQAPGQGLEWIGSIYPGNVNTNYAQKFQGRATL FALA TVDTSISTAYMELSRLRSDDTAVYYCTRSHYGLDWNFDVWGKGTTVTVSSDKTHTQVQLVESGGGVVQPG BP # 27

RSLRLSCAASGFTFTKAWMHWVRQAPGKQLEWVAQIKDKSNSYATYYADSVKGRFTISRDDSKNTLYLQM NSLRAEDTAVYYCRGVYYALSPFDYWGQGTLVTVSSDKTHTASTKGPSVFPLAPCSRSTSESTAALGCLVK DYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTKVDKRVESKY GPPCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEVHNAKTKPREE QFNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVCTLPPSQEEMTKNQVSLS CAVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLVSKLTVDKSRWQEGNVFSCSVMHEALHNHYT QKSLSLSLG 3 142

EVQLVESGGGLVQPGGSLRLSCAASGFNIKDTYIHWVRQAPGKGLEWVARIYPTNGYTRYADSVKGRFTIS

ADTSKNTAYLQMNSLRAEDTAVYYCSRWGGDGFYAMDYWGQGTLVTVSSASTKGPSVFPLAPCSRSTSES TAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTK VDKRVESKYGPPCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEV HNAKTKPREEQFNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVYTLPPCQE EMTKNQVSLWCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQEGNVFSCSV MHEALHNHYTQKSLSLSLG 4 143

DIQMTQSPSSLSASVGDRVTITCRASQDVNTAVAWYQQKPGKAPKLLIYSASFLYSGVPSRFSGSRSGTDFTL TISSLQPEDFATYYCQQHYTTPPTFGQGTKVEIKRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREA KVQWKVDNALQSGNSQESVTEQDSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC HER2/ 1 144 DIVMTQTPLSLSVTPGQPASISCKSSQSLVHENLFTYLSWYLQKPGQSPQSLIYKVSNRFSGVPDRFSGSG CD28.sub.supxCD3.sub.mid

SGTDFTLKISRVEAEDVGVYYCGQGTQYPFTFGSGTKVEIKDKTHTDIQMTQSPSSLSASVGDRVTITCQA (32/33/3435

SQNIYVWLNWYQQKPGKAPKLLIYKASNLHTGVPSRFSGSGSGTDFTLTISSLQPEDIATYYCQQGQTYPY ENLF (LC); TFGQGTKLEIKDKTHTRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQES DKTHT linkers VTEQDSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC on HC/LC) IgG4 2 145 QVQLVQSGAEVVKPGASVKVSCKASGYTFTSYYIHWVRQAPGQGLEWIGSIYPGNVNTNYAQKFQGRATL FALA TVDTSISTAYMELSRLRSDDTAVYYCTRSHYGLDWNFDVWGKGTTVTVSSDKTHTQVQLVESGGGVVQPG RP # 28

RSLRLSCAASGFTFTKAWMHWVRQAPGKQLEWVAQIKDKSNSYATYYADSVKGRFTISRDDSKNTLYLQM NSLRAEDTAVYYCRGVYYALSPFDYWGQGTLVTVSSDKTHTASTKGPSVFPLAPCSRSTSESTAALGCLVK DYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTKVDKRVESKY GPPCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEVHNAKTKPREE QFNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVCTLPPSQEEMTKNQVSLS CAVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLVSKLTVDKSRWQEGNVFSCSVMHEALHNHYT QKSLSLSLG 3 146

EVQLVESGGGLVQPGGSLRLSCAASGFNIKDTYIHWVRQAPGKGLEWVARIYPTNGYTRYADSVKGRFTIS ADTSKNTAYLQMNSLRAEDTAVYYCSRWGGDGFYAMDYWGQGTLVTVSSASTKGPSVFPLAPCSRSTSES TAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTK VDKRVESKYGPPCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEV HNAKTKPREEQFNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVYTLPPCQE EMTKNQVSLWCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQEGNVFSCSV MHEALHNHYTQKSLSLSLG 4 147

DIQMTQSPSSLSASVGDRVTITCRASQDVNTAVAWYQQKPGKAPKLLIYSASFLYSGVPSRFSGSRSGTDFTL TISSLQPEDFATYYCQQHYTTPPTFGQGTKVEIKRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFY PREAKVQWKVDNALQSGNSQESVTEQDSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKS FNRGEC anti- 1 148

DIVMTQTPLSLSVTPGQPASISCKSSQSLVHNNANTYLSWYLQKPGQSPQSLIYKVSNRFSGVPDRFSGSGSG Her2/CD3/3CD28

 $TDFTLKISRVEAEDVGVYYCGQGTQYPFTFGSGTKVEIKGQPKAAPDIQMTQSPSSLSASVGDRVTITCQASQ\\ IgG4 \quad FALA$

NIYVWLNWYQQKPGKAPKLLIYKASNLHTGVPSRFSGSGSGTDFTLTISSLQPEDIATYYCQQGQTYPYTFG BP #29 QGTKLEIKTKGPSRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQ DSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC 2 149

QVQLVQSGAEVVKPGASVKVSCKASGYTFTSYYIHWVRQAPGQGLEWIGSIYPGNVNTNYAQKFQGRATL TVDTSISTAYMELSRLRSDDTAVYYCTRSHYGLDWNFDVWGKGTTVTVSSSQVQLVESGGGVVQPGRSLR LSCAASGFTFTKAWMHWVRQAPGKQLEWVAQIKDKSNSYATYYADSVKGRFTISRDDSKNTLYLQMNSLR AEDTAVYYCRGVYYALSPFDYWGQGTLVTVSSRTASTKGPSVFPLAPCSRSTSESTAALGCLVKDYFPEPVT VSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTKVDKRVESKYGPPCPPCP APEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEVHNAKTKPREEQFNSTYR VVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVCTLPPSQEEMTKNQVSLSCAVKGF YPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLVSKLTVDKSRWQEGNVFSCSVMHEALHNHYTQKSLSL SLG 3 150 EVQLVESGGGLVQPGGSLRLSCAASGFNIKDTYIHWVRQAPGKGLEWVARIYPTNGYTRYADSVKGRFTIS ADTSKNTAYLQMNSLRAEDTAVYYCSRWGGDGFYAMDYWGQGTLVTVSSASTKGPSVFPLAPCSRSTSES TAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTK VDKRVESKYGPPCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEV HNAKTKPREEQFNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVYTLPPCQE EMTKNQVSLWCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQEGNVFSCSV MHEALHNHYTQKSLSLSLG 4 151

DIQMTQSPSSLSASVGDRVTITCRASQDVNTAVAWYQQKPGKAPKLLIYSASFLYSGVPSRFSGSRSGTDFTL TISSLQPEDFATYYCQQHYTTPPTFGQGTKVEIKRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPRE AKVQWKVDNALQSGNSQESVTEQDSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC HER230R/55Q/ 1 152 DIVMTQTPLSLSVTPGQPASISCKSSQSLVHENLRTYLSWYLQKPGQSPQSLIYKVSNRFSGVPDRFSGSGS 102E/GTDFTLKISRVEAEDVGVYYCGQGTQYPFTFGSGTKVEIKDKTHTDIQMTQSPSSLSASVGDRVTITCQASQ CD28.sub.supxCD3.sub.mid

NIYVWLNWYQQKPGKAPKWYKASNLHTGVPSRFSGSGSGTDFTLTISSLQPEDIATYYCQQGQTYPYTFGQ (32/33/3435

GTKLEIKDKTHTRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQ ENLR (LC); DSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC DKTHT linkers 2 153 QVQLVQSGAEVVKPGASVKVSCKASGYTFTSYYIHWVRQAPGQGLEWIGSIYPGNVNTNYAQKFQGRATL on HC/LC) IgG4

TVDTSISTAYMELSRLRSDDTAVYYCTRSHYGLDWNFDVWGKGTTVTVSSDKTHTQVQLVESGGGVVQPG FALA RSLRLSCAASGFTFTKAWMHWVRQAPGKQLEWVAQIKDKSNSYATYYADSVKGRFTISRDDSKNTLYLQM BP # 31 NSLRAEDTAVYYCRGVYYALSPFDYWGQGTLVTVSSDKTHTASTKGPSVFPLAPCSRSTSESTAALGCLVK DYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTKVDKRVESKY GPPCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEVHNAKTKPREE QFNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVCTLPPSQEEMTKNQVSLS CAVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLVSKLTVDKSRWQEGNVFSCSVMHEALHNHYT OKSLSLSLG 3 154

EVQLVESGGGLVQPGGSLRLSCAASGFNIRDTYIHWVRQAPGKGLEWVARIYPTQGYTRYADSVKGRFTIS ADTSKNTAYLQMNSLRAEDTAVYYCSRWGGEGFYAMDYWGQGTLVTVSSASTKGPSVFPLAPCSRSTSES TAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTK VDKRVESKYGPPCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEV HNAKTKPREEQFNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVYTLPPCQE EMTKNQVSLWCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQEGNVFSCSV MHEALHNHYTQKSLSLSLG 4 155

DIQMTQSPSSLSASVGDRVTITCRASQDVNTAVAWYQQKPGKAPKLLIYSASFLYSGVPSRFSGSRSGTDFTL TISSLQPEDFATYYCQQHYTTPPTFGQGTKVEIKRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYP REAKVQWKVDNALQSGNSQESVTEQDSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC CD38VH1/ 1 156

DIVMTQTPLSLSVTPGQPASISCKSSQSLVHENLQTYLSWYLQKPGQSPQSLIYKVSNRFSGVPDRFSGSG CD28supx SGTDFTLKISRVEAEDVGVYYCGQGTQYPFTFGSGTKVEIKDKTHTDIQMTQSPSSLSASVGDRVTITCQA CD3mid ENLQ

SQNIYVWLNWYQQKPGKAPKLLIYKASNLHTGVPSRFSGSGSGTDFTLTISSLQPEDIATYYCQQGQTYPY DKTHT
TFGQGTKLEIKDKTHTRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQES IgG4
FALA VTEQDSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC BP # 1 2 157
QVQLVQSGAEVVKPGASVKVSCKASGYTFTSYYIHWVRQAPGQGLEWIGSIYPGNVNTNYAQKFQGRATL
TVDTSISTAYMELSRLRSDDTAVYYCTRSHYGLDWNFDVWGKGTTVTVSSDKTHTQVQLVESGGGVVQPG
RSLRLSCAASGFTFTKAWMHWVRQAPGKQLEWVAQIKDKSNSYATYYADSVKGRFTISRDDSKNTLYLQM
NSLRAEDTAVYYCRGVYYALSPFDYWGQGTLVTVSSDKTHTASTKGPSVFPLAPCSRSTSESTAALGCLVK
DYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTKVDKRVESKY
GPPCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEVHNAKTKPREE
QFNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVCTLPPSQEEMTKNQVSLS
CAVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLVSKLTVDKSRWQEGNVFSCSVMHEALHNHYT
QKSLSLSLG 3 158

QVQLVQSGAEVVKPGASVKVSCKASGYTFTSYAMHWVKEAPGQRLEWIGYIYPGQGGTNYNQKFQGRAT LTADTSASTAYMELSSLRSEDTAVYFCARTGGLRRAYFTYWGQGTLVTVSSASTKGPSVFPLAPCSRSTSES TAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTK VDKRVESKYGPPCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEV HNAKTKPREEQFNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVYTLPPCQE EMTKNQVSLWCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQEGNVFSCSV MHEALHNHYTQKSLSLSLG 4 159

DIVLTQSPATLSLSPGERATISCRASQSVSSYGQGFMHWYQQKPGQPPRLLIYGASSRATGIPARFSGS GSGTDFTLTISPLEPEDFAVYYCQQNKEDPWTFGGGTKLEIKRTVAAPSVFIFPPSDEQLKSGTASVVC LLNNFYPREAKVQWKVDNALQSGNSQESVTEQDSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSS PVTKSFNRGEC CD38hhy992/ 1 160

DIVMTQTPLSLSVTPGQPASISCKSSQSLVHENLQTYLSWYLQKPGQSPQSLIYKVSNRFSGVPDRFSGSGS CD28supx GTDFTLKISRVEAEDVGVYYCGQGTQYPFTFGSGTKVEIKDKTHTDIQMTQSPSSLSASVGDRVTITCQASQ CD3mid ENLQ

NIYVWLNWYQQKPGKAPKWYKASNLHTGVPSRFSGSGSGTDFTLTISSLQPEDIATYYCQQGQTYPYTFGQGDKTHT

TKLEIKDKTHTRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQDS IgG4 FALA KDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC BP # 5' 2 161 QVQLVQSGAEVVKPGASVKVSCKASGYTFTSYYIHWVRQAPGQGLEWIGSIYPGNVNTNYAQKFQGRATL TVDTSISTAYMELSRLRSDDTAVYYCTRSHYGLDWNFDVWGKGTTVTVSSDKTHTQVQLVESGGGVVQPG

RSLRLSCAASGFTFTKAWMHWVRQAPGKQLEWVAQIKDKSNSYATYYADSVKGRFTISRDDSKNTLYLQM NSLRAEDTAVYYCRGVYYALSPFDYWGQGTLVTVSSDKTHTASTKGPSVFPLAPCSRSTSESTAALGCLVK DYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTKVDKRVESKY GPPCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEVHNAKTKPREE QFNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVCTLPPSQEEMTKNQVSLS CAVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLVSKLTVDKSRWQEGNVFSCSVMHEALHNHYT OKSLSLSLG 3 162

QVQLVQSGAEVKKPGASVKVSCKVSGYTLTEFSIHWVRQAPGQGLEWMGGFDPEDGETIYAQKFQGRVIM TEDTSTDTAYMEMNSLRSEDTAIYYCTTGRFFDWFWGQGTLVTVSSASTKGPSVFPLAPCSRSTSESTAALG CLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTKVDKRV ESKYGPPCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEVHNAKTK PREEQFNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVYTLPPCQEEMTKNQ VSLWCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQEGNVFSCSVMHEALH NHYTQKSLSLSLG 4 163

EIILTQSPAILSLSPGERATLSCRASQSVISRFLSWYQVKPGLAPRLLIYGASTRATGIPVRFSGSGSGT
DFSLTISSLQPEDCAVYYCQQDSNLPITFGQGTRLEIKRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNF
YPREAKVQWKVDNALQSGNSQESVTEQDSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSF NRGEC
CD38hyb5739/ 1 164 DIVMTQTPLSLSVTPGQPASISCKSSQSLVHENLQTYLSWYLQKPGQSPQSLIYKVSNRFSGVP
CD28supx DRFSGSGSGTDFTLKISRVEAEDVGVYYCGQGTQYPFTFGSGTKVE CD3mid_ENLQ
IKDKTHTDIQMTQSPSSLSASVGDRVTITCQASQNIYVWLNWYQQKPGKAPKWYKASNLHTGVP DKTHT
SRFSGSGSGTDFTLTISSLQPEDIATYYCQQGQTYPYTFGQGTKLEIKDKTHTRTV IgG4 FALA
AAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQDSK BP # 6'
DSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC 2 165

QVQLVQSGAEVVKPGASVKVSCKASGYTFTSYYIHWVRQAPGQGLEWIGSIYPGNVNTNYAQKFQGRATL TVDTSISTAYMELSRLRSDDTAVYYCTRSHYGLDWNFDVWGKGTTVTVSSDKTHTOVOLVESGGGVVOPG RSLRLSCAASGFTFTKAWMHWVRQAPGKQLEWVAQIKDKSNSYATYYADSVKGRFTISRDDSKNTLYLQM NSLRAEDTAVYYCRGVYYALSPFDYWGQGTLVTVSSDKTHTASTKGPSVFPLAPCSRSTSESTAALGCLVK DYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTKVDKRVESKY GPPCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEVHNAKTKPREE QFNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVCTLPPSQEEMTKNQVSLS CAVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLVSKLTVDKSRWQEGNVFSCSVMHEALHNHYT QKSLSLSLG 3 166

QVQLQQSGPELVRPGTSVKVSCKASGYAFTTYLVEWIKQRPGQGLEWIGVINPGSGSTNYNEKFKGKATLT VDRSSTTAYMHLSGLTSDDSAVYFCARYAYGYWGQGTTLTVSSASTKGPSVFPLAPCSRSTSESTAALGCLV KDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTKVDKRVESK YGPPCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEVHNAKTKPRE EQFNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVYTLPPCQEEMTKNQVS LWCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQEGNVFSCSVMHEALHN HYTQKSLSLSLG 4 167

DIVMTQSQKFMSASVGDRVSITCKASQNVGTAVAWYQQQPGHSPKQLIYSASNRYTGVPDRFTGSGAGTDF TLTISNIQSEDLADYFCQQYSTYPFTFGSGTKLEIKRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFY PREAKVQWKVDNALQSGNSQESVTEQDSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKS FNRGEC CD38hyb6284/ 1 168

DIVMTQTPLSLSVTPGQPASISCKSSQSLVHENLQTYLSWYLQKPGQSPQSLIYKVSNRFSGVPDRFSGS CD28supx GSGTDFTLKISRVEAEDVGVYYCGQGTQYPFTFGSGTKVEIKDKTHTDIQMTQSPSSLSASVGDRVTITC CD3mid_ENLQ

QASQNIYVWLNWYQQKPGKAPKWYKASNLHTGVPSRFSGSGSGTDFTLTISSLQPEDIATYYCQQGQTYP DKTHT YTFGQGTKLEIKDKTHTRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQ IgG4 FALA ESVTEQDSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC BP # 7 2 169 QVQLVQSGAEVVKPGASVKVSCKASGYTFTSYYIHWVRQAPGQGLEWIGSIYPGNVNTNYAQKFQGRATL TVDTSISTAYMELSRLRSDDTAVYYCTRSHYGLDWNFDVWGKGTTVTVSSDKTHTQVQLVESGGGVVQPG RSLRLSCAASGFTFTKAWMHWVRQAPGKQLEWVAQIKDKSNSYATYYADSVKGRFTISRDDSKNTLYLQM NSLRAEDTAVYYCRGVYYALSPFDYWGQGTLVTVSSDKTHTASTKGPSVFPLAPCSRSTSESTAALGCLVK DYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTKVDKRVESKY GPPCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEVHNAKTKPREE QFNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVCTLPPSQEEMTKNQVSLS CAVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLVSKLTVDKSRWQEGNVFSCSVMHEALHNHYT QKSLSLSLG 3 170

QVQLLQSGAELVRPGVSVKISCTGSGYSFTNYAVHWVKQSHVKSLEWIGVISPYYGDTTYNQKFTGKATMT VDKSSSTAYMELARLTSEDSAIYFCARRFEGFYYSMDYWGQGTSVTVSSASTKGPSVFPLAPCSRSTSESTA ALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTKVD KRVESKYGPPCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEVHN AKTKPREEQFNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVYTLPPCQEEM

TKNQVSLWCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQEGNVFSCSVMH EALHNHYTQKSLSLSLG 4 171

DVVMIQTPLSLPVSLGDQASISCRPSQSLVHSNGNTYLNWYLQRPGQSPKLLIYKVSKRFSGVPDRFSGSGSG TDFTLKISRVEAEDLGVYLCSQSTHVPLTFGSGTQLEIKRTVAAPSVFIFPPSDEQLKSGTASVVCLLNN FYPREAKVQWKVDNALQSGNSQESVTEQDSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKS FNRGEC CD38hhy1195/ 1 172

DIVMTQTPLSLSVTPGQPASISCKSSQSLVHENLQTYLSWYLQKPGQSPQSLIYKVSNRFSGVPDRFSGSGS CD28supx GTDFTLKISRVEAEDVGVYYCGQGTQYPFTFGSGTKVEIKDKTHTDIQMTQSPSSLSASVGDRVTITCQASQ CD3mid ENLQ

NIYVWLNWYQQKPGKAPKWYKASNLHTGVPSRFSGSGSGTDFTLTISSLQPEDIATYYCQQGQTYPYTFGQ DKTHT GTKLEIKDKTHTRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQ IgG4 FALA DSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC BP # 8 2 173 QVQLVQSGAEVVKPGASVKVSCKASGYTFTSYYIHWVRQAPGQGLEWIGSIYPGNVNTNYAQKFQGRATL TVDTSISTAYMELSRLRSDDTAVYYCTRSHYGLDWNFDVWGKGTTVTVSSDKTHTQVQLVESGGGVVQPG RSLRLSCAASGFTFTKAWMHWVRQAPGKQLEWVAQIKDKSNSYATYYADSVKGRFTISRDDSKNTLYLQM NSLRAEDTAVYYCRGVYYALSPFDYWGQGTLVTVSSDKTHTASTKGPSVFPLAPCSRSTSESTAALGCLVK DYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTKVDKRVESKY GPPCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEVHNAKTKPREE QFNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVCTLPPSQEEMTKNQVSLS CAVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLVSKLTVDKSRWQEGNVFSCSVMHEALHNHYT OKSLSLG 3 174

QVQLVESGGGVVQPGRSLRLSCAASGFTFSSYGMYWVRQAPGKGLEWVAVIWYDGSNKYYADSVKGRFTI SRDNSKNTLYLQMNSLRAEDTAVYHCARDPGLRYFDGGMDVWGQGTTVTVSSASTKGPSVFPLAPCSRST SESTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPS NTKVDKRVESKYGPPCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDG VEVHNAKTKPREEQFNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVYTLPP CQEEMTKNQVSLWCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQEGNVFS CSVMHEALHNHYTQKSLSLSLG 4 175

DIQLTQSPSFLSASVGDRVTITCRASQGISSYLAWYQQKPGKAPKLLIFAASTLHSGVPSRFSGSGSGTEF TLTISSLQPEDFATYYCQQLNSFPYTFGQGTKLEIKRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPR EAKVQWKVDNALQSGNSQESVTEQDSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC CD38hhy1370/ 1 176

DIVMTQTPLSLSVTPGQPASISCKSSQSLVHENLQTYLSWYLQKPGQSPQSLIYKVSNRFSGVPDRFSG CD28supx SGSGTDFTLKISRVEAEDVGVYYCGQGTQYPFTFGSGTKVEIKDKTHTDIQMTQSPSSLSASVGDRVTI CD3mid ENLQ

TCQASQNIYVWLNWYQQKPGKAPKLLIYKASNLHTGVPSRFSGSGSGTDFTLTISSLQPEDIATYYCQQ DKTHT GQTYPYTFGQGTKLEIKDKTHTRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAKVQWKVDNAL IgG4 FALA QSGNSQESVTEQDSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC BP # 9 2 177 QVQLVQSGAEVVKPGASVKVSCKASGYTFTSYYIHWVRQAPGQGLEWIGSIYPGNVNTNYAQKFQGRATL TVDTSISTAYMELSRLRSDDTAVYYCTRSHYGLDWNFDVWGKGTTVTVSSDKTHTQVQLVESGGGVVQPG RSLRLSCAASGFTFTKAWMHWVRQAPGKQLEWVAQIKDKSNSYATYYADSVKGRFTISRDDSKNTLYLQM NSLRAEDTAVYYCRGVYYALSPFDYWGQGTLVTVSSDKTHTASTKGPSVFPLAPCSRSTSESTAALGCLVK DYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTKVDKRVESKY GPPCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEVHNAKTKPREE QFNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVCTLPPSQEEMTKNQVSLS CAVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLVSKLTVDKSRWQEGNVFSCSVMHEALHNHYT QKSLSLSLG 3 178

QVQLVESGGGVVQPGRSLRLSCAASGFTFSSYGMHWVRQAPGKGLEWVAVIWYDGSNKYYADSVKGRFTI SGDNSKNTLYLQMNSLRAEDTAVYYCARMFRGAFDYWGQGTLVTVSSASTKGPSVFPLAPCSRSTSESTAA LGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTKVDK RVESKYGPPCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEVHNA KTKPREEQFNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVYTLPPCQEEMT KNQVSLWCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQEGNVFSCSVMHE ALHNHYTQKSLSLSLG 4 179

AIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKLLIYAASSLQSGVPSRFSGSGSGTDFTL TISGLQPEDSATYYCLQDYIYYPTFGQGTKVEIKRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAKV QWKVDNALQSGNSQESVTEQDSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC CD38hu5739/ 1 181

DIVMTQTPLSLSVTPGQPASISCKSSQSLVHENLQTYLSWYLQKPGQSPQSLIYKVSNRFSGVPDRF CD28supx SGSGSGTDFTLKISRVEAEDVGVYYCGQGTQYPFTFGSGTKVEIKDKTHTDIQMTQSPSSLSASVGD CD3mid_ENLQ

RVTITCQASQNIYVWLNWYQQKPGKAPKLLIYKASNLHTGVPSRFSGSGSGTDFTLTISSLQPEDIA DKTHT TYYCQQGQTYPYTFGQGTKLEIKDKTHTRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAKV IgG4 FALA

QWKVDNALQSGNSQESVTEQDSKDSTYSLSSTLTLSKADYEKHKV YACEVTHQGLSSPVTKSFNRGEC 2 182 QVQLVQSGAEVVKPGASVKVSCKASGYTFTSYYIHWVRQAPGQGLEWIGSIYPGNVNTNYAQKFQGRATL TVDTSISTAYMELSRLRSDDTAVYYCTRSHYGLDWNFDVWGKGTTVTVSSDKTHTQVQLVESGGGVVQPG RSLRLSCAASGFTFTKAWMHWVRQAPGKQLEWVAQIKDKSNSYATYYADSVKGRFTISRDDSKNTLYLQM NSLRAEDTAVYYCRGVYYALSPFDYWGQGTLVTVSSDKTHTASTKGPSVFPLAPCSRSTSESTAALGCLVK DYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTKVDKRVESKY GPPCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEVHNAKTKPREE QFNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVCTLPPSQEEMTKNQVSLS CAVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLVSKLTVDKSRWQEGNVFSCSVMHEALHNHYT

QVQLVQSGAEVKKPGASVKVSCKASGYAFTTYLVEWIRQRPGQGLEWMGVINPGSGSTNYAQKFQGRVT MTVDRSSTTAYMELSRLRSDDTAVYYCARYAYGYWGQGTLVTVSSASTKGPSVFPLAPCSRSTSESTAALG CLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTKVDKRV ESKYGPPCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEVHNAKTK PREEQFNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVYTLPPCQEEMTKNQ VSLWCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQEGNVFSCSVMHEALH NHYTOKSLSLSLG 4 184

DIQMTQSPSSLSASVGDRVTITCRASQNVGTAVAWYQQKPGKSPKQLIYSASNRYTGVPSRFSGSGSGTDFT LTISSLQPEDLATYYCQQYSTYPFTFGQGTKLEIKRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPRE AKVQWKVDNALQSGNSQESVTEQDSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC CD38hu6284/ 1 185

DIVMTQTPLSLSVTPGQPASISCKSSQSLVHENLQTYLSWYLQKPGQSPQSLIYKVSNRFSGVPDRFSGS CD28supx GSGTDFTLKISRVEAEDVGVYYCGQGTQYPFTFGSGTKVEIKDKTHTDIQMTQSPSSLSASVGDRVTITC CD3mid_ENLQ

QASQNIYVWLNWYQQKPGKAPKLLIYKASNLHTGVPSRFSGSGSGTDFTLTISSLQPEDIATYYCQQGQT DKTHT
YPYTFGQGTKLEIKDKTHTRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGN IgG4
FALA SQESVTEQDSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC 2 186
QVQLVQSGAEVVKPGASVKVSCKASGYTFTSYYIHWVRQAPGQGLEWIGSIYPGNVNTNYAQKFQGRATL
TVDTSISTAYMELSRLRSDDTAVYYCTRSHYGLDWNFDVWGKGTTVTVSSDKTHTQVQLVESGGGVVQPG
RSLRLSCAASGFTFTKAWMHWVRQAPGKQLEWVAQIKDKSNSYATYYADSVKGRFTISRDDSKNTLYLQM
NSLRAEDTAVYYCRGVYYALSPFDYWGQGTLVTVSSDKTHTASTKGPSVFPLAPCSRSTSESTAALGCLVK
DYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTKVDKRVESKY
GPPCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEVHNAKTKPREE
QFNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVCTLPPSQEEMTKNQVSLS
CAVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLVSKLTVDKSRWQEGNVFSCSVMHEALHNHYT
QKSLSLSLG 3 187

QVQLVQSGAEVKKPGASVKVSCKASGYSFTNYAVHWVRQAPGQGLEWMGVISPYYGDTTYAQKFQGRVT MTVDKSSSTAYMELSRLRSDDTAVYYCARRFEGFYYSMDYWGQGTLVTVSSASTKGPSVFPLAPCSRSTSE STAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNT KVDKRVESKYGPPCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVE VHNAKTKPREEQFNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVYTLPPC QEEMTKNQVSLWCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQEGNVFSC SVMHEALHNHYTQKSLSLSLG 4 188

DVVMTQSPLSLPVTLGQPASISCRPSQSLVHSNGNTYLNWYQQRPGQSPKLLIYKVSKRFSGVPDRFSGSGSG TDFTLKISRVEAEDVGVYYCSQSTHVPLTFGGGTKVEIKRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYP REAKVQWKVDNALQSGNSQESVTEQDSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRG EC TABLE-US-00006 TABLE 6 Trispecific binding protein polynucleotide sequences Polypeptide Number SEQ (acc. to ID Molecule formula) NO Sequence HER2 (WT- 1 189

GACATCGTGATGACCCAGACCCCCTGAGCCTGAGCGTGACACCTGGACAGCCTGCCAGCATCAGCTGCAAGAGC trastuzumab)/

AGCCAGAGCCTGGTGCACCAGAACGCCCAGACCTACCTGAGCTGGTATCTGCAGAAGCCCGGCCAGAGCCCCAGCCD28sup × CD3mid

TCCCTGATCTACAAGGTGTCCAACAGATTCAGCGGCGTGCCCGACAGATTCTCCGGCAGCGGCTCTGGCACCGACT (32/35 QQ

TCACCCTGAAGATCAGCCGGGTGGAAGCCGAGGACGTGGGCGTGTACTATTGTGGCCAGGGCACCCAGTACCCCT (LC); DKTHT

TCACCTTTGGCAGCGCACCAAGGTGGAAATCAAGGACAAAACCCATACCGACATCCAGATGACCCAGAGCCCCA linkers on

ACTGGTATCAGCAGAAGCCCGGCAAGGCCCCCAAGCTGCTGATCTACAAGGCCAGCAACCTGCACACCGGCGTGC FALA

 ${\tt CCAGCAGATTTCTGGCAGCGGCTCCGGCACCGACTTCACCCTGACAATCAGCTCCCTGCAGCCCGAGGACATTGC}$

1 CACCTACTACTGCCAGCAGGGCCAGACCTACCCCTACACCTTTGGCCAGGGCACCAAGCTGGAAATCAAGGATAA GACCCACACCCGTACGGTGGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGCGACGAGCAGCTGAAGTCCGGCACA GCCTCTGTCGTGTGCCTGCAACAACTTCTACCCCCGCGAGGCCAAAGTGCAGTGGAAGGTGGACAACGCCCTGC AGAGCGGCAACAGCCAGGAAAGCGTGACCGAGCAGGACAGCAAGGACTCCACCTACAGCCTGAGCAGCACCCTG ACACTGAGCAAGGCCGACTACGAGAAGCACAAGGTGTACGCCTGCGAAGTGACCCACCAGGGCCTGTCTAGCCCC GTGACCAAGAGCTTCAACCGGGGCGAGTGT 2 190 CAGGTGCAGCTGGTGCAGTCTGGCGCCGAGGTCGTGAAACCTGGCGCCTCTGTGAAGGTGTCCTGCAAGGCCAGC GGCTACACCTTTACCAGCTACTACATCCACTGGGTGCGCCAGGCCCCTGGACAGGGACTGGAATGGATCGGCAGC ATCTACCCGGCAACGTGAACACCAACTACGCCCAGAAGTTCCAGGGCAGAGCCACCCTGACCGTGGACACCAGC ATCAGCACCGCCTACATGGAACTGAGCCGGCTGAGAAGCGACGACACCGCCGTGTACTACTGCACCCGGTCCCAC TACGGCCTGGATTGGAACTTCGACGTGTGGGGCAAGGGCACCACCGTGACAGTGTCTAGCGACAAAACCCATACC CAGGTGCAGCTGGTGGAATCTGGCGGCGGAGTGGTGCAGCCTGGCAGAAGCCTGAGACTGAGCTGTGCCGCCAGC GGCTTCACCTTCACCAAGGCCTGGATGCACTGGGTGCGCCAGGCCCCTGGAAAGCAGCTGGAATGGGTGGCCCAG ATCAAGGACAAGAGCAACAGCTACGCCACCTACTACGCCGACAGCGTGAAGGGCCGGTTCACCATCAGCCGGGAC GACAGCAAGAACACCCTGTACCTGCAGATGAACAGCCTGCGGGCCGAGGACACCGCCGTGTACTACTGTCGGGGC GTGTACTATGCCCTGAGCCCCTTCGATTACTGGGGCCAGGGAACCCTCGTGACCGTGTCTAGTGATAAGACCCACA CCGCCAGCACAAAGGGCCCATCGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCCT GGGCTGCCTCGTGAAGGACTACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTG CACACCTTTCCAGCCGTGCTCCAGAGCAGCGGCCTGTACTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCC TGGGCACCAAGACCTACACCTGTAACGTGGACCACAAGCCCAGCAACACCAAGGTGGACAAGCGGGTGGAATCTA AGTACGGCCCTCCCTGCCCTCCTTGCCCAGCCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCAAAG CCCAAGGACACCTGATGATCAGCCGGACCCCGAAGTGACCTGCGTGGTGGTGGATGTCCCAGGAAGATCCC GAGGTGCAGTTCAATTGGTACGTGGACGCGTGGAAGTGCACAACGCCAAGACCAAGCCCAGAGAGACAGTTC AACAGCACCTACCGGGTGGTGTCCGTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGC AAGGTGTCCAACAAGGGCCTGCCCAGCTCCATCGAGAAAACCATCAGCAAGGCCAAGGGCCAGCCCGCGAGCCT CAAGTGTGTACCCTGCCCCCTAGCCAGGAAGAGATGACCAAGAACCAGGTGTCCCTGAGCTGTGCCGTGAAAGGC TTCTACCCCAGCGACATTGCCGTGGAATGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCT GTGCTGGACAGCGACGGCTCATTCTTCCTGGTGTCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAAC GTGTTCAGCTGCTCCGTGATGCACGAGGCCCTGCACAACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC 3 191 GAAGTGCAGCTGGTGGAATCTGGCGGCGGACTGGTGCAGCCTGGCGGATCTCTGAGACTGAGCTGTGCCGCCAGC GGCTTCAACATCAAGGACACCTACATCCACTGGGTGCGCCAGGCCCCTGGCAAGGGACTGGAATGGGTGGCCAGA ATCTACCCCACCAACGGCTACACCAGATACGCCGACAGCGTGAAGGGCCGGTTCACCATCAGCGCCGACACCAGC AAGAACACCGCCTACCTGCAGATGAACAGCCTGCGGGCCGAGGACACCGCCGTGTACTACTGTAGTAGATGGGGA GGCGACGGCTTCTACGCCATGGACTATTGGGGCCAGGGCACCCTCGTGACCGTGTCTAGTGCGTCGACCAAGGGCC CATCGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCCTGGGCTGCCTCGTGAAGGA CTACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTGCACACCCTTTCCAGCCGTG CTCCAGAGCAGCGGCCTGTACTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCCTGGGCACCAAGACCTAC CCTCCTTGCCCAGCCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCCAAAGCCCAAGGACACCCTGA TGATCAGCCGGACCCCCGAAGTGACCTGCGTGGTGGTGGTGTCCCAGGAAGATCCCGAGGTGCAGTTCAATT GTGGTGTCCGTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGCAAGGTGTCCAACAAG GGCCTGCCCAGCTCCATCGAGAAAACCATCAGCAAGGCCCAAGGGCCCGCGAGCCTCAAGTGTATACCCTG CCCCCTTGCCAGGAAGAGATGACCAAGAACCAGGTGTCCCTGTGGTGTCTCGTGAAAGGCTTCTACCCCAGCGACA TTGCCGTGGAATGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCTGTGCTGGACAGCGACG GCTCATTCTTCCTGTACTCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAACGTGTTCAGCTGCTCCGT GATGCACGAGGCCCTGCACAACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC 4 192 GACATCCAGATGACCCAGAGCCCCAGCAGCCTGTCTGCCAGCGTGGGCGACAGAGTGACCATCACCTGTAGAGCC AGCCAGGACGTGAACACCGCCGTGGCCTGGTATCAGCAGAAGCCTGGCAAGGCCCCCAAGCTGCTGATCTACAGC GCCAGCTTCCTGTACAGCGGCGTGCCCAGCAGATTCAGCGGAAGCAGAAGCGGCACCGACTTCACCCTGACCATC GCACCAAGGTGGAAATCAAGCGTACGGTGGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGCGACGAGCAGCTGA AGTCCGGCACAGCCTCTGTCGTGCCTGCTGAACAACTTCTACCCCCGCGAGGCCAAAGTGCAGTGGAAGGTGG ACAACGCCCTGCAGAGCGGCAACAGCCAGGAAAGCGTGACCGAGCAGGACAGCAAGGACTCCACCTACAGCCTG AGCAGCACCCTGACACTGAGCAAGGCCGACTACGAGAAGCACAAGGTGTACGCCTGCGAAGTGACCCACCAGGG CCTGTCTAGCCCCGTGACCAAGAGCTTCAACCGGGGCGAGTGT HER2 1 193

AGCCAGAGCCTGGTGCACCAGAACGCCCAGACCTACCTGAGCTGGTATCTGCAGAAGCCCGGCCAGAGCCCCAG

GACATCGTGATGACCCAGACCCCCTGAGCCTGAGCGTGACACCTGGACAGCCTGCCAGCATCAGCTGCAAGAGC

(30R/55Q/102E +

TCCCTGATCTACAAGGTGTCCAACAGATTCAGCGGCGTGCCCGACAGATTCTCCGGCAGCGGCTCTGGCACCGACT

trastuzumab)/

 ${\tt TCACCCTGAAGATCAGCCGGGTGGAAGCCGAGGACGTGGGCGTGTACTATTGTGGCCAGGGCACCCAGTACCCCTCD28sup \times CD3mid}$

TCACCTTTGGCAGCGCACCAAGGTGGAAATCAAGGACAAAACCCATACCGACATCCAGATGACCCAGAGCCCCA (32/35 QQ (LC);

ACTGGTATCAGCAGAAGCCCGGCAAGGCCCCCAAGCTGCTGATCTACAAGGCCAGCAACCTGCACACCGGCGTGC HC /LC) IgG4

CCAGCAGATTTTCTGGCAGCGGCTCCGGCACCGACTTCACCCTGACAATCAGCTCCCTGCAGCCCGAGGACATTGC FALA

CACCTACTACTGCCAGCAGGCCAGACCTACCCCTACACCTTTGGCCAGGGCACCAAGCTGGAAATCAAGGATAA

GACCCACACCCGTACGGTGGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGCGACGAGCAGCAGCTGAAGTCCGGCACA GCCTCTGTCGTGTGCCTGAACAACTTCTACCCCCGCGAGGCCAAAGTGCAGTGGAAGGTGGACAACGCCCTGC AGAGCGGCAACAGCCAGGAAAGCGTGACCGAGCAGGACAGCAAGGACTCCACCTACAGCCTGAGCAGCACCCTG ACACTGAGCAAGGCCGACTACGAGAAGCACAAGGTGTACGCCTGCGAAGTGACCCACCAGGGCCTGTCTAGCCCC GTGACCAAGAGCTTCAACCGGGGCGAGTGT 2 194

CAGGTGCAGCTGGTGCAGTCTGGCGCCGAGGTCGTGAAACCTGGCGCCCTCTGTGAAGGTGTCCTGCAAGGCCAGC GGCTACACCTTTACCAGCTACTACATCCACTGGGTGCGCCAGGCCCCTGGACAGGGACTGGAATGGATCGGCAGC ATCTACCCGGCAACGTGAACACCAACTACGCCCAGAAGTTCCAGGGCAGAGCCACCCTGACCGTGGACACCAGC ATCAGCACCGCCTACATGGAACTGAGCCGGCTGAGAAGCGACGACACCGCCGTGTACTACTGCACCCGGTCCCAC TACGGCCTGGATTGGAACTTCGACGTGTGGGGCAAGGGCACCACCGTGACAGTGTCTAGCGACAAAACCCATACC CAGGTGCAGCTGGTGGAATCTGGCGGCGGAGTGGTGCAGCCTGGCAGAAGCCTGAGACTGAGCTGTGCCGCCAGC GGCTTCACCTTCACCAAGGCCTGGATGCACTGGGTGCGCCAGGCCCCTGGAAAGCAGCTGGAATGGGTGGCCCAG ATCAAGGACAAGAGCAACAGCTACGCCACCTACTACGCCGACAGCGTGAAGGGCCGGTTCACCATCAGCCGGGAC GACAGCAAGAACACCCTGTACCTGCAGATGAACAGCCTGCGGGCCGAGGACACCGCCGTGTACTACTGTCGGGGC GTGTACTATGCCCTGAGCCCCTTCGATTACTGGGGCCAGGGAACCCTCGTGACCGTGTCTAGTGATAAGACCCACA ${\sf CCGCCAGCACAAAGGGCCCATCGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCCT}$ GGGCTGCCTCGTGAAGGACTACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTG CACACCTTTCCAGCCGTGCTCCAGAGCAGCGGCCTGTACTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCC TGGGCACCAAGACCTACACCTGTAACGTGGACCACAAGCCCAGCAACACCAAGGTGGACAAGCGGGTGGAATCTA AGTACGGCCCTCCCTGCCCTCCTTGCCCAGCCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCAAAG CCCAAGGACACCCTGATGATCAGCCGGACCCCGAAGTGACCTGCGTGGTGGTGGATGTGTCCCAGGAAGATCCC GAGGTGCAGTTCAATTGGTACGTGGACGGCGTGGAAGTGCACAACGCCAAGACCAAGCCCAGAGAGAACAGTTC AACAGCACCTACCGGGTGGTGTCCGTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGC AAGGTGTCCAACAAGGGCCTGCCCAGCTCCATCGAGAAAACCATCAGCAAGGCCAAGGGCCAGCCCGCGAGCCT CAAGTGTGTACCCTGCCCCCTAGCCAGGAAGAGATGACCAAGAACCAGGTGTCCCTGAGCTGTGCCGTGAAAGGC TTCTACCCCAGCGACATTGCCGTGGAATGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCT GTGCTGGACAGCGACGGCTCATTCTTCCTGGTGTCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAAC GTGTTCAGCTGCTCCGTGATGCACGAGGCCCTGCACAACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC

GAAGTGCAGCTGGTGGAATCTGGCGGCGGACTGGTGCAGCCTGGCGGATCTCTGAGACTGAGCTGTGCCGCCAGC GGCTTCAACATCCGGGACACCTACATCCACTGGGTGCGCCAGGCCCCTGGCAAGGGACTGGAATGGGTGGCCAGA ATCTACCCCACCCAGGGCTACACCAGATACGCCGACAGCGTGAAGGGCCGGTTCACCATCAGCGCCGACACCAGC AAGAACACCGCCTACCTGCAGATGAACAGCCTGCGGGCCGAGGACACCGCCGTGTACTACTGTAGTAGATGGGGA GGCGAAGGCTTCTACGCCATGGACTATTGGGGCCAGGGCACCCTCGTGACCGTGTCTAGTGCGTCGACCAAGGGC CCATCGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCCTGGGCTGCCTCGTGAAGG ACTACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTGCACACCTTTCCAGCCGT GCTCCAGAGCAGCGGCCTGTACTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCCTGGGCACCAAGACCTA CCCTCCTTGCCCAGCCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCAAAGCCCAAGGACACCCTG ATGATCAGCCGGACCCCCGAAGTGACCTGCGTGGTGGTGGATGTCCCCAGGAAGATCCCGAGGTGCAGTTCAAT TGGTACGTGGACGCGTGGAAGTGCACAACGCCAAGACCAAGCCCAGAGAGAACAGTTCAACAGCACCTACCG GGTGGTGTCCGTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGCAAGGTGTCCAACAA GGGCCTGCCCAGCTCCATCGAGAAAACCATCAGCAAGGCCAAGGGCCAGCCCGCGAGCCTCAAGTGTATACCCT GCCCCCTTGCCAGGAAGAGATGACCAAGAACCAGGTGTCCCTGTGGTGTCTCGTGAAAGGCTTCTACCCCAGCGAC ATTGCCGTGGAATGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCTGTGCTGGACAGCGAC GGCTCATTCTTCCTGTACTCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAACGTGTTCAGCTGCTCCG TGATGCACGAGGCCCTGCACAACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC 4 196 CAGGTGCAGCTGGTGCAGTCTGGCGCCGAGGTCGTGAAACCTGGCGCCCTCTGTGAAGGTGTCCTGCAAGGCCAGC

GGCTACACCTTTACCAGCTACTACATCCACTGGGTGCGCCAGGCCCCTGGACAGGGACTGGAATGGATCGGCAGC ATCTACCCCGGCAACGTGAACACCAACTACGCCCAGAAGTTCCAGGGCAGAGCCACCCTGACCGTGGACACCAGC ATCAGCACCGCCTACATGGAACTGAGCCGGCTGAGAAGCGACGACACCGCCGTGTACTACTGCACCCGGTCCCAC TACGGCCTGGATTGGAACTTCGACGTGTGGGGCAAGGGCACCACCGTGACAGTGTCTAGCGACAAAACCCATACC CAGGTGCAGCTGGTGGAATCTGGCGGCGGAGTGGTGCAGCCTGGCAGAAGCCTGAGACTGAGCTGTGCCGCCAGC GGCTTCACCTTCACCAAGGCCTGGATGCACTGGGTGCGCCAGGCCCCTGGAAAGCAGCTGGAATGGGTGGCCCAG ATCAAGGACAAGAGCAACAGCTACGCCACCTACTACGCCGACAGCGTGAAGGGCCGGTTCACCATCAGCCGGGAC GACAGCAAGAACACCCTGTACCTGCAGATGAACAGCCTGCGGGCCGAGGACACCGCCGTGTACTACTGTCGGGGC GTGTACTATGCCCTGAGCCCCTTCGATTACTGGGGCCAGGGAACCCTCGTGACCGTGTCTAGTGATAAGACCCACA CCGCCAGCACAAAGGGCCCATCGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCCT GGGCTGCCTCGTGAAGGACTACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTG TGGGCACCAAGACCTACACCTGTAACGTGGACCACAAGCCCAGCAACACCAAGGTGGACAAGCGGGTGGAATCTA AGTACGGCCCTCCCTGCCCTCCTTGCCCAGCCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCCAAAG ${\tt CCCAAGGACACCCTGATGATCAGCCGGACCCCCGAAGTGACCTGCGTGGTGGTGGATGTCCCCAGGAAGATCCC}$ GAGGTGCAGTTCAATTGGTACGTGGACGCGTGGAAGTGCACAACGCCAAGACCAAGCCCAGAGAGACAGTTC AACAGCACCTACCGGGTGGTGCCGTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGC AAGGTGTCCAACAAGGGCCTGCCCAGCTCCATCGAGAAAACCATCAGCAAGGCCAAGGGCCAGCCCCGCGAGCCT CAAGTGTGTACCCTGCCCCCTAGCCAGGAAGAGATGACCAAGAACCAGGTGTCCCTGAGCTGTGCCGTGAAAGGC TTCTACCCCAGCGACATTGCCGTGGAATGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCT GTGCTGGACAGCGACGGCTCATTCTTCCTGGTGTCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAAC GTGTTCAGCTGCTCCGTGATGCACGAGGCCCTGCACAACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC HER2 1 197

GACATCGTGATGACCCAGACCCCCTGAGCCTGAGCGTGACACCTGGACAGCCTGCCAGCATCAGCTGCAAGAGC (30R/55Q/102E +

AGCCAGAGCCTGGTGCACGACAACGCCCAGACCTACCTGAGCTGGTATCTGCAGAAGCCCGGCCAGAGCCCCCAGLC-WT-

TCCCTGATCTACAAGGTGTCCAACAGATTCAGCGGCGTGCCCGACAGATTCTCCGGCAGCGGCTCTGGCACCGACT trastuzumab)/

TCACCCTGAAGATCAGCCGGGTGGAAGCCGAGGACGTGGGCGTGTACTATTGTGGCCAGGGCACCCAGTACCCCT CD28.sub.sup × CD3.sub.mid

TCACCTTTGGCAGCGCACCAAGGTGGAAATCAAGGACAAAACCCATACCGACATCCAGATGACCCAGAGCCCCA (DNAQ (LC);

 $\label{eq:actor} \mbox{ACTGGTATCAGCAGAAGCCCGGCAAGCCCCCAAGCTGCTGATCTACAAGGCCAGCAACCTGCACACCGGCGTGC} \\ \mbox{on } \mbox{HC/LC)} \ \ \mbox{IgG4}$

CCAGCAGATTTTCTGGCAGCGGCTCCGGCACCGACTTCACCCTGACAATCAGCTCCCTGCAGCCCGAGGACATTGC FALA

CACCTACTACTGCCAGCAGGGCCAGACCTACCCCTACACCTTTGGCCAGGGCACCAAGCTGGAAATCAAGGATAA

GACCCACACCCGTACGGTGGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGCGACGAGCAGCTGAAGTCCGGCACA GCCTCTGTCGTGTGCCTGCAACAACTTCTACCCCCGCGAGGCCAAAGTGCAGTGGAAGGTGGACAACGCCCTGC AGAGCGGCAACAGCCAGGAAAGCGTGACCGAGCAGGACAGCAAGGACTCCACCTACAGCCTGAGCAGCACCCTG ACACTGAGCAAGGCCGACTACGAGAAGCACAAGGTGTACGCCTGCGAAGTGACCCACCAGGGCCTGTCTAGCCCC GTGACCAAGAGCTTCAACCGGGGCGAGTGT 2 198

CAGGTGCAGCTGGTGCAGTCTGGCGCCGAGGTCGTGAAACCTGGCGCCTCTGTGAAGGTGTCCTGCAAGGCCAGC GGCTACACCTTTACCAGCTACTACATCCACTGGGTGCGCCAGGCCCCTGGACAGGGACTGGAATGGATCGGCAGC ATCTACCCGGCAACGTGAACACCAACTACGCCCAGAAGTTCCAGGGCAGAGCCACCCTGACCGTGGACACCAGC ATCAGCACCGCCTACATGGAACTGAGCCGGCTGAGAAGCGACGACACCGCCGTGTACTACTGCACCCGGTCCCAC TACGGCCTGGATTGGAACTTCGACGTGTGGGGCAAGGGCACCACCGTGACAGTGTCTAGCGACAAAACCCATACC CAGGTGCAGCTGGTGGAATCTGGCGGCGGAGTGGTGCAGCCTGGCAGAAGCCTGAGACTGAGCTGTGCCGCCAGC GGCTTCACCTTCACCAAGGCCTGGATGCACTGGGTGCGCCAGGCCCCTGGAAAGCAGCTGGAATGGGTGGCCCAG ATCAAGGACAAGAGCAACAGCTACGCCACCTACTACGCCGACAGCGTGAAGGGCCGGTTCACCATCAGCCGGGAC GACAGCAAGAACACCCTGTACCTGCAGATGAACAGCCTGCGGGCCGAGGACACCGCCGTGTACTACTGTCGGGGC GTGTACTATGCCCTGAGCCCCTTCGATTACTGGGGCCAGGGAACCCTCGTGACCGTGTCTAGTGATAAGACCCACA CCGCCAGCACAAAGGGCCCATCGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCCT GGGCTGCCTCGTGAAGGACTACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTG CACACCTTTCCAGCCGTGCTCCAGAGCAGCGGCCTGTACTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCC TGGGCACCAAGACCTACACCTGTAACGTGGACCACAAGCCCAGCAACACCAAGGTGGACAAGCGGGTGGAATCTA AGTACGGCCCTCCCTGCCCTCCTTGCCCAGCCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCCAAAG $\tt CCCAAGGACACCCTGATGATCAGCCGGACCCCGAAGTGACCTGCGTGGTGGTGGATGTCCCAGGAAGATCCC$ GAGGTGCAGTTCAATTGGTACGTGGACGGCGTGGAAGTGCACAACGCCAAGACCAAGCCCAGAGAGAACAGTTC AACAGCACCTACCGGGTGGTGTCCGTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGC AAGGTGTCCAACAAGGGCCTGCCCAGCTCCATCGAGAAAACCATCAGCAAGGCCAAGGGCCAGCCCGCGAGCCT

CAAGTGTGTACCCTGCCCCCTAGCCAGGAAGAGATGACCAAGAACCAGGTGTCCCTGAGCTGTGCCGTGAAAGGC TTCTACCCCAGCGACATTGCCGTGGAATGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCT GTGCTGGACAGCGACGGCTCATTCTTCCTGGTGTCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAAC GTGTTCAGCTGCTCCGTGATGCACGAGGCCCTGCACAACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC

GAAGTGCAGCTGGTGGAATCTGGCGGCGGACTGGTGCAGCCTGGCGGATCTCTGAGACTGAGCTGTGCCGCCAGC GGCTTCAACATCCGGGACACCTACATCCACTGGGTGCGCCAGGCCCCTGGCAAGGGACTGGAATGGGTGGCCAGA ATCTACCCCACCCAGGGCTACACCAGATACGCCGACAGCGTGAAGGGCCGGTTCACCATCAGCGCCGACACCAGC AAGAACACCGCCTACCTGCAGATGAACAGCCTGCGGGCCGAGGACACCGCCGTGTACTACTGTAGTAGATGGGGA GGCGAAGGCTTCTACGCCATGGACTATTGGGGCCAGGGCACCCTCGTGACCGTGTCTAGTGCGTCGACCAAGGGC CCATCGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCCTGGGCTGCCTCGTGAAGG ACTACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTGCACACCTTTCCAGCCGT GCTCCAGAGCAGCGGCCTGTACTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCCTGGGCACCAAGACCTA CCCTCCTTGCCCAGCCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCCAAAGCCCAAGGACACCCTG ATGATCAGCCGGACCCCCGAAGTGACCTGCGTGGTGGTGGATGTCCCCAGGAAGATCCCGAGGTGCAGTTCAAT TGGTACGTGGACGCGTGGAAGTGCACAACGCCAAGACCAAGCCCAGAGAGAACAGTTCAACAGCACCTACCG GGTGGTGTCCGTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGCAAGGTGTCCAACAA GGGCCTGCCCAGCTCCATCGAGAAAACCATCAGCAAGGCCCAAGGCCCAGCCCCGCGAGCCTCAAGTGTATACCCT GCCCCTTGCCAGGAAGAGATGACCAAGAACCAGGTGTCCCTGTGGTGTCTCGTGAAAGGCTTCTACCCCAGCGAC ATTGCCGTGGAATGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCTGTGCTGGACAGCGAC GGCTCATTCTTCCTGTACTCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAACGTGTTCAGCTGCTCCG TGATGCACGAGGCCCTGCACAACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC 4 200 CAGGTGCAGCTGGTGCAGTCTGGCGCCGAGGTCGTGAAACCTGGCGCCTCTGTGAAGGTGTCCTGCAAGGCCAGC GGCTACACCTTTACCAGCTACTACATCCACTGGGTGCGCCAGGCCCCTGGACAGGGACTGGAATGGATCGGCAGC ATCTACCCGGCAACGTGAACACCAACTACGCCCAGAAGTTCCAGGGCAGAGCCACCCTGACCGTGGACACCAGC ATCAGCACCGCCTACATGGAACTGAGCCGGCTGAGAAGCGACGACACCGCCGTGTACTACTGCACCCGGTCCCAC TACGGCCTGGATTGGAACTTCGACGTGTGGGGCAAGGGCACCACCGTGACAGTGTCTAGCGACAAAACCCATACC CAGGTGCAGCTGGTGGAATCTGGCGGCGGAGTGGTGCAGCCTGGCAGAAGCCTGAGACTGAGCTGTGCCGCCAGC GGCTTCACCTTCACCAAGGCCTGGATGCACTGGGTGCGCCAGGCCCCTGGAAAGCAGCTGGAATGGGTGGCCCAG ATCAAGGACAAGAGCAACAGCTACGCCACCTACTACGCCGACAGCGTGAAGGGCCGGTTCACCATCAGCCGGGAC GACAGCAAGAACACCCTGTACCTGCAGATGAACAGCCTGCGGGCCGAGGACACCGCCGTGTACTACTGTCGGGGC GTGTACTATGCCCTGAGCCCCTTCGATTACTGGGGCCAGGGAACCCTCGTGACCGTGTCTAGTGATAAGACCCACA CCGCCAGCACAAAGGGCCCATCGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCCT GGGCTGCCTCGTGAAGGACTACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTG CACACCTTTCCAGCCGTGCTCCAGAGCAGCGGCCTGTACTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCC TGGGCACCAAGACCTACACCTGTAACGTGGACCACAAGCCCAGCAACACCAAGGTGGACAAGCGGGTGGAATCTA AGTACGGCCCTCCCTGCCCTCCTTGCCCAGCCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCAAAG CCCAAGGACACCCTGATGATCAGCCGGACCCCGAAGTGACCTGCGTGGTGGTGGATGTGTCCCAGGAAGATCCC GAGGTGCAGTTCAATTGGTACGTGGACGGCGTGGAAGTGCACAACGCCAAGACCAAGCCCAGAGAGAACAGTTC AACAGCACCTACCGGGTGGTGCCGTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGC AAGGTGTCCAACAAGGGCCTGCCCAGCTCCATCGAGAAAACCATCAGCAAGGCCAAGGGCCAGCCCGCGAGCCT CAAGTGTGTACCCTGCCCCCTAGCCAGGAAGAGATGACCAAGAACCAGGTGTCCCTGAGCTGTGCCGTGAAAGGC TTCTACCCCAGCGACATTGCCGTGGAATGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCT GTGCTGGACAGCGACGGCTCATTCTTCCTGGTGTCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAAC GTGTTCAGCTGCTCCGTGATGCACGAGGCCCTGCACAACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC HER2 1 201

GACATCGTGATGACCCAGACCCCCTGAGCCTGAGCGTGACACCTGGACAGCCTGCCAGCATCAGCTGCAAGAGC (30R/55O/102E +

AGCCAGAGCCTGGTGCACCAGAACGCCCAGACCTACCTGAGCTGGTATCTGCAGAAGCCCGGCCAGAGCCCCCAG

trastuzumab)/

TCACCCTGAAGATCAGCCGGGTGGAAGCCGAGGACGTGGGCGTGTACTATTGTGGCCAGGGCACCCAGTACCCCT CD28.sub.sup × CD3.sub.mid

TCACCTTTGGCAGCGGCACCAAGGTGGAAATCAAGGGCCAGCCCAAGGCCGCCCCGACATCCAGATGACCCAGA (32/35QQ (LC);

FALA) IgG4

GGCTGAACTGGTATCAGCAGAAGCCCGGCAAGGCCCCCAAGCTGCTGATCTACAAGGCCAGCAACCTGCACACCG linker

GCGTGCCCAGCAGATTTTCTGGCAGCGGCTCCGGCACCGACTTCACCCTGACAATCAGCTCCCTGCAGCCCGAGGA

BP #9

```
CATTGCCACCTACTACTGCCAGCAGGGCCAGACCTACCCCTACACCTTTGGCCAGGGCACCAAGCTGGAAATCAAG
ACCAAGGGCCCCAGCCGTACGGTGGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGCGACGAGCAGCTGAAGTCCG
GCACAGCCTCTGTCGTGTGCCTGCAACAACTTCTACCCCCGCGAGGCCAAAGTGCAGTGGAAGGTGGACAACG
CCCTGCAGAGCGGCAACAGCCAGGAAAGCGTGACCGAGCAGGACAGCAAGGACTCCACCTACAGCCTGAGCAGC
ACCCTGACACTGAGCAAGGCCGACTACGAGAAGCACAAGGTGTACGCCTGCGAAGTGACCCACCAGGGCCTGTCT
AGCCCCGTGACCAAGAGCTTCAACCGGGGCGAGTGT 2 202
CAGGTGCAGCTGGTGCAGTCTGGCGCCGAGGTCGTGAAACCTGGCGCCTCTGTGAAGGTGTCCTGCAAGGCCAGC
GGCTACACCTTTACCAGCTACTACATCCACTGGGTGCGCCAGGCCCCTGGACAGGGACTGGAATGGATCGGCAGC
ATCTACCCGGCAACGTGAACACCAACTACGCCCAGAAGTTCCAGGGCAGAGCCACCCTGACCGTGGACACCAGC
ATCAGCACCGCCTACATGGAACTGAGCCGGCTGAGAAGCGACGACACCGCCGTGTACTACTGCACCCGGTCCCAC
TACGGCCTGGATTGGAACTTCGACGTGTGGGGCAAGGGCACCACCGTGACAGTGTCTAGCAGCCAGGTGCAGCTG
GTGGAATCTGGCGGCGGAGTGGTGCAGCCTGGCAGAAGCCTGAGACTGAGCTGTGCCGCCAGCGGCTTCACCTTC
ACCAAGGCCTGGATGCACTGGGTGCCCCAGGCCCCTGGAAAGCAGCTGGAATGGGTGGCCCAGATCAAGGACAA
GAGCAACAGCTACGCCACCTACTACGCCGACAGCGTGAAGGGCCGGTTCACCATCAGCCGGGACGACAGCAAGAA
CACCCTGTACCTGCAGATGAACAGCCTGCGGGCCGAGGACACCGCCGTGTACTACTGTCGGGGCGTGTACTATGCC
CGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCCTGGGCTGCCTCGTGAAGGACTA
CTTTCCCGAGCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTGCACACCTTTCCAGCCGTGCTC
CAGAGCAGCGGCCTGTACTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCCTGGGCACCAAGACCTACACC
CCTTGCCCAGCCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCCAAAGCCCAAGGACACCCTGATGA
TCAGCCGGACCCCGAAGTGACCTGCGTGGTGGTGGTGTCCCAGGAAGATCCCGAGGTGCAGTTCAATTGGT
ACGTGGACGGCGTGGAAGTGCACAACGCCAAGACCAAGCCCAGAGAGAACAGTTCAACAGCACCTACCGGGTG
GTGTCCGTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGCAAGGTGTCCAACAAGGGC
\tt CTGCCCAGCTCCATCGAGAAAACCATCAGCAAGGCCAAGGGCCAGCCCGCGAGCCTCAAGTGTGTACCCTGCCC
CCTAGCCAGGAAGAGATGACCAAGAACCAGGTGTCCCTGAGCTGTGCCGTGAAAGGCTTCTACCCCAGCGACATT
GCCGTGGAATGGGAGAGCAACGCCCGAGAACAACTACAAGACCACCCCCCTGTGCTGGACAGCGACGG
CTCATTCTTCCTGGTGTCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAACGTGTTCAGCTGCTCCGTG
ATGCACGAGGCCCTGCACAACCACTACACCCAGAAGTCCCTGTCTCTCTGTCCCTGGGC 3 203
GAAGTGCAGCTGGTGGAATCTGGCGGCGGACTGGTGCAGCCTGGCGGATCTCTGAGACTGAGCTGTGCCGCCAGC
GGCTTCAACATCCGGGACACCTACATCCACTGGGTGCGCCAGGCCCCTGGCAAGGGACTGGAATGGGTGGCCAGA
ATCTACCCCACCCAGGGCTACACCAGATACGCCGACAGCGTGAAGGGCCGGTTCACCATCAGCGCCGACACCAGC
AAGAACACCGCCTACCTGCAGATGAACAGCCTGCGGGCCGAGGACACCGCCGTGTACTACTGTAGTAGATGGGGA
GGCGAAGGCTTCTACGCCATGGACTATTGGGGCCAGGGCACCCTCGTGACCGTGTCTAGTGCGTCGACCAAGGGC
CCATCGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCCTGGGCTGCCTCGTGAAGG
ACTACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTGCACACCTTTCCAGCCGT
GCTCCAGAGCAGCGGCCTGTACTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCCTGGGCACCAAGACCTA
CCCTCCTTGCCCAGCCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCAAAGCCCAAGGACACCCTG
ATGATCAGCCGGACCCCGAAGTGACCTGCGTGGTGGTGGATGTCCCAGGAAGATCCCGAGGTGCAGTTCAAT
TGGTACGTGGACGCGTGGAAGTGCACAACGCCAAGACCAAGACCAGAGAGAACAGTTCAACAGCACCTACCG
GGTGGTGTCCGTGCTGACCGTGCTCCACCAGGACTGCTGAACGGCAAAGAGTACAAGTGCAAGGTGTCCAACAA
GGGCCTGCCCAGCTCCATCGAGAAAACCATCAGCAAGGCCCAAGGCCCAGCCCCGCGAGCCTCAAGTGTATACCCT
GCCCCTTGCCAGGAAGAGATGACCAAGAACCAGGTGTCCCTGTGGTGTCTCGTGAAAGGCTTCTACCCCAGCGAC
ATTGCCGTGGAATGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCTGTGCTGGACAGCGAC
GGCTCATTCTTCCTGTACTCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAACGTGTTCAGCTGCTCCG
TGATGCACGAGGCCCTGCACAACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC 4 204
CAGGTGCAGCTGGTGCAGTCTGGCGCCGAGGTCGTGAAACCTGGCGCCTCTGTGAAGGTGTCCTGCAAGGCCAGC
GGCTACACCTTTACCAGCTACTACATCCACTGGGTGCGCCAGGCCCCTGGACAGGGACTGGAATGGATCGGCAGC
ATCTACCCGGCAACGTGAACACCAACTACGCCCAGAAGTTCCAGGGCAGAGCCACCCTGACCGTGGACACCAGC
ATCAGCACCGCCTACATGGAACTGAGCCGGCTGAGAAGCGACGACACCGCCGTGTACTACTGCACCCGGTCCCAC
TACGGCCTGGATTGGAACTTCGACGTGTGGGGCAAGGGCACCACCGTGACAGTGTCTAGCGACAAAACCCATACC
CAGGTGCAGCTGGTGGAATCTGGCGGCGGAGTGGTGCAGCCTGGCAGAAGCCTGAGACTGAGCTGTGCCGCCAGC
GGCTTCACCTTCACCAAGGCCTGGATGCACTGGGTGCGCCAGGCCCCTGGAAAGCAGCTGGAATGGGTGGCCCAG
ATCAAGGACAAGAGCAACAGCTACGCCACCTACTACGCCGACAGCGTGAAGGGCCGGTTCACCATCAGCCGGGAC
GACAGCAAGAACACCCTGTACCTGCAGATGAACAGCCTGCGGGCCGAGGACACCGCCGTGTACTACTGTCGGGGC
GTGTACTATGCCCTGAGCCCCTTCGATTACTGGGGCCAGGGAACCCTCGTGACCGTGTCTAGTGATAAGACCCACA
CCGCCAGCACAAAGGGCCCATCGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCCT
GGGCTGCCTCGTGAAGGACTACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTG
CACACCTTTCCAGCCGTGCTCCAGAGCAGCGGCCTGTACTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCC
TGGGCACCAAGACCTACACCTGTAACGTGGACCACAAGCCCAGCAACACCAAGGTGGACAAGCGGGTGGAATCTA
AGTACGGCCCTCCCTGCCCTCCTTGCCCAGCCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCCAAAG
CCCAAGGACACCCTGATGATCAGCCGGACCCCGAAGTGACCTGCGTGGTGGTGGATGTGTCCCAGGAAGATCCC
```

GAGGTGCAGTTCAATTGGTACGTGGACGCGTGGAAGTGCACAACGCCAAGACCAAGCCCAGAGAGGAACAGTTC
AACAGCACCTACCGGGTGGTGTCCGTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGC
AAGGTGTCCAACAAGGGCCTGCCCAGCTCCATCGAGAAAACCATCAGCAAGGCCAAGGGCCAGCCCCGCGAGCCT
CAAGTGTGTACCCTGCCCCCTAGCCAGGAAGAGAGAGCCAAGAACCAGGTGTCCCTGAGCTGTGCCGTGAAAGGC
TTCTACCCCAGCGACATTGCCGTGGAATGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCT
GTGCTGGACAGCGACGGCTCATTCTTCCTGGTGTCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAAC
GTGTTCAGCTGCTCCGTGATGCACGAGGCCCTGCACAACCACTACACCCAGAAGTCCCTGTCTCTCTGTCCCTGGGC
HER2-30R/ 1 205

GACATCGTGATGACCCAGACCCCCTGAGCCTGAGCGTGACACCTGGACAGCCTGCCAGCATCAGCTGCAAGAGC 55Q/102S + LC-

AGCCAGAGCCTGGTGCACAACAACGCCAACACCTACCTGAGCTGGTATCTGCAGAAGCCCGGCCAGAGCCCCCAGWT-

TCCCTGATCTACAAGGTGTCCAACAGATTCAGCGGCGTGCCCGACAGATTCTCCGGCAGCGGCTCTGGCACCGACT trastuzumab/

TCACCCTGAAGATCAGCCGGGTGGAAGCCGAGGACGTGGGCGTGTACTATTGTGGCCAGGGCACCCAGTACCCCT CD28sup × CD3mid

TCACCTTTGGCAGCGCACCAAGGTGGAAATCAAGGGCCAGCCCAAGGCCCCCCGACATCCAGATGACCCAGA
L1 linker

GGCTGAACTGGTATCAGCAGAAGCCCGGCAAGGCCCCCAAGCTGCTGATCTACAAGGCCAGCAACCTGCACACCG BP # 10

GCGTGCCCAGCAGATTTTCTGGCAGCGGCTCCGGCACCGACTTCACCCTGACAATCAGCTCCCTGCAGCCCGAGGA CATTGCCACCTACTACTGCCAGCAGGGCCAGAGCCTACCCCTACACCTTTGGCCAGGGCACCAAGCTGGAAATCAAG ACCAAGGGCCCCAGCCGTACGGTGGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGCGACGAGCAGCAGCTGAAGTCCG GCACAGCCTCTGTCGTGTGCCTGCAAACAACTTCTACCCCCGCGAGGCCAAAGTGCAGTGGAAGGTGGACAACG CCCTGCAGAGCGCAACGCCAGGAAAGCGTGACCAGCAGCAGCAAGGACTCCACCTACAGCCTGAGCAGC ACCCTGACACTGAGCAAGGCCGACTACGAGAAGCACAAGGTGTACGCCTGCGAAGTGACCCACCAGGGCCTGTCT AGCCCCGTGACCAAGAGCTTCAACCGGGGCGAGTGT 2 206

CAGGTGCAGCTGGTGCAGTCTGGCGCCGAGGTCGTGAAACCTGGCGCCCTCTGTGAAGGTGTCCTGCAAGGCCAGC GGCTACACCTTTACCAGCTACTACATCCACTGGGTGCGCCAGGCCCCTGGACAGGGACTGGAATGGATCGGCAGC ATCTACCCGGCAACGTGAACACCAACTACGCCCAGAAGTTCCAGGGCAGAGCCACCCTGACCGTGGACACCAGC ATCAGCACCGCCTACATGGAACTGAGCCGGCTGAGAAGCGACGACACCGCCGTGTACTACTGCACCCGGTCCCAC TACGGCCTGGATTGGAACTTCGACGTGTGGGGCAAGGGCACCACCGTGACAGTGTCTAGCAGCCAGGTGCAGCTG GTGGAATCTGGCGGCGGAGTGGTGCAGCCTGGCAGAAGCCTGAGACTGAGCTGTGCCGCCAGCGGCTTCACCTTC ACCAAGGCCTGGATGCACTGGGTGCGCCAGGCCCCTGGAAAGCAGCTGGAATGGGTGGCCCAGATCAAGGACAA GAGCAACAGCTACGCCACCTACTACGCCGACAGCGTGAAGGGCCGGTTCACCATCAGCCGGGACGACAGCAAGAA CACCCTGTACCTGCAGATGAACAGCCTGCGGGCCGAGGACACCGCCGTGTACTACTGTCGGGGCGTGTACTATGCC CTGAGCCCCTTCGATTACTGGGGCCAGGGAACCCTCGTGACCGTGTCTAGTCGGACCGCCAGCACAAAGGGCCCAT CGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCCTGGGCTGCCTCGTGAAGGACTA CTTTCCCGAGCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTGCACACCTTTCCAGCCGTGCTC CAGAGCAGCGGCCTGTACTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCCTGGGCACCAAGACCTACACC CCTTGCCCAGCCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCCAAAGCCCAAGGACACCCTGATGA TCAGCCGGACCCCGAAGTGACCTGCGTGGTGGTGGTGTCCCAGGAAGATCCCGAGGTGCAGTTCAATTGGT ACGTGGACGGCGTGGAAGTGCACAACGCCAAGACCAAGACCAGAGAGAACAGTTCAACAGCACCTACCGGGTG GTGTCCGTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGCAAGGTGTCCAACAAGGGC CTGCCCAGCTCCATCGAGAAAACCATCAGCAAGGCCAAGGGCCAGCCCGCGAGCCTCAAGTGTGTACCCTGCCC ${\tt CCTAGCCAGGAAGAGAGCCAAGAACCAGGTGTCCCTGAGCTGTGCCGTGAAAGGCTTCTACCCCAGCGACATT}$ GCCGTGGAATGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCTGTGCTGGACAGCGACGG CTCATTCTTCCTGGTGTCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAACGTGTTCAGCTGCTCCGTG ATGCACGAGGCCCTGCACAACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC 3 207

GTACGTGACGCGTGGAAGTGCACAACGCCAAGACCAAGCCCAGAGAGAACAGTTCAACAGCACCTACCGGG
TGGTGTCCGTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGCAAGGTGTCCAACAAGG
GCCTGCCCAGCTCCATCGAGAAAACCATCAGCAAGGCCAAGGGCCAGCCCCGCGAGCCTCAAGTGTATACCCTGC
CCCCTTGCCAGGAAGAGAGAACCAAGAACCAGGTGTCCCTGTGGTGTCTCGTGAAAGGCTTCTACCCCAGCGACAT
TGCCGTGGAATGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCCTGTGCTGGACAGCGACGG
CTCATTCTTCCTGTACTCCAAGCTGACCGTGGACAAGACCCGGTGGCAGGAAGGCAACGTGTTCAGCTGCTCCGTG
ATGCACGAGGCCCTGCACAACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC 4 208
CAGGTGCAGCTGGTGCAGTCTGGCGCCGAGGTCGTGAAACCTGCCCCTCTGTGAAGGTGTCCTGCAAGGCCAGC

GGCTACACCTTTACCAGCTACTACATCCACTGGGTGCGCCAGGCCCCTGGACAGGGACTGGAATGGATCGGCAGC ATCTACCCGGCAACGTGAACACCAACTACGCCCAGAAGTTCCAGGGCAGAGCCACCCTGACCGTGGACACCAGC ATCAGCACCGCCTACATGGAACTGAGCCGGCTGAGAAGCGACGACACCGCCGTGTACTACTGCACCCGGTCCCAC TACGGCCTGGATTGGAACTTCGACGTGTGGGGCAAGGGCACCACCGTGACAGTGTCTAGCGACAAAACCCATACC CAGGTGCAGCTGGTGGAATCTGGCGGCGGAGTGGTGCAGCCTGGCAGAAGCCTGAGACTGAGCTGTGCCGCCAGC GGCTTCACCTTCACCAAGGCCTGGATGCACTGGGTGCGCCAGGCCCCTGGAAAGCAGCTGGAATGGGTGGCCCAG ATCAAGGACAAGAGCAACAGCTACGCCACCTACTACGCCGACAGCGTGAAGGGCCGGTTCACCATCAGCCGGGAC GACAGCAAGAACACCCTGTACCTGCAGATGAACAGCCTGCGGGCCGAGGACACCGCCGTGTACTACTGTCGGGGC GTGTACTATGCCCTGAGCCCCTTCGATTACTGGGGCCAGGGAACCCTCGTGACCGTGTCTAGTGATAAGACCCACA CCGCCAGCACAAAGGGCCCATCGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCCT GGGCTGCCTCGTGAAGGACTACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTG CACACCTTTCCAGCCGTGCTCCAGAGCAGCGGCCTGTACTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCC TGGGCACCAAGACCTACACCTGTAACGTGGACCACAAGCCCAGCAACACCAAGGTGGACAAGCGGGTGGAATCTA AGTACGGCCCTCCCTGCCCTCCTTGCCCAGCCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCCAAAG CCCAAGGACACCTGATGATCAGCCGGACCCCGAAGTGACCTGCGTGGTGGTGGATGTCCCAGGAAGATCCC GAGGTGCAGTTCAATTGGTACGTGGACGCGTGGAAGTGCACAACGCCAAGACCAAGCCCAGAGAGACAGTTC AACAGCACCTACCGGGTGGTGCCGTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGC AAGGTGTCCAACAAGGGCCTGCCCAGCTCCATCGAGAAAACCATCAGCAAGGCCAAGGGCCAGCCCGCGAGCCT CAAGTGTGTACCCTGCCCCCTAGCCAGGAAGAGATGACCAAGAACCAGGTGTCCCTGAGCTGTGCCGTGAAAGGC TTCTACCCCAGCGACATTGCCGTGGAATGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCT GTGCTGGACAGCGACGGCTCATTCTTCCTGGTGTCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAAC GTGTTCAGCTGCTCCGTGATGCACGAGGCCCTGCACAACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC HER2-30R/1 209

GACATCGTGATGACCCAGACCCCCTGAGCCTGAGCGTGACACCTGGACAGCCTGCCAGCATCAGCTGCAAGAGC 56A/102S + LC-

AGCCAGAGCCTGGTGCACAACAACGCCAACACCTACCTGAGCTGGTATCTGCAGAAGCCCGGCCAGAGCCCCCAGWT-

TCCCTGATCTACAAGGTGTCCAACAGATTCAGCGGCGTGCCCGACAGATTCTCCGGCAGCGGCTCTGGCACCGACT trastuzumab/

TCACCCTGAAGATCAGCCGGGTGGAAGCCGAGGACGTGGGCGTGTACTATTGTGGCCAGGGCACCCAGTACCCCT CD28sup × CD3mid

TCACCTTTGGCAGCGCACCAAGGTGGAAATCAAGGGCCAGCCCAAGGCCCCCCGACATCCAGATGACCCAGA
L1 linker IgG4

GGCTGAACTGGTATCAGCAGAAGCCCGGCAAGGCCCCCAAGCTGCTGATCTACAAGGCCAGCAACCTGCACACCG BP # 11

GCGTGCCCAGCAGATTTTCTGGCAGCGGCTCCGGCACCGACTTCACCCTGACAATCAGCTCCCTGCAGCCCGAGGA CATTGCCACCTACTACTGCCAGCAGGGCCAGAGCCTACCCCTACACCTTTGGCCAGGGCACCAAGCTGGAAATCAAG ACCAAGGGCCCCAGCCGTACGGTGGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGCGACGAGCAGCTGAAGTCCG GCACAGCCTCTGTCGTGTGCCTGCTGAACAACTTCTACCCCCGCGAGGCCAAAGTGCAGTGGAAGGTGGACAACG CCCTGCAGAGCGCAACGCCAGGAAAGCGTGACCAGCAGCAGCAAGGACTCCACCTACAGCCTGAGCAGC ACCTGACACTGAGCAAGGCCGACTACGAGAAGCACAAGGTGTACGCCTGCGAAGTGACCCACCAGGGCCTGTCT AGCCCCGTGACCAAGAGCTTCAACCGGGGCGAGTGT 2 210

CAGGTGCAGCTGGTGCAGTCTGGCGCCGAGGTCGTGAAACCTGGCGCCTCTGTGAAGGTGTCCTGCAAGGCCAGC
GGCTACACCTTTACCAGCTACTACATCCACTGGGTGCGCCAGGCCCCTGGACAGGACTGGAATGGATCGGCAGC
ATCTACCCCGGCAACGTGAACACCAACTACGCCCAGAAGTTCCAGGGCAGCACCCCTGACCGTGGACACCAGC
ATCAGCACCGCCTACATGGAACTGAGCCGGCTGAGAAGCGACACCGCCGTGTACTACTGCACCCGGTCCCAC
TACGGCCTGGATTGGAACTTCGACGTGTGGGGCAAGGGCACCACCGTGACAGTGTCTAGCAGCCAGGTGCAGCTG
GTGGAATCTGGCGGCGGAGTGGTGCAGCCTGGCAGAAGCCTGAGACTGTGCCGCCAGCGGCTTCACCTTC
ACCAAGGCCTGGATGCACTGGGTGCGCCAGGCCCCTGGAAAGCAGCTGGAATGGGTGGCCCAGATCAAGGACAA
GAGCAACAGCTACGCCACCTACTACGCCGACAGCGTGAAAGGGCCGGTTCACCATCAGCCGGGACGACAGCAAGAA
CACCCTGTACCTGCAGATGAACAGCCTGCGGGCCGAGGACACCGCCGTGTACTACTGTCGGGGCCCAT
CTGAGCCCCTTCGATTACTGGGGCCCAGGAAACCCTCCGTGACCGTGTCTAGTCGGACCGCCAGCACAAAAGGGCCCAT
CGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCCTGGGCTGCCTCGTGAAGGACTA

```
CAGAGCAGCGGCCTGTACTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCCTGGGCACCAAGACCTACACC
CCTTGCCCAGCCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCCAAAGCCCAAGGACACCCTGATGA
TCAGCCGGACCCCGAAGTGACCTGCGTGGTGGTGGTGTCCCAGGAAGATCCCGAGGTGCAGTTCAATTGGT
ACGTGGACGGCGTGGAAGTGCACAACGCCAAGACCAAGCCCAGAGAGAACAGTTCAACAGCACCTACCGGGTG
GTGTCCGTGCTGACCGTGCTCCACCAGGACTGCTGAACGGCAAAGAGTACAAGTGCAAGGTGTCCAACAAGGGC
CTGCCCAGCTCCATCGAGAAAACCATCAGCAAGGCCAAGGGCCAGCCCGCGAGCCTCAAGTGTGTACCCTGCCC
CCTAGCCAGGAAGAGATGACCAAGAACCAGGTGTCCCTGAGCTGTGCCGTGAAAGGCTTCTACCCCAGCGACATT
GCCGTGGAATGGGAGAGCAACGCCCGAGAACAACTACAAGACCACCCCCCTGTGCTGGACAGCGACGG
CTCATTCTTCCTGGTGTCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAACGTGTTCAGCTGCTCCGTG
ATGCACGAGGCCCTGCACAACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC 3 211
GAAGTGCAGCTGGTGGAATCTGGCGGCGGACTGGTGCAGCCTGGCGGATCTCTGAGACTGAGCTGTGCCGCCAGC
GGCTTCAACATCCGGGACACCTACATCCACTGGGTGCGCCAGGCCCCTGGCAAGGGACTGGAATGGGTGGCCAGA
ATCTACCCCACCAACGCCTACACCAGATACGCCGACAGCGTGAAGGGCCGGTTCACCATCAGCGCCGACACCAGC
AAGAACACCGCCTACCTGCAGATGAACAGCCTGCGGGCCGAGGACACCGCCGTGTACTACTGTAGTAGATGGGGA
GGCTCCGGCTTCTACGCCATGGACTATTGGGGCCAGGGCACCCTCGTGACCGTGTCTAGTGCGTCGACCAAGGGCC
CATCGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCCTGGGCTGCCTCGTGAAGGA
CTACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTGCACACCCTTTCCAGCCGTG
CTCCAGAGCAGCGGCCTGTACTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCCTGGGCACCAAGACCTAC
\tt CCTCCTTGCCCAGCCCTGAATTTCTGGGCGGACCCTCCGTGTTCCTGTTCCCCCAAAGCCCAAGGACACCCTGAT
GATCAGCCGGACCCCGAAGTGACCTGCGTGGTGGTGGATGTCCCAGGAAGATCCCGAGGTGCAGTTCAATTG
GTACGTGGACGCGTGGAAGTGCACAACGCCAAGACCAAGCCCAGAGAGAACAGTTCAACAGCACCTACCGGG
TGGTGTCCGTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGCAAGGTGTCCAACAAGG
GCCTGCCCAGCTCCATCGAGAAAACCATCAGCAAGGCCAAGGGCCAGCCCCGCGAGCCTCAAGTGTATACCCTGC
CCCCTTGCCAGGAAGAGATGACCAAGAACCAGGTGTCCCTGTGGTGTCTCGTGAAAGGCTTCTACCCCAGCGACAT
TGCCGTGGAATGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCTGTGCTGGACAGCGACGG
CTCATTCTTCCTGTACTCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAACGTGTTCAGCTGCTCCGTG
ATGCACGAGGCCCTGCACAACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC 4 212
CAGGTGCAGCTGGTGCAGTCTGGCGCCGAGGTCGTGAAACCTGGCGCCTCTGTGAAGGTGTCCTGCAAGGCCAGC
GGCTACACCTTTACCAGCTACTACATCCACTGGGTGCGCCAGGCCCCTGGACAGGGACTGGAATGGATCGGCAGC
ATCTACCCGGCAACGTGAACACCAACTACGCCCAGAAGTTCCAGGGCAGAGCCACCCTGACCGTGGACACCAGC
ATCAGCACCGCCTACATGGAACTGAGCCGGCTGAGAAGCGACGACCGCCGTGTACTACTGCACCCGGTCCCAC
TACGGCCTGGATTGGAACTTCGACGTGTGGGGCAAGGGCACCACCGTGACAGTGTCTAGCGACAAAACCCATACC
CAGGTGCAGCTGGTGGAATCTGGCGGCGGAGTGGTGCAGCCTGGCAGAAGCCTGAGACTGAGCTGTGCCGCCAGC
GGCTTCACCTTCACCAAGGCCTGGATGCACTGGGTGCGCCAGGCCCCTGGAAAGCAGCTGGAATGGGTGGCCCAG
ATCAAGGACAAGAGCAACAGCTACGCCACCTACTACGCCGACAGCGTGAAGGGCCGGTTCACCATCAGCCGGGAC
GACAGCAAGAACACCCTGTACCTGCAGATGAACAGCCTGCGGGCCGAGGACACCGCCGTGTACTACTGTCGGGGC
GTGTACTATGCCCTGAGCCCCTTCGATTACTGGGGCCAGGGAACCCTCGTGACCGTGTCTAGTGATAAGACCCACA
CCGCCAGCACAAAGGGCCCATCGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCCT
GGGCTGCCTCGTGAAGGACTACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTG
CACACCTTTCCAGCCGTGCTCCAGAGCAGCGGCCTGTACTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCC
TGGGCACCAAGACCTACACCTGTAACGTGGACCACAAGCCCAGCAACACCAAGGTGGACAAGCGGGTGGAATCTA
AGTACGGCCCTCCCTGCCCTCCTTGCCCAGCCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCAAAG
CCCAAGGACACCCTGATGATCAGCCGGACCCCGAAGTGACCTGCGTGGTGGTGGATGTCCCAGGAAGATCCC
GAGGTGCAGTTCAATTGGTACGTGGACGGCGTGGAAGTGCACAACGCCAAGACCAAGCCCAGAGAGAACAGTTC
AACAGCACCTACCGGGTGGTGTCCGTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGC
AAGGTGTCCAACAAGGGCCTGCCCAGCTCCATCGAGAAAACCATCAGCAAGGCCAAGGGCCAGCCCGCGAGCCT
CAAGTGTGTACCCTGCCCCCTAGCCAGGAAGAGATGACCAAGAACCAGGTGTCCCTGAGCTGTGCCGTGAAAGGC
TTCTACCCCAGCGACATTGCCGTGGAATGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCT
GTGCTGGACAGCGACGGCTCATTCTTCCTGGTGTCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAAC
GTGTTCAGCTGCTCCGTGATGCACGAGGCCCTGCACAACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC
HER2-30R/ 1 213
GACATCGTGATGACCCAGACCCCCTGAGCCTGAGCGTGACACCTGGACAGCCTGCCAGCATCAGCTGCAAGAGC
AGCCAGAGCCTGGTGCACAACACGCCAACACCTACCTGAGCTGGTATCTGCAGAAGCCCGGCCAGAGCCCCCAG
CD28sup × CD3mid
```

TCCCTGATCTACAAGGTGTCCAACAGATTCAGCGGCGTGCCCGACAGATTCTCCGGCAGCGGCTCTGGCACCGACT

 ${\sf TCACCCTGAAGATCAGCCGGGTGGAAGCCGAGGACGTGGGCGTGTACTATTGTGGCCAGGGCACCCAGTACCCCT}$

TCACCTTTGGCAGCGGCACCAAGGTGGAAATCAAGGGCCAGCCCAAGGCCGCCCCGACATCCAGATGACCCAGA

FALA

CTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTGCACACCTTTCCAGCCGTGCTC

```
#
    12
GGCTGAACTGGTATCAGCAGAAGCCCGGCAAGGCCCCCAAGCTGCTGATCTACAAGGCCAGCAACCTGCACACCG
GCGTGCCCAGCAGATTTTCTGGCAGCGGCTCCGGCACCGACTTCACCCTGACAATCAGCTCCCTGCAGCCCGAGGA
CATTGCCACCTACTACTGCCAGCAGGGCCAGACCTACCCCTACACCTTTGGCCAGGGCACCAAGCTGGAAATCAAG
ACCAAGGGCCCCAGCCGTACGGTGGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGCGACGAGCAGCTGAAGTCCG
GCACAGCCTCTGTCGTGTGCCTGCTGAACAACTTCTACCCCCGCGAGGCCAAAGTGCAGTGGAAGGTGGACAACG
CCCTGCAGAGCGCCAACAGCCAGGAAAGCGTGACCGAGCAGGACAGCAAGGACTCCACCTACAGCCTGAGCAGC
ACCCTGACACTGAGCAAGGCCGACTACGAGAAGCACAAGGTGTACGCCTGCGAAGTGACCCACCAGGGCCTGTCT
AGCCCCGTGACCAAGAGCTTCAACCGGGGCGAGTGT 2 214
CAGGTGCAGCTGGTGCAGTCTGGCGCCGAGGTCGTGAAACCTGGCGCCTCTGTGAAGGTGTCCTGCAAGGCCAGC
GGCTACACCTTTACCAGCTACTACATCCACTGGGTGCGCCAGGCCCCTGGACAGGGACTGGAATGGATCGGCAGC
ATCTACCCGGCAACGTGAACACCAACTACGCCCAGAAGTTCCAGGGCAGAGCCACCCTGACCGTGGACACCAGC
ATCAGCACCGCCTACATGGAACTGAGCCGGCTGAGAAGCGACGACACCGCCGTGTACTACTGCACCCGGTCCCAC
TACGGCCTGGATTGGAACTTCGACGTGTGGGGCAAGGGCACCACCGTGACAGTGTCTAGCAGCCAGGTGCAGCTG
GTGGAATCTGGCGGCGGAGTGGTGCAGCCTGGCAGAAGCCTGAGACTGTGCCGCCAGCGGCTTCACCTTC
ACCAAGGCCTGGATGCACTGGGTGCCCCAGGCCCCTGGAAAGCAGCTGGAATGGGTGGCCCAGATCAAGGACAA
GAGCAACAGCTACGCCACCTACTACGCCGACAGCGTGAAGGGCCGGTTCACCATCAGCCGGGACGACAGCAAGAA
CACCCTGTACCTGCAGATGAACAGCCTGCGGGCCGAGGACACCGCCGTGTACTACTGTCGGGGCGTGTACTATGCC
{\sf CTGAGCCCCTTCGATTACTGGGGCCAGGGAACCCTCGTGACCGTGTCTAGTCGGACCGCCAGCACAAAGGGCCCAT}
CGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCCTGGGCTGCCTCGTGAAGGACTA
CAGAGCAGCGGCCTGTACTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCCTGGGCACCAAGACCTACACC
CCTTGCCCAGCCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCCAAAGCCCAAGGACACCCTGATGA
TCAGCCGGACCCCGAAGTGACCTGCGTGGTGGTGGTGTCCCAGGAAGATCCCGAGGTGCAGTTCAATTGGT
ACGTGGACGGCGTGGAAGTGCACAACGCCAAGACCAAGCCCAGAGAGACAGTTCAACAGCACCTACCGGGTG
GTGTCCGTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGCAAGGTGTCCAACAAGGGC
CTGCCCAGCTCCATCGAGAAAACCATCAGCAAGGCCAAGGGCCAGCCCGCGAGCCTCAAGTGTGTACCCTGCCC
CCTAGCCAGGAAGAGATGACCAAGAACCAGGTGTCCCTGAGCTGTGCCGTGAAAGGCTTCTACCCCAGCGACATT
GCCGTGGAATGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCTGTGCTGGACAGCGACGG
CTCATTCTTCCTGGTGTCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAACGTGTTCAGCTGCTCCGTG
ATGCACGAGGCCCTGCACAACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC 3 215
GAAGTGCAGCTGGTGGAATCTGGCGGCGGACTGGTGCAGCCTGGCGGATCTCTGAGACTGAGCTGTGCCGCCAGC
GGCTTCAACATCCGGGACACCTACATCCACTGGGTGCGCCAGGCCCCTGGCAAGGGACTGGAATGGGTGGCCAGA
ATCTACCCCACCAACGCCTACACCAGATACGCCGACAGCGTGAAGGGCCGGTTCACCATCAGCGCCGACACCAGC
AAGAACACCGCCTACCTGCAGATGAACAGCCTGCGGGCCGAGGACACCGCCGTGTACTACTGTAGTAGATGGGGA
GGCGAAGGCTTCTACGCCATGGACTATTGGGGCCAGGGCACCCTCGTGACCGTGTCTAGTGCGTCGACCAAGGGC
CCATCGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCCTGGGCTGCCTCGTGAAGG
ACTACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTGCACACCTTTCCAGCCGT
GCTCCAGAGCAGCGGCCTGTACTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCCTGGGCACCAAGACCTA
CCCTCCTTGCCCAGCCCCTGAATTTCTGGGCGGACCCTCCGTGTTCCTGTTCCCCCCAAAGCCCAAGGACACCCTGA
TGATCAGCCGGACCCCCGAAGTGACCTGCGTGGTGGTGGATGTGTCCCAGGAAGATCCCGAGGTGCAGTTCAATT
GGTACGTGGACGCGTGGAAGTGCACAACGCCAAGACCAAGCCCAGAGAGAACAGTTCAACAGCACCTACCGG
GTGGTGTCCGTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGCAAGGTGTCCAACAAG
GGCCTGCCCAGCTCCATCGAGAAAACCATCAGCAAGGCCCAAGGGCCCGCGAGCCTCAAGTGTATACCCTG
CCCCCTTGCCAGGAAGAGATGACCAAGAACCAGGTGTCCCTGTGGTGTCTCGTGAAAGGCTTCTACCCCAGCGACA
TTGCCGTGGAATGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCTGTGCTGGACAGCGACG
GCTCATTCTTCCTGTACTCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAACGTGTTCAGCTGCTCCGT
GATGCACGAGGCCCTGCACAACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC 4 216
CAGGTGCAGCTGGTGCAGTCTGGCGCCGAGGTCGTGAAACCTGGCGCCCTCTGTGAAGGTGTCCTGCAAGGCCAGC
GGCTACACCTTTACCAGCTACTACATCCACTGGGTGCGCCAGGCCCCTGGACAGGGACTGGAATGGATCGGCAGC
ATCTACCCGGCAACGTGAACACCAACTACGCCCAGAAGTTCCAGGGCAGAGCCACCCTGACCGTGGACACCAGC
ATCAGCACCGCCTACATGGAACTGAGCCGGCTGAGAAGCGACGACGCCGTGTACTACTGCACCCGGTCCCAC
TACGGCCTGGATTGGAACTTCGACGTGTGGGGCAAGGGCACCACCGTGACAGTGTCTAGCGACAAAACCCATACC
CAGGTGCAGCTGGTGGAATCTGGCGGCGGAGTGGTGCAGCCTGGCAGAAGCCTGAGACTGAGCTGTGCCGCCAGC
GGCTTCACCTTCACCAAGGCCTGGATGCACTGGGTGCGCCAGGCCCCTGGAAAGCAGCTGGAATGGGTGGCCCAG
ATCAAGGACAAGAGCAACAGCTACGCCACCTACTACGCCGACAGCGTGAAGGGCCGGTTCACCATCAGCCGGGAC
GACAGCAAGAACACCCTGTACCTGCAGATGAACAGCCTGCGGGCCGAGGACACCGCCGTGTACTACTGTCGGGGC
GTGTACTATGCCCTGAGCCCCTTCGATTACTGGGGCCAGGGAACCCTCGTGACCGTGTCTAGTGATAAGACCCACA
CCGCCAGCACAAAGGGCCCATCGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCCT
```

GGGCTGCCTCGTGAAGGACTACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTG

GACATCGTGATGACCCAGACCCCCTGAGCCTGAGCGTGACACCTGGACAGCCTGCCAGCATCAGCTGCAAGAGC trastuzumab/

AGCCAGAGCCTGGTGCACCAGAACGCCCAGACCTACCTGAGCTGGTATCTGCAGAAGCCCGGCCAGAGCCCCAGCD28sup × CD3mid

TCCCTGATCTACAAGGTGTCCAACAGATTCAGCGGCGTGCCCGACAGATTCTCCGGCAGCGGCTCTGGCACCGACT (32/35QQ) L1

TCACCCTGAAGATCAGCCGGGTGGAAGCCGAGGACGTGGGCGTGTACTATTGTGGCCAGGGCACCCAGTACCCCT linker IgG4

TCACCTTTGGCAGCGCACCAAGGTGGAAATCAAGGGCCAGCCCAAGGCCGCCCCGACATCCAGATGACCCAGA FALA BP # 15

GCCCCAGCAGCCTGTCTGCCAGCGTGGGCGACAGAGTGACCATCACCTGTCAGGCCAGCAGAACATCTACGTGT GGCTGAACTGGTATCAGCCAGAAGCCCGGCAAGGCCCCCAAGCTGCTGATCTACAAGGCCAGCAGCAACCTGCACACCG GCGTGCCCAGCAGAATTTTCTGGCAGCGGCTCCGGCACCGACCTTCACCCTGACAATCAGCTCCCTGCAGCCCGAGGA CATTGCCACCTACTACTACTGCCAGCAGGCCAGACCTACCCCTACACCTTTGGCCAGGGCACCAAGCTGGAAATCAAG ACCAAGGGCCCCAGCCGTACGGTGGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGCGACGAGCAGCTGAAGTCCG GCACAGCCTCTGTCGTGTGCCTGCAACAACTTCTACCCCCGCGAGGCCAAAGTGCAGTGGAAGGTGGACAACG CCCTGCAGAGCGAACAGCCAGGAAAGCGTGACCGAGCAGGACAGCAAGGACTCCACCTACAGCCTGAGCAGC ACCCTGACACTGAGCAAGGACTCCACCACCAGGGCCTGTCT AGCCCCGTGACCAAGAGCTTCAACCGGGGCGAGTGT 2 218

CAGGTGCAGCTGGTGCAGTCTGGCGCCGAGGTCGTGAAACCTGGCGCCTCTGTGAAGGTGTCCTGCAAGGCCAGC GGCTACACCTTTACCAGCTACTACATCCACTGGGTGCGCCAGGCCCCTGGACAGGGACTGGAATGGATCGGCAGC ATCTACCCGGCAACGTGAACACCAACTACGCCCAGAAGTTCCAGGGCAGAGCCACCCTGACCGTGGACACCAGC ATCAGCACCGCCTACATGGAACTGAGCCGGCTGAGAAGCGACGACGCCGTGTACTACTGCACCCGGTCCCAC ${\sf TACGGCCTGGATTGGAACTTCGACGTGTGGGGCAAGGGCACCACCGTGACAGTGTCTAGCAGCCAGGTGCAGCTG}$ GTGGAATCTGGCGGCGGAGTGGTGCAGCCTGGCAGAAGCCTGAGACTGAGCTGTGCCGCCAGCGGCTTCACCTTC ACCAAGGCCTGGATGCACTGGGTGCCCCAGGCCCCTGGAAAGCAGCTGGAATGGGTGGCCCAGATCAAGGACAA GAGCAACAGCTACGCCACCTACTACGCCGACAGCGTGAAGGGCCGGTTCACCATCAGCCGGGACGACAGCAAGAA CACCCTGTACCTGCAGATGAACAGCCTGCGGGGCCGAGGACACCGCCGTGTACTACTGTCGGGGCGTGTACTATGCC CTGAGCCCCTTCGATTACTGGGGCCAGGGAACCCTCGTGACCGTGTCTAGTCGGACCGCCAGCACAAAGGGCCCAT CGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCCTGGGCTGCCTCGTGAAGGACTA CTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTGCACACCTTTCCAGCCGTGCTC CAGAGCAGCGGCCTGTACTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCCTGGGCACCAAGACCTACACC CCTTGCCCAGCCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCCAAAGCCCAAGGACACCCTGATGA ${\sf TCAGCCGGACCCCGAAGTGACCTGCGTGGTGGTGGATGTCCCAGGAAGATCCCGAGGTGCAGTTCAATTGGT}$ ACGTGGACGGCGTGGAAGTGCACAACGCCAAGACCAAGCCCAGAGAGAACAGTTCAACAGCACCTACCGGGTG GTGTCCGTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGCAAGGTGTCCAACAAGGGC CTGCCCAGCTCCATCGAGAAAACCATCAGCAAGGCCAAGGGCCAGCCCGCGAGCCTCAAGTGTGTACCCTGCCC CCTAGCCAGGAAGAGATGACCAAGAACCAGGTGTCCCTGAGCTGTGCCGTGAAAGGCTTCTACCCCAGCGACATT GCCGTGGAATGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCTGTGCTGGACAGCGACGG CTCATTCTTCCTGGTGTCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAACGTGTTCAGCTGCTCCGTG ATGCACGAGGCCCTGCACAACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC 3 219

CCTCCTTGCCCAGCCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCCAAAGCCCAAGGACACCCTGA
TGATCAGCCGGACCCCCGAAGTGACCTGCGTGGTGGTGGATGTGTCCCAGGAAGATCCCGAGGTGCAGTTCAATT
GGTACGTGGACGGCGTGGAAGTGCACAACGCCAAGACCAAGCCCAGGAGAGACAGTTCAACAGCACCTACCGG
GTGGTGTCCGTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGCAAGGTGTCCAACAAG
GGCCTGCCCAGCTCCATCGAGAAAAACCATCAGCAAGGCCAAGGGCCAGCCCCGCGAGCCTCAAGTGTATACCCTG
CCCCTTGCCAGGAAGAGAGAGACCAAGAACCAGGTGTCCCTGTGGTGTCTCGTGAAAGGCTTCTACCCCAGCGACA
TTGCCGTGGAATGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCCTGTGCTGGACAGCGACG
GCTCATTCTTCCTGTACTCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAACGTGTTCAGCTGCTCCGT
GATGCACGAGGCCCTGCACAACCACTACACCCAGAAGTCCCTGTTCTCTTCCCTGGGC 4 220
GACATCCAGATGACCCAGAGCCCCAGCACCTGTCTCTCCCAGCGACAGAGTGACCATCACCTGTAGAGCC

AGCCAGAGCCTGGTGCACAACAACACCCTACCTGAGCTGGTATCTGCAGAAGCCCGGCCAGAGCCCCCAG DKTHT linkers

 $\label{total} \begin{tabular}{ll} TCCCTGATCTACAAGGTGTCCAACAGATTCAGCGGCGTGCCCGACAGATTCTCCGGCAGCGGCTCTGGCACCGACT\\ on $HC/LC)$ IgG4 \\ \end{tabular}$

TCACCCTGAAGATCAGCCGGGTGGAAGCCGAGGACGTGGGCGTGTACTATTGTGGCCAGGGCACCCAGTACCCCT FALA

TCACCTTTGGCAGCGCACCAAGGTGGAAATCAAGGACAAAACCCATACCGACATCCAGATGACCCAGAGCCCCABP # 25

 $\mathsf{CAGGTGCAGCTGGTGCAGTCTGGCGCCGAGGTCGTGAAACCTGGCGCCTCTGTGAAGGTGTCCTGCAAGGCCAGC$ GGCTACACCTTTACCAGCTACTACATCCACTGGGTGCGCCAGGCCCCTGGACAGGGACTGGAATGGATCGGCAGC ATCTACCCGGCAACGTGAACACCAACTACGCCCAGAAGTTCCAGGGCAGAGCCACCCTGACCGTGGACACCAGC ATCAGCACCGCCTACATGGAACTGAGCCGGCTGAGAAGCGACGACCGCCGTGTACTACTGCACCCGGTCCCAC TACGGCCTGGATTGGAACTTCGACGTGTGGGGCAAGGGCACCACCGTGACAGTGTCTAGCGACAAAACCCATACC CAGGTGCAGCTGGTGGAATCTGGCGGCGGAGTGGTGCAGCCTGGCAGAAGCCTGAGACTGAGCTGTGCCGCCAGC GGCTTCACCTTCACCAAGGCCTGGATGCACTGGGTGCGCCAGGCCCCTGGAAAGCAGCTGGAATGGGTGGCCCAG ATCAAGGACAAGAGCAACAGCTACGCCACCTACTACGCCGACAGCGTGAAGGGCCGGTTCACCATCAGCCGGGAC GACAGCAAGAACACCCTGTACCTGCAGATGAACAGCCTGCGGGCCGAGGACACCGCCGTGTACTACTGTCGGGGC GTGTACTATGCCCTGAGCCCCTTCGATTACTGGGGCCAGGGAACCCTCGTGACCGTGTCTAGTGATAAGACCCACA CCGCCAGCACAAAGGGCCCATCGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCCT GGGCTGCCTCGTGAAGGACTACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTG CACACCTTTCCAGCCGTGCTCCAGAGCAGCGGCCTGTACTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCC TGGGCACCAAGACCTACACCTGTAACGTGGACCACAAGCCCAGCAACACCAAGGTGGACAAGCGGGTGGAATCTA AGTACGGCCCTCCCTGCCCTCCTTGCCCAGCCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCAAAG CCCAAGGACACCCTGATGATCAGCCGGACCCCGAAGTGACCTGCGTGGTGGTGGATGTCCCAGGAAGATCCC GAGGTGCAGTTCAATTGGTACGTGGACGCGTGGAAGTGCACAACGCCCAAGACCAAGCCCAGAGAGACAGTTC AACAGCACCTACCGGGTGGTGTCCGTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGC AAGGTGTCCAACAAGGGCCTGCCCAGCTCCATCGAGAAAACCATCAGCAAGGCCAAGGGCCAGCCCGCGAGCCT CAAGTGTGTACCCTGCCCCCTAGCCAGGAAGAGATGACCAAGAACCAGGTGTCCCTGAGCTGTGCCGTGAAAGGC TTCTACCCCAGCGACATTGCCGTGGAATGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCT GTGCTGGACAGCGACGGCTCATTCTTCCTGGTGTCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAAC GTGTTCAGCTGCTCCGTGATGCACGAGGCCCTGCACAACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC

GAAGTGCAGCTGGTGGAATCTGGCGGCGGACTGGTGCAGCCTGGCGGATCTCTGAGACTGAGCTGTGCCGCCAGCGGCTTCAACATCAAGGACACCTACATCCACTGGGTGCCCCAGGCCCCTGGCAAGGGACTGGAATGGGTGGCCAGA

ATCTACCCCACCAACGGCTACACCAGATACGCCGACAGCGTGAAGGGCCGGTTCACCATCAGCGCCGACACCAGC AAGAACACCGCCTACCTGCAGATGAACAGCCTGCGGGCCGAGGACACCGCCGTGTACTACTGTAGTAGATGGGGA GGCGACGCTTCTACGCCATGGACTATTGGGGCCAGGGCACCCTCGTGACCGTGTCTAGTGCGTCGACCAAGGGCC CATCGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCCTGGGCTGCCTCGTGAAGGA CTACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTGCACACCTTTCCAGCCGTG $\tt CTCCAGAGCAGCGGCCTGTACTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCCTGGGCACCAAGACCTAC$ CCTCCTTGCCCAGCCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCCAAAGCCCAAGGACACCCTGA ${\sf TGATCAGCCGGACCCCGAAGTGACCTGCGTGGTGGTGGTGTCCCAGGAAGATCCCGAGGTGCAGTTCAATT}$ GGTACGTGGACGGCGTGGAAGTGCACAACGCCAAGACCAAGCCCAGAGAGAACAGTTCAACAGCACCTACCGG GTGGTGTCCGTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGCAAGGTGTCCAACAAG GGCCTGCCCAGCTCCATCGAGAAAACCATCAGCAAGGCCAAGGGCCAGCCCCGCGAGCCTCAAGTGTATACCCTG CCCCCTTGCCAGGAAGAGATGACCAAGAACCAGGTGTCCCTGTGGTGTCTCGTGAAAGGCTTCTACCCCAGCGACA TTGCCGTGGAATGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCTGTGCTGGACAGCGACG GCTCATTCTTCCTGTACTCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAACGTGTTCAGCTGCTCCGT GATGCACGAGGCCCTGCACAACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC 4 224 GACATCCAGATGACCCAGAGCCCCAGCAGCCTGTCTGCCAGCGTGGGCGACAGAGTGACCATCACCTGTAGAGCC AGCCAGGACGTGAACACCGCCGTGGCCTGGTATCAGCAGAAGCCTGGCAAGGCCCCCAAGCTGCTGATCTACAGC GCCAGCTTCCTGTACAGCGGCGTGCCCAGCAGATTCAGCGGAAGCAGAAGCGGCACCGACTTCACCCTGACCATC GCACCAAGGTGGAAATCAAGCGTACGGTGGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGCGACGAGCAGCTGA AGTCCGGCACAGCCTCTGTCGTGCCTGCTGAACAACTTCTACCCCCGCGAGGCCAAAGTGCAGTGGAAGGTGG ACAACGCCCTGCAGAGCGGCAACAGCCAGGAAAGCGTGACCGAGCAGGACAGCAAGGACTCCACCTACAGCCTG AGCAGCACCCTGACACTGAGCAAGGCCGACTACGAGAAGCACAAGGTGTACGCCTGCGAAGTGACCCACCAGGG CCTGTCTAGCCCCGTGACCAAGAGCTTCAACCGGGGCGAGTGT HER2/ 1 225 GACATCGTGATGACCCAGACCCCCTGAGCCTGAGCGTGACACCTGGACAGCCTGCCAGCATCAGCTGCAAGAGC CD28.sub.sup × CD3.sub.mid AGCCAGAGCCTGGTGCACGAGAACCTGCGTACCTACCTGAGCTGGTATCTGCAGAAGCCCGGCCAGAGCCCCCAG TCCCTGATCTACAAGGTGTCCAACAGATTCAGCGGCGTGCCCGACAGATTCTCCGGCAGCGGCTCTGGCACCGACT TCACCCTGAAGATCAGCCGGGTGGAAGCCGAGGACGTGGGCGTGTACTATTGTGGCCAGGGCACCCAGTACCCCT TCACCTTTGGCAGCGGCACCAAGGTGGAAATCAAGGACAAAACCCATACCGACATCCAGATGACCCAGAGCCCCA HC/LC) ACTGGTATCAGCAGAAGCCCGGCAAGGCCCCCAAGCTGCTGATCTACAAGGCCAGCAACCTGCACACCGGCGTGC ${\sf CCAGCAGATTTTCTGGCAGCGGCTCCGGCACCGACTTCACCCTGACAATCAGCTCCCTGCAGCCCGAGGACATTGC}$ CACCTACTACTGCCAGCAGGGCCAGACCTACCCCTACACCTTTGGCCAGGGCACCAAGCTGGAAATCAAGGATAA GACCCACACCCGTACGGTGGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGCGACGAGCAGCTGAAGTCCGGCACA GCCTCTGTCGTGTGCCTGAACAACTTCTACCCCCGCGAGGCCAAAGTGCAGTGGAAGGTGGACAACGCCCTGC AGAGCGGCAACAGCCAGGAAAGCGTGACCGAGCAGGACAGCAAGGACTCCACCTACAGCCTGAGCAGCACCCTG ACACTGAGCAAGGCCGACTACGAGAAGCACAAGGTGTACGCCTGCGAAGTGACCCACCAGGGCCTGTCTAGCCCC GTGACCAAGAGCTTCAACCGGGGCGAGTGT 2 226 CAGGTGCAGCTGGTGCAGTCTGGCGCCGAGGTCGTGAAACCTGGCGCCCTCTGTGAAGGTGTCCTGCAAGGCCAGC GGCTACACCTTTACCAGCTACTACATCCACTGGGTGCGCCAGGCCCCTGGACAGGGACTGGAATGGATCGGCAGC ATCTACCCGGCAACGTGAACACCAACTACGCCCAGAAGTTCCAGGGCAGAGCCACCCTGACCGTGGACACCAGC ATCAGCACCGCCTACATGGAACTGAGCCGGCTGAGAAGCGACGACACCGCCGTGTACTACTGCACCCGGTCCCAC TACGGCCTGGATTGGAACTTCGACGTGTGGGGCAAGGGCACCACCGTGACAGTGTCTAGCGACAAAACCCATACC CAGGTGCAGCTGGTGGAATCTGGCGGCGGAGTGGTGCAGCCTGGCAGAAGCCTGAGACTGAGCTGTGCCGCCAGC GGCTTCACCTTCACCAAGGCCTGGATGCACTGGGTGCGCCAGGCCCCTGGAAAGCAGCTGGAATGGGTGGCCCAG ATCAAGGACAAGAGCAACAGCTACGCCACCTACTACGCCGACAGCGTGAAGGGCCGGTTCACCATCAGCCGGGAC GACAGCAAGAACACCCTGTACCTGCAGATGAACAGCCTGCGGGCCGAGGACACCGCCGTGTACTACTGTCGGGGC GTGTACTATGCCCTGAGCCCCTTCGATTACTGGGGCCAGGGAACCCTCGTGACCGTGTCTAGTGATAAGACCCACA CCGCCAGCACAAAGGGCCCATCGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCCT GGGCTGCCTCGTGAAGGACTACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTG CACACCTTTCCAGCCGTGCTCCAGAGCAGCGGCCTGTACTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCC TGGGCACCAAGACCTACACCTGTAACGTGGACCACAAGCCCAGCAACACCAAGGTGGACAAGCGGGTGGAATCTA AGTACGGCCCTCCCTGCCCTCCTTGCCCAGCCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCAAAG CCCAAGGACACCCTGATGATCAGCCGGACCCCGAAGTGACCTGCGTGGTGGTGGATGTGTCCCAGGAAGATCCC GAGGTGCAGTTCAATTGGTACGTGGACGGCGTGGAAGTGCACAACGCCAAGACCAAGCCCAGAGAGAACAGTTC

GAAGTGCAGCTGGTGGAATCTGGCGGCGGACTGGTGCAGCCTGGCGGATCTCTGAGACTGAGCTGTGCCGCCAGC GGCTTCAACATCAAGGACACCTACATCCACTGGGTGCGCCAGGCCCCTGGCAAGGGACTGGAATGGGTGGCCAGA ATCTACCCCACCAACGGCTACACCAGATACGCCGACAGCGTGAAGGGCCGGTTCACCATCAGCGCCGACACCAGC AAGAACACCGCCTACCTGCAGATGAACAGCCTGCGGGCCGAGGACACCGCCGTGTACTACTGTAGTAGATGGGGA GGCGACGGCTTCTACGCCATGGACTATTGGGGCCAGGGCACCCTCGTGACCGTGTCTAGTGCGTCGACCAAGGGCC CATCGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCCTGGGCTGCCTCGTGAAGGA CTACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTGCACACCTTTCCAGCCGTG CTCCAGAGCAGCGGCCTGTACTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCCTGGGCACCAAGACCTAC CCTCCTTGCCCAGCCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCCAAAGCCCAAGGACACCCTGA TGATCAGCCGGACCCCCGAAGTGACCTGCGTGGTGGTGGTGTCCCAGGAAGATCCCGAGGTGCAGTTCAATT GGTACGTGGACGGCGTGGAAGTGCACAACGCCAAGACCAAGCCCAGAGAGGGAACAGTTCAACAGCACCTACCGG GTGGTGTCCGTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGCAAGGTGTCCAACAAG GGCCTGCCCAGCTCCATCGAGAAAACCATCAGCAAGGCCCAAGGGCCCGCGCGAGCCTCAAGTGTATACCCTG CCCCCTTGCCAGGAAGAGATGACCAAGAACCAGGTGTCCCTGTGGTGTCTCGTGAAAGGCTTCTACCCCAGCGACA TTGCCGTGGAATGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCTGTGCTGGACAGCGACG GCTCATTCTTCCTGTACTCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAACGTGTTCAGCTGCTCCGT GATGCACGAGGCCCTGCACAACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC 4 228

GACATCGTGATGACCCAGACCCCCTGAGCCTGAGCGTGACACCTGGACAGCCTGCCAGCATCAGCTGCAAGAGCCCD28.sub.sup × CD3.sub.mid

AGCCAGAGCCTGGTGCACGAGAACCTGCAGACCTACCTGAGCTGGTATCTGCAGAAGCCCGGCCAGAGCCCCCAG (32/33/3435

TCCCTGATCTACAAGGTGTCCAACAGATTCAGCGGCGTGCCCGACAGATTCTCCGGCAGCGGCTCTGGCACCGACT ENLQ (LC);

TCACCCTGAAGATCAGCCGGGTGGAAGCCGAGGACGTGGGCGTGTACTATTGTGGCCAGGGCACCCAGTACCCCT DKTHT linkers

TCACCTTTGGCAGCGCACCAAGGTGGAAATCAAGGACAAAACCCATACCGACATCCAGATGACCCAGAGCCCCA on HC/LC) IgG4

ACTGGTATCAGCAGAAGCCCGGCAAGGCCCCCAAGCTGCTGATCTACAAGGCCAGCAACCTGCACACCGGCGTGC BP # 27

CCAGCAGATTTTCTGGCAGCGGCTCCGGCACCGACTTCACCCTGACAATCAGCTCCCTGCAGCCCGAGGACATTGC CACCTACTACTGCCAGCAGGCCAGACCTACCCCTACACCTTTGGCCAGGGCACCAAGCTGGAAATCAAGGATAA GACCCACACCGTACGGTGGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGCGACGAGCAGCAGCTGAAGTCCGGCACA GCCTCTGTCGTGTGCCTGCAACAACTTCTACCCCCGCGAGGCCAAAGTGCAGTGGAAGGTGGACAACGCCCTGC AGAGCGGCAACAGCCAGGAAAGCGTGACCGAGCAGGACAGCACCCTGAGCAGCACCCTG ACACTGAGCAAGGCCGACTACGAGAAGCACAAGGTGTACGCCTGCGAAGTGACCCACCAGGGCCTGTCTAGCCCC GTGACCAAGAGCTTCAACCGGGGCGAGTGT 2 230

CAGGTGCAGCTGGTGCAGTCTGGCGCCGAGGTCGTGAAACCTGGCGCCTCTGTGAAGGTGTCCTGCAAGGCCAGC
GGCTACACCTTTACCAGCTACTACATCCACTGGGTGCGCCAGGCCCCTGGACAGGGACTGGAATGGATCGGCAGC
ATCTACCCCGGCAACGTGAACACCAACTACGCCCAGAAGTTCCAGGGCAGAGCCACCCTGACCGTGGACACCAGC
ATCAGCACCGCCTACATGGAACTGAGCCGGCTGAGAAGCGACCACCGCCGTGTACTACTGCACCCGGTCCCAC
TACGGCCTGGATTGGAACTTCGACGTGTGGGGCAAGGGCACCACCGTGACAGTGTCTAGCGACAAAACCCATACC
CAGGTGCAGCTGGTGGAATCTGGCGGCGGAGTGGTGCAGCCTGGCAGAAGCCTGAGACTGAGCTGTGCCCCAGC
GGCTTCACCTTCACCAAGGCCTGGATGCACTGGGTGCCCCAGGCCCTTGAAAGCAGCTGGAATGGGTGGCCCAG
ATCAAGGACAAGAGCAACAGCTACGCCACCTACTACGCCGACAGCGTTCAACGGCCGGTTCACCATCAGCCGGGAC

GACAGCAAGAACACCCTGTACCTGCAGATGAACAGCCTGCGGGCCGAGGACACCGCCGTGTACTACTGTCGGGGC GTGTACTATGCCCTGAGCCCCTTCGATTACTGGGGCCAGGGAACCCTCGTGACCGTGTCTAGTGATAAGACCCACA GGGCTGCCTCGTGAAGGACTACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTG TGGGCACCAAGACCTACACCTGTAACGTGGACCACAAGCCCAGCAACACCAAGGTGGACAAGCGGGTGGAATCTA AGTACGGCCCTCCCTGCCCTCCTTGCCCAGCCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCAAAG CCCAAGGACACCCTGATGATCAGCCGGACCCCCGAAGTGACCTGCGTGGTGGTGGATGTCCCAGGAAGATCCC GAGGTGCAGTTCAATTGGTACGTGGACGGCGTGGAAGTGCACAACGCCAAGACCAAGCCCAGAGAGAACAGTTC AACAGCACCTACCGGGTGGTGTCCGTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGC AAGGTGTCCAACAAGGGCCTGCCCAGCTCCATCGAGAAAACCATCAGCAAGGCCAAGGGCCAGCCCGCGAGCCT CAAGTGTGTACCCTGCCCCCTAGCCAGGAAGAGATGACCAAGAACCAGGTGTCCCTGAGCTGTGCCGTGAAAGGC TTCTACCCCAGCGACATTGCCGTGGAATGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCT GTGCTGGACAGCGACGGCTCATTCTTCCTGGTGTCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAAC GTGTTCAGCTGCTCCGTGATGCACGAGGCCCTGCACAACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC 3 2 3 1

GAAGTGCAGCTGGTGGAATCTGGCGGCGGACTGGTGCAGCCTGGCGGATCTCTGAGACTGAGCTGTGCCGCCAGC GGCTTCAACATCAAGGACACCTACATCCACTGGGTGCGCCAGGCCCCTGGCAAGGGACTGGAATGGGTGGCCAGA ATCTACCCCACCAACGGCTACACCAGATACGCCGACAGCGTGAAGGGCCGGTTCACCATCAGCGCCGACACCAGC AAGAACACCGCCTACCTGCAGATGAACAGCCTGCGGGCCGAGGACACCGCCGTGTACTACTGTAGTAGATGGGGA GGCGACGCTTCTACGCCATGGACTATTGGGGCCAGGGCACCCTCGTGACCGTGTCTAGTGCGTCGACCAAGGGCC CATCGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCCTGGGCTGCCTCGTGAAGGA CTACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTGCACACCTTTCCAGCCGTG CTCCAGAGCAGCGGCCTGTACTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCCTGGGCACCAAGACCTAC CCTCCTTGCCCAGCCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCCAAAGCCCAAGGACACCCTGA TGATCAGCCGGACCCCCGAAGTGACCTGCGTGGTGGTGGTGTCCCAGGAAGATCCCGAGGTGCAGTTCAATT GGTACGTGGACGGCGTGGAAGTGCACAACGCCAAGACCAAGCCCAGAGAGAACAGTTCAACAGCACCTACCGG GTGGTGTCCGTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGCAAGGTGTCCAACAAG GGCCTGCCCAGCTCCATCGAGAAAACCATCAGCAAGGCCCAAGGGCCAGCCCCGCGAGCCTCAAGTGTATACCCTG CCCCCTTGCCAGGAAGAGATGACCAAGAACCAGGTGTCCCTGTGGTGTCTCGTGAAAGGCTTCTACCCCAGCGACA TTGCCGTGGAATGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCTGTGCTGGACAGCGACG GCTCATTCTTCCTGTACTCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAACGTGTTCAGCTGCTCCGT GATGCACGAGGCCCTGCACAACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC 4 232

AGCCAGAGCCTGGTGCACGAGAACCTGTTCACCTACCTGAGCTGGTATCTGCAGAAGCCCGGCCAGAGCCCCCAG (32/33/3435

TCCCTGATCTACAAGGTGTCCAACAGATTCAGCGGCGTGCCCGACAGATTCTCCGGCAGCGGCTCTGGCACCGACT ENLF (LC);

TCACCCTGAAGATCAGCCGGGTGGAAGCCGAGGACGTGGGCGTGTACTATTGTGGCCAGGGCACCCAGTACCCCT DKTHT linkers

 ${\tt TCACCTTTGGCAGCGGCACCAAGGTGGAAATCAAGGACAAAACCCATACCGACATCCAGATGACCCAGAGCCCCA} \\ {\tt on \ \ HC/LC)}$

ACTGGTATCAGCAGAAGCCCGGCAAGGCCCCCAAGCTGCTGATCTACAAGGCCAGCAACCTGCACACCGGCGTGC

GTGACCAAGAGCTTCAACCGGGGCGAGTGT 2 234 CAGGTGCAGCTGGTGCAGTCTGGCGCCGAGGTCGTGAAACCTGGCGCCTCTGTGAAGGTGTCCTGCAAGGCCAGC GGCTACACCTTTACCAGCTACTACATCCACTGGGTGCGCCAGGCCCCTGGACAGGGACTGGAATGGATCGGCAGC ATCTACCCGGCAACGTGAACACCAACTACGCCCAGAAGTTCCAGGGCAGAGCCACCCTGACCGTGGACACCAGC ATCAGCACCGCCTACATGGAACTGAGCCGGCTGAGAAGCGACGACACCGCCGTGTACTACTGCACCCGGTCCCAC TACGGCCTGGATTGGAACTTCGACGTGTGGGGCAAGGGCACCACCGTGACAGTGTCTAGCGACAAAACCCATACC CAGGTGCAGCTGGTGGAATCTGGCGGCGGAGTGGTGCAGCCTGGCAGAAGCCTGAGACTGAGCTGTGCCGCCAGC GGCTTCACCTTCACCAAGGCCTGGATGCACTGGGTGCGCCAGGCCCCTGGAAAGCAGCTGGAATGGGTGGCCCAG ATCAAGGACAAGAGCAACAGCTACGCCACCTACTACGCCGACAGCGTGAAGGGCCGGTTCACCATCAGCCGGGAC GACAGCAAGAACACCCTGTACCTGCAGATGAACAGCCTGCGGGCCGAGGACACCGCCGTGTACTACTGTCGGGGC GTGTACTATGCCCTGAGCCCCTTCGATTACTGGGGCCAGGGAACCCTCGTGACCGTGTCTAGTGATAAGACCCACA CCGCCAGCACAAAGGGCCCATCGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCCT GGGCTGCCTCGTGAAGGACTACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTG CACACCTTTCCAGCCGTGCTCCAGAGCAGCGGCCTGTACTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCC TGGGCACCAAGACCTACACCTGTAACGTGGACCACAAGCCCAGCAACACCAAGGTGGACAAGCGGGTGGAATCTA AGTACGGCCCTCCCTGCCCTCCTTGCCCAGCCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCAAAG CCCAAGGACACCCTGATGATCAGCCGGACCCCGAAGTGACCTGCGTGGTGGTGGATGTGTCCCAGGAAGATCCC GAGGTGCAGTTCAATTGGTACGTGGACGGCGTGGAAGTGCACAACGCCAAGACCAAGCCCAGAGAGACAGTTC AACAGCACCTACCGGGTGGTGTCCGTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGC AAGGTGTCCAACAAGGGCCTGCCCAGCTCCATCGAGAAAACCATCAGCAAGGCCAAGGGCCAGCCCGCGAGCCT CAAGTGTGTACCCTGCCCCCTAGCCAGGAAGAGATGACCAAGAACCAGGTGTCCCTGAGCTGTGCCGTGAAAGGC TTCTACCCCAGCGACATTGCCGTGGAATGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCT GTGCTGGACAGCGACGGCTCATTCTTCCTGGTGTCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAAC

GAAGTGCAGCTGGTGGAATCTGGCGGCGGACTGGTGCAGCCTGGCGGATCTCTGAGACTGAGCTGTGCCGCCAGC GGCTTCAACATCAAGGACACCTACATCCACTGGGTGCGCCAGGCCCCTGGCAAGGGACTGGAATGGGTGGCCAGA ATCTACCCCACCAACGGCTACACCAGATACGCCGACAGCGTGAAGGGCCGGTTCACCATCAGCGCCGACACCAGC AAGAACACCGCCTACCTGCAGATGAACAGCCTGCGGGCCGAGGACACCGCCGTGTACTACTGTAGTAGATGGGGA GGCGACGGCTTCTACGCCATGGACTATTGGGGCCAGGGCACCCTCGTGACCGTGTCTAGTGCGTCGACCAAGGGCC CATCGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCCTGGGCTGCCTCGTGAAGGA CTACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTGCACACCCTTTCCAGCCGTG CTCCAGAGCAGCGGCCTGTACTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCCTGGGCACCAAGACCTAC CCTCCTTGCCCAGCCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCCAAAGCCCAAGGACACCCTGA TGATCAGCCGGACCCCCGAAGTGACCTGCGTGGTGGTGGTGTCCCAGGAAGATCCCGAGGTGCAGTTCAATT GGTACGTGGACGGCGTGGAAGTGCACAACGCCAAGACCAAGCCCAGAGAGAACAGTTCAACAGCACCTACCGG GTGGTGTCCGTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGCAAGGTGTCCAACAAG GGCCTGCCCAGCTCCATCGAGAAAACCATCAGCAAGGCCCAAGGGCCCGCGAGCCTCAAGTGTATACCCTG CCCCCTTGCCAGGAAGAGATGACCAAGAACCAGGTGTCCCTGTGGTGTCTCGTGAAAGGCTTCTACCCCAGCGACA TTGCCGTGGAATGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCTGTGCTGGACAGCGACG GCTCATTCTTCCTGTACTCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAACGTGTTCAGCTGCTCCGT GATGCACGAGGCCCTGCACAACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC 4 236

GTGTTCAGCTGCTCCGTGATGCACGAGGCCCTGCACAACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC

GACATCGTGATGACCCAGACCCCCTGAGCCTGAGCGTGACACCTGGACAGCCTGCCAGCATCAGCTGCAAGAGC Her2/CD3/3CD28

AGCCAGAGCCTGGTGCACAACAACGCCAACACCTACCTGAGCTGGTATCTGCAGAAGCCCGGCCAGAGCCCCCAG IgG4 FALA

TCCCTGATCTACAAGGTGTCCAACAGATTCAGCGGCGTGCCCGACAGATTCTCCGGCAGCGGCTCTGGCACCGACT

BP # 29

TCACCCTGAAGATCAGCCGGGTGGAAGCCGAGGACGTGGGCGTGTACTATTGTGGCCAGGGCACCCAGTACCCCT TCACCTTTGGCAGCGCACCCAAGGTGGAAATCAAGGGCCAGCCCAAGGCCCCCGACATCCAGATGACCCAGA GCCCCAGCAGCCTGTCTGCCAGCGTGGGCGACAGAGTGACCATCACCTGTCAGGCCAGCAGCCAGAACATCTACGTGT GGCTGAACTGGTATCAGCAGAAGCCCGGCAAGGCCCCCAAGCTGCTGATCTACAAGGCCAGCAACCTGCACCCG GCGTGCCCAGCAGATTTTCTGGCAGCGGCTCCGGCACCGACTTCACCCTGACAATCAGCTCCCTGCAGCCGAGGA

CATTGCCACCTACTACTGCCAGCAGGGCCAGACCTACCCCTACACCTTTGGCCAGGGCACCAAGCTGGAAATCAAG ACCAAGGGCCCCAGCCGTACGGTGGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGCGACGAGCAGCTGAAGTCCG GCACAGCCTCTGTCGTGTGCCTGCAACAACTTCTACCCCCGCGAGGCCAAAGTGCAGTGGAAGGTGGACAACG CCCTGCAGAGCGGCAACAGCCAGGAAAGCGTGACCGAGCAGGACAGCAAGGACTCCACCTACAGCCTGAGCAGC ACCCTGACACTGAGCAAGGCCGACTACGAGAAGCACAAGGTGTACGCCTGCGAAGTGACCCACCAGGGCCTGTCT AGCCCCGTGACCAAGAGCTTCAACCGGGGCGAGTGT 2 238 CAGGTGCAGCTGGTGCAGTCTGGCGCCGAGGTCGTGAAACCTGGCGCCTCTGTGAAGGTGTCCTGCAAGGCCAGC GGCTACACCTTTACCAGCTACTACATCCACTGGGTGCGCCAGGCCCCTGGACAGGGACTGGAATGGATCGGCAGC ATCTACCCGGCAACGTGAACACCAACTACGCCCAGAAGTTCCAGGGCAGAGCCACCCTGACCGTGGACACCAGC ATCAGCACCGCCTACATGGAACTGAGCCGGCTGAGAAGCGACGACACCGCCGTGTACTACTGCACCCGGTCCCAC TACGGCCTGGATTGGAACTTCGACGTGTGGGGCAAGGGCACCACCGTGACAGTGTCTAGCAGCCAGGTGCAGCTG GTGGAATCTGGCGGCGGAGTGGTGCAGCCTGGCAGAAGCCTGAGACTGAGCTGTGCCGCCAGCGGCTTCACCTTC ACCAAGGCCTGGATGCACTGGGTGCCCCAGGCCCCTGGAAAGCAGCTGGAATGGGTGGCCCAGATCAAGGACAA GAGCAACAGCTACGCCACCTACTACGCCGACAGCGTGAAGGGCCGGTTCACCATCAGCCGGGACGACAGCAAGAA CACCCTGTACCTGCAGATGAACAGCCTGCGGGCCGAGGACACCGCCGTGTACTACTGTCGGGGCGTGTACTATGCC $\tt CTGAGCCCCTTCGATTACTGGGGCCAGGGAACCCTCGTGACCGTGTCTAGTCGGACCGCCAGCACAAAGGGCCCAT$ CGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCCTGGGCTGCCTCGTGAAGGACTA CTTTCCCGAGCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTGCACACCTTTCCAGCCGTGCTC CAGAGCAGCGGCCTGTACTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCCTGGGCACCAAGACCTACACC CCTTGCCCAGCCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCCAAAGCCCAAGGACACCCTGATGA TCAGCCGGACCCCGAAGTGACCTGCGTGGTGGTGGTGTCCCAGGAAGATCCCGAGGTGCAGTTCAATTGGT ACGTGGACGGCGTGGAAGTGCACAACGCCAAGACCAAGCCCAGAGAGAACAGTTCAACAGCACCTACCGGGTG GTGTCCGTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGCAAGGTGTCCAACAAGGGC CTGCCCAGCTCCATCGAGAAAACCATCAGCAAGGCCAAGGCCCAGCCCGCGAGCCTCAAGTGTGTACCCTGCCC CCTAGCCAGGAAGAGATGACCAAGAACCAGGTGTCCCTGAGCTGTGCCGTGAAAGGCTTCTACCCCAGCGACATT GCCGTGGAATGGGAGAGCAACGCCCGAGAACAACTACAAGACCACCCCCCTGTGCTGGACAGCGACGG CTCATTCTTCCTGGTGTCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAACGTGTTCAGCTGCTCCGTG ATGCACGAGGCCCTGCACAACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC 3 239 GAAGTGCAGCTGGTGGAATCTGGCGGCGGACTGGTGCAGCCTGGCGGATCTCTGAGACTGAGCTGTGCCGCCAGC GGCTTCAACATCAAGGACACCTACATCCACTGGGTGCGCCAGGCCCCTGGCAAGGGACTGGAATGGGTGGCCAGA ATCTACCCCACCAACGGCTACACCAGATACGCCGACAGCGTGAAGGGCCGGTTCACCATCAGCGCCGACACCAGC AAGAACACCGCCTACCTGCAGATGAACAGCCTGCGGGCCGAGGACACCGCCGTGTACTACTGTAGTAGATGGGGA GGCGACGGCTTCTACGCCATGGACTATTGGGGCCAGGGCACCCTCGTGACCGTGTCTAGTGCGTCGACCAAGGGCC CATCGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCCTGGGCTGCCTCGTGAAGGA CTACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTGCACACCCTTTCCAGCCGTG $\tt CTCCAGAGCAGCGGCCTGTACTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCCTGGGCACCAAGACCTAC$ CCTCCTTGCCCAGCCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCCAAAGCCCAAGGACACCCTGA TGATCAGCCGGACCCCCGAAGTGACCTGCGTGGTGGTGGTGTCCCAGGAAGATCCCGAGGTGCAGTTCAATT GGTACGTGGACGGCGTGGAAGTGCACAACGCCAAGACCAAGCCCAGAGAGAACAGTTCAACAGCACCTACCGG GTGGTGTCCGTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGCAAGGTGTCCAACAAG GGCCTGCCCAGCTCCATCGAGAAAACCATCAGCAAGGCCCAAGGCCCCGCGAGCCTCAAGTGTATACCCTG CCCCCTTGCCAGGAAGAGATGACCAAGAACCAGGTGTCCCTGTGGTGTCTCGTGAAAGGCTTCTACCCCAGCGACA TTGCCGTGGAATGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCTGTGCTGGACAGCGACG GCTCATTCTTCCTGTACTCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAACGTGTTCAGCTGCTCCGT GATGCACGAGGCCCTGCACAACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC 4 240 GACATCCAGATGACCCAGAGCCCCAGCAGCCTGTCTGCCAGCGTGGGCGACAGAGTGACCATCACCTGTAGAGCC AGCCAGGACGTGAACACCGCCGTGGCCTGGTATCAGCAGAAGCCTGGCAAGGCCCCCAAGCTGCTGATCTACAGC GCCAGCTTCCTGTACAGCGGCGTGCCCAGCAGATTCAGCGGAAGCAGAAGCGGCACCGACTTCACCCTGACCATC GCACCAAGGTGGAAATCAAGCGTACGGTGGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGCGACGAGCAGCTGA AGTCCGGCACAGCCTCTGTCGTGTGCCTGCACAACTTCTACCCCCGCGAGGCCAAAGTGCAGTGGAAGGTGG ACAACGCCCTGCAGAGCGGCAACAGCCAGGAAAGCGTGACCGAGCAGGACAGCAAGGACTCCACCTACAGCCTG AGCAGCACCCTGACACTGAGCAAGGCCGACTACGAGAAGCACAAGGTGTACGCCTGCGAAGTGACCCACCAGGG CCTGTCTAGCCCCGTGACCAAGAGCTTCAACCGGGGCGAGTGT HER230R/55O/ 1 241 GACATCGTGATGACCCAGACCCCCTGAGCCTGAGCGTGACACCTGGACAGCCTGCCAGCATCAGCTGCAAGAGC 102E/

AGCCAGAGCCTGGTGCACGAGAACCTGCGTACCTACCTGAGCTGGTATCTGCAGAAGCCCGGCCAGAGCCCCAG CD28.sub.sup × CD3.sub.mid TCCCTGATCTACAAGGTGTCCAACAGATTCAGCGGCGTGCCCGACAGATTCTCCGGCAGCGGCTCTGGCACCGACT

TCCCTGATCTACAAGGTGTCCAACAGATTCAGCGGCGTGCCCGACAGATTCTCCGGCAGCGGCTCTGGCACCGACT (32/33/3435

TCACCCTGAAGATCAGCCGGGTGGAAGCCGAGGACGTGGGCGTGTACTATTGTGGCCAGGGCACCCAGTACCCCT

ENLR (LC);

TCACCTTTGGCAGCGCACCAAGGTGGAAATCAAGGACAAAACCCATACCGACATCCAGATGACCCAGAGCCCCA
DKTHT linkers

ACTGGTATCAGCAGAAGCCCGGCAAGGCCCCCAAGCTGCTGATCTACAAGGCCAGCAACCTGCACACCGGCGTGC IgG4 FALA

CCAGCAGATTTTCTGGCAGCGGCTCCGGCACCGACTTCACCCTGACAATCAGCTCCCTGCAGCCCGAGGACATTGC

BP # 31

CACCTACTGCCAGCAGGGCCAGACCTACCCCTACACCTTTGGCCAGGGCACCAAGCTGGAAATCAAGGATAA GACCCACACCCGTACGGTGGCCGCCCCAGCGTGTTCATCTTCCCACCTAGCGACGAGCAGCAGCTGAAGTCCGGCACA GCCTCTGTCGTGTGCCTGCAACAACTTCTACCCCCGCGAGGCCAAAGTGCAGTGGAAGGTGGACAACGCCCTGC AGAGCGGCAACAGCCAGGAAAGCGTGACCGAGCAGCAGGACAGCACCCTGACCCCTGACCAGCACCCTGAGCAAGGCCCACCAGGGCCTGCCCCCGTGACCAAGAGCTTCAACCGGGGCGAGTGT 2 242

CAGGTGCAGCTGGTGCAGTCTGGCGCCGAGGTCGTGAAACCTGGCGCCTCTGTGAAGGTGTCCTGCAAGGCCAGC GGCTACACCTTTACCAGCTACTACATCCACTGGGTGCGCCAGGCCCCTGGACAGGGACTGGAATGGATCGGCAGC ATCTACCCGGCAACGTGAACACCAACTACGCCCAGAAGTTCCAGGGCAGAGCCACCCTGACCGTGGACACCAGC ATCAGCACCGCCTACATGGAACTGAGCCGGCTGAGAAGCGACGACACCGCCGTGTACTACTGCACCCGGTCCCAC ${\sf TACGGCCTGGATTGGAACTTCGACGTGTGGGGCAAGGGCACCACCGTGACAGTGTCTAGCGACAAAACCCATACC}$ CAGGTGCAGCTGGTGGAATCTGGCGGCGGAGTGGTGCAGCCTGGCAGAAGCCTGAGACTGAGCTGTGCCGCCAGC GGCTTCACCTTCACCAAGGCCTGGATGCACTGGGTGCGCCAGGCCCCTGGAAAGCAGCTGGAATGGGTGGCCCAG ATCAAGGACAAGAGCAACAGCTACGCCACCTACTACGCCGACAGCGTGAAGGGCCGGTTCACCATCAGCCGGGAC GACAGCAAGAACACCCTGTACCTGCAGATGAACAGCCTGCGGGCCGAGGACACCGCCGTGTACTACTGTCGGGGC GTGTACTATGCCCTGAGCCCCTTCGATTACTGGGGCCAGGGAACCCTCGTGACCGTGTCTAGTGATAAGACCCACA ${\sf CCGCCAGCACAAAGGGCCCATCGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCCT}$ GGGCTGCCTCGTGAAGGACTACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTG CACACCTTTCCAGCCGTGCTCCAGAGCAGCGGCCTGTACTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCC TGGGCACCAAGACCTACACCTGTAACGTGGACCACAAGCCCAGCAACACCAAGGTGGACAAGCGGGTGGAATCTA AGTACGGCCCTCCCTGCCCTCCTTGCCCAGCCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCCAAAG CCCAAGGACACCCTGATGATCAGCCGGACCCCGAAGTGACCTGCGTGGTGGTGGATGTCCCAGGAAGATCCC GAGGTGCAGTTCAATTGGTACGTGGACGCGTGGAAGTGCACAACGCCCAAGACCAAGCCCAGAGAGACAGTTC AACAGCACCTACCGGGTGGTGTCCGTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGC AAGGTGTCCAACAAGGGCCTGCCCAGCTCCATCGAGAAAACCATCAGCAAGGCCAAGGGCCAGCCCGCGAGCCT CAAGTGTGTACCCTGCCCCCTAGCCAGGAAGAGATGACCAAGAACCAGGTGTCCCTGAGCTGTGCCGTGAAAGGC TTCTACCCCAGCGACATTGCCGTGGAATGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCT GTGCTGGACAGCGACGGCTCATTCTTCCTGGTGTCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAAC GTGTTCAGCTGCTCCGTGATGCACGAGGCCCTGCACAACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC

GAAGTGCAGCTGGTGGAATCTGGCGGCGGACTGGTGCAGCCTGGCGGATCTCTGAGACTGAGCTGTGCCGCCAGC GGCTTCAACATCCGGGACACCTACATCCACTGGGTGCGCCAGGCCCCTGGCAAGGGACTGGAATGGGTGGCCAGA ATCTACCCCACCCAGGGCTACACCAGATACGCCGACAGCGTGAAGGGCCGGTTCACCATCAGCGCCGACACCAGC AAGAACACCGCCTACCTGCAGATGAACAGCCTGCGGGCCGAGGACACCGCCGTGTACTACTGTAGTAGATGGGGA GGCGAAGGCTTCTACGCCATGGACTATTGGGGCCCAGGGCACCCTCGTGACCGTGTCTAGTGCGTCGACCAAGGGC CCATCGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCCTGGGCTGCCTCGTGAAGG ACTACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTGCACACCTTTCCAGCCGT GCTCCAGAGCAGCGGCCTGTACTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCCTGGGCACCAAGACCTA CCCTCCTTGCCCAGCCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCAAAGCCCAAGGACACCCTG ATGATCAGCCGGACCCCGAAGTGACCTGCGTGGTGGTGGATGTCCCAGGAAGATCCCGAGGTGCAGTTCAAT TGGTACGTGGACGCGTGGAAGTGCACAACGCCAAGACCAAGCCCAGAGAGAACAGTTCAACAGCACCTACCG GGTGGTGTCCGTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGCAAGGTGTCCAACAA GGGCCTGCCCAGCTCCATCGAGAAAACCATCAGCAAGGCCCAAGGCCCAGCCCGCGAGCCTCAAGTGTATACCCT GCCCCCTTGCCAGGAAGAGATGACCAAGAACCAGGTGTCCCTGTGGTGTCTCGTGAAAGGCTTCTACCCCAGCGAC ATTGCCGTGGAATGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCTGTGCTGGACAGCGAC GGCTCATTCTTCCTGTACTCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAACGTGTTCAGCTGCTCCG TGATGCACGAGGCCCTGCACAACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC 4 244 GACATCCAGATGACCCAGAGCCCCAGCAGCCTGTCTGCCAGCGTGGGCGACAGAGTGACCATCACCTGTAGAGCC

ACAACGCCCTGCAGAGCGCAACAGCCAGGAAAGCGTGACCGAGCAGGACAGGACTCCACCTACAGCCTG AGCAGCACCCTGACACTGAGCAAGGCCGACTACGAGAAGCACAAGGTGTACGCCTGCGAAGTGACCCACCAGGG CCTGTCTAGCCCCGTGACCAAGAGCTTCAACCGGGGCGAGTGT CD38VH1/ 1 245

GACATCGTGATGACCCAGACCCCCTGAGCCTGAGCGTGACACCTGGACAGCCTGCCAGCATCAGCTGCAAGAGC CD28sup ×

AGCCAGAGCCTGGTGCACGAGAACCTGTTCACCTACCTGAGCTGGTATCTGCAGAAGCCCGGCCAGAGCCCCCAGCD3mid ENLO

TCCCTGATCTACAAGGTGTCCAACAGATTCAGCGGCGTGCCCGACAGATTCTCCGGCAGCGGCTCTGGCACCGACT DKTHT IgG4

TCACCCTGAAGATCAGCCGGGTGGAAGCCGAGGACGTGGGCGTGTACTATTGTGGCCAGGGCACCCAGTACCCCT FALA

TCACCTTTGGCAGCGCACCAAGGTGGAAATCAAGGACAAAACCCATACCGACATCCAGATGACCCAGAGCCCCA
BP # 1

GCAGCCTGTCTGCCAGCGTGGGCGACAGAGTGACCATCACCTGTCAGGCCAGCAGAACATCTACGTGTGGCTGA
ACTGGTATCAGCAGAAAGCCCGGCAAGGCCCCCAAGCTGCTGATCTACAAGGCCAGCAACCTGCACACCGGCGTGC
CCAGCAGATTTTCTGGCAGCGGCTCCGGCACCGACTTCACCCTGACAATCAGCTCCCTGCAGCCCGAGGACATTGC
CACCTACTACTGCCAGCAGGGCCAGACCTACCCCTACACCTTTGGCCAGGGCACCAAGCTGGAAATCAAGGATAA
GACCCACACCCGTACGGTGGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGCGACGAGCAGCAGCTGAAGTCCGGCACA
GCCTCTGTCGTGTGCCTGCAACAACTTCTACCCCCGCGAGGCCAAAGTGCAGTGGAAGGTGGACAACGCCCTGC
AGAGCGGCAACAGCCAGGAAAGCGTGACCGAGCAGGACAGCAAGGACTCCACCTACAGCCTGAGCAGCACCCTG
ACACTGAGCAAGGCCGACTACGAGAAGCACAAGGTGTACGCCTGCGAAGTGACCCACCAGGGCCTGTCTAGCCCC
GTGACCAAGAGCTTCAACCGGGGCGAGTGT 2 246

CAGGTGCAGCTGGTGCAGTCTGGCGCCGAGGTCGTGAAACCTGGCGCCCTCTGTGAAGGTGTCCTGCAAGGCCAGC GGCTACACCTTTACCAGCTACTACATCCACTGGGTGCGCCAGGCCCCTGGACAGGGACTGGAATGGATCGGCAGC ATCTACCCGGCAACGTGAACACCAACTACGCCCAGAAGTTCCAGGGCAGAGCCACCCTGACCGTGGACACCAGC ATCAGCACCGCCTACATGGAACTGAGCCGGCTGAGAAGCGACGACACCGCCGTGTACTACTGCACCCGGTCCCAC TACGGCCTGGATTGGAACTTCGACGTGTGGGGCAAGGGCACCACCGTGACAGTGTCTAGCGACAAAACCCATACC CAGGTGCAGCTGGTGGAATCTGGCGGCGGAGTGGTGCAGCCTGGCAGAAGCCTGAGACTGAGCTGTGCCGCCAGC GGCTTCACCTTCACCAAGGCCTGGATGCACTGGGTGCGCCAGGCCCCTGGAAAGCAGCTGGAATGGGTGGCCCAG ATCAAGGACAAGAGCAACAGCTACGCCACCTACTACGCCGACAGCGTGAAGGGCCGGTTCACCATCAGCCGGGAC GACAGCAAGAACACCCTGTACCTGCAGATGAACAGCCTGCGGGCCGAGGACACCGCCGTGTACTACTGTCGGGGC GTGTACTATGCCCTGAGCCCCTTCGATTACTGGGGCCAGGGAACCCTCGTGACCGTGTCTAGTGATAAGACCCACA CCGCCAGCACAAAGGGCCCATCGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCCT GGGCTGCCTCGTGAAGGACTACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTG TGGGCACCAAGACCTACACCTGTAACGTGGACCACAAGCCCAGCAACACCAAGGTGGACAAGCGGGTGGAATCTA AGTACGGCCCTCCCTGCCCTCCTTGCCCAGCCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCAAAG CCCAAGGACACCTGATGATCAGCCGGACCCCGAAGTGACCTGCGTGGTGGTGGATGTCCCAGGAAGATCCC GAGGTGCAGTTCAATTGGTACGTGGACGGCGTGGAAGTGCACAACGCCAAGACCAAGCCCAGAGAGAACAGTTC AACAGCACCTACCGGGTGGTGTCCGTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGC AAGGTGTCCAACAAGGGCCTGCCCAGCTCCATCGAGAAAACCATCAGCAAGGCCAAGGGCCAGCCCGCGAGCCT CAAGTGTGTACCCTGCCCCCTAGCCAGGAAGAGATGACCAAGAACCAGGTGTCCCTGAGCTGTGCCGTGAAAGGC TTCTACCCCAGCGACATTGCCGTGGAATGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCT GTGCTGGACAGCGACGGCTCATTCTTCCTGGTGTCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAAC 3 247

CAGGTGCAGCTGGTGCAGTCTGGCGCCGAAGTCGTGAAACCTGGCGCCCTCCGTGAAGGTGTCCTGCAAGGCCAGC GGCTACACCTTTACCAGCTACGCCATGCACTGGGTCAAAGAGGCCCCTGGCCAGAGACTGGAATGGATCGGCTAC ATCTACCCGGCCAGGGCGCACCAACTACAACCAGAAGTTCCAGGGCAGAGCCACCCTGACCGCCGATACAAGC GCCAGCACCGCCTACATGGAACTGAGCAGCCTGCGGAGCGAGGATACCGCCGTGTACTTCTGTGCCAGAACAGGC GGCCTGAGGCGGGCCTACTTTACCTATTGGGGCCAGGGCACCCTCGTGACCGTGTCTAGCGCTAGCACAAAGGGCC CATCGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCCTGGGCTGCCTCGTGAAGGA CTACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTGCACACCTTTCCAGCCGTG CTCCAGAGCAGCGGCCTGTACTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCCTGGGCACCAAGACCTAC CCTCCTTGCCCAGCCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCCAAAGCCCAAGGACACCCTGA TGATCAGCCGGACCCCCGAAGTGACCTGCGTGGTGGTGGTGTCCCAGGAAGATCCCGAGGTGCAGTTCAATT GGTACGTGGACGGCGTGGAAGTGCACAACGCCAAGACCAAGCCCAGAGAGAACAGTTCAACAGCACCTACCGG GTGGTGTCCGTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGCAAGGTGTCCAACAAG GGCCTGCCCAGCTCCATCGAGAAAACCATCAGCAAGGCCAAGGCCCAGCCCCGCGAGCCTCAAGTGTATACCCTG CCCCCTTGCCAGGAAGAGATGACCAAGAACCAGGTGTCCCTGTGGTGTCTCGTGAAAGGCTTCTACCCCAGCGACA TTGCCGTGGAATGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCTGTGCTGGACAGCGACG GCTCATTCTTCCTGTACTCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAACGTGTTCAGCTGCTCCGT

GATGCACGAGGCCCTGCACAACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC 4 248
GACATCGTGCTGACACAGAGCCCTGCCACCCTGTCTCTGAGCCCTGGCGAGAGAGCCACCATCAGCTGTAGAGCC
AGCCAGAGCGTGTCCAGCTACGGCCAGGGCTTCATGCACTGGTATCAGCAGAAGCCCGGCCAGCCCCCAGACTG
CTGATCTATGGCGCCAGCAGCAGCAGCACCACGCACCCCCCAGACTTCA
CCCTGACAATCAGCCCCCTGGAACCCGAGGACTTCGCCGTGTACTACTGCCAGCAGAACAAAGAGGACCCCTGGA
CCTTCGGCGGAGGCACCAAGCTGGAAATCAAGCGTACGGTGGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGCGA
CCTTCGGCGGAGGCACCAAGCTTGTCGTGTGCCTGCTGAACAACTTCTACCCCCGCGAGGCCAAGGTGCAG
CGAGCAGCTGAAGTCCGGCACAGCCTCTGTCGTGTGCCTGCTGAACAACTTCTACCCCCGCGAGGCCAAGGTGCAG
TGGAAGGTGGACAATGCCCTGCAAGAGCGGCAACAGCCAGGAAAGCACAAGGTGTACGCCTGCGAAGTGAC
CTACAGCCTGAGCAGCACCCTGTCCAAGGCCGATTACGAGAAGCACAAGGTGTACGCCTGCGAAGTGAC
CCACCAGGGCCTGTCTAGCCCCGTGACCAAGAGCTTCAACCGGGGCGAGTGC CD38hhy992/ 1 249
GACATCGTGATGACCCAGACCCCCCTGAGCCTGAGCGTGACACCTGGACAGCCTGCCAGCATCAGCTGCAAGAGC
CD28sup ×
AGCCAGAGCCTGGTGCACGAGAACCTCCAGACCTTGCAGAAGCCCCCCAG
CD3mid_ENLQ

 ${\tt TCCCTGATCTACAAGGTGTCCAACAGATTCAGCGGCGTGCCCGACAGATTCTCCGGCAGCGGCTCTGGCACCGACTDKTHT \ \ IgG4}$

TCACCCTGAAGATCAGCCGGGTGGAAGCCGAGGACGTGGGCGTGTACTATTGTGGCCAGGGCACCCAGTACCCCT FALA

TCACCTTTGGCAGCGCACCAAGGTGGAAATCAAGGACAAAACCCATACCGACATCCAGATGACCCAGAGCCCCABP # 5

GCAGCCTGTCTGCCAGCGTGGGCGACAGAGTGACCATCACCTGTCAGGCCAGCAGAACATCTACGTGTGGCTGA
ACTGGTATCAGCAGAAAGCCCGGCAAGGCCCCCAAGCTGCTGATCTACAAGGCCAGCAACCTGCACACCGGCGTGC
CCAGCAGATTTTCTGGCAGCGGCTCCGGCACCGACTTCACCCTGACAATCAGCTCCCTGCAGCCCGAGGACATTGC
CACCTACTACTGCCAGCAGGGCCAGACCTACCCCTACACCTTTGGCCAGGGCACCAAGCTGGAAATCAAGGATAA
GACCCACACCCGTACGGTGGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGCGACGAGCAGCAGCTGAAGTCCGGCACA
GCCTCTGTCGTGTGCCTGCAACAACTTCTACCCCCGCGAGGCCAAAGTGCAGTGGAAGGTGGACAACGCCCTGC
AGAGCGGCAACAGCCAGGAAAGCGTGACCGAGCAGGACAGCAAGGACTCCACCTACAGCCTGAGCAGCACCCTG
ACACTGAGCAAGGCCGACTACGAGAAGCACAAAGTGTACGCCTGCGAAGTGACCCACCAGGGCCTGTCTAGCCCC
GTGACCAAGAGCTTCAACCGGGGCGAGTGT 2 250

CAGGTGCAGCTGGTGCAGTCTGGCGCCGAGGTCGTGAAACCTGGCGCCTCTGTGAAGGTGTCCTGCAAGGCCAGC GGCTACACCTTTACCAGCTACTACATCCACTGGGTGCGCCAGGCCCCTGGACAGGGACTGGAATGGATCGGCAGC ATCTACCCGGCAACGTGAACACCAACTACGCCCAGAAGTTCCAGGGCAGAGCCACCCTGACCGTGGACACCAGC ATCAGCACCGCCTACATGGAACTGAGCCGGCTGAGAAGCGACGACACCGCCGTGTACTACTGCACCCGGTCCCAC TACGGCCTGGATTGGAACTTCGACGTGTGGGGCAAGGGCACCACCGTGACAGTGTCTAGCGACAAAACCCATACC CAGGTGCAGCTGGTGGAATCTGGCGGCGGAGTGGTGCAGCCTGGCAGAAGCCTGAGACTGAGCTGTGCCGCCAGC GGCTTCACCTTCACCAAGGCCTGGATGCACTGGGTGCGCCAGGCCCCTGGAAAGCAGCTGGAATGGGTGGCCCAG ATCAAGGACAAGAGCAACAGCTACGCCACCTACTACGCCGACAGCGTGAAGGGCCGGTTCACCATCAGCCGGGAC GACAGCAAGAACACCCTGTACCTGCAGATGAACAGCCTGCGGGCCGAGGACACCGCCGTGTACTACTGTCGGGGC GTGTACTATGCCCTGAGCCCCTTCGATTACTGGGGCCAGGGAACCCTCGTGACCGTGTCTAGTGATAAGACCCACA CCGCCAGCACAAAGGGCCCATCGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCCT GGGCTGCCTCGTGAAGGACTACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTG TGGGCACCAAGACCTACACCTGTAACGTGGACCACAAGCCCAGCAACACCAAGGTGGACAAGCGGGTGGAATCTA AGTACGGCCCTCCCTGCCCTCCTTGCCCAGCCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCAAAG CCCAAGGACACCCTGATGATCAGCCGGACCCCCGAAGTGACCTGCGTGGTGGTGGATGTCCCAGGAAGATCCC GAGGTGCAGTTCAATTGGTACGTGGACGGCGTGGAAGTGCACAACGCCAAGACCAAGCCCAGAGAGAACAGTTC AACAGCACCTACCGGGTGGTGCCGTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGC AAGGTGTCCAACAAGGGCCTGCCCAGCTCCATCGAGAAAACCATCAGCAAGGCCAAGGGCCAGCCCGCGAGCCT CAAGTGTGTACCCTGCCCCCTAGCCAGGAAGAGATGACCAAGAACCAGGTGTCCCTGAGCTGTGCCGTGAAAGGC TTCTACCCCAGCGACATTGCCGTGGAATGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCT GTGCTGGACAGCGACGGCTCATTCTTCCTGGTGTCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAAC GTGTTCAGCTGCTCCGTGATGCACGAGGCCCTGCACAACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC 3 251

CAGGTTCAGCTGGTTCAGTCTGGCGCCGAAGTGAAGAAACCTGGCGCCTCTGTGAAGGTGTCCTGCAAGGTGTCCG
GCTACACCCTGACCGAGTTCAGCATCCACTGGGTCCGACAGGCTCCAGGACAAGGCTTTGGAATGATGATGGCGGCT
TCGATCCCGAGGACGGCGAAACAATCTACGCCCAGAAATTCCAGGGCCGCGTGATCATGACCGAGGACACCTCTA
CCGACACCGCCTACATGGAAATGAACAGCCTGCGGAGCGAGGATACCGCCATCTACTACTACTGTACCACCGGCAGAT
TCTTCGACTGGTTCTGGGGCCAGGGCACCCTGGTTACAGTCTCTTCTGCGTCGACCAAGGGCCCATCGGTGTTCCCT
CTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCCTGGGCTGCCTCGTGAAGGACTACTTTCCCGAGC
CCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTGCACACCTTTCCAGCCGTGCTCCAGAGCAGCGG
CCTGTACTCTCTGAGCAGCGTCGTGACAAGTGCCCAGCAGCAGCCTGGGCACCAAGACCTACACCTGTAACGTGGAC
CACAAGCCCAGCAACACCAAGGTGGACAAGCGGGTGGAATCTAAGTACGGCCCTCCTTGCCCTCCTTGCCCAGCC
CCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCCCAAAGCCCCAAGGACACCCTGATGATCAGCCGGACCC

GAGATCATCCTGACACAGAGCCCCGCCATCCTGTCACTGTCTCCAGGCGAAAGAGCCACACTGAGCTGTAGAGCC
AGCCAGAGCGTGATCAGCAGATTCCTGAGCTGGTATCAAGTGAAGCCCGGACTGGCCCCTCGGCTGTTGATATATG
GCGCCTCTACACGCGCCACAGGCATCCCTGTTAGATTTTCTGGCAGCGGCTCCGGCACCGACCTTCAGCCTGACAAT
TAGCAGCCTGCAGCCTGAGGACTGCGCCGTGTACTACTGTCAGCAGGACAACCTGCCTATCACCTTCGGCCAG
GGCACCAGACTGGAAATCAAGCGTACGGTGGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGCGACGAGCAGCTG
AAGTCCGGCACAGCCTCTGTCGTGTGCCTGCTGAACAACTTCTACCCCCGCGAGGCCAAAGTGCAGTGGAAGGTG
GACAACGCCCTGCAGAGCGGCAACAGCCAGGAAAGCGTGACCGAGCAGGACAGCAAGGACTCCACCTACAGCCT
GAGCAGCACCCTGACACTGAGCAAGGCCGACTACGAGAAGCACAAGGTGTACGCCTGCGAAGTGACCCACCAGG
GCCTGTCTAGCCCCGTGACCAAGAGCTTCAACCGGGGCCGAGTGT CD38hyb5739/ 1 253

GACATCGTGATGACCCAGACCCCCTGAGCCTGAGCGTGACACCTGGACAGCCTGCCAGCATCAGCTGCAAGAGC CD28sup ×

 $AGCCAGAGCCTGGTGCACGAGAACCTGCAGACCTACCTGAGCTGGTATCTGCAGAAGCCCGGCCAGAGCCCCCAGCCD3 \\ mid_ENLQ$

TCCCTGATCTACAAGGTGTCCAACAGATTCAGCGGCGTGCCCGACAGATTCTCCGGCAGCGGCTCTGGCACCGACT DKTHT IgG4

TCACCCTGAAGATCAGCCGGGTGGAAGCCGAGGACGTGGGCGTGTACTATTGTGGCCAGGGCACCCAGTACCCCT FALA

TCACCTTTGGCAGCGCACCAAGGTGGAAATCAAGGACAAAACCCATACCGACATCCAGATGACCCAGAGCCCCABP # 6

GCAGCCTGTCTGCCAGCGTGGGCGACAGAGTGACCATCACCTGTCAGGCCAGCAGAACATCTACGTGTGGCTGA
ACTGGTATCAGCAGAAGCCCGGCAAGGCCCCCAAGCTGCTGATCTACAAGGCCAGCAACCTGCACACCGGCGTGC
CCAGCAGATTTTCTGGCAGCGGCTCCGGCACCGACTTCACCCTGACAATCAGCTCCCTGCAGCCCGAGGACATTGC
CACCTACTACTGCCAGCAGGGCCAGACCTACCCCTACACCTTTGGCCAGGGCACCAAGCTGGAAATCAAGGATAA
GACCCACACCCGTACGGTGGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGCGACGAGCAGCAGCTGAAGTCCGGCACA
GCCTCTGTCGTGTGCCTGCAACAACTTCTACCCCCGCGAGGCCAAAGTGCAGTGGAAGGTGGACAACGCCCTGC
AGAGCGGCAACAGCCAGGAAAGCGTGACCGAGCAGGACAGCAAGGACTCCACCTACAGCCTGAGCAGCACCCTG
ACACTGAGCAAGGCCGACTACGAGAAGCACAAGGTGTACGCCTGCGAAGTGACCCACCAGGGCCTGTCTAGCCCC
GTGACCAAGAGCTTCAACCGGGGCGAGTGT 2 254

CAGGTGCAGCTGGTGCAGTCTGGCGCCGAGGTCGTGAAACCTGGCGCCTCTGTGAAGGTGTCCTGCAAGGCCAGC GGCTACACCTTTACCAGCTACTACATCCACTGGGTGCGCCAGGCCCCTGGACAGGGACTGGAATGGATCGGCAGC ATCTACCCGGCAACGTGAACACCAACTACGCCCAGAAGTTCCAGGGCAGAGCCACCCTGACCGTGGACACCAGC ATCAGCACCGCCTACATGGAACTGAGCCGGCTGAGAAGCGACGACACCGCCGTGTACTACTGCACCCGGTCCCAC TACGGCCTGGATTGGAACTTCGACGTGTGGGGCAAGGGCACCACCGTGACAGTGTCTAGCGACAAAACCCATACC CAGGTGCAGCTGGTGGAATCTGGCGGCGGAGTGGTGCAGCCTGGCAGAAGCCTGAGACTGAGCTGTGCCGCCAGC GGCTTCACCTTCACCAAGGCCTGGATGCACTGGGTGCGCCAGGCCCCTGGAAAGCAGCTGGAATGGGTGGCCCAG ATCAAGGACAAGAGCAACAGCTACGCCACCTACTACGCCGACAGCGTGAAGGGCCGGTTCACCATCAGCCGGGAC GACAGCAAGAACACCCTGTACCTGCAGATGAACAGCCTGCGGGCCGAGGACACCGCCGTGTACTACTGTCGGGGC GTGTACTATGCCCTGAGCCCCTTCGATTACTGGGGCCAGGGAACCCTCGTGACCGTGTCTAGTGATAAGACCCACA CCGCCAGCACAAAGGGCCCATCGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCCT GGGCTGCCTCGTGAAGGACTACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTG TGGGCACCAAGACCTACACCTGTAACGTGGACCACAAGCCCAGCAACACCAAGGTGGACAAGCGGGTGGAATCTA AGTACGGCCCTCCCTGCCCTCCTTGCCCAGCCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCCAAAG CCCAAGGACACCCTGATGATCAGCCGGACCCCGAAGTGACCTGCGTGGTGGTGGATGTGTCCCAGGAAGATCCC GAGGTGCAGTTCAATTGGTACGTGGACGCGTGGAAGTGCACAACGCCAAGACCAAGCCCAGAGAGACAGTTC AACAGCACCTACCGGGTGGTGTCCGTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGC AAGGTGTCCAACAAGGGCCTGCCCAGCTCCATCGAGAAAACCATCAGCAAGGCCAAGGGCCAGCCCGCGAGCCT CAAGTGTGTACCCTGCCCCCTAGCCAGGAAGAGATGACCAAGAACCAGGTGTCCCTGAGCTGTGCCGTGAAAGGC TTCTACCCCAGCGACATTGCCGTGGAATGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCT GTGCTGGACAGCGACGGCTCATTCTTCCTGGTGTCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAAC GTGTTCAGCTGCTCCGTGATGCACGAGGCCCTGCACAACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC 3 255

GACATCGTGATGACCCAGAGCCAGAAATTCATGAGCGCCAGCGTGGGCGACAGAGTGTCCATCACATGTAAAGCC
AGCCAGAACGTGGGCACAGCCGTGGCTTGGTATCAGCAGCAGCAGCCTGGCCACTCTCCTAAGCAGCTGATCTACAGC
GCCAGCAACAGATACACCGGCGTGCCCGATAGATTCACAGGATCTGGCGCCGGAACCGACTTCACCCTGACCATC
AGCAACATCCAGAGCGAGGACCTGGCCGACTACTTCTGCCAGCAGTACAGCACATACCCCTTCACCTTTGGCAGCG
GCACCAAGCTGGAAATCAAGCGTACGGTGGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGCGACGAGCAGCTGA
AGTCCGGCACAGCCTCTGTCGTGTGCCTGCAACAACTTCTACCCCCGCGAGGCCAAAGTGCAGTGGAAGGTGG
ACAACGCCCTGCAGAGCGGAAACAGCCAGGAAAGCGTGACCGAGGACAGCAAGGACTCCACCTACAGCCTG
AGCAGCACCCTGACACTGAGCAAGGCCGACTACGAGAAGCACAAGGTGTACGCCTGCGAAGTGACCCACCAGGG
CCTGTCTAGCCCCGTGACCAAGAGCTTCAACCGGGGCGAGTGT CD38hyb6284/ 1 257

AGCCAGAGCCTGGTGCACGAGAACCTGCAGACCTACCTGAGCTGGTATCTGCAGAAGCCCGGCCAGAGCCCCAGCCD3mid ENLO

 ${\tt TCCCTGATCTACAAGGTGTCCAACAGATTCAGCGGCGTGCCCGACAGATTCTCCGGCAGCGGCTCTGGCACCGACTDKTHT\ IgG4}$

TCACCCTGAAGATCAGCCGGGTGGAAGCCGAGGACGTGGGCGTGTACTATTGTGGCCAGGGCACCCAGTACCCCT FALA

TCACCTTTGGCAGCGCACCAAGGTGGAAATCAAGGACAAAACCCATACCGACATCCAGATGACCCAGAGCCCCABP # 7

CAGGTGCAGCTGGTGCAGTCTGGCGCCGAGGTCGTGAAACCTGGCGCCTCTGTGAAGGTGTCCTGCAAGGCCAGC GGCTACACCTTTACCAGCTACTACATCCACTGGGTGCGCCAGGCCCCTGGACAGGGACTGGAATGGATCGGCAGC ATCTACCCGGCAACGTGAACACCAACTACGCCCAGAAGTTCCAGGGCAGAGCCACCCTGACCGTGGACACCAGC ATCAGCACCGCCTACATGGAACTGAGCCGGCTGAGAAGCGACGACACCGCCGTGTACTACTGCACCCGGTCCCAC TACGGCCTGGATTGGAACTTCGACGTGTGGGGCAAGGGCACCACCGTGACAGTGTCTAGCGACAAAACCCATACC CAGGTGCAGCTGGTGGAATCTGGCGGCGGAGTGGTGCAGCCTGGCAGAAGCCTGAGACTGAGCTGTGCCGCCAGC GGCTTCACCTTCACCAAGGCCTGGATGCACTGGGTGCGCCAGGCCCCTGGAAAGCAGCTGGAATGGGTGGCCCAG ATCAAGGACAAGAGCAACAGCTACGCCACCTACTACGCCGACAGCGTGAAGGGCCGGTTCACCATCAGCCGGGAC GACAGCAAGAACACCCTGTACCTGCAGATGAACAGCCTGCGGGCCGAGGACACCGCCGTGTACTACTGTCGGGGC GTGTACTATGCCCTGAGCCCCTTCGATTACTGGGGCCAGGGAACCCTCGTGACCGTGTCTAGTGATAAGACCCACA ${\sf CCGCCAGCACAAAGGGCCCATCGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCCT}$ GGGCTGCCTCGTGAAGGACTACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTG CACACCTTTCCAGCCGTGCTCCAGAGCAGCGGCCTGTACTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCC TGGGCACCAAGACCTACACCTGTAACGTGGACCACAAGCCCAGCAACACCAAGGTGGACAAGCGGGTGGAATCTA AGTACGGCCCTCCCTGCCCTCCTTGCCCAGCCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCAAAG CCCAAGGACACCCTGATGATCAGCCGGACCCCGAAGTGACCTGCGTGGTGGTGGATGTGTCCCAGGAAGATCCC GAGGTGCAGTTCAATTGGTACGTGGACGGCGTGGAAGTGCACAACGCCAAGACCAAGCCCAGAGAGGAACAGTTC AACAGCACCTACCGGGTGGTGTCCGTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGC AAGGTGTCCAACAAGGGCCTGCCCAGCTCCATCGAGAAAACCATCAGCAAGGCCAAGGGCCAGCCCCGCGAGCCT CAAGTGTGTACCCTGCCCCCTAGCCAGGAAGAGATGACCAAGAACCAGGTGTCCCTGAGCTGTGCCGTGAAAGGC

TTCTACCCCAGCGACATTGCCGTGGAATGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCT GTGCTGGACAGCGACGGCTCATTCTTCCTGGTGTCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAAC GTGTTCAGCTGCTCCGTGATGCACGAGGCCCTGCACAACCACTACACCCAGAAGTCCCTGTCTCTCTGTCCCTGGGC 3 259

CAGGTTCAGCTGCTGCAGTCTGGCGCCGAACTTGTCAGACCTGGCGTGTCCGTGAAGATCAGCTGTACAGGCAGCG GCTACAGCTTCACCAACTACGCCGTGCACTGGGTCAAGCAGAGCCACGTGAAGTCCCTGGAATGGATCGGCGTGA TCAGCCCCTACTACGGCGACACCACCTACAACCAGAAGTTCACCGGCAAGGCCACCATGACCGTGGACAAGTCTA GCAGCACCGCCTACATGGAACTGGCCAGACTGACCAGCGAGGACAGCGCCATCTACTTTTGCGCCAGAAGATTCG ${\sf AGGGCTTCTACTACAGCATGGACTACTGGGGCCAGGGCACCAGCGTGACAGTTTCTTCTGCGTCGACCAAGGGCCC}$ ATCGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCCTGGGCTGCCTCGTGAAGGAC TACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTGCACACCTTTCCAGCCGTGC TCCAGAGCAGCGGCCTGTACTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCCTGGGCACCAAGACCTACA CTCCTTGCCCAGCCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCCAAAGCCCAAGGACACCCTGAT GATCAGCCGGACCCCGAAGTGACCTGCGTGGTGGTGGATGTCCCCAGGAAGATCCCGAGGTGCAGTTCAATTG TGGTGTCCGTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGCAAGGTGTCCAACAAGG GCCTGCCAGCTCCATCGAGAAAACCATCAGCAAGGCCAAGGGCCAGCCCCGAGCCTCAAGTGTATACCCTGC CCCCTTGCCAGGAAGAGATGACCAAGAACCAGGTGTCCCTGTGGTGTCTCGTGAAAGGCTTCTACCCCAGCGACAT TGCCGTGGAATGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCTGTGCTGGACAGCGACGG CTCATTCTTCCTGTACTCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAACGTGTTCAGCTGCTCCGTG ATGCACGAGGCCCTGCACAACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC 4 260 GACGTGGTCATGATCCAGACACCTCTGAGCCTGCCTGTGTCTCTGGGAGATCAGGCCAGCATCAGCTGCAGACCTA GCCAGTCTCTGGTGCACAGCAACGGCAACACCTACCTGAACTGGTATCTGCAGAGGCCCGGACAGAGCCCCAAGC TGCTGATCTACAAGGTGTCCAAGCGGTTCAGCGGCGTGCCCGATAGATTTTCTGGCAGCGGCTCTGGCACCGACTT CACCCTGAAGATTAGCAGAGTGGAAGCCGAGGACCTGGGCGTGTACCTGTGTTCTCAGAGCACACACGTGCCCCT GACCTTTGGCAGCGGAACCCAGCTGGAAATCAAGCGTACGGTGGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGC

ACCTACAGCCTGAGCACCCTGACACTGAGCAAGGCCGACTACGAGAAGCACAAGGTGTACGCCTGCGAAGTGACCCACCAGGGCCTGTCTAGCCCCGTGACCAAGAGCTTCAACCGGGGCCGAGTGT CD38hhy1195/ 1 261 GACATCGTGATGACCCAGACCCCCCTGAGCCTGAGCCTGACCCTGGACACCCTGCCAGCATCAGCTGCAAGAGC

GACGAGCAGCTGAAGTCCGGCACAGCCTCTGTCGTGTGCCTGCTGAACAACTTCTACCCCCGCGAGGCCAAAGTGC AGTGGAAGGTGGACAACGCCCTGCAGAGCGGCAACAGCCAGGAAAGCGTGACCGAGCAGGACAGCAAGGACTCC

AGCCAGAGCCTGGTGCACGAGAACCTGCAGACCTACCTGAGCTGGTATCTGCAGAAGCCCGGCCAGAGCCCCCAGCD3mid_ENLQ

TCCCTGATCTACAAGGTGTCCAACAGATTCAGCGGCGTGCCCGACAGATTCTCCGGCAGCGGCTCTGGCACCGACT DKTHT IgG4

TCACCCTGAAGATCAGCCGGGTGGAAGCCGAGGACGTGGGCGTGTACTATTGTGGCCAGGGCACCCAGTACCCCT FALA

TCACCTTTGGCAGCGCACCAAGGTGGAAATCAAGGACAAAACCCATACCGACATCCAGATGACCCAGAGCCCCABP # 8

TGGGCACCAAGACCTACACCTGTAACGTGGACCACAAGCCCAGCAACACCAAGGTGGACAAGCGGGTGGAATCTA
AGTACGGCCCTCCCTGCCCTCCTTGCCCAGCCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCCAAAG
CCCAAGGACACCCTGATGATCAGCCGGACCCCCGAAGTGACCTGCGTGGTGGTGGATGTGTCCCAGGAAGATCCC
GAGGTGCAGTTCAATTGGTACGTGGACGGCGTGGAAGTGCACAACGCCAAGACCAAGCCCAGAGAGAACAGTTC
AACAGCACCTACCGGGTGGTGTCCGTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGC
AAGGTGTCCAACAAGGGCCTGCCCAGCTCCATCGAGAAAAACCATCAGCAAGGCCAAGGGCCAGCCCCGCGAGACCT
CAAGTGTGTACCCTGCCCCCTAGCCAGGAAGAGAGACCAAGAACCAGGTGTCCCTGAGCTGTGCCGTGAAAGGC
TTCTACCCCAGCGACATTGCCGTGGAATGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCT
GTGCTGGACAGCGACGGTCATTCTTCCTGGTGTCCAAGCTGACCGTGGACAAGACCCCTGTTCTCTTGTCCCTGGGC
3 263

CAGGTGCAGCTGGTGGAATCTGGCGGCGGAGTGGTGCAGCCTGGCAGAAGCCTGAGACTGAGCTGTGCCGCCAGC GGCTTCACCTTCAGCAGCTACGGCATGTACTGGGTGCGCCAGGCCCCTGGCAAAGGCCTGGAATGGGTGGCCGTG ATTTGGTACGACGCAGCAACAAGTACTACGCCGACAGCGTGAAGGGCCGGTTCACCATCTCCCGGGACAACAGC AAGAACACCCTGTACCTGCAGATGAACAGCCTGCGGGCCGAGGACACAGCCGTGTATCACTGCGCCAGAGATCCC GGCCTGCGGTACTTTGACGGCGGCATGGATGTGTGGGGCCAGGGCACAACCGTGACCGTGTCATCTGCGTCGACC AAGGGCCCATCGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCCTGGGCTGCCTCG TGAAGGACTACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTGCACACCTTTCC AGCCGTGCTCCAGAGCAGCGGCCTGTACTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCCTGGGCACCAA GACCTACACCTGTAACGTGGACCACAAGCCCAGCAACACCAAGGTGGACAAGCGGGTGGAATCTAAGTACGGCCC $\mathsf{TCCCTGCCCTCCTTGCCCAGCCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCCAAAGCCCAAGGAC$ ACCCTGATGATCAGCCGGACCCCCGAAGTGACCTGCGTGGTGGTGGATGTCCCCAGGAAGATCCCGAGGTGCAG TTCAATTGGTACGTGGACGGCGTGGAAGTGCACAACGCCAAGACCAAGCCCAGAGAGAACAGTTCAACAGCACC TACCGGGTGGTGTCCGTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGCAAGGTGTCC AACAAGGGCCTGCCCAGCTCCATCGAGAAAACCATCAGCAAGGCCAAGGGCCAGCCCCGCGAGCCTCAAGTGTAT ACCCTGCCCCTTGCCAGGAAGAGATGACCAAGAACCAGGTGTCCCTGTGGTGTCTCGTGAAAGGCTTCTACCCCA GCGACATTGCCGTGGAATGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCTGTGCTGGACA GCGACGGCTCATTCTTCCTGTACTCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAACGTGTTCAGCT GCTCCGTGATGCACGAGGCCCTGCACAACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC 4 264 GACATCCAGCTGACCCAGAGCCCCAGCTTTCTGAGCGCCAGCGTGGGCGACAGAGTGACCATCACCTGTAGAGCC AGCCAGGGCATCAGCAGCTACCTGGCCTGGTATCAGCAGAAGCCCGGCAAGGCCCCCAAACTGCTGATCTTTGCC GCCAGCACACTGCACAGCGGCGTGCCCAGCAGATTTTCTGGCAGCGGCTCCGGCACCGAGTTCACCCTGACAATCA GCAGCCTGCAGCCCGAGGACTTCGCCACCTACTACTGCCAGCAGCTGAACAGCTTCCCCTACACCTTCGGCCAGGG CACCAAGCTGGAAATCAAGCGTACGGTGGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGCGACGAGCAGCTGAA GTCCGGCACAGCCTCTGTCGTGTGCCTGAACAACTTCTACCCCCGCGAGGCCAAAGTGCAGTGGAAGGTGGAC AACGCCCTGCAGAGCGGCAACAGCCAGGAAAGCGTGACCGAGCAGGACAGCAAGGACTCCACCTACAGCCTGAG CAGCACCTGACACTGAGCAAGGCCGACTACGAGAAGCACAAGGTGTACGCCTGCGAAGTGACCCACCAGGGCCT GTCTAGCCCGTGACCAAGAGCTTCAACCGGGGCGAGTGT CD38hhv1370/ 1 265

AGCCAGAGCCTGGTGCACGAGAACCTGCAGACCTACCTGAGCTGGTATCTGCAGAAGCCCGGCCAGAGCCCCAGCCD3mid_ENLQ

TCCCTGATCTACAAGGTGTCCAACAGATTCAGCGGCGTGCCCGACAGATTCTCCGGCAGCGGCTCTGGCACCGACT DKTHT IgG4

 ${\tt TCACCCTGAAGATCAGCCGGGTGGAAGCCGAGGACGTGGGCGTGTACTATTGTGGCCAGGGCACCCAGTACCCCTFALA}$

TCACCTTTGGCAGCGCACCAAGGTGGAAATCAAGGACAAAACCCATACCGACATCCAGATGACCCAGAGCCCCABP # 9

GCAGCCTGTCTGCCAGCGTGGGCGACAGAGTGACCATCACCTGTCAGGCCAGCAGAACATCTACGTGTGGCTGA
ACTGGTATCAGCAGAAGCCCGGCAAGGCCCCCAAGCTGCTGATCTACAAGGCCAGCAACCTGCACACCGGCGTGC
CCAGCAGATTTTCTGGCAGCGGCTCCGGCACCGACTTCACCCTGACAATCAGCTCCCTGCAGCCCGAGGACATTGC
CACCTACTACTGCCAGCAGGGCCAGACCTACCCCTACACCTTTGGCCAGGGCACCAAGCTGGAAATCAAGGATAA
GACCCACACCCGTACGGTGGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGCGACGAGCAGCAGCTGAAGTCCGGCACA
GCCTCTGTCGTGTGCCTGCAACAACTTCTACCCCCGCGAGGCCAAAGTGCAGTGGAAGGTGGACAACGCCCTGC
AGAGCGGCAACAGCCAGGAAAGCGTGACCGAGCAGGACAGCAAGGACTCCACCTACAGCCTGAGCACCCTG
ACACTGAGCAAGGCCGACTACGAGAAGCACAAGGTGTACGCCTGCGAAGTGACCCACCAGGGCCTGTCTAGCCCC
GTGACCAAGAGCTTCAACCGGGGCGAGTGT 2 266

CAGGTGCAGCTGGTGCAGTCTGGCGCCGAGGTCGTGAAACCTGGCGCCTCTGTGAAGGTGTCCTGCAAGGCCAGC
GGCTACACCTTTACCAGCTACTACATCCACTGGGTGCGCCAGGCCCCTGGACAGGGACTGGAATGGATCGGCAGC
ATCTACCCCGGCAACGTGAACACCAACTACGCCCAGAAGTTCCAGGGCAGAGCCACCCTGACCGTGGACACCAGC
ATCAGCACCGCCTACATGGAACTGAGCCGGCTGAGAAGCGACACCGCCGTGTACTACTGCACCCGGTCCCAC
TACGGCCTGGATTGGAACTTCGACGTGTGGGGCAAGGGCACCACCGTGACAGTGTCTAGCGACAAAACCCATACC
CAGGTGCAGCTGGTGGAATCTGGCGGCGGAGTGGTGCAGCCTGGCAGAAGCCTGAGACTGTGCCGCCAGC

GGCTTCACCTTCACCAAGGCCTGGATGCACTGGGTGCGCCAGGCCCCTGGAAAGCAGCTGGAATGGGTGGCCCAG ATCAAGGACAAGAGCAACAGCTACGCCACCTACTACGCCGACAGCGTGAAGGGCCGGTTCACCATCAGCCGGGAC GACAGCAAGAACACCCTGTACCTGCAGATGAACAGCCTGCGGGCCGAGGACACCGCCGTGTACTACTGTCGGGGC GTGTACTATGCCCTGAGCCCCTTCGATTACTGGGGCCAGGGAACCCTCGTGACCGTGTCTAGTGATAAGACCCACA CCGCCAGCACAAAGGGCCCATCGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCCT GGGCTGCCTCGTGAAGGACTACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTG TGGGCACCAAGACCTACACCTGTAACGTGGACCACAAGCCCAGCAACACCAAGGTGGACAAGCGGGTGGAATCTA AGTACGGCCCTCCCTGCCCTCCTTGCCCAGCCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCAAAG ${\sf CCCAAGGACACCTGATGATCAGCCGGACCCCGAAGTGACCTGCGTGGTGGTGGATGTCCCAGGAAGATCCC}$ GAGGTGCAGTTCAATTGGTACGTGGACGGCGTGGAAGTGCACAACGCCAAGACCAAGCCCAGAGAGAACAGTTC AACAGCACCTACCGGGTGGTGCCGTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGC AAGGTGTCCAACAAGGGCCTGCCCAGCTCCATCGAGAAAACCATCAGCAAGGCCAAGGGCCAGCCCGCGAGCCT CAAGTGTGTACCCTGCCCCCTAGCCAGGAAGAGATGACCAAGAACCAGGTGTCCCTGAGCTGTGCCGTGAAAGGC TTCTACCCCAGCGACATTGCCGTGGAATGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCT GTGCTGGACAGCGACGGCTCATTCTTCCTGGTGTCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAAC GTGTTCAGCTGCTCCGTGATGCACGAGGCCCTGCACAACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC 3 267

CAGGTGCAGCTGGTGGAAAGCGGCGGAGGCGTGGTGCAGCCTGGCAGGTCTCTGAGACTGAGCTGTGCCGCCAGC GGCTTCACCTTCAGCAGCTACGGAATGCACTGGGTGCGCCAGGCCCCTGGCAAAGGACTGGAATGGGTGGCCGTG ATTTGGTACGACGCCAGCAACAAGTACTACGCCGACAGCGTGAAGGGCCGGTTCACCATCAGCGGCGACAACAGC AAGAACACCCTGTACCTGCAGATGAACAGCCTGCGGGCCGAGGACACCGCCGTGTACTACTGCGCCAGAATGTTC AGAGGCGCCTTCGACTACTGGGGCCAGGGCACACTCGTGACCGTGTCTAGTGCGTCGACCAAGGGCCCATCGGTG TTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCCTGGGCTGCCTCGTGAAGGACTACTTTC CCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTGCACACCTTTCCAGCCGTGCTCCAGAG CAGCGGCCTGTACTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCCTGGGCACCAAGACCTACACCTGTAA CCCAGCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCAAAGCCCAAGGACACCCTGATGATCAGC CGGACCCCGAAGTGACCTGCGTGGTGGTGGATGTCCCAGGAAGATCCCGAGGTGCAGTTCAATTGGTACGTG CGTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGCAAGGTGTCCAACAAGGGCCTGCC CAGCTCCATCGAGAAAACCATCAGCAAGGCCAAGGGCCAGCCCGCGAGCCTCAAGTGTATACCCTGCCCCTTG ${\sf CCAGGAAGAGATGACCAAGAACCAGGTGTCCCTGTGGTGTCTCGTGAAAGGCTTCTACCCCAGCGACATTGCCGT}$ GGAATGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCTGTGCTGGACAGCGACGGCTCATT GAGGCCCTGCACAACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC 4 268

GCCATCCAGATGACCCAGAGCCCCAGCAGCCTGTCTGCCAGCGTGGGCGACAGAGTGACCATCACCTGTAGAGCC
AGCCAGGGCATCCGGAACGACCTGGGCTGGTATCAGCAGAAGCCTGGCAAGGCCCCCAAGCTGCTGATCTACGCC
GCTAGCTCTCTGCAGTCCGGCGTGCCCAGCAGATTTTCTGGCAGCGGCTCCGGCACCGACTTCACCCTGACAATCT
CTGGCCTGCAGCCCGAGGACAGCGCCACCTACTACTGTCTGCAAGACTACATCTACTACTACCCCACCTTCGGCCAGGG
CACCAAGGTGGAAATCAAGCGTACGGTGGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGCGACGAGCAGCTGAA
GTCCGGCACAGCCTCTGTCGTGTGCCTGCAACAACTTCTACCCCCGCGAGGCCAAAGTGCAGTGGAAGGTGGAC
AACGCCCTGCAGAGCGGCAACAGCCAGGAAAGCGTGACCGAGCAGGACAGCAAGGACTCCACCTACAGCCTGAG
CAGCACCCTGACACTGAGCAAGGCCGACTACGAGAAGCACAAGGTGTACGCCTGCGAAGTGACCCACCAGGGCCT
GTCTAGCCCCGTGACCAAGAGCTTCAACCGGGGCGAGTGT CD38hu5739/ 1 269

GACATCGTGATGACCCAGACCCCCTGAGCCTGAGCGTGACACCTGGACAGCCTGCCAGCATCAGCTGCAAGAGC CD28sup ×

AGCCAGAGCCTGGTGCACGAGAACCTGCAGACCTACCTGAGCTGGTATCTGCAGAAGCCCGGCCAGAGCCCCCAGCD3mid_ENLQ

TCCCTGATCTACAAGGTGTCCAACAGATTCAGCGGCGTGCCCGACAGATTCTCCGGCAGCGGCTCTGGCACCGACT DKTHT IgG4

TCACCCTGAAGATCAGCCGGGTGGAAGCCGAGGACGTGGGCGTGTACTATTGTGGCCAGGGCACCCAGTACCCCT FALA

CAGGTGCAGCTGGTGCAGTCTGGCGCCGAGGTCGTGAAACCTGGCGCCTCTGTGAAGGTGTCCTGCAAGGCCAGC GGCTACACCTTTACCAGCTACTACATCCACTGGGTGCGCCAGGCCCCTGGACAGGGACTGGAATGGATCGGCAGC ATCTACCCGGCAACGTGAACACCAACTACGCCCAGAAGTTCCAGGGCAGAGCCACCCTGACCGTGGACACCAGC ATCAGCACCGCCTACATGGAACTGAGCCGGCTGAGAAGCGACGACACCGCCGTGTACTACTGCACCCGGTCCCAC TACGGCCTGGATTGGAACTTCGACGTGTGGGGCAAGGGCACCACCGTGACAGTGTCTAGCGACAAAACCCATACC CAGGTGCAGCTGGTGGAATCTGGCGGCGGAGTGGTGCAGCCTGGCAGAAGCCTGAGACTGAGCTGTGCCGCCAGC GGCTTCACCTTCACCAAGGCCTGGATGCACTGGGTGCGCCAGGCCCCTGGAAAGCAGCTGGAATGGGTGGCCCAG ATCAAGGACAAGAGCAACAGCTACGCCACCTACTACGCCGACAGCGTGAAGGGCCGGTTCACCATCAGCCGGGAC GACAGCAAGAACACCCTGTACCTGCAGATGAACAGCCTGCGGGCCGAGGACACCGCCGTGTACTACTGTCGGGGC GTGTACTATGCCCTGAGCCCCTTCGATTACTGGGGCCAGGGAACCCTCGTGACCGTGTCTAGTGATAAGACCCACA ${\sf CCGCCAGCACAAAGGGCCCATCGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCCT}$ GGGCTGCCTCGTGAAGGACTACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTG TGGGCACCAAGACCTACACCTGTAACGTGGACCACAAGCCCAGCAACACCAAGGTGGACAAGCGGGTGGAATCTA AGTACGGCCCTCCCTGCCCTCCTTGCCCAGCCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCCAAAG CCCAAGGACACCTGATGATCAGCCGGACCCCGAAGTGACCTGCGTGGTGGTGGATGTCCCAGGAAGATCCC GAGGTGCAGTTCAATTGGTACGTGGACGGCGTGGAAGTGCACAACGCCAAGACCAAGCCCAGAGAGAACAGTTC AACAGCACCTACCGGGTGGTGTCCGTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGC AAGGTGTCCAACAAGGGCCTGCCCAGCTCCATCGAGAAAACCATCAGCAAGGCCAAGGGCCAGCCCGCGAGCCT CAAGTGTGTACCCTGCCCCCTAGCCAGGAAGAGATGACCAAGAACCAGGTGTCCCTGAGCTGTGCCGTGAAAGGC TTCTACCCCAGCGACATTGCCGTGGAATGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCT GTGCTGGACAGCGACGGCTCATTCTTCCTGGTGTCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAAC GTGTTCAGCTGCTCCGTGATGCACGAGGCCCTGCACAACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC

CAGGTTCAGCTGGTTCAGTCTGGCGCCGAAGTGAAGAAACCTGGCGCCTCTGTGAAGGTGTCCTGCAAGGCCTCTG TCAATCCTGGCAGCGGCAGCACCAATTACGCCCAGAAATTCCAGGGCAGAGTGACCATGACCGTGGACAGAAGCA GCACCACCGCCTACATGGAACTGAGCAGACTGAGAAGCGACACCGCCGTGTACTACTGTGCCAGATACGCCT ${\sf ACGGCTATTGGGGCCAGGGAACCCTGGTTACCGTTAGCTCTGCGTCGACCAAGGGCCCATCGGTGTTCCCTCTGGC}$ CCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCCTGGGCTGCCTCGTGAAGGACTACTTTCCCGAGCCCGTG ACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTGCACACCTTTCCAGCCGTGCTCCAGAGCAGCGGCCTGT ACTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCCTGGGCACCAAGACCTACACCTGTAACGTGGACCACA AAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCAAAGCCCAAGGACACCCTGATGATCAGCCGGACCCCCGA AGTGACCTGCGTGGTGGATGTGTCCCAGGAAGATCCCGAGGTGCAGTTCAATTGGTACGTGGACGGCGTGGA AGTGCACAACGCCAAGACCAAGCCCAGAGAGGAACAGTTCAACAGCACCTACCGGGTGGTGTCCGTGCTGACCGT GCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGCAAGGTGTCCAACAAGGGCCTGCCCAGCTCCATCGA GAAAACCATCAGCAAGGCCAAGGCCCAGCCCCGCGAGCCTCAAGTGTATACCCTGCCCCCTTGCCAGGAAGAGAT GACCAAGAACCAGGTGTCCCTGTGGTGTCTCGTGAAAGGCTTCTACCCCAGCGACATTGCCGTGGAATGGGAGAG CAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCTGTGCTGGACAGCGACGGCTCATTCTTCCTGTACTCC AAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAACGTGTTCAGCTGCTCCGTGATGCACGAGGCCCTGCAC AACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC 4 272

GACATCCAGATGACACAGAGCCCTAGCAGCCTGTCTGCCAGCGTGGGAGACAGAGTGACCATCACCTGTAGAGCC
AGCCAGAATGTGGGAACAGCCGTGGCCTGGTATCAGCAGAAGCCTGGCAAGAGCCCCAAGCAGCAGCTGATCTACAGC
GCCAGCAACAGATACACCGGCGTGCCCAGCAGATTTTCTGGCAGCGGCTCTGGCACCGACTTCACCCTGACCATAT
CTAGCCTGCAGCCTGAGGACCTGGCCACCTACTACTGTCAGCAGTACAGCACATACCCCTTCACCTTCGGCCAGGG
CACCAAGCTGGAAATCAAGCGTACGGTGGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGCGACGAGCAGCTGAA
GTCCGGCACAGCCTCTGTCGTGTGCCTGCTGAACAACTTCTACCCCCGCGAGGCCAAAGTGCAGTGGAAGGTGGAC
AACGCCCTGCAGAGCGGCAACAGCCAGGAAAGCGTGACCGAGCAGGACAGCAAGGACTCCACCTACAGCCTGAG
CAGCACCCTGACACTGAGCAAGGCCGACTACGAGAAGCACAAGGTGTACGCCTGCGAAGTGACCCACCAGGGCCT
GTCTAGCCCCGTGACCAAGAGCTTCAACCGGGGCGAGTGT CD38hu6284/ 1 273

 $AGCCAGAGCCTGGTGCACGAGAACCTGCAGACCTACCTGAGCTGGTATCTGCAGAAGCCCGGCCAGAGCCCCCAGCD3 mid_ENLQ\\$

TCCCTGATCTACAAGGTGTCCAACAGATTCAGCGGCGTGCCCGACAGATTCTCCGGCAGCGGCTCTGGCACCGACT DKTHT IgG4

 $TCACCCTGAAGATCAGCCGGGTGGAAGCCGAGGACGTGGGCGTGTACTATTGTGGCCAGGGCACCCAGTACCCCT\\ FALA$

CACCTACTACTGCCAGCAGGGCCAGACCTACCCCTACACCTTTGGCCAGGGCACCAAGCTGGAAATCAAGGATAA
GACCCACACCCGTACGGTGGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGCGACGAGCAGCTGAAGTCCGGCACA
GCCTCTGTCGTGTGCCTGCAACAACTTCTACCCCCGCGAGGCCAAAGTGCAGTGGAAGGTGGACAACGCCCTGC
AGAGCGGCAACAGCCAGGAAAGCGTGACCGAGCAGGACAGCACGCCTCCACCTACAGCCTGAGCAGCACCCTG
ACACTGAGCAAGGCCGACTACGAGAAGCACAAGGTGTACGCCTGCGAAGTGACCCACCAGGGCCTGTCTAGCCCC
GTGACCAAGAGCTTCAACCGGGGCGAGTGT 2 274

CAGGTGCAGCTGGTGCAGTCTGGCGCCGAGGTCGTGAAACCTGGCGCCCTCTGTGAAGGTGTCCTGCAAGGCCAGC GGCTACACCTTTACCAGCTACTACATCCACTGGGTGCGCCAGGCCCCTGGACAGGGACTGGAATGGATCGGCAGC ATCTACCCGGCAACGTGAACACCAACTACGCCCAGAAGTTCCAGGGCAGAGCCACCCTGACCGTGGACACCAGC ATCAGCACCGCCTACATGGAACTGAGCCGGCTGAGAAGCGACGACACCGCCGTGTACTACTGCACCCGGTCCCAC TACGGCCTGGATTGGAACTTCGACGTGTGGGGCAAGGGCACCACCGTGACAGTGTCTAGCGACAAAACCCATACC CAGGTGCAGCTGGTGGAATCTGGCGGCGGAGTGGTGCAGCCTGGCAGAAGCCTGAGACTGAGCTGTGCCGCCAGC GGCTTCACCTTCACCAAGGCCTGGATGCACTGGGTGCGCCAGGCCCCTGGAAAGCAGCTGGAATGGGTGGCCCAG ATCAAGGACAAGAGCAACAGCTACGCCACCTACTACGCCGACAGCGTGAAGGGCCGGTTCACCATCAGCCGGGAC GACAGCAAGAACACCCTGTACCTGCAGATGAACAGCCTGCGGGCCGAGGACACCGCCGTGTACTACTGTCGGGGC GTGTACTATGCCCTGAGCCCCTTCGATTACTGGGGCCAGGGAACCCTCGTGACCGTGTCTAGTGATAAGACCCACA CCGCCAGCACAAAGGGCCCATCGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCCT GGGCTGCCTCGTGAAGGACTACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTG CACACCTTTCCAGCCGTGCTCCAGAGCAGCGGCCTGTACTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCC TGGGCACCAAGACCTACACCTGTAACGTGGACCACAAGCCCAGCAACACCAAGGTGGACAAGCGGGTGGAATCTA AGTACGGCCCTCCCTGCCCTCCTTGCCCAGCCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCAAAG CCCAAGGACACCCTGATGATCAGCCGGACCCCGAAGTGACCTGCGTGGTGGTGGATGTGTCCCAGGAAGATCCC GAGGTGCAGTTCAATTGGTACGTGGACGGCGTGGAAGTGCACAACGCCAAGACCAAGCCCAGAGAGAACAGTTC AACAGCACCTACCGGGTGGTGTCCGTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGC AAGGTGTCCAACAAGGGCCTGCCCAGCTCCATCGAGAAAACCATCAGCAAGGCCAAGGGCCAGCCCGCGAGCCT CAAGTGTGTACCCTGCCCCCTAGCCAGGAAGAGATGACCAAGAACCAGGTGTCCCTGAGCTGTGCCGTGAAAGGC TTCTACCCCAGCGACATTGCCGTGGAATGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCT GTGCTGGACAGCGACGGCTCATTCTTCCTGGTGTCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAAC GTGTTCAGCTGCTCCGTGATGCACGAGGCCCTGCACAACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC

CAGGTTCAGCTGGTTCAGTCTGGCGCCGAAGTGAAGAAACCTGGCGCCTCTGTGAAGGTGTCCTGCAAGGCCAGC ATCAGCCCCTACTACGGCGATACCACATACGCCCAGAAATTCCAGGGCAGAGTGACCATGACCGTGGACAAGAGC AGCAGCACCGCCTACATGGAACTGAGCAGACTGAGAAGCGACGACGCCGTGTACTACTGCGCCAGAAGATTC GAGGGCTTCTACTACAGCATGGACTACTGGGGCCAGGGCACCCTGGTTACAGTCTCTTCTGCGTCGACCAAGGGCC CATCGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCCTGGGCTGCCTCGTGAAGGA CTACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTGCACACCTTTCCAGCCGTG CTCCAGAGCAGCGGCCTGTACTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCCTGGGCACCAAGACCTAC CCTCCTTGCCCAGCCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCCAAAGCCCAAGGACACCCTGA TGATCAGCCGGACCCCCGAAGTGACCTGCGTGGTGGTGGTGTCCCAGGAAGATCCCGAGGTGCAGTTCAATT GGTACGTGGACGGCGTGGAAGTGCACAACGCCAAGACCAAGCCCAGAGAGGAACAGTTCAACAGCACCTACCGG GTGGTGTCCGTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGCAAGGTGTCCAACAAG GGCCTGCCCAGCTCCATCGAGAAAACCATCAGCAAGGCCAAGGGCCAGCCCCGCGAGCCTCAAGTGTATACCCTG CCCCCTTGCCAGGAAGAGATGACCAAGAACCAGGTGTCCCTGTGGTGTCTCGTGAAAGGCTTCTACCCCAGCGACA TTGCCGTGGAATGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCTGTGCTGGACAGCGACG GCTCATTCTTCCTGTACTCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAACGTGTTCAGCTGCTCCGT GATGCACGAGGCCCTGCACAACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC 4 276

GACGTGGTCATGACACAGAGCCCTCTGAGCCTGCCTGTGACACTGGGACAGCCTGCCAGCATCAGCTGTAGACCTA
GCCAGAGCCTGGTGCACAGCAACGGCAACACCTACCTGAACTGGTATCAGCAGAGGCCCGGACAGAGCCCCAAGC
TGCTGATCTACAAGGTGTCCAAGCGGTTCAGCGGCGTGCCCGATAGATTTTCTGGCAGCGGCTCTGGCACCGACTT
CACCCTGAAGATTAGCAGAGTGGAAGCCGAGGACGTGGGCGTGTACTACTGTAGCCAGTTCATCTACCCACGTGCCACT
GACCTTTGGCGGCGGAACAAAGGTGGAAATCAAGCGTACGGTGGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGC
GACGAGCAGCTGAAGTCCGGCACAGCCTCTGTCGTGTGCCTGCTGAACAACTTCTACCCCCGCGAGGCCAAAGTGC
AGTGGAAGGTGGACAACGCCCTGCAGAGCGGCAACAGCCAGGAAAGCGTGACCGAGCAGGACAGCAAGGACTCC
ACCTACAGCCTGAGCAGCACCCTGACACTGAGCAAGGCCGACTACGAGAAGCACAAGGTGTACGCCTGCGAAGTG
ACCCACCAGGGCCTGTCTAGCCCCGTGACCAAGAGCTTCAACCGGGGCGAGTGT

III. Trispecific and/or Trivalent Binding Proteins for Treating and/or Preventing HIV/AIDS

[0488] Certain aspects of the present disclosure relate to trispecific and/or trivalent binding proteins. Any of the CDRs or variable domains of any of the antigen binding proteins described herein may find use in a trispecific binding protein of the present disclosure. Trispecific binding proteins of various formats are contemplated. In some embodiments, the binding protein of the disclosure is a trispecific and/or trivalent binding protein comprising four polypeptide chains that form three antigen binding sites that specifically bind one or more HIV target proteins, wherein a first polypeptide chain comprises a

structure represented by the formula:

V.sub.L2-L.sub.1-V.sub.L1-L.sub.2-C.sub.L [I] and a second polypeptide chain comprises a structure represented by the formula:

V.sub.H1-L.sub.3-V.sub.H2-L.sub.4-C.sub.H1-hinge-C.sub.H2-C.sub.H3 [II] and a third polypeptide chain comprises a structure represented by the formula:

V.sub.H3-C.sub.H1-hinge-C.sub.H2-C.sub.H3 [III] and a fourth polypeptide chain comprises a structure represented by the formula:

[IV] [0489] wherein: [0490] V.sub.L1 is a first immunoglobulin light chain variable domain; [0491] V.sub.L2 is a second immunoglobulin light chain variable domain; [0492] V.sub.L3 is a third immunoglobulin light chain variable domain; [0493] V.sub.H1 is a first immunoglobulin heavy chain variable domain; [0494] V.sub.H2 is a second immunoglobulin heavy chain variable domain; [0495] V.sub.H3 is a third immunoglobulin heavy chain variable domain; [0496] C.sub.L is an immunoglobulin light chain constant domain; [0497] C.sub.H1 is an immunoglobulin C.sub.H1 heavy chain constant domain; [0498] C.sub.H2 is an immunoglobulin C.sub.H2 heavy chain constant domain; [0499] C.sub.H3 is an immunoglobulin C.sub.H3 heavy chain constant domain; [0500] hinge is an immunoglobulin hinge region connecting the C.sub.H1 and C.sub.H2 domains; and [0501] L.sub.1, L.sub.2, L.sub.3 and L.sub.4 are amino acid linkers; [0502] and wherein the polypeptide of formula I and the polypeptide of formula II form a cross-over light chain-heavy chain pair. [0503] In some embodiments, the first polypeptide chain and the second polypeptide chain have a cross-over orientation that forms two distinct antigen binding sites. In some embodiments, the V.sub.H1 and V.sub.L1 form a binding pair and form the first antigen binding site. In some embodiments, the V.sub.H2 and V.sub.L2 form a binding pair and form the second antigen binding site. In some embodiments, the third polypeptide and the fourth polypeptide form a third antigen binding site. In some embodiments, the V.sub.H3 and V.sub.L3 form a binding pair and form the third antigen binding site. [0504] In some embodiments, the term "HIV" as used herein means Human Immunodeficiency Virus. As used herein, the term "HIV infection" generally encompasses infection of a host, particularly a human host, by the human immunodeficiency virus (HIV) family of retroviruses including, but not limited to, HIV I, HIV II, HIV III (also known as HTLV-II, LAV-1, LAV-2). HIV can be used herein to refer to any strains, forms, subtypes, clades and variations in the HIV family. Thus, treating HIV infection will encompass the treatment of a person who is a carrier of any of the HIV family of retroviruses or a person who is diagnosed with active AIDS, as well as the treatment or prophylaxis of the AIDS-related conditions in such

[0505] In some embodiments, the term "AIDS" as used herein means Acquired Immunodeficiency Syndrome. AIDS is caused by HIV.

[0506] In some embodiments, the terms "CD4bs" or "CD4 binding site" refer to the binding site for CD4 (cluster of differentiation 4), which is a glycoprotein found on the surface of immune cells such as T helper cells, monocytes, macrophages, and dendritic cells.

[0507] In some embodiments, the term "glycoprotein 160" or "gp160 protein" refers to the envelope glycoprotein complex of HIV and which is a homotrimer that is cleaved into gp120 and gp41 subunits.

[0508] In some embodiments, the term "MPER" refers to the membrane-proximal external region of glycoprotein 41 (gp41), which is a subunit of the envelope protein complex of retroviruses, including HIV.

[0509] In some embodiments, the term "glycan" refers to the carbohydrate portion of a glycoconjugate, such as a glycoprotein, glycolipid, or a proteoglycan. In the disclosed binding proteins, glycan refers to the HIV-1 envelope glycoprotein gp120.

[0510] In some embodiments, e.g., as used in reference to a binding protein for treating and/or preventing HIV/AIDS, the term "T-cell engager" refers to binding proteins directed to a host's immune system, more specifically the T cells' cytotoxic activity as well as directed to a HIV target protein.

[0511] In some embodiments, the term "trimer apex" refers to apex of HIV-1 envelope glycoprotein gp120.

[0512] In some embodiments, a "neutralizing" binding protein as used herein refers to a molecule that is able to block or substantially reduce an effector function of a target antigen to which it binds. As used herein, "substantially reduce" means at least about 60%, preferably at least about 70%, more preferably at least about 75%, even more preferably at least about 80%, still more preferably at least about 85%, most preferably at least about 90% reduction of an effector function of the target antigen.

[0513] In some embodiments, e.g., as used in reference to a binding protein for treating and/or preventing HIV/AIDS, the terms "treatment" or "treat" as used herein refer to both therapeutic treatment and prophylactic or preventative measures. Those in need of treatment include those having the disorder as well as those prone to have a disorder or those in which the disorder is to be prevented. In particular embodiments, binding proteins can be used to treat humans infected with HIV, or humans susceptible to HIV infection, or ameliorate HIV infection in a human subject infected with HIV. The binding proteins can also be used to prevent HIV in a human patient.

[0514] It should be understood as that treating humans infected with HIV include those subjects who are at any one of the several stages of HIV infection progression, which, for example, include acute primary infection syndrome (which can be asymptomatic or associated with an influenza-like illness with fevers, malaise, diarrhea and neurologic symptoms such as headache), asymptomatic infection (which is the long latent period with a gradual decline in the number of circulating

CD4.sup.+ T cells), and AIDS (which is defined by more serious AIDS-defining illnesses and/or a decline in the circulating CD4 cell count to below a level that is compatible with effective immune function). In addition, treating or preventing HIV infection will also encompass treating suspected infection by HIV after suspected past exposure to HIV by e.g., contact with HIV-contaminated blood, blood transfusion, exchange of body fluids, "unsafe" sex with an infected person, accidental needle stick, receiving a tattoo or acupuncture with contaminated instruments, or transmission of the virus from a mother to a baby during pregnancy, delivery or shortly thereafter.

[0515] In some embodiments, one or more of the antigen binding sites binds an HIV target protein. In some embodiments, V.sub.H3 and V.sub.L3 form a third antigen binding site that binds an HIV target protein. In some embodiments, V.sub.H1 and V.sub.L1 form a first antigen binding site that binds a T cell target protein, V.sub.H2 and V.sub.L2 form a second antigen binding site that binds a T cell target protein, and V.sub.H3 and V.sub.L3 form a third antigen binding site that binds an HIV target protein. In some embodiments, V.sub.H1 and V.sub.L1 form a first antigen binding site that binds a T cell target protein, V.sub.H2 and V.sub.L2 form a second antigen binding site that binds a CD3 polypeptide, and V.sub.H3 and V.sub.L3 form a third antigen binding site that binds an HIV target protein. In some embodiments, V.sub.H1 and V.sub.L1 form a first antigen binding site that binds a CD28 polypeptide, V.sub.H2 and V.sub.L2 form a second antigen binding site that binds a CD3 polypeptide, and V.sub.H3 and V.sub.L3 form a third antigen binding site that binds an HIV target protein. [0516] In some embodiments, the binding proteins specifically bind to one or more HIV target proteins (e.g., as described infra) and one or more target proteins on a T-cell including T cell receptor complex. These T-cell engager binding proteins are capable of recruiting T cells transiently to target cells and, at the same time, activating the cytolytic activity of the T cells. The T-cell engager trispecific antibodies can be used to activate HIV-1 reservoirs and redirect/activate T cells to lyse latently infected HIV-1.sup.+ T cells. Examples of target proteins on T cells include but are not limited to CD3 and CD28, among others. In some embodiments, the trispecific binding proteins may be generated by combining the antigen binding domains of two or more monospecific antibodies (parent antibodies) into one antibody. See International Publication Nos. WO 2011/038290 A2, WO 2013/086533 A1, WO 2013/070776 A1, WO 2012/154312 A1, and WO 2013/163427 A1. The binding proteins of the disclosure may be prepared using domains or sequences obtained or derived from any human or non-human antibody, including, for example, human, murine, or humanized antibodies.

[0517] In some embodiments of the disclosure, the trivalent binding protein is capable of binding three different antigen targets. In one embodiment, the binding protein is trispecific and one light chain-heavy chain pair is capable of binding two different antigen targets or epitopes and one light chain-heavy chain pair is capable of binding one antigen target or epitope. [0518] In some embodiments, a binding protein of the present disclosure binds one or more HIV target proteins and one or more T cell target proteins. In some embodiments, the binding protein is capable of specifically binding one HIV target protein and two different T cell target proteins, the binding protein is capable of specifically binding one HIV target protein and two different T cell target proteins (e.g., CD28 and CD3). In some embodiments, the first and second polypeptide chains of the binding protein form two antigen binding sites that specifically target two T cell target proteins, and the third and fourth polypeptide chains of the binding protein form an antigen binding site that specifically binds an HIV target protein. In some embodiments, the one or more HIV target proteins are one or more of glycoprotein 120, glycoprotein 41, and glycoprotein 160. In some embodiments, the one or more T cell target proteins are one or more of CD3 and CD28.

[0519] In some embodiments, a binding protein of the present disclosure comprises four polypeptide chains that form three antigen binding sites that specifically bind one or more HIV target proteins, wherein the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:362 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:363 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:363; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:364 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:365 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:365.

[0520] In some embodiments, a binding protein of the present disclosure comprises four polypeptide chains that form three antigen binding sites that specifically bind one or more HIV target proteins, wherein the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:366 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:367 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:367; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:368 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:368; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:369 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:369.

[0521] In some embodiments, a binding protein of the present disclosure comprises four polypeptide chains that form three antigen binding sites that specifically bind one or more HIV target proteins, wherein the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:370 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:371 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:371; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:372 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:373; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:373 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:373.

[0522] In some embodiments, a binding protein of the present disclosure comprises four polypeptide chains that form three antigen binding sites that specifically bind one or more HIV target proteins, wherein the first polypeptide chain comprises the

amino acid sequence of SEQ ID NO:374 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:375; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:375 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:375; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:376 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:377 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:377.

[0523] In some embodiments, a binding protein of the present disclosure comprises four polypeptide chains that form three antigen binding sites that specifically bind one or more HIV target proteins, wherein the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:378 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:379; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:379; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:380 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:380; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:381 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:381.

[0524] In some embodiments, a binding protein of the present disclosure comprises four polypeptide chains that form three antigen binding sites that specifically bind one or more HIV target proteins, wherein the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:382 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:383 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:383; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:384 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:384; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:385 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:385.

[0525] In some embodiments, a binding protein of the present disclosure comprises four polypeptide chains that form three antigen binding sites that specifically bind one or more HIV target proteins, wherein the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:386 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:387 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:387; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:388 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:388; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:389 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:389.

[0526] In some embodiments, a binding protein of the present disclosure comprises four polypeptide chains that form three antigen binding sites that specifically bind one or more HIV target proteins, wherein the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:390 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:391 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:391; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:392 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:392; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:393 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:393.

[0527] In some embodiments, a binding protein of the present disclosure comprises four polypeptide chains that form three antigen binding sites that specifically bind one or more HIV target proteins, wherein the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:394 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:395 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:395; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:396 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:396; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:397 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:397.

[0528] In some embodiments, a binding protein of the present disclosure comprises four polypeptide chains that form three antigen binding sites that specifically bind one or more HIV target proteins, wherein the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:398 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:399 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:399; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:400 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:401 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:401 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:401.

[0529] In some embodiments, a binding protein of the present disclosure comprises four polypeptide chains that form three antigen binding sites that specifically bind one or more HIV target proteins, wherein the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:402 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:403 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:403; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:404 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:404; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:405 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:405.

[0530] In some embodiments, a binding protein of the present disclosure comprises four polypeptide chains that form three

antigen binding sites that specifically bind one or more HIV target proteins, wherein the first polypeptide chain comprises the amino acid sequence of SEO ID NO:406 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:406; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:407 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:407; the third polypeptide chain comprises the amino acid sequence of SEO ID NO:408 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:408; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:409 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:409. [0531] In some embodiments, a binding protein of the present disclosure comprises four polypeptide chains that form three antigen binding sites that specifically bind one or more HIV target proteins, wherein the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:410 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:410; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:411 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:411; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:412 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:412; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:413 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:413. [0532] In some embodiments, a binding protein of the present disclosure comprises four polypeptide chains that form three antigen binding sites that specifically bind one or more HIV target proteins, wherein the first polypeptide chain comprises the amino acid sequence of SEO ID NO:414 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:414; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:415 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:415; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:416 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:416; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:417 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:417. [0533] In some embodiments, a binding protein of the present disclosure comprises four polypeptide chains that form three antigen binding sites that specifically bind one or more HIV target proteins, wherein the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:418 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:418; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:419 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:419; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:420 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:420; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:421 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:421. [0534] In some embodiments, a binding protein of the present disclosure comprises four polypeptide chains that form three antigen binding sites that specifically bind one or more HIV target proteins, wherein the first polypeptide chain comprises the amino acid sequence of SEO ID NO:422 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:422; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:423 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:423; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:424 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:424; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:425 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:425. [0535] In some embodiments, a binding protein of the present disclosure comprises four polypeptide chains that form three antigen binding sites that specifically bind one or more HIV target proteins, wherein the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:430 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:430; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:431 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:431; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:432 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:432; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:433 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:433. [0536] In some embodiments, a binding protein of the present disclosure comprises four polypeptide chains that form three antigen binding sites that specifically bind one or more HIV target proteins, wherein the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:434 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:434; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:435 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:435; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:436 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:436; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:437 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:437. [0537] In some embodiments, a binding protein of the present disclosure comprises four polypeptide chains that form three antigen binding sites that specifically bind one or more HIV target proteins, wherein the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:438 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:438; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:439 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEO ID NO:439; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:440 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:440; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:441 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:441.

[0538] In some embodiments, a binding protein of the present disclosure comprises four polypeptide chains that form three antigen binding sites that specifically bind one or more HIV target proteins, wherein the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:442 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:442; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:443 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEO ID NO:443; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:444 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:444; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:445 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:445. [0539] In some embodiments, a binding protein of the present disclosure comprises four polypeptide chains that form three antigen binding sites that specifically bind one or more HIV target proteins, wherein the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:446 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:446; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:447 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:447; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:448 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:448; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:449 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:449. [0540] In some embodiments, a binding protein of the present disclosure comprises four polypeptide chains that form three antigen binding sites that specifically bind one or more HIV target proteins, wherein the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:450 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:450; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:451 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEO ID NO:451; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:452 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:452; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:453 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:453. [0541] In some embodiments, a binding protein of the present disclosure comprises four polypeptide chains that form three antigen binding sites that specifically bind one or more HIV target proteins, wherein the first polypeptide chain comprises the amino acid sequence of SEO ID NO:454 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:454; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:455 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:455; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:456 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:456; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:457 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:457. [0542] In some embodiments, a binding protein of the present disclosure comprises four polypeptide chains that form three antigen binding sites that specifically bind one or more HIV target proteins, wherein the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:458 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:458; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:459 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:459; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:460 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:460; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:461 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:461. [0543] In some embodiments, a binding protein of the present disclosure comprises four polypeptide chains that form three antigen binding sites that specifically bind one or more HIV target proteins, wherein the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:462 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:462; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:463 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:463; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:464 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:464; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:465 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:465. [0544] In some embodiments, a binding protein of the present disclosure comprises four polypeptide chains that form three antigen binding sites that specifically bind one or more HIV target proteins, wherein the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:466 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:466; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:467 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEO ID NO:467; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:468 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:468; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:469 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:469. [0545] In some embodiments, a binding protein of the present disclosure comprises four polypeptide chains that form three antigen binding sites that specifically bind one or more HIV target proteins, wherein the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:470 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:470; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:471 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:471; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:472 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:472; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:473 or an

amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:473.

[0546] In some embodiments, a binding protein of the present disclosure comprises four polypeptide chains that form three antigen binding sites that specifically bind one or more HIV target proteins, wherein the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:474 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:475 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:475; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:476 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:476; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:477 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:477.

[0547] Exemplary and non-limiting polypeptides that may find use in any of the trispecific binding proteins described herein are provided in Table 4A.

Anti-HIV Binding Sites

[0548] Certain aspects of the present disclosure relate to binding proteins that comprise an antigen binding site that binds an HIV target protein or polypeptide.

[0549] In some embodiments, the HIV target protein is glycoprotein 120, glycoprotein 41, or glycoprotein 160. In some embodiments, a binding protein binds one or more of: glycoprotein 120, glycoprotein 41, and glycoprotein 160. Exemplary HIV target proteins include, without limitation, MPER of the HIV-1 gp41 protein, a CD4 binding site of the HIV-1 gp120 protein, a glycan in the V3 loop of the HIV-1 gp120 protein, or a trimer apex of the HIV-1 gp120 protein or gp160. For example, in some embodiments, a binding protein of the present disclosure comprises an antigen binding site that binds a CD4 binding site of the HIV-1 gp120 protein. Exemplary antigen binding sites that bind HIV target proteins contemplated for use herein include, without limitation, those described in International Publication No. WO2017/074878, such as those from antibodies CD4BS "a", CD4BS "b", MPER, MPER_100W, V1/V2 "a", V1/V2 "b", or V3.

[0550] In some embodiments, a binding protein comprising an antigen binding site that binds an HIV target protein is monospecific and/or monovalent, bispecific and/or bivalent, trispecific and/or trivalent, or multispecific and/or multivalent. In some embodiments, a binding protein that comprises an antigen binding site that binds an HIV target protein is a trispecific binding protein comprising four polypeptides that form three antigen binding sites.

[0551] In some embodiments, a binding protein of the present disclosure comprises an antigen binding site comprising: an antibody heavy chain variable (VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of NCPIN (SEQ ID NO:302) a CDR-H2 sequence comprising the amino acid sequence of WMKPRHGAVSYARQLQG (SEQ ID NO:303), and a CDR-H3 sequence comprising the amino acid sequence of GKYCTARDYYNWDFEH (SEQ ID NO:304); and/or an antibody light chain variable (VL) domain comprising a CDR-L1 sequence comprising the amino acid sequence of SGSTRAA (SEQ ID NO:305), a CDR-L2 sequence comprising the amino acid sequence of QQYEF (SEQ ID NO:307). In some embodiments, a binding protein of the present disclosure comprises an antigen binding site comprising: an antibody heavy chain variable (VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of NCPIN (SEQ ID NO:302) a CDR-H2 sequence comprising the amino acid sequence of WMKPRHGAVSYARQLQG (SEQ ID NO:303), and a CDR-H3 sequence comprising the amino acid sequence of GKYCTARDYYNWDFEH (SEQ ID NO:304); and an antibody light chain variable (VL) domain comprising a CDR-L1 sequence comprising the amino acid sequence of RTSQYGSLA (SEQ ID NO:305), a CDR-L2 sequence comprising the amino acid sequence of SGSTRAA (SEQ ID NO:306), and a CDR-L3 sequence comprising the amino acid sequence of SGSTRAA (SEQ ID NO:306), and a CDR-L3 sequence comprising the amino acid sequence of SGSTRAA (SEQ ID NO:306), and a CDR-L3 sequence comprising the amino acid sequence of SGSTRAA (SEQ ID NO:306), and a CDR-L3 sequence comprising the amino acid sequence of SGSTRAA (SEQ ID NO:306), and a CDR-L3 sequence comprising the amino acid sequence of SGSTRAA (SEQ ID NO:306), and a CDR-L3 sequence comprising the amino acid sequence of SGSTRAA (SEQ ID NO:306), and a CDR-L3 sequence comprising the amino acid

[0552] In some embodiments, a binding protein of the present disclosure comprises an antigen binding site comprising: an antibody heavy chain variable (VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of GYTFTAHI (SEQ ID NO:308) a CDR-H2 sequence comprising the amino acid sequence of IKPQYGAV (SEQ ID NO:309) or IKPQYGAT (SEQ ID NO:310); and/or an antibody light chain variable (VL) domain comprising a CDR-L1 sequence comprising the amino acid sequence of QGVGSD (SEQ ID NO:312), a CDR-L2 sequence comprising the amino acid sequence of HTS (SEQ ID NO:313), and a CDR-L3 sequence comprising the amino acid sequence of CQVLQF (SEQ ID NO:314). In some embodiments, a binding protein of the present disclosure comprises an antigen binding site comprising: an antibody heavy chain variable (VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of GYTFTAHI (SEO ID NO:308) a CDR-H2 sequence comprising the amino acid sequence of IKPOYGAV (SEO ID NO:309). or IKPQYGAT (SEQ ID NO:310); and an antibody light chain variable (VL) domain comprising a CDR-L1 sequence comprising the amino acid sequence of QGVGSD (SEQ ID NO:312), a CDR-L2 sequence comprising the amino acid sequence of HTS (SEQ ID NO:313), and a CDR-L3 sequence comprising the amino acid sequence of CQVLOF (SEQ ID NO:314). In some embodiments, a binding protein of the present disclosure comprises an antigen binding site comprising: an antibody heavy chain variable (VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of GYTFTAHI (SEQ ID NO:308) a CDR-H2 sequence comprising the amino acid sequence of IKPQYGAV (SEQ ID NO:309); and/or an antibody light chain variable (VL) domain comprising a CDR-L1 sequence comprising the amino acid sequence of OGVGSD (SEQ ID NO:312), a CDR-L2 sequence comprising the amino acid sequence of HTS (SEQ ID NO:313), and a CDR-L3 sequence comprising the amino acid sequence of CQVLQF (SEQ ID NO:314). In some embodiments, a binding protein of the present disclosure comprises an antigen binding site comprising: an antibody heavy chain variable (VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of GYTFTAHI (SEQ ID NO:308) a CDR-H2 sequence comprising the amino acid sequence of IKPQYGAV (SEQ ID NO:309); and an antibody light chain variable (VL) domain comprising a CDR-L1 sequence comprising the amino acid sequence of QGVGSD (SEQ ID NO:312), a CDR-L2 sequence comprising the amino acid sequence of HTS (SEQ ID NO:313), and a CDR-L3 sequence comprising the amino

acid sequence of CQVLQF (SEQ ID NO:314). In some embodiments, a binding protein of the present disclosure comprises an antigen binding site comprising: an antibody heavy chain variable (VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of GYTFTAHI (SEQ ID NO:308) a CDR-H2 sequence comprising the amino acid sequence of IKPQYGAT (SEQ ID NO:310); and/or an antibody light chain variable (VL) domain comprising a CDR-L1 sequence comprising the amino acid sequence of QGVGSD (SEQ ID NO:312), a CDR-L2 sequence comprising the amino acid sequence of CQVLQF (SEQ ID NO:314). In some embodiments, a binding protein of the present disclosure comprises an antigen binding site comprising: an antibody heavy chain variable (VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of GYTFTAHI (SEQ ID NO:308) a CDR-H2 sequence comprising the amino acid sequence of IKPQYGAT (SEQ ID NO:310); and an antibody light chain variable (VL) domain comprising a CDR-L1 sequence comprising the amino acid sequence of QGVGSD (SEQ ID NO:312), a CDR-L2 sequence comprising the amino acid sequence of HTS (SEQ ID NO:313), and a CDR-L3 sequence comprising the amino acid sequence of CQVLQF (SEQ ID NO:314).

[0553] In some embodiments, a binding protein of the present disclosure comprises an antigen binding site comprising: an antibody heavy chain variable (VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of DCTLN (SEQ ID NO:315) a CDR-H2 sequence comprising the amino acid sequence of WLKPRWGAVNYARPLQG (SEQ ID NO:316), and a CDR-H3 sequence comprising the amino acid sequence of GKNCDYNWDFEH (SEQ ID NO:317); and/or an antibody light chain variable (VL) domain comprising a CDR-L1 sequence comprising the amino acid sequence of RTSQYGSLA (SEQ ID NO:318), a CDR-L2 sequence comprising the amino acid sequence of SGSTRAA (SEQ ID NO:319), and a CDR-L3 sequence comprising the amino acid sequence of QQYEF (SEQ ID NO:320). In some embodiments, a binding protein of the present disclosure comprises an antigen binding site comprising: an antibody heavy chain variable (VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of DCTLN (SEQ ID NO:315) a CDR-H2 sequence comprising the amino acid sequence of WLKPRWGAVNYARPLQG (SEQ ID NO:316), and a CDR-H3 sequence comprising the amino acid sequence of GKNCDYNWDFEH (SEQ ID NO:317); and an antibody light chain variable (VL) domain comprising a CDR-L1 sequence comprising the amino acid sequence of RTSQYGSLA (SEQ ID NO:318), a CDR-L2 sequence comprising the amino acid sequence of SGSTRAA (SEQ ID NO:319), and a CDR-L3 sequence comprising the amino acid sequence of QQYEF (SEQ ID NO:320).

[0554] In some embodiments, a binding protein of the present disclosure comprises an antigen binding site with a VH domain comprising an extended heavy chain FR3 loop of antibody VRC03, e.g., as described in Liu, Q. et al. (2019) Nat. Commun. 10:721.

[0555] In some embodiments, a binding protein of the present disclosure comprises an antigen binding site comprising: an antibody heavy chain variable (VH) domain comprising an amino acid sequence that is at least 85%, at least 86%, at least 87%, at least 89%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% identical to the amino acid sequence of OVRLSOSGGOMKKPGDSMRISCRASGYEFINCPINWIRLAPGKRPEWMGWMKPRHG

AVSYARQLQGRVTMTRDMYSETAFLELRSLTSDDTAVYFCTRGKYCTARDYYNWD FEHWGQGTPVTVSS (SEQ ID NO:344), and/or an antibody light chain variable (VL) domain comprising an amino acid sequence that is at least 85%, at least 86%, at least 87%, at least 88%, at least 99%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% identical to the amino acid sequence of SLTQSPGTLSLSPGETAIISCRTSQYGSLAWYQQRPGQAPRLVIYSGSTRAAGIPDRFS

GSRWGPDYNLTISNLESGDFGVYYCQQYEFFGQGTKVQVDIK (SEQ ID NO:346). In some embodiments, a binding protein of the present disclosure comprises an antigen binding site comprising: an antibody heavy chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:344, and/or an antibody light chain variable (VL) domain comprising the amino acid sequence of SEQ ID NO:346. In some embodiments, a binding protein of the present disclosure comprises an antigen binding site comprising: an antibody heavy chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:344, and an antibody light chain variable (VL) domain comprising the amino acid sequence of SEQ ID NO:346.

[0556] In some embodiments, a binding protein of the present disclosure comprises an antigen binding site comprising: an antibody heavy chain variable (VH) domain comprising an amino acid sequence that is at least 85%, at least 86%, at least 87%, at least 89%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% identical to the amino acid sequence of

QVRLSQSGGQMKKPGDSMRISCRASGYEFINCPINWIRLAPGKRPEWMGWMKPRHG AVSYARQLQGRVTMTRQLSQDPDDPDWGTAFLELRSLTSDDTAVYFCTRGKYCTA

RDYYNWDFEHWGQGTPVTVSS (SEQ ID NO:345), and/or an antibody light chain variable (VL) domain comprising an amino acid sequence that is at least 85%, at least 86%, at least 87%, at least 88%, at least 89%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% identical to the amino acid sequence of SLTQSPGTLSLSPGETAIISCRTSQYGSLAWYQQRPGQAPRLVIYSGSTRAAGIPDRFS GSRWGPDYNLTISNLESGDFGVYYCQQYEFFGQGTKVQVDIK (SEQ ID NO:346). In some embodiments, a binding protein of the present disclosure comprises an antigen binding site comprising: an antibody heavy chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:345, and/or an antibody light chain variable (VL) domain comprises an antigen binding site comprising: an antibody heavy chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:345, and an antibody light chain variable (VL) domain comprising the amino acid sequence of SEQ ID NO:345, and an antibody light chain variable (VL) domain comprising the amino acid sequence of SEQ ID NO:346.

[0557] In some embodiments, a binding protein of the present disclosure comprises an antigen binding site comprising: an antibody heavy chain variable (VH) domain comprising an amino acid sequence that is at least 85%, at least 86%, at least 87%, at least 98%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 99%, or 100% identical to the amino acid sequence of

RAHLVOSGTAMKKPGASVRVSCOTSGYTFTAHILFWFROAPGRGLEWVGWIKPOY

GAVNFGGGFRDRVTLTRDVYREIAYMDIRGLKPDDTAVYYCARDRSYGDSSWALD AWGQGTTVVVSA (SEQ ID NO:347), and/or an antibody light chain variable (VL) domain comprising an amino acid sequence that is at least 85%, at least 86%, at least 87%, at least 88%, at least 89%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% identical to the amino acid sequence of YIHVTOSPSSLSVSIGDRVTINCOTSOGVGSDLHWYOHKPGRAPKLLIHHTSSVEDGV

PSRFSGSGFHTSFNLTISDLQADDIATYYCQVLQFFGRGSRLHIK (SEQ ID NO:350). In some embodiments, a binding protein of the present disclosure comprises an antigen binding site comprising: an antibody heavy chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:347, and/or an antibody light chain variable (VL) domain comprising the amino acid sequence of SEQ ID NO:350. In some embodiments, a binding protein of the present disclosure comprises an antigen binding site comprising: an antibody heavy chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:347, and an antibody light chain variable (VL) domain comprising the amino acid sequence of SEQ ID NO:350

[0558] In some embodiments, a binding protein of the present disclosure comprises an antigen binding site comprising: an antibody heavy chain variable (VH) domain comprising an amino acid sequence that is at least 85%, at least 86%, at least 87%, at least 89%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 99%, or 100% identical to the amino acid sequence of

RAHLVQSGTAMKKPGASVRVSCQTSGYTFTAHILFWFRQAPGRGLEWVGWIKPQY

GATNFGGGFRDRVTLTRDVYREIAYMDIRGLKPDDTAVYYCARDRSYGDSSWALD AWGQGTTVVVSA (SEQ ID NO:348), and/or an antibody light chain variable (VL) domain comprising an amino acid sequence that is at least 85%, at least 86%, at least 87%, at least 88%, at least 89%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% identical to the amino acid sequence of YIHVTQSPSSLSVSIGDRVTINCQTSQGVGSDLHWYQHKPGRAPKLLIHHTSSVEDGV

PSRFSGSGFHTSFNLTISDLQADDIATYYCQVLQFFGRGSRLHIK (SEQ ID NO:350). In some embodiments, a binding protein of the present disclosure comprises an antigen binding site comprising: an antibody heavy chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:348, and/or an antibody light chain variable (VL) domain comprising the amino acid sequence of SEQ ID NO:350. In some embodiments, a binding protein of the present disclosure comprises an antigen binding site comprising: an antibody heavy chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:348, and an antibody light chain variable (VL) domain comprising the amino acid sequence of SEQ ID NO:350

[0559] In some embodiments, a binding protein of the present disclosure comprises an antigen binding site comprising: an antibody heavy chain variable (VH) domain comprising an amino acid sequence that is at least 85%, at least 86%, at least 87%, at least 88%, at least 89%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% identical to the amino acid sequence of

RAHLVQSGTAMKKPGASVRVSCQTSGYTFTAHILFWFRQAPGRGLEWVGWIKPQY

GAVNFGGGFRDRVTLTRQLSQDPDDPDWGIAYMDIRGLKPDDTAVYYCARDRSYG DSSWALDAWGQGTTVVVSA (SEQ ID NO:349), and/or an antibody light chain variable (VL) domain comprising an amino acid sequence that is at least 85%, at least 86%, at least 87%, at least 88%, at least 99%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 99%, or 100% identical to the amino acid sequence of YIHVTQSPSSLSVSIGDRVTINCQTSQGVGSDLHWYQHKPGRAPKLLIHHTSSVEDGV

PSRFSGSGFHTSFNLTISDLQADDIATYYCQVLQFFGRGSRLHIK (SEQ ID NO:350). In some embodiments, a binding protein of the present disclosure comprises an antigen binding site comprising: an antibody heavy chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:349, and/or an antibody light chain variable (VL) domain comprising the amino acid sequence of SEQ ID NO:350. In some embodiments, a binding protein of the present disclosure comprises an antigen binding site comprising: an antibody heavy chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:349, and an antibody light chain variable (VL) domain comprising the amino acid sequence of SEQ ID NO:350.

[0560] In some embodiments, a binding protein of the present disclosure comprises an antigen binding site comprising: an antibody heavy chain variable (VH) domain comprising an amino acid sequence that is at least 85%, at least 86%, at least 87%, at least 89%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 99%, or 100% identical to the amino acid sequence of

OVOLVOSGGOMKKPGESMRISCRASGYEFIDCTLNWIRLAPGKRPEWMGWLKPRW

GAVNYARPLQGRVTMTRQLSQDPDDPDWGTAFLELRSLTVDDTAVYFCTRGKNCD YNWDFEHWGRGTPVIVSS (SEQ ID NO:351), and/or an antibody light chain variable (VL) domain comprising an amino acid sequence that is at least 85%, at least 86%, at least 87%, at least 88%, at least 99%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 99%, or 100% identical to the amino acid sequence of LTQSPGTLSLSPGETAIISCRTSQYGSLAWYQQRPGQAPRLVIYSGSTRAAGIPDRFSG

SRWGPDYNLTISNLESGDFGVYYCQQYEFFGQGTKVQVDIK (SEQ ID NO:352). In some embodiments, a binding protein of the present disclosure comprises an antigen binding site comprising: an antibody heavy chain variable (VH)

domain comprising the amino acid sequence of SEQ ID NO:351, and/or an antibody light chain variable (VL) domain comprising the amino acid sequence of SEQ ID NO:352. In some embodiments, a binding protein of the present disclosure comprises an antigen binding site comprising: an antibody heavy chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:351, and an antibody light chain variable (VL) domain comprising the amino acid sequence of SEQ ID NO:352.

[0561] In some embodiments of any of the above embodiments, the binding protein is a trispecific binding protein. In some embodiments, the trispecific binding protein comprising an antigen binding site that binds an HIV target protein, an antigen binding site that binds a CD28 polypeptide, and an antigen binding site that binds a CD3 polypeptide. In some embodiments, the binding protein is a trispecific binding protein comprising four polypeptides comprising three antigen binding sites, wherein the polypeptide of formula I and the polypeptide of formula II form a cross-over light chain-heavy chain pair (e.g., as described herein). In some embodiments, the VH and VL domains of any of the anti-CD38 antigen binding sites described above represent V.sub.H3 and V.sub.L3 and form a third antigen binding site that binds an HIV target protein. In some embodiments, V.sub.H1 and V.sub.L1 form a first antigen binding site that binds a CD28 polypeptide, V.sub.H2 and V.sub.L2 form a second antigen binding site that binds a CD3 polypeptide, and the VH and VL domains of any of the anti-HIV antigen binding sites described above and/or in Table 1A represent V.sub.H3 and V.sub.L3 and form a third antigen binding site that binds an HIV target protein.

[0562] Sequences of exemplary anti-HIV antigen binding sites are provided in Table 1A. In some embodiments, a binding protein comprising an anti-HIV antigen binding site of the present disclosure comprises 1, 2, 3, 4, 5, or all 6 CDR sequences of an anti-HIV antibody described in Table 1A. In some embodiments, a binding protein comprising an anti-HIV antigen binding site of the present disclosure comprises a VH domain sequence and/or VL domain sequence of an anti-HIV antibody described in Table 1A.

TABLE-US-00007 TABLE 1A Anti-HIV binding protein sequences. Sequence SEQ Type Molecule Description ID NO Sequence CDR VRC07_523 CDR-H1 302 NCPIN (anti-Env CDR-H2 303 WMKPRHGAVSYARQLQG gp120 CDR-H3 304 GKYCTARDYYNWDFEH CD4bs) CDR-L1 305 RTSQYGSLA CDR-L2 306 SGSTRAA CDR-L3 307 QQYEF N6 CDR-H1 308 GYTFTAHI (anti-Env CDR-H2 309 IKPQYGAV gp120 Original CD4bs) CDR-H2 rw52 310 IKPQYGAT CDR-H3 311 DRSYGDSSWALDA CDR-L1 312 QGVGSD CDR-L2 313 HTS CDR-L3 314 CQVLQF VRC01.23 CDR-H1 315 DCTLN CDR-H2 316 WLKPRWGAVNYARPLQG CDR-H3 317 GKNCDYNWDFEH CDR-L1 318 RTSQYGSLA CDR-L2 319 SGSTRAA CDR-L3 320 QQYEF Variable VRC07_523 VH 344 QVRLSQSGGQMKKPGDSMRISCRASG domain YEFINCPINWIRLAPGKRPEWMGWM KPRHGAVSYARQLQGRVTMTRDMYS

ETAFLELRSLTSDDTAVYFCTRGKYC TARDYYNWDFEHWGQGTPVTVSS FR3-03 VH 345

OVRLSOSGGOMKKPGDSMRISCRASG YEFINCPINWIRLAPGKRPEWMGWM

KPRHGAVSYARQLQGRVTMTRQLSQ DPDDPDWGTAFLELRSLTSDDTAVYF

CTRGKYCTARDYYNWDFEHWGQGT PVTVSS VL 346 SLTQSPGTLSLSPGETAIISCRTSQYGS

LAWYQQRPGQAPRLVIYSGSTRAAGI PDRFSGSRWGPDYNLTISNLESGDFG VYYCQQYEFFGQGTKVQVDIK N6 VH 347 RAHLVQSGTAMKKPGASVRVSCQTS GYTFTAHILFWFRQAPGRGLEWVGWI

KPQYGAVNFGGGFRDRVTLTRDVYR EIAYMDIRGLKPDDTAVYYCARDRSY GDSSWALDAWGQGTTVVVSA

rw52 VH 348 RAHLVQSGTAMKKPGASVRVSCQTS GYTFTAHILFWFRQAPGRGLEWVGWI

KPQYGATNFGGGFRDRVTLTRDVYR EIAYMDIRGLKPDDTAVYYCARDRSY GDSSWALDAWGQGTTVVVSA FR3-

03 VH 349 RAHLVQSGTAMKKPGASVRVSCQTS GYTFTAHILFWFRQAPGRGLEWVGWI

KPQYGAVNFGGGFRDRVTLTRQLSQ DPDDPDWGIAYMDIRGLKPDDTAVY YCARDRSYGDSSWALDAWGQGTTV

 ${\tt VVSA\,VL\,350\,YIHVTQSPSSLSVSIGDRVTINCQTSQG\,VGSDLHWYQHKPGRAPKLLIHHTSSV\,}$

EDGVPSRFSGSGFHTSFNLTISDLQAD DIATYYCQVLQFFGRGSRLHIK VRC01.23 VH 351

QVQLVQSGGQMKKPGESMRISCRAS GYEFIDCTLNWIRLAPGKRPEWMGW

LKPRWGAVNYARPLQGRVTMTRQLS QDPDDPDWGTAFLELRSLTVDDTAV

YFCTRGKNCDYNWDFEHWGRGTPVI VSS VL 352 LTQSPGTLSLSPGETAIISCRTSQYGSL

AWYQQRPGQAPRLVIYSGSTRAAGIP DRFSGSRWGPDYNLTISNLESGDFGV YYCQQYEFFGQGTKVQVDIK Anti-CD28 Binding Sites

[0563] Certain aspects of the present disclosure relate to binding proteins that comprise an antigen binding site that binds a CD28 polypeptide. In some embodiments, the CD28 polypeptide is a human CD28 polypeptide, also known as Tp44. Human CD28 polypeptides are known in the art and include, without limitation, the polypeptides represented by NCBI Accession Numbers XP_011510499.1, XP_011510497.1, XP_011510496.1, NP_001230007.1, NP_001230006.1, or NP_006130.1, or a polypeptide produced from NCBI Gene ID Number 940. In some embodiments, a binding protein comprising an antigen binding site that binds a CD28 polypeptide is monospecific and/or monovalent, bispecific and/or bivalent, trispecific and/or trivalent, or multispecific and/or multivalent. In some embodiments, a binding protein that comprises an antigen binding sites. In some embodiments, a binding protein comprising four polypeptides that form three antigen binding sites. In some embodiments, a binding protein comprising four polypeptide is a trispecific binding protein comprising four polypeptide, and one of which binds a CD28 polypeptide, and one of which binds a CD3 polypeptide, and one of which binds a CD28 polypeptide, one of which binds a CD3 polypeptide, and one of which binds a CD28 polypeptide, one of which binds a CD3 polypeptide, and one of which binds a CD28 polypeptide, one of which binds a CD3 polypeptide, and one of which binds a CD28 polypeptide, one of which binds a CD3 polypeptide, and one of which binds a CD28 polypeptide, one of which binds a CD3 polypeptide, and one of which binds a CD28 polypeptide, one of which binds a CD3 polypeptide, and one of which binds and HIV target protein.

[0564] In some embodiments, a binding protein of the present disclosure comprises an antigen binding site comprising: an antibody heavy chain variable (VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of

GYTFTSYY (SEQ ID NO:332), a CDR-H2 sequence comprising the amino acid sequence of IYPGNVNT (SEQ ID NO:333), and a CDR-H3 sequence comprising the amino acid sequence of TRSHYGLDWNFDV (SEQ ID NO:334); and/or an antibody light chain variable (VL) domain comprising a CDR-L1 sequence comprising the amino acid sequence of QNIYVW (SEQ ID NO:335), a CDR-L2 sequence comprising the amino acid sequence of KAS (SEQ ID NO:336), and a CDR-L3 sequence comprising the amino acid sequence of QQGQTYPY (SEQ ID NO:337). In some embodiments, a binding protein of the present disclosure comprises an antigen binding site comprising: an antibody heavy chain variable (VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of GYTFTSYY (SEQ ID NO:332), a CDR-H2 sequence comprising the amino acid sequence of TRSHYGLDWNFDV (SEQ ID NO:334); and an antibody light chain variable (VL) domain comprising a CDR-L1 sequence comprising the amino acid sequence of QNIYVW (SEQ ID NO:335), a CDR-L2 sequence comprising the amino acid sequence of GQGQTYPY (SEQ ID NO:337).

[0565] In some embodiments, a binding protein of the present disclosure comprises an antigen binding site comprising: an antibody heavy chain variable (VH) domain comprising an amino acid sequence that is at least 85%, at least 86%, at least 87%, at least 88%, at least 89%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% identical to the amino acid sequence of

QVQLVQSGAEVVKPGASVKVSCKASGYTFTSYYIHWVRQAPGQGLEWIGSIYPGNV

NTNYAQKFQGRATLTVDTSISTAYMELSRLRSDDTAVYYCTRSHYGLDWNFDVWG KGTTVTVSS (SEQ ID NO:360), and/or an antibody light chain variable (VL) domain comprising an amino acid sequence that is at least 85%, at least 86%, at least 87%, at least 88%, at least 89%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 99%, or 100% identical to the amino acid sequence of DIQMTQSPSSLSASVGDRVTITCQASQNIYVWLNWYQQKPGKAPKLLIYKASNLHTG

VPSRFSGSGSGTDFTLTISSLQPEDIATYYCQQGQTYPYTFGQGTKLEIK (SEQ ID NO:361). In some embodiments, a binding protein of the present disclosure comprises an antigen binding site comprising: an antibody heavy chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:360, and/or an antibody light chain variable (VL) domain comprising the amino acid sequence of SEQ ID NO:361. In some embodiments, a binding protein of the present disclosure comprises an antigen binding site comprising: an antibody heavy chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:360, and an antibody light chain variable (VL) domain comprising the amino acid sequence of SEQ ID NO:361.

[0566] In some embodiments of any of the above embodiments, the binding protein is a trispecific binding protein. In some embodiments, the trispecific binding protein comprising an antigen binding site that binds an HIV target protein, an antigen binding site that binds a CD28 polypeptide, and an antigen binding site that binds a CD3 polypeptide. In some embodiments, the binding protein is a trispecific binding protein comprising four polypeptides comprising three antigen binding sites, wherein the polypeptide of formula I and the polypeptide of formula II form a cross-over light chain-heavy chain pair (e.g., as described herein). In some embodiments, the VH and VL domains of any of the anti-CD28 antigen binding sites described above represent V.sub.H1 and V.sub.L1 and form a first antigen binding site that binds a CD28 polypeptide. In some embodiments, the VH and VL domains of any of the anti-CD28 antigen binding sites described above represent V.sub.H1 and V.sub.L1 and form a first antigen binding site that binds a CD28 polypeptide, V.sub.H2 and V.sub.L2 form a second antigen binding site that binds a CD3 polypeptide, and V.sub.H3 and V.sub.L3 and form a third antigen binding site that binds an HIV target protein.

[0567] Sequences of exemplary anti-CD28 antigen binding sites are provided in Table 2. In some embodiments, a binding protein comprising an anti-CD28 antigen binding site of the present disclosure comprises 1, 2, 3, 4, 5, or all 6 CDR sequences of an anti-CD28 antibody described in Table 2A. In some embodiments, a binding protein comprising an anti-CD28 antigen binding site of the present disclosure comprises a VH domain sequence and/or VL domain sequence of an anti-CD28 antibody described in Table 2A.

TABLE-US-00008 TABLE 2A Anti-CD28 binding protein sequences. Sequence SEQ Type Molecule Description ID NO Sequence CDR Anti-CD28 CDR-H1 332 GYTFTSYY (sup) CDR-H2 333 IYPGNVNT CDR-H3 334 TRSHYGLDWNFDV CDR-L1 335 QNIYVW CDR-L2 336 KAS CDR-L3 337 QQGQTYPY Variable Anti-CD28 VH 360 QVQLVQSGAEVVKPGASVKVSCKAS Domain (sup) GYTFTSYYIHWVRQAPGQGLEWIGSI YPGNVNTNYAQKFQGRATLTVDTSIS TAYMELSRLRSDDTAVYYCTRSHYG LDWNFDVWGKGTTVTVSS VL 361 DIQMTQSPSSLSASVGDRVTITCQASQ NIYVWLNWYQQKPGKAPKLLIYKAS NLHTGVPSRFSGSGSGTDFTLTISSLQP EDIATYYCQQGQTYPYTFGQGTKLEI K

Anti-CD3 Binding Sites

[0568] Certain aspects of the present disclosure relate to binding proteins that comprise an antigen binding site that binds a CD3 polypeptide. In some embodiments, the CD3 polypeptide is a human CD3 polypeptide, including CD3-delta (also known as T3D, IMD19, and CD3-DELTA), CD3-epsilon (also known as T3E, IMD18, and TCRE), and CD3-gamma (also known as T3G, IMD17, and CD3-GAMMA). Human CD3 polypeptides are known in the art and include, without limitation, the polypeptides represented by NCBI Accession Numbers XP_006510029.1 or NP_031674.1, or a polypeptide produced from NCBI Gene ID Numbers 915, 916, or 917. In some embodiments, a binding protein comprising an antigen binding site that binds a CD3 polypeptide is monospecific and/or monovalent, bispecific and/or bivalent, trispecific and/or trivalent, or multispecific and/or multivalent. In some embodiments, a binding protein that comprises an antigen binding site that binds a CD3 polypeptide is a trispecific binding protein comprising four polypeptides that form three antigen binding sites. In some embodiments, a binding protein that comprises an antigen binding site that binds a CD3 polypeptide is a trispecific binding

protein comprising four polypeptides that form three antigen binding sites, one of which binds a CD28 polypeptide, and one of which binds a CD3 polypeptide. In some embodiments, a binding protein that comprises an antigen binding site that binds a CD3 polypeptide is a trispecific binding protein comprising four polypeptides that form three antigen binding sites, one of which binds a CD28 polypeptide, one of which binds a CD3 polypeptide, and one of which binds an HIV target protein. [0569] In some embodiments, a binding protein of the present disclosure comprises an antigen binding site comprising: an antibody heavy chain variable (VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of GFTFTKAW (SEQ ID NO:321), a CDR-H2 sequence comprising the amino acid sequence of IKDKSNSYAT (SEQ ID NO:322), and a CDR-H3 sequence comprising the amino acid sequence of RGVYYALSPFDY (SEQ ID NO:323); and/or an antibody light chain variable (VL) domain comprising a CDR-L1 sequence comprising the amino acid sequence of QSLVHX.sub.1NX.sub.2X.sub.3TY, wherein X.sub.1 is E or Q, X.sub.2 is A or L, and X.sub.3 is Q, R, or F (SEQ ID NO:594), a CDR-L2 sequence comprising the amino acid sequence of KVS (SEQ ID NO:330), and a CDR-L3 sequence comprising the amino acid sequence of GQGTQYPFT (SEQ ID NO:331). In some embodiments, the CDR-L1 sequence of the V.sub.L2 domain comprises an amino acid sequence selected from the group consisting of QSLVHQNAQTY (SEQ ID NO:325), QSLVHENLQTY (SEQ ID NO:326), QSLVHENLFTY (SEQ ID NO:327), and QSLVHENLRTY (SEQ ID NO:328)

[0570] In some embodiments, a binding protein of the present disclosure comprises an antigen binding site comprising: an antibody heavy chain variable (VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of GFTFTKAW (SEQ ID NO:321), a CDR-H2 sequence comprising the amino acid sequence of IKDKSNSYAT (SEQ ID NO:322), and a CDR-H3 sequence comprising the amino acid sequence of RGVYYALSPFDY (SEQ ID NO:323); and/or an antibody light chain variable (VL) domain comprising a CDR-L1 sequence comprising the amino acid sequence of QSLVHQNAQTY (SEQ ID NO:325), a CDR-L2 sequence comprising the amino acid sequence of KVS (SEQ ID NO:330), and a CDR-L3 sequence comprising the amino acid sequence of GQGTQYPFT (SEQ ID NO:331). In some embodiments, a binding protein of the present disclosure comprises an antigen binding site comprising: an antibody heavy chain variable (VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of GFTFTKAW (SEQ ID NO:321), a CDR-H2 sequence comprising the amino acid sequence of IKDKSNSYAT (SEQ ID NO:322), and a CDR-H3 sequence comprising the amino acid sequence of RGVYYALSPFDY (SEQ ID NO:323); and an antibody light chain variable (VL) domain comprising a CDR-L1 sequence comprising the amino acid sequence of QSLVHQNAQTY (SEQ ID NO:325), a CDR-L2 sequence comprising the amino acid sequence of KVS (SEQ ID NO:330), and a CDR-L3 sequence comprising the amino acid sequence of GQGTQYPFT (SEQ ID NO:331).

[0571] In some embodiments, a binding protein of the present disclosure comprises an antigen binding site comprising: an antibody heavy chain variable (VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of GFTFTKAW (SEQ ID NO:321), a CDR-H2 sequence comprising the amino acid sequence of IKDKSNSYAT (SEQ ID NO:322), and a CDR-H3 sequence comprising the amino acid sequence of RGVYYALSPFDY (SEQ ID NO:323); and/or an antibody light chain variable (VL) domain comprising a CDR-L1 sequence comprising the amino acid sequence of QSLVHENLQTY (SEQ ID NO:326), a CDR-L2 sequence comprising the amino acid sequence of KVS (SEQ ID NO:330), and a CDR-L3 sequence comprising the amino acid sequence of GQGTQYPFT (SEQ ID NO:331). In some embodiments, a binding protein of the present disclosure comprises an antigen binding site comprising: an antibody heavy chain variable (VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of GFTFTKAW (SEQ ID NO:321), a CDR-H2 sequence comprising the amino acid sequence of IKDKSNSYAT (SEQ ID NO:322), and a CDR-H3 sequence comprising the amino acid sequence of QSLVHENLQTY (SEQ ID NO:326), a CDR-L2 sequence comprising the amino acid sequence of KVS (SEQ ID NO:330), and a CDR-L3 sequence comprising the amino acid sequence of GQGTQYPFT (SEQ ID NO:331).

[0572] In some embodiments, a binding protein of the present disclosure comprises an antigen binding site comprising: an antibody heavy chain variable (VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of GFTFTKAW (SEQ ID NO:321), a CDR-H2 sequence comprising the amino acid sequence of IKDKSNSYAT (SEQ ID NO:322), and a CDR-H3 sequence comprising the amino acid sequence of RGVYYALSPFDY (SEQ ID NO:323); and/or an antibody light chain variable (VL) domain comprising a CDR-L1 sequence comprising the amino acid sequence of QSLVHENLFTY (SEQ ID NO:327), a CDR-L2 sequence comprising the amino acid sequence of KVS (SEQ ID NO:330), and a CDR-L3 sequence comprising the amino acid sequence of GQGTQYPFT (SEQ ID NO:331). In some embodiments, a binding protein of the present disclosure comprises an antigen binding site comprising: an antibody heavy chain variable (VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of GFTFTKAW (SEQ ID NO:321), a CDR-H2 sequence comprising the amino acid sequence of IKDKSNSYAT (SEQ ID NO:322), and a CDR-H3 sequence comprising the amino acid sequence of QSLVHENLFTY (SEQ ID NO:327), a CDR-L2 sequence comprising the amino acid sequence of KVS (SEQ ID NO:330), and a CDR-L3 sequence comprising the amino acid sequence of GQGTQYPFT (SEQ ID NO:331).

[0573] In some embodiments, a binding protein of the present disclosure comprises an antigen binding site comprising: an antibody heavy chain variable (VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of GFTFTKAW (SEQ ID NO:321), a CDR-H2 sequence comprising the amino acid sequence of IKDKSNSYAT (SEQ ID NO:322), and a CDR-H3 sequence comprising the amino acid sequence of RGVYYALSPFDY (SEQ ID NO:323); and/or an antibody light chain variable (VL) domain comprising a CDR-L1 sequence comprising the amino acid sequence of QSLVHENLRTY (SEQ ID NO:328), a CDR-L2 sequence comprising the amino acid sequence of KVS (SEQ ID NO:330),

```
and a CDR-L3 sequence comprising the amino acid sequence of GQGTQYPFT (SEQ ID NO:331). In some embodiments, a
binding protein of the present disclosure comprises an antigen binding site comprising: an antibody heavy chain variable
(VH) domain comprising a CDR-H1 sequence comprising the amino acid sequence of GFTFTKAW (SEQ ID NO:321), a
CDR-H2 sequence comprising the amino acid sequence of IKDKSNSYAT (SEQ ID NO:322), and a CDR-H3 sequence
comprising the amino acid sequence of RGVYYALSPFDY (SEQ ID NO:323); and an antibody light chain variable (VL)
domain comprising a CDR-L1 sequence comprising the amino acid sequence of QSLVHENLRTY (SEQ ID NO:328), a
CDR-L2 sequence comprising the amino acid sequence of KVS (SEQ ID NO:330), and a CDR-L3 sequence comprising the
amino acid sequence of GQGTQYPFT (SEQ ID NO:331).
[0574] In some embodiments, a binding protein of the present disclosure comprises an antigen binding site comprising: an
antibody heavy chain variable (VH) domain comprising an amino acid sequence that is at least 85%, at least 86%, at least
87%, at least 88%, at least 89%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least
96%, at least 97%, at least 98%, at least 99%, or 100% identical to the amino acid sequence of
QVQLVESGGGVVQPGRSLRLSCAASGFTFTKAWMHWVRQAPGKQLEWVAQIKDKS
NSYATYYADSVKGRFTISRDDSKNTLYLQMNSLRAEDTAVYYCRGVYYALSPFDY WGQGTLVTVSS (SEQ ID
NO:353), and/or an antibody light chain variable (VL) domain comprising an amino acid sequence that is at least 85%, at
least 86%, at least 87%, at least 88%, at least 89%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at
least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% identical to an amino acid sequence selected from
the group consisting of DIVMTOTPLSLSVTPGOPASISCKSSOSLVHONAOTYLSWYLOKPGOSPOSLIYKVSN
RFSGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCGQGTQYPFTFGSGTKVEIK (SEQ ID NO:355),
DIVMTQTPLSLSVTPGQPASISCKSSQSLVHENLQTYLSWYLQKPGQSPQSLIYKVSN
RFSGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCGOGTQYPFTFGSGTKVEIK (SEQ ID NO:356),
DIVMTQTPLSLSVTPGQPASISCKSSQSLVHENLFTYLSWYLQKPGQSPQSLIYKVSNR
FSGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCGQGTQYPFTFGSGTKVEIK (SEQ ID NO:357), and
DIVMTQTPLSLSVTPGQPASISCKSSQSLVHENLRTYLSWYLQKPGQSPQSLIYKVSN
RFSGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCGQGTQYPFTFGSGTKVEIK (SEQ ID NO:358). In some
embodiments, a binding protein of the present disclosure comprises an antigen binding site comprising: an antibody heavy
chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:353, and/or an antibody light chain variable
(VL) domain comprising an amino acid sequence selected from the group consisting of SEQ ID NO:355, SEQ ID NO:356,
SEQ ID NO:357, and SEQ ID NO:358. In some embodiments, a binding protein of the present disclosure comprises an
antigen binding site comprising: an antibody heavy chain variable (VH) domain comprising the amino acid sequence of SEQ
ID NO:353, and an antibody light chain variable (VL) domain comprising an amino acid sequence selected from the group
consisting of SEQ ID NO:355, SEQ ID NO:356, SEQ ID NO:357, and SEQ ID NO:358.
[0575] In some embodiments, a binding protein of the present disclosure comprises an antigen binding site comprising: an
antibody heavy chain variable (VH) domain comprising an amino acid sequence that is at least 85%, at least 86%, at least
87%, at least 88%, at least 89%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least
96%, at least 97%, at least 98%, at least 99%, or 100% identical to the amino acid sequence of
QVQLVESGGGVVQPGRSLRLSCAASGFTFTKAWMHWVRQAPGKQLEWVAQIKDKS
NSYATYYADSVKGRFTISRDDSKNTLYLQMNSLRAEDTAVYYCRGVYYALSPFDY WGQGTLVTVSS (SEQ ID
NO:353), and/or an antibody light chain variable (VL) domain comprising an amino acid sequence that is at least 85%, at
least 86%, at least 87%, at least 88%, at least 89%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at
least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% identical to the amino acid sequence of
DIVMTQTPLSLSVTPGQPASISCKSSQSLVHQNAQTYLSWYLQKPGQSPQSLIYKVSN
RFSGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCGQGTQYPFTFGSGTKVEIK (SEQ ID NO:355). In some
embodiments, a binding protein of the present disclosure comprises an antigen binding site comprising: an antibody heavy
chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:353, and/or an antibody light chain variable
(VL) domain comprising the amino acid sequence of SEQ ID NO:355. In some embodiments, a binding protein of the
present disclosure comprises an antigen binding site comprising: an antibody heavy chain variable (VH) domain comprising
the amino acid sequence of SEQ ID NO:353, and an antibody light chain variable (VL) domain comprising the amino acid
sequence of SEO ID NO:355.
[0576] In some embodiments, a binding protein of the present disclosure comprises an antigen binding site comprising: an
antibody heavy chain variable (VH) domain comprising an amino acid sequence that is at least 85%, at least 86%, at least
87%, at least 88%, at least 89%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least
96%, at least 97%, at least 98%, at least 99%, or 100% identical to the amino acid sequence of
QVQLVESGGGVVQPGRSLRLSCAASGFTFTKAWMHWVRQAPGKQLEWVAQIKDKS
NSYATYYADSVKGRFTISRDDSKNTLYLQMNSLRAEDTAVYYCRGVYYALSPFDY WGQGTLVTVSS (SEQ ID
NO:353), and/or an antibody light chain variable (VL) domain comprising an amino acid sequence that is at least 85%, at
least 86%, at least 87%, at least 88%, at least 89%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at
least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% identical to the amino acid sequence of
DIVMTQTPLSLSVTPGQPASISCKSSQSLVHENLQTYLSWYLQKPGQSPQSLIYKVSN
RFSGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCGOGTOYPFTFGSGTKVEIK (SEO ID NO:356). In some
embodiments, a binding protein of the present disclosure comprises an antigen binding site comprising: an antibody heavy
chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:353, and/or an antibody light chain variable
(VL) domain comprising the amino acid sequence of SEQ ID NO:356. In some embodiments, a binding protein of the
```

present disclosure comprises an antigen binding site comprising: an antibody heavy chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:353, and an antibody light chain variable (VL) domain comprising the amino acid sequence of SEQ ID NO:356.

[0577] In some embodiments, a binding protein of the present disclosure comprises an antigen binding site comprising: an antibody heavy chain variable (VH) domain comprising an amino acid sequence that is at least 85%, at least 86%, at least 87%, at least 89%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 99%, or 100% identical to the amino acid sequence of QVQLVESGGGVVQPGRSLRLSCAASGFTFTKAWMHWVRQAPGKQLEWVAQIKDKS

NSYATYYADSVKGRFTISRDDSKNTLYLQMNSLRAEDTAVYYCRGVYYALSPFDY WGQGTLVTVSS (SEQ ID NO:353), and/or an antibody light chain variable (VL) domain comprising an amino acid sequence that is at least 85%, at least 86%, at least 87%, at least 88%, at least 89%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99%, or 100% identical to the amino acid sequence of

DIVMTQTPLSLSVTPGQPASISCKSSQSLVHENLFTYLSWYLQKPGQSPQSLIYKVSNR

FSGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCGQGTQYPFTFGSGTKVEIK (SEQ ID NO:357). In some embodiments, a binding protein of the present disclosure comprises an antigen binding site comprising: an antibody heavy chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:353, and/or an antibody light chain variable (VL) domain comprising the amino acid sequence of SEQ ID NO:357. In some embodiments, a binding protein of the present disclosure comprises an antigen binding site comprising: an antibody heavy chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:353, and an antibody light chain variable (VL) domain comprising the amino acid sequence of SEQ ID NO:357.

[0578] In some embodiments, a binding protein of the present disclosure comprises an antigen binding site comprising: an antibody heavy chain variable (VH) domain comprising an amino acid sequence that is at least 85%, at least 86%, at least 87%, at least 89%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 99%, or 100% identical to the amino acid sequence of

QVQLVESGGGVVQPGRSLRLSCAASGFTFTKAWMHWVRQAPGKQLEWVAQIKDKS

NSYATYYADSVKGRFTISRDDSKNTLYLQMNSLRAEDTAVYYCRGVYYALSPFDY WGQGTLVTVSS (SEQ ID NO:353), and/or an antibody light chain variable (VL) domain comprising an amino acid sequence that is at least 85%, at least 86%, at least 87%, at least 88%, at least 89%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 99%, or 100% identical to the amino acid sequence of DIVMTQTPLSLSVTPGQPASISCKSSQSLVHENLRTYLSWYLQKPGQSPQSLIYKVSN

RFSGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCGQGTQYPFTFGSGTKVEIK (SEQ ID NO:358). In some embodiments, a binding protein of the present disclosure comprises an antigen binding site comprising: an antibody heavy chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:353, and/or an antibody light chain variable (VL) domain comprising the amino acid sequence of SEQ ID NO:358. In some embodiments, a binding protein of the present disclosure comprises an antigen binding site comprising: an antibody heavy chain variable (VH) domain comprising the amino acid sequence of SEQ ID NO:353, and an antibody light chain variable (VL) domain comprising the amino acid sequence of SEQ ID NO:358.

[0579] Advantageously, anti-CD3 binding sites are described herein with high affinity binding to human CD3 polypeptides and potential manufacturing liabilities (e.g., deamidation sites) removed.

[0580] In some embodiments of any of the above embodiments, the binding protein is a trispecific binding protein. In some embodiments, the trispecific binding protein comprising an antigen binding site that binds an HIV target protein, an antigen binding site that binds a CD3 polypeptide. In some embodiments, the binding protein is a trispecific binding protein comprising four polypeptides comprising three antigen binding sites, wherein the polypeptide of formula I and the polypeptide of formula II form a cross-over light chain-heavy chain pair (e.g., as described herein). In some embodiments, the VH and VL domains of any of the anti-CD3 antigen binding sites described above represent V.sub.H2 and V.sub.L2 and form a second antigen binding site that binds a CD3 polypeptide, the VH and VL domains of any of the anti-CD3 antigen binding sites described above and/or in Table 3 represent V.sub.H2 and V.sub.L2 and form a second antigen binding site that binds a CD3 polypeptide, and V.sub.H3 and V.sub.L3 form a third antigen binding site that binds an HIV target protein.

[0581] Sequences of exemplary anti-CD3 antigen binding sites are provided in Table 3. In some embodiments, a binding protein comprising an anti-CD3 antigen binding site of the present disclosure comprises 1, 2, 3, 4, 5, or all 6 CDR sequences of an anti-CD3 antibody described in Table 3A. In some embodiments, a binding protein comprising an anti-CD3 antigen binding site of the present disclosure comprises a VH domain sequence and/or VL domain sequence of an anti-CD3 antibody described in Table 3A.

TABLE-US-00009 TABLE 3A Anti-CD3 binding protein sequences. Sequence SEQ Type Molecule Description ID NO Sequence CDR Anti-CD3 CDR-H1 321 GFTFTKAW (mid) original CDR-H2 322 IKDKSNSYAT original CDR-H3 323 RGVYYALSPFDY original CDR-L1 324 QSLVHNNANTY original CDR-L1 QQ 325 QSLVHQNAQTY CDR-L1 ENLQ 326 QSLVHENLQTY CDR-L1 ENLF 327 QSLVHENLFTY CDR-L1 ENLR 328 QSLVHENLRTY CDR-L1 329 QSLVHDNAQTY DNAQ CDR-L2 330 KVS original CDR-L3 331 GQGTQYPFT Original consensus 594 QSLVHX.sub.1NX.sub.2X.sub.3TY, CDR-L1 wherein X.sub.1 is E or Q, X.sub.2 is A or L, and X.sub.3 is Q, R, or F Variable Anti-CD3 VH 353 QVQLVESGGGVVQPGRSLRLSCAASG domain (mid) FTFTKAWMHWVRQAPGKQLEWVAQ IKDKSNSYATYYADSVKGRFTISRDDS

KNTLYLQMNSLRAEDTAVYYCRGVY YALSPFDYWGQGTLVTVSS VL 354
DIVMTQTPLSLSVTPGQPASISCKSSQS Original LVHNNANTYLSWYLQKPGQSPQSLIY
KVSNRFSGVPDRFSGSGSGTDFTLKIS RVEAEDVGVYYCGQGTQYPFTFGSG TKVEIK VL 355
DIVMTQTPLSLSVTPGQPASISCKSSQS 32/35 QQ LVHQNAQTYLSWYLQKPGQSPQSLIY
KVSNRFSGVPDRFSGSGSGTDFTLKIS RVEAEDVGVYYCGQGTQYPFTFGSG TKVEIK VL 356
DIVMTQTPLSLSVTPGQPASISCKSSQS ENLQ LVHENLQTYLSWYLQKPGQSPQSLIY
KVSNRFSGVPDRFSGSGSGTDFTLKIS RVEAEDVGVYYCGQGTQYPFTFGSG TKVEIK VL 357
DIVMTQTPLSLSVTPGQPASISCKSSQS ENLF LVHENLFTYLSWYLQKPGQSPQSLIY
KVSNRFSGVPDRFSGSGSGTDFTLKIS RVEAEDVGVYYCGQGTQYPFTFGSG TKVEIK VL 358
DIVMTQTPLSLSVTPGQPASISCKSSQS ENLR LVHENLRTYLSWYLQKPGQSPQSLIY
KVSNRFSGVPDRFSGSGSGTDFTLKIS RVEAEDVGVYYCGQGTQYPFTFGSG TKVEIK VL 359
DIVMTQTPLSLSVTPGQPASISCKSSQS DNAQ LVHDNAQTYLSWYLQKPGQSPQSLIY
KVSNRFSGVPDRFSGSGSGTDFTLKIS RVEAEDVGVYYCGQGTQYPFTFGSG TKVEIK VL 359
DIVMTQTPLSLSVTPGQPASISCKSSQS DNAQ LVHDNAQTYLSWYLQKPGQSPQSLIY
KVSNRFSGVPDRFSGSGSGTDFTLKIS RVEAEDVGVYYCGQGTQYPFTFGSG TKVEIK

[0582] In some embodiments, the linkers L.sub.1, L.sub.2, L.sub.3, and L.sub.4 range from no amino acids (length=0) to about 100 amino acids long, or less than 100, 50, 40, 30, 20, or 15 amino acids or less. The linkers can also be 10, 9, 8, 7, 6, 5, 4, 3, 2, or 1 amino acids long. L.sub.1, L.sub.2, L.sub.3, and L.sub.4 in one binding protein may all have the same amino acid sequence or may all have different amino acid sequences.

[0584] The identity and sequence of amino acid residues in the linker may vary depending on the type of secondary structural element necessary to achieve in the linker. For example, glycine, serine, and alanine are best for linkers having maximum flexibility. Some combination of glycine, proline, threonine, and serine are useful if a more rigid and extended linker is necessary. Any amino acid residue may be considered as a linker in combination with other amino acid residues to construct larger peptide linkers as necessary depending on the desired properties.

[0585] In some embodiments, the length of L.sub.1 is at least twice the length of L.sub.3. In some embodiments, the length of L.sub.2 is at least twice the length of L.sub.4. In some embodiments, the length of L.sub.1 is at least twice the length of L.sub.3, and the length of L.sub.2 is at least twice the length of L.sub.4. In some embodiments, L.sub.1 is 3 to 12 amino acid residues in length, L.sub.2 is 3 to 14 amino acid residues in length, L.sub.3 is 1 to 8 amino acid residues in length, and L.sub.4 is 1 to 3 amino acid residues in length. In some embodiments, L.sub.1 is 5 to 10 amino acid residues in length, L.sub.2 is 5 to 8 amino acid residues in length, L.sub.3 is 1 to 5 amino acid residues in length, and L.sub.4 is 1 to 2 amino acid residues in length, L.sub.3 is 1 amino acid residues in length, L.sub.3 is 1 amino acid residue in length, and L.sub.4 is 2 amino acid residues in length.

[0587] In some embodiments, at least one of L.sub.1, L.sub.2, L.sub.3 or L.sub.4 comprises the sequence DKTHT (SEQ ID NO:338). In some embodiments, L.sub.1, L.sub.2, L.sub.3 and L.sub.4 comprise the sequence DKTHT (SEQ ID NO:338). Fc Regions and Constant Domains

[0588] In some embodiments, a binding protein of the present disclosure comprises a second polypeptide chain further comprising an Fc region linked to C.sub.H1, the Fc region comprising an immunoglobulin hinge region and C.sub.H2 and C.sub.H3 immunoglobulin heavy chain constant domains. In some embodiments, a binding protein of the present disclosure comprises a third polypeptide chain further comprising an Fc region linked to C.sub.H1, the Fc region comprising an immunoglobulin hinge region and C.sub.H2 and C.sub.H3 immunoglobulin heavy chain constant domains. In some embodiments, a binding protein of the present disclosure comprises a second polypeptide chain further comprising an Fc region linked to C.sub.H1, the Fc region comprising an immunoglobulin hinge region and C.sub.H2 and C.sub.H3 immunoglobulin heavy chain constant domains, and a third polypeptide chain further comprising an Fc region linked to C.sub.H1, the Fc region comprising an immunoglobulin hinge region and C.sub.H3 immunoglobulin heavy chain constant domains.

[0589] In some embodiments, a binding protein of the present disclosure comprises a full-length antibody heavy chain or a polypeptide chain comprising an Fc region. In some embodiments, the Fc region is a human Fc region, e.g., a human IgG1, IgG2, IgG3, or IgG4 Fc region. In some embodiments, the Fc region includes an antibody hinge, C.sub.H1, C.sub.H2, C.sub.H3, and optionally C.sub.H4 domains. In some embodiments, the Fc region is a human IgG1 Fc region. In some

embodiments, the Fc region is a human IgG4 Fc region. In some embodiments, the Fc region includes one or more of the mutations described infra. In some embodiments, the Fc region is an Fc region of one of the heavy chain polypeptides (e.g. polypeptide 2 or 3) of a binding protein shown in Table 4. In some embodiments, the heavy chain constant region is a constant region of one of the heavy chain polypeptides (e.g., polypeptide 2 or 3) of a binding protein shown in Table 4. In some embodiments, the light chain constant region is a constant region of one of the light chain polypeptides (e.g. polypeptide 1 or 4) of a binding protein shown in Table 4A.

[0590] In some embodiments, a binding protein of the present disclosure includes one or two Fc variants. The term "Fc variant" as used herein refers to a molecule or sequence that is modified from a native Fc but still comprises a binding site for the salvage receptor, FcRn (neonatal Fc receptor). Exemplary Fc variants, and their interaction with the salvage receptor, are known in the art. Thus, the term "Fc variant" can comprise a molecule or sequence that is humanized from a non-human native Fc. Furthermore, a native Fc comprises regions that can be removed because they provide structural features or biological activity that are not required for the antibody-like binding proteins of the invention. Thus, the term "Fc variant" comprises a molecule or sequence that lacks one or more native Fc sites or residues, or in which one or more Fc sites or residues has be modified, that affect or are involved in: (1) disulfide bond formation, (2) incompatibility with a selected host cell, (3) N-terminal heterogeneity upon expression in a selected host cell, (4) glycosylation, (5) interaction with complement, (6) binding to an Fc receptor other than a salvage receptor, or (7) antibody-dependent cellular cytotoxicity (ADCC). [0591] In some embodiments, a binding protein of the present disclosure (e.g., a trispecific binding protein) comprises a "knob" mutation on the second polypeptide chain and a "hole" mutation on the third polypeptide chain. In some embodiments, a binding protein of the present disclosure comprises a "knob" mutation on the third polypeptide chain and a "hole" mutation on the second polypeptide chain. In some embodiments, the "knob" mutation comprises substitution(s) at positions corresponding to positions 354 and/or 366 of human IgG1 or IgG4 according to EU Index. In some embodiments, the amino acid substitutions are S354C, T366W, T366Y, S354C and T366W, or S354C and T366Y. In some embodiments, the "knob" mutation comprises substitutions at positions corresponding to positions 354 and 366 of human IgG1 or IgG4 according to EU Index. In some embodiments, the amino acid substitutions are S354C and T366W. In some embodiments, the "hole" mutation comprises substitution(s) at positions corresponding to positions 407 and, optionally, 349, 366, and/or 368 and of human IgG1 or IgG4 according to EU Index. In some embodiments, the amino acid substitutions are Y407V or Y407T and optionally Y349C, T366S, and/or L368A. In some embodiments, the "hole" mutation comprises substitutions at positions corresponding to positions 349, 366, 368, and 407 of human IgG1 or IgG4 according to EU Index. In some embodiments, the amino acid substitutions are Y349C, T366S, L368A, and Y407V.

[0592] In some embodiments, the second polypeptide chain further comprises a first Fc region linked to CH1, the first Fc region comprising an immunoglobulin hinge region and CH2 and CH3 immunoglobulin heavy chain constant domains, wherein the first Fc region comprises amino acid substitution(s) at positions corresponding to positions 366 and optionally 354 of human IgG1 or IgG4 according to EU Index, wherein the amino acid substitutions are T366W or T366Y and optionally S354C; and wherein the third polypeptide chain further comprises a second Fc region linked to CH1, the second Fc region comprising an immunoglobulin hinge region and CH2 and CH3 immunoglobulin heavy chain constant domains, wherein the second Fc region comprises amino acid substitution(s) at positions corresponding to positions 407 and optionally 349, 366, and/or 368 and of human IgG1 or IgG4 according to EU Index, wherein the amino acid substitutions are Y407V or Y407T and optionally Y349C, T366S, and/or L368A.

[0593] In some embodiments, the second polypeptide chain further comprises a first Fc region linked to CH1, the first Fc region comprising an immunoglobulin hinge region and CH2 and CH3 immunoglobulin heavy chain constant domains, wherein the first Fc region comprises amino acid substitution(s) at positions corresponding to positions 407 and optionally 349, 366, and/or 368 and of human IgG1 or IgG4 according to EU Index, wherein the amino acid substitutions are Y407V or Y407T and optionally Y349C, T366S, and/or L368A; and wherein the third polypeptide chain further comprises a second Fc region linked to CH1, the second Fc region comprising an immunoglobulin hinge region and CH2 and CH3 immunoglobulin heavy chain constant domains, wherein the second Fc region comprises amino acid substitution(s) at positions corresponding to positions 366 and optionally 354 of human IgG1 or IgG4 according to EU Index, wherein the amino acid substitutions are T366W or T366Y and optionally S354C.

[0594] In some embodiments, the second polypeptide chain further comprises a first Fc region linked to CH1, the first Fc region comprising an immunoglobulin hinge region and CH2 and CH3 immunoglobulin heavy chain constant domains, wherein the first Fc region comprises amino acid substitution at position corresponding to position 366 of human IgG1 or IgG4 according to EU Index, wherein the amino acid substitution is T366W; and wherein the third polypeptide chain further comprises a second Fc region linked to CH1, the second Fc region comprising an immunoglobulin hinge region and CH2 and CH3 immunoglobulin heavy chain constant domains, wherein the second Fc region comprises amino acid substitution(s) at positions corresponding to positions 366, 368, and/or 407 and of human IgG1 or IgG4 according to EU Index, wherein the amino acid substitutions are T366S, L368A, and/or Y407V.

[0595] In some embodiments, the second polypeptide chain further comprises a first Fc region linked to CH1, the first Fc region comprising an immunoglobulin hinge region and CH2 and CH3 immunoglobulin heavy chain constant domains, wherein the first Fc region comprises amino acid substitution(s) at positions corresponding to positions 366, 368, and/or 407 and of human IgG1 or IgG4 according to EU Index, wherein the amino acid substitutions are T366S, L368A, and/or Y407V; and wherein the third polypeptide chain further comprises a second Fc region linked to CH1, the second Fc region comprising an immunoglobulin hinge region and CH2 and CH3 immunoglobulin heavy chain constant domains, wherein the second Fc region comprises amino acid substitution at position corresponding to position 366 of human IgG1 or IgG4 according to EU Index, wherein the amino acid substitution is T366W.

[0596] In some embodiments, the second polypeptide chain further comprises a first Fc region linked to CH1, the first Fc region comprising an immunoglobulin hinge region and CH2 and CH3 immunoglobulin heavy chain constant domains, wherein the first Fc region comprises amino acid substitutions at positions corresponding to positions 354 and 366 of human IgG1 or IgG4 according to EU Index, wherein the amino acid substitutions are S354C and T366W; and wherein the third polypeptide chain further comprises a second Fc region linked to CH1, the second Fc region comprising an immunoglobulin hinge region and CH2 and CH3 immunoglobulin heavy chain constant domains, wherein the second Fc region comprises amino acid substitutions at positions corresponding to positions 349, 366, 368, and 407 of human IgG1 or IgG4 according to EU Index, wherein the amino acid substitutions are Y349C, T366S, L368A, and Y407V. In some embodiments, the second polypeptide chain further comprises a first Fc region linked to CH1, the first Fc region comprising an immunoglobulin hinge region and CH2 and CH3 immunoglobulin heavy chain constant domains, wherein the first Fc region comprises amino acid substitutions at positions corresponding to positions 349, 366, 368, and 407 of human IgG1 or IgG4 according to EU Index, wherein the amino acid substitutions are Y349C, T366S, L368A, and Y407V; and wherein the third polypeptide chain further comprises a second Fc region linked to CH1, the second Fc region comprising an immunoglobulin hinge region and CH2 and CH3 immunoglobulin heavy chain constant domains, wherein the second Fc region comprises amino acid substitutions at positions corresponding to positions 354 and 366 of human IgG1 or IgG4 according to EU Index, wherein the amino acid substitutions are S354C and T366W. In some embodiments, the first and/or second Fc regions are human IgG1 Fc regions. In some embodiments, the first and/or second Fc regions are human IgG4 Fc regions.

[0597] In some embodiments, the second polypeptide chain further comprises a first Fc region linked to CH1, wherein the first Fc region is a human IgG4 Fc region comprising an immunoglobulin hinge region and CH2 and CH3 immunoglobulin heavy chain constant domains, wherein the first Fc region comprises amino acid substitutions at positions corresponding to positions 228, 354, 366, and 409 of human IgG4 according to EU Index, wherein the amino acid substitutions are S228P, S354C, T366W, and R409K; and wherein the third polypeptide chain further comprises a second Fc region linked to CH1, wherein the second Fc region is a human IgG4 Fc region comprising an immunoglobulin hinge region and CH2 and CH3 immunoglobulin heavy chain constant domains, wherein the second Fc region comprises amino acid substitutions at positions corresponding to positions 228, 349, 366, 368, 407, and 409 of human IgG4 according to EU Index, wherein the amino acid substitutions are S228P, Y349C, T366S, L368A, Y407V, and R409K. In some embodiments, the second polypeptide chain further comprises a first Fc region linked to CH1, wherein the first Fc region is a human IgG4 Fc region comprising an immunoglobulin hinge region and CH2 and CH3 immunoglobulin heavy chain constant domains, wherein the first Fc region comprises amino acid substitutions at positions corresponding to positions 228, 349, 366, 368, 407, and 409 of human IgG4 according to EU Index, wherein the amino acid substitutions are S228P, Y349C, T366S, L368A, Y407V, and R409K; and wherein the third polypeptide chain further comprises a second Fc region linked to CH1, wherein the second Fc region is a human IgG4 Fc region comprising an immunoglobulin hinge region and CH2 and CH3 immunoglobulin heavy chain constant domains, wherein the second Fc region comprises amino acid substitutions at positions corresponding to positions 228, 354, 366, and 409 of human IgG4 according to EU Index, wherein the amino acid substitutions are S228P, S354C, T366W, and R409K.

[0598] In some embodiments, the second polypeptide chain further comprises a first Fc region linked to CH1, wherein the first Fc region is a human IgG4 Fc region comprising an immunoglobulin hinge region and CH2 and CH3 immunoglobulin heavy chain constant domains, wherein the first Fc region comprises amino acid substitutions at positions corresponding to positions 234, 235, 354, and 366 of human IgG4 according to EU Index, wherein the amino acid substitutions are F234A, L235A, S354C, and T366W; and wherein the third polypeptide chain further comprises a second Fc region linked to CH1, wherein the second Fc region is a human IgG4 Fc region comprising an immunoglobulin hinge region and CH2 and CH3 immunoglobulin heavy chain constant domains, wherein the second Fc region comprises amino acid substitutions at positions corresponding to positions 234, 235, 349, 366, 368, and 407 of human IgG4 according to EU Index, wherein the amino acid substitutions are F234A, L235A, Y349C, T366S, L368A, and Y407V. In some embodiments, the second polypeptide chain further comprises a first Fc region linked to CH1, wherein the first Fc region is a human IgG4 Fc region comprising an immunoglobulin hinge region and CH2 and CH3 immunoglobulin heavy chain constant domains, wherein the first Fc region comprises amino acid substitutions at positions corresponding to positions 234, 235, 349, 366, 368, and 407 of human IgG4 according to EU Index, wherein the amino acid substitutions are F234A, L235A, Y349C, T366S, L368A, and Y407V: and wherein the third polypeptide chain further comprises a second Fc region linked to CH1, wherein the second Fc region is a human IgG4 Fc region comprising an immunoglobulin hinge region and CH2 and CH3 immunoglobulin heavy chain constant domains, wherein the second Fc region comprises amino acid substitutions at positions corresponding to positions 234, 235, 354, and 366 of human IgG4 according to EU Index, wherein the amino acid substitutions are F234A, L235A, S354C, and T366W.

[0599] In some embodiments, a binding protein of the present disclosure comprises one or more mutations to reduce effector function, e.g., Fc receptor-mediated antibody-dependent cellular phagocytosis (ADCP), complement-dependent cytotoxicity (CDC), and/or antibody-dependent cellular cytotoxicity (ADCC). In some embodiments, the second polypeptide chain further comprises a first Fc region linked to C.sub.H1, the first Fc region comprising an immunoglobulin hinge region and C.sub.H2 and C.sub.H3 immunoglobulin heavy chain constant domains; wherein the third polypeptide chain further comprises a second Fc region linked to C.sub.H1, the second Fc region comprising an immunoglobulin hinge region and C.sub.H2 and C.sub.H3 immunoglobulin heavy chain constant domains; wherein the first and second Fc regions are human IgG1 Fc regions; and wherein the first and the second Fc regions each comprise amino acid substitutions at positions corresponding to positions 234 and 235 of human IgG1 according to EU Index, wherein the amino acid substitutions are L234A and L235A. In some embodiments, the Fc regions of the second and the third polypeptide chains are human IgG1 Fc

regions, and wherein the Fc regions each comprise amino acid substitutions at positions corresponding to positions 234 and 235 of human IgG1 according to EU Index, wherein the amino acid substitutions are L234A and L235A. In some embodiments, the second polypeptide chain further comprises a first Fc region linked to C.sub.H1, the first Fc region comprising an immunoglobulin hinge region and C.sub.H2 and C.sub.H3 immunoglobulin heavy chain constant domains; wherein the third polypeptide chain further comprises a second Fc region linked to C.sub.H1, the second Fc region comprising an immunoglobulin hinge region and C.sub.H2 and C.sub.H3 immunoglobulin heavy chain constant domains; wherein the first and second Fc regions are human IgG1 Fc regions; and wherein the first and the second Fc regions each comprise amino acid substitutions at positions corresponding to positions 234, 235, and 329 of human IgG1 according to EU Index, wherein the amino acid substitutions are L234A, L235A, and P329A. In some embodiments, the Fc regions of the second and the third polypeptide chains are human IgG1 Fc regions, and wherein the Fc regions each comprise amino acid substitutions at positions corresponding to positions 234, 235, and 329 of human IgG1 according to EU Index, wherein the amino acid substitutions are L234A, L235A, and P329A. In some embodiments, the Fc regions of the second and the third polypeptide chains are human IgG4 Fc regions, and the Fc regions each comprise amino acid substitutions at positions corresponding to positions 234 and 235 of human IgG4 according to EU Index, wherein the amino acid substitutions are F234A and L235A. In some embodiments, the binding protein comprises a second polypeptide chain further comprising a first Fc region linked to C.sub.H1, the first Fc region comprising an immunoglobulin hinge region and C.sub.H2 and C.sub.H3 immunoglobulin heavy chain constant domains, and a third polypeptide chain further comprising a second Fc region linked to C.sub.H1, the second Fc region comprising an immunoglobulin hinge region and C.sub.H2 and C.sub.H3 immunoglobulin heavy chain constant domains; and wherein the first and the second Fc regions each comprise amino acid substitutions at positions corresponding to positions 234 and 235 of human IgG4 according to EU Index, wherein the amino acid substitutions are F234A and L235A.

[0600] In some embodiments, the second polypeptide chain further comprises a first Fc region linked to CH1, wherein the first Fc region is a human IgG4 Fc region comprising an immunoglobulin hinge region and CH2 and CH3 immunoglobulin heavy chain constant domains, wherein the first Fc region comprises amino acid substitutions at positions corresponding to positions 228, 234, 235, 354, 366, and 409 of human IgG4 according to EU Index, wherein the amino acid substitutions are S228P, F234A, L235A, S354C, T366W, and R409K; and wherein the third polypeptide chain further comprises a second Fc region linked to CH1, wherein the second Fc region is a human IgG4 Fc region comprising an immunoglobulin hinge region and CH2 and CH3 immunoglobulin heavy chain constant domains, wherein the second Fc region comprises amino acid substitutions at positions corresponding to positions 228, 234, 235, 349, 366, 368, 407, and 409 of human IgG4 according to EU Index, wherein the amino acid substitutions are S228P, F234A, L235A, Y349C, T366S, L368A, Y407V, and R409K. In some embodiments, the second polypeptide chain further comprises a first Fc region linked to CH1, wherein the first Fc region is a human IgG4 Fc region comprising an immunoglobulin hinge region and CH2 and CH3 immunoglobulin heavy chain constant domains, wherein the first Fc region comprises amino acid substitutions at positions corresponding to positions 228, 234, 235, 349, 366, 368, 407, and 409 of human IgG4 according to EU Index, wherein the amino acid substitutions are S228P, F234A, L235A, Y349C, T366S, L368A, Y407V, and R409K; and wherein the third polypeptide chain further comprises a second Fc region linked to CH1, wherein the second Fc region is a human IgG4 Fc region comprising an immunoglobulin hinge region and CH2 and CH3 immunoglobulin heavy chain constant domains, wherein the second Fc region comprises amino acid substitutions at positions corresponding to positions 228, 234, 235, 354, 366, and 409 of human IgG4 according to EU Index, wherein the amino acid substitutions are S228P, F234A, L235A, S354C, T366W, and

[0601] In some embodiments, the Fc region is a human IgG4 Fc region comprising one or more mutations that reduce or eliminate FcyI and/or FcyII binding. In some embodiments, the Fc region is a human IgG4 Fc region comprising one or more mutations that reduce or eliminate FcyI and/or FcyII binding but do not affect FcRn binding. In some embodiments, the Fc region is a human IgG4 Fc region comprising amino acid substitutions at positions corresponding to positions 228 and/or 409 of human IgG4 according to EU Index. In some embodiments, the amino acid substitutions are S228P and/or R409K. In some embodiments, the Fc region is a human IgG4 Fc region comprising amino acid substitutions at positions corresponding to positions 234 and/or 235 of human IgG4 according to EU Index. In some embodiments, the amino acid substitutions are F234A and/or L235A. In some embodiments, the Fc region is a human IgG4 Fc region comprising amino acid substitutions at positions corresponding to positions 228, 234, 235, and/or 409 of human IgG4 according to EU Index. In some embodiments, the amino acid substitutions are S228P, F234A, L235A, and/or R409K. In some embodiments, the Fc region is a human IgG4 Fc region comprising amino acid substitutions at positions corresponding to positions 233-236 of human IgG4 according to EU Index. In some embodiments, the amino acid substitutions are E233P, F234V, L235A, and a deletion at 236. In some embodiments, the Fc region is a human IgG4 Fc region comprising amino acid mutations at substitutions corresponding to positions 228, 233-236, and/or 409 of human IgG4 according to EU Index. In some embodiments, the amino acid mutations are S228P; E233P, F234V, L235A, and a deletion at 236; and/or R409K. [0602] In some embodiments, the Fc region comprises one or more mutations that reduce or eliminate Fc receptor binding and/or effector function of the Fc region (e.g., Fc receptor-mediated antibody-dependent cellular phagocytosis (ADCP),

complement-dependent cytotoxicity (CDC), and/or antibody-dependent cellular cytotoxicity (ADCC)). [0603] In some embodiments, the Fc region is a human IgG1 Fc region comprising one or more amino acid substitutions at positions corresponding to positions 234, 235, and/or 329 of human IgG1 according to EU Index. In some embodiments, the amino acid substitutions are L234A, L235A, and/or P329A. In some embodiments, the Fc region is a human IgG1 Fc region comprising amino acid substitutions at positions corresponding to positions 298, 299, and/or 300 of human IgG1 according to EU Index. In some embodiments, the amino acid substitutions are S298N, T299A, and/or Y300S.

[0604] In some embodiments, a binding protein of the present disclosure comprises one or more mutations to improve stability, e.g., of the hinge region and/or dimer interface of IgG4 (See e.g., Spiess, C. et al. (2013) *J. Biol. Chem.* 288:26583-26593). In some embodiments, the mutation comprises substitutions at positions corresponding to positions 228 and 409 of human IgG4 according to EU Index, wherein the amino acid substitutions are S228P and R409K. In some embodiments, the binding protein comprises a second polypeptide chain further comprising a first Fc region linked to C.sub.H1, the first Fc region comprising an immunoglobulin hinge region and C.sub.H2 and C.sub.H3 immunoglobulin heavy chain constant domains, and a third polypeptide chain further comprising a second Fc region linked to C.sub.H1, the second Fc region comprising an immunoglobulin hinge region and C.sub.H2 and C.sub.H3 immunoglobulin heavy chain constant domains; wherein the first and second Fc regions are human IgG4 Fc regions; and wherein the first and the second Fc regions each comprise amino acid substitutions at positions corresponding to positions 228 and 409 of human IgG4 according to EU Index, wherein the amino acid substitutions are S228P and R409K. In some embodiments, a binding protein of the present disclosure comprises knob and hole mutations and one or more mutations to improve stability. In some embodiments, the first and/or second Fc regions are human IgG4 Fc regions.

[0605] In some embodiments, the Fc region is a human IgG1 Fc region comprising one or more amino acid substitutions at positions corresponding to positions 234, 235, and/or 329 of human IgG1 according to EU Index. In some embodiments, the amino acid substitutions are L234A, L235A, and/or P329A. In some embodiments, the Fc region is a human IgG1 Fc region comprising amino acid substitutions at positions corresponding to positions 298, 299, and/or 300 of human IgG1 according to EU Index. In some embodiments, the amino acid substitutions are S298N, T299A, and/or Y300S. Nucleic Acids

[0606] Other aspects of the present disclosure relate to isolated nucleic acid molecules comprising a nucleotide sequence encoding any of the binding proteins described herein. Exemplary and non-limiting nucleic acid sequences are provided in Table 5A.

[0607] Other aspects of the present disclosure relate to kits of polynucleotides, e.g., that encode one or more polypeptides of a binding protein as described herein. In some embodiments, a kit of polynucleotides of the present disclosure comprises one, two, three, or four polynucleotides of a kit of polynucleotides comprising: (a) a first polynucleotide comprising the polynucleotide sequence of SEQ ID NO:478, a second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:479, a third polynucleotide comprising the polynucleotide sequence of SEQ ID NO:480, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:481; (b) a first polynucleotide comprising the polynucleotide sequence of SEQ ID NO:482, a second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:483, a third polynucleotide comprising the polynucleotide sequence of SEQ ID NO:484, and a fourth polynucleotide comprising the polynucleotide sequence of SEO ID NO:485; (c) a first polynucleotide comprising the polynucleotide sequence of SEO ID NO:486, a second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:487, a third polynucleotide comprising the polynucleotide sequence of SEQ ID NO:488, and a fourth polynucleotide comprising the polynucleotide sequence of SEO ID NO:489; (d) a first polynucleotide comprising the polynucleotide sequence of SEO ID NO:490, a second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:491, a third polynucleotide comprising the polynucleotide sequence of SEQ ID NO:492, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:493; (e) a first polynucleotide comprising the polynucleotide sequence of SEQ ID NO:494, a second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:495, a third polynucleotide comprising the polynucleotide sequence of SEQ ID NO:496, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:497; (f) a first polynucleotide comprising the polynucleotide sequence of SEQ ID NO:498, a second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:499, a third polynucleotide comprising the polynucleotide sequence of SEQ ID NO:500, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:501; (g) a first polynucleotide comprising the polynucleotide sequence of SEQ ID NO:502, a second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:503, a third polynucleotide comprising the polynucleotide sequence of SEQ ID NO:504, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:505; (h) a first polynucleotide comprising the polynucleotide sequence of SEQ ID NO:506, a second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:507, a third polynucleotide comprising the polynucleotide sequence of SEQ ID NO:508, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:509; (i) a first polynucleotide comprising the polynucleotide sequence of SEO ID NO:510, a second polynucleotide comprising the polynucleotide sequence of SEO ID NO:511, a third polynucleotide comprising the polynucleotide sequence of SEQ ID NO:512, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:513; (j) a first polynucleotide comprising the polynucleotide sequence of SEQ ID NO:514, a second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:515, a third polynucleotide comprising the polynucleotide sequence of SEQ ID NO:516, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:517; (k) a first polynucleotide comprising the polynucleotide sequence of SEQ ID NO:518, a second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:519, a third polynucleotide comprising the polynucleotide sequence of SEO ID NO:520, and a fourth polynucleotide comprising the polynucleotide sequence of SEO ID NO:521; (1) a first polynucleotide comprising the polynucleotide sequence of SEQ ID NO:522, a second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:523, a third polynucleotide comprising the polynucleotide sequence of SEQ ID NO:524, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:525; (m) a first polynucleotide comprising the polynucleotide sequence of SEQ ID NO:526, a second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:527, a third polynucleotide comprising the polynucleotide sequence of SEQ ID NO:528, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:529; (n) a first polynucleotide comprising the polynucleotide sequence of SEQ ID NO:530, a second polynucleotide comprising the polynucleotide

sequence of SEQ ID NO:531, a third polynucleotide comprising the polynucleotide sequence of SEQ ID NO:532, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:533; (o) a first polynucleotide comprising the polynucleotide sequence of SEQ ID NO:534, a second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:535, a third polynucleotide comprising the polynucleotide sequence of SEQ ID NO:536, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:537; (p) a first polynucleotide comprising the polynucleotide sequence of SEQ ID NO:538, a second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:539, a third polynucleotide comprising the polynucleotide sequence of SEQ ID NO:540, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:541; (q) a first polynucleotide comprising the polynucleotide sequence of SEQ ID NO:542, a second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:543, a third polynucleotide comprising the polynucleotide sequence of SEQ ID NO:544, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:545; (r) a first polynucleotide comprising the polynucleotide sequence of SEQ ID NO:546, a second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:547, a third polynucleotide comprising the polynucleotide sequence of SEQ ID NO:548, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:549; (s) a first polynucleotide comprising the polynucleotide sequence of SEQ ID NO:550, a second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:551, a third polynucleotide comprising the polynucleotide sequence of SEQ ID NO:552, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:553; (t) a first polynucleotide comprising the polynucleotide sequence of SEQ ID NO:554, a second polynucleotide comprising the polynucleotide sequence of SEO ID NO:555, a third polynucleotide comprising the polynucleotide sequence of SEO ID NO:556, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:557; (u) a first polynucleotide comprising the polynucleotide sequence of SEQ ID NO:558, a second polynucleotide comprising the polynucleotide sequence of SEO ID NO:559, a third polynucleotide comprising the polynucleotide sequence of SEO ID NO:560, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:561; (v) a first polynucleotide comprising the polynucleotide sequence of SEQ ID NO:562, a second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:563, a third polynucleotide comprising the polynucleotide sequence of SEO ID NO:564, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:565; (w) a first polynucleotide comprising the polynucleotide sequence of SEQ ID NO:566, a second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:567, a third polynucleotide comprising the polynucleotide sequence of SEO ID NO:568, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:569; (x) a first polynucleotide comprising the polynucleotide sequence of SEQ ID NO:570, a second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:571, a third polynucleotide comprising the polynucleotide sequence of SEQ ID NO:572, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:573; (y) a first polynucleotide comprising the polynucleotide sequence of SEQ ID NO:574, a second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:575, a third polynucleotide comprising the polynucleotide sequence of SEQ ID NO:576, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:577; (z) a first polynucleotide comprising the polynucleotide sequence of SEO ID NO:578, a second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:579, a third polynucleotide comprising the polynucleotide sequence of SEQ ID NO:580, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:581; (aa) a first polynucleotide comprising the polynucleotide sequence of SEQ ID NO:582, a second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:583, a third polynucleotide comprising the polynucleotide sequence of SEQ ID NO:584, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:585; (bb) a first polynucleotide comprising the polynucleotide sequence of SEQ ID NO:586, a second polynucleotide comprising the polynucleotide sequence of SEO ID NO:587, a third polynucleotide comprising the polynucleotide sequence of SEO ID NO:588, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:589; or (cc) a first polynucleotide comprising the polynucleotide sequence of SEQ ID NO:590, a second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:591, a third polynucleotide comprising the polynucleotide sequence of SEQ ID NO:592, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:593.

[0608] Other aspects of the present disclosure relate to a vector system comprising one or more vectors encoding a first, second, third, and fourth polypeptide chain of any of the binding proteins described herein. In some embodiments, the vector system comprises a first vector encoding the first polypeptide chain of the binding protein, a second vector encoding the second polypeptide chain of the binding protein, a third vector encoding the third polypeptide chain of the binding protein, and a fourth vector encoding the fourth polypeptide chain of the binding protein, e.g., as shown in the polynucleotides of Table 5. In some embodiments, the vector system comprises a first vector encoding the first and second polypeptide chains of the binding protein, and a second vector encoding the third and fourth polypeptide chains of the binding protein. In some embodiments, the vector system comprises a first vector encoding the first and third polypeptide chains of the binding protein, and a second vector encoding the second and fourth polypeptide chains of the binding protein. In some embodiments, the vector system comprises a first vector encoding the first and fourth polypeptide chains of the binding protein, and a second vector encoding the second and third polypeptide chains of the binding protein. In some embodiments, the vector system comprises a first vector encoding the first, second, third, and fourth polypeptide chains of the binding protein. The one or more vectors of the vector system may be any of the vectors described herein. In some embodiments, the one or more vectors are expression vectors. In some embodiments, the first, second, third, and fourth polynucleotides are present on one or more expression vectors, e.g., one, two, three, or four expression vectors. [0609] Standard recombinant DNA methodologies are used to construct the polynucleotides that encode the polypeptides

which form the binding proteins, incorporate these polynucleotides into recombinant expression vectors, and introduce such vectors into host cells. See e.g., Sambrook et al., 2001, MOLECULAR CLONING: A LABORATORY MANUAL (Cold

Spring Harbor Laboratory Press, 3rd ed.). Enzymatic reactions and purification techniques may be performed according to manufacturer's specifications, as commonly accomplished in the art, or as described herein. Unless specific definitions are provided, the nomenclature utilized in connection with, and the laboratory procedures and techniques of, analytical chemistry, synthetic organic chemistry, and medicinal and pharmaceutical chemistry described herein are those well-known and commonly used in the art. Similarly, conventional techniques may be used for chemical syntheses, chemical analyses, pharmaceutical preparation, formulation, delivery, and treatment of patients.

[0610] In some embodiments, the isolated nucleic acid is operably linked to a heterologous promoter to direct transcription of the binding protein-coding nucleic acid sequence. A promoter may refer to nucleic acid control sequences which direct transcription of a nucleic acid. A first nucleic acid sequence is operably linked to a second nucleic acid sequence when the first nucleic acid sequence is placed in a functional relationship with the second nucleic acid sequence. For instance, a promoter is operably linked to a coding sequence of a binding protein if the promoter affects the transcription or expression of the coding sequence. Examples of promoters may include, but are not limited to, promoters obtained from the genomes of viruses (such as polyoma virus, fowlpox virus, adenovirus (such as Adenovirus 2), bovine papilloma virus, avian sarcoma virus, cytomegalovirus, a retrovirus, hepatitis-B virus, Simian Virus 40 (SV40), and the like), from heterologous eukaryotic promoters (such as the actin promoter, an immunoglobulin promoter, from heat-shock promoters, and the like), the CAG-promoter (Niwa et al., Gene 108(2):193-9, 1991), the phosphoglycerate kinase (PGK)-promoter, a tetracycline-inducible promoter (Masui et al., Nucleic Acids Res. 33:e43, 2005), the lac system, the trp system, the tac system, the trc system, major operator and promoter regions of phage lambda, the promoter for 3-phosphoglycerate kinase, the promoters of yeast acid phosphatase, and the promoter of the yeast alpha-mating factors. Polynucleotides encoding binding proteins of the present disclosure may be under the control of a constitutive promoter, an inducible promoter, or any other suitable promoter described herein or other suitable promoter that will be readily recognized by one skilled in the art.

[0611] In some embodiments, the isolated nucleic acid is incorporated into a vector. In some embodiments, the vector is an expression vector. Expression vectors may include one or more regulatory sequences operatively linked to the polynucleotide to be expressed. The term "regulatory sequence" includes promoters, enhancers and other expression control elements (e.g., polyadenylation signals). Examples of suitable enhancers may include, but are not limited to, enhancer sequences from mammalian genes (such as globin, elastase, albumin, α -fetoprotein, insulin and the like), and enhancer sequences from a eukaryotic cell virus (such as SV40 enhancer on the late side of the replication origin (bp 100-270), the cytomegalovirus early promoter enhancer, the polyoma enhancer on the late side of the replication origin, adenovirus enhancers, and the like). Examples of suitable vectors may include, for example, plasmids, cosmids, episomes, transposons, and viral vectors (e.g., adenoviral, vaccinia viral, Sindbis-viral, measles, herpes viral, lentiviral, retroviral, adeno-associated viral vectors, etc.). Expression vectors can be used to transfect host cells, such as, for example, bacterial cells, yeast cells, insect cells, and mammalian cells. Biologically functional viral and plasmid DNA vectors capable of expression and replication in a host are known in the art, and can be used to transfect any cell of interest.

Host Cells

[0612] Other aspects of the present disclosure relate to a host cell (e.g., an isolated host cell) comprising one or more isolated polynucleotides, vectors, and/or vector systems described herein. In some embodiments, an isolated host cell of the present disclosure is cultured in vitro. In some embodiments, the host cell is a bacterial cell (e.g., an E. coli cell). In some embodiments, the host cell is a yeast cell (e.g., an *S. cerevisiae* cell). In some embodiments, the host cell is an insect cell. Examples of insect host cells may include, for example, *Drosophila* cells (e.g., S2 cells), *Trichoplusia ni* cells (e.g., High Five[™] cells), and *Spodoptera frugiperda* cells (e.g., Sf21 or Sf9 cells). In some embodiments, the host cell is a mammalian cell. Examples of mammalian host cells may include, for example, human embryonic kidney cells (e.g., 293 or 293 cells subcloned for growth in suspension culture), Expi293™ cells, CHO cells, baby hamster kidney cells (e.g., BHK, ATCC CCL 10), mouse sertoli cells (e.g., TM4 cells), monkey kidney cells (e.g., CV1 ATCC CCL 70), African green monkey kidney cells (e.g., VERO-76, ATCC CRL-1587), human cervical carcinoma cells (e.g., HELA, ATCC CCL 2), canine kidney cells (e.g., MDCK, ATCC CCL 34), buffalo rat liver cells (e.g., BRL 3A, ATCC CRL 1442), human lung cells (e.g., W138, ATCC CCL 75), human liver cells (e.g., Hep G2, HB 8065), mouse mammary tumor cells (e.g., MMT 060562, ATCC CCL51), TRI cells, MRC 5 cells, FS4 cells, a human hepatoma line (e.g., Hep G2), and myeloma cells (e.g., NS0 and Sp2/0 cells). [0613] Other aspects of the present disclosure relate to a method of producing any of the binding proteins described herein. In some embodiments, the method includes a) culturing a host cell (e.g., any of the host cells described herein) comprising an isolated nucleic acid, vector, and/or vector system (e.g., any of the isolated nucleic acids, vectors, and/or vector systems described herein) under conditions such that the host cell expresses the binding protein; and b) isolating the binding protein from the host cell. Methods of culturing host cells under conditions to express a protein are well known to one of ordinary skill in the art. Methods of isolating proteins from cultured host cells are well known to one of ordinary skill in the art, including, for example, by affinity chromatography (e.g., two step affinity chromatography comprising protein A affinity chromatography followed by size exclusion chromatography).

Pharmaceutical Compositions for Treating and/or Preventing HIV/AIDS

[0614] Therapeutic or pharmaceutical compositions comprising binding proteins are within the scope of the disclosure. Such therapeutic or pharmaceutical compositions can comprise a therapeutically effective amount of a binding protein, or binding protein-drug conjugate, in admixture with a pharmaceutically or physiologically acceptable formulation agent selected for suitability with the mode of administration.

[0615] Acceptable formulation materials are nontoxic to recipients at the dosages and concentrations employed. [0616] The pharmaceutical composition can contain formulation materials for modifying, maintaining, or preserving, for example, the pH, osmolarity, viscosity, clarity, color, isotonicity, odor, sterility, stability, rate of dissolution or release,

adsorption, or penetration of the composition. Suitable formulation materials include, but are not limited to, amino acids (such as glycine, glutamine, asparagine, arginine, or lysine), antimicrobials, antioxidants (such as ascorbic acid, sodium sulfite, or sodium hydrogen-sulfite), buffers (such as borate, bicarbonate, Tris-HCl, citrates, phosphates, or other organic acids), bulking agents (such as mannitol or glycine), chelating agents (such as ethylenediamine tetraacetic acid (EDTA)), complexing agents (such as caffeine, polyvinylpyrrolidone, beta-cyclodextrin, or hydroxypropyl-beta-cyclodextrin), fillers, monosaccharides, disaccharides, and other carbohydrates (such as glucose, mannose, or dextrins), proteins (such as serum albumin, gelatin, or immunoglobulins), coloring, flavoring and diluting agents, emulsifying agents, hydrophilic polymers (such as polyvinylpyrrolidone), low molecular weight polypeptides, salt-forming counterions (such as sodium), preservatives (such as benzalkonium chloride, benzoic acid, salicylic acid, thimerosal, phenethyl alcohol, methylparaben, propylparaben, chlorhexidine, sorbic acid, or hydrogen peroxide), solvents (such as glycerin, propylene glycol, or polyethylene glycol), sugar alcohols (such as mannitol or sorbitol), suspending agents, surfactants or wetting agents (such as pluronics; PEG; sorbitan esters; polysorbates such as polysorbate 20 or polysorbate 80; triton; tromethamine; lecithin; cholesterol or tyloxapal), stability enhancing agents (such as sucrose or sorbitol), tonicity enhancing agents (such as alkali metal halides e.g., sodium or potassium chloride—or mannitol sorbitol), delivery vehicles, diluents, excipients and/or pharmaceutical adjuvants (see, e.g., REMINGTON'S PHARMACEUTICAL SCIENCES (18th Ed., A. R. Gennaro, ed., Mack Publishing Company 1990), and subsequent editions of the same, incorporated herein by reference for any purpose). [0617] The optimal pharmaceutical composition will be determined by a skilled artisan depending upon, for example, the intended route of administration, delivery format, and desired dosage. Such compositions can influence the physical state,

stability, rate of in vivo release, and rate of in vivo clearance of the binding protein.

[0618] The primary vehicle or carrier in a pharmaceutical composition can be either aqueous or non-aqueous in nature. For example, a suitable vehicle or carrier for injection can be water, physiological saline solution, or artificial cerebrospinal fluid, possibly supplemented with other materials common in compositions for parenteral administration. Neutral buffered saline or saline mixed with serum albumin are further exemplary vehicles. Other exemplary pharmaceutical compositions comprise Tris buffer of about pH 7.0-8.5, or acetate buffer of about pH 4.0-5.5, which can further include sorbitol or a suitable substitute. In one embodiment of the disclosure, binding protein compositions can be prepared for storage by mixing the selected composition having the desired degree of purity with optional formulation agents in the form of a lyophilized cake or an aqueous solution. Further, the binding protein can be formulated as a lyophilizate using appropriate excipients such as sucrose.

[0619] The pharmaceutical compositions of the disclosure can be selected for parenteral delivery or subcutaneous. Alternatively, the compositions can be selected for inhalation or for delivery through the digestive tract, such as orally. The preparation of such pharmaceutically acceptable compositions is within the skill of the art.

[0620] The formulation components are present in concentrations that are acceptable to the site of administration. For example, buffers are used to maintain the composition at physiological pH or at a slightly lower pH, typically within a pH range of from about 5 to about 8.

[0621] When parenteral administration is contemplated, the therapeutic compositions for use can be in the form of a pyrogen-free, parenterally acceptable, aqueous solution comprising the desired binding protein in a pharmaceutically acceptable vehicle. A particularly suitable vehicle for parenteral injection is sterile distilled water in which a binding protein is formulated as a sterile, isotonic solution, properly preserved. Yet another preparation can involve the formulation of the desired molecule with an agent, such as injectable microspheres, bio-erodible particles, polymeric compounds (such as polylactic acid or polyglycolic acid), beads, or liposomes, that provides for the controlled or sustained release of the product which can then be delivered via a depot injection. Hyaluronic acid can also be used, and this can have the effect of promoting sustained duration in the circulation. Other suitable means for the introduction of the desired molecule include implantable drug delivery devices.

[0622] In one embodiment, a pharmaceutical composition can be formulated for inhalation. For example, a binding protein can be formulated as a dry powder for inhalation. Binding protein inhalation solutions can also be formulated with a propellant for aerosol delivery. In yet another embodiment, solutions can be nebulized.

[0623] It is also contemplated that certain formulations can be administered orally. In one embodiment of the disclosure, binding proteins that are administered in this fashion can be formulated with or without those carriers customarily used in the compounding of solid dosage forms such as tablets and capsules. For example, a capsule can be designed to release the active portion of the formulation at the point in the gastrointestinal tract where bioavailability is maximized and pre-systemic degradation is minimized. Additional agents can be included to facilitate absorption of the binding protein. Diluents, flavorings, low melting point waxes, vegetable oils, lubricants, suspending agents, tablet disintegrating agents, and binders can also be employed.

[0624] Another pharmaceutical composition can involve an effective quantity of binding proteins in a mixture with non-toxic excipients that are suitable for the manufacture of tablets. By dissolving the tablets in sterile water, or another appropriate vehicle, solutions can be prepared in unit-dose form. Suitable excipients include, but are not limited to, inert diluents, such as calcium carbonate, sodium carbonate or bicarbonate, lactose, or calcium phosphate; or binding agents, such as starch, gelatin, or acacia; or lubricating agents such as magnesium stearate, stearic acid, or talc.

[0625] Additional pharmaceutical compositions of the disclosure will be evident to those skilled in the art, including formulations involving binding proteins in sustained- or controlled-delivery formulations. Techniques for formulating a variety of other sustained- or controlled-delivery means, such as liposome carriers, bio-erodible microparticles or porous beads and depot injections, are also known to those skilled in the art. Additional examples of sustained-release preparations include semipermeable polymer matrices in the form of shaped articles, e.g. films, or microcapsules. Sustained release

matrices can include polyesters, hydrogels, polylactides, copolymers of L-glutamic acid and gamma ethyl-L-glutamate, poly(2-hydroxyethyl-methacrylate), ethylene vinyl acetate, or poly-D(¬)-3-hydroxybutyric acid. Sustained-release compositions can also include liposomes, which can be prepared by any of several methods known in the art. [0626] Pharmaceutical compositions to be used for in vivo administration typically must be sterile. This can be accomplished by filtration through sterile filtration membranes. Where the composition is lyophilized, sterilization using this method can be conducted either prior to, or following, lyophilization and reconstitution. The composition for parenteral administration can be stored in lyophilized form or in a solution. In addition, parenteral compositions generally are placed into a container having a sterile access port, for example, an intravenous solution bag or vial having a stopper pierceable by a hypodermic injection needle.

[0627] Once the pharmaceutical composition has been formulated, it can be stored in sterile vials as a solution, suspension, gel, emulsion, solid, or as a dehydrated or lyophilized powder. Such formulations can be stored either in a ready-to-use form or in a form (e.g., lyophilized) requiring reconstitution prior to administration.

[0628] The disclosure also encompasses kits for producing a single-dose administration unit. The kits can each contain both a first container having a dried protein and a second container having an aqueous formulation. Also included within the scope of this disclosure are kits containing single and multi-chambered pre-filled syringes (e.g., liquid syringes and lyosyringes). [0629] The effective amount of a binding protein pharmaceutical composition to be employed therapeutically will depend, for example, upon the therapeutic context and objectives. One skilled in the art will appreciate that the appropriate dosage levels for treatment will thus vary depending, in part, upon the molecule delivered, the indication for which the binding protein is being used, the route of administration, and the size (body weight, body surface, or organ size) and condition (the age and general health) of the patient. Accordingly, the clinician can titer the dosage and modify the route of administration to obtain the optimal therapeutic effect.

[0630] Dosing frequency will depend upon the pharmacokinetic parameters of the binding protein in the formulation being used. Typically, a clinician will administer the composition until a dosage is reached that achieves the desired effect. The composition can therefore be administered as a single dose, as two or more doses (which may or may not contain the same amount of the desired molecule) over time, or as a continuous infusion via an implantation device or catheter. Further refinement of the appropriate dosage is routinely made by those of ordinary skill in the art and is within the ambit of tasks routinely performed by them. Appropriate dosages can be ascertained through use of appropriate dose-response data. [0631] The route of administration of the pharmaceutical composition is in accord with known methods, e.g., orally; through injection by intravenous, intraperitoneal, intracerebral (intraparenchymal), intracerebroventricular, intramuscular, intraocular, intraarterial, intraportal, or intralesional routes; by sustained release systems; or by implantation devices. Where desired, the compositions can be administered by bolus injection or continuously by infusion, or by implantation device. [0632] The composition can also be administered locally via implantation of a membrane, sponge, or other appropriate

[0632] The composition can also be administered locally via implantation of a membrane, sponge, or other appropriate material onto which the desired molecule has been absorbed or encapsulated. Where an implantation device is used, the device can be implanted into any suitable tissue or organ, and delivery of the desired molecule can be via diffusion, timed-release bolus, or continuous administration.

[0633] The pharmaceutical compositions can be used to prevent and/or treat HIV infection. The pharmaceutical compositions can be used as a standalone therapy or in combination with standard anti-retroviral therapy.

[0634] The disclosure also relates to a kit comprising a binding protein and other reagents useful for detecting target antigen levels in biological samples. Such reagents can include a detectable label, blocking serum, positive and negative control samples, and detection reagents. In some embodiments, the kit comprises a composition comprising any binding protein, polynucleotide, vector, vector system, and/or host cell described herein. In some embodiments, the kit comprises a container and a label or package insert on or associated with the container. Suitable containers include, for example, bottles, vials, syringes, IV solution bags, etc. The containers may be formed from a variety of materials such as glass or plastic. The container holds a composition which is by itself or combined with another composition effective for treating, preventing and/or diagnosing a condition (e.g., HIV infection) and may have a sterile access port (for example the container may be an intravenous solution bag or a vial having a stopper pierceable by a hypodermic injection needle). In some embodiments, the label or package insert indicates that the composition is used for preventing, diagnosing, and/or treating the condition of choice. Alternatively, or additionally, the article of manufacture or kit may further comprise a second (or third) container comprising a pharmaceutically-acceptable buffer, such as bacteriostatic water for injection (BWFI), phosphate-buffered saline, Ringer's solution and dextrose solution. It may further include other materials desirable from a commercial and user standpoint, including other buffers, diluents, filters, needles, and syringes.

Methods and Uses for Binding Proteins in Treating and/or Preventing HIV/AIDS

[0635] Certain aspects of the present disclosure relate to methods of preventing HIV infection in a patient, treating HIV infection in a patient, preventing AIDS in a patient, and treating AIDS in a patient, using any of the binding proteins or pharmaceutical compositions disclosed herein. Any of the binding proteins or pharmaceutical compositions disclosed herein may find use in a method of the present disclosure, e.g., methods for preventing HIV infection in a patient, treating HIV infection in a patient, preventing AIDS in a patient, and treating AIDS in a patient.

[0636] FIG. **19** illustrates an exemplary and non-limiting format for a trispecific binding protein that may be employed in the methods and uses described herein. As shown in FIG. **20**, a proposed mechanism by which the binding protein shown in FIG. **19** may result in elimination of the HIV reservoir cells in a patient involves: (1) activation of latently infected CD4+ T cells via the anti-CD3 arms of the trispecific binding protein; (2) recruitment of CD8+ T cells to activated, latently infected CD4+ T cells via anti-Env and anti-CD3 arms; (3) activation of engaged CD8+ T cells via the anti-CD28 and anti-CD3 arms; and (4) killing of latently infected CD4+ T cells through a Perforin/Granzyme mechanism. Advantageously, this

mechanism is thought to activate and subsequently kill HIV-1 reservoir cells, providing a novel strategy for attacking the HIV-1 reservoir in a patient.

[0637] In some embodiments, the methods of the present disclosure comprise administering to the patient a therapeutically effective amount of at least one of the binding proteins or pharmaceutical compositions described herein.

[0638] In some embodiments, the at least one binding protein is administered in combination with an anti-retroviral therapy (e.g., an anti-HIV therapy). In some embodiments, the at least one binding protein is administered before the anti-retroviral therapy. In some embodiments, the at least one binding protein is administered concurrently with the anti-retroviral therapy. In some embodiments, the at least one binding protein is administered after the anti-retroviral therapy. In some embodiments, the at least one binding protein is co-administered with any standard anti-retroviral therapy known in the art.

[0639] In some embodiments, administration of the at least one binding protein or pharmaceutical composition results in elimination of one or more latently and/or chronically HIV-infected cells in the patient. In some embodiments, administration of the at least one binding protein results in neutralization of one or more HIV virions and results in elimination of one or more latently and/or chronically HIV-infected cells in the patient. In some embodiments, the patient is a human.

TABLE-US-00010 TABLE 4A Trispecific binding protein polypeptide sequences. Polypeptide Number SEQ (acc. to ID Molecule formula) NO Sequence Trispecific 1 1 362

DIVMTQTPLSLSVTPGQPASISCKSSQSLVHNNANTYLSWYLQKPGQSPQSLIYKVSNRFSGVPDRFSGSGSGTDFTLKISR VRC07_523/

 $\begin{tabular}{ll} VEAEDVGVYYCGQGTQYPFTFGSGTKVEIKGQPKAAPDIQMTQSPSSLSASVGDRVTITCQASQNIYVWLNWYQQKPGK CD28sup & \times \end{tabular} \label{tabular}$

APKLLIYKASNLHTGVPSRFSGSGSGTDFTLTISSLQPEDIATYYCQQGQTYPYTFGQGTKLEIKTKGPSRTVAAPSVFIFPPS CD3mid IgG1

DEQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQDSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQG LALA/P329A LSSPVTKSFNRGEC 2 363

QVQLVQSGAEVVKPGASVKVSCKASGYTFTSYYIHWVRQAPGQGLEWIGSIYPGNVNTNYAQKFQGRATLTVDTSISTA YMELSRLRSDDTAVYYCTRSHYGLDWNFDVWGKGTTVTVSSSQVQLVESGGGVVQPGRSLRLSCAASGFTFTKAWMH WVRQAPGKQLEWVAQIKDKSNSYATYYADSVKGRFTISRDDSKNTLYLQMNSLRAEDTAVYYCRGVYYALSPFDYWG QGTLVTVSSRTASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVT VPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSH EDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALAAPIEKTISKAKGQPREP QVCTLPPSRDELTKNQVSLSCAVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLVSKLTVDKSRWQQGNVFSCS VMHEALHNHYTOKSLSLSPG 3 364

QVRLSQSGGQMKKPGDSMRISCRASGYEFINCPINWIRLAPGKRPEWMGWMKPRHGAVSYARQLQGRVTMTRDMYSET AFLELRSLTSDDTAVYFCTRGKYCTARDYYNWDEERWGQGTPVTVSSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYF PEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPA PEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLH QDWLNGKEYKCKVSNKALAAPIEKTISKAKGQPREPQVYTLPPCRDELTKNQVSLWCLVKGFYPSDIAVEWESNGQPEN NYKTTPPVLDSDGSFFLYSKLTVDKSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPG 4 365

SLTQSPGTLSLSPGETAIISCRTSQYGSLAWYQQRPGQAPRLVIYSGSTRAAGIPDRFSGSRWGPDYNLTISNLESGDFGVYY CQQYEFFGQGTKVQVDIKRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQDSK DSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC Trispecific 2 1 366

DIVMTQTPLSLSVTPGQPASISCKSSQSLVHNNANTYLSWYLQKPGQSPQSLIYKVSNRFSGVPDRFSGSGSGTDFTLKISR VRC07 523/

VEAEDVGVYYCGQGTQYPFTFGSGTKVEIKGQPKAAPDIQMTQSPSSLSASVGDRVTITCQASQNIYVWLNWYQQKPGK

APKLLIYKASNLHTGVPSRFSGSGSGTDFTLTISSLQPEDIATYYCQQGQTYPYTFGQGTKLEIKTKGPSRTVAAPSVFIFPPS CD3mid IgG1

DEQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQDSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQG NNAS LSSPVTKSFNRGEC 2 367

QVQLVQSGAEVVKPGASVKVSCKASGYTFTSYYIHWVRQAPGQGLEWIGSIYPGNVNTNYAQKFQGRATLTVDTSISTA YMELSRLRSDDTAVYYCTRSHYGLDWNFDVWGKGTTVTVSSSQVQLVESGGGVVQPGRSLRLSCAASGFTFTKAWMH WVRQAPGKQLEWVAQIKDKSNSYATYYADSVKGRFTISRDDSKNTLYLQMNSLRAEDTAVYYCRGVYYALSPFDYWG QGTLVTVSSRTASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVT VPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHE DPEVKFNWYVDGVEVHNAKTKPREEQYNNASRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQ VCTLPPSRDELTKNQVSLSCAVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLVSKLTVDKSRWQQGNVFSCSV MHEALHNHYTOKSLSLSPG 3 368

QVRLSQSGGQMKKPGDSMRISCRASGYEFINCPINWIRLAPGKRPEWMGWMKPRHGAVSYARQLQGRVTMTRDMYSET AFLELRSLTSDDTAVYFCTRGKYCTARDYYNWDEERWGQGTPVTVSSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYF PEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPA PELLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNNASRVVSVLTVLHQ DWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPCRDELTKNQVSLWCLVKGFYPSDIAVEWESNGQPENNY KTTPPVLDSDGSFFLYSKLTVDKSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPG 4 369

SLTQSPGTLSLSPGETAIISCRTSQYGSLAWYQQRPGQAPRLVIYSGSTRAAGIPDRFSGSRWGPDYNLTISNLESGDFGVYY

CQQYEFFGQGTKVQVDIKRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQDSK DSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC Trispecific 3 1 370

DIVMTQTPLSLSVTPGQPASISCKSSQSLVHNNANTYLSWYLQKPGQSPQSLIYKVSNRFSGVPDRFSGSGSGTDFTLKISR VRC07 523/

VEAEDVGVYYCGQGTQYPFTFGSGTKVEIKGQPKAAPDIQMTQSPSSLSASVGDRVTITCQASQNIYVWLNWYQQKPGK

APKLLIYKASNLHTGVPSRFSGSGSGTDFTLTISSLQPEDIATYYCQQGQTYPYTFGQGTKLEIKTKGPSRTVAAPSVFIFPPS CD3mid IgG4

DEQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQDSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQG FALA/409K LSSPVTKSFNRGEC 2 371

QVQLVQSGAEVVKPGASVKVSCKASGYTFTSYYIHWVRQAPGQGLEWIGSIYPGNVNTNYAQKFQGRATLTVDTSISTA YMELSRLRSDDTAVYYCTRSHYGLDWNFDVWGKGTTVTVSSSQVQLVESGGGVVQPGRSLRLSCAASGFTFTKAWMH WVRQAPGKQLEWVAQIKDKSNSYATYYADSVKGRFTISRDDSKNTLYLQMNSLRAEDTAVYYCRGVYYALSPFDYWG QGTLVTVSSRTASTKGPSVFPLAPCSRSTSESTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTV PSSSLGTKTYTCNVDHKPSNTKVDKRVESKYGPPCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPE VQFNWYVDGVEVHNAKTKPREEQFNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVCTL PPSQEEMTKNQVSLSCAVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLVSKLTVDKSRWQEGNVFSCSVMHEA LHNHYTQKSLSLSLG 3 372

QVRLSQSGGQMKKPGDSMRISCRASGYEFINCPINWIRLAPGKRPEWMGWMKPRHGAVSYARQLQGRVTMTRDMYSET AFLELRSLTSDDTAVYFCTRGKYCTARDYYNWDFEHWGQGTPVTVSSASTKGPSVFPLAPCSRSTSESTAALGCLVKDYF PEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTKVDKRVESKYGPPCPPCPAPEA AGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEVHNAKTKPREEQFNSTYRVVSVLTVLHQDW LNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVYTLPPCQEEMTKNQVSLWCLVKGFYPSDIAVEWESNGQPENNYKT TPPVLDSDGSFFLYSKLTVDKSRWQEGNVFSCSVMHEALHNHYTQKSLSLSLG 4 373

SLTQSPGTLSLSPGETAIISCRTSQYGSLAWYQQRPGQAPRLVIYSGSTRAAGIPDRFSGSRWGPDYNLTISNLESGDFGVYY CQQYEFFGQGTKVQVDIKRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQDSK DSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC Trispecific 4 1 374

DIVMTQTPLSLSVTPGQPASISCKSSQSLVHQNAQTYLSWYLQKPGQSPQSLIYKVSNRFSGVPDRFSGSGSGTDFTLKISR VRC07_523/

VEAEDVGVYYCGQGTQYPFTFGSGTKVEIKGQPKAAPDIQMTQSPSSLSASVGDRVTITCQASQNIYVWLNWYQQKPGK CD28sun ×

APKLLIYKASNLHTGVPSRFSGSGSGTDFTLTISSLQPEDIATYYCQQGQTYPYTFGQGTKLEIKTKGPSRTVAAPSVFIFPPS CD3mid_QQ

DEQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQDSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQG IgG4 LSSPVTKSFNRGEC FALA/409K 2 375

QVQLVQSGAEVVKPGASVKVSCKASGYTFTSYYIHWVRQAPGQGLEWIGSIYPGNVNTNYAQKFQGRATLTVDTSISTA YMELSRLRSDDTAVYYCTRSHYGLDWNFDVWGKGTTVTVSSSQVQLVESGGGVVQPGRSLRLSCAASGFTFTKAWMH WVRQAPGKQLEWVAQIKDKSNSYATYYADSVKGRFTISRDDSKNTLYLQMNSLRAEDTAVYYCRGVYYALSPFDYWG QGTLVTVSSRTASTKGPSVFPLAPCSRSTSESTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTV PSSSLGTKTYTCNVDHKPSNTKVDKRVESKYGPPCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPE VQFNWYVDGVEVHNAKTKPREEQFNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVCTL PPSQEEMTKNQVSLSCAVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLVSKLTVDKSRWQEGNVFSCSVMHEA LHNHYTQKSLSLSLG 3 376

QVRLSQSGQMKKPGDSMRISCRASGYEFINCPINWIRLAPGKRPEWMGWMKPRHGAVSYARQLQGRVTMTRDMYSET AFLELRSLTSDDTAVYFCTRGKYCTARDYYNWDFEHWGQGTPVTVSSASTKGPSVFPLAPCSRSTSESTAALGCLVKDYF PEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTKVDKRVESKYGPPCPPCPAPEA AGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEVHNAKTKPREEQFNSTYRVVSVLTVLHQDW LNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVYTLPPCQEEMTKNQVSLWCLVKGFYPSDIAVEWESNGQPENNYKT TPPVLDSDGSFFLYSKLTVDKSRWQEGNVFSCSVMHEALHNHYTQKSLSLSLG 4 377

SLTQSPGTLSLSPGETAIISCRTSQYGSLAWYQQRPGQAPRLVIYSGSTRAAGIPDRFSGSRWGPDYNLTISNLESGDFGVYY CQQYEFFGQGTKVQVDIKRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQDSK DSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC Trispecific 6 1 378

DIVMTQTPLSLSVTPGQPASISCKSSQSLVHQNAQTYLSWYLQKPGQSPQSLIYKVSNRFSGVPDRFSGSGSGTDFTLKISR VRC07 523/

VEAEDVGVYYCGQGTQYPFTFGSGTKVEIKDKTHTDIQMTQSPSSLSASVGDRVTITCQASQNIYVWLNWYQQKPGKAP

CD26sup ^
KLLIYKASNLHTGVPSRFSGSGSGTDFTLTISSLQPEDIATYYCQQGQTYPYTFGQGTKLEIKDKTHTRTVAAPSVFIFPPSD
CD3mid_QQ

QVQLVQSGAEVVKPGASVKVSCKASGYTFTSYYIHWVRQAPGQGLEWIGSIYPGNVNTNYAQKFQGRATLTVDTSISTA YMELSRLRSDDTAVYYCTRSHYGLDWNFDVWGKGTTVTVSSSQVQLVESGGGVVQPGRSLRLSCAASGFTFTKAWMH WVRQAPGKQLEWVAQIKDKSNSYATYYADSVKGRFTISRDDSKNTLYLQMNSLRAEDTAVYYCRGVYYALSPFDYWG

QGTLVTVSSRTASTKGPSVFPLAPCSRSTSESTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTV PSSSLGTKTYTCNVDHKPSNTKVDKRVESKYGPPCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPE VQFNWYVDGVEVHNAKTKPREEQFNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVCTL PPSQEEMTKNQVSLSCAVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLVSKLTVDKSRWQEGNVFSCSVMHEA LHNHYTQKSLSLSLG 3 380

QVRLSQSGGQMKKPGDSMRISCRASGYEFINCPINWIRLAPGKRPEWMGWMKPRHGAVSYARQLQGRVTMTRDMYSET AFLELRSLTSDDTAVYFCTRGKYCTARDYYNWDFEHWGQGTPVTVSSASTKGPSVFPLAPCSRSTSESTAALGCLVKDYF PEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTKVDKRVESKYGPPCPPCPAPEA AGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEVHNAKTKPREEQFNSTYRVVSVLTVLHQDW LNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVYTLPPCQEEMTKNQVSLWCLVKGFYPSDIAVEWESNGQPENNYKT TPPVLDSDGSFFLYSKLTVDKSRWQEGNVFSCSVMHEALHNHYTQKSLSLSLG 4 381

SLTQSPGTLSLSPGETAIISCRTSQYGSLAWYQQRPGQAPRLVIYSGSTRAAGIPDRFSGSRWGPDYNLTISNLESGDFGVYY CQQYEFFGQGTKVQVDIKRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQDSK DSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC Trispecific 8 1 382

DIVMTQTPLSLSVTPGQPASISCKSSQSLVHQNAQTYLSWYLQKPGQSPQSLIYKVSNRFSGVPDRFSGSGSGTDFTLKISR VRC07 523/

VEAEDVGVYYCGQGTQYPFTFGSGTKVEIKDKTHTDIQMTQSPSSLSASVGDRVTITCQASQNIYVWLNWYQQKPGKAP CD28sup ×

KLLIYKASNLHTGVPSRFSGSGSGTDFTLTISSLQPEDIATYYCQQGQTYPYTFGQGTKLEIKDKTHTRTVAAPSVFIFPPSD CD3mid QQ

EQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQDSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGL IgG1_NNAS/ SSPVTKSFNRGEC 409K_DKTHT linker 2 383

QVQLVQSGAEVVKPGASVKVSCKASGYTFTSYYIHWVRQAPGQGLEWIGSIYPGNVNTNYAQKFQGRATLTVDTSISTA YMELSRLRSDDTAVYYCTRSHYGLDWNFDVWGKGTTVTVSSDKTHTQVQLVESGGGVVQPGRSLRLSCAASGFTFTKA WMHWVRQAPGKQLEWVAQIKDKSNSYATYYADSVKGRFTISRDDSKNTLYLQMNSLRAEDTAVYYCRGVYYALSPFD YWGQGTLVTVSSDKTHTASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLY SLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGGPSVFLFPPKPKDTLMISRTPEVTCV VVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNNASRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAK GQPREPQVCTLPPSRDELTKNQVSLSCAVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLVSKLTVDKSRWQQG NVFSCSVMHEALHNHYTQKSLSLSPG 3 384

QVRLSQSGGQMKKPGDSMRISCRASGYEFINCPINWIRLAPGKRPEWMGWMKPRHGAVSYARQLQGRVTMTRDMYSET AFLELRSLTSDDTAVYFCTRGKYCTARDYYNWDFERWGQGTPVTVSSASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYF PEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPA PELLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNNASRVVSVLTVLHQ DWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPCRDELTKNQVSLWCLVKGFYPSDIAVEWESNGQPENNY KTTPPVLDSDGSFFLYSKLTVDKSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPG 4 385

SLTQSPGTLSLSPGETAIISCRTSQYGSLAWYQQRPGQAPRLVIYSGSTRAAGIPDRFSGSRWGPDYNLTISNLESGDFGVYY CQQYEFFGQGTKVQVDIKRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQDSK DSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC Trispecific 9 1 386

DIVMTQTPLSLSVTPGQPASISCKSSQSLVHENLQTYLSWYLQKPGQSPQSLIYKVSNRFSGVPDRFSGSGSGTDFTLKISRV VRC07_523_

EAEDVGVYYCGQGTQYPFTFGSGTKVEIKDKTHTDIQMTQSPSSLSASVGDRVTITCQASQNIYVWLNWYQQKPGKAPK FR3-03/

LLIYKASNLHTGVPSRFSGSGSGTDFTLTISSLQPEDIATYYCQQGQTYPYTFGQGTKLEIKDKTHTRTVAAPSVFIFPPSDE CD28sup ×

QVQLVQSGAEVVKPGASVKVSCKASGYTFTSYYIHWVRQAPGQGLEWIGSIYPGNVNTNYAQKFQGRATLTVDTSISTA YMELSRLRSDDTAVYYCTRSHYGLDWNFDVWGKGTTVTVSSSQVQLVESGGGVVQPGRSLRLSCAASGFTFTKAWMH WVRQAPGKQLEWVAQIKDKSNSYATYYADSVKGRFTISRDDSKNTLYLQMNSLRAEDTAVYYCRGVYYALSPFDYWG QGTLVTVSSRTASTKGPSVFPLAPCSRSTSESTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTV PSSSLGTKTYTCNVDHKPSNTKVDKRVESKYGPPCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPE VQFNWYVDGVEVHNAKTKPREEQFNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVCTL PPSQEEMTKNQVSLSCAVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLVSKLTVDKSRWQEGNVFSCSVMHEA LHNHYTQKSLSLSLG 3 388

QVRLSQSGGQMKKPGDSMRISCRASGYEFINCPINWIRLAPGKRPEWMGWMKPRHGAVSYARQLQGRVTMTRQLSQDP DDPDWGTAFLELRSLTSDDTAVYFCTRGKYCTARDYYNWDEEHWGQGTPVTVSSASTKGPSVFPLAPCSRSTSESTAALG CLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTKVDKRVESKYGPPCP PCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEVHNAKTKPREEQFNSTYRVVSVLT VLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVYTLPPCQEEMTKNQVSLWCLVKGFYPSDIAVEWESNGQ PENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQEGNVFSCSVMHEALHNHYTQKSLSLSLG 4 389

SLTQSPGTLSLSPGETAIISCRTSQYGSLAWYQQRPGQAPRLVIYSGSTRAAGIPDRFSGSRWGPDYNLTISNLESGDFGVYY CQQYEFFGQGTKVQVDIKRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQDSK

DSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC Trispecific 10 1 390

DIVMTQTPLSLSVTPGQPASISCKSSQSLVHENLFTYLSWYLQKPGQSPQSLIYKVSNRFSGVPDRFSGSGSGTDFTLKISRV VRC07_523_

EAEDVGVYYCGQGTQYPFTFGSGTKVEIKDKTHTDIQMTQSPSSLSASVGDRVTITCQASQNIYVWLNWYQQKPGKAPK FR3-03/

LLIYKASNLHTGVPSRFSGSGSGTDFTLTISSLQPEDIATYYCQQGQTYPYTFGQGTKLEIKDKTHTRTVAAPSVFIFPPSDE

QVQLVQSGAEVVKPGASVKVSCKASGYTFTSYYIHWVRQAPGQGLEWIGSIYPGNVNTNYAQKFQGRATLTVDTSISTA YMELSRLRSDDTAVYYCTRSHYGLDWNFDVWGKGTTVTVSSSQVQLVESGGGVVQPGRSLRLSCAASGFTFTKAWMH WVRQAPGKQLEWVAQIKDKSNSYATYYADSVKGRFTISRDDSKNTLYLQMNSLRAEDTAVYYCRGVYYALSPFDYWG QGTLVTVSSRTASTKGPSVFPLAPCSRSTSESTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTV PSSSLGTKTYTCNVDHKPSNTKVDKRVESKYGPPCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPE VQFNWYVDGVEVHNAKTKPREEQFNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVCTL PPSQEEMTKNQVSLSCAVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLVSKLTVDKSRWQEGNVFSCSVMHEA LHNHYTQKSLSLSLG 3 392

QVRLSQSGGQMKKPGDSMRISCRASGYEFINCPINWIRLAPGKRPEWMGWMKPRHGAVSYARQLQGRVTMTRQLSQDP DDPDWGTAFLELRSLTSDDTAVYFCTRGKYCTARDYYNWDEEHWGQGTPVTVSSASTKGPSVFPLAPCSRSTSESTAALG CLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTKVDKRVESKYGPPCP PCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEVHNAKTKPREEQFNSTYRVVSVLT VVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVYTLPPCQEEMTKNQVSLWCLVKGFYPSDIAVEWESNGQ PENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQEGNVFSCSVMHEALHNHYTQKSLSLSLG 4 393

SLTQSPGTLSLSPGETAIISCRTSQYGSLAWYQQRPGQAPRLVIYSGSTRAAGIPDRFSGSRWGPDYNLTISNLESGDFGVYY CQQYEFFGQGTKVQVDIKRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQDSK DSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC Trispecific 11 1 394

DIVMTQTPLSLSVTPGQPASISCKSSQSLVHENLQTYLSWYLQKPGQSPQSLIYKVSNRFSGVPDRFSGSGSGTDFTLKISRV VRC07_523_

EAEDVGVYYCGQGTQYPFTFGSGTKVEIKDKTHTDIQMTQSPSSLSASVGDRVTITCQASQNIYVWLNWYQQKPGKAPK FR3-03/

LLIYKASNLHTGVPSRFSGSGSGTDFTLTISSLQPEDIATYYCQQGQTYPYTFGQGTKLEIKDKTHTRTVAAPSVFIFPPSDE CD28sup $\;\;\times$

QLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQDSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLS CD3mid_SPVTKSFNRGEC ENLQ IgG1_NNAS_DKTHT linker 2 395

QVQLVQSGAEVVKPGASVKVSCKASGYTFTSYYIHWVRQAPGQGLEWIGSIYPGNVNTNYAQKFQGRATLTVDTSISTA YMELSRLRSDDTAVYYCTRSHYGLDWNFDVWGKGTTVTVSSDKTHTQVQLVESGGGVVQPGRSLRLSCAASGFTFTKA WMHWVRQAPGKQLEWVAQIKDKSNSYATYYADSVKGRFTISRDDSKNTLYLQMNSLRAEDTAVYYCRGVYYALSPFD YWGQGTLVTVSSDKTHTASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLY SLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGGPSVFLFPPKPKDTLMISRTPEVTCV VVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNNASRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAK GQPREPQVCTLPPSRDELTKNQVSLSCAVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLVSKLTVDKSRWQQG NVFSCSVMHEALHNHYTQKSLSLSPG 3 396

QVRLSQSGGQMKKPGDSMRISCRASGYEFINCPINWIRLAPGKRPEWMGWMKPRHGAVSYARQLQGRVTMTRQLSQDP DDPDWGTAFLELRSLTSDDTAVYFCTRGKYCTARDYYNWDEEHWGQGTPVTVSSASTKGPSVFPLAPSSKSTSGGTAAL GCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKT HTCPPCPAPELLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNNASRVV SVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPCRDELTKNQVSLWCLVKGFYPSDIAVEWES NGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPG 4 397

SLTQSPGTLSLSPGETAIISCRTSQYGSLAWYQQRPGQAPRLVIYSGSTRAAGIPDRFSGSRWGPDYNLTISNLESGDFGVYY CQQYEFFGQGTKVQVDIKRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQDSK DSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC Trispecific 12 1 398

DIVMTQTPLSLSVTPGQPASISCKSSQSLVHENLFTYLSWYLQKPGQSPQSLIYKVSNRFSGVPDRFSGSGSGTDFTLKISRV VRC07 523

EAEDVGVYYCGQGTQYPFTFGSGTKVEIKDKTHTDIQMTQSPSSLSASVGDRVTITCQASQNIYVWLNWYQQKPGKAPK

LLIYKASNLHTGVPSRFSGSGSGTDFTLTISSLQPEDIATYYCQQGQTYPYTFGQGTKLEIKDKTHTRTVAAPSVFIFPPSDE

QLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQDSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLS

CD3mid_SPVTKSFNRGEC ENLF IgG1_NNAS_DKTHT linker 2 399
QVQLVQSGAEVVKPGASVKVSCKASGYTFTSYYIHWVRQAPGQGLEWIGSIYPGNVNTNYAQKFQGRATLTVDTSISTA
YMELSRLRSDDTAVYYCTRSHYGLDWNFDVWGKGTTVTVSSDKTHTQVQLVESGGGVVQPGRSLRLSCAASGFTFTKA

WMHWVRQAPGKQLEWVAQIKDKSNSYATYYADSVKGRFTISRDDSKNTLYLQMNSLRAEDTAVYYCRGVYYALSPFD YWGQGTLVTVSSDKTHTASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLY

SLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGGPSVFLFPPKPKDTLMISRTPEVTCV VVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNNASRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAK GQPREPQVCTLPPSRDELTKNQVSLSCAVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLVSKLTVDKSRWQQG NVFSCSVMHEALHNHYTQKSLSLSPG 3 400

QVRLSQSGGQMKKPGDSMRISCRASGYEFINCPINWIRLAPGKRPEWMGWMKPRHGAVSYARQLQGRVTMTRQLSQDP DDPDWGTAFLELRSLTSDDTAVYFCTRGKYCTARDYYNWDEEHWGQGTPVTVSSASTKGPSVFPLAPSSKSTSGGTAAL GCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKT HTCPPCPAPELLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNNASRVV SVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPCRDELTKNQVSLWCLVKGFYPSDIAVEWES NGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPG 4 401

SLTQSPGTLSLSPGETAIISCRTSQYGSLAWYQQRPGQAPRLVIYSGSTRAAGIPDRFSGSRWGPDYNLTISNLESGDFGVYY CQQYEFFGQGTKVQVDIKRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQDSK DSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC Trispecific 13 1 402

DIVMTQTPLSLSVTPGQPASISCKSSQSLVHNNANTYLSWYLQKPGQSPQSLIYKVSNRFSGVPDRFSGSGSGTDFTLKISR N6/CD28sup ×

VEAEDVGVYYCGQGTQYPFTFGSGTKVEIKGQPKAAPDIQMTQSPSSLSASVGDRVTITCQASQNIYVWLNWYQQKPGK CD3mid

APKLLIYKASNLHTGVPSRFSGSGSGTDFTLTISSLQPEDIATYYCQQGQTYPYTFGQGTKLEIKTKGPSRTVAAPSVFIFPPS IgG4

DEQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQDSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQG LSSPVTKSFNRGEC 2 403

QVQLVQSGAEVVKPGASVKVSCKASGYTFTSYYIHWVRQAPGQGLEWIGSIYPGNVNTNYAQKFQGRATLTVDTSISTA YMELSRLRSDDTAVYYCTRSHYGLDWNFDVWGKGTTVTVSSSQVQLVESGGGVVQPGRSLRLSCAASGFTFTKAWMH WVRQAPGKQLEWVAQIKDKSNSYATYYADSVKGRFTISRDDSKNTLYLQMNSLRAEDTAVYYCRGVYYALSPFDYWG QGTLVTVSSRTASTKGPSVFPLAPCSRSTSESTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTV PSSSLGTKTYTCNVDHKPSNTKVDKRVESKYGPPCPPCPAPPVAGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEV QFNWYVDGVEVHNAKTKPREEQFNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVCTLP PSQEEMTKNQVSLSCAVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLVSKLTVDKSRWQEGNVFSCSVMHEAL HNHYTQKSLSLSLG 3 404

RAHLVQSGTAMKKPGASVRVSCQTSGYTFTAHILFWFRQAPGRGLEWVGWIKPQYGAVNFGGGFRDRVTLTRDVYREIA YMDIRGLKPDDTAVYYCARDRSYGDSSWALDAWGQGTTVVVSAASTKGPSVFPLAPCSRSTSESTAALGCLVKDYFPEP VTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTKVDKRVESKYGPPCPPCPAPPVAGP SVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEVHNAKTKPREEQFNSTYRVVSVLTVLHQDWLNGK EYKCKVSNKGLPSSIEKTISKAKGQPREPQVYTLPPCQEEMTKNQVSLWCLVKGFYPSDIAVEWESNGQPENNYKTTPPVL DSDGSFFLYSKLTVDKSRWQEGNVFSCSVMHEALHNHYTQKSLSLSLG 4 405

YIHVTQSPSSLSVSIGDRVTINCQTSQGVGSDLHWYQHKPGRAPKLLIHHTSSVEDGVPSRFSGSGFHTSFNLTISDLQADDI ATYYCQVLQFFGRGSRLHIKRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQD SKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC Trispecific 14 1 406

DIVMTQTPLSLSVTPGQPASISCKSSQSLVHNNANTYLSWYLQKPGQSPQSLIYKVSNRFSGVPDRFSGSGSGTDFTLKISR N6/CD28sup ×

VEAEDVGVYYCGQGTQYPFTFGSGTKVEIKGQPKAAPDIQMTQSPSSLSASVGDRVTITCQASQNIYVWLNWYQQKPGK

 $APKLLIYKASNLHTGVPSRFSGSGSGTDFTLTISSLQPEDIATYYCQQGQTYPYTFGQGTKLEIKTKGPSRTVAAPSVFIFPPS\\ IgG4$

DEQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQDSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQG LSSPVTKSFNRGEC 2 407

QVQLVQSGAEVVKPGASVKVSCKASGYTFTSYYIHWVRQAPGQGLEWIGSIYPGNVNTNYAQKFQGRATLTVDTSISTA YMELSRLRSDDTAVYYCTRSHYGLDWNFDVWGKGTTVTVSSSQVQLVESGGGVVQPGRSLRLSCAASGFTFTKAWMH WVRQAPGKQLEWVAQIKDKSNSYATYYADSVKGRFTISRDDSKNTLYLQMNSLRAEDTAVYYCRGVYYALSPFDYWG QGTLVTVSSRTASTKGPSVFPLAPCSRSTSESTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTV PSSSLGTKTYTCNVDHKPSNTKVDKRVESKYGPPCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPE VQFNWYVDGVEVHNAKTKPREEQFNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVCTL PPSQEEMTKNQVSLSCAVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLVSKLTVDKSRWQEGNVFSCSVMHEA LHNHYTQKSLSLSLG 3 408

RAHLVQSGTAMKKPGASVRVSCQTSGYTFTAHILFWFRQAPGRGLEWVGWIKPQYGAVNFGGGFRDRVTLTRDVYREIA YMDIRGLKPDDTAVYYCARDRSYGDSSWALDAWGQGTTVVVSAASTKGPSVFPLAPCSRSTSESTAALGCLVKDYFPEP VTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTKVDKRVESKYGPPCPPCPAPEAAG GPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEVHNAKTKPREEQFNSTYRVVSVLTVLHQDWLN GKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVYTLPPCQEEMTKNQVSLWCLVKGFYPSDIAVEWESNGQPENNYKTTP PVLDSDGSFFLYSKLTVDKSRWQEGNVFSCSVMHEALHNHYTQKSLSLSLG 4 409

YIHVTQSPSSLSVSIGDRVTINCQTSQGVGSDLHWYQHKPGRAPKLLIHHTSSVEDGVPSRFSGSGFHTSFNLTISDLQADDI ATYYCQVLQFFGRGSRLHIKRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQD SKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC Trispecific 15 1 410

DIVMTQTPLSLSVTPGQPASISCKSSQSLVHQNAQTYLSWYLQKPGQSPQSLIYKVSNRFSGVPDRFSGSGSGTDFTLKISR N6/CD28sup $\;\;\times$

VEAEDVGVYYCGQGTQYPFTFGSGTKVEIKGQPKAAPDIQMTQSPSSLSASVGDRVTITCQASQNIYVWLNWYQQKPGK CD3mid_QQ

APKLLIYKASNLHTGVPSRFSGSGSGTDFTLTISSLQPEDIATYYCQQGQTYPYTFGQGTKLEIKTKGPSRTVAAPSVFIFPPS IgG4

DEQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQDSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQG FALA/409K LSSPVTKSFNRGEC 2 411

QVQLVQSGAEVVKPGASVKVSCKASGYTFTSYYIHWVRQAPGQGLEWIGSIYPGNVNTNYAQKFQGRATLTVDTSISTA YMELSRLRSDDTAVYYCTRSHYGLDWNFDVWGKGTTVTVSSSQVQLVESGGGVVQPGRSLRLSCAASGFTFTKAWMH WVRQAPGKQLEWVAQIKDKSNSYATYYADSVKGRFTISRDDSKNTLYLQMNSLRAEDTAVYYCRGVYYALSPFDYWG QGTLVTVSSRTASTKGPSVFPLAPCSRSTSESTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTV PSSSLGTKTYTCNVDHKPSNTKVDKRVESKYGPPCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPE VQFNWYVDGVEVHNAKTKPREEQFNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVCTL PPSQEEMTKNQVSLSCAVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLVSKLTVDKSRWQEGNVFSCSVMHEA LHNHYTQKSLSLSLG 3 412

RAHLVQSGTAMKKPGASVRVSCQTSGYTFTAHILFWFRQAPGRGLEWVGWIKPQYGAVNFGGGFRDRVTLTRDVYREIA YMDIRGLKPDDTAVYYCARDRSYGDSSWALDAWGQGTTVVVSAASTKGPSVFPLAPCSRSTSESTAALGCLVKDYFPEP VTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTKVDKRVESKYGPPCPPCPAPEAAG GPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEVHNAKTKPREEQFNSTYRVVSVLTVLHQDWLN GKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVYTLPPCQEEMTKNQVSLWCLVKGFYPSDIAVEWESNGQPENNYKTTP PVLDSDGSFFLYSKLTVDKSRWQEGNVFSCSVMHEALHNHYTQKSLSLSLG 4 413

YIHVTQSPSSLSVSIGDRVTINCQTSQGVGSDLHWYQHKPGRAPKLLIHHTSSVEDGVPSRFSGSGFHTSFNLTISDLQADDI ATYYCQVLQFFGRGSRLHIKRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQD SKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC Trispecific 16 1 414

DIVMTQTPLSLSVTPGQPASISCKSSQSLVHQNAQTYLSWYLQKPGQSPQSLIYKVSNRFSGVPDRFSGSGSGTDFTLKISR N6/CD28sup ×

VEAEDVGVYYCGQGTQYPFTFGSGTKVEIKDKTHTDIQMTQSPSSLSASVGDRVTITCQASQNIYVWLNWYQQKPGKAP CD3mid QQ

KLLIYKASNLHTGVPSRFSGSGSGTDFTLTISSLQPEDIATYYCQQGQTYPYTFGQGTKLEIKDKTHTRTVAAPSVFIFPPSD IgG4

EQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQDSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGL FALA/409K_ SSPVTKSFNRGEC DKTHT linker 2 415

QVQLVQSGAEVVKPGASVKVSCKASGYTFTSYYIHWVRQAPGQGLEWIGSIYPGNVNTNYAQKFQGRATLTVDTSISTA YMELSRLRSDDTAVYYCTRSHYGLDWNFDVWGKGTTVTVSSDKTHTQVQLVESGGGVVQPGRSLRLSCAASGFTFTKA WMHWVRQAPGKQLEWVAQIKDKSNSYATYYADSVKGRFTISRDDSKNTLYLQMNSLRAEDTAVYYCRGVYYALSPFD YWGQGTLVTVSSDKTHTASTKGPSVFPLAPCSRSTSESTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYS LSSVVTVPSSSLGTKTYTCNVDHKPSNTKVDKRVESKYGPPCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVD VSQEDPEVQFNWYVDGVEVHNAKTKPREEQFNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPR EPQVCTLPPSQEEMTKNQVSLSCAVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLVSKLTVDKSRWQEGNVFS CSVMHEALHNHYTQKSLSLSLG 3 416

RAHLVQSGTAMKKPGASVRVSCQTSGYTFTAHILFWFRQAPGRGLEWVGWIKPQYGAVNFGGGFRDRVTLTRDVYREIA YMDIRGLKPDDTAVYYCARDRSYGDSSWALDAWGQGTTVVVSAASTKGPSVFPLAPCSRSTSESTAALGCLVKDYFPEP VTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTKVDKRVESKYGPPCPPCPAPEAAG GPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEVHNAKTKPREEQFNSTYRVVSVLTVLHQDWLN GKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVYTLPPCQEEMTKNQVSLWCLVKGFYPSDIAVEWESNGQPENNYKTTP PVLDSDGSFFLYSKLTVDKSRWQEGNVFSCSVMHEALHNHYTQKSLSLSLG 4 417

YIHVTQSPSSLSVSIGDRVTINCQTSQGVGSDLHWYQHKPGRAPKLLIHHTSSVEDGVPSRFSGSGFHTSFNLTISDLQADDI ATYYCQVLQFFGRGSRLHIKRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQD SKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC Trispecific 17 1 418

DIVMTQTPLSLSVTPGQPASISCKSSQSLVHNNANTYLSWYLQKPGQSPQSLIYKVSNRFSGVPDRFSGSGSGTDFTLKISR N6/CD28sup $\;\;\times$

VEAEDVGVYYCGQGTQYPFTFGSGTKVEIKDKTHTDIQMTQSPSSLSASVGDRVTITCQASQNIYVWLNWYQQKPGKAP CD3mid

KLLIYKASNLHTGVPSRFSGSGSGTDFTLTISSLQPEDIATYYCQQGQTYPYTFGQGTKLEIKDKTHTRTVAAPSVFIFPPSD

EQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQDSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGL FALA/409K_ SSPVTKSFNRGEC DKTHT linker 2 419

QVQLVQSGAEVVKPGASVKVSCKASGYTFTSYYIHWVRQAPGQGLEWIGSIYPGNVNTNYAQKFQGRATLTVDTSISTA YMELSRLRSDDTAVYYCTRSHYGLDWNFDVWGKGTTVTVSSDKTHTQVQLVESGGGVVQPGRSLRLSCAASGFTFTKA WMHWVRQAPGKQLEWVAQIKDKSNSYATYYADSVKGRFTISRDDSKNTLYLQMNSLRAEDTAVYYCRGVYYALSPFD YWGQGTLVTVSSDKTHTASTKGPSVFPLAPCSRSTSESTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYS LSSVVTVPSSSLGTKTYTCNVDHKPSNTKVDKRVESKYGPPCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVD

VSQEDPEVQFNWYVDGVEVHNAKTKPREEQFNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPR EPQVCTLPPSQEEMTKNQVSLSCAVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLVSKLTVDKSRWQEGNVFS CSVMHEALHNHYTQKSLSLSLG 3 420

RAHLVQSGTAMKKPGASVRVSCQTSGYTFTAHILFWFRQAPGRGLEWVGWIKPQYGAVNFGGGFRDRVTLTRDVYREIA YMDIRGLKPDDTAVYYCARDRSYGDSSWALDAWGQGTTVVVSAASTKGPSVFPLAPCSRSTSESTAALGCLVKDYFPEP VTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTKVDKRVESKYGPPCPPCPAPEAAG GPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEVHNAKTKPREEQFNSTYRVVSVLTVLHQDWLN GKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVYTLPPCQEEMTKNQVSLWCLVKGFYPSDIAVEWESNGQPENNYKTTP PVLDSDGSFFLYSKLTVDKSRWQEGNVFSCSVMHEALHNHYTQKSLSLSLG 4 421

YIHVTQSPSSLSVSIGDRVTINCQTSQGVGSDLHWYQHKPGRAPKLLIHHTSSVEDGVPSRFSGSGFHTSFNLTISDLQADDI ATYYCQVLQFFGRGSRLHIKRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQD SKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC Trispecific 19 1 422

DIVMTQTPLSLSVTPGQPASISCKSSQSLVHQNAQTYLSWYLQKPGQSPQSLIYKVSNRFSGVPDRFSGSGSGTDFTLKISR N6/CD28sup $\;\;\times$

VEAEDVGVYYCGQGTQYPFTFGSGTKVEIKDKTHTDIQMTQSPSSLSASVGDRVTITCQASQNIYVWLNWYQQKPGKAP CD3mid QQ

KLLIYKASNLHTGVPSRFSGSGSGTDFTLTISSLQPEDIATYYCQQGQTYPYTFGQGTKLEIKDKTHTRTVAAPSVFIFPPSD IgG1_NNAS_

EQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQDSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGL DKTHT linker SSPVTKSFNRGEC 2 423

QVQLVQSGAEVVKPGASVKVSCKASGYTFTSYYIHWVRQAPGQGLEWIGSIYPGNVNTNYAQKFQGRATLTVDTSISTA YMELSRLRSDDTAVYYCTRSHYGLDWNFDVWGKGTTVTVSSDKTHTQVQLVESGGGVVQPGRSLRLSCAASGFTFTKA WMHWVRQAPGKQLEWVAQIKDKSNSYATYYADSVKGRFTISRDDSKNTLYLQMNSLRAEDTAVYYCRGVYYALSPFD YWGQGTLVTVSSDKTHTASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLY SLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGGPSVFLFPPKPKDTLMISRTPEVTCV VVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNNASRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAK GQPREPQVCTLPPSRDELTKNQVSLSCAVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLVSKLTVDKSRWQQG NVFSCSVMHEALHNHYTQKSLSLSPG 3 424

RAHLVQSGTAMKKPGASVRVSCQTSGYTFTAHILFWFRQAPGRGLEWVGWIKPQYGAVNFGGGFRDRVTLTRDVYREIA YMDIRGLKPDDTAVYYCARDRSYGDSSWALDAWGQGTTVVVSAASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEP VTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPEL LGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNNASRVVSVLTVLHQDW LNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPCRDELTKNQVSLWCLVKGFYPSDIAVEWESNGQPENNYKT TPPVLDSDGSFFLYSKLTVDKSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPG 4 425

YIHVTQSPSSLSVSIGDRVTINCQTSQGVGSDLHWYQHKPGRAPKLLIHHTSSVEDGVPSRFSGSGFHTSFNLTISDLQADDI ATYYCQVLQFFGRGSRLHIKRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQD SKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC Trispecific 21 1 426

DIVMTQTPLSLSVTPGQPASISCKSSQSLVHDNAQTYLSWYLQKPGQSPQSLIYKVSNRFSGVPDRFSGSGSGTDFTLKISR N6/CD28sup ×

VEAEDVGVYYCGQGTQYPFTFGSGTKVEIKDKTHTDIQMTQSPSSLSASVGDRVTITCQASQNIYVWLNWYQQKPGKAP CD3mid

 $KLLIYKASNLHTGVPSRFSGSGSGTDFTLTISSLQPEDIATYYCQQGQTYPYTFGQGTKLEIKDKTHTRTVAAPSVFIFPPSDDNAQ \ IgG4$

EQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQDSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGL FALA/409K SSPVTKSFNRGEC DKTHT linker 2 427

QVQLVQSGAEVVKPGASVKVSCKASGYTFTSYYIHWVRQAPGQGLEWIGSIYPGNVNTNYAQKFQGRATLTVDTSISTA YMELSRLRSDDTAVYYCTRSHYGLDWNFDVWGKGTTVTVSSDKTHTQVQLVESGGGVVQPGRSLRLSCAASGFTFTKA WMHWVRQAPGKQLEWVAQIKDKSNSYATYYADSVKGRFTISRDDSKNTLYLQMNSLRAEDTAVYYCRGVYYALSPFD YWGQGTLVTVSSDKTHTASTKGPSVFPLAPCSRSTSESTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYS LSSVVTVPSSSLGTKTYTCNVDHKPSNTKVDKRVESKYGPPCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVD VSQEDPEVQFNWYVDGVEVHNAKTKPREEQFNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPR EPQVCTLPPSQEEMTKNQVSLSCAVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLVSKLTVDKSRWQEGNVFS CSVMHEALHNHYTQKSLSLSLG 3 428

RAHLVQSGTAMKKPGASVRVSCQTSGYTFTAHILFWFRQAPGRGLEWVGWIKPQYGAVNFGGGFRDRVTLTRDVYREIA YMDIRGLKPDDTAVYYCARDRSYGDSSWALDAWGQGTTVVVSAASTKGPSVFPLAPCSRSTSESTAALGCLVKDYFPEP VTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTKVDKRVESKYGPPCPPCPAPEAAG GPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEVHNAKTKPREEQFNSTYRVVSVLTVLHQDWLN GKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVYTLPPCQEEMTKNQVSLWCLVKGFYPSDIAVEWESNGQPENNYKTTP PVLDSDGSFFLYSKLTVDKSRWQEGNVFSCSVMHEALHNHYTQKSLSLSLG 4 429

YIHVTQSPSSLSVSIGDRVTINCQTSQGVGSDLHWYQHKPGRAPKLLIHHTSSVEDGVPSRFSGSGFHTSFNLTISDLQADDI ATYYCQVLQFFGRGSRLHIKRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQD SKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC Trispecific 22 1 430

DIVMTQTPLSLSVTPGQPASISCKSSQSLVHENLQTYLSWYLQKPGQSPQSLIYKVSNRFSGVPDRFSGSGSGTDFTLKISRV

N6/CD28sup ×

EAEDVGVYYCGQGTQYPFTFGSGTKVEIKDKTHTDIQMTQSPSSLSASVGDRVTITCQASQNIYVWLNWYQQKPGKAPK CD3mid_

 $LLIYKASNLHTGVPSRFSGSGSGTDFTLTISSLQPEDIATYYCQQGQTYPYTFGQGTKLEIKDKTHTRTVAAPSVFIFPPSDEE NLQ \\ IgG4$

QLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQDSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLS FALA/409K SPVTKSFNRGEC DKTHT linker 2 431

QVQLVQSGAEVVKPGASVKVSCKASGYTFTSYYIHWVRQAPGQGLEWIGSIYPGNVNTNYAQKFQGRATLTVDTSISTA YMELSRLRSDDTAVYYCTRSHYGLDWNFDVWGKGTTVTVSSDKTHTQVQLVESGGGVVQPGRSLRLSCAASGFTFTKA WMHWVRQAPGKQLEWVAQIKDKSNSYATYYADSVKGRFTISRDDSKNTLYLQMNSLRAEDTAVYYCRGVYYALSPFD YWGQGTLVTVSSDKTHTASTKGPSVFPLAPCSRSTSESTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYS LSSVVTVPSSSLGTKTYTCNVDHKPSNTKVDKRVESKYGPPCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVD VSQEDPEVQFNWYVDGVEVHNAKTKPREEQFNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPR EPQVCTLPPSQEEMTKNQVSLSCAVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLVSKLTVDKSRWQEGNVFS CSVMHEALHNHYTQKSLSLSLG 3 432

RAHLVQSGTAMKKPGASVRVSCQTSGYTFTAHILFWFRQAPGRGLEWVGWIKPQYGAVNFGGGFRDRVTLTRDVYREIA YMDIRGLKPDDTAVYYCARDRSYGDSSWALDAWGQGTTVVVSAASTKGPSVFPLAPCSRSTSESTAALGCLVKDYFPEP VTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTKVDKRVESKYGPPCPPCPAPEAAG GPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEVHNAKTKPREEQFNSTYRVVSVLTVLHQDWLN GKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVYTLPPCQEEMTKNQVSLWCLVKGFYPSDIAVEWESNGQPENNYKTTP PVLDSDGSFFLYSKLTVDKSRWQEGNVFSCSVMHEALHNHYTQKSLSLSLG 4 433

YIHVTQSPSSLSVSIGDRVTINCQTSQGVGSDLHWYQHKPGRAPKLLIHHTSSVEDGVPSRFSGSGFHTSFNLTISDLQADDI ATYYCQVLQFFGRGSRLHIKRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQD SKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC Trispecific 23 1 434

DIVMTQTPLSLSVTPGQPASISCKSSQSLVHENLRTYLSWYLQKPGQSPQSLIYKVSNRFSGVPDRFSGSGSGTDFTLKISRV N6/CD28sup ×

EAEDVGVYYCGQGTQYPFTFGSGTKVEIKDKTHTDIQMTQSPSSLSASVGDRVTITCQASQNIYVWLNWYQQKPGKAPK CD3mid

 $LLIYKASNLHTGVPSRFSGSGSGTDFTLTISSLQPEDIATYYCQQGQTYPYTFGQGTKLEIKDKTHTRTVAAPSVFIFPPSDEE NLR \\ IgG4$

QVQLVQSGAEVVKPGASVKVSCKASGYTFTSYYIHWVRQAPGQGLEWIGSIYPGNVNTNYAQKFQGRATLTVDTSISTA YMELSRLRSDDTAVYYCTRSHYGLDWNFDVWGKGTTVTVSSDKTHTQVQLVESGGGVVQPGRSLRLSCAASGFTFTKA WMHWVRQAPGKQLEWVAQIKDKSNSYATYYADSVKGRFTISRDDSKNTLYLQMNSLRAEDTAVYYCRGVYYALSPFD YWGQGTLVTVSSDKTHTASTKGPSVFPLAPCSRSTSESTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYS LSSVVTVPSSSLGTKTYTCNVDHKPSNTKVDKRVESKYGPPCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVD VSQEDPEVQFNWYVDGVEVHNAKTKPREEQFNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPR EPQVCTLPPSQEEMTKNQVSLSCAVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLVSKLTVDKSRWQEGNVFS CSVMHEALHNHYTQKSLSLSLG 3 436

RAHLVQSGTAMKKPGASVRVSCQTSGYTFTAHILFWFRQAPGRGLEWVGWIKPQYGAVNFGGGFRDRVTLTRDVYREIA YMDIRGLKPDDTAVYYCARDRSYGDSSWALDAWGQGTTVVVSAASTKGPSVFPLAPCSRSTSESTAALGCLVKDYFPEP VTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTKVDKRVESKYGPPCPPCPAPEAAG GPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEVHNAKTKPREEQFNSTYRVVSVLTVLHQDWLN GKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVYTLPPCQEEMTKNQVSLWCLVKGFYPSDIAVEWESNGQPENNYKTTP PVLDSDGSFFLYSKLTVDKSRWQEGNVFSCSVMHEALHNHYTQKSLSLSLG 4 437

YIHVTQSPSSLSVSIGDRVTINCQTSQGVGSDLHWYQHKPGRAPKLLIHHTSSVEDGVPSRFSGSGFHTSFNLTISDLQADDI ATYYCQVLQFFGRGSRLHIKRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQD SKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC Trispecific 24 1 438

DIVMTQTPLSLSVTPGQPASISCKSSQSLVHENLFTYLSWYLQKPGQSPQSLIYKVSNRFSGVPDRFSGSGSGTDFTLKISRV N6/CD28sup ×

EAEDVGVYYCGQGTQYPFTFGSGTKVEIKDKTHTDIQMTQSPSSLSASVGDRVTITCQASQNIYVWLNWYQQKPGKAPK CD3mid

 $LLIYKASNLHTGVPSRFSGSGSGTDFTLTISSLQPEDIATYYCQQGQTYPYTFGQGTKLEIKDKTHTRTVAAPSVFIFPPSDEE NLF- \\ IgG4$

QLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQDSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLS FALA/409K_ SPVTKSFNRGEC DKTHT linker 2 439

QVQLVQSGAEVVKPGASVKVSCKASGYTFTSYYIHWVRQAPGQGLEWIGSIYPGNVNTNYAQKFQGRATLTVDTSISTA YMELSRLRSDDTAVYYCTRSHYGLDWNFDVWGKGTTVTVSSDKTHTQVQLVESGGGVVQPGRSLRLSCAASGFTFTKA WMHWVRQAPGKQLEWVAQIKDKSNSYATYYADSVKGRFTISRDDSKNTLYLQMNSLRAEDTAVYYCRGVYYALSPFD YWGQGTLVTVSSDKTHTASTKGPSVFPLAPCSRSTSESTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYS LSSVVTVPSSSLGTKTYTCNVDHKPSNTKVDKRVESKYGPPCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVD

VSQEDPEVQFNWYVDGVEVHNAKTKPREEQFNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPR

EPQVCTLPPSQEEMTKNQVSLSCAVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLVSKLTVDKSRWQEGNVFS CSVMHEALHNHYTQKSLSLSLG 3 440

RAHLVQSGTAMKKPGASVRVSCQTSGYTFTAHILFWFRQAPGRGLEWVGWIKPQYGAVNFGGGFRDRVTLTRDVYREIA YMDIRGLKPDDTAVYYCARDRSYGDSSWALDAWGQGTTVVVSAASTKGPSVFPLAPCSRSTSESTAALGCLVKDYFPEP VTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTKVDKRVESKYGPPCPPCPAPEAAG GPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEVHNAKTKPREEQFNSTYRVVSVLTVLHQDWLN GKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVYTLPPCQEEMTKNQVSLWCLVKGFYPSDIAVEWESNGQPENNYKTTP PVLDSDGSFFLYSKLTVDKSRWQEGNVFSCSVMHEALHNHYTQKSLSLSLG 4 441

YIHVTQSPSSLSVSIGDRVTINCQTSQGVGSDLHWYQHKPGRAPKLLIHHTSSVEDGVPSRFSGSGFHTSFNLTISDLQADDI ATYYCQVLQFFGRGSRLHIKRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQD SKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC Trispecific 25 1 442

DIVMTQTPLSLSVTPGQPASISCKSSQSLVHENLQTYLSWYLQKPGQSPQSLIYKVSNRFSGVPDRFSGSGSGTDFTLKISRV N6_rw52/

 $\begin{tabular}{ll} EAEDVGVYYCGQGTQYPFTFGSGTKVEIKDKTHTDIQMTQSPSSLSASVGDRVTITCQASQNIYVWLNWYQQKPGKAPK CD28sup & \times \end{tabular} \label{tabular}$

LLIYKASNLHTGVPSRFSGSGSGTDFTLTISSLQPEDIATYYCQQGQTYPYTFGQGTKLEIKDKTHTRTVAAPSVFIFPPSDE CD3mid

QLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQDSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLS ENLQ IgG4 SPVTKSFNRGEC FALA/409K_ DKTHT linker 2 443

QVQLVQSGAEVVKPGASVKVSCKASGYTFTSYYIHWVRQAPGQGLEWIGSIYPGNVNTNYAQKFQGRATLTVDTSISTA YMELSRLRSDDTAVYYCTRSHYGLDWNFDVWGKGTTVTVSSDKTHTQVQLVESGGGVVQPGRSLRLSCAASGFTFTKA WMHWVRQAPGKQLEWVAQIKDKSNSYATYYADSVKGRFTISRDDSKNTLYLQMNSLRAEDTAVYYCRGVYYALSPFD YWGQGTLVTVSSDKTHTASTKGPSVFPLAPCSRSTSESTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYS LSSVVTVPSSSLGTKTYTCNVDHKPSNTKVDKRVESKYGPPCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVD VSQEDPEVQFNWYVDGVEVHNAKTKPREEQFNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPR EPQVCTLPPSQEEMTKNQVSLSCAVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLVSKLTVDKSRWQEGNVFS CSVMHEALHNHYTQKSLSLSLG 3 444

RAHLVQSGTAMKKPGASVRVSCQTSGYTFTAHILFWFRQAPGRGLEWVGWIKPQYGATNFGGGFRDRVTLTRDVYREIA YMDIRGLKPDDTAVYYCARDRSYGDSSWALDAWGQGTTVVVSAASTKGPSVFPLAPCSRSTSESTAALGCLVKDYFPEP VTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTKVDKRVESKYGPPCPPCPAPEAAG GPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEVHNAKTKPREEQFNSTYRVVSVLTVLHQDWLN GKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVYTLPPCQEEMTKNQVSLWCLVKGFYPSDIAVEWESNGQPENNYKTTP PVLDSDGSFFLYSKLTVDKSRWQEGNVFSCSVMHEALHNHYTQKSLSLSLG 4 445

YIHVTQSPSSLSVSIGDRVTINCQTSQGVGSDLHWYQHKPGRAPKLLIHHTSSSEEGVPSRFSGSGFHTSFNLTISDLQADDI ATYYCQVLQFFGRGSRLHIKRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQD SKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC Trispecific 26 1 446

DIVMTQTPLSLSVTPGQPASISCKSSQSLVHENLFTYLSWYLQKPGQSPQSLIYKVSNRFSGVPDRFSGSGSGTDFTLKISRV N6 rw52/

EAEDVGVYYCGQGTQYPFTFGSGTKVEIKDKTHTDIQMTQSPSSLSASVGDRVTITCQASQNIYVWLNWYQQKPGKAPK CD28sup ×

LLIYKÅSNLHTGVPSRFSGSGSGTDFTLTISSLQPEDIATYYCQQGQTYPYTFGQGTKLEIKDKTHTRTVAAPSVFIFPPSDE CD3mid

QLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQDSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLS ENLF IgG4 SPVTKSFNRGEC FALA/409K_ DKTHT linker 2 447

QVQLVQSGAEVVKPGASVKVSCKASGYTFTSYYIHWVRQAPGQGLEWIGSIYPGNVNTNYAQKFQGRATLTVDTSISTA YMELSRLRSDDTAVYYCTRSHYGLDWNFDVWGKGTTVTVSSDKTHTQVQLVESGGGVVQPGRSLRLSCAASGFTFTKA WMHWVRQAPGKQLEWVAQIKDKSNSYATYYADSVKGRFTISRDDSKNTLYLQMNSLRAEDTAVYYCRGVYYALSPFD YWGQGTLVTVSSDKTHTASTKGPSVFPLAPCSRSTSESTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYS LSSVVTVPSSSLGTKTYTCNVDHKPSNTKVDKRVESKYGPPCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVD VSQEDPEVQFNWYVDGVEVHNAKTKPREEQFNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPR EPQVCTLPPSQEEMTKNQVSLSCAVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLVSKLTVDKSRWQEGNVFS CSVMHEALHNHYTQKSLSLSLG 3 448

RAHLVQSGTAMKKPGASVRVSCQTSGYTFTAHILFWFRQAPGRGLEWVGWIKPQYGATNFGGGFRDRVTLTRDVYREIA YMDIRGLKPDDTAVYYCARDRSYGDSSWALDAWGQGTTVVVSAASTKGPSVFPLAPCSRSTSESTAALGCLVKDYFPEP VTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTKVDKRVESKYGPPCPPCPAPEAAG GPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEVHNAKTKPREEQFNSTYRVVSVLTVLHQDWLN GKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVYTLPPCQEEMTKNQVSLWCLVKGFYPSDIAVEWESNGQPENNYKTTP PVLDSDGSFFLYSKLTVDKSRWQEGNVFSCSVMHEALHNHYTQKSLSLSLG 4 449

YIHVTQSPSSLSVSIGDRVTINCQTSQGVGSDLHWYQHKPGRAPKLLIHHTSSSEEGVPSRFSGSGFHTSFNLTISDLQADDI ATYYCQVLQFFGRGSRLHIKRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQD SKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC Trispecific 27 1 450

DIVMTQTPLSLSVTPGQPASISCKSSQSLVHENLFTYLSWYLQKPGQSPQSLIYKVSNRFSGVPDRFSGSGSGTDFTLKISRV N6_rw52/

EAEDVGVYYCGQGTQYPFTFGSGTKVEIKDKTHTDIQMTQSPSSLSASVGDRVTITCQASQNIYVWLNWYQQKPGKAPK

LLIYKASNLHTGVPSRFSGSGSGTDFTLTISSLQPEDIATYYCQQGQTYPYTFGQGTKLEIKDKTHTRTVAAPSVFIFPPSDE CD3mid

QLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQDSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLS ENLF SPVTKSFNRGEC IgG1_NNAS_ DKTHT linker 2 451

QVQLVQSGAEVVKPGASVKVSCKASGYTFTSYYIHWVRQAPGQGLEWIGSIYPGNVNTNYAQKFQGRATLTVDTSISTA YMELSRLRSDDTAVYYCTRSHYGLDWNFDVWGKGTTVTVSSDKTHTQVQLVESGGGVVQPGRSLRLSCAASGFTFTKA WMHWVRQAPGKQLEWVAQIKDKSNSYATYYADSVKGRFTISRDDSKNTLYLQMNSLRAEDTAVYYCRGVYYALSPFD YWGQGTLVTVSSDKTHTASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLY SLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGGPSVFLFPPKPKDTLMISRTPEVTCV VVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNNASRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAK GQPREPQVCTLPPSRDELTKNQVSLSCAVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLVSKLTVDKSRWQQG NVFSCSVMHEALHNHYTQKSLSLSPG 3 452

RAHLVQSGTAMKKPGASVRVSCQTSGYTFTAHILFWFRQAPGRGLEWVGWIKPQYGATNFGGGFRDRVTLTRDVYREIA YMDIRGLKPDDTAVYYCARDRSYGDSSWALDAWGQGTTVVVSAASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEP VTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPEL LGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNNASRVVSVLTVLHQDW LNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPCRDELTKNQVSLWCLVKGFYPSDIAVEWESNGQPENNYKT TPPVLDSDGSFFLYSKLTVDKSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPG 4 453

YIHVTQSPSSLSVSIGDRVTINCQTSQGVGSDLHWYQHKPGRAPKLLIHHTSSSEEGVPSRFSGSGFHTSFNLTISDLQADDI ATYYCQVLQFFGRGSRLHIKRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQD SKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC Trispecific 28 1 454

DIVMTQTPLSLSVTPGQPASISCKSSQSLVHENLQTYLSWYLQKPGQSPQSLIYKVSNRFSGVPDRFSGSGSGTDFTLKISRV N6 FR3-03/

EAEDVGVYYCGQGTQYPFTFGSGTKVEIKDKTHTDIQMTQSPSSLSASVGDRVTITCQASQNIYVWLNWYQQKPGKAPK

LLIYKÅSNLHTGVPSRFSGSGSGTDFTLTISSLQPEDIATYYCQQGQTYPYTFGQGTKLEIKDKTHTRTVAAPSVFIFPPSDE CD3mid

QLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQDSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLS ENLQ IgG4 SPVTKSFNRGEC FALA/409K_ DKTHT linker 2 455

QVQLVQSGAEVVKPGASVKVSCKASGYTFTSYYIHWVRQAPGQGLEWIGSIYPGNVNTNYAQKFQGRATLTVDTSISTA YMELSRLRSDDTAVYYCTRSHYGLDWNFDVWGKGTTVTVSSDKTHTQVQLVESGGGVVQPGRSLRLSCAASGFTFTKA WMHWVRQAPGKQLEWVAQIKDKSNSYATYYADSVKGRFTISRDDSKNTLYLQMNSLRAEDTAVYYCRGVYYALSPFD YWGQGTLVTVSSDKTHTASTKGPSVFPLAPCSRSTSESTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYS LSSVVTVPSSSLGTKTYTCNVDHKPSNTKVDKRVESKYGPPCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVD VSQEDPEVQFNWYVDGVEVHNAKTKPREEQFNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPR EPQVCTLPPSQEEMTKNQVSLSCAVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLVSKLTVDKSRWQEGNVFS CSVMHEALHNHYTQKSLSLSLG 3 456

RAHLVQSGTAMKKPGASVRVSCQTSGYTFTAHILFWFRQAPGRGLEWVGWIKPQYGAVNFGGGFRDRVTLTRQLSQDP DDPDWGIAYMDIRGLKPDDTAVYYCARDRSYGDSSWALDAWGQGTTVVVSAASTKGPSVFPLAPCSRSTSESTAALGCL VKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTKVDKRVESKYGPPCPPC PAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEVHNAKTKPREEQFNSTYRVVSVLTVL HQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVYTLPPCQEEMTKNQVSLWCLVKGFYPSDIAVEWESNGQPE NNYKTTPPVLDSDGSFFLYSKLTVDKSRWQEGNVFSCSVMHEALHNHYTQKSLSLSLG 4 457

YIHVTQSPSSLSVSIGDRVTINCQTSQGVGSDLHWYQHKPGRAPKLLIHHTSSVEDGVPSRFSGSGFHTSFNLTISDLQADDI ATYYCQVLQFFGRGSRLHIKRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQD SKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC Trispecific 29 1 458

DIVMTQTPLSLSVTPGQPASISCKSSQSLVHENLFTYLSWYLQKPGQSPQSLIYKVSNRFSGVPDRFSGSGSGTDFTLKISRV N6_FR3-03/

EAEDVGVYYCGQGTQYPFTFGSGTKVEIKDKTHTDIQMTQSPSSLSASVGDRVTITCQASQNIYVWLNWYQQKPGKAPK CD28sup ×

LLIYKASNLHTGVPSRFSGSGSGTDFTLTISSLQPEDIATYYCQQGQTYPYTFGQGTKLEIKDKTHTRTVAAPSVFIFPPSDE CD3mid

QLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQDSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLS ENLF IgG4 SPVTKSFNRGEC FALA/409K_ DKTHT linker 2 459

QVQLVQSGAEVVKPGASVKVSCKASGYTFTSYYIHWVRQAPGQGLEWIGSIYPGNVNTNYAQKFQGRATLTVDTSISTA YMELSRLRSDDTAVYYCTRSHYGLDWNFDVWGKGTTVTVSSDKTHTQVQLVESGGGVVQPGRSLRLSCAASGFTFTKA WMHWVRQAPGKQLEWVAQIKDKSNSYATYYADSVKGRFTISRDDSKNTLYLQMNSLRAEDTAVYYCRGVYYALSPFD YWGQGTLVTVSSDKTHTASTKGPSVFPLAPCSRSTSESTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYS LSSVVTVPSSSLGTKTYTCNVDHKPSNTKVDKRVESKYGPPCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVD VSQEDPEVQFNWYVDGVEVHNAKTKPREEQFNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPR EPQVCTLPPSQEEMTKNQVSLSCAVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLVSKLTVDKSRWQEGNVFS

CSVMHEALHNHYTQKSLSLSLG 3 460

NNYKTTPPVLDSDGSFFLYSKLTVDKSRWQEGNVFSCSVMHEALHNHYTQKSLSLSLG 4 461

RAHLVQSGTAMKKPGASVRVSCQTSGYTFTAHILFWFRQAPGRGLEWVGWIKPQYGAVNFGGGFRDRVTLTRQLSQDP DDPDWGIAYMDIRGLKPDDTAVYYCARDRSYGDSSWALDAWGQGTTVVVSAASTKGPSVFPLAPCSRSTSESTAALGCL VKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTKVDKRVESKYGPPCPPC PAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEVHNAKTKPREEQFNSTYRVVSVLTVL HQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVYTLPPCQEEMTKNQVSLWCLVKGFYPSDIAVEWESNGQPE

YIHVTQSPSSLSVSIGDRVTINCQTSQGVGSDLHWYQHKPGRAPKLLIHHTSSVEDGVPSRFSGSGFHTSFNLTISDLQADDI ATYYCQVLQFFGRGSRLHIKRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQD SKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC Trispecific 30 1 462

DIVMTQTPLSLSVTPGQPASISCKSSQSLVHENLQTYLSWYLQKPGQSPQSLIYKVSNRFSGVPDRFSGSGSGTDFTLKISRV N6 FR3-03/

EAEDVGVYYCGQGTQYPFTFGSGTKVEIKDKTHTDIQMTQSPSSLSASVGDRVTITCQASQNIYVWLNWYQQKPGKAPK CD28sup \times

LLIYKASNLHTGVPSRFSGSGSGTDFTLTISSLQPEDIATYYCQQGQTYPYTFGQGTKLEIKDKTHTRTVAAPSVFIFPPSDE CD3mid_

QLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQDSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLS ENLQIgG1_ SPVTKSFNRGEC NNAS_DKTHT linker 2 463

QVQLVQSGAEVVKPGASVKVSCKASGYTFTSYYIHWVRQAPGQGLEWIGSIYPGNVNTNYAQKFQGRATLTVDTSISTA YMELSRLRSDDTAVYYCTRSHYGLDWNFDVWGKGTTVTVSSDKTHTQVQLVESGGGVVQPGRSLRLSCAASGFTFTKA WMHWVRQAPGKQLEWVAQIKDKSNSYATYYADSVKGRFTISRDDSKNTLYLQMNSLRAEDTAVYYCRGVYYALSPFD YWGQGTLVTVSSDKTHTASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLY SLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGGPSVFLFPPKPKDTLMISRTPEVTCV VVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNNASRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAK GQPREPQVCTLPPSRDELTKNQVSLSCAVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLVSKLTVDKSRWQQG NVFSCSVMHEALHNHYTQKSLSLSPG 3 464

RAHLVQSGTAMKKPGASVRVSCQTSGYTFTAHILFWFRQAPGRGLEWVGWIKPQYGAVNFGGGFRDRVTLTRQLSQDP DDPDWGIAYMDIRGLKPDDTAVYYCARDRSYGDSSWALDAWGQGTTVVVSAASTKGPSVFPLAPSSKSTSGGTAALGC LVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHT CPPCPAPELLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNNASRVVSV LTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPCRDELTKNQVSLWCLVKGFYPSDIAVEWESNG QPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPG 4 465

YIHVTQSPSSLSVSIGDRVTINCQTSQGVGSDLHWYQHKPGRAPKLLIHHTSSVEDGVPSRFSGSGFHTSFNLTISDLQADDI ATYYCQVLQFFGRGSRLHIKRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQD SKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC Trispecific 31 1 466

DIVMTQTPLSLSVTPGQPASISCKSSQSLVHENLFTYLSWYLQKPGQSPQSLIYKVSNRFSGVPDRFSGSGSGTDFTLKISRV N6 FR3-03/

EAEDVGVYYCGQGTQYPFTFGSGTKVEIKDKTHTDIQMTQSPSSLSASVGDRVTITCQASQNIYVWLNWYQQKPGKAPK CD28sup ×

LLIYKÅSNLHTGVPSRFSGSGSGTDFTLTISSLQPEDIATYYCQQGQTYPYTFGQGTKLEIKDKTHTRTVAAPSVFIFPPSDE CD3mid

QVQLVQSGAEVVKPGASVKVSCKASGYTFTSYYIHWVRQAPGQGLEWIGSIYPGNVNTNYAQKFQGRATLTVDTSISTA YMELSRLRSDDTAVYYCTRSHYGLDWNFDVWGKGTTVTVSSDKTHTQVQLVESGGGVVQPGRSLRLSCAASGFTFTKA WMHWVRQAPGKQLEWVAQIKDKSNSYATYYADSVKGRFTISRDDSKNTLYLQMNSLRAEDTAVYYCRGVYYALSPFD YWGQGTLVTVSSDKTHTASTKGPSVFPLAPSSKSTSGGTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLY SLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHTCPPCPAPELLGGPSVFLFPPKPKDTLMISRTPEVTCV VVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNNASRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAK GQPREPQVCTLPPSRDELTKNQVSLSCAVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLVSKLTVDKSRWQQG NVFSCSVMHEALHNHYTQKSLSLSPG 3 468

RAHLVQSGTAMKKPGASVRVSCQTSGYTFTAHILFWFRQAPGRGLEWVGWIKPQYGAVNFGGGFRDRVTLTRQLSQDP DDPDWGIAYMDIRGLKPDDTAVYYCARDRSYGDSSWALDAWGQGTTVVVSAASTKGPSVFPLAPSSKSTSGGTAALGC LVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTQTYICNVNHKPSNTKVDKKVEPKSCDKTHT CPPCPAPELLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNNASRVVSV LTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPCRDELTKNQVSLWCLVKGFYPSDIAVEWESNG QPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPG 4 469

YIHVTQSPSSLSVSIGDRVTINCQTSQGVGSDLHWYQHKPGRAPKLLIHHTSSVEDGVPSRFSGSGFHTSFNLTISDLQADDI ATYYCQVLQFFGRGSRLHIKRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQD SKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC Trispecific 34 1 470

DIVMTQTPLSLSVTPGQPASISCKSSQSLVHENLQTYLSWYLQKPGQSPQSLIYKVSNRFSGVPDRFSGSGSGTDFTLKISRV VRC01.23/

EAEDVGVYYCGQGTQYPFTFGSGTKVEIKDKTHTDIQMTQSPSSLSASVGDRVTITCQASQNIYVWLNWYQQKPGKAPK

CD28sup ×

LLIYKASNLHTGVPSRFSGSGSGTDFTLTISSLQPEDIATYYCQQGQTYPYTFGQGTKLEIKDKTHTRTVAAPSVFIFPPSDE CD3mid

QLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQDSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLS ENLQ IgG4 SPVTKSFNRGEC FALA/409K_ DKTHT linker 2 471

QVQLVQSGAEVVKPGASVKVSCKASGYTFTSYYIHWVRQAPGQGLEWIGSIYPGNVNTNYAQKFQGRATLTVDTSISTA YMELSRLRSDDTAVYYCTRSHYGLDWNFDVWGKGTTVTVSSDKTHTQVQLVESGGGVVQPGRSLRLSCAASGFTFTKA WMHWVRQAPGKQLEWVAQIKDKSNSYATYYADSVKGRFTISRDDSKNTLYLQMNSLRAEDTAVYYCRGVYYALSPFD YWGQGTLVTVSSDKTHTASTKGPSVFPLAPCSRSTSESTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYS LSSVVTVPSSSLGTKTYTCNVDHKPSNTKVDKRVESKYGPPCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVD VSQEDPEVQFNWYVDGVEVHNAKTKPREEQFNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPR EPQVCTLPPSQEEMTKNQVSLSCAVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLVSKLTVDKSRWQEGNVFS CSVMHEALHNHYTQKSLSLSLG 3 472

QVQLVQSGGQMKKPGESMRISCRASGYEFIDCTLNWIRLAPGKRPEWMGWLKPRWGAVNYARPLQGRVTMTRQLSQDP DDPDWGTAFLELRSLTVDDTAVYFCTRGKNCDYNWDEERWGRGTPVIVSSASTKGPSVFPLAPCSRSTSESTAALGCLVK DYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTKVDKRVESKYGPPCPPCPA PEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEVHNAKTKPREEQFNSTYRVVSVLTVLHQ DWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVYTLPPCQEEMTKNQVSLWCLVKGFYPSDIAVEWESNGQPENN YKTTPPVLDSDGSFFLYSKLTVDKSRWQEGNVFSCSVMHEALHNHYTQKSLSLSLG 4 473

LTQSPGTLSLSPGETAIISCRTSQYGSLAWYQQRPGQAPRLVIYSGSTRAAGIPDRFSGSRWGPDYNLTISNLESGDFGVYY CQQYEFFGQGTKVQVDIKRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQDSK DSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC Trispecific 35 1 474

DIVMTQTPLSLSVTPGQPASISCKSSQSLVHENLFTYLSWYLQKPGQSPQSLIYKVSNRFSGVPDRFSGSGSGTDFTLKISRV VRC01.23/

EAEDVGVYYCGQGTQYPFTFGSGTKVEIKDKTHTDIQMTQSPSSLSASVGDRVTITCQASQNIYVWLNWYQQKPGKAPK CD28sup ×

LLIYKASNLHTGVPSRFSGSGSGTDFTLTISSLQPEDIATYYCQQGQTYPYTFGQGTKLEIKDKTHTRTVAAPSVFIFPPSDE CD3mid

QLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQDSKDSTYSLSSTLTLSKADYEKHKVYACEVTHQGLS ENLF IgG4 SPVTKSFNRGEC FALA/409K_ DKTHT linker 2 475

QVQLVQSGAEVVKPGASVKVSCKASGYTFTSYYIHWVRQAPGQGLEWIGSIYPGNVNTNYAQKFQGRATLTVDTSISTA YMELSRLRSDDTAVYYCTRSHYGLDWNFDVWGKGTTVTVSSDKTHTQVQLVESGGGVVQPGRSLRLSCAASGFTFTKA WMHWVRQAPGKQLEWVAQIKDKSNSYATYYADSVKGRFTISRDDSKNTLYLQMNSLRAEDTAVYYCRGVYYALSPFD YWGQGTLVTVSSDKTHTASTKGPSVFPLAPCSRSTSESTAALGCLVKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYS LSSVVTVPSSSLGTKTYTCNVDHKPSNTKVDKRVESKYGPPCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVD VSQEDPEVQFNWYVDGVEVHNAKTKPREEQFNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPR EPQVCTLPPSQEEMTKNQVSLSCAVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFFLVSKLTVDKSRWQEGNVFS CSVMHEALHNHYTQKSLSLSLG 3 476

QVQLVQSGGQMKKPGESMRISCRASGYEFIDCTLNWIRLAPGKRPEWMGWLKPRWGAVNYARPLQGRVTMTRQLSQDP DDPDWGTAFLELRSLTVDDTAVYFCTRGKNCDYNWDEERWGRGTPVIVSSASTKGPSVFPLAPCSRSTSESTAALGCLVK DYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVVTVPSSSLGTKTYTCNVDHKPSNTKVDKRVESKYGPPCPPCPA PEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSQEDPEVQFNWYVDGVEVHNAKTKPREEQFNSTYRVVSVLTVLHQ DWLNGKEYKCKVSNKGLPSSIEKTISKAKGQPREPQVYTLPPCQEEMTKNQVSLWCLVKGFYPSDIAVEWESNGQPENN YKTTPPVLDSDGSFFLYSKLTVDKSRWQEGNVFSCSVMHEALHNHYTQKSLSLSLG 4 477

LTQSPGTLSLSPGETAIISCRTSQYGSLAWYQQRPGQAPRLVIYSGSTRAAGIPDRFSGSRWGPDYNLTISNLESGDFGVYY CQQYEFFGQGTKVQVDIKRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQDSK DSTYSLSSTLTLSKADYEKHKVYACEVTHQGLSSPVTKSFNRGEC

TABLE-US-00011 TABLE 5 Trispecific binding protein polynucleotide sequences Poly- peptide Number (acc. to SEQ for- ID Molecule mula) NO Sequence Trispecific 1 1 478

GACATCGTGATGACCCAGACCCCCTGAGCCTGAGCGTGACACCTGGACAGCCTGCCAGCATCAGCTGCAAGAGCA VRC07_523/

 $\begin{array}{ll} {\sf GCCAGAGCCTGGTGCACAACAACGCCAACACCTACCTGAGCTGGTATCTGCAGAAGCCCGGCCAGAGCCCCCAGTCCD28sup} & \times & \\ \end{array}$

CCTGATCTACAAGGTGTCCAACAGATTCAGCGGCGTGCCCGACAGATTCTCCGGCAGCGGCTCTGGCACCGACTTCACD3mid IgG1

CCCTGAAGATCAGCCGGGTGGAAGCCGAGGACGTGGGCGTGTACTATTGTGGCCAGGGCACCCAGTACCCCTTCACC LALA/P329A

CCAGCCGTACGGTGGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGCGACGAGCAGCTGAAGTCCGGCACAGCCTCT

```
GTCGTGTGCCTGCAACAACTTCTACCCCCGCGAGGCCAAAGTGCAGTGGAAGGTGGACAACGCCCTGCAGAGCG
GCAACAGCCAGGAAAGCGTGACCGAGCAGGACAGCAAGGACTCCACCTACAGCCTGAGCAGCACCCTGACACTGAG
CAAGGCCGACTACGAGAAGCACAAGGTGTACGCCTGCGAAGTGACCCACCAGGGCCTGTCTAGCCCCGTGACCAAG
AGCTTCAACCGGGGGGGAGTGT 2 479
CAGGTGCAGCTGGTGCAGTCTGGCGCCGAGGTCGTGAAACCTGGCGCCTCTGTGAAGGTGTCCTGCAAGGCCAGCGG
ACCCCGGCAACGTGAACACCAACTACGCCCAGAAGTTCCAGGGCAGAGCCACCCTGACCGTGGACACCAGCATCAG
CACCGCCTACATGGAACTGAGCCGGCTGAGAAGCGACGACGCCGTGTACTACTGCACCCGGTCCCACTACGGCC
TGGATTGGAACTTCGACGTGTGGGGCAAGGGCACCACCGTGACAGTGTCTAGCAGCCAGGTGCAGCTGGTGGAATCT
GGCGGCGGAGTGCTGCAGCCTGGCAGAAGCCTGAGACTGAGCTGTGCCGCCAGCGGCTTCACCTTCACCAAGGCCT
```

GGATGCACTGGGTGCGCCAGGCCCCTGGAAAGCAGCTGGAATGGGTGGCCCAGATCAAGGACAAGAGCAACAGCTA CGCCACCTACTACGCCGACAGCGTGAAGGGCCGGTTCACCATCAGCCGGGACGACAGCAAGAACACCCTGTACCTG CAGATGAACAGCCTGCGGGCCGAGGACACCGCCGTGTACTACTGTCGGGGCGTGTACTATGCCCTGAGCCCCTTCGA TTACTGGGGCCAGGGAACCCTCGTGACCGTGTCTAGTCGGACCGCCAGCACAAAGGGCCCCAGCGTGTTCCCTCTGG CCCCTAGCAGCAAGAGCACATCTGGCGGAACAGCCGCCCTGGGCTGCCTCGTGAAGGACTACTTTCCCGAGCCCGTG ACCGTGTCCTGGAATTCTGGCGCCCTGACCAGCGGCGTGCACACCTTTCCAGCTGTGCTGCAGTCCAGCGGCCTGTA CAGCCTGAGCAGCGTCGTGACAGTGCCCAGCAGCTCTCTGGGCACCCAGACCTACATCTGCAACGTGAACCACAAGC CCAGCAACACCAAGGTGGACAAGAAGGTGGAACCCAAGAGCTGCGACAAGACCCACACCTGTCCCCCTTGTCCTGCC ${\tt CCCGAAGCCGCCGGAGGCCCTTCCGTGTTCCTGTTCCCCCCAAAGCCCAAGGACACCCTGATGATCAGCCGGACCCC}$ CGAAGTGACCTGCGTGGTGGTGGATGTCCCACGAGGACCCTGAAGTGAAGTTCAATTGGTACGTGGACGGCGTGG AAGTGCACAACGCCAAGACCAAGAGAGAGGAACAGTACAACAGCACCTACCGGGTGGTGCCGTGCTGACCGT GCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGCAAGGTGTCCAACAAGGCCCTGGCCGCCCCATCGAG AAAACCATCAGCAAGGCCAAGGGCCAGCCCCGCGAACCCCAGGTGTGCACACTGCCCCCAAGCAGGGACGAGCTGA CCAAGAACCAGGTGTCCCTGAGCTGTGCCGTGAAAGGCTTCTACCCCTCCGATATCGCCGTGGAATGGGAGGAAC GGCCAGCCGAGAACAACTACAAGACCACCCCCCTGTGCTGGACAGCGACGGCTCATTCTTCCTGGTGTCCAAGCT GACAGTGGACAAGTCCCGGTGGCAGCAGGGCAACGTGTTCAGCTGCTCCGTGATGCACGAGGCCCTGCACAACCAC TACACCCAGAAGTCCCTGAGCCTGAGCCCCGGCTAGTGA 3 480

CAAGTGCGGCTGTCTCAGTCTGGCGGCCAGATGAAGAAACCCGGCGACAGCATGCGGATCAGCTGCAGAGCCAGCG AAGCCCAGACACGGGGCCGTGTCCTACGCCAGACAGCTGCAGGGCAGAGTGACCATGACCCGGGACATGTACAGCG AGACAGCCTTCCTGGAACTGCGGAGCCTGACCAGCGACGATACCGCCGTGTACTTCTGCACCCGGGGCAAGTACTGC ACCGCCAGAGACTACTACAACTGGGACTTCGAGCACTGGGGCCAGGGCACACCTGTGACAGTGTCTAGCGCTTCGAC CAAGGGCCCCAGCGTGTTCCCTCTGGCCCCTAGCAGCAGCACATCTGGCGGAACAGCCGCCCTGGGCTGCCTCG TGAAGGACTACTTTCCCGAGCCCGTGACCGTGTCCTGGAATTCTGGCGCCCTGACCAGCGGCGTGCACACCTTTCCA GCTGTGCTGCAGTCCAGCGGCCTGTACAGCCTGAGCAGCGTCGTGACAGTGCCCAGCAGCTCTCTGGGCACCCAGAC CTACATCTGCAACGTGAACCACAAGCCCAGCAACACCAAGGTGGACAAGAAGGTGGAACCCAAGAGCTGCGACAAG ACCCACACCTGTCCCCCTTGTCCTGCCCCGAAGCCGCCGGAGGCCCTTCCGTGTTCCTGTTCCCCCAAAGCCCAA GGACACCCTGATGATCAGCCGGACCCCCGAAGTGACCTGCGTGGTGGTGGTGTGTCCCACGAGGACCCTGAAGTGA CTACCGGGTGGTGCCGTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGCAAGGTGTCC AACAAGGCCCTGGCCGCCCCCATCGAGAAAACCATCAGCAAGGCCAAGGGCCAGCCCCGCGAACCCCAGGTGTACA CACTGCCCCCATGCAGGACGAGCTGACCAAGAACCAGGTGTCCCTGTGGTGTCTGGTGAAAGGCTTCTACCCCTCC GATATCGCCGTGGAATGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCTGTGCTGGACAGCG ACGGCTCATTCTTCCTGTACTCCAAGCTGACAGTGGACAAGTCCCGGTGGCAGCAGGGCAACGTGTTCAGCTGCTCC GTGATGCACGAGGCCCTGCACAACCACTACACCCAGAAGTCCCTGAGCCTGAGCCCCGGC 4 481 AGCCTGACACAGAGCCCTGGCACCCTGTCACTGAGCCCAGGCGAGACAGCCATCATCAGCTGCCGGACAAGCCAGT ACGGCAGCCTGGCCTGGTATCAGCAGAGGCCTGGACAGGCCCCCAGACTCGTGATCTACAGCGGCAGCACAAGAGC CGCCGGAATCCCCGATAGATTCAGCGGCTCCAGATGGGGACCCGACTACAACCTGACCATCAGCAACCTGGAAAGC GGCGACTTCGGCGTGTACTACTGCCAGCAGTACGAGTTCTTCGGCCAGGGCACCAAGGTGCAGGTGGACATCAAGCG TACGGTGGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGCGACGAGCAGCTGAAGTCCGGCACAGCCTCTGTCGTGT GCCTGCTGAACAACTTCTACCCCCGCGAGGCCAAAGTGCAGTGGAAGGTGGACAACGCCCTGCAGAGCGGCAACAG CCAGGAAAGCGTGACCGAGCAGGACAGCAAGGACTCCACCTACAGCCTGAGCAGCACCCTGACACTGAGCAAGGCC GACTACGAGAAGCACAAGGTGTACGCCTGCGAAGTGACCCACCAGGGCCTGTCTAGCCCCGTGACCAAGAGCTTCA

GACATCGTGATGACCCAGACCCCCTGAGCCTGAGCGTGACACCTGGACAGCCTGCCAGCATCAGCTGCAAGAGCA

ACCGGGGCGAGTGT Trispecific 2 1 482

GCCAGAGCCTGGTGCACAACACGCCAACACCTACCTGAGCTGGTATCTGCAGAAGCCCGGCCAGAGCCCCCAGTC CD28sup ×

CCTGATCTACAAGGTGTCCAACAGATTCAGCGGCGTGCCCGACAGATTCTCCGGCAGCGGCTCTGGCACCGACTTCA CD3mid IgG1

CCCTGAAGATCAGCCGGGTGGAAGCCGAGGACGTGGGCGTGTACTATTGTGGCCAGGGCACCCAGTACCCCTTCACC **NNAS**

TTTGGCAGCGGCACCAAGGTGGAAATCAAGGGCCAGCCCAAGGCCGCCCCGACATCCAGATGACCCAGAGCCCCA

```
GCAGCCTGTCTGCCAGCGTGGGCGACAGAGTGACCATCACCTGTCAGGCCAGCAGAACATCTACGTGTGGCTGAAC
TGGTATCAGCAGAAGCCCGGCAAGGCCCCCAAGCTGCTGATCTACAAGGCCAGCAACCTGCACACCGGCGTGCCCA
GCAGATTTTCTGGCAGCGGCTCCGGCACCGACTTCACCCTGACAATCAGCTCCCTGCAGCCCGAGGACATTGCCACC
TACTACTGCCAGCAGGGCCAGACCTACCCCTACACCTTTGGCCAGGGCACCAAGCTGGAAATCAAGACCAAGGGCC
CCAGCCGTACGGTGGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGCGACGAGCAGCTGAAGTCCGGCACAGCCTCT
GTCGTGTGCCTGCTGAACAACTTCTACCCCCGCGAGGCCAAAGTGCAGTGGAAGGTGGACAACGCCCTGCAGAGCG
GCAACAGCCAGGAAAGCGTGACCGAGCAGGACAGCAAGGACTCCACCTACAGCCTGAGCAGCACCCTGACACTGAG
CAAGGCCGACTACGAGAAGCACAAGGTGTACGCCTGCGAAAGTGACCCACCAGGGCCTGTCTAGCCCCGTGACCAAG
AGCTTCAACCGGGGCGAGTTCT 2 483
CAGGTGCAGCTGGTGCAGTCTGGCGCCGAGGTCGTGAAACCTGGCGCCTTGTGAAGGTGTCCTGCAAGGCCAGCGC
CTACACCTTTACCAGCTACTACATCCACTGGGTGCGCCCAGGCCCCTGGACAGGGACTGGAATGGATCGGCAGCATCT
```

CTACACCTTTACCAGCTACTACATCCACTGGGTGCGCCAGGCCCCTGGACAGGGACTGGAATGGATCGGCAGCATCT ACCCCGGCAACGTGAACACCAACTACGCCCAGAAGTTCCAGGGCAGAGCCACCCTGACCGTGGACACCAGCATCAG TGGATTGGAACTTCGACGTGTGGGGCAAGGGCACCACCGTGACAGTGTCTAGCAGCCAGGTGCAGCTGGTGGAATCT GGCGGCGGAGTGGTGCAGCCTGGCAGAAGCCTGAGACTGAGCTGTGCCGCCAGCGGCTTCACCTTCACCAAGGCCT GGATGCACTGGGTGCGCCAGGCCCCTGGAAAGCAGCTGGAATGGGTGGCCCAGATCAAGGACAAGAGCAACAGCTA CGCCACCTACTACGCCGACAGCGTGAAGGGCCGGTTCACCATCAGCCGGGACGACAGCAAGAACACCCTGTACCTG CAGATGAACAGCCTGCGGGCCGAGGACACCGCCGTGTACTACTGTCGGGGCGTGTACTATGCCCTGAGCCCCTTCGA TTACTGGGGCCAGGGAACCCTCGTGACCGTGTCTAGTCGGACCGCCAGCACAAAGGGCCCCAGCGTGTTCCCTCTGG CCCCTAGCAGCAGAGCACATCTGGCGGAACAGCCGCCCTGGGCTGCCTCGTGAAGGACTACTTTCCCGAGCCCGTG ACCGTGTCCTGGAATTCTGGCGCCCTGACCAGCGGCGTGCACACCTTTCCAGCTGTGCTGCAGTCCAGCGGCCTGTA CAGCCTGAGCAGCGTCGTGACAGTGCCCAGCAGCTCTCTGGGCACCCAGACCTACATCTGCAACGTGAACCACAAGC CCCGAACTGCTGGGAGGCCCTTCCGTGTTCCTGTTCCCCCAAAGCCCAAGGACACCCTGATGATCAGCCGGACCCC CGAAGTGACCTGCGTGGTGGTGGATGTCCCACGAGGACCCTGAAGTGAAGTTCAATTGGTACGTGGACGGCGTGG AAGTGCACAACGCCAAGACCAAGCCAAGAGAGAGAACAGTACAACAATGCCTCCCGGGTGGTGTCCGTGCTGACCGT AAAACCATCAGCAAGGCCAAGGGCCAGCCCGCGAACCCCAGGTGTGCACACTGCCCCCAAGCAGGGACGAGCTGA CCAAGAACCAGGTGTCCCTGAGCTGTGCCGTGAAAGGCTTCTACCCCTCCGATATCGCCGTGGAATGGGAGAGCAAC GGCCAGCCCGAGAACAACTACAAGACCACCCCCCTGTGCTGGACAGCGACGGCTCATTCTTCCTGGTGTCCAAGCT GACAGTGGACAAGTCCCGGTGGCAGCAGGGCAACGTGTTCAGCTGCTCCGTGATGCACGAGGCCCTGCACAACCAC TACACCCAGAAGTCCCTGAGCCTGAGCCCCGGC 3 484

CAAGTGCGGCTGTCTCAGTCTGGCGGCCAGATGAAGAAACCCGGCGACAGCATGCGGATCAGCTGCAGAGCCAGCG AAGCCCAGACACGGGGCCGTGTCCTACGCCAGACAGCTGCAGGGCAGAGTGACCATGACCCGGGACATGTACAGCG AGACAGCCTTCCTGGAACTGCGGAGCCTGACCAGCGACGATACCGCCGTGTACTTCTGCACCCGGGGCAAGTACTGC ACCGCCAGAGACTACTACAACTGGGACTTCGAGCACTGGGGCCAGGGCACACCTGTGACAGTGTCTAGCGCTTCGAC CAAGGGCCCATCGGTCTTCCCCCTGGCACCCTCCTCCAAGAGCACCTCTGGGGGCACAGCGGCCCTGGGCTGCCTGG TCAAGGACTACTTCCCCGAACCGGTGACGGTGTCGTGGAACTCAGGCGCCCTGACCAGCGGCGTGCACACCTTCCCG GCTGTCCTACAGTCCTCAGGACTCTACTCCCTCAGCAGCGTGGTGACCGTGCCCTCCAGCAGCTTGGGCACCCAGAC CTACATCTGCAACGTGAATCACAAGCCCAGCAACACCAAGGTGGACAAGAAGTTGAGCCCAAATCTTGTGACAAA ACTCACACATGCCCACCGTGCCCAGCACCTGAACTCCTGGGGGGGACCGTCAGTCTTCCTCTCTCCCCCAAAACCCAA GGACACCCTCATGATCTCCCGGACCCCTGAGGTCACATGCGTGGTGGTGGACGTGAGCCACGAAGACCCTGAGGTCA AGTTCAACTGGTATGTTGACGGCGTGGAGGTGCATAATGCCAAGACAAAGCCGCGGGAGGAGCAGTACAACAATGC CTCCCGTGTGGTCAGCGTCCTCACCGTCCTGCACCAGGACTGGCTGAATGGCAAGGAGTACAAGTGCAAGGTCTCCA ACAAAGCCCTCCCAGCCCCCATCGAGAAAACCATCTCCAAAGCCAAAGGGCAGCCCCGAGAACCACAGGTGTACAC CCTGCCCCCATGCCGGGATGAGCTGACCAAGAATCAAGTCAGCCTGTGGTGCCTGGTAAAAGGCTTCTATCCCAGCG ACATCGCCGTGGAGTGGGAGAGCAATGGGCAGCCGGAGAACAACTACAAGACCACGCCTCCCGTGCTGGACTCCGAC GGCTCCTTCTTCCTCTATTCAAAACTCACCGTGGACAAGAGCAGGTGGCAGCAGGGGAACGTCTTCTCATGCTCCGT GCTGCATGAGGCTCTGCACAGCCACTACACGCAGAAGAGCCTCTCCCTGTCTCCGGGT 4 485 AGCCTGACACAGAGCCCTGGCACCCTGTCACTGAGCCCAGGCGAGACAGCCATCATCAGCTGCCGGACAAGCCAGT

GACATCGTGATGACCCAGACCCCCTGAGCCTGAGCGTGACACCTGGACAGCCTGCCAGCATCAGCTGCAAGAGCA VRC07_523/

GCCAGAGCCTGGTGCACAACAACACCCTACCTGAGCTGGTATCTGCAGAAGCCCGGCCAGAGCCCCCAGTC

CD28sup ×

CCTGATCTACAAGGTGTCCAACAGATTCAGCGGCGTGCCCGACAGATTCTCCGGCAGCGGCTCTGGCACCGACTTCA

CCCTGAAGATCAGCCGGGTGGAAGCCGAGGACGTGGGCGTGTACTATTGTGGCCAGGGCACCCAGTACCCCTTCACC FALA/409K

CAGGTGCAGCTGGTGCAGTCTGGCGCCGAGGTCGTGAAACCTGGCGCCTCTGTGAAGGTGTCCTGCAAGGCCAGCGG CTACACCTTTACCAGCTACTACATCCACTGGGTGCGCCAGGCCCCTGGACAGGGACTGGAATGGATCGGCAGCATCT ACCCCGGCAACGTGAACACCAACTACGCCCAGAAGTTCCAGGGCAGAGCCACCCTGACCGTGGACACCAGCATCAG CACCGCCTACATGGAACTGAGCCGGCTGAGAAGCGACGACACCGCCGTGTACTACTGCACCCGGTCCCACTACGGCC TGGATTGGAACTTCGACGTGTGGGGCAAGGGCACCACCGTGACAGTGTCTAGCAGCCAGGTGCAGCTGGTGGAATCT GGCGGCGGAGTGCTGCAGCCTGGCAGAAGCCTGAGACTGAGCTGTGCCGCCAGCGGCTTCACCTTCACCAAGGCCT GGATGCACTGGGTGCGCCAGGCCCCTGGAAAGCAGCTGGAATGGGTGGCCCAGATCAAGGACAAGAGCAACAGCTA CGCCACCTACTACGCCGACAGCGTGAAGGGCCGGTTCACCATCAGCCGGGACGACAGCAAGAACACCCTGTACCTG CAGATGAACAGCCTGCGGGCCGAGGACACCGCCGTGTACTACTGTCGGGGCGTGTACTATGCCCTGAGCCCCTTCGA TTACTGGGGCCAGGGAACCCTCGTGACCGTGTCTAGTCGGACCGCCAGCACAAAGGGCCCATCGGTGTTCCCTCTGG CCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCCTGGGCTGCCTCGTGAAGGACTACTTTCCCGAGCCCGTG ACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTGCACACCTTTCCAGCCGTGCTCCAGAGCAGCGGCCTGTA CTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCCTGGGCACCAAGACCTACACCTGTAACGTGGACCACAAGC GCCGGCGGACCCTCCGTGTTCCTGTTCCCCCCAAAGCCCAAGGACACCCTGATGATCAGCCGGACCCCCGAAGTGAC CTGCGTGGTGGTGGATGTCCCAGGAAGATCCCGAGGTGCAGTTCAATTGGTACGTGGACGGCGTGGAAGTGCACA ACGCCAAGACCAAGCCCAGAGAGAGAACAGTTCAACAGCACCTACCGGGTGGTGCCGTGCTGACCGTGCTGCACCA GGACTGGCTGAACGCCAAGAGTACAAGTGCAAGGTGTCCAACAAGGGCCTGCCCAGCTCCATCGAGAAAACCATC AGCAAGGCCAAGGCCCAGCCCGCGAGCCTCAAGTGTGTACCCTGCCCCCTAGCCAGGAAGAGATGACCAAGAACC AGGTGTCCCTGAGCTGTGCCGTGAAAGGCTTCTACCCCAGCGACATTGCCGTGGAATGGGAGAGCAACGGCCAGCCC GAGAACAACTACAAGACCACCCCCCTGTGCTGGACAGCGACGGCTCATTCTTCCTGGTGTCCAAGCTGACCGTGGA CAAGAGCCGGTGGCAGGAAGGCAACGTGTTCAGCTGCTCCGTGATGCACGAGGCCCTGCACAACCACTACACCCAG AAGTCCCTGTCTCTGTCCCTGGGC 3 488

CAAGTGCGGCTGTCTCAGTCTGGCGGCCAGATGAAGAAACCCGGCGACAGCATGCGGATCAGCTGCAGAGCCAGCG AAGCCCAGACACGGGGCCGTGTCCTACGCCAGACAGCTGCAGGGCAGAGTGACCATGACCCGGGACATGTACAGCG AGACAGCCTTCCTGGAACTGCGGAGCCTGACCAGCGACGATACCGCCGTGTACTTCTGCACCCGGGGCAAGTACTGC ACCGCCAGAGACTACTACAACTGGGACTTCGAGCACTGGGGCCAGGGCACACCTGTGACAGTGTCTAGCGCTTCGAC CAAGGGCCCATCGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCCTGGGCTGCCTCG TGAAGGACTACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTGCACACCTTTCCA GCCGTGCTCCAGAGCAGCGGCCTGTACTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCCTGGGCACCAAGAC GCCCTCCTTGCCCAGCCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCCAAAGCCCAAGGACACCCTG ATGATCAGCCGGACCCCCGAAGTGACCTGCGTGGTGGTGGATGTCCCCAGGAAGATCCCGAGGTGCAGTTCAATTG GTACGTGGACGCGTGGAAGTGCACAACGCCAAGACCAAGCCCAGAGAGAACAGTTCAACAGCACCTACCGGGTG GTGTCCGTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGCAAGGTGTCCAACAAGGGCC TGCCCAGCTCCATCGAGAAAACCATCAGCAAGGCCCAAGGGCCCGCGAGCCTCAAGTGTATACCCTGCCCCCT TGCCAGGAAGAGATGACCAAGAACCAGGTGTCCCTGTGGTGTCTCGTGAAAGGCTTCTACCCCAGCGACATTGCCGT GGAATGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCTGTGCTGGACAGCGACGGCTCATTC TTCCTGTACTCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAACGTGTTCAGCTGCTCCGTGATGCACGA GGCCCTGCACAACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC 4 489

ACCGGGGCGAGTGT Trispecific 4 1 490

GACATCGTGATGACCCAGACCCCCTGAGCCTGAGCGTGACACCTGGACAGCCTGCCAGCATCAGCTGCAAGAGCA VRC07 523/

GCCAGAGCCTGGTGCACCAGAACGCCCAGACCTACCTGAGCTGGTATCTGCAGAAGCCCGGCCAGAGCCCCAGTC

CCTGATCTACAAGGTGTCCAACAGATTCAGCGGCGTGCCCGACAGATTCTCCGGCAGCGGCTCTGGCACCGACTTCACD3mid OO

 ${\tt CCCTGAAGATCAGCCGGGTGGAAGCCGAGGACGTGGGCGTGTACTATTGTGGCCAGGGCACCCAGTACCCCTTCACC} \\ {\tt IgG4}$

TTTGGCAGCGCACCAAGGTGGAAATCAAGGGCCAGCCCAAGGCCCCCGACATCCAGATGACCCAGAGCCCCAFALA/409K

CAGGTGCAGCTGGTGCAGTCTGGCGCCGAGGTCGTGAAACCTGGCGCCTCTGTGAAGGTGTCCTGCAAGGCCAGCGG CTACACCTTTACCAGCTACTACATCCACTGGGTGCGCCAGGCCCCTGGACAGGGACTGGAATGGATCGGCAGCATCT ACCCCGGCAACGTGAACACCAACTACGCCCAGAAGTTCCAGGGCAGAGCCACCCTGACCGTGGACACCAGCATCAG CACCGCCTACATGGAACTGAGCCGGCTGAGAAGCGACGACACCGCCGTGTACTACTGCACCCGGTCCCACTACGGCC TGGATTGGAACTTCGACGTGTGGGGCAAGGGCACCACCGTGACAGTGTCTAGCAGCCAGGTGCAGCTGGTGGAATCT GGCGGCGGAGTGCAGCCTGGCAGAAGCCTGAGACTGAGCTGTGCCGCCAGCGGCTTCACCTTCACCAAGGCCT GGATGCACTGGGTGCGCCAGGCCCCTGGAAAGCAGCTGGAATGGGTGGCCCAGATCAAGGACAAGAGCAACAGCTA CGCCACCTACTACGCCGACAGCGTGAAGGGCCGGTTCACCATCAGCCGGGACGACAGCAAGAACACCCTGTACCTG CAGATGAACAGCCTGCGGGCCGAGGACACCGCCGTGTACTACTGTCGGGGCGTGTACTATGCCCTGAGCCCCTTCGA TTACTGGGGCCAGGGAACCCTCGTGACCGTGTCTAGTCGGACCGCCAGCACAAAGGGCCCATCGGTGTTCCCTCTGG CCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCCTGGGCTGCCTCGTGAAGGACTACTTTCCCGAGCCCGTG ACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTGCACACCTTTCCAGCCGTGCTCCAGAGCAGCGGCCTGTA CTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCCTGGGCACCAAGACCTACACCTGTAACGTGGACCACAAGC CCAGCAACACCAAGGTGGACAAGCGGGTGGAATCTAAGTACGGCCCTCCTGCCCTCCTTGCCCAGCCCCTGAAGCT GCCGGCGGACCCTCCGTGTTCCTGTTCCCCCCAAAGCCCAAGGACACCCTGATGATCAGCCGGACCCCCGAAGTGAC CTGCGTGGTGGTGGATGTCCCCAGGAAGATCCCGAGGTGCAGTTCAATTGGTACGTGGACGGCGTGGAAGTGCACA ACGCCAAGACCAAGCCCAGAGAGAGAACAGTTCAACAGCACCTACCGGGTGGTGCCGTGCTGACCGTGCTGCACCA GGACTGGCTGAACGCCAAGAGTACAAGTGCAAGGTGTCCAACAAGGGCCTGCCCAGCTCCATCGAGAAAACCATC AGCAAGGCCAAGGCCCAGCCCGCGAGCCTCAAGTGTGTACCCTGCCCCCTAGCCAGGAAGAGATGACCAAGAACC AGGTGTCCCTGAGCTGTGCCGTGAAAGGCTTCTACCCCAGCGACATTGCCGTGGAATGGGAGAGCAACGGCCAGCCC GAGAACAACTACAAGACCACCCCCCTGTGCTGGACAGCGACGGCTCATTCTTCCTGGTGTCCAAGCTGACCGTGGA CAAGAGCCGGTGGCAGGAAGGCAACGTGTTCAGCTGCTCCGTGATGCACGAGGCCCTGCACAACCACTACACCCAG AAGTCCCTGTCTCTGTCCCTGGGC 3 492

CAAGTGCGGCTGTCTCAGTCTGGCGGCCAGATGAAGAAACCCGGCGACAGCATGCGGATCAGCTGCAGAGCCAGCG AAGCCCAGACACGGGGCCGTGTCCTACGCCAGACAGCTGCAGGGCAGAGTGACCATGACCCGGGACATGTACAGCG AGACAGCCTTCCTGGAACTGCGGAGCCTGACCAGCGACGATACCGCCGTGTACTTCTGCACCCGGGGCAAGTACTGC ACCGCCAGAGACTACTACAACTGGGACTTCGAGCACTGGGGCCAGGGCACACCTGTGACAGTGTCTAGCGCTTCGAC CAAGGGCCCATCGGTGTTCCCTCTGGCCCCTTGCAGCAGCAGCACCAGCGAATCTACAGCCGCCCTGGGCTGCCTCG TGAAGGACTACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTGCACACCTTTCCA GCCGTGCTCCAGAGCAGCGGCCTGTACTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCCTGGGCACCAAGAC GCCCTCCTTGCCCAGCCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCCAAAGCCCAAGGACACCCTG ATGATCAGCCGGACCCCGAAGTGACCTGCGTGGTGGTGGATGTCCCAGGAAGATCCCGAGGTGCAGTTCAATTG GTACGTGGACGCGTGGAAGTGCACAACGCCAAGACCAAGCCCAGAGAGAACAGTTCAACAGCACCTACCGGGTG GTGTCCGTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGCAAGGTGTCCAACAAGGGCC TGCCCAGCTCCATCGAGAAAACCATCAGCAAGGCCAAGGGCCAGCCCGCGAGCCTCAAGTGTATACCCTGCCCCCT TGCCAGGAAGAGATGACCAAGAACCAGGTGTCCCTGTGGTGTCTCGTGAAAGGCTTCTACCCCAGCGACATTGCCGT GGAATGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCTGTGCTGGACAGCGACGGCTCATTC TTCCTGTACTCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAACGTGTTCAGCTGCTCCGTGATGCACGA GGCCCTGCACAACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC 4 493 AGCCTGACACAGAGCCCTGGCACCCTGTCACTGAGCCCAGGCGAGACAGCCATCATCAGCTGCCGGACAAGCCAGT

ACGGCAGCCTGGCCTGGTATCAGCAGAGGCCTGGACAGGCCCCCAGACTCGTGATCTACAGCGGCAGCACAAGAGC

GACATCGTGATGACCCAGACCCCCTGAGCCTGAGCGTGACACCTGGACAGCCTGCCAGCATCAGCTGCAAGAGCA VRC07 523/

 $\begin{array}{lll} GCCAGAGCCTGGTGCACCAGAACGCCCAGACCTACCTGAGCTGGTATCTGCAGAAGCCCGGCCAGAGCCCCCAGTC \\ CD28sup & \times \end{array}$

CCTGATCTACAAGGTGTCCAACAGATTCAGCGGCGTGCCCGACAGATTCTCCGGCAGCGGCTCTGGCACCGACTTCACD3mid_QQ

CCCTGAAGATCAGCCGGGTGGAAGCCGAGGACGTGGGCGTGTACTATTGTGGCCAGGGCACCCAGTACCCCTTCACC IgG4

TTTGGCAGCGGCACCAAGGTGGAAATCAAGGACAAAACCCATACCGACATCCAGATGACCCAGAGCCCCAGCAGCCC FALA/409K

TGTCTGCCAGCGTGGGCGACAGAGTGACCATCACCTGTCAGGCCAGAACATCTACGTGTGGCTGAACTGGTAT DKTHT linker

CAGCAGAAGCCCGGCAAGGCCCCCAAGCTGCTGATCTACAAGGCCAGCAACCTGCACACCGGCGTGCCCAGCAGAT TTTCTGGCAGCGGCGCACCGACCTGCACCCTGACAATCAGCTCCCTGCAGCCCGAGGACATTGCCACCTACTAC TGCCAGCAGGGCCAGACCTACCCCTTTTGGCCAGGGCACCAAGCTGGAAATCAAGGATAAGACCCACACCCG TACGGTGGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGCGACGAGCAGCTGAAGTCCGGCACAGCCTCTGTCGTGT GCCTGCTGAACAACTTCTACCCCCGCGAGGCCAAAGTGCAGTGGAAGGTGGACAACGCCCTGCAGAGCGCAACAG CCAGGAAAGCGTGACCGAGCAGCAGCACCTGACACCTGACACCTGACACCTGACACTGAGCAAGGCC GACTACGAGAAGCACAAGGTGTACGCCTGCGAAGTGACCCACCAGGGCCTGTCTAGCCCCGTGACCAAGAGCTTCA ACCGGGGCGAGTGT 2 495

CAGGTGCAGCTGGTGCAGTCTGGCGCCGAGGTCGTGAAACCTGGCGCCTCTGTGAAGGTGTCCTGCAAGGCCAGCGG CTACACCTTTACCAGCTACTACATCCACTGGGTGCGCCAGGCCCCTGGACAGGGACTGGAATGGATCGGCAGCATCT ACCCCGGCAACGTGAACACCAACTACGCCCAGAAGTTCCAGGGCAGAGCCACCCTGACCGTGGACACCAGCATCAG ${\tt CACCGCCTACATGGAACTGAGCCGGCTGAGAAGCGACGACGACGCCGTGTACTACTGCACCCGGTCCCACTACGGCC}$ TGGATTGGAACTTCGACGTGTGGGGCAAGGGCACCACCGTGACAGTGTCTAGCGACAAAACCCATACCCAGGTGCA GCTGGTGGAATCTGGCGGCGGAGTGGTGCAGCCTGGCAGAAGCCTGAGACTGAGCTGTGCCGCCAGCGGCTTCACCT TCACCAAGGCCTGGATGCACTGGGTGCGCCAGGCCCCTGGAAAGCAGCTGGAATGGGTGGCCCAGATCAAGGACAA GAGCAACAGCTACGCCACCTACTACGCCGACAGCGTGAAGGGCCGGTTCACCATCAGCCGGGACGACAGCAAGAAC ACCCTGTACCTGCAGATGAACAGCCTGCGGGCCGAGGACACCGCCGTGTACTACTGTCGGGGCGTGTACTATGCCCT GAGCCCCTTCGATTACTGGGGCCAGGGAACCCTCGTGACCGTGTCTAGTGATAAGACCCACACCGCCAGCACAAAGG GCCCATCGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCCTGGGCTGCCTCGTGAAG GACTACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTGCACACCTTTCCAGCCGT GCTCCAGAGCAGCGGCCTGTACTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCCTGGGCACCAAGACCTACA CCTTGCCCAGCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCAAAGCCCAAGGACACCCTGATGAT CAGCCGGACCCCGAAGTGACCTGCGTGGTGGTGGTGTCCCAGGAAGATCCCGAGGTGCAGTTCAATTGGTACG TGGACGGCGTGGAAGTGCACAACGCCAAGACCAAGCCCAGAGAGAACAGTTCAACAGCACCTACCGGGTGGTGTC GTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGCAAGGTGTCCAACAAGGGCCTGCCCA GCTCCATCGAGAAAACCATCAGCAAGGCCCAAGGGCCCGCGAGCCTCAAGTGTGTACCCTGCCCCTAGCCA GGAAGAGATGACCAAGAACCAGGTGTCCCTGAGCTGTGCCGTGAAAGGCTTCTACCCCAGCGACATTGCCGTGGAA TGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCCTGTGCTGGACAGCGACGGCTCATTCTTCCT GGTGTCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAACGTGTTCAGCTGCTCCGTGATGCACGAGGCC

TGCCCAGCTCCATCGAGAAAACCATCAGCAAGGCCAAGGGCCAGCCCCGCGAGCCTCAAGTGTATACCCTGCCCCCT TGCCAGGAAGAGAGAGAACCAGGAAGGCCTGCCTGTGGTGTCTCGTGAAAGGCTTCTACCCCAGCGACATTGCCGT GGAATGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCCTGTGCTGGACAGCGACGGCTCATTC TTCCTGTACTCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAACGTGTTCAGCTGCTCCGTGATGCACGA GGCCCTGCACAACCACCCCAGAAGTCCCTGTCTCTCTGTCCCTGGGC 4 497

GACATCGTGATGACCCAGACCCCCTGAGCCTGAGCGTGACACCTGGACAGCCTGCCAGCATCAGCTGCAAGAGCA VRC07 523/

GCCAGAGCCTGGTGCACCAGAACGCCCAGACCTACCTGAGCTGGTATCTGCAGAAGCCCGGCCAGAGCCCCAGTC CD28sup \times

CCTGATCTACAAGGTGTCCAACAGATTCAGCGGCGTGCCCGACAGATTCTCCGGCAGCGGCTCTGGCACCGACTTCACD3mid_QQ

CCCTGAAGATCAGCCGGGTGGAAGCCGAGGACGTGGGCGTGTACTATTGTGGCCAGGGCACCCAGTACCCCTTCACC IgG1 NNAS/

TTTGGCAGCGCACCAAGGTGGAAATCAAGGACAAAACCCATACCGACATCCAGATGACCCAGAGCCCCAGCAGCC 409K DKTHT

TGTCTGCCAGCGTGGGCGACAGAGTGACCATCACCTGTCAGGCCAGAACATCTACGTGTGGCTGAACTGGTAT linker

CAGCAGAAGCCCGGCAAGGCCCCCAAGCTGCTGATCTACAAGGCCAGCAACCTGCACACCGGCGTGCCCAGCAGAT TTTCTGGCAGCGGCGCACCCGACCTGCACCCTGACAATCAGCTCCCTGCAGCCCGAGGACATTGCCACCTACTAC TGCCAGCAGGGCCAGACCTACCCCTTTTGGCCAGGGCACCAAGCTGGAAATCAAGGATAAGACCCACACCCG TACGGTGGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGCGACGAGCAGCTGAAGTCCGGCACAGCCTCTGTCGTGT GCCTGCTGAACAACTTCTACCCCCGCGAGGCCAAAGTGCAGTGGAAGGTGGACAACGCCCTGCAGAGCGCCAACAG CCAGGAAAGCGTGACCGAGCAGCACAGCCTGACACCTGAGCAAGGCC GACTACGAGAAGCACAAGGTGTACGCCTGCGAAGTGACCCACCAGGGCCTGTCTAGCCCCGTGACCAAGAGCTTCA ACCGGGGCGAGTGT 2 499

CAGGTGCAGCTGGTGCAGTCTGGCGCCGAGGTCGTGAAACCTGGCGCCTCTGTGAAGGTGTCCTGCAAGGCCAGCGG CTACACCTTTACCAGCTACTACATCCACTGGGTGCGCCAGGCCCCTGGACAGGGACTGGAATGGATCGGCAGCATCT ACCCGGCAACGTGAACACCAACTACGCCCAGAAGTTCCAGGGCAGAGCCACCCTGACCGTGGACACCAGCATCAG TGGATTGGAACTTCGACGTGTGGGGCAAGGGCACCACCGTGACAGTGTCTAGCGACAAAACCCATACCCAGGTGCA GCTGGTGGAATCTGGCGGCGGAGTGGTGCAGCCTGGCAGAAGCCTGAGACTGAGCTGTGCCGCCAGCGGCTTCACCT TCACCAAGGCCTGGATGCACTGGGTGCGCCAGGCCCCTGGAAAGCAGCTGGAATGGGTGGCCCAGATCAAGGACAA GAGCAACAGCTACGCCACCTACTACGCCGACAGCGTGAAGGGCCGGTTCACCATCAGCCGGGACGACAGCAAGAAC ACCCTGTACCTGCAGATGAACAGCCTGCGGGCCGAGGACACCGCCGTGTACTACTGTCGGGGCGTGTACTATGCCCT GAGCCCCTTCGATTACTGGGGCCAGGGAACCCTCGTGACCGTGTCTAGTGATAAGACCCACACCGCCAGCACAAAGG GCCCCAGCGTGTTCCCTCTGGCCCCTAGCAGCAGAGAGCACATCTGGCGGAACAGCCGCCCTGGGCTGCCTCGTGAAG GACTACTTTCCCGAGCCCGTGACCGTGTCCTGGAATTCTGGCGCCCTGACCAGCGGCGTGCACACCTTTCCAGCTGT GCTGCAGTCCAGCGGCCTGTACAGCCTGAGCAGCGTCGTGACAGTGCCCAGCAGCTCTCTGGGCACCCAGACCTACA TCTGCAACGTGAACCACAAGCCCAGCAACACCAAGGTGGACAAGAGGTGGAACCCAAGAGCTGCGACAAGACCCA ACCTGTCCCCCTTGTCCTGCCCCCGAACTGCTGGGAGGCCCTTCCGTGTTCCTGTTCCCCCCAAAGCCCAAGGACAC CCTGATGATCAGCCGGACCCCCGAAGTGACCTGCGTGGTGGTGGATGTCCCACGAGGACCCTGAAGTGAAGTTCA GGTGGTGTCCGTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGCAAGGTGTCCAACAAG GCCCTGCCTGCCCCATCGAGAAAACCATCAGCAAGGCCAAGGCCCAGCCCCGCGAACCCCAGGTGTGCACACTGC CCCCAAGCAGGACGAGCTGACCAAGAACCAGGTGTCCCTGAGCTGTGCCGTGAAAGGCTTCTACCCCTCCGATATC GCCGTGGAATGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCTGTGCTGGACAGCGACGGCT CATTCTTCCTGGTGTCCAAGCTGACAGTGGACAAGTCCCGGTGGCAGCAGGGCAACGTGTTCAGCTGCTCCGTGATG CACGAGGCCCTGCACAACCACTACACCCAGAAGTCCCTGAGCCTGAGCCCCGGC 3 500

```
{\sf TCAAGGACTACTTCCCCGAACCGGTGACGGTGTCGTGGAACTCAGGCGCCCTGACCAGCGGCGTGCACACCTTCCCG}
GCTGTCCTACAGTCCTCAGGACTCTACTCCCTCAGCAGCGTGGTGACCGTGCCCTCCAGCAGCTTGGGCACCCAGAC
CTACATCTGCAACGTGAATCACAAGCCCAGCAACACCCAAGGTGGACAAGAAGTTGAGCCCAAATCTTGTGACAAA
ACTCACACATGCCCACCGTGCCCAGCACCTGAACTCCTGGGGGGGACCGTCAGTCTTCCTCTCTCCCCCAAAACCCAA
GGACACCCTCATGATCTCCCGGACCCCTGAGGTCACATGCGTGGTGGTGGACGTGAGCCACGAAGACCCTGAGGTCA
AGTTCAACTGGTATGTTGACGGCGTGGAGGTGCATAATGCCAAGACAAAGCCGCGGGAGGAGCAGTACAACAATGC
ACAAAGCCCTCCCAGCCCCCATCGAGAAAACCATCTCCAAAGCCAAAGGGCAGCCCCGAGAACCACAGGTGTACAC
CCTGCCCCCATGCCGGGATGAGCTGACCAAGAATCAAGTCAGCCTGTGGTGCCTGGTAAAAGGCTTCTATCCCAGCG
ACATCGCCGTGGAGTGGGAGAGCAATGGGCAGCCGGAGAACAACTACAAGACCACGCCTCCCGTGCTGGACTCCGA
CGGCTCCTTCTTCCTCTATTCAAAACTCACCGTGGACAAGAGCAGGTGGCAGCAGGGGAACGTCTTCTCATGCTCCG
TGCTGCATGAGGCTCTGCACAGCCACTACACGCAGAAGAGCCTCTCCCTGTCTCCGGGT 4 501
AGCCTGACACAGAGCCCTGGCACCCTGTCACTGAGCCCAGGCGAGACAGCCATCATCAGCTGCCGGACAAGCCAGT
ACGGCAGCCTGGCCTGGTATCAGCAGAGGCCTGGACAGGCCCCCAGACTCGTGATCTACAGCGGCAGCACAAGAGC
CGCCGGAATCCCCGATAGATTCAGCGGCTCCAGATGGGGACCCGACTACAACCTGACCATCAGCAACCTGGAAAGC
GGCGACTTCGGCGTGTACTACTGCCAGCAGTACGAGTTCTTCGGCCAGGGCACCAAGGTGCAGGTGGACATCAAGCG
TACGGTGGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGCGACGAGCAGCTGAAGTCCGGCACAGCCTCTGTCGTGT
GCCTGCTGAACAACTTCTACCCCCGCGAGGCCAAAGTGCAGTGGAAGGTGGACAACGCCCTGCAGAGCGGCAACAG
CCAGGAAAGCGTGACCGAGCAGGACAGCAAGGACTCCACCTACAGCCTGAGCAGCACCCTGACACTGAGCAAGGCC
GACTACGAGAAGCACAAGGTGTACGCCTGCGAAGTGACCCACCAGGGCCTGTCTAGCCCCGTGACCAAGAGCTTCA
ACCGGGGCGAGTGT Trispecific 9 1 502
GACATCGTGATGACCCAGACCCCCTGAGCCTGAGCGTGACACCTGGACAGCCTGCCAGCATCAGCTGCAAGAGCA
VRC07 523
GCCAGAGCCTGGTGCACGAGAACCTGCAGACCTACCTGAGCTGGTATCTGCAGAAGCCCGGCCAGAGCCCCCAGTC
CCTGATCTACAAGGTGTCCAACAGATTCAGCGGCGTGCCCGACAGATTCTCCGGCAGCGGCTCTGGCACCGACTTCA
CCCTGAAGATCAGCCGGGTGGAAGCCGAGGACGTGGGCGTGTACTATTGTGGCCAGGGCACCCAGTACCCCTTCACC
TTTGGCAGCGGCACCAAGGTGGAAATCAAGGACAAAACCCATACCGACATCCAGATGACCCAGAGCCCCAGCAGCC
CAGCAGAAGCCCGGCAAGGCCCCCAAGCTGCTGATCTACAAGGCCAGCAACCTGCACACCGGCGTGCCCAGCAGAT
DKTHT linker
TTTCTGGCAGCGGCTCCGGCACCGACTTCACCCTGACAATCAGCTCCCTGCAGCCCGAGGACATTGCCACCTACTAC
TGCCAGCAGGCCAGACCTACCCCTACACCTTTGGCCAGGGCACCAAGCTGGAAATCAAGGATAAGACCCACACCCG
TACGGTGGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGCGACGAGCAGCTGAAGTCCGGCACAGCCTCTGTCGTGT
GCCTGCTGAACAACTTCTACCCCCGCGAGGCCAAAGTGCAGTGGAAGGTGGACAACGCCCTGCAGAGCGGCAACAG
CCAGGAAAGCGTGACCGAGCAGGACAGCAAGGACTCCACCTACAGCCTGAGCACCCTGACACTGAGCAAGGCC
GACTACGAGAAGCACAAGGTGTACGCCTGCGAAGTGACCCACCAGGGCCTGTCTAGCCCCGTGACCAAGAGCTTCA
ACCGGGGCGAGTGT 2 503
CAGGTGCAGCTGGTGCAGTCTGGCGCCGAGGTCGTGAAACCTGGCGCCTCTGTGAAGGTGTCCTGCAAGGCCAGCGG
CTACACCTTTACCAGCTACTACATCCACTGGGTGCGCCAGGCCCCTGGACAGGGACTGGAATGGATCGGCAGCATCT
ACCCCGGCAACGTGAACACCAACTACGCCCAGAAGTTCCAGGGCAGAGCCACCCTGACCGTGGACACCAGCATCAG
CACCGCCTACATGGAACTGAGCCGGCTGAGAAGCGACGACACCGCCGTGTACTACTGCACCCGGTCCCACTACGGCC
TGGATTGGAACTTCGACGTGTGGGGCAAGGGCACCACCGTGACAGTGTCTAGCGACAAAACCCATACCCAGGTGCA
GCTGGTGGAATCTGGCGGCGGAGTGGTGCAGCCTGGCAGAAGCCTGAGACTGAGCTGTGCCGCCAGCGGCTTCACCT
TCACCAAGGCCTGGATGCACTGGGTGCGCCAGGCCCCTGGAAAGCAGCTGGAATGGGTGGCCCAGATCAAGGACAA
GAGCAACAGCTACGCCACCTACTACGCCGACAGCGTGAAGGGCCGGTTCACCATCAGCCGGGACGACAGCAAGAAC
ACCCTGTACCTGCAGATGAACAGCCTGCGGGCCGAGGACACCGCCGTGTACTACTGTCGGGGCGTGTACTATGCCCT
GAGCCCCTTCGATTACTGGGGCCAGGGAACCCTCGTGACCGTGTCTAGTGATAAGACCCACACCCCCAGCACAAAGG
GCCCATCGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCCTGGGCTGCCTCGTGAAG
GACTACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTGCACACCTTTCCAGCCGT
GCTCCAGAGCAGCGGCCTGTACTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCCTGGGCACCAAGACCTACA
CCTTGCCCAGCCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCAAAGCCCAAGGACACCCTGATGAT
CAGCCGGACCCCGAAGTGACCTGCGTGGTGGTGGATGTCCCAGGAAGATCCCGAGGTGCAGTTCAATTGGTACG
GTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGCAAGGTGTCCAACAAGGGCCTGCCCA
GCTCCATCGAGAAAACCATCAGCAAGGCCAAGGGCCAGCCCCGCGAGCCTCAAGTGTGTACCCTGCCCCTAGCCA
```

GGAAGAGATGACCAAGAACCAGGTGTCCCTGAGCTGTGCCGTGAAAGGCTTCTACCCCAGCGACATTGCCGTGGAA TGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCCTGTGCTGGACAGCGACGGCTCATTCTTCCT CAAGTGCGGCTGTCTCAGTCTGGCGGCCAGATGAAGAAACCCGGCGACAGCATGCGGATCAGCTGCAGAGCCAGCG AAGCCCAGACACGGGGCCGTGTCCTACGCCAGACAGCTGCAGGGCAGAGTGACCCATGACCCGGCAGCTGAGCCAGG ACCCTGATGATCCGGATTGGGGCACAGCCTTCCTGGAACTGCGGAGCCTGACCAGCGACGATACCGCCGTGTACTTC TGCACCGGGGCAAGTACTGCACCGCCAGAGACTACTACAACTGGGACTTCGAGCACTGGGGCCAGGGCACACCTG TGACAGTGTCTAGCGCTTCGACCAAGGGCCCATCGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCT ACAGCCGCCCTGGGCTGCCTCGTGAAGGACTACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTGCACACCTTTCCAGCCGTGCTCCAGAGCAGCGGCCTGTACTCTCTGAGCAGCGTCGTGACAGTGCCCA GCAGCAGCCTGGGCACCAAGACCTACACCTGTAACGTGGACCACAAGCCCAGCAACACCAAGGTGGACAAGCGGGT GGAATCTAAGTACGGCCCTCCCTGCCCTCCTTGCCCAGCCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCC CCCCAAAGCCCAAGGACACCCTGATGATCAGCCGGACCCCGAAGTGACCTGCGTGGTGGTGGATGTCCCAGGAA AGTTCAACAGCACCTACCGGGTGGTGTCCGTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAA GTGCAAGGTGTCCAACAAGGGCCTGCCCAGCTCCATCGAGAAAACCATCAGCAAGGCCAAGGGCCAGCCCGCGAG CCTCAAGTGTATACCCTGCCCCCTTGCCAGGAAGAGATGACCAAGAACCAGGTGTCCCTGTGGTGTCTCGTGAAAGG CTTCTACCCCAGCGACATTGCCGTGGAATGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCT GTGCTGGACAGCGACGGCTCATTCTTCCTGTACTCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAACGT GTTCAGCTGCTCCGTGATGCACGAGGCCCTGCACAACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC 4

GACATCGTGATGACCCAGACCCCCTGAGCCTGAGCGTGACACCTGGACAGCCTGCCAGCATCAGCTGCAAGAGCA
10 VRC07

GCCAGAGCCTGGTGCACGAGAACCTGTTCACCTACCTGAGCTGGTATCTGCAGAAGCCCGGCCAGAGCCCCAGTCC 523 FR3-03/

CTGATCTACAAGGTGTCCAACAGATTCAGCGGCGTGCCCGACAGATTCTCCGGCAGCGGCTCTGGCACCGACTTCAC

CCTGAAGATCAGCCGGGTGGAAGCCGAGGACGTGGGCGTGTACTATTGTGGCCAGGGCACCCAGTACCCCTTCACCT CD3mid

TTGGCAGCGGCACCAAGGTGGAAATCAAGGACAAAACCCATACCGACATCCAGATGACCCAGAGCCCCAGCAGCCT ENLF IgG4

AGCAGAAGCCCGGCAAGCCCCAAGCTGCTGATCTACAAGGCCAGCAACCTGCACACCGGCGTGCCCAGCAGATT DKTHT linker

TTCTGGCAGCGGCTCCGGCACCGACTTCACCCTGACAATCAGCTCCCTGCAGCCCGAGGACATTGCCACCTACTACT GCCAGCAGGGCCAGACCTACCCCTACACCTTTGGCCAGGGCACCAAGCTGGAAATCAAGGATAAGACCCACACCCG TACGGTGGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGCGACGAGCAGCTGAAGTCCGGCACAGCCTCTGTCGTGT GCCTGCTGAACAACTTCTACCCCCGCGAGGCCAAAGTGCAGTGGAAGGTGGACAACGCCCTGCAGAGCGGCAACAG CCAGGAAAGCGTGACCGAGCAGCAGCAGCACCCTGAGCAGCACCCTGAGCACCCTGAGCAAGGCC GACTACGAGAAGCACAAAGGTGTACGCCTGCGAAGTGACCCACCAGGGCCTGTCTAGCCCCGTGACCAAGAGCTTCA ACCGGGGCGAGTGT 2 507

AAGCCCAGACACGGGGCCGTGTCCTACGCCAGACAGCTGCAGGGCAGAGTGACCATGACCCGGCAGCTGAGCCAGG
ACCCTGATGATCCGGATTGGGGCACAGCCTTCCTGGAACTGCGGAGCCTGACCAGCGACGATACCGCCGTGTACTTC
TGCACCCGGGGCAAGTACTGCACCGCCAGAGACTACTACAACTGGGACTTCGAGCACTGGGGCCAGGGCACACCTG
TGACAGTGTCTAGCGCTTCGACCAAGGGCCCATCGGTGTTCCCTCTGGCCCCTTGCAGCAGAAAGCACCAGCGAATCT
ACAGCCGCCCTGGGCTGCCTCGTGAAGGACTACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGAC
AAGCGGCGTGCACACCTTTCCAGCCGTGCTCCAGAGCAGCGGCCTGTACTCTCTGAGCAGCGTCGTGACAGTGCCCA
GCAGCAGCCTGGGCACCAAGACCTACACCTGTAACGTGGACCACAAGCCCAGCAACACCAAGGTGGACAAGCGGGTC
GAATCTAAGTACGGCCCTCCCTGCCCTCCTTGCCCAGCCCCTGAAGCTGCCGGGGGACCCTCCGTGTTCCTGTTCCC
CCCAAAGCCCAAGGACACCCTGATGATCAGCCGGACCCCCGAAGTGACCTGCGTGGTGGTGGATGTTCCCAGGAA
GATCCCGAGGTGCAGTTCAATTGGTACGTGGACGGCGTGGAAGTGCACAACGCCAAGACCAAGCCCAGAAGACAA
GATCAACAGCACCTACCGGGTGTTCCGTGCTGACCGTGCTGCACCAGGACTGCTGAACGGCAAAGACAAA
GTGCAAGGTGTCCAACAAGGGCCTGCCCAGCTCCATCGAGAAAACCATCAGCAAGGCCAAGGCCAGCCCCGCGAG
CCTCAAGTGTATACCCTGCCCCCTTGCCAGGAAGAACACAACACAACACAACACTACAAGACCACCCCCCCT
GTGCTGGACAGCGACACTTCTTCCTGTACTCCAAGCTGACCGTGGACAAGACCACTCCTTCTTCTTCCTTGTACCCCCT
GTGCTGGACAGCGACGCTCATTCTTCCTGTACTCCAAGCTGACCAGAAGACCAAGACCCGTTGCCCTTGTCCTTGTCCCTGGGC 4

GACATCGTGATGACCCAGACCCCCTGAGCCTGAGCGTGACACCTGGACAGCCTGCCAGCATCAGCTGCAAGAGCA

GCCAGAGCCTGGTGCACGAGAACCTGCAGACCTACCTGAGCTGGTATCTGCAGAAGCCCGGCCAGAGCCCCAGTC 523_FR3-03/

CCTGATCTACAAGGTGTCCAACAGATTCAGCGGCGTGCCCGACAGATTCTCCGGCAGCGGCTCTGGCACCGACTTCA
CD28sup ×

CCCTGAAGATCAGCCGGGTGGAAGCCGAGGACGTGGGCGTGTACTATTGTGGCCAGGGCACCCAGTACCCCTTCACC CD3mid

TTTGGCAGCGCACCAAGGTGGAAATCAAGGACAAAACCCATACCGACATCCAGATGACCCAGAGCCCCAGCAGCC ENLO

 ${\tt CAGCAGAAGCCCGGCAAGGCCCCCAAGCTGCTGATCTACAAGGCCAGCAACCTGCACACCGGCGTGCCCAGCAGATDKTHT\ linker}$

TTTCTGGCAGCGGCTCCGGCACCGACTTCACCCTGACAATCAGCTCCCTGCAGCCCGAGGACATTGCCACCTACTAC
TGCCAGCAGGGCCAGACCTACCCCTACACCTTTGGCCAGGGCACCAAGCTGGAAATCAAGGATAAGACCCACACCCG
TACGGTGGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGCGACGAGCAGCTGAAGTCCGGCACAGCCTCTGTCGTGT
GCCTGCTGAACAACTTCTACCCCCGCGAGGCCAAAGTGCAGTGGAAGGTGGACAACGCCCTGCAGAGCGGCAACAG
CCAGGAAAGCGTGACCGAGCAGGACAGCAAGGACTCCACCTACAGCCTGAGCAGCACCCTGACACTGAGCAAGGCC
GACTACGAGAAGCACAAGGTGTACGCCTGCGAAGTGACCCACCAGGGCCTGTCTAGCCCCGTGACCAAGAGCTTCA
ACCGGGGCGAGTGT 2 511

CAGGTGCAGCTGGTGCAGTCTGGCGCCGAGGTCGTGAAACCTGGCGCCTCTGTGAAGGTGTCCTGCAAGGCCAGCGGCTACACCTTTACCAGCTACATCCACTGGGTGCGCCAGGCCCCTGGACAGGGACTGGAATGGATCGGCAGCATCTACCCCGGCAACGTGAACACCAACTACGCCCAGAAGTTCCAGGGCAGAGCCACCCTGACCGTGGACACCAGCATCAG

```
CACCGCCTACATGGAACTGAGCCGGCTGAGAAGCGACGACACCGCCGTGTACTACTGCACCCGGTCCCACTACGGCC
TGGATTGGAACTTCGACGTGTGGGGCAAGGGCACCACCGTGACAGTGTCTAGCGACAAAACCCATACCCAGGTGCA
GCTGGTGGAATCTGGCGGCGGAGTGGTGCAGCCTGGCAGAAGCCTGAGACTGAGCTGTGCCGCCAGCGGCTTCACCT
TCACCAAGGCCTGGATGCACTGGGTGCGCCAGGCCCCTGGAAAGCAGCTGGAATGGGTGGCCCAGATCAAGGACAA
GAGCAACAGCTACGCCACCTACTACGCCGACAGCGTGAAGGGCCGGTTCACCATCAGCCGGGACGACAGCAAGAAC
ACCCTGTACCTGCAGATGAACAGCCTGCGGGCCGAGGACACCGCCGTGTACTACTGTCGGGGCGTGTACTATGCCCT
GAGCCCCTTCGATTACTGGGGCCAGGGAACCCTCGTGACCGTGTCTAGTGATAAGACCCACACCGCCAGCACAAAGG
GCCCCAGCGTGTTCCCTCTGGCCCCTAGCAGCAGCAGCACATCTGGCGGAACAGCCGCCCTGGGCTGCCTCGTGAAG
GACTACTTTCCCGAGCCCGTGACCGTGTCCTGGAATTCTGGCGCCCTGACCAGCGGCGTGCACACCTTTCCAGCTGT
GCTGCAGTCCAGCGGCCTGTACAGCCTGAGCAGCGTCGTGACAGTGCCCAGCAGCTCTCTGGGCACCCAGACCTACA
TCTGCAACGTGAACCACAAGCCCAGCAACACCAAGGTGGACAAGAGGTGGAACCCAAGAGCTGCGACAAGACCCA
ACCTGTCCCCCTTGTCCTGCCCCGAACTGCTGGGAGGCCCTTCCGTGTTCCTGTTCCCCCCAAAGCCCAAGGACAC
CCTGATGATCAGCCGGACCCCCGAAGTGACCTGCGTGGTGGTGGTGTCCCACGAGGACCCTGAAGTGAAGTTCA
ATTGGTACGTGGACGGCGTGGAAGTGCACAACGCCAAGACCAAGACAAGAGAGGAACAGTACAACAATGCCTCCCG
GGTGGTGTCCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGCAAGGTGTCCAACAAG
GCCCTGCCTGCCCCATCGAGAAAACCATCAGCAAGGCCAAGGGCCAGCCCCGCGAACCCCAGGTGTGCACACTGC
CCCCAAGCAGGACGAGCTGACCAAGAACCAGGTGTCCCTGAGCTGTGCCGTGAAAGGCTTCTACCCCTCCGATATC
GCCGTGGAATGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCTGTGCTGGACAGCGACGGCT
CATTCTTCCTGGTGTCCAAGCTGACAGTGGACAAGTCCCGGTGGCAGCAGGGCAACGTGTTCAGCTGCTCCGTGATG
CACGAGGCCCTGCACAACCACTACACCCAGAAGTCCCTGAGCCTGAGCCCCGGC 3 512
CAAGTGCGGCTGTCTCAGTCTGGCGGCCAGATGAAGAAACCCGGCGACAGCATGCGGATCAGCTGCAGAGCCAGCG
AAGCCCAGACACGGGGCCGTGTCCTACGCCAGACAGCTGCAGGGCAGAGTGACCCATGACCCGGCAGCTGAGCCAGG
ACCCTGATGATCCGGATTGGGGCACAGCCTTCCTGGAACTGCGGAGCCTGACCAGCGACGATACCGCCGTGTACTTC
TGCACCCGGGGCAAGTACTGCACCGCCAGAGACTACTACAACTGGGACTTCGAGCACTGGGGCCAGGGCACACCTG
TGACAGTGTCTAGCGCTTCGACCAAGGGCCCATCGGTCTTCCCCCTGGCACCCTCCTCCAAGAGCACCTCTGGGGGC
ACAGCGGCCCTGGGCTGCCTGGTCAAGGACTACTTCCCCGAACCGGTGACGGTGTCGTGGAACTCAGGCGCCCTGAC
CAGCGGCGTGCACACCTTCCCGGCTGTCCTACAGTCCTCAGGACTCTACTCCCTCAGCAGCGTGGTGACCGTGCCCT
```

GACATCGTGATGACCCAGACCCCCTGAGCCTGAGCGTGACACCTGGACAGCCTGCCAGCATCAGCTGCAAGAGCA
12 VRC07

GCCAGAGCCTGGTGCACGAGAACCTGTTCACCTACCTGAGCTGGTATCTGCAGAAGCCCGGCCAGAGCCCCAGTCC 523_FR3-03/

 $\hbox{CTGATCTACAAGGTGTCCAACAGATTCAGCGGCGTGCCCGACAGATTCTCCGGCAGCGGCTCTGGCACCGACTTCACCCD28sub} \quad \times$

CCTGAAGATCAGCCGGGTGGAAGCCGAGGACGTGGGCGTGTACTATTGTGGCCAGGGCACCCAGTACCCCTTCACCT

 ${\tt TTGGCAGCGGCACCAAGGTGGAAATCAAGGACAAAACCCATACCGACATCCAGATGACCCAGAGCCCCAGCAGCCTENLF}$

AGCAGAAGCCCGGCAAGCCCCCAAGCTGCTGATCTACAAGGCCAGCAACCTGCACACCGGCGTGCCCAGCAGATT DKTHT linker

TTCTGGCAGCGGCTCCGGCACCGACTTCACCCTGACAATCAGCTCCCTGCAGCCCGAGGACATTGCCACCTACTACT

```
GCCAGCAGGGCCAGACCTACCCCTACACCTTTGGCCAGGGCACCAAGCTGGAAATCAAGGATAAGACCCACACCCG
TACGGTGGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGCGACGAGCAGCTGAAGTCCGGCACAGCCTCTGTCGTGT
GCCTGCTGAACAACTTCTACCCCCGCGAGGCCAAAGTGCAGTGGAAGGTGGACAACGCCCTGCAGAGCGGCAACAG
CCAGGAAAGCGTGACCGAGCAGGACAGCAAGGACTCCACCTACAGCCTGAGCACCCTGACACTGAGCAAGGCC
GACTACGAGAAGCACAAGGTGTACGCCTGCGAAGTGACCCACCAGGGCCTGTCTAGCCCCGTGACCAAGAGCTTCA
ACCGGGGCGAGTGT 2 515
CAGGTGCAGCTGGTGCAGTCTGGCGCCGAGGTCGTGAAACCTGGCGCCTCTGTGAAGGTGTCCTGCAAGGCCAGCGG
CTACACCTTTACCAGCTACTACATCCACTGGGTGCGCCAGGCCCCTGGACAGGGACTGGAATGGATCGGCAGCATCT
ACCCGGCAACGTGAACACCAACTACGCCCAGAAGTTCCAGGGCAGAGCCACCCTGACCGTGGACACCAGCATCAG
TGGATTGGAACTTCGACGTGTGGGGCAAGGGCACCACCGTGACAGTGTCTAGCGACAAAACCCATACCCAGGTGCA
GCTGGTGGAATCTGGCGGCGGAGTGGTGCAGCCTGGCAGAAGCCTGAGACTGAGCTGTGCCGCCAGCGGCTTCACCT
TCACCAAGGCCTGGATGCACTGGGTGCGCCAGGCCCCTGGAAAGCAGCTGGAATGGGTGGCCCAGATCAAGGACAA
GAGCAACAGCTACGCCACCTACTACGCCGACAGCGTGAAGGGCCGGTTCACCATCAGCCGGGACGACAGCAAGAAC
ACCCTGTACCTGCAGATGAACAGCCTGCGGGCCGAGGACACCGCCGTGTACTACTGTCGGGGCGTGTACTATGCCCT
GAGCCCCTTCGATTACTGGGGCCAGGGAACCCTCGTGACCGTGTCTAGTGATAAGACCCACACCGCCAGCACAAAGG
GCCCCAGCGTGTTCCCTCTGGCCCCTAGCAGCAGAGCACATCTGGCGGAACAGCCGCCCTGGGCTGCCTCGTGAAG
GACTACTTTCCCGAGCCCGTGACCGTGTCCTGGAATTCTGGCGCCCTGACCAGCGGCGTGCACACCTTTCCAGCTGT
GCTGCAGTCCAGCGGCCTGTACAGCCTGAGCAGCGTCGTGACAGTGCCCAGCAGCTCTCTGGGCACCCAGACCTACA
TCTGCAACGTGAACCACAAGCCCAGCAACACCAAGGTGGACAAGAGGTGGAACCCAAGAGCTGCGACAAGACCCA
ACCTGTCCCCCTTGTCCTGCCCCCGAACTGCTGGGAGGCCCTTCCGTGTTCCTGTTCCCCCCAAAGCCCAAGGACAC
CCTGATGATCAGCCGGACCCCCGAAGTGACCTGCGTGGTGGTGGTGTCCCACGAGGACCCTGAAGTGAAGTTCA
ATTGGTACGTGGACGGCGTGGAAGTGCACAACGCCAAGACCAAGACAAGAGAGGAACAGTACAACAATGCCTCCCG
GGTGGTGTCCGTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGCAAGGTGTCCAACAAG
GCCCTGCCTGCCCCATCGAGAAAACCATCAGCAAGGCCAAGGCCCAGCCCGCGAACCCCAGGTGTGCACACTGC
CCCCAAGCAGGACGAGCTGACCAAGAACCAGGTGTCCCTGAGCTGTGCCGTGAAAGGCTTCTACCCCTCCGATATC
GCCGTGGAATGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCTGTGCTGGACAGCGACGGCT
CATTCTTCCTGGTGTCCAAGCTGACAGTGGACAAGTCCCGGTGGCAGCAGGGCAACGTGTTCAGCTGCTCCGTGATG
CACGAGGCCCTGCACAACCACTACACCCAGAAGTCCCTGAGCCTGAGCCCCGGC 3 516
CAAGTGCGGCTGTCTCAGTCTGGCGGCCAGATGAAGAAACCCGGCGACAGCATGCGGATCAGCTGCAGAGCCAGCG
AAGCCCAGACACGGGGCCGTGTCCTACGCCAGACAGCTGCAGGGCAGAGTGACCCATGACCCGGCAGCTGAGCCAGG
ACCCTGATGATCCGGATTGGGGCACAGCCTTCCTGGAACTGCGGAGCCTGACCAGCGACGATACCGCCGTGTACTTC
TGCACCGGGGCAAGTACTGCACCGCCAGAGACTACTACAACTGGGACTTCGAGCACTGGGGCCAGGGCACACCTG
TGACAGTGTCTAGCGCTTCGACCAAGGGCCCATCGGTCTTCCCCCTGGCACCCTCCTCCAAGAGCACCTCTGGGGGC
ACAGCGGCCCTGGGCTGCCTGGTCAAGGACTACTTCCCCGAACCGGTGACGGTGTCGTGGAACTCAGGCGCCCTGAC
CCAGCAGCTTGGGCACCCAGACCTACATCTGCAACGTGAATCACAAGCCCAGCAACACCAAGGTGGACAAGAAGTT
GAGCCCAAATCTTGTGACAAAACTCACACATGCCCACCGTGCCCAGCACCTGAACTCCTGGGGGGACCGTCAGTCTT
CCTCTTCCCCCCAAAACCCAAGGACACCCTCATGATCTCCCGGACCCCTGAGGTCACATGCGTGGTGGTGGACGTGA
GCCACGAAGACCCTGAGGTCAAGTTCAACTGGTATGTTGACGGCGTGGAGGTGCATAATGCCAAGACAAAGCCGCG
GGAGGAGCAGTACAACAATGCCTCCCGTGTGGTCAGCGTCCTCACCGTCCTGCACCAGGACTGGCTGAATGGCAAGG
AGTACAAGTGCAAGGTCTCCAACAAAGCCCTCCCAGCCCCCATCGAGAAAACCATCTCCAAAGCCAAAGGGCAGCC
CCGAGAACCACAGGTGTACACCCTGCCCCCATGCCGGGATGAGCTGACCAAGAATCAAGTCAGCCTGTGGTGCCTGG
TAAAAGGCTTCTATCCCAGCGACATCGCCGTGGAGTGGGAGAGCAATGGGCAGCCGGAGAACAACTACAAGACCAC
GCCTCCCGTGCTGGACTCCGACGGCTCCTTCTTCCTCTACTCAAAACTCACCGTGGACAAGAGCAGGTGGCAGCAGG
GGAACGTCTTCTCATGCTCCGTGATGCATGAGGCTCTGCACAACCACTACACGCAGAAGAGCCTCTCCCTGTCTCCG
GGT 4 517
AGCCTGACACAGAGCCCTGGCACCCTGTCACTGAGCCCAGGCGAGACAGCCATCATCAGCTGCCGGACAAGCCAGT
```

GACATCGTGATGACCCAGACCCCCTGAGCCTGAGCGTGACACCTGGACAGCCTGCCAGCATCAGCTGCAAGAGCA
13 N6/

GCCAGAGCCTGGTGCACAACAACGCCAACACCTACCTGAGCTGGTATCTGCAGAAGCCCGGCCAGAGCCCCAGTC

CD3mid

CCCTGAAGATCAGCCGGGTGGAAGCCGAGGACGTGGGCGTGTACTATTGTGGCCAGGGCACCCAGTACCCCTTCACC

CTACACCTTTACCAGCTACTACATCCACTGGGTGCGCCAGGCCCCTGGACAGGGACTGGAATGGATCGGCAGCATCT ACCCCGGCAACGTGAACACCAACTACGCCCAGAAGTTCCAGGGCAGAGCCACCCTGACCGTGGACACCAGCATCAG ${\tt CACCGCCTACATGGAACTGAGCCGGCTGAGAAGCGACGACGACGCCGTGTACTACTGCACCCGGTCCCACTACGGCC}$ TGGATTGGAACTTCGACGTGTGGGGCAAGGGCACCACCGTGACAGTGTCTAGCAGCCAGGTGCAGCTGGTGGAATCT GGCGGCGGAGTGCAGCCTGGCAGAAGCCTGAGACTGAGCTGTGCCGCCAGCGGCTTCACCTTCACCAAGGCCT GGATGCACTGGGTGCGCCAGGCCCCTGGAAAGCAGCTGGAATGGGTGGCCCAGATCAAGGACAAGAGCAACAGCTA CGCCACCTACTACGCCGACAGCGTGAAGGGCCGGTTCACCATCAGCCGGGACGACAGCAAGAACACCCTGTACCTG CAGATGAACAGCCTGCGGGCCGAGGACACCGCCGTGTACTACTGTCGGGGCGTGTACTATGCCCTGAGCCCCTTCGA TTACTGGGGCCAGGGAACCCTCGTGACCGTGTCTAGTCGGACCGCCAGCACAAAGGGCCCATCGGTGTTCCCTCTGG CCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCCTGGGCTGCCTCGTGAAGGACTACTTTCCCGAGCCCGTG ACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTGCACACCTTTCCAGCCGTGCTCCAGAGCAGCGGCCTGTA CTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCCTGGGCACCAAGACCTACACCTGTAACGTGGACCACAAGC CCAGCAACACCAAGGTGGACAAGCGGGTGGAATCTAAGTACGGCCCTCCTTGCCCAGCCCCTCCTGTG GCTGGACCCTCGTGTTCCTGTTCCCCCCAAAGCCCAAGGACACCCTGATGATCAGCCGGACCCCGAAGTGACCTG CGTGGTGGTGGATGTCCCAGGAAGATCCCGAGGTGCAGTTCAATTGGTACGTGGACGCCGTGGAAGTGCACAAC GCCAAGACCAAGCCCAGAGAGGAACAGTTCAACAGCACCTACCGGGTGGTGTCCGTGCTGACCGTGCTGCACCAGG ACTGGCTGAACGGCAAAGAGTACAAGTGCAAGGTGTCCAACAAGGGCCTGCCCAGCTCCATCGAGAAAACCATCAG CAAGGCCAAGGCCCAGCCCCGCGAGCCTCAAGTGTGTACCCTGCCCCCTAGCCAGGAAGAGATGACCAAGAACCAG GTGTCCCTGAGCTGTGCCGTGAAAGGCTTCTACCCCAGCGACATTGCCGTGGAATGGGAGAGCAACGGCCAGCCCGA GAACAACTACAAGACCACCCCCCTGTGCTGGACAGCGACGGCTCATTCTTCCTGGTGTCCAAGCTGACCGTGGACA AGAGCCGGTGGCAGGAAGGCAACGTGTTCAGCTGCTCCGTGATGCACGAGGCCCTGCACAACCACTACACCCAGAA GTCCCTGTCTCTGTCCCTGGGC 3 520

AGAGCCCACCTGGTGCAGTCTGGCACCGCCATGAAGAAACCAGGCGCCTCTGTGCGGGTGTCCTGTCAGACAAGCG AAGCCCCAGTATGGCGCCGTGAACTTCGGCGGAGGCTTCCGGGATAGAGTGACCCTGACCCGGGACGTGTACCGCG AGATCGCCTACATGGACATCCGGGGCCTGAAGCCCGATGACACCGCCGTGTACTACTGCGCCAGAGACAGAAGCTAC GGCGACAGCAGCTGGGCTCTGGATGCTTGGGGCCAGGGCACAACCGTGGTGGTGTCTGCCGCCTCTACAAAGGGCCC ATCGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCCTGGGCTGCCTCGTGAAGGACT ACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTGCACACCTTTCCAGCCGTGCTC CAGAGCAGCGGCCTGTACTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCCTGGGCACCAAGACCTACACCTG GCCCAGCCCTCCTGTGGCTGGACCCTCCGTGTTCCTGTTCCCCCCAAAGCCCAAGGACACCCTGATGATCAGCCGG ACCCCGAAGTGACCTGCGTGGTGGTGGATGTCCCAGGAAGATCCCGAGGTGCAGTTCAATTGGTACGTGGACGG CGTGGAAGTGCACAACGCCAAGACCAAGCCCAGAGAGGAACAGTTCAACAGCACCTACCGGGTGGTGCCGTGCTG ACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGCAAGGGTGTCCAACAAGGGCCTGCCCAGCTCCA TCGAGAAAACCATCAGCAAGGCCAAGGCCCAGCCCGCGAGCCTCAAGTGTATACCCTGCCCCCTTGCCAGGAAGA GATGACCAAGAACCAGGTGTCCCTGTGGTGTCTCGTGAAAGGCTTCTACCCCAGCGACATTGCCGTGGAATGGGAGA GCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCTGTGCTGGACAGCGACGGCTCATTCTTCCTGTACTCC AAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAACGTGTTCAGCTGCTCCGTGATGCACGAGGCCCTGCACA ACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC 4 521

TACATCCACGTGACCCAGAGCCCCAGCAGCCTGTCCGTGTCCATCGGCGACAGAGTGACCATCAACTGCCAGACCTC
TCAGGGCGTGGGCAGCGACCTGCACTGGTATCAGCACAAGCCTGGCAGAGCCCCCAAGCTGCTGATCCACCACAC
AGCAGCGTGGAAGATGGCGTGCCCAGCAGATTTTCCGGCAGCGGCTTCCACACCAGCTTCAACCTGACCATCAGCGA
TCTGCAGGCCGACGACATTGCCACCTACTATTGTCAGGTGCTGCAGTTCTTCGGCAGAGGCAGCAGCAGACTGCACATCA
AGCGTACGGTGGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGCGACGAGCAGCTGAAGTCCGGCACAGCCTCTGTC
GTGTGCCTGCTGAACAACTTCTACCCCCGCGAGGCCAAAGTGCAGTGGAAGGTGGACAACGCCCTGCAGAGCGCA
ACAGCCAGGAAAGCGTGACCGAGCAGGACAGCAAGGACTCCACCTACAGCCTGAGCACCCTGACACTGAGCAA
GGCCGACTACGAGAAGCACAAGGTGTACGCCTGCGAAGTGACCCACCAGGGCCTGTCTAGCCCCGTGACCAAGAGC
TTCAACCGGGGCGAGTGT Trispecific 1 522

GACATCGTGATGACCCAGACCCCCTGAGCCTGAGCGTGACACCTGGACAGCCTGCCAGCATCAGCTGCAAGAGCA

14 N6/

GCCAGAGCCTGGTGCACAACAACGCCAACACCTACCTGAGCTGGTATCTGCAGAAGCCCGGCCAGAGCCCCCAGTC

CCTGATCTACAAGGTGTCCAACAGATTCAGCGGCGTGCCCGACAGATTCTCCGGCAGCGGCTCTGGCACCGACTTCACD3mid

 ${\tt CCCTGAAGATCAGCCGGGTGGAAGCCGAGGACGTGGGCGTGTACTATTGTGGCCAGGGCACCCAGTACCCCTTCACC1} \\ {\tt IoG4}$

CAGGTGCAGCTGGTGCAGTCTGGCGCCGAGGTCGTGAAACCTGGCGCCTCTGTGAAGGTGTCCTGCAAGGCCAGCGG CTACACCTTTACCAGCTACTACATCCACTGGGTGCGCCAGGCCCCTGGACAGGGACTGGAATGGATCGGCAGCATCT ACCCCGGCAACGTGAACACCAACTACGCCCAGAAGTTCCAGGGCAGAGCCACCCTGACCGTGGACACCAGCATCAG ${\tt CACCGCCTACATGGAACTGAGCCGGCTGAGAAGCGACGACGCCGTGTACTACTGCACCCGGTCCCACTACGGCC}$ TGGATTGGAACTTCGACGTGTGGGGCAAGGGCACCACCGTGACAGTGTCTAGCAGCCAGGTGCAGCTGGTAGAATCT GGCGGCGGAGTGCAGCCTGGCAGAAGCCTGAGACTGAGCTGTGCCGCCAGCGGCTTCACCTTCACCAAGGCCT GGATGCACTGGGTGCGCCAGGCCCCTGGAAAGCAGCTGGAATGGGTGGCCCAGATCAAGGACAAGAGCAACAGCTA CGCCACCTACTACGCCGACAGCGTGAAGGGCCGGTTCACCATCAGCCGGGACGACAGCAAGAACACCCTGTACCTG CAGATGAACAGCCTGCGGGCCGAGGACACCGCCGTGTACTACTGTCGGGGCGTGTACTATGCCCTGAGCCCCTTCGA TTACTGGGGCCAGGGAACCCTCGTGACCGTGTCTAGTCGGACCGCCAGCACAAAGGGCCCATCGGTGTTCCCTCTGG CCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCCTGGGCTGCCTCGTGAAGGACTACTTTCCCGAGCCCGTG ACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTGCACACCTTTCCAGCCGTGCTCCAGAGCAGCGGCCTGTA CTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCCTGGGCACCAAGACCTACACCTGTAACGTGGACCACAAGC CCAGCAACACCAAGGTGGACAAGCGGGTGGAATCTAAGTACGGCCCTCCTGCCCTCCTTGCCCAGCCCCTGAAGCT GCCGGCGGACCCTCCGTGTTCCTGTTCCCCCCAAAGCCCAAGGACACCCTGATGATCAGCCGGACCCCCGAAGTGAC CTGCGTGGTGGTGGATGTCCCCAGGAAGATCCCGAGGTGCAGTTCAATTGGTACGTGGACGGCGTGGAAGTGCACA ACGCCAAGACCAAGCCCAGAGAGAGAACAGTTCAACAGCACCTACCGGGTGGTGCCGTGCTGACCGTGCTGCACCA GGACTGGCTGAACGCCAAGAGTACAAGTGCAAGGTGTCCAACAAGGGCCTGCCCAGCTCCATCGAGAAAACCATC AGCAAGGCCAAGGCCCAGCCCGCGAGCCTCAAGTGTGTACCCTGCCCCCTAGCCAGGAAGAGATGACCAAGAACC AGGTGTCCCTGAGCTGTGCCGTGAAAGGCTTCTACCCCAGCGACATTGCCGTGGAATGGGAGAGCAACGGCCAGCCC GAGAACAACTACAAGACCACCCCCCTGTGCTGGACAGCGACGGCTCATTCTTCCTGGTGTCCAAGCTGACCGTGGA CAAGAGCCGGTGGCAGGAAGGCAACGTGTTCAGCTGCTCCGTGATGCACGAGGCCCTGCACAACCACTACACCCAG AAGTCCCTGTCTCTGTCCCTGGGC 3 524

AGAGCCCACCTGGTGCAGTCTGGCACCGCCATGAAGAAACCAGGCGCCTCTGTGCGGGTGTCCTGTCAGACAAGCG AAGCCCCAGTATGGCGCCGTGAACTTCGGCGGAGGCTTCCGGGATAGAGTGACCCTGACCCGGGACGTGTACCGCG AGATCGCCTACATGGACATCCGGGGCCTGAAGCCCGATGACACCGCCGTGTACTACTGCGCCAGAGACAGAAGCTAC GGCGACAGCAGCTGGGCTCTGGATGCTTGGGGCCCAGGGCACAACCGTGGTGGTGTCTGCCGCCTCTACAAAGGGCCC ATCGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCNTGGGCTGCCTCGTGAAGGACT ACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTTCTGACAAGCGGCGTGCACACCTTTCCAGCCGTGCTC CAGAGCAGCGGCCTGTACTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCCTGGGCACCAAGACCTACACCTG GCCCAGCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCAAAGCCCAAGGACACCCTGATGATCAGC ${\sf CGGACCCCGAAGTGACCTGCGTGGTGGATGTGTCCCAGGAAGATCCCGAGGTGCAGTTCAATTGGTACGTGGA}$ CGGCGTGGAAGTGCACAACGCCAAGACCAAGCCCAGAGAGAACAGTTCAACAGCACCTACCGGGTGGTGTCCGTG CTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGCAAGGTGTCCAACAAGGGCCTGCCCAGCT CCATCGAGAAAACCATCAGCAAGGCCAAGGGCCAGCCCCGCGAGCCTCAAGTGTATACCCTGCCCCCTTGCCAGGA AGAGATGACCAAGAACCAGGTGTCCCTGTGGTGTCTCGTGAAAGGCTTCTACCCCAGCGACATTGCCGTGGAATGGG AGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCTGTGCTGGACAGCGACGGCTCATTCTTCCTGTAC TCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAACGTGTTCAGCTGCTCCGTGATGCACGAGGCCCTGC ACAACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC 4 525

TACATCCACGTGACCCAGAGCCCCAGCAGCCTGTCCGTGTCCATCGGCGACAGAGTGACCATCAACTGCCAGACCTC TCAGGGCGTGGCAGAGCCTGCACTGTATCAGCACAAGCCTGGCAGAGCCCCCAAGCTGCTGATCCACCACACAAGCAGCGTGGAAGATGGCGTGCCCAGCAGATTTTCCGGCAGCGGCTTCCACACCAGCTTCAACCTGACCATCAGCGATCGCAGGCCGACGACACTTGCCACCTACTATTGTCAGGTGCTGCAGTTCTTCGGCAGAGGCAGCAGCAGCTCCAACCTCAAGCGTACGGTGGCGCGCCCCCCAGCGTGTTCATCTTCCCACCTAGCGACGAGCAGCTGAAGTCCGGCACAGCCTCTGTC

GACATCGTGATGACCCAGACCCCCTGAGCCTGAGCGTGACACCTGGACAGCCTGCCAGCATCAGCTGCAAGAGCA

15 N6/

 $\begin{array}{lll} {\sf GCCAGAGCCTGGTGCACAACAACGCCAACACCTACCTGAGCTGGTATCTGCAGAAGCCCGGCCAGAGCCCCCAGTC} \\ {\sf CD28sup} & \times & \end{array}$

CCTGATCTACAAGGTGTCCAACAGATTCAGCGGCGTGCCCGACAGATTCTCCGGCAGCGGCTCTGGCACCGACTTCACD3mid QQ

CCCTGAAGATCAGCCGGGTGGAAGCCGAGGACGTGGGCGTGTACTATTGTGGCCAGGGCACCCAGTACCCCTTCACC

TTTGGCAGCGGCACCAAGGTGGAAATCAAGGGCCAGCCCAAGGCCCCCGACATCCAGATGACCCAGAGCCCCA

CAGGTGCAGCTGGTGCAGTCTGGCGCCGAGGTCGTGAAACCTGGCGCCTCTGTGAAGGTGTCCTGCAAGGCCAGCGG CTACACCTTTACCAGCTACTACATCCACTGGGTGCGCCAGGCCCCTGGACAGGGACTGGAATGGATCGGCAGCATCT ACCCCGGCAACGTGAACACCAACTACGCCCAGAAGTTCCAGGGCAGAGCCACCCTGACCGTGGACACCAGCATCAG ${\tt CACCGCCTACATGGAACTGAGCCGGCTGAGAAGCGACGACGCCGTGTACTACTGCACCCGGTCCCACTACGGCC}$ TGGATTGGAACTTCGACGTGTGGGGCAAGGGCACCACCGTGACAGTGTCTAGCAGCCAGGTGCAGCTGGTGGAATCT GGCGGCGGAGTGCAGCCTGGCAGAAGCCTGAGACTGAGCTGTGCCGCCAGCGGCTTCACCTTCACCAAGGCCT GGATGCACTGGGTGCCCCAGGCCCCTGGAAAGCAGCTGGAATGGGTGGCCCAGATCAAGGACAAGAGCAACAGCTA CGCCACCTACTACGCCGACAGCGTGAAGGGCCGGTTCACCATCAGCCGGGACGACAGCAAGAACACCCTGTACCTG CAGATGAACAGCCTGCGGGCCGAGGACACCGCCGTGTACTACTGTCGGGGCGTGTACTATGCCCTGAGCCCCTTCGA TTACTGGGGCCAGGGAACCCTCGTGACCGTGTCTAGTCGGACCGCCAGCACAAAGGGCCCATCGGTGTTCCCTCTGG CCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCCTGGGCTGCCTCGTGAAGGACTACTTTCCCGAGCCCGTG ACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTGCACACCTTTCCAGCCGTGCTCCAGAGCAGCGGCCTGTA CTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCCTGGGCACCAAGACCTACACCTGTAACGTGGACCACAAGC GCCGGCGGACCCTCCGTGTTCCTGTTCCCCCCAAAGCCCAAGGACACCCTGATGATCAGCCGGACCCCCGAAGTGAC CTGCGTGGTGGTGGATGTCCCCAGGAAGATCCCGAGGTGCAGTTCAATTGGTACGTGGACGGCGTGGAAGTGCACA ACGCCAAGACCAAGCCCAGAGAGAGAACAGTTCAACAGCACCTACCGGGTGGTGCCGTGCTGACCGTGCTGCACCA GGACTGGCTGAACGGCAAAGAGTACAAGTGCAAGGTGTCCAACAAGGGCCTGCCCAGCTCCATCGAGAAAACCATC AGCAAGGCCAAGGCCCAGCCCGCGAGCCTCAAGTGTGTACCCTGCCCCCTAGCCAGGAAGAGATGACCAAGAACC AGGTGTCCCTGAGCTGTGCCGTGAAAGGCTTCTACCCCAGCGACATTGCCGTGGAATGGGAGAGCAACGGCCAGCCC GAGAACAACTACAAGACCACCCCCCTGTGCTGGACAGCGACGGCTCATTCTTCCTGGTGTCCAAGCTGACCGTGGA CAAGAGCCGGTGGCAGGAAGGCAACGTGTTCAGCTGCTCCGTGATGCACGAGGCCCTGCACAACCACTACACCCAG AAGTCCCTGTCTCTGTCCCTGGGC 3 528

AGAGCCCACCTGGTGCAGTCTGGCACCGCCATGAAGAAACCAGGCGCCTCTGTGCGGGTGTCCTGTCAGACAAGCG AAGCCCCAGTATGGCGCCGTGAACTTCGGCGGAGGCTTCCGGGATAGAGTGACCCTGACCCGGGACGTGTACCGCG AGATCGCCTACATGGACATCCGGGGCCTGAAGCCCGATGACACCGCCGTGTACTACTGCGCCAGAGACAGAAGCTAC GGCGACAGCAGCTGGGCTCTGGATGCTTGGGGCCCAGGGCACAACCGTGGTGTCTGCCGCCTCTACAAAGGGCCC ATCGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCNTGGGCTGCCTCGTGAAGGACT ACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTGCACACCTTTCCAGCCGTGCTC CAGAGCAGCGGCCTGTACTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCCTGGGCACCAAGACCTACACCTG GCCCAGCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCAAAGCCCAAGGACACCCTGATGATCAGC CGGACCCCGAAGTGACCTGCGTGGTGGTGGATGTCCCAGGAAGATCCCGAGGTGCAGTTCAATTGGTACGTGGA CGGCGTGGAAGTGCACAACGCCAAGACCAAGCCCAGAGAGAACAGTTCAACAGCACCTACCGGGTGGTGCCGTG CTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGCAAGGTGTCCAACAAGGGCCTGCCCAGCT CCATCGAGAAACCATCAGCAAGGCCAAGGCCCAGCCCCGCGAGCCTCAAGTGTATACCCTGCCCCCTTGCCAGGAAGAGATGACCAAGAACCAGGTGTCCCTGTGGTGTCTCGTGAAAGGCTTCTACCCCAGCGACATTGCCGTGGAATGGG AGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCTGTGCTGGACAGCGACGGCTCATTCTTCCTGTAC TCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAACGTGTTCAGCTGCTCCGTGATGCACGAGGCCCTGC

ACAACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC 4 529 TACATCCACGTGACCCAGAGCCCAGCAGCCTGTCCGTGTCCATCGGCGACAGAGTGACCATCAACTGCCAGACCTC TCAGGGCGTGGGCAGCGACCTGCACTGGTATCAGCACAAGCCTGGCAGAGCCCCCAAGCTGCTGATCCACCACACA AGCAGCGTGGAAGATGGCGTGCCCAGCAGATTTTCCGGCAGCGGCTTCCACACCAGCTTCAACCTGACCATCAGCGA TCTGCAGGCCGACGACATTGCCACCTACTATTGTCAGGTGCTGCAGTTCTTCGGCAGAGGCAGCAGACTGCACATCA AGCGTACGGTGGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGCGACGAGCAGCTGAAGTCCGGCACAGCCTCTGTC GTGTGCCTGCAACAACTTCTACCCCCGCGAGGCCAAAGTGCAGTGGAAGGTGGACAACGCCCTGCAGAGCGGCA ACAGCCAGGAAAGCGTGACCGAGCAGGACAGCAAGGACTCCACCTACAGCCTGAGCAGCACCCTGACACTGAGCAA GGCCGACTACGAGAAGCACAAGGTGTACGCCTGCGAAGTGACCCACCAGGGCCTGTCTAGCCCCGTGACCAAGAGC TTCAACCGGGGCGAGTGT Trispecific 1 530 GACATCGTGATGACCCAGACCCCCTGAGCCTGAGCGTGACACCTGGACAGCCTGCCAGCATCAGCTGCAAGAGCA GCCAGAGCCTGGTGCACCAGAACGCCCAGACCTACCTGAGCTGGTATCTGCAGAAGCCCGGCCAGAGCCCCAGTC CCTGATCTACAAGGTGTCCAACAGATTCAGCGGCGTGCCCGACAGATTCTCCGGCAGCGGCTCTGGCACCGACTTCA CD3mid QQ CCCTGAAGATCAGCCGGGTGGAAGCCGAGGACGTGGGCGTGTACTATTGTGGCCAGGGCACCCAGTACCCCTTCACC TTTGGCAGCGGCACCAAGGTGGAAATCAAGGACAAAACCCATACCGACATCCAGATGACCCAGAGCCCCAGCAGCC DKTHT linker CAGCAGAAGCCCGGCAAGGCCCCCAAGCTGCTGATCTACAAGGCCAGCAACCTGCACACCGGCGTGCCCAGCAGATT TTCTGGCAGCGGCTCCGGCACCGACTTCACCCTGACAATCAGCTCCCTGCAGCCCGAGGACATTGCCACCTACTACT GCCAGCAGGGCCAGACCTACCCCTACACCTTTGGCCAGGGCACCAAGCTGGAAATCAAGGATAAGACCCACACCCG TACGGTGGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGCGACGAGCAGCTGAAGTCCGGCACAGCCTCTGTCGTGT GCCTGCTGAACAACTTCTACCCCCGCGAGGCCAAAGTGCAGTGGAAGGTGGACAACGCCCTGCAGAGCGGCAACAG CCAGGAAAGCGTGACCGAGCAGGACAGCAAGGACTCCACCTACAGCCTGAGCACCCTGACACTGAGCAAGGCC GACTACGAGAAGCACAAGGTGTACGCCTGCGAAGTGACCCACCAGGGCCTGTCTAGCCCCGTGACCAAGAGCTTCA ACCGGGGCGAGTGT 2 531 CAGGTGCAGCTGGTGCAGTCTGGCGCCGAGGTCGTGAAACCTGGCGCCTCTGTGAAGGTGTCCTGCAAGGCCAGCGG CTACACCTTTACCAGCTACTACATCCACTGGGTGCGCCAGGCCCCTGGACAGGGACTGGAATGGATCGGCAGCATCT ACCCCGGCAACGTGAACACCAACTACGCCCAGAAGTTCCAGGGCAGAGCCACCCTGACCGTGGACACCAGCATCAG TGGATTGGAACTTCGACGTGTGGGGCAAGGGCACCACCGTGACAGTGTCTAGCGACAAAACCCATACCCAGGTGCA GCTGGTGGAATCTGGCGGCGGAGTGGTGCAGCCTGGCAGAAGCCTGAGACTGAGCTGTGCCGCCAGCGGCTTCACCT TCACCAAGGCCTGGATGCACTGGGTGCGCCAGGCCCCTGGAAAGCAGCTGGAATGGGTGGCCCAGATCAAGGACAA GAGCAACAGCTACGCCACCTACTACGCCGACAGCGTGAAGGGCCGGTTCACCATCAGCCGGGACGACAGCAAGAAC ACCCTGTACCTGCAGATGAACAGCCTGCGGGCCGAGGACACCGCCGTGTACTACTGTCGGGGCGTGTACTATGCCCT GAGCCCCTTCGATTACTGGGGCCAGGGAACCCTCGTGACCGTGTCTAGTGATAAGACCCACACCGCCAGCACAAAGG GCCCATCGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCCTGGGCTGCCTCGTGAAG GACTACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTGCACACCTTTCCAGCCGT GCTCCAGAGCAGCGGCCTGTACTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCCTGGGCACCAAGACCTACA CCTTGCCCAGCCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCAAAGCCCAAGGACACCCTGATGAT CAGCCGGACCCCGAAGTGACCTGCGTGGTGGTGGTGTCCCAGGAAGATCCCGAGGTGCAGTTCAATTGGTACG GTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGCAAGGTGTCCAACAAGGGCCTGCCCA GCTCCATCGAGAAAACCATCAGCAAGGCCAAGGGCCAGCCCCGCGAGCCTCAAGTGTGTACCCTGCCCCTAGCCA GGAAGAGATGACCAAGAACCAGGTGTCCCTGAGCTGTGCCGTGAAAGGCTTCTACCCCAGCGACATTGCCGTGGAA TGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCTGTGCTGGACAGCGACGGCTCATTCTTCCT GGTGTCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAACGTGTTCAGCTGCTCCGTGATGCACGAGGCC CTGCACAACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC 3 532 AGAGCCCACCTGGTGCAGTCTGGCACCGCCATGAAGAAACCAGGCGCCTCTGTGCGGGTGTCCTGTCAGACAAGCG AAGCCCCAGTATGGCGCCGTGAACTTCGGCGGAGGCTTCCGGGATAGAGTGACCCTGACCCGGGACGTGTACCGCG AGATCGCCTACATGGACATCCGGGGCCTGAAGCCCGATGACACCGCCGTGTACTACTGCGCCAGAGACAGAAGCTAC GGCGACAGCAGCTGGGCTCTGGATGCTTGGGGCCAGGGCACAACCGTGGTGGTGTCTGCCGCCTCTACAAAGGGCCC ATCGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCNTGGGCTGCCTCGTGAAGGACT ACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTGCACACCTTTCCAGCCGTGCTC

TACATCCACGTGACCCAGAGCCCCAGCAGCCTGTCCGTGTCCATCGGCGACAGAGTGACCATCAACTGCCAGACCTC
TCAGGGCGTGGGCAGCGACCTGCACTGGTATCAGCACAAGCCTGGCAGAGCCCCCAAGCTGCTGATCCACCACACA
AGCAGCGTGGAAGATGGCGTGCCCAGCAGATTTTCCGGCAGCGGCTTCCACACCAGCTTCAACCTGACCATCAGCGA
TCTGCAGGCCGACGACATTGCCACCTACTATTGTCAGGTGCTGCAGTTCTTCGGCAGAGGCAGAGCAGCAGCACACA
AGCGTACGGTGGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGCGACGAGCAGCTGAAGTCCGGCACAGCCTCTGTC
GTGTGCCTGCTGAACAACTTCTACCCCCGCGAGGCCAAAGTGCAGTGGAAAGGTGGACAACGCCCTGCAGAGCGCA
ACAGCCAGGAAAGCGTGACCGAGCAGGACAGCACCACCACCTACAGCCTGAGCACCCTGACACTGAGCAA
GGCCGACTACGAGAAGCACAAGGTGTACGCCTGCGAAGTGACCCACCAGGGCCTGTCTAGCCCCGTGACCAAGAGC
TTCAACCGGGGCGAGTGT Trispecific 1 534

GACATCGTGATGACCCAGACCCCCTGAGCCTGAGCGTGACACCTGGACAGCCTGCCAGCATCAGCTGCAAGAGCA
17 N6/

GCCAGAGCCTGGTGCACAACAACGCCAACACCTACCTGAGCTGGTATCTGCAGAAGCCCGGCCAGAGCCCCAGTC CD28sup ×

CCTGATCTACAAGGTGTCCAACAGATTCAGCGGCGTGCCCGACAGATTCTCCGGCAGCGGCTCTGGCACCGACTTCACD3mid

CCCTGAAGATCAGCCGGGTGGAAGCCGAGGACGTGGGCGTGTACTATTGTGGCCAGGGCACCCAGTACCCCTTCACC IgG4

TTTGGCAGCGCACCAAGGTGGAAATCAAGGACAAAACCCATACCGACATCCAGATGACCCAGAGCCCCAGCAGCC FALA/409K

TGTCTGCCAGCGTGGGCGACAGAGTGACCATCACCTGTCAGGCCAGAACATCTACGTGTGGCTGAACTGGTAT DKTHT linker

CAGGTGCAGCTGGTGCAGTCTGGCGCCGAGGTCGTGAAACCTGGCGCCTCTGTGAAGGTGTCCTGCAAGGCCAGCGG CTACACCTTTACCAGCTACTACATCCACTGGGTGCGCCAGGCCCCTGGACAGGGACTGGAATGGATCGGCAGCATCT ACCCCGGCAACGTGAACACCAACTACGCCCAGAAGTTCCAGGGCAGAGCCACCCTGACCGTGGACACCAGCATCAG CACCGCCTACATGGAACTGAGCCGGCTGAGAAGCGACGACACCGCCGTGTACTACTGCACCCGGTCCCACTACGGCC TGGATTGGAACTTCGACGTGTGGGGCAAGGGCACCACCGTGACAGTGTCTAGCGACAAAACCCATACCCAGGTGCA GCTGGTGGAATCTGGCGGCGGAGTGGTGCAGCCTGGCAGAAGCCTGAGACTGAGCTGTGCCGCCAGCGGCTTCACCT TCACCAAGGCCTGGATGCACTGGGTGCGCCAGGCCCCTGGAAAGCAGCTGGAATGGGTGGCCCAGATCAAGGACAA GAGCAACAGCTACGCCACCTACTACGCCGACAGCGTGAAGGGCCGGTTCACCATCAGCCGGGACGACAGCAAGAAC ACCCTGTACCTGCAGATGAACAGCCTGCGGGCCGAGGACACCGCCGTGTACTACTGTCGGGGCGTGTACTATGCCCT GAGCCCCTTCGATTACTGGGGCCAGGGAACCCTCGTGACCGTGTCTAGTGATAAGACCCACACCGCCAGCACAAAGG GCCCATCGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCCTGGGCTGCCTCGTGAAG GACTACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTGCACACCTTTCCAGCCGT GCTCCAGAGCAGCGGCCTGTACTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCCTGGGCACCAAGACCTACA CCTTGCCCAGCCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCAAAGCCCAAGGACACCCTGATGAT CAGCCGGACCCCGAAGTGACCTGCGTGGTGGTGGATGTCCCAGGAAGATCCCGAGGTGCAGTTCAATTGGTACG TGGACGCCGTGGAAGTGCACAACGCCAAGACCAAGCCCAGAGAGGAACAGTTCAACAGCACCTACCGGGTGGTGTCC GTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGCAAGGTGTCCAACAAGGGCCTGCCCA GCTCCATCGAGAAAACCATCAGCAAGGCCAAGGGCCAGCCCCGCGAGCCTCAAGTGTGTACCCTGCCCCTAGCCA GGAAGAGATGACCAAGAACCAGGTGTCCCTGAGCTGTGCCGTGAAAGGCTTCTACCCCAGCGACATTGCCGTGGAA TGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCTGTGCTGGACAGCGACGGCTCATTCTTCCT GGTGTCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAACGTGTTCAGCTGCTCCGTGATGCACGAGGCC CTGCACACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC 3 536

AGAGCCCACCTGGTGCAGTCTGGCACCGCCATGAAGAAACCAGGCGCCTCTGTGCGGGTGTCCTGTCAGACAAGCGGCTACACCTTCACCGCCCACATCCTGTTCTGGTTCCGGCAGGCCCCTGGCAGAGGACTGGAATGGGTGGATCAAGCCCCAGTATGGCGCCGTGAACTTCGGCGGAGGCTTCCGGGATAGAGTGACCCTGACCCGGGACGTGTACCGCG

```
AGATCGCCTACATGGACATCCGGGGCCTGAAGCCCGATGACACCGCCGTGTACTACTGCGCCAGAGACAGAAGCTAC
GGCGACAGCAGCTGGGCTCTGGATGCTTGGGGCCAGGGCACAACCGTGGTGGTGTCTGCCGCCTCTACAAAGGGCCC
ATCGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCNTGGGCTGCCTCGTGAAGGACT
ACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTGCACACCTTTCCAGCCGTGCTC
CAGAGCAGCGGCCTGTACTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCCTGGGCACCAAGACCTACACCTG
GCCCAGCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCAAAGCCCAAGGACACCCTGATGATCAGC
CGGACCCCGAAGTGACCTGCGTGGTGGTGGATGTCCCAGGAAGATCCCGAGGTGCAGTTCAATTGGTACGTGGA
CGGCGTGGAAGTGCACAACGCCAAGACCAAGCCCAGAGAGAACAGTTCAACAGCACCTACCGGGTGGTGTCCGTG
\tt CTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGCAAGGTGTCCAACAAGGGCCTGCCCAGCT
CCATCGAGAAAACCATCAGCAAGGCCAAGGGCCAGCCCCGCGAGCCTCAAGTGTATACCCTGCCCCCTTGCCAGGA
AGAGATGACCAAGAACCAGGTGTCCCTGTGGTGTCTCGTGAAAGGCTTCTACCCCAGCGACATTGCCGTGGAATGGG
AGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCTGTGCTGGACAGCGACGGCTCATTCTTCCTGTAC
TCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAACGTGTTCAGCTGCTCCGTGATGCACGAGGCCCTGC
ACAACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC 4 537
TACATCCACGTGACCCAGAGCCCCAGCAGCCTGTCCGTGTCCATCGGCGACAGAGTGACCATCAACTGCCAGACCTC
```

TACATCCACGTGACCCAGAGCCCCAGCAGCCTGTCCGTGTCCATCGGCGACAGAGTGACCATCAACTGCCAGACCTC
TCAGGGCGTGGGCAGCGACCTGCACTGGTATCAGCACAAGCCTGGCAGAGCCCCCAAGCTGCTGATCCACCACAC
AGCAGCGTGGAAGATGGCGTGCCCAGCAGATTTTCCGGCAGCGGCTTCCACACCAGCTTCAACCTGACCATCAGCGA
TCTGCAGGCCGACGACATTGCCACCTACTATTGTCAGGTGCTGCAGTTCTTCGGCAGAGGCAGCAGCAGCACACCA
AGCGTACGGTGGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGCGACGAGCAGCTGAAGTCCGGCACAGCCTCTGTC
GTGTGCCTGCTGAACAACTTCTACCCCCGCGAGGCCAAAGTGCAGTGGAAGGTGGACAACGCCCTGCAGAGCGCA
ACAGCCAGGAAAGCGTGACCGAGCAGGACAGCAAGGACTCCACCTACAGCCTGAGCACCCTGACACTGAGCAA
GGCCGACTACGAGAAGCACAAGGTGTACGCCTGCGAAGTGACCCACCAGGGCCTGTCTAGCCCCGTGACCAAGAGC
TTCAACCGGGGCGAGTGT Trispecific 1 538

GACATCGTGATGACCCAGACCCCCTGAGCCTGAGCGTGACACCTGGACAGCCTGCCAGCATCAGCTGCAAGAGCA

 $\begin{array}{lll} {\sf GCCAGAGCCTGGTGCACCAGAACGCCCAGACCTACCTGAGCTGGTATCTGCAGAAGCCCGGCCAGAGCCCCCAGTCCD28sup} & \times & \\ \end{array}$

CCTGATCTACAAGGTGTCCAACAGATTCAGCGGCGTGCCCGACAGATTCTCCGGCAGCGGCTCTGGCACCGACTTCACD3mid QQ

CCCTGAAGATCAGCCGGGTGGAAGCCGAGGACGTGGGCGTGTACTATTGTGGCCAGGGCACCCAGTACCCCTTCACC IgG1_NNAS_

TTTGGCAGCGGCACCAAGGTGGAAATCAAGGACAAAACCCATACCGACATCCAGATGACCCAGAGCCCCAGCAGCCCDKTHT linker

TGTCTGCCAGCGTGGCGACAGAGTGACCATCACCTGTCAGGCCAGCAGAACATCTACGTGTGGCTGAACTGGTAT CAGCAGAAGCCCGGCAAGCCCCCAAGCTGCTGATCTACAAGGCCAGCAGCACCCGGCGTGCCCAGCAGATT TTCTGGCAGCGGCTCCGGCACCGACCTTCACCCTGACAATCAGCTCCCTGCAGCCCGAGGACATTGCCACCTACTACT GCCAGCAGGGCCAGACCTACCCCTACACCTTTGGCCAGGGCACAAGCTGGAAATCAAGGATAAGACCCACACCCG TACGGTGGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGCGACGAGCAGCTGAAGTCCGGCACAGCCTCTGTCGTGT GCCTGCTGAACAACTTCTACCCCCGCGAGGCCAAAGTGCAGTGGAAGGTGGACAACGCCCTGCAGAGCGCAACAG CCAGGAAAGCGTGACCGAGAGCAGCAAGGCCCGAGAAGCCCTGACACCTGAGCAACGCCCTGACACTGAGCAAGGCC GACTACGAGAAGCACAAGGTGTACGCCTGCGAAGTGACCCACCAGGGCCTGTCTAGCCCCGTGACCAAGAGCTTCA ACCGGGGCCAGTGT 2 539

CAGGTGCAGCTGGTGCAGTCTGGCGCCGAGGTCGTGAAACCTGGCGCCTCTGTGAAGGTGTCCTGCAAGGCCAGCGG CTACACCTTTACCAGCTACTACATCCACTGGGTGCGCCAGGCCCCTGGACAGGGACTGGAATGGATCGGCAGCATCT ACCCCGGCAACGTGAACACCAACTACGCCCAGAAGTTCCAGGGCAGAGCCACCCTGACCGTGGACACCAGCATCAG CACCGCCTACATGGAACTGAGCCGGCTGAGAAGCGACGACACCGCCGTGTACTACTGCACCCGGTCCCACTACGGCC TGGATTGGAACTTCGACGTGTGGGGCAAGGGCACCACCGTGACAGTGTCTAGCGACAAAACCCATACCCAGGTGCA GCTGGTGGAATCTGGCGGCGGAGTGGTGCAGCCTGGCAGAAGCCTGAGACTGAGCTGTGCCGCCAGCGGCTTCACCT TCACCAAGGCCTGGATGCACTGGGTGCGCCAGGCCCCTGGAAAGCAGCTGGAATGGGTGGCCCAGATCAAGGACAA GAGCAACAGCTACGCCACCTACTACGCCGACAGCGTGAAGGGCCGGTTCACCATCAGCCGGGACGACAGCAAGAAC ACCCTGTACCTGCAGATGAACAGCCTGCGGGCCGAGGACACCGCCGTGTACTACTGTCGGGGCGTGTACTATGCCCT GAGCCCCTTCGATTACTGGGGCCAGGGAACCCTCGTGACCGTGTCTAGTGATAAGACCCACACCGCCAGCACAAAGG GCCCAGCGTGTTCCCTCTGGCCCCTAGCAGCAGAGAGCACATCTGGCGGAACAGCCGCCCTGGGCTGCCTCGTGAAG GACTACTTTCCCGAGCCCGTGACCGTGTCCTGGAATTCTGGCGCCCTGACCAGCGGCGTGCACACCTTTCCAGCTGT GCTGCAGTCCAGCGGCCTGTACAGCCTGAGCAGCGTCGTGACAGTGCCCAGCAGCTCTCTGGGCACCCAGACCTACA TCTGCAACGTGAACCACAAGCCCAGCAACACCAAGGTGGACAAGAGGTGGAACCCAAGAGCTGCGACAAGACCCA ACCTGTCCCCCTTGTCCTGCCCCGAACTGCTGGGAGGCCCTTCCGTGTTCCTGTTCCCCCCAAAGCCCAAGGACAC CCTGATGATCAGCCGGACCCCCGAAGTGACCTGCGTGGTGGTGGATGTCCCACGAGGACCCTGAAGTGAAGTTCA GGTGGTGTCCGTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGCAAGGTGTCCAACAAG GCCCTGCCTGCCCCATCGAGAAAACCATCAGCAAGGCCAAGGCCCAGCCCCGCAACCCCAGGTGTGCACACTGC

CCCCAAGCAGGACGAGCTGACCAAGAACCAGGTGTCCCTGAGCTGTGCCGTGAAAGGCTTCTACCCCTCCGATATC

```
GCCGTGGAATGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCTGTGCTGGACAGCGACGGCT
CATTCTTCCTGGTGTCCAAGCTGACAGTGGACAAGTCCCGGTGGCAGCAGGGCAACGTGTTCAGCTGCTCCGTGATG
CACGAGGCCCTGCACAACCACTACACCCAGAAGTCCCTGAGCCTGAGCCCCGGC 3 540
AGAGCCCACCTGGTGCAGTCTGGCACCGCCATGAAGAAACCAGGCGCCTCTGTGCGGGTGTCCTGTCAGACAAGCG
AAGCCCCAGTATGGCGCCGTGAACTTCGGCGGAGGCTTCCGGGATAGAGTGACCCTGACCCGGGACGTGTACCGCG
AGATCGCCTACATGGACATCCGGGGCCTGAAGCCCGATGACACCGCCGTGTACTACTGCGCCAGAGACAGAAGCTA
{\tt CATCGGTCTTCCCCCTGGCACCCTCCCAAGAGCACCTCTGGGGGCACAGCGGCCCTGGGCTGCCTGGTCAAGGAC}
TACTTCCCGAACCGGTGACGGTGTCGTGGAACTCAGGCGCCCTGACCAGCGGCGTGCACACCTTCCCGGCTGTCCT
ACAGTCCTCAGGACTCTACTCCCTCAGCAGCGTGGTGACCGTGCCCTCCAGCAGCTTGGGCACCCAGACCTACATCT
GCAACGTGAATCACAAGCCCAGCAACACCAAGGTGGACAAGAAAGTTGAGCCCAAATCTTGTGACAAAACTCACAC
ATGCCCACCGTGCCCAGCACCTGAACTCCTGGGGGGGACCGTCAGTCTTCCTCTTCCCCCCAAAACCCAAGGACACCC
TCATGATCTCCCGGACCCCTGAGGTCACATGCGTGGTGGTGGACGTGAGCCACGAAGACCCTGAGGTCAAGTTCAAC
TGGTATGTTGACGGCGTGGAGGTGCATAATGCCAAGACAAAGCCGCGGGAGGAGCAGTACAACAATGCCTCCCGTG
TGGTCAGCGTCCTCACCGTCCTGCACCAGGACTGGCTGAATGGCAAGGAGTACAAGTGCAAGGTCTCCAACAAGCC
CTCCCAGCCCCATCGAGAAAACCATCTCCAAAGCCAAAGGGCAGCCCCGAGAACCACAGGTGTACACCCTGCCCC
CATGCCGGGATGAGCTGACCAAGAATCAAGTCAGCCTGTGGTGCCTGGTAAAAGGCTTCTATCCCAGCGACATCGCC
GTGGAGTGGGAGAGCAATGGGCAGCCGGAGAACAACTACAAGACCACGCCTCCCGTGCTGGACTCCGACGGCTCCT
TCTTCCTCTACTCAAAACTCACCGTGGACAAGAGCAGGTGGCAGCAGGGGAACGTCTTCTCATGCTCCGTGATGCAT
GAGGCTCTGCACAACCACTACACGCAGAAGAGCCTCTCCCTGTCTCCGGGT 4 541
TACATCCACGTGACCCAGAGCCCCAGCAGCCTGTCCGTGTCCATCGGCGACAGAGTGACCATCAACTGCCAGACCTC
TCAGGGCGTGGCAGCGACCTGCACTGGTATCAGCACAAGCCTGGCAGAGCCCCCAAGCTGCTGATCCACCACACA
AGCAGCGTGGAAGATGGCGTGCCCAGCAGATTTTCCGGCAGCGGCTTCCACACCAGCTTCAACCTGACCATCAGCGA
TCTGCAGGCCGACGACATTGCCACCTACTATTGTCAGGTGCTGCAGTTCTTCGGCAGAGGCAGCAGACTGCACATCA
AGCGTACGGTGGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGCGACGAGCAGCTGAAGTCCGGCACAGCCTCTGTC
GTGTGCCTGCAACAACTTCTACCCCCGCGAGGCCAAAGTGCAGTGGAAGGTGGACAACGCCCTGCAGAGCGGCA
ACAGCCAGGAAAGCGTGACCGAGCAGGACAGCAAGGACTCCACCTACAGCCTGAGCACCCTGACACTGAGCAA
GGCCGACTACGAGAAGCACAAGGTGTACGCCTGCGAAGTGACCCACCAGGGCCTGTCTAGCCCCGTGACCAAGAGC
TTCAACCGGGGCGAGTGT Trispecific 1 542
GACATCGTGATGACCCAGACCCCCTGAGCCTGAGCGTGACACCTGGACAGCCTGCCAGCATCAGCTGCAAGAGCA
GCCAGAGCCTGGTGCACGACAACGCCCAGACCTACCTGAGCTGGTATCTGCAGAAGCCCGGCCAGAGCCCCAGTC
CCTGATCTACAAGGTGTCCAACAGATTCAGCGGCGTGCCCGACAGATTCTCCGGCAGCGGCTCTGGCACCGACTTCA
CCCTGAAGATCAGCCGGGTGGAAGCCGAGGACGTGGGCGTGTACTATTGTGGCCAGGGCACCCAGTACCCCTTCACC
DNAO IgG4
TTTGGCAGCGGCACCAAGGTGGAAATCAAGGACAAAACCCATACCGACATCCAGATGACCCAGAGCCCCAGCAGCC
DKTHT linker
CAGCAGAAGCCCGGCAAGGCCCCCAAGCTGCTGATCTACAAGGCCAGCAACCTGCACACCGGCGTGCCCAGCAGAT
TTTCTGGCAGCGGCTCCGGCACCGACTTCACCCTGACAATCAGCTCCCTGCAGCCCGAGGACATTGCCACCTACTAC
TGCCAGCAGGGCCAGACCTACCCCTACACCTTTGGCCAGGGCACCAAGCTGGAAATCAAGGATAAGACCCACACCAG
TCAGCCCAAGGCTGCCCCCTCGGTCACTCTGTTCCCGCCCTCGAGTGAGGAGCTTCAAGCCAACAAGGCCACACTGG
TGTGTCTCATAAGTGACTTCTACCCGGGAGCCGTGACAGTGGCCTGGAAGGCAGATAGCAGCCCCGTCAAGGCGG
AGTGGAGACCACCACACCCTCCAAACAAAGCAACAACAAGTACGCGGCCAGCAGCTACCTGAGCCTGACGCCTGAG
CAGTGGAAGTCCCACAGAAGCTACAGCTGCCAGGTCACGCATGAAGGGAGCACCGTGGAGAAGACAGTGGCCCCTA
CAGAATGT 2 543
CAGGTGCAGCTGGTGCAGTCTGGCGCCGAGGTCGTGAAACCTGGCGCCTCTGTGAAGGTGTCCTGCAAGGCCAGCGG
CTACACCTTTACCAGCTACTACATCCACTGGGTGCGCCAGGCCCCTGGACAGGGACTGGAATGGATCGGCAGCATCT
ACCCCGGCAACGTGAACACCAACTACGCCCAGAAGTTCCAGGGCAGAGCCACCCTGACCGTGGACACCAGCATCAG
\mathsf{CACCGCCTACATGGAACTGAGCCGGCTGAGAAGCGACGACGCCGTGTACTACTGCACCCGGTCCCACTACGGCC
TGGATTGGAACTTCGACGTGTGGGGCAAGGGCACCACCGTGACAGTGTCTAGCGACAAAACCCATACCCAGGTGCA
```

GCTGGTGGAATCTGGCGGCGGAGTGGTGCAGCCTGGCAGAAGCCTGAGACTGAGCTGTGCCGCCAGCGGCTTCACCT
TCACCAAGGCCTGGATGCACTGGGTGCGCCAGGCCCCTGGAAAGCAGCTGGAATGGGTGGCCCAGATCAAGGACAA
GAGCAACAGCTACGCCACCTACTACGCCGACAGCGTGAAGGGCCGGTTCACCATCAGCCGGGACGACAGCAAGAAC
ACCCTGTACCTGCAGATGAACAGCCTGCGGGGCCGAGGACACCCGCCGTGTACTACTGTCGGGGCGTGTACTATGCCCT
GAGCCCCTTCGATTACTGGGGCCCAGGGAACCCTCGTGACCGTGTCTAGTGATAAGACCCACACCGCCAGCACAAAGG
GCCCATCGGTGTTCCCTCTGGCCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCCTGGGCTGCCTCGTGAAG
GACTACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCCAGAGCAGCAGCCTGGGCACCAAGACCTACA

```
CCTTGCCCAGCCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCAAAGCCCAAGGACACCCTGATGAT
CAGCCGGACCCCGAAGTGACCTGCGTGGTGGTGGTGTCCCAGGAAGATCCCGAGGTGCAGTTCAATTGGTACG
TGGACGCCGTGGAAGTGCACAACGCCAAGACCAAGCCCAGAGAGGAACAGTTCAACAGCACCTACCGGGTGGTGTCC
GTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGCAAGGTGTCCAACAAGGGCCTGCCCA
GCTCCATCGAGAAAACCATCAGCAAGGCCAAGGGCCAGCCCCGCGAGCCTCAAGTGTGTACCCTGCCCCTAGCCA
GGAAGAGATGACCAAGAACCAGGTGTCCCTGAGCTGTGCCGTGAAAGGCTTCTACCCCAGCGACATTGCCGTGGAA
TGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCCTGTGCTGGACAGCGACGGCTCATTCTTCCT
GGTGTCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAACGTGTTCAGCTGCTCCGTGATGCACGAGGCC
CTGCACAACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC 3 544
AGAGCCCACCTGGTGCAGTCTGGCACCGCCATGAAGAAACCAGGCGCCTCTGTGCGGGTGTCCTGTCAGACAAGCG
AAGCCCCAGTATGGCGCCGTGAACTTCGGCGGAGGCTTCCGGGATAGAGTGACCCTGACCCGGGACGTGTACCGCG
AGATCGCCTACATGGACATCCGGGGCCTGAAGCCCGATGACACCGCCGTGTACTACTGCGCCAGAGACAGAAGCTAC
GGCGACAGCAGCTGGGCTCTGGATGCTTGGGGCCCAGGGCACAACCGTGGTGGTGTCTGCCGCCTCTACAAAGGGCCC
ATCGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCNTGGGCTGCCTCGTGAAGGACT
ACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTGCACACCTTTCCAGCCGTGCTC
CAGAGCAGCGGCCTGTACTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCCTGGGCACCAAGACCTACACCTG
GCCCAGCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCAAAGCCCAAGGACACCCTGATGATCAGC
CGGACCCCGAAGTGACCTGCGTGGTGGTGGATGTCCCAGGAAGATCCCGAGGTGCAGTTCAATTGGTACGTGGA
CGGCGTGGAAGTGCACAACGCCAAGACCAAGCCCAGAGAGAACAGTTCAACAGCACCTACCGGGTGGTGTCCGTG
CTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGCAAGGTGTCCAACAAGGGCCTGCCCAGCT
CCATCGAGAAAACCATCAGCAAGGCCAAGGGCCAGCCCCGCGAGCCTCAAGTGTATACCCTGCCCCCTTGCCAGGA
AGAGATGACCAAGAACCAGGTGTCCCTGTGGTGTCTCGTGAAAGGCTTCTACCCCAGCGACATTGCCGTGGAATGGG
AGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCTGTGCTGGACAGCGACGGCTCATTCTTCCTGTAC
TCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAACGTGTTCAGCTGCTCCGTGATGCACGAGGCCCTGC
ACAACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC 4 545
TACATCCACGTGACCCAGAGCCCCAGCAGCCTGTCCGTGTCCATCGGCGACAGAGTGACCATCAACTGCCAGACCTC
TCAGGGCGTGGGCAGCGACCTGCACTGGTATCAGCACAAGCCTGGCAGAGCCCCCAAGCTGCTGATCCACCACACA
AGCAGCGTGGAAGATGGCGTGCCCAGCAGATTTTCCGGCAGCGGCTTCCACACCAGCTTCAACCTGACCATCAGCGA
TCTGCAGGCCGACGACATTGCCACCTACTATTGTCAGGTGCTGCAGTTCTTCGGCAGAGGCAGCAGACTGCACATCA
```

TACATCCACGTGACCCAGAGCCCGAGCAGCCTGTCCGTGTCCATCGGCGACAGAGTGACCATCAACTGCCAGACCTC
TCAGGGCGTGGGCAGCGACCTGCACTGGTATCAGCACAAGCCTGGCAGAGCCCCCAAGCTGCTGATCCACCACAC
AGCAGCGTGGAAGATGGCGTGCCCAGCAGATTTTCCGGCAGCGGCTTCCACACCAGCTTCAACCTGACCATCAGCGA
TCTGCAGGCCGACGACATTGCCACCTACTATTGTCAGGTGCTGCAGTTCTTCGGCAGAGGCAGCAGCAGCACACCA
AGCGTACGGTGGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGCGACGAGCAGCTGAAGTCCGGCACAGCCTCTGTC
GTGTGCCTGCTGAACAACTTCTACCCCCGCGAGGCCAAAGTGCAGTGGAAGGTGGACAACGCCCTGCAGAGCGCA
ACAGCCAGGAAAGCGTGACCGAGCAGCAAGGACTCCACCTACAGCCTGAGCAGCACCCTGACACTGAGCAA
GGCCGACTACGAGAAGCACAAGGTGTACGCCTGCGAAGTGACCCACCAGGGCCTGTCTAGCCCCGTGACCAAGAGC
TTCAACCGGGGCGAGTGT Trispecific 1 546

GACATCGTGATGACCCAGACCCCCTGAGCCTGAGCGTGACACCTGGACAGCCTGCCAGCATCAGCTGCAAGAGCA
22 N6/

GCCAGAGCCTGGTGCACGAGAACCTGCAGACCTACCTGAGCTGGTATCTGCAGAAGCCCGGCCAGAGCCCCAGTC

CCCTGAAGATCAGCCGGGTGGAAGCCGAGGACGTGGGCGTGTACTATTGTGGCCAGGGCACCCAGTACCCCTTCACC ENLO IgG4

TTTGGCAGCGCACCAAGGTGGAAATCAAGGACAAAACCCATACCGACATCCAGATGACCCAGAGCCCCAGCAGCC FALA/409K

CAGCAGAAGCCCGGCAAGGCCCCCAAGCTGCTGATCTACAAGGCCAGCAACCTGCACACCGGCGTGCCCAGCAGAT
TTTCTGGCAGCGGCTCCGGCACCGACTTCACCCTGACAATCAGCTCCCTGCAGCCCGAGGACATTGCCACCTACTAC
TGCCAGCAGGGCCAGACCTACCCCTACACCTTTGGCCAGGGCACCAAGCTGGAAATCAAGGATAAGACCCACACCCG
TACGGTGGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGCGACGACGCGCAAAGCTGAAGTCCGGCACAAGCCTCGAAAACAC

GCCTGCTGAACAACTTCTACCCCCGCGAGGCCAAAGTGCAGTGGAAGGTGGACAACGCCCTGCAGAGCGGCAACAG CCAGGAAAGCGTGACCGAGCAGGACAGCAAGGACTCCACCTACAGCCTGAGCACCCTGACACTGAGCAAGGCC GACTACGAGAAGCACAAGGTGTACGCCTGCGAAGTGACCCACCAGGGCCTGTCTAGCCCCGTGACCAAGAGCTTCA ACCGGGGCGAGTGT 2 547

CAGGTGCAGCTGGTGCAGTCTGGCGCCGAGGTCGTGAAACCTGGCGCCTCTGTGAAGGTGTCCTGCAAGGCCAGCGGCTACACCTTTACCAGCTACTACATCCACTGGGTGCGCCAGGCCCCTGGACAGGACTGGAATGGATCGGCAGCATCTACCCCGGCAACGTGAACACCAACTACGCCCAGAAGTTCCAGGGCAGAGCCACCCTGACCGTGGACACCAGCATCAG

CACCGCCTACATGGAACTGAGCCGGCTGAGAAGCGACGACACCGCCGTGTACTACTGCACCCGGTCCCACTACGGCC TGGATTGGAACTTCGACGTGTGGGGCAAGGGCACCACCGTGACAGTGTCTAGCGACAAAACCCATACCCAGGTGCA GCTGGTGGAATCTGGCGGCGGAGTGGTGCAGCCTGGCAGAAGCCTGAGACTGAGCTGTGCCGCCAGCGGCTTCACCT

```
TCACCAAGGCCTGGATGCACTGGGTGCGCCAGGCCCCTGGAAAGCAGCTGGAATGGGTGGCCCAGATCAAGGACAA
GAGCAACAGCTACGCCACCTACTACGCCGACAGCGTGAAGGGCCGGTTCACCATCAGCCGGGACGACAGCAAGAAC
ACCCTGTACCTGCAGATGAACAGCCTGCGGGCCGAGGACACCGCCGTGTACTACTGTCGGGGCGTGTACTATGCCCT
GAGCCCCTTCGATTACTGGGGCCAGGGAACCCTCGTGACCGTGTCTAGTGATAAGACCCACACCGCCAGCACAAAGG
GCCCATCGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCCTGGGCTGCCTCGTGAAG
GACTACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTGCACACCTTTCCAGCCGT
GCTCCAGAGCAGCGGCCTGTACTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCCTGGGCACCAAGACCTACA
CCTTGCCCAGCCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCAAAGCCCAAGGACACCCTGATGAT
CAGCCGGACCCCGAAGTGACCTGCGTGGTGGTGGTGTCCCAGGAAGATCCCGAGGTGCAGTTCAATTGGTACG
GTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGCAAGGTGTCCAACAAGGGCCTGCCCA
GCTCCATCGAGAAAACCATCAGCAAGGCCAAGGGCCAGCCCCGCGAGCCTCAAGTGTGTACCCTGCCCCTAGCCA
GGAAGAGATGACCAAGAACCAGGTGTCCCTGAGCTGTGCCGTGAAAGGCTTCTACCCCAGCGACATTGCCGTGGAA
TGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCCTGTGCTGGACAGCGACGGCTCATTCTTCCT
GGTGTCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAACGTGTTCAGCTGCTCCGTGATGCACGAGGCC
CTGCACAACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC 3 548
AGAGCCCACCTGGTGCAGTCTGGCACCGCCATGAAGAAACCAGGCGCCTCTGTGCGGGTGTCCTGTCAGACAAGCG
```

AAGCCCCAGTATGGCGCCGTGAACTTCGGCGGAGGCTTCCGGGATAGAGTGACCCTGACCCGGGACGTGTACCGCG AGATCGCCTACATGGACATCCGGGGCCTGAAGCCCGATGACACCGCCGTGTACTACTGCGCCAGAGACAGAAGCTAC GGCGACAGCAGCTGGGCTCTGGATGCTTGGGGCCAGGGCACAACCGTGGTGGTGTCTGCCGCCTCTACAAAGGGCCC ATCGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCNTGGGCTGCCTCGTGAAGGACT ACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTGCACACCTTTCCAGCCGTGCTC CAGAGCAGCGGCCTGTACTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCCTGGGCACCAAGACCTACACCTG GCCCAGCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCCAAAGCCCAAGGACACCCTGATGATCAGC CGGACCCCGAAGTGACCTGCGTGGTGGTGGATGTCCCAGGAAGATCCCGAGGTGCAGTTCAATTGGTACGTGGA CGGCGTGGAAGTGCACAACGCCAAGACCAAGCCCAGAGAGAACAGTTCAACAGCACCTACCGGGTGGTGTCCGTG CTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGCAAGGTGTCCAACAAGGGCCTGCCCAGCT CCATCGAGAAAACCATCAGCAAGGCCAAGGCCCAGCCCGCGAGCCTCAAGTGTATACCCTGCCCCCTTGCCAGGA AGAGATGACCAAGAACCAGGTGTCCCTGTGGTGTCTCGTGAAAGGCTTCTACCCCAGCGACATTGCCGTGGAATGGG AGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCTGTGCTGGACAGCGACGGCTCATTCTTCCTGTAC TCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAACGTGTTCAGCTGCTCCGTGATGCACGAGGCCCTGC ACAACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC 4 549

TACATCCACGTGACCCAGAGCCCCAGCAGCCTGTCCGTGTCCATCGGCGACAGAGTGACCATCAACTGCCAGACCTC
TCAGGGCGTGGGCAGCGACCTGCACTGGTATCAGCACAAGCCTGGCAGAGCCCCCAAGCTGCTGATCCACCACAC
AGCAGCGTGGAAGATGGCGTGCCCAGCAGATTTTCCGGCAGCGGCTTCCACACCAGCTTCAACCTGACCATCAGCGA
TCTGCAGGCCGACGACATTGCCACCTACTATTGTCAGGTGCTGCAGTTCTTCGGCAGAGGCAGCAGCAGCACACCA
AGCGTACGGTGGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGCGACGAGCAGCTGAAGTCCGGCACAGCCTCTGTC
GTGTGCCTGCTGAACAACTTCTACCCCCGCGAGGCCAAAGTGCAGTGGAAGGTGGACAACGCCCTGCAGAGCGCA
ACAGCCAGGAAAGCGTGACCGAGCAGGACAGCACCCTACAGCCTGAGCACCCTGACACTGAGCAA
GGCCGACTACGAGAAGCACAAGGTGTACGCCTGCGAAGTGACCCACCAGGGCCTGTCTAGCCCCGTGACCAAGAGC
TTCAACCGGGGCGAGTGT Trispecific 1 550

GACATCGTGATGACCCAGACCCCCTGAGCCTGAGCGTGACACCTGGACAGCCTGCCAGCATCAGCTGCAAGAGCA
23 N6/

GCCAGAGCCTGGTGCACGAGAACCTGCGTACCTACCTGAGCTGGTATCTGCAGAAGCCCGGCCAGAGCCCCAGTCCCD28sup \times

 $CTGATCTACAAGGTGTCCAACAGATTCAGCGGCGTGCCCGACAGATTCTCCGGCAGCGGCTCTGGCACCGACTTCACCCD3 mid_\\$

CCTGAAGATCAGCCGGGTGGAAGCCGAGGACGTGGGCGTGTACTATTGTGGCCAGGGCACCCAGTACCCCTTCACCT ENLR IgG4

TTGGCAGCGCACCAAGGTGGAAATCAAGGACAAAACCCATACCGACATCCAGATGACCCAGAGCCCCAGCAGCCT FALA/409K

GTCTGCCAGCGTGGGCGACAGAGTGACCATCACCTGTCAGGCCAGCAGAACATCTACGTGTGGCTGAACTGGTATC

AGCAGAAGCCCGGCAAGGCCCCCAAGCTGCTGATCTACAAGGCCAGCAACCTGCACACCGGCGTGCCCAGCAGATT TTCTGGCAGCGGCGTCCCGGCACCTGCACCCTGACAATCAGCTCCCTGCAGCCCGAGGACATTGCCACCTACTACT GCCAGCAGGGCCAGACCTACCCCTACACCTTTGGCCAGGGCACCAAGCTGGAAATCAAGGATAAGACCCACACCCG TACGGTGGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGCGACGAGCAGCTGAAGTCCGGCACAGCCTCTGTCGTGT GCCTGCTGAACAACTTCTACCCCCGCGAGGCCAAAGTGCAGTGGAAGGTGGACAACGCCCTGCAGAGCGCAACAG CCAGGAAAGCGTGACCGAGCAGCACAGGACAGCCCTGAGCAAGGCCCAGGAAAGCCCTGACAAGAGCCCAAGGCCCAAGGCCCAAGGCCCTGACAAGAGCCTTCA

```
ACCGGGGCGAGTGT 2 551
CAGGTGCAGCTGGTGCAGTCTGGCGCCGAGGTCGTGAAACCTGGCGCCTCTGTGAAGGTGTCCTGCAAGGCCAGCGG
CTACACCTTTACCAGCTACTACATCCACTGGGTGCGCCAGGCCCCTGGACAGGGACTGGAATGGATCGGCAGCATCT
ACCCCGGCAACGTGAACACCAACTACGCCCAGAAGTTCCAGGGCAGAGCCACCCTGACCGTGGACACCAGCATCAG
{\tt CACCGCCTACATGGAACTGAGCCGGCTGAGAAGCGACGACGCCGTGTACTACTGCACCCGGTCCCACTACGGCC}
TGGATTGGAACTTCGACGTGTGGGGCAAGGGCACCACCGTGACAGTGTCTAGCGACAAAACCCATACCCAGGTGCA
GCTGGTGGAATCTGGCGGCGGAGTGGTGCAGCCTGGCAGAAGCCTGAGACTGAGCTGTGCCGCCAGCGGCTTCACCT
TCACCAAGGCCTGGATGCACTGGGTGCGCCAGGCCCCTGGAAAGCAGCTGGAATGGGTGGCCCAGATCAAGGACAA
GAGCAACAGCTACGCCACCTACTACGCCGACAGCGTGAAGGGCCGGTTCACCATCAGCCGGGACGACAGCAAGAAC
ACCCTGTACCTGCAGATGAACAGCCTGCGGGCCGAGGACACCGCCGTGTACTACTGTCGGGGCGTGTACTATGCCCT
GAGCCCCTTCGATTACTGGGGCCAGGGAACCCTCGTGACCGTGTCTAGTGATAAGACCCACACCGCCAGCACAAAGG
GCCCATCGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCCTGGGCTGCCTCGTGAAG
GACTACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTGCACACCTTTCCAGCCGT
GCTCCAGAGCAGCGGCCTGTACTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCCTGGGCACCAAGACCTACA
CCTTGCCCAGCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCAAAGCCCAAGGACACCCTGATGAT
CAGCCGGACCCCGAAGTGACCTGCGTGGTGGTGGTGTCCCAGGAAGATCCCGAGGTGCAGTTCAATTGGTACG
GTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGCAAGGTGTCCAACAAGGGCCTGCCCA
GCTCCATCGAGAAAACCATCAGCAAGGCCAAGGGCCAGCCCCGCGAGCCTCAAGTGTGTACCCTGCCCCTAGCCA
GGAAGAGATGACCAAGAACCAGGTGTCCCTGAGCTGTGCCGTGAAAGGCTTCTACCCCAGCGACATTGCCGTGGAA
TGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCTGTGCTGGACAGCGACGGCTCATTCTTCCT
GGTGTCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAACGTGTTCAGCTGCTCCGTGATGCACGAGGCC
CTGCACAACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC 3 552
AGAGCCCACCTGGTGCAGTCTGGCACCGCCATGAAGAAACCAGGCGCCTCTGTGCGGGTGTCCTGTCAGACAAGCG
AAGCCCCAGTATGGCGCCGTGAACTTCGGCGGAGGCTTCCGGGATAGAGTGACCCTGACCCGGGACGTGTACCGCG
AGATCGCCTACATGGACATCCGGGGCCTGAAGCCCGATGACACCGCCGTGTACTACTGCGCCAGAGACAGAAGCTAC
GGCGACAGCAGCTGGGCTCTGGATGCTTGGGGCCAGGGCACAACCGTGGTGGTGTCTGCCGCCTCTACAAAGGGCCC
ATCGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCNTGGGCTGCCTCGTGAAGGACT
ACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTGCACACCTTTCCAGCCGTGCTC
CAGAGCAGCGGCCTGTACTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCCTGGGCACCAAGACCTACACCTG
GCCCAGCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCAAAGCCCAAGGACACCCTGATGATCAGC
{\sf CGGACCCCGAAGTGACCTGCGTGGTGGATGTGTCCCAGGAAGATCCCGAGGTGCAGTTCAATTGGTACGTGGA}
CGGCGTGGAAGTGCACAACGCCAAGACCAAGCCCAGAGAGAACAGTTCAACAGCACCTACCGGGTGGTGTCCGTG
CTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGCAAGGTGTCCAACAAGGGCCTGCCCAGCT
CCATCGAGAAAACCATCAGCAAGGCCAAGGGCCAGCCCCGCGAGCCTCAAGTGTATACCCTGCCCCCTTGCCAGGA
AGAGATGACCAAGAACCAGGTGTCCCTGTGGTGTCTCGTGAAAGGCTTCTACCCCAGCGACATTGCCGTGGAATGGG
AGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCTGTGCTGGACAGCGACGGCTCATTCTTCCTGTAC
TCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAACGTGTTCAGCTGCTCCGTGATGCACGAGGCCCTGC
ACAACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC 4 553
TACATCCACGTGACCCAGAGCCCCAGCAGCCTGTCCGTGTCCATCGGCGACAGAGTGACCATCAACTGCCAGACCTC
TCAGGGCGTGGGCAGCGACCTGCACTGGTATCAGCACAAGCCTGGCAGAGCCCCCAAGCTGCTGATCCACCACACA
AGCAGCGTGGAAGATGGCGTGCCCAGCAGATTTTCCGGCAGCGGCTTCCACACCAGCTTCAACCTGACCATCAGCGA
AGCGTACGGTGGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGCGACGAGCAGCTGAAGTCCGGCACAGCCTCTGTC
```

GTGTGCCTGCAACAACTTCTACCCCCGCGAGGCCAAAGTGCAGTGGAAGGTGGACAACGCCCTGCAGAGCGGCA ACAGCCAGGAAAGCGTGACCGAGCAGGACAGCAAGGACTCCACCTACAGCCTGAGCACCCTGACACTGAGCAA GGCCGACTACGAGAAGCACAAGGTGTACGCCTGCGAAGTGACCCACCAGGGCCTGTCTAGCCCCGTGACCAAGAGC TTCAACCGGGGCGAGTGT Trispecific 1 554

GACATCGTGATGACCCAGACCCCCTGAGCCTGAGCGTGACACCTGGACAGCCTGCCAGCATCAGCTGCAAGAGCA 24 N6/

GCCAGAGCCTGGTGCACGAGAACCTGTTCACCTACCTGAGCTGGTATCTGCAGAAGCCCGGCCAGAGCCCCCAGTCC

 $\tt CTGATCTACAAGGTGTCCAACAGATTCAGCGGCGTGCCCGACAGATTCTCCGGCAGCGGCTCTGGCACCGACTTCACAGGTGTCACAGGTCACAGGTGTCACAGGTGTCACAGGTGTCACAGGTGTCACAGGTGTCACAGGTGTCACAGGTGTCACAGGTCACAGGTGTCACAGGTGTCACAGGTGTCACAGGTGTCACAGGTGTCACAGGTGTCACAGGTGTCACAGGTGTCACAGGTGTCACAGGTGTCACAGGTGTCACAGGTGTCACAGGTGTCACAGGTGTCACAGGTGTCACAGGTGTCACAGGTCACA$

CD3mid ${\tt CCTGAAGATCAGCCGGGTGGAAGCCGAGGACGTGGGCGTGTACTATTGTGGCCAGGGCACCCAGTACCCCTTCACCT}$

ENLF IgG4

TTGGCAGCGGCACCAAGGTGGAAATCAAGGACAAAACCCATACCGACATCCAGATGACCCAGAGCCCCAGCAGCCT

DKTHT linker

```
AGCAGAAGCCCGGCAAGGCCCCCAAGCTGCTGATCTACAAGGCCAGCAACCTGCACACCGGCGTGCCCAGCAGATT
TTCTGGCAGCGGCTCCGGCACCGACTTCACCCTGACAATCAGCTCCCTGCAGCCCGAGGACATTGCCACCTACT
GCCAGCAGGGCCAGACCTACCCCTACACCTTTGGCCAGGGCACCAAGCTGGAAATCAAGGATAAGACCCACACCCG
TACGGTGGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGCGACGAGCAGCTGAAGTCCGGCACAGCCTCTGTCGTGT
GCCTGCTGAACAACTTCTACCCCCGCGAGGCCAAAGTGCAGTGGAAGGTGGACAACGCCCTGCAGAGCGGCAACAG
CCAGGAAAGCGTGACCGAGCAGGACAGCAAGGACTCCACCTACAGCCTGAGCAGCACCCTGACACTGAGCAAGGCC
GACTACGAGAAGCACAAGGTGTACGCCTGCGAAGTGACCCACCAGGGCCTGTCTAGCCCCGTGACCAAGAGCTTCA
ACCGGGGCGAGTGT 2 555
CAGGTGCAGCTGGTGCAGTCTGGCGCCGAGGTCGTGAAACCTGGCGCCTCTTGTGAAGGTGTCCTGCAAGGCCAGCGG
CTACACCTTTACCAGCTACTACATCCACTGGGTGCGCCAGGGCCCTTGGACAGGGAATGGATCGGCAGCATCT
ACCCCGGCAACGTGAACACCAACTACGCCCAGAAGTTCCAGGGCAGAGCCACCCTGACCGTGGACACCAGCATCAG
CACCGCCTACATGGAACTGAGCCGGCTGAGAAGCGACCACCCTGTACTACTGCACCGGTCCCACTACGGCC
```

TGGATTGGAACTTCGACGTGTGGGGCAAGGGCACCACCGTGACAGTGTCTAGCGACAAAACCCATACCCAGGTGCA GCTGGTGGAATCTGGCGGCGGAGTGGTGCAGCCTGGCAGAAGCCTGAGACTGAGCTGTGCCGCCAGCGGCTTCACCT TCACCAAGGCCTGGATGCACTGGGTGCGCCAGGCCCCTGGAAAGCAGCTGGAATGGGTGGCCCAGATCAAGGACAA GAGCAACAGCTACGCCACCTACTACGCCGACAGCGTGAAGGGCCGGTTCACCATCAGCCGGGACGACAGCAAGAAC ACCCTGTACCTGCAGATGAACAGCCTGCGGGCCGAGGACACCGCCGTGTACTACTGTCGGGGCGTGTACTATGCCCT GAGCCCCTTCGATTACTGGGGCCAGGGAACCCTCGTGACCGTGTCTAGTGATAAGACCCACACCGCCAGCACAAAGG GCCCATCGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCCTGGGCTGCCTCGTGAAG GACTACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTGCACACCTTTCCAGCCGT GCTCCAGAGCAGCGGCCTGTACTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCCTGGGCACCAAGACCTACA CCTTGCCCAGCCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCCAAAGCCCAAGGACACCCTGATGAT CAGCCGGACCCCGAAGTGACCTGCGTGGTGGTGGATGTCCCAGGAAGATCCCGAGGTGCAGTTCAATTGGTACG GTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGCAAGGTGTCCAACAAGGGCCTGCCCA GCTCCATCGAGAAAACCATCAGCAAGGCCAAGGGCCAGCCCCGCGAGCCTCAAGTGTGTACCCTGCCCCTAGCCA GGAAGAGATGACCAAGAACCAGGTGTCCCTGAGCTGTGCCGTGAAAGGCTTCTACCCCAGCGACATTGCCGTGGAA TGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCTGTGCTGGACAGCGACGGCTCATTCTTCCT GGTGTCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAACGTGTTCAGCTGCTCCGTGATGCACGAGGCC CTGCACAACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC 3 556

AGAGCCCACCTGGTGCAGTCTGGCACCGCCATGAAGAAACCAGGCGCCTCTGTGCGGGTGTCCTGTCAGACAAGCG AAGCCCCAGTATGGCGCCGTGAACTTCGGCGGAGGCTTCCGGGATAGAGTGACCCTGACCCGGGACGTGTACCGCG AGATCGCCTACATGGACATCCGGGGCCTGAAGCCCGATGACACCGCCGTGTACTACTGCGCCAGAGACAGAAGCTAC GGCGACAGCAGCTGGGCTCTGGATGCTTGGGGCCAGGGCACAACCGTGGTGGTGTCTGCCGCCTCTACAAAGGGCCC ATCGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCNTGGGCTGCCTCGTGAAGGACT ACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTGCACACCTTTCCAGCCGTGCTC CAGAGCAGCGGCCTGTACTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCCTGGGCACCAAGACCTACACCTG GCCCAGCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCAAAGCCCAAGGACACCCTGATGATCAGC CGGACCCCGAAGTGACCTGCGTGGTGGTGGATGTCCCAGGAAGATCCCGAGGTGCAGTTCAATTGGTACGTGGA CTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGCAAGGTGTCCAACAAGGGCCTGCCCAGCT CCATCGAGAAAACCATCAGCAAGGCCAAGGGCCAGCCCGCGAGCCTCAAGTGTATACCCTGCCCCCTTGCCAGGA AGAGATGACCAAGAACCAGGTGTCCCTGTGGTGTCTCGTGAAAGGCTTCTACCCCAGCGACATTGCCGTGGAATGGG AGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCTGTGCTGGACAGCGACGGCTCATTCTTCCTGTAC TCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAACGTGTTCAGCTGCTCCGTGATGCACGAGGCCCTGC ACAACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC 4 557

TACATCCACGTGACCCAGAGCCCCAGCAGCCTGTCCGTGTCCATCGGCGACAGAGTGACCATCAACTGCCAGACCTC
TCAGGGCGTGGCAGCGACCTGCACTGGTATCAGCACAAGCCTGGCAGAGCCCCCAAGCTGCTGATCCACCACACA
AGCAGCGTGGAAGATGGCGTGCCCAGCAGATTTTCCGGCAGCGGCTTCCACACCAGCTTCAACCTGACCATCAGCGA
TCTGCAGGCCGACGACATTGCCACCTACTATTGTCAGGTGCTGCAGTTCTTCGGCAGAGGCAGCAGCAGCACATCA
AGCGTACGGTGGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGCGACGAGCAGCTGAAGTCCGGCACAGCCTCTGTC
GTGTGCCTGCTGAACAACTTCTACCCCCGCGAGGCCAAAGTGCAGTGGAAGGTGGACAACGCCCTGCAGAGCGGCA
ACAGCCAGGAAAGCGTGACCGAGCAGGACAGCAAGGACTCCACCTACAGCCTGAGCACCCTGACACTGAGCAA
GGCCGACTACGAGAAGCACAAGGTGTACGCCTGCGAAGTGACCCACCAGGGCCTGTCTAGCCCCGTGACCAAGAGC
TTCAACCGGGGCGAGTGT Trispecific 1 558

GACATCGTGATGACCCAGACCCCCTGAGCCTGAGCGTGACACCTGGACAGCCTGCCAGCATCAGCTGCAAGAGCA

GCCAGAGCCTGGTGCACGAGAACCTGCAGACCTACCTGAGCTGGTATCTGCAGAAGCCCGGCCAGAGCCCCAGTC CD28sup ×

CCTGATCTACAAGGTGTCCAACAGATTCAGCGGCGTGCCCGACAGATTCTCCGGCAGCGGCTCTGGCACCGACTTCA

CD3mid_

CCCTGAAGATCAGCCGGGTGGAAGCCGAGGACGTGGGCGTGTACTATTGTGGCCAGGGCACCCAGTACCCCTTCACC

ENLQ 1gG4
TTTGGCAGCGCCACCAAGGTGGAAATCAAGGACAAAACCCATACCGACATCCAGATGACCCAGAGCCCCAGCAGCC

TTTGGCAGCGCACCAAGGTGGAAATCAAGGACAAAACCCATACCGACATCCAGATGACCCAGAGCCCCAGCAGCC FALA/409K_

TGTCTGCCAGCGTGGGCGACAGAGTGACCATCACCTGTCAGGCCAGAACATCTACGTGTGGCTGAACTGGTAT DKTHT linker

CAGCAGAAGCCCGGCAAGGCCCCCAAGCTGCTGATCTACAAGGCCAGCAACCTGCACACCGGCGTGCCCAGCAGATT
TTCTGGCAGCGGCTCCGGCACCGACTTCACCCTGACAATCAGCTCCCTGCAGCCCGAGGACATTGCCACCTACTACT
GCCAGCAGGGCCAGACCTACCCCTACACCTTTGGCCAGGGCACCAAGCTGGAAATCAAGGATAAGACCCACACCCG
TACGGTGGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGCGACGAGCAGCTGAAGTCCGGCACAGCCTCTGTCGTGT
GCCTGCTGAACAACTTCTACCCCCGCGAGGCCAAAGTGCAGTGGAAGGTGGACAACGCCCTGCAGAGCGCAACAG
CCAGGAAAGCGTGACCGAGCAGGACAGCAAGGACTCCACCTACAGCCTGAGCAGCACCCTGACACTGAGCAAGGCC
GACTACGAGAAGCACAAGGTGTACGCCTGCGAAGTGACCCACCAGGGCCTGTCTAGCCCCGTGACCAAGAGCTTCA
ACCGGGGCGAGTGT 2 559

CAGGTGCAGCTGGTGCAGTCTGGCGCCGAGGTCGTGAAACCTGGCGCCTCTGTGAAGGTGTCCTGCAAGGCCAGCGG CTACACCTTTACCAGCTACTACATCCACTGGGTGCGCCAGGCCCCTGGACAGGGACTGGAATGGATCGGCAGCATCT ACCCCGGCAACGTGAACACCAACTACGCCCAGAAGTTCCAGGGCAGAGCCACCCTGACCGTGGACACCAGCATCAG GCTGGTGGAATCTGGCGGCGGAGTGGTGCAGCCTGGCAGAAGCCTGAGACTGAGCTGTGCCGCCAGCGGCTTCACCT TCACCAAGGCCTGGATGCACTGGGTGCGCCAGGCCCCTGGAAAGCAGCTGGAATGGGTGGCCCAGATCAAGGACAA GAGCAACAGCTACGCCACCTACTACGCCGACAGCGTGAAGGGCCGGTTCACCATCAGCCGGGACGACAGCAAGAAC ACCCTGTACCTGCAGATGAACAGCCTGCGGGCCGAGGACACCGCCGTGTACTACTGTCGGGGCGTGTACTATGCCCT GAGCCCCTTCGATTACTGGGGCCAGGGAACCCTCGTGACCGTGTCTAGTGATAAGACCCACACCGCCAGCACAAAGG GCCCATCGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCCTGGGCTGCCTCGTGAAG GACTACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTGCACACCTTTCCAGCCGT GCTCCAGAGCAGCGGCCTGTACTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCCTGGGCACCAAGACCTACA CCTTGCCCAGCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCCAAAGCCCAAGGACACCCTGATGAT CAGCCGGACCCCGAAGTGACCTGCGTGGTGGTGGATGTCCCAGGAAGATCCCGAGGTGCAGTTCAATTGGTACG TGGACGCCGTGGAAGTGCACAACGCCAAGACCAAGCCCAGAGAGGAACAGTTCAACAGCACCTACCGGGTGGTGTCC GTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGCAAGGTGTCCAACAAGGGCCTGCCCA GCTCCATCGAGAAAACCATCAGCAAGGCCAAGGGCCAGCCCGCGAGCCTCAAGTGTGTACCCTGCCCCTAGCCA GGAAGAGATGACCAAGAACCAGGTGTCCCTGAGCTGTGCCGTGAAAGGCTTCTACCCCAGCGACATTGCCGTGGAA TGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCTGTGCTGGACAGCGACGGCTCATTCTTCCT GGTGTCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAACGTGTTCAGCTGCTCCGTGATGCACGAGGCC

AGAGCCCACCTGGTGCAGTCTGGCACCGCCATGAAGAAACCAGGCGCCTCTGTGCGGGTGTCCTGTCAGACAAGCG AAGCCCCAGTATGGCGCCACCAACTTCGGCGGAGGCTTCCGGGATAGAGTGACCCTGACCCGGGACGTGTACCGCG AGATCGCCTACATGGACATCCGGGGCCTGAAGCCCGATGACACCGCCGTGTACTACTGCGCCAGAGACAGAAGCTAC GGCGACAGCAGCTGGGCTCTGGATGCTTGGGGCCCAGGGCACAACCGTGGTGTCTGCCGCCTCTACAAAGGGCCC ATCGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCCTGGGCTGCCTCGTGAAGGACT ACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTGCACACCTTTCCAGCCGTGCTC CAGAGCAGCGGCCTGTACTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCCTGGGCACCAAGACCTACACCTG GCCCAGCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCCAAAGCCCAAGGACACCCTGATGATCAGC CGGACCCCGAAGTGACCTGCGTGGTGGTGGATGTCCCAGGAAGATCCCGAGGTGCAGTTCAATTGGTACGTGGA CGGCGTGGAAGTGCACAACGCCAAGACCAAGCCCAGAGAGAACAGTTCAACAGCACCTACCGGGTGGTGTCCGTG CTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGCAAGGTGTCCAACAAGGGCCTGCCCAGCT CCATCGAGAAAACCATCAGCAAGGCCAAGGGCCAGCCCGCGAGCCTCAAGTGTATACCCTGCCCCCTTGCCAGGA AGAGATGACCAAGAACCAGGTGTCCCTGTGGTGTCTCGTGAAAGGCTTCTACCCCAGCGACATTGCCGTGGAATGGG AGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCTGTGCTGGACAGCGACGGCTCATTCTTCCTGTAC TCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAACGTGTTCAGCTGCTCCGTGATGCACGAGGCCCTGC ACAACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC 4 561

CTGCACAACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC 3 560

TACATCCACGTGACCCAGAGCCCCAGCAGCCTGTCCGTGTCCATCGGCGACAGAGTGACCATCAACTGCCAGACCTC
TCAGGGCGTGGGCAGCGACCTGCACTGGTATCAGCACAAGCCTGGCAGAGCCCCCAAGCTGCTGATCCACCACACA
AGCAGCTCCGAAGAGGGCGTGCCCAGCAGATTTTCCGGCAGCGGCTTCCACACCAGCTTCAACCTGACCATCAGCGA
TCTGCAGGCCGACGACATTGCCACCTACTATTGTCAGGTGCTGCAGTTCTTCGGCAGAGGCAGCAGACTGCACATCA
AGCGTACGGTGGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGCGACGAGCAGCTGAAGTCCGGCACAGCCTCTGTC
GTGTGCCTGCAGAACAACTTCTACCCCCGCGAGGCCAAAGTGCAGTGGAAAGGTGGACAACGCCCTGCAGAGCGCA
ACAGCCAGGAAAGCGTGACCGAGCAGGACAGCAACGCCCTGACACCTGACACTGAGCAA

GGCCGACTACGAGAAGCACAAGGTGTACGCCTGCGAAGTGACCCACCAGGGCCTGTCTAGCCCCGTGACCAAGAGC
TTCAACCGGGGCGAGTGT Trispecific 1 562

GACATCGTGATGACCCAGACCCCCTGAGCCTGAGCGTGACACCTGGACAGCCTGCCAGCATCAGCTGCAAGAGCA
26 N6 rw52/

GCCAGAGCCTGGTGCACGAGAACCTGTTCACCTACCTGAGCTGGTATCTGCAGAAGCCCGGCCAGAGCCCCAGTCC CD28sup ×

CTGATCTACAAGGTGTCCAACAGATTCAGCGGCGTGCCCGACAGATTCTCCGGCAGCGGCTCTGGCACCGACTTCACCD3mid

CCTGAAGATCAGCCGGGTGGAAGCCGAGGACGTGGGCGTGTACTATTGTGGCCAGGGCACCCAGTACCCCTTCACCT ENLF IgG4

TTGGCAGCGCACCAAGGTGGAAATCAAGGACAAAACCCATACCGACATCCAGATGACCCAGAGCCCCAGCAGCCT FALA/409K

AGCAGAAGCCCGGCAAGGCCCCCAAGCTGCTGATCTACAAGGCCAGCAACCTGCACACCGGCGTGCCCAGCAGATT
TTCTGGCAGCGGCTCCGGCACCGACTTCACCCTGACAATCAGCTCCCTGCAGCCCGAGGACATTGCCACCTACTACT
GCCAGCAGGGCCAGACCTACCCCTACACCTTTGGCCAGGGCACCAAGCTGGAAATCAAGGATAAGACCCACACCCG
TACGGTGGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGCGACGAGCAGCTGAAGTCCGGCACAGCCTCTGTCGTGT
GCCTGCTGAACAACTTCTACCCCCGCGAGGCCAAAGTGCAGTGGAAGGTGGACAACGCCCTGCAGAGCGGCAACAG
CCAGGAAAGCGTGACCGAGCAGGACAGCAAGGACTCCACCTACAGCCTGAGCACCCTGACACTGAGCAAGGCC
GACTACGAGAAGCACAAGGTGTACGCCTGCGAAGTGACCCACCAGGGCCTGTCTAGCCCCGTGACCAAGAGCTTCA
ACCGGGGCGAGTGT 2 563

CAGGTGCAGCTGGTGCAGTCTGGCGCCGAGGTCGTGAAACCTGGCGCCTCTGTGAAGGTGTCCTGCAAGGCCAGCGG CTACACCTTTACCAGCTACTACATCCACTGGGTGCGCCAGGCCCCTGGACAGGGACTGGAATGGATCGGCAGCATCT ACCCCGGCAACGTGAACACCAACTACGCCCAGAAGTTCCAGGGCAGAGCCACCCTGACCGTGGACACCAGCATCAG TGGATTGGAACTTCGACGTGTGGGGCAAGGGCACCACCGTGACAGTGTCTAGCGACAAAACCCATACCCAGGTGCA GCTGGTGGAATCTGGCGGCGGAGTGGTGCAGCCTGGCAGAAGCCTGAGACTGAGCTGTGCCGCCAGCGGCTTCACCT TCACCAAGGCCTGGATGCACTGGGTGCGCCAGGCCCCTGGAAAGCAGCTGGAATGGGTGGCCCAGATCAAGGACAA GAGCAACAGCTACGCCACCTACTACGCCGACAGCGTGAAGGGCCGGTTCACCATCAGCCGGGACGACAGCAAGAAC ACCCTGTACCTGCAGATGAACAGCCTGCGGGCCGAGGACACCGCCGTGTACTACTGTCGGGGCGTGTACTATGCCCT GAGCCCCTTCGATTACTGGGGCCAGGGAACCCTCGTGACCGTGTCTAGTGATAAGACCCACACCGCCAGCACAAAGG GCCCATCGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCCTGGGCTGCCTCGTGAAG GACTACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTGCACACCTTTCCAGCCGT GCTCCAGAGCAGCGGCCTGTACTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCCTGGGCACCAAGACCTACA CCTTGCCCAGCCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCAAAGCCCAAGGACACCCTGATGAT CAGCCGGACCCCGAAGTGACCTGCGTGGTGGTGGTGTCCCAGGAAGATCCCGAGGTGCAGTTCAATTGGTACG TGGACGCCGTGGAAGTGCACAACGCCAAGACCAAGCCCAGAGAGGAACAGTTCAACAGCACCTACCGGGTGGTGTCC GTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGCAAGGTGTCCAACAAGGGCCTGCCCA GCTCCATCGAGAAAACCATCAGCAAGGCCAAGGGCCAGCCCGCGAGCCTCAAGTGTGTACCCTGCCCCTAGCCA GGAAGAGATGACCAAGAACCAGGTGTCCCTGAGCTGTGCCGTGAAAGGCTTCTACCCCAGCGACATTGCCGTGGAA TGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCTGTGCTGGACAGCGACGGCTCATTCTTCCT GGTGTCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAACGTGTTCAGCTGCTCCGTGATGCACGAGGCC CTGCACAACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC 3 564

AGAGCCCACCTGGTGCAGTCTGGCACCGCCATGAAGAAACCAGGCGCCTCTGTGCGGGTGTCCTGTCAGACAAGCG AAGCCCCAGTATGGCGCCACCAACTTCGGCGGAGGCTTCCGGGATAGAGTGACCCTGACCCGGGACGTGTACCGCG AGATCGCCTACATGGACATCCGGGGCCTGAAGCCCGATGACACCGCCGTGTACTACTGCGCCAGAGACAGAAGCTAC GGCGACAGCAGCTGGGCTCTGGATGCTTGGGGCCAGGGCACAACCGTGGTGGTGTCTGCCGCCTCTACAAAGGGCCC ATCGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCCTGGGCTGCCTCGTGAAGGACT ACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTGCACACCTTTCCAGCCGTGCTC CAGAGCAGCGGCCTGTACTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCCTGGGCACCAAGACCTACACCTG GCCCAGCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCAAAGCCCAAGGACACCCTGATGATCAGC CGGACCCCGAAGTGACCTGCGTGGTGGTGGATGTCCCAGGAAGATCCCGAGGTGCAGTTCAATTGGTACGTGGA CGGCGTGGAAGTGCACAACGCCAAGACCAAGCCCAGAGAGAACAGTTCAACAGCACCTACCGGGTGGTGTCCGTG CTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGCAAGGTGTCCAACAAGGGCCTGCCCAGCT CCATCGAGAAAACCATCAGCAAGGCCAAGGGCCAGCCCCGCGAGCCTCAAGTGTATACCCTGCCCCCTTGCCAGGA AGAGATGACCAAGAACCAGGTGTCCCTGTGGTGTCTCGTGAAAGGCTTCTACCCCAGCGACATTGCCGTGGAATGGG AGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCTGTGCTGGACAGCGACGGCTCATTCTTCCTGTAC TCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAACGTGTTCAGCTGCTCCGTGATGCACGAGGCCCTGC ACAACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC 4 565

TACATCCACGTGACCCAGAGCCCCAGCAGCCTGTCCGTGTCCATCGGCGACAGAGTGACCATCAACTGCCAGACCTC
TCAGGGCGTGGGCAGCGACCTGCACTGGTATCAGCACAAGCCTGGCAGAGCCCCCAAGCTGCTGATCCACCACACA
AGCAGCTCCGAAGAGGGCGTGCCCAGCAGATTTTCCGGCAGCGGCTTCCACCACCAGCTTCAACCTGACCATCAGCGA
TCTGCAGGCCGACGACATTGCCACCTACTATTGTCAGGTGCTGCAGTTCTTCGGCAGAGGCAGCAGCAGCACATCA
AGCGTACGGTGGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGCGACGAGCAGCTGAAGTCCGGCACAGCCTCTGTC
GTGTGCCTGCTGAACAACTTCTACCCCCGCGAGGCCAAAGTGCAGTGGAAGGTGGACAACGCCCTGCAGAGCGGCA
ACAGCCAGGAAAGCGTGACCGAGCAGGACAGCAAGGACTCCACCTACAGCCTGAGCACCCTGACACTGAGCAA
GGCCGACTACGAGAAGCACAAGGTGTACGCCTGCGAAGTGACCCACCAGGGCCTGTCTAGCCCCGTGACCAAGAGC
TTCAACCGGGGCGAGTGT Trispecific 1 566

GACATCGTGATGACCCAGACCCCCTGAGCCTGAGCGTGACACCTGGACAGCCTGCCAGCATCAGCTGCAAGAGCA
27 N6 rw52/

 $\begin{array}{lll} {\sf GCCAGAGCCTGGTGCACGAGAACCTGTTCACCTACCTGAGCTGGTATCTGCAGAAGCCCGGCCAGAGCCCCCAGTCCCCD28sup} & \times & \\ \end{array}$

CTGATCTACAAGGTGTCCAACAGATTCAGCGGCGTGCCCGACAGATTCTCCGGCAGCGGCTCTGGCACCGACTTCACCD3mid

CCTGAAGATCAGCCGGGTGGAAGCCGAGGACGTGGGCGTGTACTATTGTGGCCAGGGCACCCAGTACCCCTTCACCT ENLF

 $TTGGCAGCGGCACCAAGGTGGAAATCAAGGACAAAACCCATACCGACATCCAGATGACCCAGAGCCCCAGCAGCCT\\ IgG1_NNAS_$

AGCAGAAGCCCGGCAAGGCCCCCAAGCTGCTGATCTACAAGGCCAGCAACCTGCACACCGGCGTGCCCAGCAGATT
TTCTGGCAGCGGCTCCGGCACCGACTTCACCCTGACAATCAGCTCCCTGCAGCCCGAGGACATTGCCACCTACTACT
GCCAGCAGGGCCAGACCTACCCCTACACCTTTGGCCAGGGCACCAAGCTGGAAATCAAGGATAAGACCCACACCCG
TACGGTGGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGCGACGAGCAGCTGAAGTCCGGCACAGCCTCTGTCGTGT
GCCTGCTGAACAACTTCTACCCCCGCGAGGCCAAAGTGCAGTGGAAGGTGGACAACGCCCTGCAGAGCGCAACAG
CCAGGAAAGCGTGACCGAGCAGGACAGCAAGGACTCCACCTACAGCCTGAGCACCCTGACACTGAGCAAGGCC
GACTACGAGAAGCACAAGGTGTACGCCTGCGAAGTGACCCACCAGGGCCTGTCTAGCCCCGTGACCAAGAGCTTCA
ACCGGGGCGAGTGT 2 567

CAGGTGCAGCTGGTGCAGTCTGGCGCCGAGGTCGTGAAACCTGGCGCCTCTGTGAAGGTGTCCTGCAAGGCCAGCGG CTACACCTTTACCAGCTACTACATCCACTGGGTGCGCCAGGCCCCTGGACAGGGACTGGAATGGATCGGCAGCATCT ACCCCGGCAACGTGAACACCAACTACGCCCAGAAGTTCCAGGGCAGAGCCACCCTGACCGTGGACACCAGCATCAG ${\sf CACCGCCTACATGGAACTGAGCCGGCTGAGAAGCGACGACGCCGTGTACTACTGCACCCGGTCCCACTACGGCC}$ TGGATTGGAACTTCGACGTGTGGGGCAAGGGCACCACCGTGACAGTGTCTAGCGACAAAACCCATACCCAGGTGCA GCTGGTGGAATCTGGCGGCGGAGTGGTGCAGCCTGGCAGAAGCCTGAGACTGAGCTGTGCCGCCAGCGGCTTCACCT ${\sf TCACCAAGGCCTGGATGCACTGGGTGCGCCAGGCCCCTGGAAGCAGCTGGAATGGGTGGCCCAGATCAAGGACAA}$ GAGCAACAGCTACGCCACCTACTACGCCGACAGCGTGAAGGGCCGGTTCACCATCAGCCGGGACGACAGCAAGAAC ACCCTGTACCTGCAGATGAACAGCCTGCGGGCCGAGGACACCGCCGTGTACTACTGTCGGGGCGTGTACTATGCCCT GAGCCCCTTCGATTACTGGGGCCAGGGAACCCTCGTGACCGTGTCTAGTGATAAGACCCACACCGCCAGCACAAAGG GCCCCAGCGTGTTCCCTCTGGCCCCTAGCAGCAAGAGCACATCTGGCGGAACAGCCGCCCTGGGCTGCCTCGTGAAG GACTACTTTCCCGAGCCCGTGACCGTGTCCTGGAATTCTGGCGCCCTGACCAGCGGCGTGCACACCTTTCCAGCTGT GCTGCAGTCCAGCGGCCTGTACAGCCTGAGCAGCGTCGTGACAGTGCCCAGCAGCTCTCTGGGCACCCAGACCTACA TCTGCAACGTGAACCACAAGCCCAGCAACACCAAGGTGGACAAGAGGTGGAACCCAAGAGCTGCGACAAGACCCA ACCTGTCCCCCTTGTCCTGCCCCGAACTGCTGGGAGGCCCTTCCGTGTTCCTGTTCCCCCCAAAGCCCAAGGACAC CCTGATGATCAGCCGGACCCCGAAGTGACCTGCGTGGTGGTGGATGTGTCCCACGAGGACCCTGAAGTGAAGTTCA GGTGGTGTCCGTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGCAAGGTGTCCAACAAG GCCCTGCCTGCCCCATCGAGAAAACCATCAGCAAGGCCAAGGGCCAGCCCGCGAACCCCAGGTGTGCACACTGC GCCGTGGAATGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCTGTGCTGGACAGCGACGGCT CATTCTTCCTGGTGTCCAAGCTGACAGTGGACAAGTCCCGGTGGCAGCAGGGCAACGTGTTCAGCTGCTCCGTGATG CACGAGGCCCTGCACAACCACTACACCCAGAAGTCCCTGAGCCTGAGCCCCGGC 3 568

AGAGCCCACCTGGTGCAGTCTGGCACCGCCATGAAGAAACCAGGCGCCTCTGTGCGGGTGTCCTGTCAGACAAGCG
GCTACACCTTCACCGCCCACATCCTGTTCTGGTTCCGGCAGGCCCCTGGCAGAGGACTGGAATGGGTGGATC
AAGCCCCAGTATGGCGCCACCAACTTCGGCGGAGGCTTCCGGGATAGAGTGACCCTGACCCGGGACGTGTACCGCG
AGATCGCCTACATGGACATCCGGGGCCTGAAGCCCGATGACACCGCCGTGTACTACTGCGCCAGAGACAGCAG
CGGCGACAGCAGCTGGGCTCTGGATGCTTGGGGCCAGGGCACAACCGTGGTGTCTTCCCCGCCTTACAAAAGGGCC
CATCGGTCTTCCCCCTGGCACCCTCCTCCAAGAGCACCTCTGGGGGCACAGCGGCCCTGGGCTGCCTGGTCAAGGAC
TACTTCCCCGAACCGGTGACGGTGTCGTGGAACTCAGGCGCCCTGACCAGCAGCTTGGGCACCCTACATCT
ACAGTCCTCAGGACTCTACTCCCTCAGCAGCGTGGTGACCGTGCCCTCCAGCAGCTTGGGCACCCAGACCTACATCT
GCAACGTGAATCACAAGCCCAGCAACACCAAGGTGGACAAGAAAGTTGAGCCCAAAATCTTGTGACAAAACTCACAC
ATGCCCACCGTGCCCAGCACCCTGAACTCCTGGGGGGGACCGTCAGTCTTCCTCTTTCCCCCCCAAAACCCAAGGACACCC
TCATGATCTCCCGGACCCCTGAGGTCACATGCGTGGTGGTGGTGGACCACGAAGACCCTGAGGTCAAGTTCAAC

TGGTATGTTGACGGCGTGGAGGTGCATAATGCCAAGACAAAGCCGCGGGAGGAGCAGTACAACAATGCCTCCCGTG
TGGTCAGCGTCCTCACCGTCCTGCACCAGGACTGGCTGAATGGCAAGGAGTACAAGTGCAAGGTCTCCAACAAAGCC
CTCCCAGCCCCCATCGAGAAAACCATCTCCAAAGCCAAAGGGCAGCCCCGAGAACCACAGGTGTACACCCTGCCC
CATGCCGGGATGAGCTGACCAAGAATCAAGTCAGCCTGTGGTGCCTGGTAAAAAGGCTTCTATCCCAGCGACATCGCC
GTGGAGTGGGAGAGCAATGGGCAGCCGGAGAACAACTACAAGACCACGCCTCCCGTGCTGGACTCCGACGGCTCCT
TCTTCCTCTACTCAAAAACTCACCGTGGACAAGAGCAGGTGGCAGCAGGGGAACGTCTTCTCATGCTCCGTGATGCAT
GAGGCTCTGCACAACCACTACACGCAGAAGAGCCTCTCCCTGTCTCCCGGGT 4 569

TACATCCACGTGACCCAGAGCCCCAGCAGCCTGTCCGTGTCCATCGGCGACAGAGTGACCATCAACTGCCAGACCTC
TCAGGGCGTGGGCAGCGACCTGCACTGGTATCAGCACAAGCCTGGCAGAGCCCCCAAGCTGCTGATCCACCACAC
AGCAGCTCCGAAGAGGGCGTGCCCAGCAGATTTTCCGGCAGCGGCTTCCACACCAGCTTCAACCTGACCATCAGCGA
TCTGCAGGCCGACGACATTGCCACCTACTATTGTCAGGTGCTGCAGTTCTTCGGCAGAGGCAGCAGCAGCAGCACACA
AGCGTACGGTGGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGCGACGAGCAGCTGAAGTCCGGCACAGCCTCTGTC
GTGTGCCTGCTGAACAACTTCTACCCCCGCGAGGCCAAAGTGCAGTGGAAGGTGGACAACGCCCTGCAGAGCGCA
ACAGCCAGGAAAGCGTGACCGAGCAGGACAGCAAGGACTCCACCTACAGCCTGAGCACCCTGACACTGAGCAA
GGCCGACTACGAGAAGCACAAGGTGTACGCCTGCGAAGTGACCCACCAGGGCCTGTCTAGCCCCGTGACCAAGAGC
TTCAACCGGGGCGAGTGT Trispecific 1 570

GACATCGTGATGACCCAGACCCCCCTGAGCCTGAGCGTGACACCTGGACAGCCTGCCAGCATCAGCTGCAAGAGCA
28 N6_FR3-03/

GCCAGAGCCTGGTGCACGAGAACCTGCAGACCTACCTGAGCTGGTATCTGCAGAAGCCCGGCCAGAGCCCCAGTC CD28sup ×

CCTGATCTACAAGGTGTCCAACAGATTCAGCGGCGTGCCCGACAGATTCTCCGGCAGCGGCTCTGGCACCGACTTCA

CCCTGAAGATCAGCCGGGTGGAAGCCGAGGACGTGGGCGTGTACTATTGTGGCCAGGGCACCCAGTACCCCTTCACC ENLQ IgG4

TTTGGCAGCGCACCAAGGTGGAAATCAAGGACAAAACCCATACCGACATCCAGATGACCCAGAGCCCCAGCAGCC FALA/409K_

CAGCAGAAGCCCGGCAAGGCCCCCAAGCTGCTGATCTACAAGGCCAGCAACCTGCACACCGGCGTGCCCAGCAGAT TTTCTGGCAGCGGCTCCGGCACCTGCACCCTGACAATCAGCTCCCTGCAGCCCGAGGACATTGCCACCTACTAC TGCCAGCAGGGCCAGACCTACCCCTTTTGGCCAGGGCACCAAGCTGGAAATCAAGGATAAGACCCACACCCG TACGGTGGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGCGACGAGCAGCTGAAGTCCGGCACAGCCTCTGTCGTGT GCCTGCTGAACAACTTCTACCCCCGCGAGGCCAAAGTGCAGTGGAAGGTGGACAACGCCCTGCAGAGCGCCAACAG CCAGGAAAGCGTGACCGAGCAGCACACCTGAGCAAGGCCCTGACACCTGACACTGAGCAAGGCC GACTACGAGAAGCACAAGGTGTACGCCTGCGAAGTGACCCACCAGGGCCTGTCTAGCCCCGTGACCAAGAGCTTCA ACCGGGGCGAGTGT 2 571

CAGGTGCAGCTGGTGCAGTCTGGCGCCGAGGTCGTGAAACCTGGCGCCTCTGTGAAGGTGTCCTGCAAGGCCAGCGG CTACACCTTTACCAGCTACTACATCCACTGGGTGCGCCAGGCCCCTGGACAGGGACTGGAATGGATCGGCAGCATCT ACCCCGGCAACGTGAACACCAACTACGCCCAGAAGTTCCAGGGCAGAGCCACCCTGACCGTGGACACCAGCATCAG CACCGCCTACATGGAACTGAGCCGGCTGAGAAGCGACGACACCGCCGTGTACTACTGCACCCGGTCCCACTACGGCC TGGATTGGAACTTCGACGTGTGGGGCAAGGGCACCACCGTGACAGTGTCTAGCGACAAAACCCATACCCAGGTGCA GCTGGTGGAATCTGGCGGCGGAGTGGTGCAGCCTGGCAGAAGCCTGAGACTGAGCTGTGCCGCCAGCGGCTTCACCT TCACCAAGGCCTGGATGCACTGGGTGCGCCAGGCCCCTGGAAAGCAGCTGGAATGGGTGGCCCAGATCAAGGACAA GAGCAACAGCTACGCCACCTACTACGCCGACAGCGTGAAGGGCCGGTTCACCATCAGCCGGGACGACAGCAAGAAC ACCCTGTACCTGCAGATGAACAGCCTGCGGGCCGAGGACACCGCCGTGTACTACTGTCGGGGCGTGTACTATGCCCT GAGCCCCTTCGATTACTGGGGCCAGGGAACCCTCGTGACCGTGTCTAGTGATAAGACCCACACCGCCAGCACAAAGG GCCCATCGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCCTGGGCTGCCTCGTGAAG GACTACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTGCACACCTTTCCAGCCGT GCTCCAGAGCAGCGGCCTGTACTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCCTGGGCACCAAGACCTACA CCTTGCCCAGCCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCCAAAGCCCAAGGACACCCTGATGAT CAGCCGGACCCCGAAGTGACCTGCGTGGTGGTGGATGTCCCAGGAAGATCCCGAGGTGCAGTTCAATTGGTACG TGGACGCCTGGAAGTGCACAACGCCAAGACCAAGCCCAGAGAGACAGTTCAACAGCACCTACCGGGTGGTGTCC GTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGCAAGGTGTCCAACAAGGGCCTGCCCA GCTCCATCGAGAAAACCATCAGCAAGGCCAAGGGCCAGCCCCGCGAGCCTCAAGTGTGTACCCTGCCCCTAGCCA GGAAGAGATGACCAAGAACCAGGTGTCCCTGAGCTGTGCCGTGAAAGGCTTCTACCCCAGCGACATTGCCGTGGAA TGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCTGTGCTGGACAGCGACGGCTCATTCTTCCT GGTGTCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAACGTGTTCAGCTGCTCCGTGATGCACGAGGCC CTGCACAACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC 3 572

```
TGCGCCAGAGACAGAAGCTACGGCGACAGCAGCTGGGCTCTGGATGCTTGGGGCCAGGGCACAACCGTGGTGGTGT
CTGCCGCCTCTACAAAGGGCCCATCGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCC
NTGGGCTGCCTCGTGAAGGACTACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGT
GCACACCTTTCCAGCCGTGCTCCAGAGCAGCGGCCTGTACTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCC
TGGGCACCAAGACCTACACCTGTAACGTGGACCACAAGCCCAGCAACACCAAGGTGGACAAGCGGGTGGAATCTAA
GTACGGCCCTCCCTGCCCTCCTTGCCCAGCCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCAAAGC
GTGCAGTTCAATTGGTACGTGGACGCGTGGAAGTGCACAACGCCAAGACCAAGCCCAGAGAGAACAGTTCAACA
GCACCTACCGGGTGGTGTCCGTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGCAAGGT
GTCCAACAAGGGCCTGCCCAGCTCCATCGAGAAAACCATCAGCAAGGCCAAGGGCCAGCCCCGCGAGCCTCAAGTG
TATACCCTGCCCCCTTGCCAGGAAGAGATGACCAAGAACCAGGTGTCCCTGTGGTGTCTCGTGAAAGGCTTCTACCC
CAGCGACATTGCCGTGGAATGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCTGTGCTGGAC
AGCGACGGCTCATTCTTCCTGTACTCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAACGTGTTCAGCTG
CTCCGTGATGCACGAGGCCCTGCACAACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC 4 573
TACATCCACGTGACCCAGAGCCCCAGCAGCCTGTCCGTGTCCATCGGCGACAGAGTGACCATCAACTGCCAGACCTC
TCAGGGCGTGGGCAGCGACCTGCACTGGTATCAGCACAAGCCTGGCAGAGCCCCCAAGCTGCTGATCCACCACACA
AGCAGCGTGGAAGATGGCGTGCCCAGCAGATTTTCCGGCAGCGGCTTCCACACCAGCTTCAACCTGACCATCAGCGA
TCTGCAGGCCGACGACATTGCCACCTACTATTGTCAGGTGCTGCAGTTCTTCGGCAGAGGCAGCAGACTGCACATCA
AGCGTACGGTGGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGCGACGAGCAGCTGAAGTCCGGCACAGCCTCTGTC
GTGTGCCTGCTGAACAACTTCTACCCCCGCGAGGCCAAAGTGCAGTGGAAGGTGGACAACGCCCTGCAGAGCGGCA
ACAGCCAGGAAAGCGTGACCGAGCAGGACAGCAAGGACTCCACCTACAGCCTGAGCACCCTGACACTGAGCAA
GGCCGACTACGAGAAGCACAAGGTGTACGCCTGCGAAGTGACCCACCAGGGCCTGTCTAGCCCCGTGACCAAGAGC
TTCAACCGGGGCGAGTGT Trispecific 1 574
GACATCGTGATGACCCAGACCCCCTGAGCCTGAGCGTGACACCTGGACAGCCTGCCAGCATCAGCTGCAAGAGCA
 N6 FR3-03/
GCCAGAGCCTGGTGCACGAGAACCTGTTCACCTACCTGAGCTGGTATCTGCAGAAGCCCGGCCAGAGCCCCAGTCC
CTGATCTACAAGGTGTCCAACAGATTCAGCGGCGTGCCCGACAGATTCTCCGGCAGCGGCTCTGGCACCGACTTCAC
{\tt CCTGAAGATCAGCCGGGTGGAAGCCGAGGACGTGGGCGTGTACTATTGTGGCCAGGGCACCCAGTACCCCTTCACCT}
ENLF IgG4
TTGGCAGCGGCACCAAGGTGGAAATCAAGGACAAAACCCATACCGACATCCAGATGACCCAGAGCCCCAGCAGCCT
DKTHT linker
AGCAGAAGCCCGGCAAGGCCCCAAGCTGCTGATCTACAAGGCCAGCAACCTGCACACCGGCGTGCCCAGCAGATT
TTCTGGCAGCGGCTCCGGCACCGACTTCACCCTGACAATCAGCTCCCTGCAGCCCGAGGACATTGCCACCTACTACT
GCCAGCAGGCCAGACCTACCCCTACACCTTTGGCCAGGGCACCAAGCTGGAAATCAAGGATAAGACCCACACCCG
TACGGTGGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGCGACGAGCAGCTGAAGTCCGGCACAGCCTCTGTCGTGT
GCCTGCTGAACAACTTCTACCCCCGCGAGGCCAAAGTGCAGTGGAAGGTGGACAACGCCCTGCAGAGCGGCAACAG
CCAGGAAAGCGTGACCGAGCAGGACAGCAAGGACTCCACCTACAGCCTGAGCACCCTGACACTGAGCAAGGCC
GACTACGAGAAGCACAAGGTGTACGCCTGCGAAGTGACCCACCAGGGCCTGTCTAGCCCCGTGACCAAGAGCTTCA
ACCGGGGCGAGTGT 2 575
CAGGTGCAGCTGGTGCAGTCTGGCGCCGAGGTCGTGAAACCTGGCGCCTCTGTGAAGGTGTCCTGCAAGGCCAGCGG
CTACACCTTTACCAGCTACTACATCCACTGGGTGCGCCAGGCCCCTGGACAGGGACTGGAATGGATCGGCAGCATCT
ACCCCGGCAACGTGAACACCAACTACGCCCAGAAGTTCCAGGGCAGAGCCACCCTGACCGTGGACACCAGCATCAG
CACCGCCTACATGGAACTGAGCCGGCTGAGAAGCGACGACACCGCCGTGTACTACTGCACCCGGTCCCACTACGGCC
```

TGGATTGGAACTTCGACGTGTGGGGCAAGGGCACCACCGTGACAGTGTCTAGCGACAAAACCCATACCCAGGTGCA GCTGGTGGAATCTGGCGGCGGAGTGGTGCAGCCTGGCAGAAGCCTGAGACTGAGCTGTGCCGCCAGCGGCTTCACCT TCACCAAGGCCTGGATGCACTGGGTGCGCCAGGCCCCTGGAAAGCAGCTGGAATGGGTGGCCCAGATCAAGGACAA GAGCAACAGCTACGCCACCTACTACGCCGACAGCGTGAAGGGCCGGTTCACCATCAGCCGGGACGACAGCAAGAAC ACCCTGTACCTGCAGATGAACAGCCTGCGGGCCGAGGACACCGCCGTGTACTACTGTCGGGGCGTGTACTATGCCCT GAGCCCCTTCGATTACTGGGGCCAGGGAACCCTCGTGACCGTGTCTAGTGATAAGACCCACACCGCCAGCACAAAGG GCCCATCGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCCTGGGCTGCCTCGTGAAG GACTACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTGCACACCTTTCCAGCCGT GCTCCAGAGCAGCGGCCTGTACTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCCTGGGCACCAAGACCTACA CCTTGCCCAGCCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCAAAGCCCAAGGACACCCTGATGAT CAGCCGGACCCCGAAGTGACCTGCGTGGTGGTGGTGTCCCAGGAAGATCCCGAGGTGCAGTTCAATTGGTACG TGGACGCGTGGAAGTGCACAACGCCAAGACCAAGCCCAGAGAGAACAGTTCAACAGCACCTACCGGGTGGTGTC GTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGCAAGGTGTCCAACAAGGGCCTGCCCA GGAAGAGATGACCAAGAACCAGGTGTCCCTGAGCTGTGCCGTGAAAGGCTTCTACCCCAGCGACATTGCCGTGGAA

```
TGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCCTGTGCTGGACAGCGACGGCTCATTCTTCCT
GGTGTCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAACGTGTTCAGCTGCTCCGTGATGCACGAGGCC
CTGCACAACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC 3 576
AGAGCCCACCTGGTGCAGTCTGGCACCGCCATGAAGAAACCAGGCGCCTCTGTGCGGGTGTCCTGTCAGACAAGCG
AAGCCCCAGTATGGCGCCGTGAACTTCGGCGGAGGCTTCCGGGATAGAGTGACCCTGACCCGGCAGCTGAGCCAGG
ACCCTGATGATCCGGATTGGGGCATCGCCTACATGGACATCCGGGGCCTGAAGCCCGATGACACCGCCGTGTACTAC
TGCGCCAGAGACAGAAGCTACGGCGACAGCAGCTGGGCTCTGGATGCTTGGGGCCCAGGGCACAACCGTGGTGGTGT
{\sf CTGCCGCCTCTACAAAGGGCCCATCGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCC}
{\tt NTGGGCTGCCTGGAAGGACTACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGT}
GCACACCTTTCCAGCCGTGCTCCAGAGCAGCGGCCTGTACTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCC
TGGGCACCAAGACCTACACCTGTAACGTGGACCACAAGCCCAGCAACACCAAGGTGGACAAGCGGGTGGAATCTAA
GTACGGCCCTCCCTGCCCTCCTTGCCCAGCCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCAAAGC
CCAAGGACACCCTGATGATCAGCCGGACCCCGAAGTGACCTGCGTGGTGGTGGATGTGTCCCAGGAAGATCCCGAG
GTGCAGTTCAATTGGTACGTGGACGCGTGGAAGTGCACAACGCCAAGACCAAGCCCAGAGAGAACAGTTCAACA
GCACCTACCGGGTGTGCTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGCAAGGT
GTCCAACAAGGGCCTGCCCAGCTCCATCGAGAAAACCATCAGCAAGGCCCAAGGGCCAGCCCCGCGAGCCTCAAGTG
TATACCCTGCCCCCTTGCCAGGAAGAGATGACCAAGAACCAGGTGTCCCTGTGGTGTCTCGTGAAAGGCTTCTACCC
CAGCGACATTGCCGTGGAATGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCTGTGCTGGAC
AGCGACGGCTCATTCTTCCTGTACTCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAACGTGTTCAGCTG
CTCCGTGATGCACGAGGCCCTGCACAACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC 4 577
TACATCCACGTGACCCAGAGCCCCAGCAGCCTGTCCGTGTCCATCGGCGACAGAGTGACCATCAACTGCCAGACCTC
TCAGGGCGTGGCAGCGACCTGCACTGGTATCAGCACAAGCCTGGCAGAGCCCCCAAGCTGCTGATCCACCACACA
AGCAGCGTGGAAGATGGCGTGCCCAGCAGATTTTCCGGCAGCGGCTTCCACACCAGCTTCAACCTGACCATCAGCGA
TCTGCAGGCCGACGACATTGCCACCTACTATTGTCAGGTGCTGCAGTTCTTCGGCAGAGGCAGCAGACTGCACATCA
AGCGTACGGTGGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGCGACGAGCAGCTGAAGTCCGGCACAGCCTCTGTC
GTGTGCCTGCAACAACTTCTACCCCCGCGAGGCCAAAGTGCAGTGGAAGGTGGACAACGCCCTGCAGAGCGGCA
ACAGCCAGGAAAGCGTGACCGAGCAGGACAGCAAGGACTCCACCTACAGCCTGAGCACCCTGACACTGAGCAA
GGCCGACTACGAGAAGCACAAGGTGTACGCCTGCGAAGTGACCCACCAGGGCCTGTCTAGCCCCGTGACCAAGAGC
TTCAACCGGGGCGAGTGT Trispecific 1 578
GACATCGTGATGACCCAGACCCCCTGAGCCTGAGCGTGACACCTGGACAGCCTGCCAGCATCAGCTGCAAGAGCA
  N6 FR3-03/
GCCAGAGCCTGGTGCACGAGAACCTGCAGACCTACCTGAGCTGGTATCTGCAGAAGCCCGGCCAGAGCCCCCAGTC
CCTGATCTACAAGGTGTCCAACAGATTCAGCGGCGTGCCCGACAGATTCTCCGGCAGCGGCTCTGGCACCGACTTCA
CCCTGAAGATCAGCCGGGTGGAAGCCGAGGACGTGGGCGTGTACTATTGTGGCCAGGGCACCCAGTACCCCTTCACC
ENLOIgG1
TTTGGCAGCGGCACCAAGGTGGAAATCAAGGACAAAACCCATACCGACATCCAGATGACCCAGAGCCCCAGCAGCC
CAGCAGAAGCCCGGCAAGGCCCCCAAGCTGCTGATCTACAAGGCCAGCAACCTGCACACCGGCGTGCCCAGCAGAT
TTTCTGGCAGCGGCTCCGGCACCGACTTCACCCTGACAATCAGCTCCCTGCAGCCCGAGGACATTGCCACCTACTAC
TGCCAGCAGGCCAGACCTACCCCTACACCTTTGGCCAGGGCACCAAGCTGGAAATCAAGGATAAGACCCACACCCG
TACGGTGGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGCGACGAGCAGCTGAAGTCCGGCACAGCCTCTGTCGTGT
GCCTGCTGAACAACTTCTACCCCCGCGAGGCCAAAGTGCAGTGGAAGGTGGACAACGCCCTGCAGAGCGGCAACAG
GACTACGAGAAGCACAAGGTGTACGCCTGCGAAGTGACCCACCAGGGCCTGTCTAGCCCCGTGACCAAGAGCTTCA
ACCGGGGCGAGTGT 2 579
CAGGTGCAGCTGGTGCAGTCTGGCGCCCGAGGTCGTGAAACCTGGCGCCTCTGTGAAGGTGTCCTGCAAGGCCAGCGG
CTACACCTTTACCAGCTACTACATCCACTGGGTGCGCCAGGCCCCTGGACAGGGACTGGAATGGATCGGCAGCATCT
ACCCCGGCAACGTGAACACCAACTACGCCCAGAAGTTCCAGGGCAGAGCCACCCTGACCGTGGACACCAGCATCAG
CACCGCCTACATGGAACTGAGCCGGCTGAGAAGCGACGACACCGCCGTGTACTACTGCACCCGGTCCCACTACGGCC
TGGATTGGAACTTCGACGTGTGGGGCAAGGGCACCACCGTGACAGTGTCTAGCGACAAAACCCATACCCAGGTGCA
GCTGGTGGAATCTGGCGGCGGAGTGGTGCAGCCTGGCAGAAGCCTGAGACTGAGCTGTGCCGCCAGCGGCTTCACCT
TCACCAAGGCCTGGATGCACTGGGTGCGCCAGGCCCCTGGAAAGCAGCTGGAATGGGTGGCCCAGATCAAGGACAA
GAGCAACAGCTACGCCACCTACTACGCCGACAGCGTGAAGGGCCGGTTCACCATCAGCCGGGACGACAGCAAGAAC
ACCCTGTACCTGCAGATGAACAGCCTGCGGGCCGAGGACACCGCCGTGTACTACTGTCGGGGCGTGTACTATGCCCT\\
GAGCCCCTTCGATTACTGGGGCCAGGGAACCCTCGTGACCGTGTCTAGTGATAAGACCCACACCGCCAGCACAAAGG
GCCCCAGCGTGTTCCCTCTGGCCCCTAGCAGCAAGAGCACATCTGGCGGAACAGCCGCCCTGGGCTGCCTCGTGAAG
GACTACTTTCCCGAGCCCGTGACCGTGTCCTGGAATTCTGGCGCCCTGACCAGCGGCGTGCACACCTTTCCAGCTGT
```

```
GCTGCAGTCCAGCGGCCTGTACAGCCTGAGCAGCGTCGTGACAGTGCCCAGCAGCTCTCTGGGCACCCAGACCTACA
TCTGCAACGTGAACCACAAGCCCAGCAACACCAAGGTGGACAAGAGGTGGAACCCAAGAGCTGCGACAAGACCCA
ACCTGTCCCCCTTGTCCTGCCCCGAACTGCTGGGAGGCCCTTCCGTGTTCCTGTTCCCCCCAAAGCCCAAGGACAC
CCTGATGATCAGCCGGACCCCGAAGTGACCTGCGTGGTGGTGGTGTCCCACGAGGACCCTGAAGTGAAGTTCA
ATTGGTACGTGGACGGCGTGGAAGTGCACAACGCCAAGACCAAGACAAGAGAGGAACAGTACAACAATGCCTCCCG
GGTGGTGTCCGTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGCAAGGTGTCCAACAAG
GCCCTGCCTGCCCCATCGAGAAAACCATCAGCAAGGCCAAGGGCCAGCCCCGCGAACCCCAGGTGTGCACACTGC
CCCCAAGCAGGACGAGCTGACCAAGAACCAGGTGTCCCTGAGCTGTGCCGTGAAAGGCTTCTACCCCTCCGATATC
GCCGTGGAATGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCTGTGCTGGACAGCGACGGCT
CATTCTTCCTGGTGTCCAAGCTGACAGTGGACAAGTCCCGGTGGCAGCAGGGCAACGTGTTCAGCTGCTCCGTGATG
CACGAGGCCCTGCACAACCACTACACCCAGAAGTCCCTGAGCCTGAGCCCCGGC 3 580
AGAGCCCACCTGGTGCAGTCTGGCACCGCCATGAAGAAACCAGGCGCCTCTGTGCGGGTGTCCTGTCAGACAAGCG
AAGCCCCAGTATGGCGCCGTGAACTTCGGCGGAGGCTTCCGGGATAGAGTGACCCTGACCCGGCAGCTGAGCCAGG
ACCCTGATGATCCGGATTGGGGCATCGCCTACATGGACATCCGGGGCCTGAAGCCCGATGACACCGCCGTGTACTAC
TGCGCCAGAGACAGAAGCTACGGCGACAGCAGCTGGGCTCTGGATGCTTGGGGCCAGGGCACAACCGTGGTGTGT
CTGCCGCCTCTACAAAGGGCCCATCGGTCTTCCCCCTGGCACCCTCCCAAGAGCACCTCTGGGGGCACAGCGGCC
CTGGGCTGCCTGGTCAAGGACTACTTCCCCGAACCGGTGACGGTGTCGTGGAACTCAGGCGCCCTGACCAGCGGCGT
GCACACCTTCCCGGCTGTCCTACAGTCCTCAGGACTCTACTCCCTCAGCAGCGTGGTGACCGTGCCCTCCAGCAGCT
TGGGCACCCAGACCTACATCTGCAACGTGAATCACAAGCCCAGCAACACCAAGGTGGACAAGAAAGTTGAGCCCAAA
TCTTGTGACAAAACTCACACATGCCCACCGTGCCCAGCACCTGAACTCCTGGGGGGGACCGTCAGTCTTCCTCTTCCC
CCCAAAACCCAAGGACACCCTCATGATCTCCCGGACCCCTGAGGTCACATGCGTGGTGGTGGACGTGAGCCACGAAG
ACCCTGAGGTCAAGTTCAACTGGTATGTTGACGGCGTGGAGGTGCATAATGCCAAGACAAAGCCGCGGGAGGAGCA
GTACAACAATGCCTCCCGTGTGGTCAGCGTCCTCACCGTCCTGCACCAGGACTGGCTGAATGGCAAGGAGTACAAGT
GCAAGGTCTCCAACAAAGCCCTCCCAGCCCCATCGAGAAAACCATCTCCAAAGCCAAAGGGCAGCCCCGAGAACC
ACAGGTGTACACCCTGCCCCCATGCCGGGATGAGCTGACCAAGAATCAAGTCAGCCTGTGGTGCCTGGTAAAAGGCT
TCTATCCCAGCGACATCGCCGTGGAGTGGGAGAGCAATGGGCAGCCGGAGAACAACTACAAGACCACGCCTCCCGT
GCTGGACTCCGACGGCTCCTTCTTCCTCTACTCAAAACTCACCGTGGACAAGAGCAGGTGGCAGCAGGGGAACGTCT
TCTCATGCTCCGTGATGCATGAGGCTCTGCACAACCACTACACGCAGAAGAGCCTCTCCCTGTCTCCGGGT 4 581
TACATCCACGTGACCCAGAGCCCCAGCAGCCTGTCCGTGTCCATCGGCGACAGAGTGACCATCAACTGCCAGACCTC
TCAGGGCGTGGGCAGCGACCTGCACTGGTATCAGCACAAGCCTGGCAGAGCCCCCAAGCTGCTGATCCACCACACA
AGCAGCGTGGAAGATGGCGTGCCCAGCAGATTTTCCGGCAGCGGCTTCCACACCAGCTTCAACCTGACCATCAGCGA
\mathsf{TCTGCAGGCCGACGACATTGCCACCTACTATTGTCAGGTGCTGCAGTTCTTCGGCAGAGGCAGCAGACTGCACATCA
AGCGTACGGTGGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGCGACGAGCAGCTGAAGTCCGGCACAGCCTCTGTC
GTGTGCCTGCAACAACTTCTACCCCCGCGAGGCCAAAGTGCAGTGGAAGGTGGACAACGCCCTGCAGAGCGGCA
ACAGCCAGGAAAGCGTGACCGAGCAGGACAGCAAGGACTCCACCTACAGCCTGAGCACCCTGACACTGAGCAA
GGCCGACTACGAGAAGCACAAGGTGTACGCCTGCGAAGTGACCCACCAGGGCCTGTCTAGCCCCGTGACCAAGAGC
TTCAACCGGGGCGAGTGT Trispecific 1 582
GACATCGTGATGACCCAGACCCCCTGAGCCTGAGCGTGACACCTGGACAGCCTGCCAGCATCAGCTGCAAGAGCA
  N6 FR3-03/
GCCAGAGCCTGGTGCACGAGAACCTGTTCACCTACCTGAGCTGGTATCTGCAGAAGCCCGGCCAGAGCCCCAGTCC
{\sf CTGATCTACAAGGTGTCCAACAGATTCAGCGGCGTGCCCGACAGATTCTCCGGCAGCGGCTCTGGCACCGACTTCAC}
{\tt CCTGAAGATCAGCCGGGTGGAAGCCGAGGACGTGGGCGTGTACTATTGTGGCCAGGGCACCCAGTACCCCTTCACCT}
ENLF
TTGGCAGCGGCACCAAGGTGGAAATCAAGGACAAAACCCATACCGACATCCAGATGACCCAGAGCCCCAGCAGCCT
DKTHT linker
```

DKTHT linker
AGCAGAAGCCCGGCAAGCCCCAAGCTGCTGATCTACAAGGCCAGCAACCTGCACACCGGCGTGCCCAGCAGATT

TTCTGGCAGCGGCTCCGGCACCGACTTCACCCTGACAATCAGCTCCCTGCAGCCCGAGGACATTGCCACCTACTACT
GCCAGCAGGGCCAGACCTACCCCTACACCTTTGGCCAGGGCACCAAGCTGGAAATCAAGGATAAGACCCACACCCG
TACGGTGGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGCGACGAGCAGCTGAAGTCCGGCACAGCCTCTGTCGTGT
GCCTGCTGAACAACTTCTACCCCCGCGAGGCCAAAGTGCAGTGGAAGGTGGACAACGCCCTGCAGAGCGCAACAG
CCAGGAAAGCGTGACCGAGCAGGACAGCAAGGACTCCACCTACAGCCTGAGCACCCTGACACTGAGCAAGGCC
GACTACGAGAAGCACAAGGTGTACGCCTGCGAAGTGACCCACCAGGGCCTGTCTAGCCCCGTGACCAAGAGCTTCA
ACCGGGGCGAGTGT 2 583

CAGGTGCAGCTGGTGCAGTCTGGCGCCGAGGTCGTGAAACCTGGCGCCTCTGTGAAGGTGTCCTGCAAGGCCAGCGG CTACACCTTTACCAGCTACTACATCCACTGGGTGCGCCAGGCCCCTGGACAGGGACTGGAATGGATCGGCAGCATCT ACCCCGGCAACGTGAACACCAACTACGCCCAGAAGTTCCAGGGCAGAGCCACCCTGACCGTGGACACCAGCATCAG CACCGCCTACATGGAACTGAGCCGGCTGAGAAGCGACCACCGTGACAGTGTCTAGCGACAAAACCCATACCCAGGTGCA

```
GCTGGTGGAATCTGGCGGCGGAGTGGTGCAGCCTGGCAGAAGCCTGAGACTGAGCTGTGCCGCCAGCGGCTTCACCT
TCACCAAGGCCTGGATGCACTGGGTGCGCCAGGCCCCTGGAAAGCAGCTGGAATGGGTGGCCCAGATCAAGGACAA
GAGCAACAGCTACGCCACCTACTACGCCGACAGCGTGAAGGGCCGGTTCACCATCAGCCGGGACGACAGCAAGAAC
ACCCTGTACCTGCAGATGAACAGCCTGCGGGCCGAGGACACCGCCGTGTACTACTGTCGGGGCGTGTACTATGCCCT
GAGCCCCTTCGATTACTGGGGCCAGGGAACCCTCGTGACCGTGTCTAGTGATAAGACCCACACCGCCAGCACAAAGG
GCCCAGCGTGTTCCCTCTGGCCCCTAGCAGCAGAGAGCACATCTGGCGGAACAGCCGCCCTGGGCTGCCTCGTGAAG
GACTACTTTCCCGAGCCCGTGACCGTGTCCTGGAATTCTGGCGCCCTGACCAGCGGCGTGCACACCTTTCCAGCTGT
GCTGCAGTCCAGCGGCCTGTACAGCCTGAGCAGCGTCGTGACAGTGCCCAGCAGCTCTCTGGGCACCCAGACCTACA
TCTGCAACGTGAACCACAAGCCCAGCAACACCAAGGTGGACAAGAGGTGGAACCCAAGAGCTGCGACAAGACCCA
ACCTGTCCCCCTTGTCCTGCCCCCGAACTGCTGGGAGGCCCTTCCGTGTTCCTGTTCCCCCCAAAGCCCAAGGACAC
CCTGATGATCAGCCGGACCCCCGAAGTGACCTGCGTGGTGGTGGATGTCCCACGAGGACCCTGAAGTGAAGTTCA
GGTGGTGTCCGTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGCAAGGTGTCCAACAAG
GCCCTGCCTGCCCCATCGAGAAAACCATCAGCAAGGCCAAGGGCCAGCCCCGCGAACCCCAGGTGTGCACACTGC
CCCCAAGCAGGACGAGCTGACCAAGAACCAGGTGTCCCTGAGCTGTGCCGTGAAAGGCTTCTACCCCTCCGATATC
GCCGTGGAATGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCTGTGCTGGACAGCGACGGCT
CATTCTTCCTGGTGTCCAAGCTGACAGTGGACAAGTCCCGGTGGCAGCAGGGCAACGTGTTCAGCTGCTCCGTGATG
CACGAGGCCCTGCACAACCACTACACCCAGAAGTCCCTGAGCCTGAGCCCCGGC 3 584
AGAGCCCACCTGGTGCAGTCTGGCACCGCCATGAAGAAACCAGGCGCCTCTGTGCGGGTGTCCTGTCAGACAAGCG
AAGCCCCAGTATGGCGCCGTGAACTTCGGCGGAGGCTTCCGGGATAGAGTGACCCTGACCCGGCAGCTGAGCCAGG
ACCCTGATGATCCGGATTGGGGCATCGCCTACATGGACATCCGGGGCCTGAAGCCCGATGACACCGCCGTGTACTAC
TGCGCCAGAGACAGAAGCTACGGCGACAGCAGCTGGGCTCTGGATGCTTGGGGCCAGGGCACAACCGTGGTGGTGT
CTGGGCTGCCTGGTCAAGGACTACTTCCCCGAACCGGTGACGGTGTCGTGGAACTCAGGCGCCCTGACCAGCGGCGT
GCACACCTTCCCGGCTGTCCTACAGTCCTCAGGACTCTACTCCCTCAGCAGCGTGGTGACCGTGCCCTCCAGCAGCT
TGGGCACCCAGACCTACATCTGCAACGTGAATCACAAGCCCAGCAACACCAAGGTGGACAAGAAAGTTGAGCCCAAA
TCTTGTGACAAAACTCACACATGCCCACCGTGCCCAGCACCTGAACTCCTGGGGGGGACCGTCAGTCTTCCTCTTCCC
CCCAAAACCCAAGGACACCCTCATGATCTCCCGGACCCCTGAGGTCACATGCGTGGTGGTGGACGTGAGCCACGAAG
ACCCTGAGGTCAAGTTCAACTGGTATGTTGACGGCGTGGAGGTGCATAATGCCAAGACAAAGCCGCGGGAGGAGCA
GTACAACAATGCCTCCCGTGTGGTCAGCGTCCTCACCGTCCTGCACCAGGACTGGCTGAATGGCAAGGAGTACAAGT
GCAAGGTCTCCAACAAGCCCTCCCAGCCCCCATCGAGAAAACCATCTCCAAAGCCAAAGGGCAGCCCCGAGAACC
ACAGGTGTACACCCTGCCCCCATGCCGGGATGAGCTGACCAAGAATCAAGTCAGCCTGTGGTGCCTGGTAAAAGGCT
TCTATCCCAGCGACATCGCCGTGGAGTGGGAGAGCAATGGGCAGCCGGAGAACAACTACAAGACCACGCCTCCCGT
GCTGGACTCCGACGGCTCCTTCTTCCTCTACTCAAAACTCACCGTGGACAAGAGCAGGTGGCAGCAGGGGAACGTCT
TCTCATGCTCCGTGATGCATGAGGCTCTGCACAACCACTACACGCAGAAGAGCCTCTCCCTGTCTCCGGGT 4 585
TACATCCACGTGACCCAGAGCCCCAGCAGCCTGTCCGTGTCCATCGGCGACAGAGTGACCATCAACTGCCAGACCTC
TCAGGGCGTGGCAGCGACCTGCACTGGTATCAGCACAAGCCTGGCAGAGCCCCCAAGCTGCTGATCCACCACACA
AGCAGCGTGGAAGATGGCGTGCCCAGCAGATTTTCCGGCAGCGGCTTCCACACCAGCTTCAACCTGACCATCAGCGA
TCTGCAGGCCGACGACATTGCCACCTACTATTGTCAGGTGCTGCAGTTCTTCGGCAGAGGCAGCAGACTGCACATCA
AGCGTACGGTGGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGCGACGAGCAGCTGAAGTCCGGCACAGCCTCTGTC
GTGTGCCTGCAACAACTTCTACCCCCGCGAGGCCAAAGTGCAGTGGAAGGTGGACAACGCCCTGCAGAGCGGCA
ACAGCCAGGAAAGCGTGACCGAGCAGGACAGCAAGGACTCCACCTACAGCCTGAGCACCCTGACACTGAGCAA
GGCCGACTACGAGAAGCACAAGGTGTACGCCTGCGAAGTGACCCACCAGGGCCTGTCTAGCCCCGTGACCAAGAGC
TTCAACCGGGGCGAGTGT Trispecific 1 586
GACATCGTGATGACCCAGACCCCCTGAGCCTGAGCGTGACACCTGGACAGCCTGCCAGCATCAGCTGCAAGAGCA
 VRC01.23/
GCCAGAGCCTGGTGCACGAGAACCTGCAGACCTACCTGAGCTGGTATCTGCAGAAGCCCGGCCAGAGCCCCCAGTC
CCTGATCTACAAGGTGTCCAACAGATTCAGCGGCGTGCCCGACAGATTCTCCGGCAGCGGCTCTGGCACCGACTTCA
```

 ${\tt CCCTGAAGATCAGCCGGGTGGAAGCCGAGGACGTGGGCGTGTACTATTGTGGCCAGGGCACCCAGTACCCCTTCACC}$

TTTGGCAGCGGCACCAAGGTGGAAATCAAGGACAAAACCCATACCGACATCCAGATGACCCAGAGCCCCAGCAGCC

DKTHT linker

CAGCAGAAGCCCGGCAAGGCCCCCAAGCTGCTGATCTACAAGGCCAGCAACCTGCACACCGGCGTGCCCAGCAGAT TTTCTGGCAGCGGCTCCGGCACCGACTTCACCCTGACAATCAGCTCCCTGCAGCCCGAGGACATTGCCACCTACTAC TGCCAGCAGGGCCAGACCTACCCCTACACCTTTGGCCAGGGCACCAAGCTGGAAATCAAGGATAAGACCCACACCCG TACGGTGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGCGACGAGCAGCTGAAGTCCGGCACAGCCTCTGTCGTGT GCCTGCTGAACAACTTCTACCCCCGCGAGGCCAAAGTGCAGTGGAAGGTGGACAACGCCCTGCAGAGCGGCAACAG CCAGGAAAGCGTGACCGAGCAGGACAGCAAGGACTCCACCTACAGCCTGAGCACCCTGACACTGAGCAAGGCC

```
GACTACGAGAAGCACAAGGTGTACGCCTGCGAAGTGACCCACCAGGGCCTGTCTAGCCCCGTGACCAAGAGCTTCA
ACCGGGGGGGAGTGT 2 587
CAGGTGCAGCTGGTGCAGTCTGGCGCCGAGGTCGTGAAACCTGGCGCCTCTGTGAAGGTGTCCTGCAAGGCCAGCGG
CTACACCTTTACCAGCTACTACATCCACTGGGTGCGCCAGGCCCCTGGACAGGGACTGGAATGGATCGGCAGCATCT
ACCCCGGCAACGTGAACACCAACTACGCCCAGAAGTTCCAGGGCAGAGCCACCCTGACCGTGGACACCAGCATCAG
TGGATTGGAACTTCGACGTGTGGGGCAAGGGCACCACCGTGACAGTGTCTAGCGACAAAACCCATACCCAGGTGCA
GCTGGTGGAATCTGGCGGCGGAGTGGTGCAGCCTGGCAGAAGCCTGAGACTGAGCTGTGCCGCCAGCGGCTTCACCT
{\sf TCACCAAGGCCTGGATGCACTGGGTGCGCCAGGCCCCTGGAAAGCAGCTGGAATGGGTGGCCCAGATCAAGGACAA}
GAGCAACAGCTACGCCACCTACTACGCCGACAGCGTGAAGGGCCGGTTCACCATCAGCCGGGACGACAGCAAGAAC
ACCCTGTACCTGCAGATGAACAGCCTGCGGGCCGAGGACACCGCCGTGTACTACTGTCGGGGCGTGTACTATGCCCT
GAGCCCCTTCGATTACTGGGGCCAGGGAACCCTCGTGACCGTGTCTAGTGATAAGACCCACACCGCCAGCACAAAGG
GCCCATCGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCCTGGGCTGCCTCGTGAAG
GACTACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGCTCTGACAAGCGGCGTGCACACCTTTCCAGCCGT
GCTCCAGAGCAGCGGCCTGTACTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCCTGGGCACCAAGACCTACA
CCTTGCCCAGCCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCAAAGCCCAAGGACACCCTGATGAT
CAGCCGGACCCCGAAGTGACCTGCGTGGTGGTGGATGTCCCAGGAAGATCCCGAGGTGCAGTTCAATTGGTACG
TGGACGCCGTGGAAGTGCACAACGCCAAGACCAAGCCCAGAGAGGAACAGTTCAACAGCACCTACCGGGTGGTGTCC
GTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGCAAGGTGTCCAACAAGGGCCTGCCCA
GCTCCATCGAGAAAACCATCAGCAAGGCCAAGGGCCAGCCCCGCGAGCCTCAAGTGTGTACCCTGCCCCTAGCCA
GGAAGAGATGACCAAGAACCAGGTGTCCCTGAGCTGTGCCGTGAAAGGCTTCTACCCCAGCGACATTGCCGTGGAA
TGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCTGTGCTGGACAGCGACGGCTCATTCTTCCT
GGTGTCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAACGTGTTCAGCTGCTCCGTGATGCACGAGGCC
CTGCACAACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC 3 588
CAGGTGCAGCTGGTGCAGTCTGGCGGCCAGATGAAGAAACCCGGCGAGAGCATGCGGATCAGCTGCAGAGCCAGCG
GCTACGAGTTCATCGACTGCACCCTGAACTGGATCAGACTGGCCCCTGGCAAGCGGCCTGAGTGGATGGGATGGCTG
AAGCCTAGATGGGGAGCCGTGAACTACGCCAGACCTCTGCAGGGCAGAGTGACCCATGACCCGGCAGCTGAGCCAGG
ACCCTGATGATCCGGATTGGGGCACCGCCTTCCTGGAACTGCGGAGCCTGACCGTGGATGATACCGCCGTGTACTTC
TGCACCCGGGGCAAGAACTGCGACTACAACTGGGACTTCGAGCACTGGGGCAGAGGCACCCCTGTGATCGTGTCAA
GCGCGTCGACCAAGGGCCCATCGGTGTTCCCTCTGGCCCCTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCNTG
GGCTGCCTCGTGAAGGACTACTTTCCCGAGCCCGTGACCGTGTCCTGGAACTCTGGCGNTNTGACAAGCGGCGTGCA
CACCTTTCCAGCCGTGCTCCAGAGCAGCGGCCTGTACTCTCTGAGCAGCGTCGTGACAGTGCCCAGCAGCAGCCTGG
GCACCAAGACCTACACCTGTAACGTGGACCACAAGCCCAGCAACACCAAGGTGGACAAGCGGGTGGAATCTAAGTAC
GGCCCTCCCTGCCCTCCTTGCCCAGCCCCTGAAGCTGCCGGCGGACCCTCCGTGTTCCTGTTCCCCCCAAAGCCCAA
GGACACCCTGATGATCAGCCGGACCCCCGAAGTGACCTGCGTGGTGGTGGATGTCCCAGGAAGATCCCGAGGTG
CAGTTCAATTGGTACGTGGACGGCGTGGAAGTGCACAACGCCAAGACCAAGCCCAGAGAGAACAGTTCAACAGCA
{\tt CCTACCGGGTGTGTCCGTGCTGACCGTGCTGCACCAGGACTGGCTGAACGGCAAAGAGTACAAGTGCAAGGTGTCC}
AACAAGGGCCTGCCCAGCTCCATCGAGAAAACCATCAGCAAGGCCAAGGGCCAGCCCCGCGAGCCTCAAGTGTATA
CCCTGCCCCTTGCCAGGAAGAGATGACCAAGAACCAGGTGTCCCTGTGGTGTCTCGTGAAAGGCTTCTACCCCAGC
GACATTGCCGTGGAATGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCTGTGCTGGACAGCG
ACGGCTCATTCTTCCTGTACTCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAACGTGTTCAGCTGCTCC
GTGATGCACGAGGCCCTGCACAACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC 4 589
CTGACACAGAGCCCTGGCACCCTGTCACTGAGCCCAGGCGAGACAGCCATCATCAGCTGCCGGACAAGCCAGTACG
GCAGCCTGGCCTGGTATCAGCAGAGGCCTGGACAGGCCCCCAGACTCGTGATCTACAGCGGCAGCACAAGAGCCGC
CGGAATCCCCGATAGATTCAGCGGCTCCAGATGGGGACCCGACTACAACCTGACCATCAGCAACCTGGAAAGCGGC
GACTTCGGCGTGTACTACTGCCAGCAGTACGAGTTCTTCGGCCAGGGCACCAAGGTGCAGGTGGACATCAAGCGTAC
GGTGGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGCGACGAGCAGCTGAAGTCCGGCACAGCCTCTGTCGTGTGCC
TGCTGAACAACTTCTACCCCCGCGAGGCCAAAGTGCAGTGGAAGGTGGACAACGCCCTGCAGAGCGGCAACAGCCAG
GAAAGCGTGACCGAGCAGGACAGCAAGGACTCCACCTACAGCCTGAGCACCCTGACACTGAGCAAGGCCGACT
ACGAGAAGCACAAGGTGTACGCCTGCGAAGTGACCCACCAGGGCCTGTCTAGCCCCGTGACCAAGAGCTTCAACCG
GGGCGAGTGT Trispecific 1 590
GACATCGTGATGACCCAGACCCCCTGAGCCTGAGCGTGACACCTGGACAGCCTGCCAGCATCAGCTGCAAGAGCA
 VRC01.23/
GCCAGAGCCTGGTGCACGAGAACCTGTTCACCTACCTGAGCTGGTATCTGCAGAAGCCCGGCCAGAGCCCCAGTCC
{\sf CTGATCTACAAGGTGTCCAACAGATTCAGCGGCGTGCCCGACAGATTCTCCGGCAGCGGCTCTGGCACCGACTTCAC}
CD3mid
{\tt CCTGAAGATCAGCCGGGTGGAAGCCGAGGACGTGGGCGTGTACTATTGTGGCCAGGGCACCCAGTACCCCTTCACCT}
```

TTGGCAGCGGCACCAAGGTGGAAATCAAGGACAAAACCCATACCGACATCCAGATGACCCAGAGCCCCAGCAGCCT

ENLF IgG4

FALA/409K

DKTHT linker AGCAGAAGCCCGGCAAGGCCCCCAAGCTGCTGATCTACAAGGCCAGCAACCTGCACACCGGCGTGCCCAGCAGATT TTCTGGCAGCGGCTCCGGCACCGACTTCACCCTGACAATCAGCTCCCTGCAGCCCGAGGACATTGCCACCTACTACT

GCCAGCAGGCCAGACCTACCCCTACACCTTTGGCCAGGGCACCAAGCTGGAAATCAAGGATAAGACCCACACCCG
TACGGTGGCCGCTCCCAGCGTGTTCATCTTCCCACCTAGCGACGAGCAGCTGAAGTCCGGCACAGCCTCTGTCGTGT
GCCTGCTGAACAACTTCTACCCCCGCGAGGCCAAAGTGCAGTGGAAGGTGGACAACGCCCTGCAGAGCGCAACAG
CCAGGAAAGCGTGACCGAGCAGGACAGCAAGGACTCCACCTACAGCCTGAGCACCCTGACACTGAGCAAGGCC
GACTACGAGAAGCACAAGGTGTACGCCTGCGAAGTGACCCACCAGGGCCTGTCTAGCCCCGTGACCAAGAGCTTCA

GGAAGAGATGACCAAGAACCAGGTGTCCCTGAGCTGTGCCGTGAAAGGCTTCTACCCCAGCGACATTGCCGTGGAA TGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCCTGTGCTGGACAGCGACGGCTCATTCTTCCT GGTGTCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAACGTGTTCAGCTGCTCCGTGATGCACGAGGCC CTGCACAACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC 3 592

GCTCCATCGAGAAAACCATCAGCAAGGCCAAGGGCCAGCCCCGCGAGCCTCAAGTGTGTACCCTGCCCCTAGCCA

CAGGTGCAGCTGGTGCAGTCTGGCGGCCAGATGAAGAAACCCGGCGAGAGCATGCGGATCAGCTGCAGAGCCAGCGGCTACGAGTTCATCGACTGCACCCTGAACTGGATCAGACTGGCCCCTGGCAAGCGGCCTGAGTGGATGGGATGGCTGAGCCTGAGCCAGACCTAGATGGGGAGCCGTGAACTACGCCAGACCTCTGCAGGGCAGAGTGACCATGACCCGGCAGCTGAGCCAGGACCTGATGATCCGGATTGGGGCACCGCCTTCCTGGAACTGCGGAGCCTGACCGTGGATGATACCGCCGTGTACTTCTGCACCCGGGGCAAGAACTGCGACTACAACTGGGACTTCGAGCACCAGAGGCACCCCTTGTGATCGTGTCAAGCGCGTTCGACCAAGGGCCCATCGGTGTTCCCTCTGGCCCCTTTGCAGCAGAAGCACCAGCGAATCTACAGCCGCCNTG

AACAAGGGCCTGCCCAGCTCCATCGAGAAAACCATCAGCAAGGCCAAGGGCCAGCCCCGCGAGCCTCAAGTGTATA CCCTGCCCCCTTGCCAGGAAGAGATGACCAAGAACCAGGTGTCCCTGTGGTGTCTCGTGAAAGGCTTCTACCCCAGC GACATTGCCGTGGAATGGGAGAGCAACGGCCAGCCCGAGAACAACTACAAGACCACCCCCCCTGTGCTGGACAGCG

GTGATGCACGAGGCCCTGCACAACCACTACACCCAGAAGTCCCTGTCTCTGTCCCTGGGC 4 593

ACGGCTCATTCTTCCTGTACTCCAAGCTGACCGTGGACAAGAGCCGGTGGCAGGAAGGCAACGTGTTCAGCTGCTCC

GACTTCGGCGTGTACTACTGCCAGCAGTACGAGTTCTTCGGCCAGGGCACCAAGGTGCAGGTGGACATCAAGCGTACGGTGGCCGCCCCAGCGTGTTCATCTTCCCACCTAGCGACGAGCAGCTGAAGTCCGGCACAGCCTCTGTCGTGTGCC

TGCTGAACAACTTCTACCCCCGCGAGGCCAAAGTGCAGTGGAAGGTGGACAACGCCCTGCAGAGCGGCAACAGCCAC GAAAGCGTGACCGAGCAGGACAGCAAGGACTCCACCTACAGCCTGAGCAGCACCCTGACACTGAGCAAGGCCGACT ACGAGAAGCACAAGGTGTACGCCTGCGAAGTGACCCACCAGGGCCTGTCTAGCCCCGTGACCAAGAGCTTCAACCG

GGGCGAGTGT

EXAMPLES

[0640] The Examples that follow are illustrative of specific embodiments of the disclosure, and various uses thereof. They are set forth for explanatory purposes only, and should not be construed as limiting the scope of the invention in any way. Example 1: Development of Trispecific HER2/CD28xCD3 Antibodies and Variant Anti-CD3 Binding Sites

[0641] Immuno-oncology is a promising, emerging therapeutic approach to disease management in cancer. The immune system is the first line of defense against cancer development and progression. There is now large evidence that T cells are able to control tumor growth and prolong the survival of cancer patients in both early and late stages of disease. However, T cells specific for tumors can be limited in a number of ways preventing them from controlling the disease.

[0642] In order to remove the limitations on T cells induced by uncontrolled tumors, novel antibodies were developed in the trispecific antibody format depicted in FIG. 1A to specifically activate the T cells to engage HER2 expressing cancer cells. These novel trispecific antibodies are able to bind to three targets: HER2, CD3, and CD28. Anti-HER2 and anti-CD3 binding sites were further optimized for high affinity binding and reduction in potential manufacturing liabilities.

[0643] HER2 amplification and overexpression can be found in molecular subtypes of breast cancer, and also in gastric, ovarian, lung and prostate carcinomas. Optimal activation of T cells requires two factors: (1) Antigen recognition and (2) Costimulation. Using the trispecific HER2/CD28xCD3 trispecific binding proteins described herein, Signal 1 is provided by an agonist anti-CD3 binding site, and Signal 2 is provided by an agonist anti-CD28 binding site (see, e.g., FIG. 1D). It is thought that the trispecific antibodies described in the subsequent Examples recruit T cells to the tumor via HER2 and activate the engaged T cells by binding to CD3 and CD28. The resulting activation induces the killing potential of the

Materials and Methods

Production and Characterization of Antibodies

immune cells against the nearby tumor cells.

[0644] Trispecific antibody variants were produced by transient transfection of expression plasmids into Expi293 cells. 5 days after transfection, the supernatant from transfected cells was collected, quantified and normalized by absorbance at 280 nm on Nano Drop. The binding of supernatant to corresponding antigens were determined by ELISA and the absorbance of parental HER2 WT tri Ab was set as 1.0. The fold changes of other variants were calculated by dividing the corresponding absorbance to that of parental Ab.

[0645] Trispecific antibody variants were purified using protein A affinity purification followed by SEC purification. The binding of purified antibodies to corresponding antigens were determined by ELISA. The EC50 were determined based on the binding curve generated by Graphpad Prism7.

Results

[0646] Trispecific Ab variants were produced with several mutations in the binding arms in order to mitigate potential manufacturing liabilities, e.g., deamidation sites. A binding ELISA assay was performed to assess binding of the indicated trispecific antibodies to each of the three targets: HER2, CD3, and CD28. In FIG. 1B, HER2/CD3xCD28 trispecific antibodies with the indicated anti-HER2 or anti-CD3 variants were compared to parental Trispecific Ab. Introducing some sets of mutations (e.g., 32/33 QQ and 33/35QQ) into the VL domain of the anti-CD3 binding site led to dramatically reduced binding to CD3, whereas 32/35 QQ mutations retained near wild-type binding. MS peptide analyses showed that binding sites with the DNAQ mutations in CDR-L1 (SEQ ID NO:63) were still subject to greater than 15% deamidation, whereas ENLQ (SEQ ID NO:281), ENLF (SEQ ID NO:282), and ENLR (SEQ ID NO:283) led to less than 5% deamidation. Importantly, these variants also retained binding to CD3.

[0647] In addition, binding curves for the indicated antibodies binding to human HER2, human CD28, and CD3 are provided in FIG. 1C. The EC50 values of selected trispecific antibody variants are provided in Table E.

TABLE-US-00012 TABLE E A binding ELISA assay was performed on purified trispecific antibodies to determine their binding affinities for HER2, human CD3, and human CD28. Binding Affinity (ELISA)(nM) EC50 Human Human Trispecific antibody HER2 CD3 CD28 HER2 (WT-trastuzumab)/ 162.3 566.4 1321 CD28supxCD3mid (32/35 QQ (LC); DKTHT linkers on HC/LC) IgG4 FALA HER2 (30R/55O/102E + 93.66 364.8 871.9 LC-WT-trastuzumab)/ CD28supxCD3mid (32/35 QQ (LC); DKTHT linkers on HC/LC) IgG4 FALA HER2-30R/55Q/102E/ 83.89 3222 1024 CD28supxCD3mid (32/33/35QSQ) DKTHT linker IgG4 FALA HER2 (30R/55Q/102E + 111.2 725.7 1053 LC-WTtrastuzumab)/ CD28supxCD3mid (DNAQ (LC); DKTHT linkers on HC/LC) IgG4 FALA HER2 (30R/55Q/102E + 111.5 412.5 1345 LC-WT-trastuzumab)/ CD28supxCD3mid (32/35QQ (LC); L1 linker) IgG4 FALA HER230R/55Q/102E/ 123.9 81.53 878.8 CD28supxCD3mid (32/33/3435 ENLR (LC); DKTHT linkers on HC/LC) IgG4 FALA HER2 (30R/56A/102S + 516.0 5494 3631 LC-WT-trastuzumab)/ CD28supxCD3mid (32/35QQ185E) IgG4 FALA HER2-30R/55Q/102E + 1540 10616 2036 LC-30Q/CD28supxCD3mid (32/35QQ) 185S L1 linker IgG4 FALA HER2-30R/55Q/102E/ 467.0 19382 1814 CD28supxCD3mid (32/33/35OSO) 185S L1 linker IgG4 FALA HER2-30R/55O/102E/ 478.6 19756 1739 CD28supxCD3mid (32/33/35QSQ) 185E L1 linker IgG4 FALA HER2/CD28supxCD3mid 228.9 671.2 752 DKTHT linkers on HC/LC) IgG4 FALA HER2/CD28supxCD3mid 195.9 773.3 1466 (32/33/3435 ENLF (LC); DKTHT linkers on HC/LC) IgG4 FALA HER2/CD28supxCD3mid 212.1 10558 2405 (32/33/3435 ENLQ (LC); DKTHT linkers on HC/LC) IgG4 FALA HER2/CD28supxCD3mid 166.2 381.9 1051 (32/33/3435 ENLR (LC); DKTHT linkers on HC/LC) IgG4 FALA anti-Her2/CD3/3CD28 176.1 516.2 870.6 IgG4 FALA

[0648] Without wishing to be bound by theory, as depicted in FIG. 1D, it is believed that HER2/CD3/CD28 trispecific antibodies recruit T cells to cancer cells through the anti-HER2 and anti-CD3/CD28 arms. Further, it is believed that engaged T cells are activated by the anti-CD28/CD3 arms. Killing of cancer cells is believed, without wishing to be bound by theory, to occur through T cell mediated mechanisms (e.g., Perform, granzyme). Without wishing to be bound to theory, it is contemplated that similar mechanisms may allow for killing of other types of tumors by substituting antigen binding sites that recognize other tumor target proteins.

Example 2: Development of Trispecific CD38/CD3xCD28 Antibodies

[0649] Trispecific CD38/CD3xCD28 antibodies were developed and characterized for binding to CD38, CD3 and CD28 polypeptides.

Materials and Methods

Generation of CD38 CD28xCD3 trispecific antibodies

[0650] A panel of anti-CD38, anti-CD3, and anti-CD28 antibodies, as well as human IgG4 Fc domains were used to generate CD38/CD28xCD3 trispecific antibodies in the trispecific antibody format depicted in FIG. **2**A.

[0651] Trispecific binding proteins were produced by transient transfection of 4 expression plasmids into Expi293 cells using ExpiFectamineTM 293 Transfection Kit (Thermo Fisher Scientific) according to manufacturer's protocol. Briefly, 25% (w/w) of each plasmid was diluted into Opti-MEM, mixed with pre-diluted ExpiFectamine reagent for 20-30 minutes at room temperature (RT), and added into Expi293 cells ($2.5 \times 10. \text{sup.} 6 \text{ cells/ml}$). An optimization of transfection to determine the best ratio of plasmids was often used in order to produce the trispecific binding protein with good yield and purity. [0652] 4-5 days post transfection, the supernatant from transfected cells was collected and filtered through 0.45 µm filter unit (Nalgene). The trispecific binding protein in the supernatant was purified using a 3-step procedure. First, protein A affinity purification was used, and the bound Ab was eluted using "IgG Elution Buffer" (Thermo Fisher Scientific). Second, product was dialyzed against PBS (pH7.4) overnight with 2 changes of PBS buffer. Any precipitate was cleared by filtration through 0.45 µm filter unit (Nalgene) before next step. Third, size-exclusion chromatography (SEC) purification (Hiload 16/600 Superdex 200 pg, or Hiload 26/600 Superdex 200 pg, GE Healthcare) was used to remove aggregates and different species in the prep. The fractions were analyzed on reduced and non-reduced SDS-PAGE to identify the fractions that contained the monomeric trispecific binding protein before combining them. The purified antibody can be aliquoted and stored at -80° C. long term.

ELISA Binding Assay

[0653] Binding affinities to each target antigen by the CD38/CD28xCD3 T cell engagers were measured by ELISA. Briefly, each antigen was used to coat the 96-well Immuno Plate (Thermo Fisher Scientific) overnight at 4° C. using 200 ng/well in PBS (pH7.4) of each antigen. The coated plate was blocked using 5% skim milk+2% BSA in PBS for one hour at RT, followed by washing with PBS+0.25% Tween 20 three times (Aqua Max 400, Molecular Devices). Serial dilution of antibodies (trispecific and control Abs) were prepared and added onto the ELISA plates (100 μ l/well in duplicate), incubated at room temperature (RT) for one hour, followed by washing 5 times with PBS+0.25% Tween 20. After washing, the HRP conjugated secondary anti-human Fab (1:5000, Cat. No. 109-035-097, Jackson ImmunoResearch Inc) was added to each well and incubated at RT for 30 minutes. After washing 5 times with PBS+0.25% Tween 20, 100 μ l of TMB Microwell Peroxidase Substrate (KPL, Gaithersburg, MD, USA) was added to each well. The reaction was terminated by adding 50 μ l 1M H.sub.2SO.sub.4, and OD450 was measured using SpectraMax M5 (Molecular Devices) and analyzed using SoftMax Pro6.3 software (Molecular Devices). The final data was transferred to GraphPad Prism software (GraphPad Software, CA, USA), and plotted. EC50 was calculated using the same software.

Measurement of Trispecific Antibody Binding Using SPR

[0654] Human CD38-His antigens were used (Cambridge Biologics, Cambridge, MA) for full kinetic analysis. Kinetic characterization of purified antibodies was performed using SPR technology on a BIACORE 3000 (GE Healthcare). A capture assay using human IgG1 specific antibody capture and orientation of the investigated antibodies was used. For capture of Fc containing protein constructs the human antibody capture kit (GE Healthcare) was used. For capture of His tagged antigen, anti-His antibody capture kit (GE Healthcare) was used. The capture antibody was immobilized via primary amine groups (11000 RU) on a research grade CM5 chip (GE Life Sciences) using standard procedures. The analyzed antibody was captured at a flow rate of 10 μ L/min with an adjusted RU value that would result in maximal analyte binding signal of typically 30 RU. Binding kinetics were measured against the trispecific antibodies. Assay buffer HBS EP (10 mM HEPES, pH 7.4, 150 mM NaCl, 3 mM EDTA, and 0.005% Surfactant P20) was used at a flow rate of 30 μ L/min. Chip surfaces were regenerated with the regeneration solution of the respective capture kit. Kinetic parameters were analyzed and calculated in the BIA evaluation program package v4.1 using a flow cell without captured antibody as reference and the 1:1 Langmuir binding model with mass transfer.

Daratumumab Competition Binding Assay

[0655] For Daratumumab competition binding assay, Daratumumab was amine coupled to the active surface of CM5 chip. Reference surface was left blank and used to subtract any non-specific binding of injected molecules. Recombinant CD38-His (Sino Biological, Part #10818-H08H) was injected over the Daratumumab surface followed by injection of test antibodies. If a monospecific anti-CD38 antibody recognized an epitope on CD38 which was different from that of Daratumumab, injection of the antibody resulted in an increased SPR signal. If an antibody recognized an overlapping epitope as Daratumumab, injection of the antibody did not increase SPR signal.

[0656] The binding affinities of selected CD38/CD28sup x CD3mid_ENLQ DKTHT IgG4 FALA trispecific antibodies with alternative anti-CD38 binding domains for human CD38 were determined by SPR. The association rate constant (K.sub.On), dissociation rate constant (K.sub.Off), and the K.sub.D of the selected trispecific antibodies are provided in Table A. The selected trispecific antibodies showed various degrees of affinities against human CD38 antigen.

TABLE-US-00013 TABLE A Binding characteristics of selected CD38/CD28sup × CD3mid_ENLQ DKTHT IgG4 FALA trispecific antibodies with alternative anti-CD38 binding domains for human CD38 determined by SPR. Anti-CD38 binding domain k.sub.on (M.sup.-1s.sup.-1) k.sub.off (s.sup.-1) K.sub.D (M) CD38VH1 5.55E+05 1.58E-03 2.85E-09 CD38hhy992 1.35E+06 1.75E-04 1.29E-10 CD38hyb6284 7.85E+05 5.12E-04 6.52E-10 CD38hyb5739 9.80E+05 5.46E-03 5.57E-09 CD38hhy1195 1.27E+06 1.80E-02 1.42E-08 CD38hhy1370 3.76E+05 3.29E-04 8.76E-10 [0657] The binding affinities of selected CD38/CD28sup x CD3mid_ENLQ DKTHT IgG4 FALA trispecific antibodies with alternative anti-CD38 binding domains for human CD3, human CD28, human CD38 and cynomolgus monkey CD38 were

then determined by ELISA as described above. As shown in FIGS. **2B-2E**, the selected CD38/CD28sup x CD3mid_ENLQ DKTHT IgG4 FALA trispecific antibodies with alternative anti-CD38 binding domains showed various affinities to human (FIG. **2B**) and cynomolgus monkey CD38 (FIG. **2C**), but similar affinity to human CD3 (FIG. **2D**) and CD28 (FIG. **2E**). EC50 values were then calculated by GraphPad Prism 7.02 using variable slope model with four-parameter logistic curve. The EC50 values of the selected trispecific antibodies for human CD3, human CD28, human CD38 and cynomolgus monkey CD38 are provided in Table B. Control antibody was a human IgG4 isotype control.

TABLE-US-00014 TABLE B EC50 values of selected CD38/CD28sup × CD3mid_ENLQ DKTHT IgG4 FALA trispecific antibodies with alternative anti-CD38 binding domains for human CD3, human CD28, human CD38 and cynomolgus monkey CD38. Anti-CD38 EC50 (pM) binding domain hCD38 Cyno CD38 hCD3 hCD28 CD38VH1 7244 2128 6742 725 CD38hhy992 229 912 33593 809 CD38hyb6284 253 290 8222 711 CD38hyb5739 984 1628 10791 825 CD38hhy1195 102537 37701 7631 697 CD38hhy1370 587 553 24968 1257

[0658] An SPR competition assay was carried out to determine whether anti-CD38 antibodies hhy6284, hhy992, hhy5379, or hhy1195 (tested in monospecific antibody format) compete with Daratumumab for binding to CD38. Following CD38 injection over Daratumumab (immobilized on SPR sensor chip), the test antibodies (or Daratumumab) were injected over the Daratumumab/CD38 complex. As shown in FIG. 3, injection of Hyb6264, hhy992, Hyb5379, and Hhy1195 increased SPR signal, indicating that these antibodies recognized the epitopes on CD38 which are different from the epitope which Daratumumab recognizes. As expected, injection of free Daratumumab (a competitive binding control) did not increase the SPR signal.

[0659] Binding of anti-CD38 antibodies to human or cynomolgus CD38 polypeptides is summarized in Table B2. TABLE-US-00015 TABLE B2 Summary of anti-CD38 binding characteristics to human or cynomolgus CD38. ELISA ELISA FACS FACS SPR SPR huCD38 cynoCD38 huCD38 cynoCD38 huCD38 cynoCD38 Name EC50 nM EC50 nM EC50 nM EC50 nM EC50 nM EC50 nM KD M KD M AntiCD38_hyb_5739 0.12 0.09 0.3 0.5 AntiCD38_hyb_6284 0.11 0.13 0.4 0.7 AntiCD38_hhy_992 0.09 0.08 100 288 3.65E-10 6.12E-09 AntiCD38_hhy_1195 1.4 0.86 38 15 4.00E-08 2.60E-08 [0660] Anti-CD38 antibodies were also tested for competitive binding to daratumumab in SPR assay. For daratumumab competition binding assay, daratumumab was amine coupled to the active surface of CM5 chip. Reference surface was left blank and used to subtract any non-specific binding of injected molecules. Recombinant CD38-His (Sino Biological, Part #10818-H08H) was injected over the daratumumab surface followed by injection of test antibodies. If an antibody recognizes an epitope on CD38 which is different from that of daratumumab, injection of the antibody will result in an increased SPR signal. If an antibody recognizes an overlapping epitope as daratumumab, injection of the antibody will not increase SPR signal. According to the results of these assays the tested antibodies hhy992, hyb6284, hhy1195 and hhy1370 did not compete with daratumumab.

Example 3: Trispecific CD38/CD3xCD28 Antibodies Promote Lysis of Human Multiple Myeloma and Lymphoma Tumor Cells

[0661] An in vitro cell lysis assay was used to determine whether trispecific CD38/CD3xCD28 antibodies had anti-tumor cell activity using human multiple myeloma and lymphoma cells.

Materials and Methods

In Vitro Killing Assay Against Tumor Cells Using Human T Cells

[0662] Target tumor cells were labeled with the membrane dye PKH-26 (Sigma) and co-cultured for 24 hours with human PBMC or enriched CD8 T cells as effector cells at E:T ratio of 10:1 (E:T=3:1 using enriched CD8 T cells) in the presence of indicated concentrations of tri-specific or relevant control antibodies. Peripheral blood mononuclear cells were isolated from normal human donors by Ficoll separation, and autologous CD8+ or pan-T cells were enriched using kits from Miltenyi Biotech (San Diego, CA). The extent of cell lysis in the target cells was determined by staining with a LIVE/DEADTM Fixable Violet Dead Cell Stain Kit (Life Technologies) and measured by the number of dead cells in the labelled target cell population by running the samples on an LSRFortessa instrument (BD Biosciences) followed by analysis using the Flowjo software (Treestar).

In Vitro Killing Assay Against Tumor Cells Using Human T Cells in the Presence of Daratumumab [0663] 5 nM Daratumumab or isotype control antibodies were pre-incubated with PKH-26 labeled target tumor cells (10.sup.5 cells/well) for 30 minutes, followed by addition of trispecific TCEs at indicated concentrations, and human PBMCs (E:T=10:1). 24 hours later, the extent of cell lysis in the target cells was determined by staining with a LIVE/DEADTM Fixable Violet Dead Cell Stain Kit (Life Technologies) and measured by the number of dead cells in the labelled target cell population by running the samples on an LSRFortessa instrument (BD Biosciences) followed by analysis using the Flowjo software (Treestar).

Results

[0664] The in vitro cell killing activity of CD38/CD28sup x CD3mid_ENLQ DKTHT IgG4 FALA trispecific antibodies with alternative anti-CD38 binding domains was determined using a human multiple myeloma cell line NCI-H929 that expresses both CD38 and CD28. The assay was carried out in the presence of 5 nM Daratumumab or isotype control antibodies (present during the assay period). As shown in FIGS. **4**A-**4**B, all tested trispecific antibodies led to cell lysis in a concentration-dependent manner in the presence and absence of Daratumumab. The EC50 values were then calculated in the presence and absence of Daratumumab (Table C). The cell killing activities of trispecific antibodies CD38/CD28sup x CD3mid_ENLQ DKTHT IgG4 FALA with the CD38VH1 or CD38hhy1370 anti-CD38 binding domains were reduced by Daratumumab, while trispecific antibodies with the CD38hyb5739, CD38hyb6284, or CD38hhy1195 anti-CD38 binding domains exhibited between 3-8 fold reductions in cell killing activity in the presence of Daratumumab (Table C). TABLE-US-00016 TABLE C In vitro killing activity against human multiple myeloma cell line NCI-H929 (CD38+/CD28+)

by CD38/CD28sup × CD3mid_ENLQ DKTHT IgG4 FALA trispecific antibodies with alternative anti-CD38 binding domains in the presence of Daratumumab. EC50 Anti-CD38 binding domains (pM) CD38VH1 CD38hhy992 CD38hyb5739 CD38hyb6284 CD38hhy1195 CD38hhy1370 With 29.82 125.8 9.115 33.65 89.27 255.4 Dara With 1.063 13.43 2.736 4.37 16.97 9.599 human IgG1

[0665] In addition, an in vitro cell lysis assay was used to measure the cell killing activity of selected CD38/CD28sup x CD3mid_ENLQ DKTHT IgG4 FALA trispecific antibodies with alternative anti-CD38 binding domains using a human lymphoma cell line OCI-LY19 that expresses CD38 but not CD28. The assay was carried out in the presence of 5 nM Daratumumab or isotype control antibodies which were present in the assay period. As shown in FIGS. 5A-5B, all tested trispecific led to cell lysis in a concentration-dependent manner in the presence and absence of Daratumumab. The EC50 values were then calculated in the presence and absence of Daratumumab (Table D). The cell killing activity of CD38/CD28sup x CD3mid_ENLQ DKTHT IgG4 FALA trispecific antibodies with CD38VH1 anti-CD38 binding domain was reduced by about 24 fold by Daratumumab, while trispecific antibodies with the CD38hhy992, CD38hyb5739, CD38hyb6284, CD38hhy1195, or CD38hhy1370 anti-CD38 binding domains also exhibited reductions in cell killing activity in the presence of Daratumumab (Table D).

TABLE-US-00017 TABLE D In vitro killing activity against human lymphoma cell line OCI-LY19 (CD38+/CD28-) by selected CD38/CD28sup × CD3mid_ENLQ DKTHT IgG4 FALA trispecific antibodies with alternative anti-CD38 binding domains in the presence of Daratumumab. EC50 Anti-CD38 binding domains (pM) CD38VH1 CD38hhy992 CD38hyb5739 CD38hyb6284 CD38hhy1195 CD38hhy1370 With 135.9 133.3 219.1 81.05 715.2 209.8 Dara With 5.662 57.32 60.97 42.07 296.4 58.54 human IgG1

Example 4: CD38/CD28xCD3 Trispecific Antibodies Promote CMV-Specific Immune Response

[0666] As part of adaptive immunity, T cell immunity plays a crucial role in controlling viral infection and cancer, possibly eliminating infected cells and malignant cells which result in clearance of viral infection or cure of cancer. In chronic infectious diseases such as Herpes viral infection (HSV, CMV, EBV, etc.), HIV, and HBV viruses establish their persistence in humans by various mechanisms including immune suppression, T cell exhaustion, and latency establishment. Nevertheless, viral infection generally induces viral antigen specific immunity including antigen specific CD8 T cells that can readily recognize infected cells for controlling or killing through cytokine release or cytotoxic T cell (CTL) mediated killing processes. Thus, viral antigen specific T cell activation and/or amplification in vivo and/or ex vivo provide therapeutic strategies against chronic viral infections.

[0667] Anti-CD38/CD28xCD3 trispecific antibodies were developed and evaluated for their potential in activating T cells, and promoting proliferation and/or amplification of antigen specific T cells. These trispecific Abs can effectively expand CD4 and CD8 effector and memory populations, including antigen specific CD8 T central memory and effector memory cells in vitro. Specifically, in vitro expansion of CMV and EBV specific CD8 central memory and effector memory cells were demonstrated. The anti-CD38/CD28xCD3 trispecific antibodies described herein exhibited novel properties by engaging CD3/CD28/CD38, providing signaling pathways to stimulate and expand T cells, which may offer an effective strategy treating chronic infectious diseases such as HSV, CMV, EBV, HIV-1, and HBV infections.

[0668] In this Example, the ability of CD38/CD28xCD3 trispecific antibodies to promote activation and expansion of CMV-specific T cells was determined.

Materials and Methods

In Vitro T Cell Proliferation Measurement

[0669] T cells were isolated from human PBMC donors by negative selection using a magnetic Pan T Cell Isolation Kit (Miltenyi Biotec GmbH, Germany). Antibodies were coated onto 96-well cell culture plates by preparing the antibodies in sterile PBS and dispensing 50 μ L into each well (350 ng/well). The plates were then incubated at 37° C. for at least 2 hours and then washed with sterile PBS. The untouched T cells were added to the antibody-coated plates (5×10.sup.5 cells/mL) and incubated at 37° C. for multiple days. The cells were passaged with new cell culture media onto fresh antibody-coated plates on Day 4. In certain experiments with 7 days incubation, only fresh medium was added without changing to fresh antibody-coated plate. The cells were collected at specific time points and cell numbers calculated using CountBrightTM counting beads

In Vitro T Cell Proliferation Assay and T Cell Subset Determination

[0670] Peripheral blood mononuclear cells were isolated from blood of healthy human donors collected by Research Blood Components, LLC (Boston, MA). The PBMCs were added to antibody-coated plates (350 ng/well) (5×10.sup.5 cells/mL), as previously described above, and incubated at 37° C. for 3 and 7 days. The cells were collected at specific time points and analyzed by flow cytometry for T cell subsets: naïve (CCR7+ CD45RO-), T.sub.cm (CCR7+ CD45RO+), T.sub.cm (CCR7+ CD45RO+), Tregs (CD4+ Foxp3+ CD25hi). CMV pp65-specific and EBV BMLF-specific CD8+ T cells were detected using fluorescent-conjugated pentamer restricted to the PBMC donors' HLA/viral peptide (A*02:01/NLVPMVATV, SEQ ID NO:284), (A*02:01/GLCTLVAML, SEQ ID NO:285), respectively (ProImmune, Oxford, UK). PBMC was obtained from HemaCare (Van Nuys, CA) for donors with known CMV or EBV infection. PMBC from donors negative for the restricting HLA type was used as negative control. Staining was done as per manufacturer's protocol.

Quantification of CMV-Specific T-Cells

[0671] As indicated above Peripheral blood mononuclear cells (PBMCs) were isolated from blood of known CMV-infected human donors and added to plates containing the trispecific antibody or control antibody. The plates were incubated at 37° C. The cells were collected at specific time points and analyzed by flow cytometry.

[0672] CD38/CD28sup x CD3mid_ENLQ DKTHT IgG4 FALA trispecific antibodies with alternative anti-CD38 binding

domains ΔVH1CD38 (control), CD38VH1, CD38hhy992, CD38hyb5739, CD38hyb6284, CD38hhy1195, and CD38hhy1370 were tested as described above using PBMCs isolated from CMV-infected human donor D (FIGS. 6A-6J) and CMV-infected human donor E (FIGS. 7A-7J). All tested CD38 trispecific Abs activated and promoted the proliferation of CMV-specific T cells, leading to increases in CMV-specific CD8+ T cells (cells/well) with different potency and kinetics in a dose response manner over the 7 day experiment (CMV Donor D, FIGS. 6A-6B; CMV Donor E, FIGS. 7A-7B). In addition, all tested CD38 trispecific Abs promoted the amplification (cells/well) of CMV-specific central memory (T.sub.cm) (CMV Donor D, FIGS. 6C-6D; CMV Donor E, FIGS. 7C-7D) and effector memory (T.sub.cm) CD8+ T cells (CMV Donor D, FIGS. 6E-6F; CMV Donor E, FIGS. 7E-7F), which were both amplified dramatically in 7 days. FIGS. 6G-6J (CMV Donor D) and FIGS. 7G-7J (CMV Donor E) provide time courses showing the percent of CMV-specific T.sub.cm and T.sub.cm cells at days 0, 3, and 7 of the 7-day experiments described above.

[0673] Taken together, these data indicate that CD38/CD28xCD3 trispecific antibodies promote activation and expansion of CMV-specific T cells, such as CMV-specific CD8+ T cells, CMV-specific effector memory (T.sub.cm) CD8+ T cells, and CMV-specific central memory (T.sub.cm) CD8+ T cells.

Example 5: CD38/CD28xCD3 Trispecific Antibodies Promote EBV-Specific Immune Response

[0674] Next, the ability of CD38/CD28xCD3 trispecific antibodies to promote activation and expansion of Epstein-Barr virus (EBV)-specific T cells was determined.

Materials and Methods

Quantification of EBV-Specific T-Cells

[0675] As indicated above, peripheral blood mononuclear cells (PBMCs) were isolated from blood of known EBV-infected human donors and added to plates containing the trispecific antibody or control antibody. The plates were incubated at 37° C. for up to 11 days. The cells were collected at specific time points and analyzed by flow cytometry. Results

[0676] CD38/CD28sup x CD3mid_ENLQ DKTHT IgG4 FALA trispecific antibodies with alternative anti-CD38 binding domains Δ VH1CD38 (control), CD38VH1, CD38hhy992, CD38hyb5739, CD38hyb6284, CD38hhy1195, and CD38hhy1370 were also tested as described above using PBMCs isolated from EBV-infected donor C (FIGS. **8**A-**8**J) and EBV-infected donor D (FIGS. **9**A-**12**). All tested CD38 trispecific Abs activated T cells and promoted the proliferation of EBV-specific T cells, leading to increases in EBV-specific CD8+ T cells (cells/well) with different potency and kinetics in a dose response manner over the 7 day experiment (EBV Donor C, FIGS. **8**A-**8**B; EBV Donor D, FIGS. **9**A-**9**B). In addition, all tested CD38 trispecific Abs promoted the amplification (cells/well) of EBV-specific central memory (T.sub.cm) (EBV Donor C, FIGS. **8**C-**8**D; EBV Donor D, FIGS. **9**C-**9**D) and effector memory (T.sub.cm) CD8+ T cells (EBV Donor C) and FIGS. **9**G-**12** (EBV Donor D) provide time courses showing the percent of EBV-specific T.sub.cm and T.sub.cm cells at days 0, 3, and 7 of the 7-day experiments described above.

[0677] Taken together, these data indicate that CD38/CD28xCD3 trispecific antibodies promote activation and expansion of EBV-specific T cells, such as EBV-specific CD8+ T cells, EBV-specific effector memory (T.sub.cm) CD8+ T cells, and EBV-specific central memory (T.sub.cm) CD8+ T cells.

Example 6: Anti-Tumor Effects of Her2/CD28 x CD3 Trispecific Antibody in Tumor-Bearing Mice [0678] In this Example, the Her2/CD28 x CD3 trispecific antibody was tested for anti-tumor effects in a ZR-75-1 tumor bearing Nod scid gamma (NSG) mouse model engrafted with in vitro expanded T cells. Materials and Methods

[0679] NSG mice were divided into 5 groups of 10 mice each. On Day 0, ZR-75-1 human breast cancer cells were implanted into the mammary fat pad with 50% matrigel into each mouse at 5 million cells/mouse. On Days 17/18, expansion of human CD3+ T cells was begun. Randomization of mice occurred on Day 24 when tumors were approximately 150 mm.sup.3. On Day 25, all mice were engrafted with in vitro expanded human CD3+ T cells at 10 million cells in 300 μ L/mouse (1QW, 1 IP injection).

[0680] Starting on Day 25, one group of mice received doses of vehicle alone (8% w/v sucrose, 0.05% w/v polysorbate 80, 10 mM histidine, pH 5.5), while the other 4 groups received Her2/CD28 x CD3 trispecific antibody, both at 10 mL/kg. Groups receiving trispecific antibody were dosed at 100, 10, 1, or 0.1 μ g/kg. Antibody or vehicle was administered 1QW intravenously in 2 doses (e.g., Days 25 and 32). Blood and tumor tissue was collected on Day 38 or 39. Results

[0681] Her2/CD28 x CD3 trispecific antibody (binding protein #2 from Table 1, corresponding to SEQ ID Nos: 104-107) was compared to vehicle control for its effects on human breast tumor growth in the NSG mouse model engrafted with in vitro expanded human T cells described above. Treatment with Her2/CD28 x CD3 trispecific antibody at the highest dose (100 ug/kg) led to the most significant inhibition of tumor growth and regression, although the 10 ug/kg dose also showed anti-tumor effects (FIGS. 13A & 13D). No significant body weight loss was observed (FIG. 13B). Individual tumor volumes over time from each trispecific antibody treatment group are provided in FIG. 13C.

[0682] Next, the effect of trispecific antibody treatment on individual immune cell subsets was examined. Human CD45+, human CD8+, and human CD4+ cell populations were measured by flow cytometry, as well as mouse CD45+ cells (FIGS. **14**A-**14**C). Highest dose (100 ug/kg) of trispecific antibody led to depletion of human CD4+ cells, and this effect was dose dependent (FIGS. **14**B & **14**C). Counts of human CD8+ cells were largely unaffected by trispecific antibody administration. [0683] The effect of trispecific antibody treatment on tumor infiltrating lymphocytes (TILs) was also assessed by immunohistochemical (IHC) staining for human CD45, CD4, and CD8. Using H&E staining, tumors from the low dose groups (1 ug/kg or 0.1 ug/kg trispecific antibody) were generally of comparable size as the vehicle control group. As shown

in FIGS. **15**A-**15**C, human TILs were increased in the group receiving the low dose of Her2/CD28 x CD3 trispecific antibody, but human TILs were sparse in the high dose group. IHC images were also examined quantitatively (FIGS. **16**A-**16**C). These results indicated significant reductions in CD45+ and CD8+ cells in the higher trispecific antibody dose groups (100 ug/kg and 10 ug/kg).

[0684] Compared to vehicle control, tumors from the high dose trispecific antibody treatment groups (100 ug/kg or 10 ug/kg) were characterized by sparse TILs. Moderate to large numbers of CD45+, CD4+, or CD8+ human TILs were observed in the 1 ug/kg and 0.1 ug/kg trispecific antibody treatment groups. These TILs were mostly present at the tumor edges but occasionally extended deeper into the tumor core.

[0685] In conclusion, these results demonstrate that treatment of ZR-75-1 breast tumor bearing NSG mice engrafted with in vitro activated T cells using 2 intravenous doses of HER2-targeting, T cell-engaging trispecific antibody at 100 ug/kg or 10 ug/kg resulted in significant reductions in tumor volume and, concomitantly, a significant decrease in TILs. At the 1 ug/kg trispecific antibody dose, there was a marginal and inconsistent trend for increased TILs as compared to vehicle control. Example 7: Effect of Anti-HER2 and Anti-CD3 Antigen Binding Domain Sequences in Her2/CD28 x CD3 Trispecific Antibody on Cancer Cell Killing

[0686] This Example describes the effect of anti-Her2 and anti-CD3 variable domain sequences on target cell killing. In this Example, a Her2/CD28 x CD3 trispecific antibody ("control") with wild-type trastuzumab antigen binding domain and an anti-CD3 antigen binding domain without 32/35 QQ mutations in the V.sub.L domain (see Example 1) was compared with Her2/CD28 x CD3 trispecific antibodies #1-6 from Table 1, corresponding to SEQ ID Nos: 100-103, 104-107, 286-289, 290-293, 294-297, and 298-301, respectively.

Materials and Methods

[0687] CD8+ T cells were isolated from human PBMCs from healthy donor using a magnetic bead isolation kit (Miltenyi Biotec). The T cells were used as effector cells against breast cancer cell lines expressing various levels of HER2 at 3:1 (Effector:Target) ratio. The cells were incubated with experimental or control trispecific antibody for 2 days before flow cytometry acquisition using viability dye (Invitrogen) and PKH26 target cell staining (Sigma). Mean EC50 for target cell lysis was calculated from 2-3 PBMC donors for each trispecific Ab.

Results

[0688] All trispecific antibodies were characterized for in vitro cell lysis of three HER2+ breast cancer target cell lines: HCC1954, BT20, and MDA-MB-231. HCC1954 breast cancer cells were found to express high levels of HER2, as assessed by flow cytometry (up to ~150,000 receptors/cell), IHC (3+), or the HercepTest HER2 expression assay (3+) (FIG. 17A). BT20 breast cancer cells were found to express intermediate levels of HER2, as assessed by flow cytometry (~60,000 receptors/cell), IHC (1+), or the HercepTest HER2 expression assay (1+) (FIG. 17C). MDA-MD-231 breast cancer cells were found to express low levels of HER2, as assessed by flow cytometry (~9,000 receptors/cell), IHC (0+), or the HercepTest HER2 expression assay (0) (FIG. 17E). Results of the cell killing assays targeting HCC1954, BT20, or MDA-MB-231 are shown in FIGS. 17B, 17D, and 17F, respectively, comparing binding protein #2 vs. control or binding proteins #1 and #5 vs. control. The results demonstrated that the Her2/CD28 x CD3 trispecific antibodies having 30R/55Q/102E mutations in the anti-HER2 arm and 32/35 QQ mutations in the VL domain of the anti-CD3 arm showed improved target cell killing against all three cell lines, particularly at lower antibody concentrations.

[0689] Mean EC50 (pM) for in vitro cell killing was determined for all trispecific antibodies targeting the three breast cancer cell lines noted above (HCC1954, BT20, and MDA-MB-231) as well as the gastric cancer cell lines OE19 (high HER2 expression) and GSU (intermediate HER2 expression). Generally, the Her2/CD28 x CD3 trispecific antibodies having mutations in the anti-HER2 arm and in the VL domain of the anti-CD3 arm showed a lower EC50 (and thus superior cell killing) against all three breast cancer cell lines (FIG. **18**A) and both gastric cancer cell lines (FIG. **18**B). These results demonstrate that, while all trispecific antibodies are able to induce cell killing of HER2+ cells, the mutated trispecific antibodies consistently displayed improved cell killing efficacy against multiple target cell types.

Claims

1. A binding protein comprising four polypeptide chains that form three antigen binding sites, wherein a first polypeptide chain comprises a structure represented by the formula:

V.sub.L2-L.sub.1-V.sub.L1-L.sub.2-C.sub.L [I] and a second polypeptide chain comprises a structure represented by the formula:

V.sub.H1-L.sub.3-V.sub.H2-L.sub.4-C.sub.H1-hinge-C.sub.H2-C.sub.H3 [II] and a third polypeptide chain comprises a structure represented by the formula:

V.sub.H3-C.sub.H1-hinge-C.sub.H2-C.sub.H3 [III] and a fourth polypeptide chain comprises a structure represented by the formula:

V.sub.L3-C.sub.L [IV] wherein: V.sub.L1 is a first immunoglobulin light chain variable domain; V.sub.L2 is a second immunoglobulin light chain variable domain; V.sub.H3 is a third immunoglobulin light chain variable domain; V.sub.H1 is a first immunoglobulin heavy chain variable domain; V.sub.H2 is a second immunoglobulin heavy chain variable domain; V.sub.H3 is a third immunoglobulin heavy chain variable domain; C.sub.L is an immunoglobulin light chain constant domain; C.sub.H1 is an immunoglobulin C.sub.H1 heavy chain constant domain; C.sub.H2 is an immunoglobulin C.sub.H3 heavy chain constant domain; hinge is an immunoglobulin hinge region connecting the C.sub.H1 and C.sub.H2 domains; and L.sub.1, L.sub.2, L.sub.3 and L.sub.4 are amino acid linkers; wherein the polypeptide of formula I and the polypeptide of formula II form a cross-over light chain-

heavy chain pair; and wherein V.sub.H1 and V.sub.L1 form a first antigen binding site; wherein V.sub.H2 and V.sub.L2 form a second antigen binding site that binds a CD3 polypeptide, wherein the V.sub.H2 domain comprises a CDR-H1 sequence comprising the amino acid sequence of GFTFTKAW (SEQ ID NO:55), a CDR-H2 sequence comprising the amino acid sequence of IKDKSNSYAT (SEQ ID NO:56), and a CDR-H3 sequence comprising the amino acid sequence of RGVYYALSPFDY (SEQ ID NO:57), and the V.sub.L2 domain comprises a CDR-L1 sequence comprising the amino acid sequence of QSLVHX.sub.1NX.sub.2X.sub.3TY, wherein X.sub.1 is E or Q, X.sub.2 is A or L, and X.sub.3 is Q, R, or F (SEQ ID NO:180), a CDR-L2 sequence comprising the amino acid sequence of KVS (SEQ ID NO:64), and a CDR-L3 sequence comprising the amino acid sequence of GQGTQYPFT (SEQ ID NO:65); and wherein V.sub.H3 and V.sub.L3 form a third antigen binding site that binds a HER2 polypeptide.

- **2**. The binding protein of claim 1, wherein the first binding site binds a CD28 polypeptide.
- **3**. The binding protein of claim 2, wherein the V.sub.H1 domain comprises a CDR-H1 sequence comprising the amino acid sequence of GYTFTSYY (SEQ ID NO:49), a CDR-H2 sequence comprising the amino acid sequence of IYPGNVNT (SEQ ID NO:50), and a CDR-H3 sequence comprising the amino acid sequence of TRSHYGLDWNFDV (SEQ ID NO:51), and the V.sub.L1 domain comprises a CDR-L1 sequence comprising the amino acid sequence of QNIYVW (SEQ ID NO:52), a CDR-L2 sequence comprising the amino acid sequence of KAS (SEQ ID NO:53), and a CDR-L3 sequence comprising the amino acid sequence of QQGQTYPY (SEQ ID NO:54).
- 4. The binding protein of claim 3, wherein the V.sub.H1 domain comprises the amino acid sequence of QVQLVQSGAEVVKPGASVKVSCKASGYTFTSYYIHWVRQAPGQGLEWIGSIYPGNVNT NYAQKFQGRATLTVDTSISTAYMELSRLRSDDTAVYYCTRSHYGLDWNFDVWGKGTT VTVSS (SEQ ID NO:91), and/or the V.sub.L1 domain comprises the amino acid sequence of DIQMTQSPSSLSASVGDRVTITCQASQNIYVWLNWYQQKPGKAPKLLIYKASNLHTGVP SRFSGSGSGTDFTLTISSLQPEDIATYYCQQGQTYPYTFGQGTKLEIK (SEQ ID NO:92).
- 5. The binding protein of claim 1, wherein the CDR-L1 sequence of the V.sub.L2 domain comprises an amino acid sequence selected from the group consisting of QSLVHQNAQTY (SEQ ID NO:59), QSLVHENLQTY (SEQ ID NO:60), QSLVHENLFTY (SEQ ID NO:61), and QSLVHENLRTY (SEQ ID NO:62).
- 6. The binding protein of claim 5, wherein the V.sub.H2 domain comprises the amino acid sequence of QVQLVESGGGVVQPGRSLRLSCAASGFTFTKAWMHWVRQAPGKQLEWVAQIKDKSNS YATYYADSVKGRF TISRDDSKNTLYLQMNSLRAEDTAVYYCRGVYYALSPFDYWGQG TLVTVSS (SEQ ID NO:93) or QVQLVESGGGVVQPGRSLRLSCAASGFTFTKAWMHWVRQAPGKQLEWVAQIKDKSNS YATYYASSVKGRFTISRDD SKNTLYLQMNSLRAEDTAVYYCRGVYYALSPFDYWGQG TLVTVSS (SEQ ID NO:595), and/or the V.sub.L2 domain comprises an amino acid sequence selected from the group consisting of DIVMTQTPLSLSVTPGQPASISCKSSQSLVHQNAQTYLSWYLQKPGQSPQSLIYKVSNRF SGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCGQGTQYPFTFGSGTKVEIK (SEQ ID NO:95), DIVMTQTPLSLSVTPGQPASISCKSSQSLVHENLQTYLSWYLQKPGQSPQSLIYKVSNRFS GVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCGQGTQYPFTFGSGTKVEIK (SEQ ID NO:96), DIVMTQTPLSLSVTPGQPASISCKSSQSLVHENLFTYLSWYLQKPGQSPQSLIYKVSNRFS GVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCGQGTQYPFTFGSGTKVEIK (SEQ ID NO:97), and DIVMTQTPLSLSVTPGQPASISCKSSQSLVHENLRTYLSWYLQKPGQSPQSLIYKVSNRFS GVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCGQGTQYPFTFGSGTKVEIK (SEQ ID NO:97), and DIVMTQTPLSLSVTPGQPASISCKSSQSLVHENLRTYLSWYLQKPGQSPQSLIYKVSNRFS GVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCGQGTQYPFTFGSGTKVEIK (SEQ ID NO:98).
 7-11. (canceled)
- **12**. The binding protein of claim 1, wherein the HER2 polypeptide is a human HER2 polypeptide.
- 13. The binding protein of claim 12, wherein: (a) the V.sub.H3 domain comprises a CDR-H1 sequence comprising the amino acid sequence of GFNIKDTY (SEQ ID NO:1) or GFNIRDTY (SEQ ID NO:2), a CDR-H2 sequence comprising the amino acid sequence of IYPTNGYT (SEQ ID NO:3), IYPTQGYT (SEQ ID NO:4), or IYPTNAYT (SEQ ID NO:5), and a CDR-H3 sequence comprising the amino acid sequence of SRWGGDGFYAMDY (SEQ ID NO:6), SRWGGEGFYAMDY (SEQ ID NO:7), or SRWGGSGFYAMDY (SEQ ID NO:8), and the V.sub.L3 domain comprises a CDR-L1 sequence comprising the amino acid sequence of QDVNTA (SEQ ID NO:9) or QDVQTA (SEQ ID NO:10), a CDR-L2 sequence comprising the amino acid sequence of SAS (SEQ ID NO:11), and a CDR-L.sub.3 sequence comprising the amino acid sequence of OOHYTTP (SEO ID NO:12): (b) the V.sub.H3 domain comprises a CDR-H1 sequence comprising the amino acid sequence of GFNIKDTY (SEQ ID NO:1), a CDR-H2 sequence comprising the amino acid sequence of IYPTNGYT (SEQ ID NO:3), and a CDR-H3 sequence comprising the amino acid sequence of SRWGGDGFYAMDY (SEQ ID NO:6), and the V.sub.L3 domain comprises a CDR-L1 sequence comprising the amino acid sequence of QDVNTA (SEQ ID NO:9), a CDR-L2 sequence comprising the amino acid sequence of SAS (SEO ID NO:11), and a CDR-L3 sequence comprising the amino acid sequence of QQHYTTP (SEQ ID NO:12); (c) the V.sub.H3 domain comprises a CDR-H1 sequence comprising the amino acid sequence of GFNIRDTY (SEQ ID NO:2), a CDR-H2 sequence comprising the amino acid sequence of IYPTQGYT (SEQ ID NO:4), and a CDR-H3 sequence comprising the amino acid sequence of SRWGGEGFYAMDY (SEQ ID NO:7), and the V.sub.L3 domain comprises a CDR-L1 sequence comprising the amino acid sequence of ODVNTA (SEQ ID NO:9), a CDR-L2 sequence comprising the amino acid sequence of SAS (SEQ ID NO:11), and a CDR-L3 sequence comprising the amino acid sequence of QQHYTTP (SEQ ID NO:12); (d) the V.sub.H3 domain comprises a CDR-H1 sequence comprising the amino acid sequence of GFNIRDTY (SEQ ID NO:2), a CDR-H2 sequence comprising the amino acid sequence of IYPTNAYT (SEQ ID NO:5), and a CDR-H3 sequence comprising the amino acid sequence of SRWGGSGFYAMDY (SEQ ID NO:8), and the V.sub.L3 domain comprises a CDR-L1 sequence comprising the amino acid sequence of QDVNTA (SEQ ID NO:9), a CDR-L2 sequence comprising the amino acid sequence of SAS (SEQ ID NO:11), and a CDR-L3 sequence

```
comprising the amino acid sequence of QQHYTTP (SEQ ID NO:12); (e) the V.sub.H3 domain comprises a CDR-H1
sequence comprising the amino acid sequence of GFNIRDTY (SEQ ID NO:2), a CDR-H2 sequence comprising the amino
acid sequence of IYPTQGYT (SEQ ID NO:4), and a CDR-H3 sequence comprising the amino acid sequence of
SRWGGSGFYAMDY (SEQ ID NO:8), and the V.sub.L3 domain comprises a CDR-L1 sequence comprising the amino acid
sequence of ODVNTA (SEQ ID NO:9), a CDR-L2 sequence comprising the amino acid sequence of SAS (SEQ ID NO:11),
and a CDR-L3 sequence comprising the amino acid sequence of QQHYTTP (SEQ ID NO:12); (f) the V.sub.H3 domain
comprises a CDR-H1 sequence comprising the amino acid sequence of GFNIRDTY (SEQ ID NO:2), a CDR-H2 sequence
comprising the amino acid sequence of IYPTNAYT (SEQ ID NO:5), and a CDR-H3 sequence comprising the amino acid
sequence of SRWGGEGFYAMDY (SEQ ID NO:7), and the V.sub.L3 domain comprises a CDR-L1 sequence comprising the
amino acid sequence of QDVNTA (SEQ ID NO:9), a CDR-L2 sequence comprising the amino acid sequence of SAS (SEQ
ID NO:11), and a CDR-L3 sequence comprising the amino acid sequence of QQHYTTP (SEQ ID NO:12); or (g) the
V.sub.H3 domain comprises a CDR-H1 sequence comprising the amino acid sequence of GFNIKDTY (SEQ ID NO:1), a
CDR-H2 sequence comprising the amino acid sequence of IYPTNGYT (SEQ ID NO:3), and a CDR-H3 sequence
comprising the amino acid sequence of SRWGGDGFYAMDY (SEQ ID NO:6), and the V.sub.L3 domain comprises a CDR-
L1 sequence comprising the amino acid sequence of QDVQTA (SEQ ID NO:10), a CDR-L2 sequence comprising the amino
acid sequence of SAS (SEQ ID NO:11), and a CDR-L3 sequence comprising the amino acid sequence of QQHYTTP (SEQ
ID NO:12).
```

14. The binding protein of claim 13, wherein: (a) the V.sub.H3 domain comprises the amino acid sequence of EVQLVESGGGLVQPGGSLRLSCAASGFNIKDTYIHWVRQAPGKGLEWVARIYPTNGYT

RYADSVKGRFTISADTSKNTAYLQMNSLRAEDTAVYYCSRWGGDGFYAMDYWGQGT LVTVSS (SEQ ID NO:72),

EVQLVESGGGLVQPGGSLRL SCAASGFNIRDTYIHWVRQAPGKGLEWVARIYPTQGYTR YADSVKGRF

TISADTSKNTAYLQMNSLRAEDTAVYYCSRWGGEGFYAMDYWGQGTL VTVSS (SEQ ID NO:73),

EVQLVESGGGLVQPGGSLRLSCAASGFNIRDTYIHWVRQAPGKGLEWVARIYPTQGYTR

YADSVKGRFTISADTSKNTAYLQMNSLRAEDTAVYYCSRWGGSGFYAMDYWGQGTL VTVSS (SEQ ID NO:74),

EVQLVESGGGLVQPGGSLRLSCAASGFNIRDTYIHWVRQAPGKGLEWVARIYPTNAYTR

YADSVKGRFTISADTSKNTAYLQMNSLRAEDTAVYYCSRWGGSGFYAMDYWGQGTL VTVSS (SEQ ID NO:75), or EVQLVESGGGLVQPGGSLRLSCAASGFNIRDTYIHWVRQAPGKGLEWVARIYPTNAYTR

YADSVKGRFTISADTSKNTAYLQMNSLRAEDTAVYYCSRWGGEGFYAMDYWGQGTL VTVSS (SEQ ID NO:76), and/or the V.sub.L3 domain comprises the amino acid sequence of

DIQMTQSPSSLSASVGDRVTITCRASQDVNTAVAWYQQKPGKAPKLLIYSASFLYSGVP

SRFSGSRSGTDFTLTISSLQPEDFATYYCQQHYTTPPTFGQGTKVEIK (SEQ ID NO:77) or

DIQMTQSPSSLSASVGDRVTITCRASQDVQTAVAWYQQKPGKAPKLLIYSASFLYSGVP

SRFSGSRSGTDFTLTISSLQPEDFATYYCQQHYTTPPTFGQGTKVEIK (SEQ ID NO:78); (b) the V.sub.H3 domain comprises the amino acid sequence of

EVQLVESGGGLVQPGGSLRLSCAASGFNIKDTYIHWVRQAPGKGLEWVARIYPTNGYT

RYADSVKGRFTISADTSKNTAYLQMNSLRAEDTAVYYCSRWGGDGFYAMDYWGQGT LVTVSS (SEQ ID NO:72), and/or the V.sub.L3 domain comprises the amino acid sequence of

DIQMTQSPSSLSASVGDRVTITCRASQDVNTAVAWYQQKPGKAPKLLIYSASFLYSGVP

SRFSGSRSGTDFTLTISSLQPEDFATYYCQQHYTTPPTFGQGTKVEIK (SEQ ID NO:77); (c) the V.sub.H3 domain comprises the amino acid sequence of

EVQLVESGGGLVQPGGSLRLSCAASGFNIRDTYIHWVRQAPGKGLEWVARIYPTQGYTR

YADSVKGRFTISADTSKNTAYLQMNSLRAEDTAVYYCSRWGGEGFYAMDYWGQGTL VTVSS (SEQ ID NO:73), and/or the V.sub.L3 domain comprises the amino acid sequence of

DIQMTQSPSSLSASVGDRVTITCRASQDVNTAVAWYQQKPGKAPKLLIYSASFLYSGVP

SRFSGSRSGTDFTLTISSLQPEDFATYYCQQHYTTPPTFGQGTKVEIK (SEQ ID NO:77); (d) the V.sub.H3 domain comprises the amino acid sequence of

EVQLVESGGGLVQPGGSLRLSCAASGFNIRDTYIHWVRQAPGKGLEWVARIYPTNAYTR

YADSVKGRFTISADTSKNTAYLQMNSLRAEDTAVYYCSRWGGSGFYAMDYWGQGTL VTVSS (SEQ ID NO:75), and/or the V.sub.L3 domain comprises the amino acid sequence of

DIQMTQSPSSLSASVGDRVTITCRASQDVNTAVAWYQQKPGKAPKLLIYSASFLYSGVP

SRFSGSRSGTDFTLTISSLQPEDFATYYCQQHYTTPPTFGQGTKVEIK (SEQ ID NO:77); (e) the V.sub.H3 domain comprises the amino acid sequence of

EVOLVESGGGLVOPGGSLRLSCAASGFNIRDTYIHWVROAPGKGLEWVARIYPTOGYTR

YADSVKGRFTISADTSKNTAYLQMNSLRAEDTAVYYCSRWGGSGFYAMDYWGQGTL VTVSS (SEQ ID NO:74), and/or the V.sub.L3 domain comprises the amino acid sequence of

DIQMTQSPSSLSASVGDRVTITCRASQDVNTAVAWYQQKPGKAPKLLIYSASFLYSGVP

SRFSGSRSGTDFTLTISSLQPEDFATYYCQQHYTTPPTFGQGTKVEIK (SEQ ID NO:77); (f) the V.sub.H3 domain comprises the amino acid sequence of

EVQLVESGGGLVQPGGSLRLSCAASGFNIRDTYIHWVRQAPGKGLEWVARIYPTNAYTR

YADSVKGRFTISADTSKNTAYLQMNSLRAEDTAVYYCSRWGGEGFYAMDYWGQGTL VTVSS (SEQ ID NO:76), and/or the V.sub.L3 domain comprises the amino acid sequence of

DIQMTQSPSSLSASVGDRVTITCRASQDVNTAVAWYQQKPGKAPKLLIYSASFLYSGVP

SRFSGSRSGTDFTLTISSLQPEDFATYYCQQHYTTPPTFGQGTKVEIK (SEQ ID NO:77); or (g) the V.sub.H3 domain

comprises the amino acid sequence of

EVOLVESGGGLVOPGGSLRLSCAASGFNIKDTYIHWVROAPGKGLEWVARIYPTNGYT

RYADSVKGRFTISADTSKNTAYLQMNSLRAEDTAVYYCSRWGGDGFYAMDYWGQGT LVTVSS (SEQ ID NO:72), and/or the V.sub.L3 domain comprises the amino acid sequence of

DIQMTQSPSSLSASVGDRVTITCRASQDVQTAVAWYQQKPGKAPKLLIYSASFLYSGVP

SRFSGSRSGTDFTLTISSLQPEDFATYYCQQHYTTPPTFGQGTKVEIK (SEQ ID NO:78).

15. The binding protein of claim 12, wherein: (a) the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:100 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:100; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:101 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:101; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:102 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:102; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:103 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:103; (b) the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:104 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:104; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:105 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:105; the third polypeptide chain comprises the amino acid sequence of SEO ID NO:106 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEO ID NO:106; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:107 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:107; (c) the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:112 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEO ID NO:112; the second polypeptide chain comprises the amino acid sequence of SEO ID NO:113 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:113; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:114 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:114; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:115 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:115; (d) the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:128 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:128; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:129 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:129; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:130 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:130; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:131 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:131; (e) the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:136 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:136; the second polypeptide chain comprises the amino acid sequence of SEO ID NO:137 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:137; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:138 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:138; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:139 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:139; (f) the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:140 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:140; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:141 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:141; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:142 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:142; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:143 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:143; (g) the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:144 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:144; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:145 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:145; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:146 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:146; and the fourth polypeptide chain comprises the amino acid sequence of SEO ID NO:147 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:147; (h) the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:152 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:152; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:153 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:153; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:154 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:154; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:155 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:155; (i) the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:286 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:286; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:287 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:287; the third polypeptide chain comprises the amino acid sequence of SEO ID NO:288 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:288; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:289 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:289; (j) the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:290 or an amino acid sequence

that is at least 95% identical to the amino acid sequence of SEQ ID NO:290; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:291 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:291; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:292 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:293; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:293; or (k) the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:294 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:294; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:295 or an amino acid sequence that is at least 95% identical to the amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:296; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:296; and the fourth polypeptide chain comprises the amino acid sequence that is at least 95% identical to the amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:296; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:297.

- **16**. The binding protein of claim 1, wherein at least one of L.sub.1, L.sub.2, L.sub.3 or L.sub.4 is independently 0 amino acids in length.
- **18**. The binding protein of claim 1, wherein L.sub.1 comprises the sequence GQPKAAP (SEQ ID NO:67), L.sub.2 comprises the sequence TKGPS (SEQ ID NO:68), L.sub.3 comprises the sequence S, and L.sub.4 comprises the sequence RT.
- **19**. The binding protein of claim 1, wherein at least one of L.sub.1, L.sub.2, L.sub.3 or L.sub.4 comprises the sequence DKTHT (SEQ ID NO:66).
- **20**. The binding protein of claim 19, wherein L.sub.1, L.sub.2, L.sub.3 and L.sub.4 each independently comprise the sequence DKTHT (SEQ ID NO:66).
- **21**. The binding protein of claim 1, wherein the hinge-C.sub.H2-C.sub.H3 domains of the second and the third polypeptide chains are human IgG4 hinge-C.sub.H2-C.sub.H3 domains, and wherein the hinge-C.sub.H2-C.sub.H3 domains each comprise amino acid substitutions at positions corresponding to positions 234 and 235 of human IgG4 according to EU Index, wherein the amino acid substitutions are F234A and L235A.
- **22**. The binding protein of claim 1, wherein the hinge-C.sub.H2-C.sub.H3 domains of the second and the third polypeptide chains are human IgG4 hinge-C.sub.H2-C.sub.H3 domains, and wherein the hinge-C.sub.H2-C.sub.H3 domains each comprise amino acid substitutions at positions corresponding to positions 233-236 of human IgG4 according to EU Index, wherein the amino acid substitutions are E233P, F234V, L235A, and a deletion at 236.
- **23**. The binding protein of claim 1, wherein the hinge-C.sub.H2-C.sub.H3 domains of the second and the third polypeptide chains are human IgG4 hinge-C.sub.H2-C.sub.H3 domains, and wherein the hinge-C.sub.H2-C.sub.H3 domains each comprise amino acid substitutions at positions corresponding to positions 228 and 409 of human IgG4 according to EU Index, wherein the amino acid substitutions are S228P and R409K.
- **24.** The binding protein of claim 1, wherein the hinge-C.sub.H2-C.sub.H3 domains of the second and the third polypeptide chains are human IgG1 hinge-C.sub.H2-C.sub.H3 domains, and wherein the hinge-C.sub.H2-C.sub.H3 domains each comprise amino acid substitutions at positions corresponding to positions 234, 235, and 329 of human IgG1 according to EU Index, wherein the amino acid substitutions are L234A, L235A, and P329A.
- **25**. The binding protein of claim 1, wherein the hinge-C.sub.H2-C.sub.H3 domains of the second and the third polypeptide chains are human IgG1 hinge-C.sub.H2-C.sub.H3 domains, and wherein the hinge-C.sub.H2-C.sub.H3 domains each comprise amino acid substitutions at positions corresponding to positions 298, 299, and 300 of human IgG1 according to EU Index, wherein the amino acid substitutions are S298N, T299A, and Y300S.
- **26.** The binding protein of claim 1, wherein the hinge-C.sub.H2-C.sub.H3 domain of the second polypeptide chain comprises amino acid substitutions at positions corresponding to positions 349, 366, 368, and 407 of human IgG1 or IgG4 according to EU Index, wherein the amino acid substitutions are Y349C, T366S, L368A, and Y407V; and wherein the hinge-C.sub.H2-C.sub.H3 domain of the third polypeptide chain comprises amino acid substitutions at positions corresponding to positions 354 and 366 of human IgG1 or IgG4 according to EU Index, wherein the amino acid substitutions are S354C and T366W.
- 27. The binding protein of claim 1, wherein the hinge-C.sub.H2-C.sub.H3 domain of the second polypeptide chain comprises amino acid substitutions at positions corresponding to positions 354 and 366 of human IgG1 or IgG4 according to EU Index, wherein the amino acid substitutions are S354C and T366W; and wherein the hinge-C.sub.H2-C.sub.H3 domain of the third polypeptide chain comprises amino acid substitutions at positions corresponding to positions 349, 366, 368, and 407 of human IgG1 or IgG4 according to EU Index, wherein the amino acid substitutions are Y349C, T366S, L368A, and Y407V.
- 28. An isolated nucleic acid molecule comprising a nucleotide sequence encoding the binding protein of claim 1.
- **29**. An expression vector comprising the nucleic acid molecule of claim 28.
- **30**. An isolated host cell comprising the nucleic acid molecule of claim 28.
- **31**. The isolated host cell of claim 30, wherein the host cell is a mammalian or insect cell.
- **32**. A pharmaceutical composition comprising the binding protein of claim 1 and a pharmaceutically acceptable carrier. **33-85**. (canceled)
- 86. A vector system comprising one or more vectors encoding a first, second, third, and fourth polypeptide chain of a binding

protein of claim 1.

87. The vector system of claim 86, wherein the vector system comprises a first vector encoding the first polypeptide chain of the binding protein, a second vector encoding the second polypeptide chain of the binding protein, a third vector encoding the third polypeptide chain of the binding protein, and a fourth vector encoding the fourth polypeptide chain of the binding protein.

88. A kit of polynucleotides, comprising: (a) a first polynucleotide comprising the polynucleotide sequence of SEQ ID NO:189, a second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:190, a third polynucleotide comprising the polynucleotide sequence of SEQ ID NO:191, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:192; (b) a first polynucleotide comprising the polynucleotide sequence of SEQ ID NO:193, a second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:194, a third polynucleotide comprising the polynucleotide sequence of SEQ ID NO:195, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:196; (c) a first polynucleotide comprising the polynucleotide sequence of SEQ ID NO:201, a second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:202, a third polynucleotide comprising the polynucleotide sequence of SEQ ID NO:203, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:204; (d) a first polynucleotide comprising the polynucleotide sequence of SEQ ID NO:217, a second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:218, a third polynucleotide comprising the polynucleotide sequence of SEQ ID NO:219, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:220; (e) a first polynucleotide comprising the polynucleotide sequence of SEQ ID NO:225, a second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:226, a third polynucleotide comprising the polynucleotide sequence of SEQ ID NO:227, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:228; (f) a first polynucleotide comprising the polynucleotide sequence of SEO ID NO:229, a second polynucleotide comprising the polynucleotide sequence of SEO ID NO:230, a third polynucleotide comprising the polynucleotide sequence of SEQ ID NO:231, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:232; (g) a first polynucleotide comprising the polynucleotide sequence of SEQ ID NO:233, a second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:234, a third polynucleotide comprising the polynucleotide sequence of SEO ID NO:235, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:236; or (h) a first polynucleotide comprising the polynucleotide sequence of SEQ ID NO:241, a second polynucleotide comprising the polynucleotide sequence of SEQ ID NO:242, a third polynucleotide comprising the polynucleotide sequence of SEQ ID NO:243, and a fourth polynucleotide comprising the polynucleotide sequence of SEQ ID NO:244.

89. The kit of claim 88, wherein the first, second, third, and fourth polynucleotides are present on one or more expression vectors.

90-128. (canceled)

129. A binding protein comprising four polypeptide chains that form three antigen binding sites, wherein a first polypeptide chain comprises a structure represented by the formula:

V.sub.L2-L.sub.1-V.sub.L1-L.sub.2-C.sub.L [I] and a second polypeptide chain comprises a structure represented by the formula:

V.sub.H1-L.sub.3-V.sub.H2-L.sub.4-C.sub.H1-hinge-C.sub.H2-C.sub.H3 [II] and a third polypeptide chain comprises a structure represented by the formula:

V.sub.H3-C.sub.H1-hinge-C.sub.H2-C.sub.H3 [III] and a fourth polypeptide chain comprises a structure represented by the formula:

V.sub.L3-C.sub.L [IV] wherein: V.sub.L1 is a first immunoglobulin light chain variable domain; V.sub.L2 is a second immunoglobulin light chain variable domain; V.sub.L3 is a third immunoglobulin light chain variable domain; V.sub.H1 is a first immunoglobulin heavy chain variable domain; V.sub.H2 is a second immunoglobulin heavy chain variable domain; V.sub.H3 is a third immunoglobulin heavy chain variable domain; C.sub.L is an immunoglobulin light chain constant domain; C.sub.H1 is an immunoglobulin C.sub.H1 heavy chain constant domain; C.sub.H2 is an immunoglobulin C.sub.H2 heavy chain constant domain; C.sub.H3 is an immunoglobulin C.sub.H3 heavy chain constant domain; hinge is an immunoglobulin hinge region connecting the C.sub.H1 and C.sub.H2 domains; and L.sub.1, L.sub.2, L.sub.3 and L.sub.4 are amino acid linkers; wherein the polypeptide of formula I and the polypeptide of formula II form a cross-over light chainheavy chain pair; wherein V.sub.H1 and V.sub.L1 form a first antigen binding site that binds a CD28 polypeptide, wherein the V.sub.H1 domain comprises a CDR-H1 sequence comprising the amino acid sequence of GYTFTSYY (SEQ ID NO:49), a CDR-H2 sequence comprising the amino acid sequence of IYPGNVNT (SEQ ID NO:50), and a CDR-H3 sequence comprising the amino acid sequence of TRSHYGLDWNFDV (SEQ ID NO:51), and the V.sub.L1 domain comprises a CDR-L1 sequence comprising the amino acid sequence of ONIYVW (SEQ ID NO:52), a CDR-L2 sequence comprising the amino acid sequence of KAS (SEQ ID NO:53), and a CDR-L3 sequence comprising the amino acid sequence of QQGQTYPY (SEQ ID NO:54); wherein V.sub.H2 and V.sub.L2 form a second antigen binding site that binds a CD3 polypeptide, wherein the V.sub.H2 domain comprises a CDR-H1 sequence comprising the amino acid sequence of GFTFTKAW (SEQ ID NO:55), a CDR-H2 sequence comprising the amino acid sequence of IKDKSNSYAT (SEQ ID NO:56), and a CDR-H3 sequence comprising the amino acid sequence of RGVYYALSPFDY (SEQ ID NO:57), and the V.sub.L2 domain comprises a CDR-L1 sequence comprising the amino acid sequence of QSLVHQNAQTY (SEQ ID NO:59), a CDR-L2 sequence comprising the amino acid sequence of KVS (SEO ID NO:64), and a CDR-L3 sequence comprising the amino acid sequence of GQGTQYPFT (SEQ ID NO:65); and wherein V.sub.H3 and V.sub.L3 form a third antigen binding site that binds a HER2 polypeptide wherein the V.sub.H3 domain comprises a CDR-H1 sequence comprising the amino acid sequence of GFNIRDTY (SEQ ID NO:2), a CDR-H2 sequence comprising the amino acid sequence of IYPTQGYT (SEQ ID NO:4), and

- a CDR-H3 sequence comprising the amino acid sequence of SRWGGEGFYAMDY (SEQ ID NO:7), and the V.sub.L3 domain comprises a CDR-L1 sequence comprising the amino acid sequence of QDVNTA (SEQ ID NO:9), a CDR-L2 sequence comprising the amino acid sequence of SAS (SEQ ID NO:11), and a CDR-L3 sequence comprising the amino acid sequence of QQHYTTP (SEQ ID NO:12).
- **130**. The binding protein of claim 129, wherein: the V.sub.H1 domain comprises the amino acid sequence of QVQLVQSGAEVVKPGASVKVSCKASGYTFTSYYIHWVRQAPGQGLEWIGSIYPGNVNT
- NYAQKFQGRATLTVDTSISTAYMELSRLRSDDTAVYYCTRSHYGLDWNFDVWGKGTT VTVSS (SEQ ID NO:91), and the V.sub.L1 domain comprises the amino acid sequence of
- DIQMTQSPSSLSASVGDRVTITCQASQNIYVWLNWYQQKPGKAPKLLIYKASNLHTGVP
- SRFSGSGSGTDFTLTISSLQPEDIATYYCQQGQTYPYTFGQGTKLEIK (SEQ ID NO:92); the V.sub.H2 domain comprises the amino acid sequence of
- QVQLVESGGGVVQPGRSLRLSCAASGFTFTKAWMHWVRQAPGKQLEWVAQIKDKSNS
- YATYYADSVKGRFTISRDDSKNTLYLQMNSLRAEDTAVYYCRGVYYALSPFDYWGQG TLVTVSS (SEQ ID NO:93); and the V.sub.L2 domain comprises the amino acid sequence of
- DIVMTQTPLSLSVTPGQPASISCKSSQSLVHQNAQTYLSWYLQKPGQSPQSLIYKVSNRF
- SGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCGQGTQYPFTFGSGTKVEIK (SEQ ID NO:95); and the V.sub.H3 domain comprises the amino acid sequence of
- EVQLVESGGGLVQPGGSLRLSCAASGFNIRDTYIHWVRQAPGKGLEWVARIYPTQGYTR
- YADSVKGRFTISADTSKNTAYLQMNSLRAEDTAVYYCSRWGGEGFYAMDYWGQGTL VTVSS (SEQ ID NO:73), and the V.sub.L3 domain comprises the amino acid sequence of
- DIQMTQSPSSLSASVGDRVTITCRASQDVNTAVAWYQQKPGKAPKLLIYSASFLYSGVP
- SRFSGSRSGTDFTLTISSLQPEDFATYYCQQHYTTPPTFGQGTKVEIK (SEQ ID NO:77).
- 131. The binding protein of claim 129, wherein the first polypeptide chain comprises the amino acid sequence of SEQ ID NO:104 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:104; the second polypeptide chain comprises the amino acid sequence of SEQ ID NO:105 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:105; the third polypeptide chain comprises the amino acid sequence of SEQ ID NO:106 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:106; and the fourth polypeptide chain comprises the amino acid sequence of SEQ ID NO:107 or an amino acid sequence that is at least 95% identical to the amino acid sequence of SEQ ID NO:107.
- **132**. The binding protein of claim 129, wherein L.sub.1, L.sub.2, L.sub.3 and L.sub.4 each independently comprise the sequence DKTHT (SEO ID NO:66).
- **133**. The binding protein of claim 129, wherein the hinge-C.sub.H2-C.sub.H3 domains of the second and the third polypeptide chains are human IgG4 hinge-C.sub.H2-C.sub.H3 domains, and wherein the hinge-C.sub.H2-C.sub.H3 domains each comprise amino acid substitutions at positions corresponding to positions 234 and 235 of human IgG4 according to EU Index, wherein the amino acid substitutions are F234A and L235A.
- **134.** The binding protein of claim 129, wherein the hinge-C.sub.H2-C.sub.H3 domains of the second and the third polypeptide chains are human IgG4 hinge-C.sub.H2-C.sub.H3 domains, and wherein the hinge-C.sub.H2-C.sub.H3 domains each comprise amino acid substitutions at positions corresponding to positions 228 and 409 of human IgG4 according to EU Index, wherein the amino acid substitutions are S228P and R409K.
- **135**. The binding protein of claim 129, wherein the hinge-C.sub.H2-C.sub.H3 domain of the second polypeptide chain comprises amino acid substitutions at positions corresponding to positions 349, 366, 368, and 407 of human IgG1 or IgG4 according to EU Index, wherein the amino acid substitutions are Y349C, T366S, L368A, and Y407V; and wherein the hinge-C.sub.H2-C.sub.H3 domain of the third polypeptide chain comprises amino acid substitutions at positions corresponding to positions 354 and 366 of human IgG1 or IgG4 according to EU Index, wherein the amino acid substitutions are S354C and T366W.
- **136**. The binding protein of claim 129, wherein the hinge-C.sub.H2-C.sub.H3 domain of the second polypeptide chain comprises amino acid substitutions at positions corresponding to positions 354 and 366 of human IgG1 or IgG4 according to EU Index, wherein the amino acid substitutions are S354C and T366W; and wherein the hinge-C.sub.H2-C.sub.H3 domain of the third polypeptide chain comprises amino acid substitutions at positions corresponding to positions 349, 366, 368, and 407 of human IgG1 or IgG4 according to EU Index, wherein the amino acid substitutions are Y349C, T366S, L368A, and Y407V.