

US Patent & Trademark Office

Patent Public Search | Text View

United States Patent	12387716
Kind Code	B2
Date of Patent	August 12, 2025
Inventor(s)	Coucke; Alice et al.

Wakewordless voice quickstarts

Abstract

As noted above, example techniques relate to local voice control. A device may monitoring an input sound-data stream representing sound detected by the one or more microphones for keywords and generate a first keyword detection event corresponding to a voice input when one or more keyword engines detect sound data matching at least one first keyword of the one or more keywords. The device determines whether the second voice input matches a particular predetermined speaker profile of one or more predetermined speaker profiles. Based on (i) generating the first keyword detection event and (ii) determining that the second voice input includes sound data matching the particular predetermined speaker profile, the device performs a particular playback command associated with the at least one first keyword.

Inventors: Coucke; Alice (Paris, FR), Bluche; Theodore (Paris, FR), Balian; Julien (Paris, FR), Tavarone; Raffaele (Paris, FR)

Applicant: Sonos, Inc. (Santa Barbara, CA)

Family ID: 1000008748216

Assignee: Sonos, Inc. (Goleta, CA)

Appl. No.: 17/340590

Filed: June 07, 2021

Prior Publication Data

Document Identifier	Publication Date
US 20210383796 A1	Dec. 09, 2021

Related U.S. Application Data

us-provisional-application US 63036189 20200608

Publication Classification

Int. Cl.: G10L15/16 (20060101); G10L15/06 (20130101); G10L15/08 (20060101); G10L15/22 (20060101)

U.S. Cl.:

CPC G10L15/16 (20130101); G10L15/063 (20130101); G10L15/22 (20130101); G10L2015/088 (20130101); G10L2015/223 (20130101)

Field of Classification Search

CPC: G10L (15/16); G10L (15/063); G10L (15/22); G10L (2015/088); G10L (2015/223); G10L (17/00); G06F (3/167)

References Cited

U.S. PATENT DOCUMENTS

Patent No.	Issued Date	Patentee Name	U.S. Cl.	CPC
999715	12/1910	Gundersen	N/A	N/A
4741038	12/1987	Elko et al.	N/A	N/A
4941187	12/1989	Slater	N/A	N/A
4974213	12/1989	Siwecki	N/A	N/A
5036538	12/1990	Oken et al.	N/A	N/A
5440644	12/1994	Farinelli et al.	N/A	N/A
5588065	12/1995	Tanaka et al.	N/A	N/A
5717768	12/1997	Laroche	N/A	N/A

5740260	12/1997	Odom	N/A	N/A
5761320	12/1997	Farinelli et al.	N/A	N/A
5857172	12/1998	Rozak	N/A	N/A
5923902	12/1998	Inagaki	N/A	N/A
5949414	12/1998	Namikata et al.	N/A	N/A
6032202	12/1999	Lea et al.	N/A	N/A
6070140	12/1999	Tran	N/A	N/A
6088459	12/1999	Hobelsberger	N/A	N/A
6219645	12/2000	Byers	N/A	N/A
6256554	12/2000	DiLorenzo	N/A	N/A
6301603	12/2000	Maher et al.	N/A	N/A
6311157	12/2000	Strong	N/A	N/A
6366886	12/2001	Dragosh et al.	N/A	N/A
6404811	12/2001	Cvetko et al.	N/A	N/A
6408078	12/2001	Hobelsberger	N/A	N/A
6469633	12/2001	Wachter	N/A	N/A
6522886	12/2002	Youngs et al.	N/A	N/A
6594347	12/2002	Calder et al.	N/A	N/A
6594630	12/2002	Zlokarnik et al.	N/A	N/A
6611537	12/2002	Edens et al.	N/A	N/A
6611604	12/2002	Irby et al.	N/A	N/A
6631410	12/2002	Kowalski et al.	N/A	N/A
6757517	12/2003	Chang	N/A	N/A
6778869	12/2003	Champion	N/A	N/A
6937977	12/2004	Gerson	N/A	N/A
7099821	12/2005	Visser et al.	N/A	N/A
7103542	12/2005	Doyle	N/A	N/A
7130608	12/2005	Hollstrom et al.	N/A	N/A
7130616	12/2005	Janik	N/A	N/A
7143939	12/2005	Henzerling	N/A	N/A
7174299	12/2006	Fujii et al.	N/A	N/A
7228275	12/2006	Endo et al.	N/A	N/A
7236773	12/2006	Thomas	N/A	N/A
7295548	12/2006	Blank et al.	N/A	N/A
7356471	12/2007	Ito et al.	N/A	N/A
7383297	12/2007	Atsmon et al.	N/A	N/A
7391791	12/2007	Balassanian et al.	N/A	N/A
7483538	12/2008	McCarty et al.	N/A	N/A
7516068	12/2008	Clark	N/A	N/A
7571014	12/2008	Lambourne et al.	N/A	N/A
7577757	12/2008	Carter et al.	N/A	N/A
7630501	12/2008	Blank et al.	N/A	N/A
7643894	12/2009	Braithwaite et al.	N/A	N/A
7657910	12/2009	McAulay et al.	N/A	N/A
7661107	12/2009	Van Dyke et al.	N/A	N/A
7702508	12/2009	Bennett	N/A	N/A
7705565	12/2009	Patino et al.	N/A	N/A
7792311	12/2009	Holmgren et al.	N/A	N/A
7853341	12/2009	McCarty et al.	N/A	N/A
7961892	12/2010	Fedigan	N/A	N/A
7987294	12/2010	Bryce et al.	N/A	N/A
8014423	12/2010	Thaler et al.	N/A	N/A
8019076	12/2010	Lambert	N/A	N/A
8032383	12/2010	Bhardwaj et al.	N/A	N/A
8041565	12/2010	Bhardwaj et al.	N/A	N/A
8045952	12/2010	Qureshey et al.	N/A	N/A
8073125	12/2010	Zhang et al.	N/A	N/A
8073681	12/2010	Baldwin et al.	N/A	N/A
8085947	12/2010	Haulick et al.	N/A	N/A
8103009	12/2011	McCarty et al.	N/A	N/A
8136040	12/2011	Fleming	N/A	N/A
8165867	12/2011	Fish	N/A	N/A
8233632	12/2011	MacDonald et al.	N/A	N/A
8234395	12/2011	Millington	N/A	N/A
8239206	12/2011	LeBeau et al.	N/A	N/A
8255224	12/2011	Singleton et al.	N/A	N/A
8284982	12/2011	Bailey	N/A	N/A
8290603	12/2011	Lambourne	N/A	N/A
8325909	12/2011	Tashev et al.	N/A	N/A
8340975	12/2011	Rosenberger	N/A	N/A
8364481	12/2012	Strope et al.	N/A	N/A

8385557	12/2012	Tashev et al.	N/A	N/A
8386261	12/2012	Mellott et al.	N/A	N/A
8386523	12/2012	Mody et al.	N/A	N/A
8423893	12/2012	Ramsay et al.	N/A	N/A
8428758	12/2012	Naik et al.	N/A	N/A
8453058	12/2012	Coccaro et al.	N/A	N/A
8473618	12/2012	Spear et al.	N/A	N/A
8483853	12/2012	Lambourne	N/A	N/A
8484025	12/2012	Moreno et al.	N/A	N/A
8489398	12/2012	Gruenstein	N/A	N/A
8588849	12/2012	Patterson et al.	N/A	N/A
8594320	12/2012	Faller	N/A	N/A
8600443	12/2012	Kawaguchi et al.	N/A	N/A
8620232	12/2012	Helsloot	N/A	N/A
8639214	12/2013	Fujisaki	N/A	N/A
8676273	12/2013	Fujisaki	N/A	N/A
8710970	12/2013	Oelrich et al.	N/A	N/A
8719039	12/2013	Sharifi	N/A	N/A
8738925	12/2013	Park et al.	N/A	N/A
8762156	12/2013	Chen	N/A	N/A
8768712	12/2013	Sharifi	N/A	N/A
8775191	12/2013	Sharifi et al.	N/A	N/A
8831761	12/2013	Kemp et al.	N/A	N/A
8831957	12/2013	Taubman et al.	N/A	N/A
8848879	12/2013	Coughlan et al.	N/A	N/A
8861756	12/2013	Zhu et al.	N/A	N/A
8874448	12/2013	Kauffmann et al.	N/A	N/A
8898063	12/2013	Sykes et al.	N/A	N/A
8938394	12/2014	Faaborg et al.	N/A	N/A
8942252	12/2014	Balassanian et al.	N/A	N/A
8983383	12/2014	Haskin	N/A	N/A
8983844	12/2014	Thomas et al.	N/A	N/A
9002024	12/2014	Nakadai et al.	N/A	N/A
9015049	12/2014	Baldwin et al.	N/A	N/A
9042556	12/2014	Kallai et al.	N/A	N/A
9047857	12/2014	Barton	N/A	N/A
9060224	12/2014	List	N/A	N/A
9070367	12/2014	Hoffmeister et al.	N/A	N/A
9088336	12/2014	Mani et al.	N/A	N/A
9094539	12/2014	Noble	N/A	N/A
9098467	12/2014	Blanksteen et al.	N/A	N/A
9124650	12/2014	Maharajh et al.	N/A	N/A
9124711	12/2014	Park et al.	N/A	N/A
9148742	12/2014	Koulomzin et al.	N/A	N/A
9183845	12/2014	Gopalakrishnan et al.	N/A	N/A
9190043	12/2014	Krisch et al.	N/A	N/A
9208785	12/2014	Ben-David et al.	N/A	N/A
9215545	12/2014	Dublin et al.	N/A	N/A
9245527	12/2015	Lindahl	N/A	N/A
9251793	12/2015	Lebeau et al.	N/A	N/A
9253572	12/2015	Beddingfield, Sr. et al.	N/A	N/A
9262612	12/2015	Cheyser	N/A	N/A
9263042	12/2015	Sharifi	N/A	N/A
9275637	12/2015	Salvador et al.	N/A	N/A
9288597	12/2015	Carlsson et al.	N/A	N/A
9300266	12/2015	Grokop	N/A	N/A
9304736	12/2015	Whiteley et al.	N/A	N/A
9307321	12/2015	Unruh	N/A	N/A
9313317	12/2015	Lebeau et al.	N/A	N/A
9318107	12/2015	Sharifi	N/A	N/A
9319816	12/2015	Narayanan	N/A	N/A
9324322	12/2015	Torok et al.	N/A	N/A
9335819	12/2015	Jaeger et al.	N/A	N/A
9354687	12/2015	Bansal et al.	N/A	N/A
9361878	12/2015	Boukadakis	N/A	N/A
9361885	12/2015	Ganong, III et al.	N/A	N/A
9368105	12/2015	Freed et al.	N/A	N/A
9373329	12/2015	Strope et al.	N/A	N/A
9374634	12/2015	Macours	N/A	N/A
9386154	12/2015	Baciu et al.	N/A	N/A
9390708	12/2015	Hoffmeister	N/A	N/A

9401058	12/2015	De La Fuente et al.	N/A	N/A
9412392	12/2015	Lindahl et al.	N/A	N/A
9426567	12/2015	Lee et al.	N/A	N/A
9431021	12/2015	Scalise et al.	N/A	N/A
9443516	12/2015	Katuri et al.	N/A	N/A
9443527	12/2015	Watanabe et al.	N/A	N/A
9472201	12/2015	Sleator	N/A	N/A
9472203	12/2015	Ayrapetian et al.	N/A	N/A
9484030	12/2015	Meaney et al.	N/A	N/A
9489948	12/2015	Chu et al.	N/A	N/A
9491033	12/2015	Soyannwo et al.	N/A	N/A
9494683	12/2015	Sadek	N/A	N/A
9509269	12/2015	Rosenberg	N/A	N/A
9510101	12/2015	Polleros	N/A	N/A
9514476	12/2015	Kay et al.	N/A	N/A
9514747	12/2015	Bisani et al.	N/A	N/A
9514752	12/2015	Sharifi	N/A	N/A
9516081	12/2015	Tebbs et al.	N/A	N/A
9532139	12/2015	Lu et al.	N/A	N/A
9536541	12/2016	Chen et al.	N/A	N/A
9542941	12/2016	Weksler et al.	N/A	N/A
9548053	12/2016	Basye et al.	N/A	N/A
9548066	12/2016	Jain et al.	N/A	N/A
9552816	12/2016	Vanlund et al.	N/A	N/A
9554210	12/2016	Ayrapetian et al.	N/A	N/A
9558755	12/2016	Laroche et al.	N/A	N/A
9560441	12/2016	McDonough, Jr. et al.	N/A	N/A
9576591	12/2016	Kim et al.	N/A	N/A
9601116	12/2016	Casado et al.	N/A	N/A
9615170	12/2016	Kirsch et al.	N/A	N/A
9615171	12/2016	O'Neill et al.	N/A	N/A
9626695	12/2016	Balasubramanian et al.	N/A	N/A
9632748	12/2016	Faaborg et al.	N/A	N/A
9633186	12/2016	Ingrassia, Jr. et al.	N/A	N/A
9633368	12/2016	Greenzeiger et al.	N/A	N/A
9633660	12/2016	Haughey et al.	N/A	N/A
9633661	12/2016	Typrin et al.	N/A	N/A
9633671	12/2016	Giacobello et al.	N/A	N/A
9633674	12/2016	Sinha et al.	N/A	N/A
9640179	12/2016	Hart et al.	N/A	N/A
9640183	12/2016	Jung et al.	N/A	N/A
9640194	12/2016	Nemala et al.	N/A	N/A
9641919	12/2016	Poole et al.	N/A	N/A
9646614	12/2016	Bellegarda et al.	N/A	N/A
9648564	12/2016	Cui et al.	N/A	N/A
9653060	12/2016	Hilmes et al.	N/A	N/A
9653075	12/2016	Chen et al.	N/A	N/A
9659555	12/2016	Hilmes et al.	N/A	N/A
9672812	12/2016	Watanabe et al.	N/A	N/A
9672821	12/2016	Krishnaswamy et al.	N/A	N/A
9674587	12/2016	Triplett et al.	N/A	N/A
9685171	12/2016	Yang	N/A	N/A
9691378	12/2016	Meyers et al.	N/A	N/A
9691379	12/2016	Mathias et al.	N/A	N/A
9691384	12/2016	Wang et al.	N/A	N/A
9697826	12/2016	Sainath et al.	N/A	N/A
9697828	12/2016	Prasad et al.	N/A	N/A
9698999	12/2016	Mutagi et al.	N/A	N/A
9704478	12/2016	Vitaladevuni et al.	N/A	N/A
9706320	12/2016	Starobin et al.	N/A	N/A
9721566	12/2016	Newendorp et al.	N/A	N/A
9721568	12/2016	Polansky et al.	N/A	N/A
9721570	12/2016	Beal et al.	N/A	N/A
9728188	12/2016	Rosen et al.	N/A	N/A
9734822	12/2016	Sundaram et al.	N/A	N/A
9736578	12/2016	Iyengar et al.	N/A	N/A
9743204	12/2016	Welch et al.	N/A	N/A
9743207	12/2016	Hartung	N/A	N/A
9747011	12/2016	Lewis et al.	N/A	N/A
9747899	12/2016	Pogue et al.	N/A	N/A
9747920	12/2016	Ayrapetian et al.	N/A	N/A

9747926	12/2016	Sharifi et al.	N/A	N/A
9749738	12/2016	Adsumilli et al.	N/A	N/A
9749760	12/2016	Lambourne	N/A	N/A
9754605	12/2016	Chhetri	N/A	N/A
9756422	12/2016	Paquier et al.	N/A	N/A
9762967	12/2016	Clarke et al.	N/A	N/A
9767786	12/2016	Starobin et al.	N/A	N/A
9769420	12/2016	Moses	N/A	N/A
9779725	12/2016	Sun et al.	N/A	N/A
9779732	12/2016	Lee et al.	N/A	N/A
9779734	12/2016	Lee	N/A	N/A
9779735	12/2016	Civelli et al.	N/A	N/A
9781532	12/2016	Sheen	N/A	N/A
9799330	12/2016	Nemala et al.	N/A	N/A
9805733	12/2016	Park	N/A	N/A
9811314	12/2016	Plagge et al.	N/A	N/A
9812128	12/2016	Mixter et al.	N/A	N/A
9813810	12/2016	Nongpiur	N/A	N/A
9813812	12/2016	Berthelsen et al.	N/A	N/A
9818407	12/2016	Secker-Walker et al.	N/A	N/A
9820036	12/2016	Tritschler et al.	N/A	N/A
9820039	12/2016	Lang	N/A	N/A
9826306	12/2016	Lang	N/A	N/A
9865259	12/2017	Typrin et al.	N/A	N/A
9865264	12/2017	Gelfenbeyn et al.	N/A	N/A
9875740	12/2017	Kumar et al.	N/A	N/A
9881616	12/2017	Beckley et al.	N/A	N/A
9898250	12/2017	Williams et al.	N/A	N/A
9899021	12/2017	Vitaladevuni et al.	N/A	N/A
9900723	12/2017	Choisel et al.	N/A	N/A
9916839	12/2017	Scalise et al.	N/A	N/A
9947316	12/2017	Millington et al.	N/A	N/A
9947333	12/2017	David	N/A	N/A
9972318	12/2017	Kelly et al.	N/A	N/A
9972343	12/2017	Thorson et al.	N/A	N/A
9973849	12/2017	Zhang et al.	N/A	N/A
9979560	12/2017	Kim et al.	N/A	N/A
9992642	12/2017	Rapp et al.	N/A	N/A
10013381	12/2017	Mayman et al.	N/A	N/A
10013995	12/2017	Lashkari et al.	N/A	N/A
10025447	12/2017	Dixit et al.	N/A	N/A
10026401	12/2017	Mutagi et al.	N/A	N/A
10028069	12/2017	Lang	N/A	N/A
10038419	12/2017	Elliot et al.	N/A	N/A
10048930	12/2017	Vega et al.	N/A	N/A
10049675	12/2017	Haughay	N/A	N/A
10051366	12/2017	Buoni et al.	N/A	N/A
10051600	12/2017	Zhong et al.	N/A	N/A
10057698	12/2017	Drinkwater et al.	N/A	N/A
RE47049	12/2017	Zhu et al.	N/A	N/A
10068573	12/2017	Aykac et al.	N/A	N/A
10074369	12/2017	Devaraj et al.	N/A	N/A
10074371	12/2017	Wang et al.	N/A	N/A
10079015	12/2017	Lockhart et al.	N/A	N/A
10089981	12/2017	Elangovan et al.	N/A	N/A
10108393	12/2017	Millington et al.	N/A	N/A
10115400	12/2017	Wilberding	N/A	N/A
10116748	12/2017	Farmer et al.	N/A	N/A
10127911	12/2017	Kim et al.	N/A	N/A
10134388	12/2017	Lilly	N/A	N/A
10134398	12/2017	Sharifi	N/A	N/A
10134399	12/2017	Lang et al.	N/A	N/A
10136204	12/2017	Poole et al.	N/A	N/A
10152969	12/2017	Reilly et al.	N/A	N/A
10157042	12/2017	Jayakumar et al.	N/A	N/A
10181323	12/2018	Beckhardt et al.	N/A	N/A
10186265	12/2018	Lockhart et al.	N/A	N/A
10186266	12/2018	Devaraj et al.	N/A	N/A
10186276	12/2018	Dewasurendra et al.	N/A	N/A
10192546	12/2018	Piersol et al.	N/A	N/A
10204624	12/2018	Knudson et al.	N/A	N/A

10224056	12/2018	Torok et al.	N/A	N/A
10225651	12/2018	Lang	N/A	N/A
10229680	12/2018	Gillespie et al.	N/A	N/A
10241754	12/2018	Kadarundalagi Raghuram Doss et al.	N/A	N/A
10248376	12/2018	Keyser-Allen et al.	N/A	N/A
10249205	12/2018	Hammersley et al.	N/A	N/A
10276161	12/2018	Hughes et al.	N/A	N/A
10297256	12/2018	Reilly et al.	N/A	N/A
10304440	12/2018	Panchapagesan et al.	N/A	N/A
10304475	12/2018	Wang et al.	N/A	N/A
10318236	12/2018	Pal et al.	N/A	N/A
10332508	12/2018	Hoffmeister	N/A	N/A
10339917	12/2018	Aleksic et al.	N/A	N/A
10339957	12/2018	Chenier et al.	N/A	N/A
10346122	12/2018	Morgan	N/A	N/A
10354650	12/2018	Gruenstein et al.	N/A	N/A
10354658	12/2018	Wilberding	N/A	N/A
10360915	12/2018	Taple	N/A	G10L 17/00
10365887	12/2018	Mulherkar	N/A	N/A
10365889	12/2018	Plagge et al.	N/A	N/A
10366688	12/2018	Gunn et al.	N/A	N/A
10366699	12/2018	Dharia et al.	N/A	N/A
10374816	12/2018	Leblang et al.	N/A	N/A
10381001	12/2018	Gunn et al.	N/A	N/A
10381002	12/2018	Gunn et al.	N/A	N/A
10381003	12/2018	Wakisaka et al.	N/A	N/A
10388272	12/2018	Thomson et al.	N/A	N/A
10424296	12/2018	Penilla et al.	N/A	N/A
10433058	12/2018	Torgerson et al.	N/A	N/A
10445057	12/2018	Vega et al.	N/A	N/A
10445365	12/2018	Luke et al.	N/A	N/A
10469966	12/2018	Lambourne	N/A	N/A
10499146	12/2018	Lang et al.	N/A	N/A
10510340	12/2018	Fu et al.	N/A	N/A
10511904	12/2018	Buoni et al.	N/A	N/A
10515625	12/2018	Metallinou et al.	N/A	N/A
10522146	12/2018	Tushinskiy	N/A	N/A
10546583	12/2019	White et al.	N/A	N/A
10565999	12/2019	Wilberding	N/A	N/A
10565998	12/2019	Wilberding	N/A	N/A
10567515	12/2019	Bao	N/A	G10L 17/22
10573312	12/2019	Thomson et al.	N/A	N/A
10573321	12/2019	Smith et al.	N/A	N/A
10580405	12/2019	Wang et al.	N/A	N/A
10586534	12/2019	Argyropoulos et al.	N/A	N/A
10586540	12/2019	Smith et al.	N/A	N/A
10593328	12/2019	Wang et al.	N/A	N/A
10593330	12/2019	Sharifi	N/A	N/A
10599287	12/2019	Kumar et al.	N/A	N/A
10600406	12/2019	Shapiro et al.	N/A	N/A
10602268	12/2019	Soto	N/A	N/A
10614807	12/2019	Beckhardt et al.	N/A	N/A
10621981	12/2019	Sereshki	N/A	N/A
10622009	12/2019	Zhang et al.	N/A	N/A
10623811	12/2019	Cwik	N/A	N/A
10624612	12/2019	Sumi et al.	N/A	N/A
10643609	12/2019	Pogue et al.	N/A	N/A
10645130	12/2019	Corbin et al.	N/A	N/A
10672383	12/2019	Thomson et al.	N/A	N/A
10679625	12/2019	Lockhart et al.	N/A	N/A
10681460	12/2019	Woo et al.	N/A	N/A
10685669	12/2019	Lan et al.	N/A	N/A
10694608	12/2019	Baker et al.	N/A	N/A
10699711	12/2019	Reilly	N/A	N/A
10706843	12/2019	Elangovan et al.	N/A	N/A
10712997	12/2019	Wilberding et al.	N/A	N/A
10720173	12/2019	Freeman et al.	N/A	N/A
10728196	12/2019	Wang	N/A	N/A
10735870	12/2019	Ballande et al.	N/A	N/A
10740065	12/2019	Jarvis et al.	N/A	N/A
10746840	12/2019	Barton et al.	N/A	N/A

10748531	12/2019	Kim	N/A	N/A
10762896	12/2019	Yavagal et al.	N/A	N/A
10777189	12/2019	Fu et al.	N/A	N/A
10777203	12/2019	Pasko	N/A	N/A
10789041	12/2019	Kim et al.	N/A	N/A
10797667	12/2019	Fish et al.	N/A	N/A
10824682	12/2019	Alvares et al.	N/A	N/A
10825471	12/2019	Walley et al.	N/A	N/A
10837667	12/2019	Nelson et al.	N/A	N/A
10847137	12/2019	Mandal et al.	N/A	N/A
10847143	12/2019	Millington et al.	N/A	N/A
10847149	12/2019	Mok et al.	N/A	N/A
10847164	12/2019	Wilberding	N/A	N/A
10848885	12/2019	Lambourne	N/A	N/A
RE48371	12/2019	Zhu et al.	N/A	N/A
10867596	12/2019	Yoneda et al.	N/A	N/A
10867604	12/2019	Smith et al.	N/A	N/A
10871943	12/2019	D'Amato et al.	N/A	N/A
10878811	12/2019	Smith et al.	N/A	N/A
10878826	12/2019	Li et al.	N/A	N/A
10897679	12/2020	Lambourne	N/A	N/A
10911596	12/2020	Do et al.	N/A	N/A
10943598	12/2020	Singh et al.	N/A	N/A
10964314	12/2020	Jazi et al.	N/A	N/A
10971158	12/2020	Patangay et al.	N/A	N/A
11024311	12/2020	Mixter et al.	N/A	N/A
11025569	12/2020	Lind et al.	N/A	N/A
11050615	12/2020	Mathews et al.	N/A	N/A
11062705	12/2020	Watanabe et al.	N/A	N/A
11100923	12/2020	Fainberg et al.	N/A	N/A
11127405	12/2020	Antos et al.	N/A	N/A
11137979	12/2020	Plagge	N/A	N/A
11138969	12/2020	D'Amato	N/A	N/A
11159878	12/2020	Chatlani et al.	N/A	N/A
11172328	12/2020	Soto et al.	N/A	N/A
11172329	12/2020	Soto et al.	N/A	N/A
11175880	12/2020	Liu et al.	N/A	N/A
11184704	12/2020	Jarvis et al.	N/A	N/A
11184969	12/2020	Lang	N/A	N/A
11206052	12/2020	Park et al.	N/A	N/A
11212612	12/2020	Lang et al.	N/A	N/A
11264019	12/2021	Bhattacharya et al.	N/A	N/A
11277512	12/2021	Leeds et al.	N/A	N/A
11315556	12/2021	Smith et al.	N/A	N/A
11354092	12/2021	D'Amato et al.	N/A	N/A
11361763	12/2021	Maas et al.	N/A	N/A
11373645	12/2021	Mathew et al.	N/A	N/A
11411763	12/2021	Mackay et al.	N/A	N/A
11437036	12/2021	Zhang	N/A	G10L 15/08
11445301	12/2021	Park et al.	N/A	N/A
11475899	12/2021	Lesso	N/A	N/A
11514898	12/2021	Millington	N/A	N/A
11531520	12/2021	Wilberding	N/A	N/A
2001/0003173	12/2000	Lim	N/A	N/A
2001/0042107	12/2000	Palm	N/A	N/A
2002/0022453	12/2001	Balog et al.	N/A	N/A
2002/0026442	12/2001	Lipscomb et al.	N/A	N/A
2002/0034280	12/2001	Infosino	N/A	N/A
2002/0046023	12/2001	Fujii et al.	N/A	N/A
2002/0054685	12/2001	Avendano et al.	N/A	N/A
2002/0055950	12/2001	Wittman	N/A	N/A
2002/0072816	12/2001	Shdema et al.	N/A	N/A
2002/0116196	12/2001	Tran	N/A	N/A
2002/0124097	12/2001	Isely et al.	N/A	N/A
2002/0143532	12/2001	McLean et al.	N/A	N/A
2003/0015354	12/2002	Edwards et al.	N/A	N/A
2003/0038848	12/2002	Lee et al.	N/A	N/A
2003/0040908	12/2002	Yang et al.	N/A	N/A
2003/0070182	12/2002	Pierre et al.	N/A	N/A
2003/0070869	12/2002	Hlibowicki	N/A	N/A
2003/0072462	12/2002	Hlibowicki	N/A	N/A

2003/0095672	12/2002	Hobelsberger	N/A	N/A
2003/0097482	12/2002	DeHart et al.	N/A	N/A
2003/0130850	12/2002	Badt et al.	N/A	N/A
2003/0157951	12/2002	Hasty, Jr.	N/A	N/A
2003/0235244	12/2002	Pessoa et al.	N/A	N/A
2004/0024478	12/2003	Hans et al.	N/A	N/A
2004/0093219	12/2003	Shin et al.	N/A	N/A
2004/0105566	12/2003	Matsunaga et al.	N/A	N/A
2004/0127241	12/2003	Shostak	N/A	N/A
2004/0128135	12/2003	Anastasakos et al.	N/A	N/A
2004/0153321	12/2003	Chung et al.	N/A	N/A
2004/0161082	12/2003	Brown et al.	N/A	N/A
2004/0234088	12/2003	McCarty et al.	N/A	N/A
2005/0031131	12/2004	Browning et al.	N/A	N/A
2005/0031132	12/2004	Browning et al.	N/A	N/A
2005/0031133	12/2004	Browning et al.	N/A	N/A
2005/0031134	12/2004	Leske	N/A	N/A
2005/0031137	12/2004	Browning et al.	N/A	N/A
2005/0031138	12/2004	Browning et al.	N/A	N/A
2005/0031139	12/2004	Browning et al.	N/A	N/A
2005/0031140	12/2004	Browning	N/A	N/A
2005/0033582	12/2004	Gadd et al.	N/A	N/A
2005/0047606	12/2004	Lee et al.	N/A	N/A
2005/0077843	12/2004	Benditt	N/A	N/A
2005/0164664	12/2004	DiFonzo et al.	N/A	N/A
2005/0195988	12/2004	Tashev et al.	N/A	N/A
2005/0201254	12/2004	Looney et al.	N/A	N/A
2005/0207584	12/2004	Bright	N/A	N/A
2005/0235334	12/2004	Togashi et al.	N/A	N/A
2005/0254662	12/2004	Blank et al.	N/A	N/A
2005/0268234	12/2004	Rossi et al.	N/A	N/A
2005/0283330	12/2004	Laraia et al.	N/A	N/A
2005/0283475	12/2004	Beranek et al.	N/A	N/A
2006/0004834	12/2005	Pyhalammi et al.	N/A	N/A
2006/0023945	12/2005	King et al.	N/A	N/A
2006/0041431	12/2005	Maes	N/A	N/A
2006/0093128	12/2005	Oxford	N/A	N/A
2006/0104451	12/2005	Browning et al.	N/A	N/A
2006/0104454	12/2005	Guitarte Perez et al.	N/A	N/A
2006/0147058	12/2005	Wang	N/A	N/A
2006/0190269	12/2005	Tessel et al.	N/A	N/A
2006/0190968	12/2005	Jung et al.	N/A	N/A
2006/0247913	12/2005	Huerta et al.	N/A	N/A
2006/0262943	12/2005	Oxford	N/A	N/A
2007/0018844	12/2006	Sutardja	N/A	N/A
2007/0019815	12/2006	Asada et al.	N/A	N/A
2007/0033043	12/2006	Hyakumoto	N/A	N/A
2007/0038461	12/2006	Abbott et al.	N/A	N/A
2007/0038999	12/2006	Millington	N/A	N/A
2007/0060054	12/2006	Romesburg	N/A	N/A
2007/0071206	12/2006	Gainsboro et al.	N/A	N/A
2007/0071255	12/2006	Schobben	N/A	N/A
2007/0076131	12/2006	Li et al.	N/A	N/A
2007/0076906	12/2006	Takagi et al.	N/A	N/A
2007/0140058	12/2006	McIntosh et al.	N/A	N/A
2007/0140521	12/2006	Mitobe et al.	N/A	N/A
2007/0142944	12/2006	Goldberg et al.	N/A	N/A
2007/0147651	12/2006	Mitobe et al.	N/A	N/A
2007/0201639	12/2006	Park et al.	N/A	N/A
2007/0254604	12/2006	Kim	N/A	N/A
2007/0286426	12/2006	Xiang et al.	N/A	N/A
2008/0008333	12/2007	Nishikawa et al.	N/A	N/A
2008/0031466	12/2007	Buck et al.	N/A	N/A
2008/0037814	12/2007	Shau	N/A	N/A
2008/0090537	12/2007	Sutardja	N/A	N/A
2008/0090617	12/2007	Sutardja	N/A	N/A
2008/0144858	12/2007	Khawand et al.	N/A	N/A
2008/0146289	12/2007	Korneluk et al.	N/A	N/A
2008/0160977	12/2007	Ahmaniemi et al.	N/A	N/A
2008/0182518	12/2007	Lo	N/A	N/A
2008/0192946	12/2007	Faller	N/A	N/A

2008/0207115	12/2007	Lee et al.	N/A	N/A
2008/0208594	12/2007	Cross et al.	N/A	N/A
2008/0221897	12/2007	Cerra et al.	N/A	N/A
2008/0247530	12/2007	Barton et al.	N/A	N/A
2008/0248797	12/2007	Freeman et al.	N/A	N/A
2008/0291896	12/2007	Tuubel et al.	N/A	N/A
2008/0291916	12/2007	Xiong et al.	N/A	N/A
2008/0301729	12/2007	Broos et al.	N/A	N/A
2009/0003620	12/2008	McKillop et al.	N/A	N/A
2009/0005893	12/2008	Sugii et al.	N/A	N/A
2009/0010445	12/2008	Matsuo	N/A	N/A
2009/0013255	12/2008	Yuschik et al.	N/A	N/A
2009/0018828	12/2008	Nakadai et al.	N/A	N/A
2009/0043206	12/2008	Towfiq et al.	N/A	N/A
2009/0046866	12/2008	Feng et al.	N/A	N/A
2009/0052688	12/2008	Ishibashi et al.	N/A	N/A
2009/0076821	12/2008	Brenner et al.	N/A	N/A
2009/0113053	12/2008	Van Wie et al.	N/A	N/A
2009/0153289	12/2008	Hope et al.	N/A	N/A
2009/0191854	12/2008	Beason	N/A	N/A
2009/0197524	12/2008	Haff et al.	N/A	N/A
2009/0214048	12/2008	Stokes, III et al.	N/A	N/A
2009/0220107	12/2008	Every et al.	N/A	N/A
2009/0228919	12/2008	Zott et al.	N/A	N/A
2009/0238377	12/2008	Ramakrishnan et al.	N/A	N/A
2009/0238386	12/2008	Usher et al.	N/A	N/A
2009/0248397	12/2008	Garcia et al.	N/A	N/A
2009/0249222	12/2008	Schmidt et al.	N/A	N/A
2009/0264072	12/2008	Dai	N/A	N/A
2009/0299745	12/2008	Kennewick et al.	N/A	N/A
2009/0323907	12/2008	Gupta et al.	N/A	N/A
2009/0323924	12/2008	Tashev et al.	N/A	N/A
2009/0326949	12/2008	Douthitt et al.	N/A	N/A
2010/0014690	12/2009	Wolff et al.	N/A	N/A
2010/0023638	12/2009	Bowman	N/A	N/A
2010/0035593	12/2009	Franco et al.	N/A	N/A
2010/0041443	12/2009	Yokota	N/A	N/A
2010/0070276	12/2009	Wasserblat et al.	N/A	N/A
2010/0070922	12/2009	DeMaio et al.	N/A	N/A
2010/0075723	12/2009	Min et al.	N/A	N/A
2010/0088100	12/2009	Lindahl	N/A	N/A
2010/0092004	12/2009	Kuze	N/A	N/A
2010/0161335	12/2009	Whynot	N/A	N/A
2010/0172516	12/2009	Lastrucci	N/A	N/A
2010/0178873	12/2009	Lee et al.	N/A	N/A
2010/0179806	12/2009	Zhang et al.	N/A	N/A
2010/0179874	12/2009	Higgins et al.	N/A	N/A
2010/0185448	12/2009	Meisel	N/A	N/A
2010/0211199	12/2009	Naik et al.	N/A	N/A
2010/0260348	12/2009	Bhow et al.	N/A	N/A
2010/0278351	12/2009	Fozunbal et al.	N/A	N/A
2010/0299639	12/2009	Ramsay et al.	N/A	N/A
2010/0329472	12/2009	Nakadai et al.	N/A	N/A
2010/0332236	12/2009	Tan	N/A	N/A
2011/0019833	12/2010	Kuech et al.	N/A	N/A
2011/0033059	12/2010	Bhaskar et al.	N/A	N/A
2011/0035580	12/2010	Wang et al.	N/A	N/A
2011/0044461	12/2010	Kuech et al.	N/A	N/A
2011/0044489	12/2010	Saiki et al.	N/A	N/A
2011/0046952	12/2010	Koshinaka	N/A	N/A
2011/0066634	12/2010	Phillips et al.	N/A	N/A
2011/0091055	12/2010	Leblanc	N/A	N/A
2011/0103615	12/2010	Sun	N/A	N/A
2011/0131032	12/2010	Yang et al.	N/A	N/A
2011/0145581	12/2010	Malhotra et al.	N/A	N/A
2011/0170707	12/2010	Yamada et al.	N/A	N/A
2011/0176687	12/2010	Birkenes	N/A	N/A
2011/0182436	12/2010	Murgia et al.	N/A	N/A
2011/0202924	12/2010	Banguero et al.	N/A	N/A
2011/0218656	12/2010	Bishop et al.	N/A	N/A
2011/0267985	12/2010	Wilkinson et al.	N/A	N/A

2011/0276333	12/2010	Wang et al.	N/A	N/A
2011/0280422	12/2010	Neumeyer et al.	N/A	N/A
2011/0285808	12/2010	Feng et al.	N/A	N/A
2011/0289506	12/2010	Trivi et al.	N/A	N/A
2011/0299706	12/2010	Sakai	N/A	N/A
2012/0009906	12/2011	Patterson et al.	N/A	N/A
2012/0020485	12/2011	Visser et al.	N/A	N/A
2012/0020486	12/2011	Fried et al.	N/A	N/A
2012/0022863	12/2011	Cho et al.	N/A	N/A
2012/0022864	12/2011	Leman et al.	N/A	N/A
2012/0027218	12/2011	Every et al.	N/A	N/A
2012/0076308	12/2011	Kuech et al.	N/A	N/A
2012/0078635	12/2011	Rothkopf et al.	N/A	N/A
2012/0086568	12/2011	Scott et al.	N/A	N/A
2012/0123268	12/2011	Tanaka et al.	N/A	N/A
2012/0128160	12/2011	Kim et al.	N/A	N/A
2012/0131125	12/2011	Seidel et al.	N/A	N/A
2012/0148075	12/2011	Goh et al.	N/A	N/A
2012/0162540	12/2011	Ouchi et al.	N/A	N/A
2012/0163603	12/2011	Abe et al.	N/A	N/A
2012/0177215	12/2011	Bose et al.	N/A	N/A
2012/0183149	12/2011	Hiroe	N/A	N/A
2012/0224457	12/2011	Kim et al.	N/A	N/A
2012/0224715	12/2011	Kikkeri	N/A	N/A
2012/0237047	12/2011	Neal et al.	N/A	N/A
2012/0245941	12/2011	Cheyer	N/A	N/A
2012/0265528	12/2011	Gruber et al.	N/A	N/A
2012/0288100	12/2011	Cho	N/A	N/A
2012/0297284	12/2011	Matthews, III et al.	N/A	N/A
2012/0308044	12/2011	Vander Mey et al.	N/A	N/A
2012/0308046	12/2011	Muza	N/A	N/A
2013/0006453	12/2012	Wang et al.	N/A	N/A
2013/0024018	12/2012	Chang et al.	N/A	N/A
2013/0034241	12/2012	Pandey et al.	N/A	N/A
2013/0039527	12/2012	Jensen et al.	N/A	N/A
2013/0051755	12/2012	Brown et al.	N/A	N/A
2013/0058492	12/2012	Silzle et al.	N/A	N/A
2013/0066453	12/2012	Seefeldt	N/A	N/A
2013/0073293	12/2012	Jang et al.	N/A	N/A
2013/0080146	12/2012	Kato et al.	N/A	N/A
2013/0080167	12/2012	Mozer	N/A	N/A
2013/0080171	12/2012	Mozer et al.	N/A	N/A
2013/0124211	12/2012	McDonough	N/A	N/A
2013/0129100	12/2012	Sorensen	N/A	N/A
2013/0148821	12/2012	Sorensen	N/A	N/A
2013/0170647	12/2012	Reilly et al.	N/A	N/A
2013/0179173	12/2012	Lee et al.	N/A	N/A
2013/0183944	12/2012	Mozer et al.	N/A	N/A
2013/0185639	12/2012	Lim	N/A	N/A
2013/0191119	12/2012	Sugiyama	N/A	N/A
2013/0191122	12/2012	Mason	N/A	N/A
2013/0198298	12/2012	Li et al.	N/A	N/A
2013/0211826	12/2012	Mannby	N/A	N/A
2013/0216056	12/2012	Thyssen	N/A	N/A
2013/0230184	12/2012	Kuech et al.	N/A	N/A
2013/0238326	12/2012	Kim et al.	N/A	N/A
2013/0262101	12/2012	Srinivasan	N/A	N/A
2013/0283169	12/2012	Van Wie	N/A	N/A
2013/0289994	12/2012	Newman et al.	N/A	N/A
2013/0294611	12/2012	Yoo et al.	N/A	N/A
2013/0301840	12/2012	Yemdji et al.	N/A	N/A
2013/0315420	12/2012	You	N/A	N/A
2013/0317635	12/2012	Bates et al.	N/A	N/A
2013/0322462	12/2012	Poulsen	N/A	N/A
2013/0322634	12/2012	Bennett et al.	N/A	N/A
2013/0322665	12/2012	Bennett et al.	N/A	N/A
2013/0324031	12/2012	Loureiro	N/A	N/A
2013/0329896	12/2012	Krishnaswamy et al.	N/A	N/A
2013/0331970	12/2012	Beckhardt et al.	N/A	N/A
2013/0332165	12/2012	Beckley et al.	N/A	N/A
2013/0336499	12/2012	Beckhardt et al.	N/A	N/A

2013/0339028	12/2012	Rosner et al.	N/A	N/A
2013/0343567	12/2012	Triplett et al.	N/A	N/A
2014/0003611	12/2013	Mohammad et al.	N/A	N/A
2014/0003625	12/2013	Sheen et al.	N/A	N/A
2014/0003635	12/2013	Mohammad et al.	N/A	N/A
2014/0005813	12/2013	Reimann	N/A	N/A
2014/0006026	12/2013	Lamb et al.	N/A	N/A
2014/0006825	12/2013	Shenhav	N/A	N/A
2014/0019743	12/2013	DeLuca	N/A	N/A
2014/0034929	12/2013	Hamada et al.	N/A	N/A
2014/0046464	12/2013	Reimann	N/A	N/A
2014/0056435	12/2013	Kjems et al.	N/A	N/A
2014/0064476	12/2013	Mani et al.	N/A	N/A
2014/0064501	12/2013	Olsen et al.	N/A	N/A
2014/0073298	12/2013	Rossmann	N/A	N/A
2014/0075306	12/2013	Rega	N/A	N/A
2014/0075311	12/2013	Boettcher et al.	N/A	N/A
2014/0094151	12/2013	Klappert et al.	N/A	N/A
2014/0100854	12/2013	Chen et al.	N/A	N/A
2014/0108010	12/2013	Maltseff et al.	N/A	N/A
2014/0109138	12/2013	Cannistraro et al.	N/A	N/A
2014/0122075	12/2013	Bak et al.	N/A	N/A
2014/0126745	12/2013	Dickins et al.	N/A	N/A
2014/0136195	12/2013	Abdossalami et al.	N/A	N/A
2014/0145168	12/2013	Ohsawa et al.	N/A	N/A
2014/0146983	12/2013	Kim et al.	N/A	N/A
2014/0149118	12/2013	Lee et al.	N/A	N/A
2014/0159581	12/2013	Pruemmer et al.	N/A	N/A
2014/0161263	12/2013	Koishida et al.	N/A	N/A
2014/0163978	12/2013	Basye et al.	N/A	N/A
2014/0164400	12/2013	Kruglick	N/A	N/A
2014/0167929	12/2013	Shim et al.	N/A	N/A
2014/0167931	12/2013	Lee et al.	N/A	N/A
2014/0168344	12/2013	Shoemake et al.	N/A	N/A
2014/0172899	12/2013	Hakkani-Tur et al.	N/A	N/A
2014/0172953	12/2013	Blanksteen	N/A	N/A
2014/0181199	12/2013	Kumar et al.	N/A	N/A
2014/0181271	12/2013	Millington	N/A	N/A
2014/0188476	12/2013	Li et al.	N/A	N/A
2014/0192986	12/2013	Lee et al.	N/A	N/A
2014/0195252	12/2013	Gruber et al.	N/A	N/A
2014/0200881	12/2013	Chatlani	N/A	N/A
2014/0207457	12/2013	Biatov et al.	N/A	N/A
2014/0210728	12/2013	Busse	345/173	G06F 9/44505
2014/0214429	12/2013	Pantel	N/A	N/A
2014/0215332	12/2013	Lee et al.	N/A	N/A
2014/0219472	12/2013	Huang et al.	N/A	N/A
2014/0222436	12/2013	Binder et al.	N/A	N/A
2014/0229184	12/2013	Shires	N/A	N/A
2014/0229959	12/2013	Beckhardt et al.	N/A	N/A
2014/0244013	12/2013	Reilly	N/A	N/A
2014/0244269	12/2013	Tokutake	N/A	N/A
2014/0244712	12/2013	Walters et al.	N/A	N/A
2014/0249817	12/2013	Hart et al.	N/A	N/A
2014/0252386	12/2013	Ito et al.	N/A	N/A
2014/0254805	12/2013	Su et al.	N/A	N/A
2014/0258292	12/2013	Thramann et al.	N/A	N/A
2014/0259075	12/2013	Chang et al.	N/A	N/A
2014/0269757	12/2013	Park et al.	N/A	N/A
2014/0270216	12/2013	Tsilfidis et al.	N/A	N/A
2014/0270282	12/2013	Tammi et al.	N/A	N/A
2014/0274185	12/2013	Luna et al.	N/A	N/A
2014/0274203	12/2013	Ganong, III et al.	N/A	N/A
2014/0274218	12/2013	Kadiwala et al.	N/A	N/A
2014/0277650	12/2013	Zurek et al.	N/A	N/A
2014/0278343	12/2013	Tran	N/A	N/A
2014/0278372	12/2013	Nakadai et al.	N/A	N/A
2014/0278445	12/2013	Eddington, Jr.	N/A	N/A
2014/0278933	12/2013	McMillan	N/A	N/A
2014/0288686	12/2013	Sant et al.	N/A	N/A
2014/0291642	12/2013	Watabe et al.	N/A	N/A

2014/0303969	12/2013	Inose et al.	N/A	N/A
2014/0310002	12/2013	Nitz et al.	N/A	N/A
2014/0310614	12/2013	Jones	N/A	N/A
2014/0324203	12/2013	Coburn, IV et al.	N/A	N/A
2014/0328490	12/2013	Mohammad et al.	N/A	N/A
2014/0330896	12/2013	Addala et al.	N/A	N/A
2014/0334645	12/2013	Yun et al.	N/A	N/A
2014/0340888	12/2013	Ishisone et al.	N/A	N/A
2014/0357248	12/2013	Tonshal et al.	N/A	N/A
2014/0358535	12/2013	Lee et al.	N/A	N/A
2014/0363022	12/2013	Dizon et al.	N/A	N/A
2014/0363024	12/2013	Apodaca	N/A	N/A
2014/0364089	12/2013	Lienhart et al.	N/A	N/A
2014/0365225	12/2013	Haiut	N/A	N/A
2014/0365227	12/2013	Cash et al.	N/A	N/A
2014/0368734	12/2013	Hoffert et al.	N/A	N/A
2014/0369491	12/2013	Kloberdans et al.	N/A	N/A
2014/0372109	12/2013	Iyer et al.	N/A	N/A
2015/0006176	12/2014	Pogue et al.	N/A	N/A
2015/0006184	12/2014	Marti et al.	N/A	N/A
2015/0010169	12/2014	Popova et al.	N/A	N/A
2015/0014680	12/2014	Yamazaki et al.	N/A	N/A
2015/0016642	12/2014	Walsh et al.	N/A	N/A
2015/0018992	12/2014	Griffiths et al.	N/A	N/A
2015/0019201	12/2014	Schoenbach	N/A	N/A
2015/0019219	12/2014	Tzirkel-Hancock et al.	N/A	N/A
2015/0030172	12/2014	Gaensler et al.	N/A	N/A
2015/0032443	12/2014	Karov et al.	N/A	N/A
2015/0032456	12/2014	Wait	N/A	N/A
2015/0036831	12/2014	Klippel	N/A	N/A
2015/0039303	12/2014	Lesso et al.	N/A	N/A
2015/0039310	12/2014	Clark et al.	N/A	N/A
2015/0039311	12/2014	Clark et al.	N/A	N/A
2015/0039317	12/2014	Klein et al.	N/A	N/A
2015/0058018	12/2014	Georges et al.	N/A	N/A
2015/0063580	12/2014	Huang et al.	N/A	N/A
2015/0066479	12/2014	Pasupalak et al.	N/A	N/A
2015/0073807	12/2014	Kumar	N/A	N/A
2015/0086034	12/2014	Lombardi et al.	N/A	N/A
2015/0088500	12/2014	Conliffe	N/A	N/A
2015/0091709	12/2014	Reichert et al.	N/A	N/A
2015/0092947	12/2014	Gossain et al.	N/A	N/A
2015/0104037	12/2014	Lee et al.	N/A	N/A
2015/0106085	12/2014	Lindahl	N/A	N/A
2015/0110294	12/2014	Chen et al.	N/A	N/A
2015/0112672	12/2014	Giacobello et al.	N/A	N/A
2015/0124975	12/2014	Pontoppidan	N/A	N/A
2015/0126255	12/2014	Yang et al.	N/A	N/A
2015/0128065	12/2014	Torii et al.	N/A	N/A
2015/0134456	12/2014	Baldwin	N/A	N/A
2015/0154953	12/2014	Bapat et al.	N/A	N/A
2015/0154976	12/2014	Mutagi	N/A	N/A
2015/0161990	12/2014	Sharifi	N/A	N/A
2015/0169279	12/2014	Duga	N/A	N/A
2015/0170645	12/2014	Di Censo et al.	N/A	N/A
2015/0170665	12/2014	Gundeti et al.	N/A	N/A
2015/0172843	12/2014	Quan	N/A	N/A
2015/0179181	12/2014	Morris et al.	N/A	N/A
2015/0180432	12/2014	Gao et al.	N/A	N/A
2015/0181318	12/2014	Gautama et al.	N/A	N/A
2015/0189438	12/2014	Hampiholi et al.	N/A	N/A
2015/0200454	12/2014	Heusdens et al.	N/A	N/A
2015/0200923	12/2014	Triplett	N/A	N/A
2015/0201271	12/2014	Diethorn et al.	N/A	N/A
2015/0221307	12/2014	Shah et al.	N/A	N/A
2015/0221678	12/2014	Yamazaki et al.	N/A	N/A
2015/0222563	12/2014	Burns et al.	N/A	N/A
2015/0222987	12/2014	Angel, Jr. et al.	N/A	N/A
2015/0228274	12/2014	Leppanen et al.	N/A	N/A
2015/0228803	12/2014	Koezuka et al.	N/A	N/A
2015/0237406	12/2014	Ochoa et al.	N/A	N/A

2015/0243287	12/2014	Nakano et al.	N/A	N/A
2015/0245152	12/2014	Ding et al.	N/A	N/A
2015/0245154	12/2014	Dadu et al.	N/A	N/A
2015/0249889	12/2014	Iyer et al.	N/A	N/A
2015/0253292	12/2014	Larkin et al.	N/A	N/A
2015/0253960	12/2014	Lin et al.	N/A	N/A
2015/0254057	12/2014	Klein et al.	N/A	N/A
2015/0263174	12/2014	Yamazaki et al.	N/A	N/A
2015/0271593	12/2014	Sun et al.	N/A	N/A
2015/0277846	12/2014	Yen et al.	N/A	N/A
2015/0280676	12/2014	Holman et al.	N/A	N/A
2015/0296299	12/2014	Klippel et al.	N/A	N/A
2015/0302856	12/2014	Kim et al.	N/A	N/A
2015/0319529	12/2014	Klippel	N/A	N/A
2015/0325267	12/2014	Lee et al.	N/A	N/A
2015/0331663	12/2014	Beckhardt et al.	N/A	N/A
2015/0334471	12/2014	Innes et al.	N/A	N/A
2015/0338917	12/2014	Steiner et al.	N/A	N/A
2015/0341406	12/2014	Rockefeller et al.	N/A	N/A
2015/0346845	12/2014	Di Censo et al.	N/A	N/A
2015/0348548	12/2014	Piernot et al.	N/A	N/A
2015/0348551	12/2014	Gruber et al.	N/A	N/A
2015/0355878	12/2014	Corbin	N/A	N/A
2015/0363061	12/2014	de Nigris, III et al.	N/A	N/A
2015/0363401	12/2014	Chen et al.	N/A	N/A
2015/0370531	12/2014	Faaborg	N/A	N/A
2015/0371657	12/2014	Gao	N/A	N/A
2015/0371659	12/2014	Gao	N/A	N/A
2015/0371664	12/2014	Bar-Or et al.	N/A	N/A
2015/0373100	12/2014	Kravets et al.	N/A	N/A
2015/0380010	12/2014	Srinivasan	N/A	N/A
2015/0382047	12/2014	Van Os et al.	N/A	N/A
2015/0382128	12/2014	Ridihalgh et al.	N/A	N/A
2016/0007116	12/2015	Holman	N/A	N/A
2016/0014536	12/2015	Sheen	N/A	N/A
2016/0018873	12/2015	Fernald et al.	N/A	N/A
2016/0021458	12/2015	Johnson et al.	N/A	N/A
2016/0026428	12/2015	Morganstern et al.	N/A	N/A
2016/0027440	12/2015	Gelfenbeyn et al.	N/A	N/A
2016/0029142	12/2015	Isaac et al.	N/A	N/A
2016/0034448	12/2015	Tran	N/A	N/A
2016/0035321	12/2015	Cho et al.	N/A	N/A
2016/0035337	12/2015	Aggarwal et al.	N/A	N/A
2016/0036962	12/2015	Rand et al.	N/A	N/A
2016/0042748	12/2015	Jain et al.	N/A	N/A
2016/0044151	12/2015	Shoemaker et al.	N/A	N/A
2016/0050488	12/2015	Matheja et al.	N/A	N/A
2016/0055847	12/2015	Dahan	N/A	N/A
2016/0055850	12/2015	Nakadai et al.	N/A	N/A
2016/0057522	12/2015	Choisel et al.	N/A	N/A
2016/0066087	12/2015	Solbach et al.	N/A	N/A
2016/0070526	12/2015	Sheen	N/A	N/A
2016/0072804	12/2015	Chien et al.	N/A	N/A
2016/0077710	12/2015	Lewis et al.	N/A	N/A
2016/0077794	12/2015	Kim et al.	N/A	N/A
2016/0086609	12/2015	Yue et al.	N/A	N/A
2016/0088036	12/2015	Corbin et al.	N/A	N/A
2016/0088392	12/2015	Huttunen et al.	N/A	N/A
2016/0093281	12/2015	Kuo et al.	N/A	N/A
2016/0093304	12/2015	Kim et al.	N/A	N/A
2016/0094718	12/2015	Mani et al.	N/A	N/A
2016/0094917	12/2015	Wilk et al.	N/A	N/A
2016/0098393	12/2015	Hebert	N/A	N/A
2016/0098992	12/2015	Renard et al.	N/A	N/A
2016/0103653	12/2015	Jang	N/A	N/A
2016/0104480	12/2015	Sharifi	N/A	N/A
2016/0111110	12/2015	Gautama et al.	N/A	N/A
2016/0125876	12/2015	Schroeter et al.	N/A	N/A
2016/0127780	12/2015	Roberts et al.	N/A	N/A
2016/0133259	12/2015	Rubin et al.	N/A	N/A
2016/0134924	12/2015	Bush et al.	N/A	N/A

2016/0134966	12/2015	Fitzgerald et al.	N/A	N/A
2016/0134982	12/2015	Iyer	N/A	N/A
2016/0140957	12/2015	Duta et al.	N/A	N/A
2016/0148612	12/2015	Guo et al.	N/A	N/A
2016/0148615	12/2015	Lee et al.	N/A	N/A
2016/0154089	12/2015	Altman	N/A	N/A
2016/0155442	12/2015	Kannan et al.	N/A	N/A
2016/0155443	12/2015	Khan et al.	N/A	N/A
2016/0157035	12/2015	Russell et al.	N/A	N/A
2016/0162469	12/2015	Santos	N/A	N/A
2016/0171976	12/2015	Sun et al.	N/A	N/A
2016/0173578	12/2015	Sharma et al.	N/A	N/A
2016/0173983	12/2015	Berthelsen et al.	N/A	N/A
2016/0180853	12/2015	Vanlund et al.	N/A	N/A
2016/0189716	12/2015	Lindahl et al.	N/A	N/A
2016/0192099	12/2015	Oishi et al.	N/A	N/A
2016/0196499	12/2015	Khan et al.	N/A	N/A
2016/0203331	12/2015	Khan et al.	N/A	N/A
2016/0210110	12/2015	Feldman	N/A	N/A
2016/0212488	12/2015	Os et al.	N/A	N/A
2016/0212538	12/2015	Fullam et al.	N/A	N/A
2016/0216938	12/2015	Millington	N/A	N/A
2016/0217789	12/2015	Lee et al.	N/A	N/A
2016/0225385	12/2015	Hammarqvist	N/A	N/A
2016/0232451	12/2015	Scherzer	N/A	N/A
2016/0234204	12/2015	Rishi	N/A	G06F 21/31
2016/0234615	12/2015	Lambourne	N/A	N/A
2016/0239255	12/2015	Chavez et al.	N/A	N/A
2016/0240192	12/2015	Raghuvir	N/A	N/A
2016/0241976	12/2015	Pearson	N/A	N/A
2016/0253050	12/2015	Mishra et al.	N/A	N/A
2016/0260431	12/2015	Newendorp et al.	N/A	N/A
2016/0283841	12/2015	Sainath et al.	N/A	N/A
2016/0299737	12/2015	Clayton et al.	N/A	N/A
2016/0302018	12/2015	Russell et al.	N/A	N/A
2016/0314782	12/2015	Klimanis	N/A	N/A
2016/0316293	12/2015	Klimanis	N/A	N/A
2016/0322045	12/2015	Hatfield et al.	N/A	N/A
2016/0335485	12/2015	Kim	N/A	N/A
2016/0336519	12/2015	Seo et al.	N/A	N/A
2016/0343866	12/2015	Koezuka et al.	N/A	N/A
2016/0343949	12/2015	Seo et al.	N/A	N/A
2016/0343954	12/2015	Seo et al.	N/A	N/A
2016/0345114	12/2015	Hanna et al.	N/A	N/A
2016/0352915	12/2015	Gautama	N/A	N/A
2016/0353217	12/2015	Starobin et al.	N/A	N/A
2016/0353218	12/2015	Starobin et al.	N/A	N/A
2016/0357503	12/2015	Triplett et al.	N/A	N/A
2016/0364206	12/2015	Keyser-Allen et al.	N/A	N/A
2016/0366515	12/2015	Mendes et al.	N/A	N/A
2016/0372113	12/2015	David et al.	N/A	N/A
2016/0372688	12/2015	Seo et al.	N/A	N/A
2016/0373269	12/2015	Okubo et al.	N/A	N/A
2016/0373909	12/2015	Rasmussen et al.	N/A	N/A
2016/0379634	12/2015	Yamamoto et al.	N/A	N/A
2016/0379635	12/2015	Page	N/A	N/A
2017/0003931	12/2016	Dvortsov et al.	N/A	N/A
2017/0012207	12/2016	Seo et al.	N/A	N/A
2017/0012232	12/2016	Kataishi et al.	N/A	N/A
2017/0019732	12/2016	Mendes et al.	N/A	N/A
2017/0025124	12/2016	Mixter et al.	N/A	N/A
2017/0025615	12/2016	Seo et al.	N/A	N/A
2017/0025630	12/2016	Seo et al.	N/A	N/A
2017/0026769	12/2016	Patel	N/A	N/A
2017/0032244	12/2016	Kurata	N/A	N/A
2017/0034263	12/2016	Archambault et al.	N/A	N/A
2017/0039025	12/2016	Kielak	N/A	N/A
2017/0040002	12/2016	Basson et al.	N/A	N/A
2017/0040018	12/2016	Tormey	N/A	N/A
2017/0041724	12/2016	Master et al.	N/A	N/A
2017/0053648	12/2016	Chi	N/A	N/A

2017/0053650	12/2016	Ogawa	N/A	N/A
2017/0060526	12/2016	Barton et al.	N/A	N/A
2017/0062734	12/2016	Suzuki et al.	N/A	N/A
2017/0070478	12/2016	Park et al.	N/A	N/A
2017/0076212	12/2016	Shams et al.	N/A	N/A
2017/0076720	12/2016	Gopalan et al.	N/A	N/A
2017/0076726	12/2016	Bae	N/A	N/A
2017/0078824	12/2016	Heo	N/A	N/A
2017/0083285	12/2016	Meyers et al.	N/A	N/A
2017/0083606	12/2016	Mohan	N/A	N/A
2017/0084277	12/2016	Sharifi	N/A	N/A
2017/0084278	12/2016	Jung	N/A	N/A
2017/0084292	12/2016	Yoo	N/A	N/A
2017/0084295	12/2016	Tsiartas et al.	N/A	N/A
2017/0090864	12/2016	Jorgovanovic	N/A	N/A
2017/0092278	12/2016	Evermann et al.	N/A	N/A
2017/0092297	12/2016	Sainath et al.	N/A	N/A
2017/0092299	12/2016	Matsuo	N/A	N/A
2017/0092889	12/2016	Seo et al.	N/A	N/A
2017/0092890	12/2016	Seo et al.	N/A	N/A
2017/0094215	12/2016	Western	N/A	N/A
2017/0103748	12/2016	Weissberg et al.	N/A	N/A
2017/0103754	12/2016	Higbie et al.	N/A	N/A
2017/0103755	12/2016	Jeon et al.	N/A	N/A
2017/0110124	12/2016	Boesen et al.	N/A	N/A
2017/0110130	12/2016	Sharifi et al.	N/A	N/A
2017/0110144	12/2016	Sharifi et al.	N/A	N/A
2017/0117497	12/2016	Seo et al.	N/A	N/A
2017/0123251	12/2016	Nakada et al.	N/A	N/A
2017/0125037	12/2016	Shin	N/A	N/A
2017/0125456	12/2016	Kasahara	N/A	N/A
2017/0133007	12/2016	Drewes	N/A	N/A
2017/0133011	12/2016	Chen et al.	N/A	N/A
2017/0134872	12/2016	Silva et al.	N/A	N/A
2017/0139720	12/2016	Stein	N/A	N/A
2017/0140449	12/2016	Kannan	N/A	N/A
2017/0140748	12/2016	Roberts et al.	N/A	N/A
2017/0140750	12/2016	Wang et al.	N/A	N/A
2017/0140757	12/2016	Penilla et al.	N/A	N/A
2017/0140759	12/2016	Kumar et al.	N/A	N/A
2017/0151930	12/2016	Boesen	N/A	N/A
2017/0164139	12/2016	Deselaers et al.	N/A	N/A
2017/0177585	12/2016	Rodger et al.	N/A	N/A
2017/0178662	12/2016	Ayrapetian et al.	N/A	N/A
2017/0180561	12/2016	Kadiwala et al.	N/A	N/A
2017/0186425	12/2016	Dawes et al.	N/A	N/A
2017/0186427	12/2016	Wang et al.	N/A	N/A
2017/0188150	12/2016	Brunet et al.	N/A	N/A
2017/0188437	12/2016	Banta	N/A	N/A
2017/0193999	12/2016	Aleksic et al.	N/A	N/A
2017/0206896	12/2016	Ko et al.	N/A	N/A
2017/0206900	12/2016	Lee et al.	N/A	N/A
2017/0214996	12/2016	Yeo	N/A	N/A
2017/0236512	12/2016	Williams et al.	N/A	N/A
2017/0236515	12/2016	Pinsky et al.	N/A	N/A
2017/0242649	12/2016	Jarvis et al.	N/A	N/A
2017/0242651	12/2016	Lang et al.	N/A	N/A
2017/0242653	12/2016	Lang et al.	N/A	N/A
2017/0242656	12/2016	Plagge et al.	N/A	N/A
2017/0242657	12/2016	Jarvis et al.	N/A	N/A
2017/0243576	12/2016	Millington et al.	N/A	N/A
2017/0243587	12/2016	Plagge et al.	N/A	N/A
2017/0245076	12/2016	Kusano et al.	N/A	N/A
2017/0255612	12/2016	Sarikaya et al.	N/A	N/A
2017/0257686	12/2016	Gautama et al.	N/A	N/A
2017/0269900	12/2016	Triplett	N/A	N/A
2017/0269975	12/2016	Wood et al.	N/A	N/A
2017/0270919	12/2016	Parthasarathi et al.	N/A	N/A
2017/0278512	12/2016	Pandya et al.	N/A	N/A
2017/0287485	12/2016	Civelli et al.	N/A	N/A
2017/0300289	12/2016	Gattis	N/A	N/A

2017/0300990	12/2016	Tanaka et al.	N/A	N/A
2017/0329397	12/2016	Lin	N/A	N/A
2017/0330565	12/2016	Daley et al.	N/A	N/A
2017/0331869	12/2016	Bendahan et al.	N/A	N/A
2017/0332168	12/2016	Moghimì et al.	N/A	N/A
2017/0346872	12/2016	Naik et al.	N/A	N/A
2017/0352357	12/2016	Fink	N/A	N/A
2017/0353789	12/2016	Kim et al.	N/A	N/A
2017/0357390	12/2016	Alonso Ruiz et al.	N/A	N/A
2017/0357475	12/2016	Lee et al.	N/A	N/A
2017/0357478	12/2016	Piersol et al.	N/A	N/A
2017/0364371	12/2016	Nandi et al.	N/A	N/A
2017/0365247	12/2016	Ushakov	N/A	N/A
2017/0366393	12/2016	Shaker et al.	N/A	N/A
2017/0374454	12/2016	Bernardini et al.	N/A	N/A
2017/0374552	12/2016	Xia et al.	N/A	N/A
2018/0012077	12/2017	Laska et al.	N/A	N/A
2018/0018964	12/2017	Reilly et al.	N/A	N/A
2018/0018965	12/2017	Daley	N/A	N/A
2018/0018967	12/2017	Lang et al.	N/A	N/A
2018/0020306	12/2017	Sheen	N/A	N/A
2018/0025733	12/2017	Qian et al.	N/A	N/A
2018/0033428	12/2017	Kim et al.	N/A	N/A
2018/0033429	12/2017	Makke et al.	N/A	N/A
2018/0033438	12/2017	Toma et al.	N/A	N/A
2018/0040324	12/2017	Wilberding	N/A	N/A
2018/0047394	12/2017	Tian et al.	N/A	N/A
2018/0053504	12/2017	Wang et al.	N/A	N/A
2018/0054506	12/2017	Hart et al.	N/A	N/A
2018/0061396	12/2017	Srinivasan et al.	N/A	N/A
2018/0061402	12/2017	Devaraj et al.	N/A	N/A
2018/0061404	12/2017	Devaraj et al.	N/A	N/A
2018/0061409	12/2017	Valentine et al.	N/A	N/A
2018/0061419	12/2017	Melendo Casado et al.	N/A	N/A
2018/0061420	12/2017	Patil et al.	N/A	N/A
2018/0062871	12/2017	Jones et al.	N/A	N/A
2018/0084367	12/2017	Greff et al.	N/A	N/A
2018/0088900	12/2017	Glaser et al.	N/A	N/A
2018/0091898	12/2017	Yoon et al.	N/A	N/A
2018/0091913	12/2017	Hartung et al.	N/A	N/A
2018/0096678	12/2017	Zhou et al.	N/A	N/A
2018/0096683	12/2017	James et al.	N/A	N/A
2018/0096696	12/2017	Mixter	N/A	N/A
2018/0107446	12/2017	Wilberding et al.	N/A	N/A
2018/0108351	12/2017	Beckhardt et al.	N/A	N/A
2018/0120947	12/2017	Wells et al.	N/A	N/A
2018/0122372	12/2017	Wanderlust	N/A	N/A
2018/0122378	12/2017	Mixter et al.	N/A	N/A
2018/0130469	12/2017	Gruenstein et al.	N/A	N/A
2018/0132217	12/2017	Stirling-Gallacher	N/A	N/A
2018/0132298	12/2017	Birmam et al.	N/A	N/A
2018/0137857	12/2017	Zhou et al.	N/A	N/A
2018/0137861	12/2017	Ogawa	N/A	N/A
2018/0139512	12/2017	Moran et al.	N/A	N/A
2018/0152557	12/2017	White et al.	N/A	N/A
2018/0158454	12/2017	Campbell et al.	N/A	N/A
2018/0165055	12/2017	Yu et al.	N/A	N/A
2018/0167981	12/2017	Jonna et al.	N/A	N/A
2018/0174597	12/2017	Lee et al.	N/A	N/A
2018/0182383	12/2017	Kim et al.	N/A	N/A
2018/0182390	12/2017	Hughes et al.	N/A	N/A
2018/0182397	12/2017	Carbune et al.	N/A	N/A
2018/0182410	12/2017	Kaskari et al.	N/A	N/A
2018/0188948	12/2017	Ouyang et al.	N/A	N/A
2018/0190274	12/2017	Kirazci et al.	N/A	N/A
2018/0190285	12/2017	Heckmann et al.	N/A	N/A
2018/0196776	12/2017	Hershko et al.	N/A	N/A
2018/0197533	12/2017	Lyon et al.	N/A	N/A
2018/0199130	12/2017	Jaffe et al.	N/A	N/A
2018/0199146	12/2017	Sheen	N/A	N/A
2018/0204569	12/2017	Nadkar et al.	N/A	N/A

2018/0205963	12/2017	Matei et al.	N/A	N/A
2018/0210698	12/2017	Park et al.	N/A	N/A
2018/0211665	12/2017	Park et al.	N/A	N/A
2018/0218747	12/2017	Moghimì et al.	N/A	N/A
2018/0219976	12/2017	Decenzo et al.	N/A	N/A
2018/0225933	12/2017	Park et al.	N/A	N/A
2018/0228006	12/2017	Baker et al.	N/A	N/A
2018/0233130	12/2017	Kaskari et al.	N/A	N/A
2018/0233136	12/2017	Torok et al.	N/A	N/A
2018/0233137	12/2017	Torok et al.	N/A	N/A
2018/0233139	12/2017	Finkelstein et al.	N/A	N/A
2018/0233141	12/2017	Solomon et al.	N/A	N/A
2018/0233142	12/2017	Koishida et al.	N/A	N/A
2018/0233150	12/2017	Gruenstein et al.	N/A	N/A
2018/0234765	12/2017	Torok et al.	N/A	N/A
2018/0260680	12/2017	Finkelstein et al.	N/A	N/A
2018/0261213	12/2017	Arik et al.	N/A	N/A
2018/0262793	12/2017	Lau et al.	N/A	N/A
2018/0262831	12/2017	Matheja et al.	N/A	N/A
2018/0270565	12/2017	Ganeshkumar	N/A	N/A
2018/0270573	12/2017	Lang et al.	N/A	N/A
2018/0270575	12/2017	Akutagawa	N/A	N/A
2018/0277107	12/2017	Kim	N/A	N/A
2018/0277113	12/2017	Hartung et al.	N/A	N/A
2018/0277119	12/2017	Baba et al.	N/A	N/A
2018/0277133	12/2017	Deetz et al.	N/A	N/A
2018/0286394	12/2017	Li et al.	N/A	N/A
2018/0286414	12/2017	Ravindran et al.	N/A	N/A
2018/0293221	12/2017	Finkelstein et al.	N/A	N/A
2018/0293484	12/2017	Wang et al.	N/A	N/A
2018/0301147	12/2017	Kim	N/A	N/A
2018/0308470	12/2017	Park et al.	N/A	N/A
2018/0314552	12/2017	Kim et al.	N/A	N/A
2018/0315429	12/2017	Taple	N/A	G10L 15/26
2018/0322891	12/2017	Van Den Oord et al.	N/A	N/A
2018/0324756	12/2017	Ryu et al.	N/A	N/A
2018/0330727	12/2017	Tulli	N/A	N/A
2018/0335903	12/2017	Coffman et al.	N/A	N/A
2018/0336274	12/2017	Choudhury et al.	N/A	N/A
2018/0336892	12/2017	Kim et al.	N/A	N/A
2018/0349093	12/2017	McCarty et al.	N/A	N/A
2018/0350356	12/2017	Garcia	N/A	N/A
2018/0350379	12/2017	Wung et al.	N/A	N/A
2018/0352014	12/2017	Alsina et al.	N/A	N/A
2018/0352334	12/2017	Family et al.	N/A	N/A
2018/0356962	12/2017	Corbin	N/A	N/A
2018/0358009	12/2017	Daley et al.	N/A	N/A
2018/0358019	12/2017	Mont-Reynaud	N/A	N/A
2018/0365567	12/2017	Kolavennu et al.	N/A	N/A
2018/0367944	12/2017	Heo et al.	N/A	N/A
2019/0012141	12/2018	Piersol et al.	N/A	N/A
2019/0013019	12/2018	Lawrence	N/A	N/A
2019/0014592	12/2018	Hampel et al.	N/A	N/A
2019/0019112	12/2018	Gelfenbeyn et al.	N/A	N/A
2019/0033446	12/2018	Bultan et al.	N/A	N/A
2019/0035404	12/2018	Gabel et al.	N/A	N/A
2019/0037173	12/2018	Lee	N/A	N/A
2019/0042187	12/2018	Truong et al.	N/A	N/A
2019/0043488	12/2018	Bocklet et al.	N/A	N/A
2019/0043492	12/2018	Lang	N/A	N/A
2019/0044745	12/2018	Knudson et al.	N/A	N/A
2019/0051298	12/2018	Lee et al.	N/A	N/A
2019/0051299	12/2018	Ossowski et al.	N/A	N/A
2019/0066672	12/2018	Wood et al.	N/A	N/A
2019/0066680	12/2018	Woo et al.	N/A	N/A
2019/0066687	12/2018	Wood et al.	N/A	N/A
2019/0066710	12/2018	Bryan et al.	N/A	N/A
2019/0073999	12/2018	Prémont et al.	N/A	N/A
2019/0074025	12/2018	Lashkari et al.	N/A	N/A
2019/0079724	12/2018	Feuz et al.	N/A	N/A
2019/0081507	12/2018	Ide	N/A	N/A

2019/0081810	12/2018	Jung	N/A	N/A
2019/0082255	12/2018	Tajiri et al.	N/A	N/A
2019/0087455	12/2018	He et al.	N/A	N/A
2019/0088261	12/2018	Lang et al.	N/A	N/A
2019/0090056	12/2018	Rexach et al.	N/A	N/A
2019/0096408	12/2018	Li et al.	N/A	N/A
2019/0098400	12/2018	Buoni et al.	N/A	N/A
2019/0104119	12/2018	Giorgi et al.	N/A	N/A
2019/0104373	12/2018	Wodrich et al.	N/A	N/A
2019/0108839	12/2018	Reilly et al.	N/A	N/A
2019/0115011	12/2018	Khellah et al.	N/A	N/A
2019/0122662	12/2018	Chang et al.	N/A	N/A
2019/0130906	12/2018	Kobayashi et al.	N/A	N/A
2019/0156847	12/2018	Bryan et al.	N/A	N/A
2019/0163153	12/2018	Price et al.	N/A	N/A
2019/0172452	12/2018	Smith et al.	N/A	N/A
2019/0172467	12/2018	Kim et al.	N/A	N/A
2019/0172476	12/2018	Wung et al.	N/A	N/A
2019/0173687	12/2018	Mackay et al.	N/A	N/A
2019/0179607	12/2018	Thangarathnam et al.	N/A	N/A
2019/0179611	12/2018	Wojogbe et al.	N/A	N/A
2019/0182072	12/2018	Roe et al.	N/A	N/A
2019/0186937	12/2018	Sharifi et al.	N/A	N/A
2019/0188328	12/2018	Oyenani et al.	N/A	N/A
2019/0189117	12/2018	Kumar	N/A	N/A
2019/0206391	12/2018	Busch et al.	N/A	N/A
2019/0206405	12/2018	Gillespie et al.	N/A	N/A
2019/0206412	12/2018	Li et al.	N/A	N/A
2019/0219976	12/2018	Giorgi et al.	N/A	N/A
2019/0220246	12/2018	Orr et al.	N/A	N/A
2019/0221206	12/2018	Chen et al.	N/A	N/A
2019/0237067	12/2018	Friedman et al.	N/A	N/A
2019/0237089	12/2018	Shin	N/A	N/A
2019/0239008	12/2018	Lambourne	N/A	N/A
2019/0239009	12/2018	Lambourne	N/A	N/A
2019/0243603	12/2018	Keyser-Allen et al.	N/A	N/A
2019/0243606	12/2018	Jayakumar et al.	N/A	N/A
2019/0244608	12/2018	Choi et al.	N/A	N/A
2019/0251960	12/2018	Maker et al.	N/A	N/A
2019/0259408	12/2018	Freeman et al.	N/A	N/A
2019/0281387	12/2018	Woo et al.	N/A	N/A
2019/0281397	12/2018	Lambourne	N/A	N/A
2019/0287536	12/2018	Sharifi et al.	N/A	N/A
2019/0287546	12/2018	Ganeshkumar	N/A	N/A
2019/0288970	12/2018	Siddiq	N/A	N/A
2019/0289367	12/2018	Siddiq	N/A	N/A
2019/0295542	12/2018	Huang et al.	N/A	N/A
2019/0295555	12/2018	Wilberding	N/A	N/A
2019/0295556	12/2018	Wilberding	N/A	N/A
2019/0295563	12/2018	Kamdar et al.	N/A	N/A
2019/0297388	12/2018	Panchaksharaiah et al.	N/A	N/A
2019/0304443	12/2018	Bhagwan	N/A	N/A
2019/0311710	12/2018	Eraslan et al.	N/A	N/A
2019/0311712	12/2018	Firik et al.	N/A	N/A
2019/0311715	12/2018	Pfeffinger et al.	N/A	N/A
2019/0311718	12/2018	Huber et al.	N/A	N/A
2019/0311720	12/2018	Pasko	N/A	N/A
2019/0311722	12/2018	Caldwell	N/A	N/A
2019/0317606	12/2018	Jain et al.	N/A	N/A
2019/0318729	12/2018	Chao et al.	N/A	N/A
2019/0325870	12/2018	Mitic	N/A	N/A
2019/0325888	12/2018	Geng	N/A	N/A
2019/0341037	12/2018	Bromand et al.	N/A	N/A
2019/0341038	12/2018	Bromand et al.	N/A	N/A
2019/0342962	12/2018	Chang et al.	N/A	N/A
2019/0347063	12/2018	Liu et al.	N/A	N/A
2019/0348044	12/2018	Chun et al.	N/A	N/A
2019/0362714	12/2018	Mori et al.	N/A	N/A
2019/0364375	12/2018	Soto et al.	N/A	N/A
2019/0364422	12/2018	Zhuo	N/A	N/A
2019/0371310	12/2018	Fox et al.	N/A	N/A

2019/0371324	12/2018	Powell et al.	N/A	N/A
2019/0371327	12/2018	Quinn	N/A	G10L 15/16
2019/0371329	12/2018	D'Souza	N/A	G10L 15/22
2019/0371342	12/2018	Tukka et al.	N/A	N/A
2019/0392832	12/2018	Mitsui et al.	N/A	N/A
2019/0392837	12/2018	Jung	N/A	G10L 15/22
2020/0007987	12/2019	Woo et al.	N/A	N/A
2020/0034492	12/2019	Verbeke et al.	N/A	N/A
2020/0043489	12/2019	Bradley et al.	N/A	N/A
2020/0051554	12/2019	Kim et al.	N/A	N/A
2020/0066279	12/2019	Kang et al.	N/A	N/A
2020/0074990	12/2019	Kim et al.	N/A	N/A
2020/0075018	12/2019	Chen	N/A	N/A
2020/0090643	12/2019	Shin	N/A	G10L 15/063
2020/0090647	12/2019	Kurtz	N/A	N/A
2020/0092687	12/2019	Devaraj et al.	N/A	N/A
2020/0098354	12/2019	Lin et al.	N/A	N/A
2020/0098379	12/2019	Tai et al.	N/A	N/A
2020/0105245	12/2019	Gupta et al.	N/A	N/A
2020/0105256	12/2019	Fainberg et al.	N/A	N/A
2020/0105264	12/2019	Jang et al.	N/A	N/A
2020/0110571	12/2019	Liu et al.	N/A	N/A
2020/0125162	12/2019	D'Amato et al.	N/A	N/A
2020/0135194	12/2019	Jeong	N/A	N/A
2020/0135224	12/2019	Bromand et al.	N/A	N/A
2020/0152206	12/2019	Shen et al.	N/A	N/A
2020/0175989	12/2019	Lockhart et al.	N/A	N/A
2020/0184964	12/2019	Myers et al.	N/A	N/A
2020/0184980	12/2019	Wilberding	N/A	N/A
2020/0193973	12/2019	Tolomei et al.	N/A	N/A
2020/0211539	12/2019	Lee	N/A	N/A
2020/0211550	12/2019	Pan et al.	N/A	N/A
2020/0211556	12/2019	Mixter et al.	N/A	N/A
2020/0213729	12/2019	Soto	N/A	N/A
2020/0216089	12/2019	Garcia et al.	N/A	N/A
2020/0234709	12/2019	Kunitake	N/A	N/A
2020/0244650	12/2019	Burris et al.	N/A	N/A
2020/0251107	12/2019	Wang et al.	N/A	N/A
2020/0265838	12/2019	Lee et al.	N/A	N/A
2020/0310751	12/2019	Anand et al.	N/A	N/A
2020/0336846	12/2019	Rohde et al.	N/A	N/A
2020/0342869	12/2019	Lee et al.	N/A	N/A
2020/0366477	12/2019	Brown et al.	N/A	N/A
2020/0395006	12/2019	Smith et al.	N/A	N/A
2020/0395010	12/2019	Smith et al.	N/A	N/A
2020/0395013	12/2019	Smith et al.	N/A	N/A
2020/0409652	12/2019	Wilberding et al.	N/A	N/A
2020/0409926	12/2019	Srinivasan et al.	N/A	N/A
2021/0035561	12/2020	D'Amato et al.	N/A	N/A
2021/0035572	12/2020	D'Amato et al.	N/A	N/A
2021/0067867	12/2020	Kagoshima	N/A	N/A
2021/0118429	12/2020	Shan	N/A	N/A
2021/0118439	12/2020	Schillmoeller et al.	N/A	N/A
2021/0166680	12/2020	Jung et al.	N/A	N/A
2021/0183366	12/2020	Reinspach et al.	N/A	N/A
2021/0280185	12/2020	Tan et al.	N/A	N/A
2021/0295849	12/2020	Van Der Ven et al.	N/A	N/A
2021/0358481	12/2020	D'Amato et al.	N/A	N/A
2022/0020388	12/2021	Trim	N/A	H04M 3/568
2022/0036882	12/2021	Ahn et al.	N/A	N/A
2022/0050585	12/2021	Fettes et al.	N/A	N/A
2022/0083136	12/2021	DeLeeuw	N/A	N/A
2022/0301561	12/2021	Robert Jose et al.	N/A	N/A
2023/0237997	12/2022	Ramic	704/275	G10L 15/22

FOREIGN PATENT DOCUMENTS

Patent No.	Application Date	Country	CPC
2017100486	12/2016	AU	N/A
2017100581	12/2016	AU	N/A
1323435	12/2000	CN	N/A
1748250	12/2005	CN	N/A
1781291	12/2005	CN	N/A

101310558	12/2007	CN	N/A
101427154	12/2008	CN	N/A
101480039	12/2008	CN	N/A
101661753	12/2009	CN	N/A
101686282	12/2009	CN	N/A
101907983	12/2009	CN	N/A
102123188	12/2010	CN	N/A
102256098	12/2010	CN	N/A
102567468	12/2011	CN	N/A
102999161	12/2012	CN	N/A
103052001	12/2012	CN	N/A
103181192	12/2012	CN	N/A
103210663	12/2012	CN	N/A
103546616	12/2013	CN	N/A
103811007	12/2013	CN	N/A
104010251	12/2013	CN	N/A
104035743	12/2013	CN	N/A
104053088	12/2013	CN	N/A
104092936	12/2013	CN	N/A
104104769	12/2013	CN	N/A
104115224	12/2013	CN	N/A
104155938	12/2013	CN	N/A
104282305	12/2014	CN	N/A
104520927	12/2014	CN	N/A
104538030	12/2014	CN	N/A
104572009	12/2014	CN	N/A
104575504	12/2014	CN	N/A
104581510	12/2014	CN	N/A
104635539	12/2014	CN	N/A
104865550	12/2014	CN	N/A
104885406	12/2014	CN	N/A
104885438	12/2014	CN	N/A
105101083	12/2014	CN	N/A
105162886	12/2014	CN	N/A
105187907	12/2014	CN	N/A
105204357	12/2014	CN	N/A
105206281	12/2014	CN	N/A
105284076	12/2015	CN	N/A
105284168	12/2015	CN	N/A
105389099	12/2015	CN	N/A
105427861	12/2015	CN	N/A
105453179	12/2015	CN	N/A
105472191	12/2015	CN	N/A
105493179	12/2015	CN	N/A
105493442	12/2015	CN	N/A
105632486	12/2015	CN	N/A
105679318	12/2015	CN	N/A
106028223	12/2015	CN	N/A
106030699	12/2015	CN	N/A
106375902	12/2016	CN	N/A
106531165	12/2016	CN	N/A
106708403	12/2016	CN	N/A
106796784	12/2016	CN	N/A
106910500	12/2016	CN	N/A
107004410	12/2016	CN	N/A
107122158	12/2016	CN	N/A
107465974	12/2016	CN	N/A
107644313	12/2017	CN	N/A
107767863	12/2017	CN	N/A
107832837	12/2017	CN	N/A
107919116	12/2017	CN	N/A
107919123	12/2017	CN	N/A
108028047	12/2017	CN	N/A
108028048	12/2017	CN	N/A
108198548	12/2017	CN	N/A
109712626	12/2018	CN	N/A
1349146	12/2002	EP	N/A
1389853	12/2003	EP	N/A
2051542	12/2008	EP	N/A
2166737	12/2009	EP	N/A
2683147	12/2013	EP	N/A

2986034	12/2015	EP	N/A
3128767	12/2016	EP	N/A
3133595	12/2016	EP	N/A
2351021	12/2016	EP	N/A
3270377	12/2017	EP	N/A
3285502	12/2017	EP	N/A
2501367	12/2012	GB	N/A
S63301998	12/1987	JP	N/A
H0883091	12/1995	JP	N/A
2001236093	12/2000	JP	N/A
2003223188	12/2002	JP	N/A
2004096520	12/2003	JP	N/A
2004109361	12/2003	JP	N/A
2004163590	12/2003	JP	N/A
2004347943	12/2003	JP	N/A
2004354721	12/2003	JP	N/A
2005242134	12/2004	JP	N/A
2005250867	12/2004	JP	N/A
2005284492	12/2004	JP	N/A
2006092482	12/2005	JP	N/A
2007013400	12/2006	JP	N/A
2007142595	12/2006	JP	N/A
2007235875	12/2006	JP	N/A
2008079256	12/2007	JP	N/A
2008158868	12/2007	JP	N/A
2008217444	12/2007	JP	N/A
2010141748	12/2009	JP	N/A
2013037148	12/2012	JP	N/A
2014071138	12/2013	JP	N/A
2014510481	12/2013	JP	N/A
2014137590	12/2013	JP	N/A
2015161551	12/2014	JP	N/A
2015527768	12/2014	JP	N/A
2016009193	12/2015	JP	N/A
2016095383	12/2015	JP	N/A
2017072857	12/2016	JP	N/A
2017129860	12/2016	JP	N/A
2017227912	12/2016	JP	N/A
2018055259	12/2017	JP	N/A
2019109510	12/2018	JP	N/A
20100036351	12/2009	KR	N/A
100966415	12/2009	KR	N/A
20100111071	12/2009	KR	N/A
20130050987	12/2012	KR	N/A
101284134	12/2012	KR	N/A
20140005410	12/2013	KR	N/A
20140035310	12/2013	KR	N/A
20140054643	12/2013	KR	N/A
20140111859	12/2013	KR	N/A
20140112900	12/2013	KR	N/A
201629950	12/2015	TW	N/A
200153994	12/2000	WO	N/A
03054854	12/2002	WO	N/A
2003093950	12/2002	WO	N/A
2008048599	12/2007	WO	N/A
2008096414	12/2007	WO	N/A
2012166386	12/2011	WO	N/A
2013184792	12/2012	WO	N/A
2014064531	12/2013	WO	N/A
2014159581	12/2013	WO	N/A
2015017303	12/2014	WO	N/A
2015037396	12/2014	WO	N/A
2015105788	12/2014	WO	N/A
2015131024	12/2014	WO	N/A
2015133022	12/2014	WO	N/A
2015178950	12/2014	WO	N/A
2015195216	12/2014	WO	N/A
2016003509	12/2015	WO	N/A
2016014142	12/2015	WO	N/A
2016014686	12/2015	WO	N/A
2016022926	12/2015	WO	N/A

2016033364	12/2015	WO	N/A
2016057268	12/2015	WO	N/A
2016085775	12/2015	WO	N/A
2016136062	12/2015	WO	N/A
2016165067	12/2015	WO	N/A
2016171956	12/2015	WO	N/A
2016200593	12/2015	WO	N/A
2017039632	12/2016	WO	N/A
2017058654	12/2016	WO	N/A
2017138934	12/2016	WO	N/A
2017147075	12/2016	WO	N/A
2017147936	12/2016	WO	N/A
2018027142	12/2017	WO	N/A
2018067404	12/2017	WO	N/A
2018140777	12/2017	WO	N/A
2019005772	12/2018	WO	N/A

OTHER PUBLICATIONS

US 9,299,346 B1, 03/2016, Hart et al. (withdrawn) cited by applicant

Notice of Allowance mailed on Sep. 21, 2022, issued in connection with U.S. Appl. No. 17/128,949, filed Dec. 21, 2020, 8 pages. cited by applicant

Notice of Allowance mailed on Nov. 22, 2021, issued in connection with U.S. Appl. No. 16/834,483, filed Mar. 30, 2020, 10 pages. cited by applicant

Notice of Allowance mailed on Sep. 22, 2022, issued in connection with U.S. Appl. No. 17/163,506, filed Jan. 31, 2021, 13 pages. cited by applicant

Notice of Allowance mailed on Sep. 22, 2022, issued in connection with U.S. Appl. No. 17/248,427, filed Jan. 25, 2021, 9 pages. cited by applicant

Notice of Allowance mailed on Feb. 23, 2023, issued in connection with U.S. Appl. No. 17/532,674, filed Nov. 22, 2021, 10 pages. cited by applicant

Notice of Allowance mailed on Mar. 24, 2022, issued in connection with U.S. Appl. No. 16/378,516, filed Apr. 8, 2019, 7 pages. cited by applicant

Notice of Allowance mailed on Aug. 26, 2022, issued in connection with U.S. Appl. No. 17/145,667, filed Jan. 11, 2021, 8 pages. cited by applicant

Notice of Allowance mailed on Oct. 26, 2022, issued in connection with U.S. Appl. No. 17/486,574, filed Sep. 27, 2021, 11 pages. cited by applicant

Notice of Allowance mailed on Jun. 27, 2022, issued in connection with U.S. Appl. No. 16/812,758, filed Mar. 9, 2020, 16 pages. cited by applicant

Notice of Allowance mailed on Sep. 28, 2022, issued in connection with U.S. Appl. No. 17/444,043, filed Jul. 29, 2021, 17 pages. cited by applicant

Notice of Allowance mailed on Dec. 29, 2022, issued in connection with U.S. Appl. No. 17/327,911, filed May 24, 2021, 14 pages. cited by applicant

Notice of Allowance mailed on Jul. 29, 2022, issued in connection with U.S. Appl. No. 17/236,559, filed Apr. 21, 2021, 6 pages. cited by applicant

Notice of Allowance mailed on Mar. 29, 2023, issued in connection with U.S. Appl. No. 17/722,438, filed Apr. 18, 2022, 7 pages. cited by applicant

Notice of Allowance mailed on Mar. 3, 2022, issued in connection with U.S. Appl. No. 16/679,538, filed Nov. 11, 2019, 7 pages. cited by applicant

Notice of Allowance mailed on Mar. 30, 2023, issued in connection with U.S. Appl. No. 17/303,066, filed May 19, 2021, 7 pages. cited by applicant

Notice of Allowance mailed on Mar. 31, 2023, issued in connection with U.S. Appl. No. 17/303,735, filed Jun. 7, 2021, 19 pages. cited by applicant

Notice of Allowance mailed on Apr. 5, 2023, issued in connection with U.S. Appl. No. 17/549,253, filed Dec. 13, 2021, 10 pages. cited by applicant

Notice of Allowance mailed on Mar. 6, 2023, issued in connection with U.S. Appl. No. 17/449,926, filed Oct. 4, 2021, 8 pages. cited by applicant

Notice of Allowance mailed on Apr. 8, 2022, issued in connection with U.S. Appl. No. 16/813,643, filed Mar. 9, 2020, 7 pages. cited by applicant

Notice of Allowance mailed on Nov. 8, 2021, issued in connection with U.S. Appl. No. 17/008,104, filed Aug. 31, 2020, 9 pages. cited by applicant

Notice of Allowance mailed on Dec. 9, 2021, issued in connection with U.S. Appl. No. 16/845,946, filed Apr. 10, 2020, 10 pages. cited by applicant

Notice of Allowance mailed on Feb. 9, 2022, issued in connection with U.S. Appl. No. 17/247,736, filed Dec. 21, 2020, 8 pages. cited by applicant

Pre-Appeal Brief Decision mailed on Jan. 18, 2022, issued in connection with U.S. Appl. No. 16/806,747, filed Mar. 2, 2020, 2 pages. cited by applicant

Simon Doclo et al. Combined Acoustic Echo and Noise Reduction Using GSVD-Based Optimal Filtering. In 2000 IEEE International Conference on Acoustics, Speech, and Signal Processing. Proceedings (Cat. No. 00CH37100), Aug. 6, 2002, 4 pages. [retrieved on Feb. 23, 2023], Retrieved from the Internet: URL: https://scholar.google.com/scholar?hl=en&as_sdt=0%2C14&q=COMBINED+ACOUSTIC+ECHO+AND+NOISE+REDUCTION+USING+GSVD-BASED+OPTIMAL+FILTERING&btnG=. cited by applicant

Tsung-Hsien Wen et al: "A Network-based End-to-End Trainable Task-oriented Dialogue System", Corr (ARXIV), vol. 1604.04562v1, Apr. 15, 2016 (Apr. 15, 2016), pp. 1-11. cited by applicant

Wikipedia. "The Wayback Machine", Speech recognition software for Linux, Sep. 22, 2016, 4 pages. [retrieved on Mar. 28, 2022], Retrieved from the Internet: URL: https://web.archive.org/web/20160922151304/https://en.wikipedia.org/wiki/Speech_recognition_software_for_Linux. cited by applicant

Wolf et al. On the potential of channel selection for recognition of reverberated speech with multiple microphones. Interspeech, TALP Research Center, Jan. 2010, 5 pages. cited by applicant

Wolfel et al. Multi-source far-distance microphone selection and combination for automatic transcription of lectures, Interspeech 2006—ICSLP, Jan. 2006, 5 pages. cited by applicant

Zhang et al. Noise Robust Speech Recognition Using Multi-Channel Based Channel Selection And Channel Weighting. The Institute of Electronics, Information and Communication Engineers, arXiv:1604.03276v1 [cs.SD] Jan. 1, 2010, 8 pages. cited by applicant

International Bureau, International Search Report and Written Opinion mailed on Nov. 10, 2020, issued in connection with International Application No. PCT/US2020/044250, filed on Jul. 30, 2020, 15 pages. cited by applicant

International Bureau, International Search Report and Written Opinion mailed on Dec. 11, 2019, issued in connection with International Application No. PCT/US2019/052129, filed on Sep. 20, 2019, 18 pages. cited by applicant

International Bureau, International Search Report and Written Opinion mailed on Nov. 13, 2018, issued in connection with International Application No. PCT/US2018/045397, filed on Aug. 6, 2018, 11 pages. cited by applicant

International Bureau, International Search Report and Written Opinion mailed on Jan. 14, 2019, issued in connection with International Application No. PCT/US2018053472, filed on Sep. 28, 2018, 10 pages. cited by applicant

International Bureau, International Search Report and Written Opinion mailed on Jul. 14, 2020, issued in connection with International Application No. PCT/US2020/017150, filed on Feb. 7, 2020, 27 pages. cited by applicant

International Bureau, International Search Report and Written Opinion mailed on Nov. 14, 2017, issued in connection with International Application No. PCT/US2017/045521, filed on Aug. 4, 2017, 10 pages. cited by applicant

International Bureau, International Search Report and Written Opinion mailed on Jul. 17, 2019, issued in connection with International Application No. PCT/US2019/032934, filed on May 17, 2019, 17 pages. cited by applicant

International Bureau, International Search Report and Written Opinion mailed on Nov. 18, 2019, issued in connection with International Application No. PCT/US2019/048558, filed on Aug. 28, 2019, 11 pages. cited by applicant

International Bureau, International Search Report and Written Opinion mailed on Nov. 18, 2019, issued in connection with International Application No. PCT/US2019052841, filed on Sep. 25, 2019, 12 pages. cited by applicant

International Bureau, International Search Report and Written Opinion mailed on Mar. 2, 2020, issued in connection with International Application No. PCT/US2019064907, filed on Dec. 6, 2019, 11 pages. cited by applicant

International Bureau, International Search Report and Written Opinion mailed on Mar. 2, 2020, issued in connection with International Application No. PCT/US2019/064907, filed on Dec. 6, 2019, 9 pages. cited by applicant

International Bureau, International Search Report and Written Opinion mailed on Dec. 20, 2019, issued in connection with International Application No. PCT/US2019052654, filed on Sep. 24, 2019, 11 pages. cited by applicant

International Bureau, International Search Report and Written Opinion mailed on Sep. 21, 2020, issued in connection with International Application No. PCT/US2020/037229, filed on Jun. 11, 2020, 17 pages. cited by applicant

International Bureau, International Search Report and Written Opinion mailed on Oct. 22, 2020, issued in connection with International Application No. PCT/US2020/044282, filed on Jul. 30, 2020, 15 pages. cited by applicant

International Bureau, International Search Report and Written Opinion mailed on Apr. 23, 2021, issued in connection with International Application No. PCT/US2021/070007, filed on Jan. 6, 2021, 11 pages. cited by applicant

International Bureau, International Search Report and Written Opinion mailed on Jul. 24, 2018, issued in connection with International Application No. PCT/US2018/019010, filed on Feb. 21, 2018, 12 pages. cited by applicant

International Bureau, International Search Report and Written Opinion, mailed on Feb. 27, 2019, issued in connection with International Application No. PCT/US2018/053123, filed on Sep. 27, 2018, 16 pages. cited by applicant

International Bureau, International Search Report and Written Opinion mailed on Sep. 27, 2019, issued in connection with International Application No. PCT/US2019/039828, filed on Jun. 28, 2019, 13 pages. cited by applicant

International Bureau, International Search Report and Written Opinion mailed on Nov. 29, 2019, issued in connection with International Application No. PCT/US2019/053253, filed on Sep. 29, 2019, 14 pages. cited by applicant

International Bureau, International Search Report and Written Opinion mailed on Sep. 4, 2019, issued in connection with International Application No. PCT/US2019/033945, filed on May 24, 2019, 8 pages. cited by applicant

International Bureau, International Search Report and Written Opinion mailed on Aug. 6, 2020, issued in connection with International Application No. PCT/FR2019/000081, filed on May 24, 2019, 12 pages. cited by applicant

International Bureau, International Search Report and Written Opinion mailed on Dec. 6, 2018, issued in connection with International Application No. PCT/US2018/050050, filed on Sep. 7, 2018, 9 pages. cited by applicant

International Bureau, International Search Report and Written Opinion mailed on Dec. 6, 2019, issued in connection with International Application No. PCT/US2019050852, filed on Sep. 12, 2019, 10 pages. cited by applicant

International Bureau, International Search Report and Written Opinion mailed on Oct. 6, 2017, issued in connection with International Application No. PCT/US2017/045551, filed on Aug. 4, 2017, 12 pages. cited by applicant

International Bureau, International Search Report and Written Opinion mailed on Apr. 8, 2020, issued in connection with International Application No. PCT/US2019/067576, filed on Dec. 19, 2019, 12 pages. cited by applicant

International Searching Authority, International Search Report and Written Opinion mailed on Feb. 8, 2021, issued in connection with International Application No. PCT/EP2020/082243, filed on Nov. 16, 2020, 10 pages. cited by applicant

International Searching Authority, International Search Report and Written Opinion mailed on Feb. 12, 2021, issued in connection with International Application No. PCT/US2020/056632, filed on Oct. 21, 2020, 10 pages. cited by applicant

International Searching Authority, International Search Report and Written Opinion mailed on Dec. 19, 2018, in connection with International Application No. PCT/US2018/053517, 13 pages. cited by applicant

International Searching Authority, International Search Report and Written Opinion mailed on Nov. 22, 2017, issued in connection with International Application No. PCT/US2017/054063, filed on Sep. 28, 2017, 11 pages. cited by applicant

International Searching Authority, International Search Report and Written Opinion mailed on Apr. 23, 2021, issued in connection with International Application No. PCT/US2020/066231, filed on Dec. 18, 2020, 9 pages. cited by applicant

International Searching Authority, International Search Report and Written Opinion mailed on Jan. 23, 2018, issued in connection with International Application No. PCT/US2017/57220, filed on Oct. 18, 2017, 8 pages. cited by applicant

International Searching Authority, International Search Report and Written Opinion mailed on May 23, 2017, issued in connection with International Application No. PCT/US2017/018739, Filed on Feb. 21, 2017, 10 pages. cited by applicant

International Searching Authority, International Search Report and Written Opinion mailed on Oct. 23, 2017, issued in connection with International Application No. PCT/US2017/042170, filed on Jul. 14, 2017, 15 pages. cited by applicant

International Searching Authority, International Search Report and Written Opinion mailed on Oct. 24, 2017, issued in connection with International Application No. PCT/US2017/042227, filed on Jul. 14, 2017, 16 pages. cited by applicant

International Searching Authority, International Search Report and Written Opinion mailed on May 30, 2017, issued in connection with International Application No. PCT/US2017/018728, Filed on Feb. 21, 2017, 11 pages. cited by applicant

Japanese Patent Office, Decision of Refusal and Translation mailed on Jun. 8, 2021, issued in connection with Japanese Patent Application No. 2019-073348, 5 pages. cited by applicant

Japanese Patent Office, English Translation of Office Action mailed on Nov. 17, 2020, issued in connection with Japanese Application No. 2019-145039, 5 pages. cited by applicant

Japanese Patent Office, English Translation of Office Action mailed on Aug. 27, 2020, issued in connection with Japanese Application No. 2019-073349, 6 pages. cited by applicant

Japanese Patent Office, English Translation of Office Action mailed on Jul. 30, 2020, issued in connection with Japanese Application No. 2019-51728, 26 pages. cited by applicant

Japanese Patent Office, Non-Final Office Action and Translation mailed on Nov. 5, 2019, issued in connection with Japanese Patent Application No. 2019-517281, 6 pages. cited by applicant

Japanese Patent Office, Notice of Reasons for Refusal and Translation mailed on Jun. 22, 2021, issued in connection with Japanese Patent Application No. 2020-517935, 4 pages. cited by applicant

Japanese Patent Office, Office Action and Translation mailed on Mar. 16, 2021, issued in connection with Japanese Patent Application No. 2020-506725, 7 pages. cited by applicant

Japanese Patent Office, Office Action and Translation mailed on Nov. 17, 2020, issued in connection with Japanese Patent Application No. 2019-

145039, 7 pages. cited by applicant
Japanese Patent Office, Office Action and Translation mailed on Apr. 20, 2021, issued in connection with Japanese Patent Application No. 2020-513852, 9 pages. cited by applicant
Japanese Patent Office, Office Action and Translation mailed on Feb. 24, 2021, issued in connection with Japanese Patent Application No. 2019-517281, 4 pages. cited by applicant
Japanese Patent Office, Office Action and Translation mailed on Apr. 27, 2021, issued in connection with Japanese Patent Application No. 2020-518400, 10 pages. cited by applicant
Japanese Patent Office, Office Action and Translation mailed on Aug. 27, 2020, issued in connection with Japanese Patent Application No. 2019-073349, 6 pages. cited by applicant
Japanese Patent Office, Office Action and Translation mailed on Jul. 30, 2020, issued in connection with Japanese Patent Application No. 2019-517281, 6 pages. cited by applicant
Japanese Patent Office, Office Action and Translation mailed on Jul. 6, 2020, issued in connection with Japanese Patent Application No. 2019-073348, 10 pages. cited by applicant
Japanese Patent Office, Office Action and Translation mailed on Jul. 6, 2021, issued in connection with Japanese Patent Application No. 2019-073349, 6 pages. cited by applicant
Xu et al. An End-to-end Approach for Handling Unknown Slot Values in Dialogue State Tracking. ARXIV.org, Cornell University Library, May 3, 2018, 10 pages. cited by applicant
Yamaha DME 64 Owner's Manual; copyright 2004, 80 pages. cited by applicant
Yamaha DME Designer 3.0 Owner's Manual; Copyright 2008, 501 pages. cited by applicant
Yamaha DME Designer 3.5 setup manual guide; copyright 2004, 16 pages. cited by applicant
Yamaha DME Designer 3.5 User Manual; Copyright 2004, 507 pages. cited by applicant
Zaykovskiy, Dmitry. Survey of the Speech Recognition Techniques for Mobile Devices. Proceedings of Speccom 2006, Jun. 25, 2006, 6 pages. cited by applicant
Non-Final Office Action mailed on May 22, 2018, issued in connection with U.S. Appl. No. 15/946,599, filed Apr. 5, 2018, 19 pages. cited by applicant
Non-Final Office Action mailed on Sep. 22, 2020, issued in connection with U.S. Appl. No. 16/539,843, filed Aug. 13, 2019, 7 pages. cited by applicant
Non-Final Office Action mailed on Jun. 23, 2021, issued in connection with U.S. Appl. No. 16/439,032, filed Jun. 12, 2019, 13 pages. cited by applicant
Non-Final Office Action mailed on May 23, 2019, issued in connection with U.S. Appl. No. 16/154,071, filed Oct. 8, 2018, 36 pages. cited by applicant
Non-Final Office Action mailed on Nov. 23, 2020, issued in connection with U.S. Appl. No. 16/524,306, filed Jul. 29, 2019, 14 pages. cited by applicant
Non-Final Office Action mailed on Sep. 23, 2020, issued in connection with U.S. Appl. No. 16/177,185, filed Oct. 31, 2018, 17 pages. cited by applicant
Non-Final Office Action mailed on Aug. 24, 2017, issued in connection with U.S. Appl. No. 15/297,627, filed Oct. 19, 2016, 13 pages. cited by applicant
Non-Final Office Action mailed on Jul. 24, 2019, issued in connection with U.S. Appl. No. 16/439,009, filed Jun. 12, 2019, 26 pages. cited by applicant
Non-Final Office Action mailed on Jul. 25, 2017, issued in connection with U.S. Appl. No. 15/273,679, filed Jul. 22, 2016, 11 pages. cited by applicant
Non-Final Office Action mailed on Dec. 26, 2018, issued in connection with U.S. Appl. No. 16/154,469, filed Oct. 8, 2018, 7 pages. cited by applicant
Non-Final Office Action mailed on Jan. 26, 2017, issued in connection with U.S. Appl. No. 15/098,867, filed Apr. 14, 2016, 16 pages. cited by applicant
Non-Final Office Action mailed on Oct. 26, 2017, issued in connection with U.S. Appl. No. 15/438,744, filed Feb. 21, 2017, 12 pages. cited by applicant
Non-Final Office Action mailed on Oct. 26, 2021, issued in connection with U.S. Appl. No. 16/736,725, filed Jan. 7, 2020, 12 pages. cited by applicant
Non-Final Office Action mailed on Jun. 27, 2018, issued in connection with U.S. Appl. No. 15/438,749, filed Feb. 21, 2017, 16 pages. cited by applicant
Non-Final Office Action mailed on Jun. 27, 2019, issued in connection with U.S. Appl. No. 16/437,437, filed Jun. 11, 2019, 8 pages. cited by applicant
Non-Final Office Action mailed on Jun. 27, 2019, issued in connection with U.S. Appl. No. 16/437,476, filed Jun. 11, 2019, 8 pages. cited by applicant
Non-Final Office Action mailed on Mar. 27, 2020, issued in connection with U.S. Appl. No. 16/790,621, filed Feb. 13, 2020, 8 pages. cited by applicant
Non-Final Office Action mailed on May 27, 2020, issued in connection with U.S. Appl. No. 16/715,713, filed Dec. 16, 2019, 14 pages. cited by applicant
Non-Final Office Action mailed on Oct. 27, 2020, issued in connection with U.S. Appl. No. 16/213,570, filed Dec. 7, 2018, 13 pages. cited by applicant
Non-Final Office Action mailed on Oct. 27, 2020, issued in connection with U.S. Appl. No. 16/715,984, filed Dec. 16, 2019, 14 pages. cited by applicant
Non-Final Office Action mailed on Oct. 27, 2020, issued in connection with U.S. Appl. No. 16/819,755, filed Mar. 16, 2020, 8 pages. cited by applicant
Non-Final Office Action mailed on Oct. 28, 2019, issued in connection with U.S. Appl. No. 16/145,275, filed Sep. 28, 2018, 11 pages. cited by applicant
Non-Final Office Action mailed on Oct. 28, 2021, issued in connection with U.S. Appl. No. 16/378,516, filed Apr. 8, 2019, 10 pages. cited by applicant
Non-Final Office Action mailed on Oct. 28, 2021, issued in connection with U.S. Appl. No. 17/247,736, filed Dec. 21, 2020, 12 pages. cited by applicant
Non-Final Office Action mailed on Mar. 29, 2019, issued in connection with U.S. Appl. No. 16/102,650, filed Aug. 13, 2018, 11 pages. cited by applicant
Non-Final Office Action mailed on Mar. 29, 2021, issued in connection with U.S. Appl. No. 16/528,265, filed Jul. 31, 2019, 18 pages. cited by applicant
Non-Final Office Action mailed on Sep. 29, 2020, issued in connection with U.S. Appl. No. 16/402,617, filed May 3, 2019, 12 pages. cited by applicant
Non-Final Office Action mailed on Dec. 3, 2020, issued in connection with U.S. Appl. No. 16/145,275, filed Sep. 28, 2018, 11 pages. cited by applicant
Non-Final Office Action mailed on Jul. 3, 2019, issued in connection with U.S. Appl. No. 15/948,541, filed Apr. 9, 2018, 7 pages. cited by applicant
Non-Final Office Action mailed on May 3, 2019, issued in connection with U.S. Appl. No. 16/178,122, filed Nov. 1, 2018, 14 pages. cited by applicant
Non-Final Office Action mailed on Oct. 3, 2018, issued in connection with U.S. Appl. No. 16/102,153, filed Aug. 13, 2018, 20 pages. cited by applicant
Non-Final Office Action mailed on Apr. 30, 2019, issued in connection with U.S. Appl. No. 15/718,521, filed Sep. 28, 2017, 39 pages. cited by applicant
Non-Final Office Action mailed on Jun. 30, 2017, issued in connection with U.S. Appl. No. 15/277,810, filed Sep. 27, 2016, 13 pages. cited by applicant
Non-Final Office Action mailed on Apr. 4, 2019, issued in connection with U.S. Appl. No. 15/718,911, filed Sep. 28, 2017, 21 pages. cited by applicant
Non-Final Office Action mailed on Aug. 4, 2020, issued in connection with U.S. Appl. No. 16/600,644, filed Oct. 14, 2019, 30 pages. cited by applicant
Non-Final Office Action mailed on Jan. 4, 2019, issued in connection with U.S. Appl. No. 15/948,541, filed Apr. 9, 2018, 6 pages. cited by applicant

Non-Final Office Action mailed on Apr. 6, 2020, issued in connection with U.S. Appl. No. 16/424,825, filed May 29, 2019, 22 pages. cited by applicant

Non-Final Office Action mailed on Feb. 6, 2018, issued in connection with U.S. Appl. No. 15/211,689, filed Jul. 15, 2016, 32 pages. cited by applicant

Non-Final Office Action mailed on Feb. 6, 2018, issued in connection with U.S. Appl. No. 15/237,133, filed Aug. 15, 2016, 6 pages. cited by applicant

Non-Final Office Action mailed on Jan. 6, 2021, issued in connection with U.S. Appl. No. 16/439,046, filed Jun. 12, 2019, 13 pages. cited by applicant

Non-Final Office Action mailed on Mar. 6, 2020, issued in connection with U.S. Appl. No. 16/141,875, filed Sep. 25, 2018, 8 pages. cited by applicant

Non-Final Office Action mailed on Sep. 6, 2017, issued in connection with U.S. Appl. No. 15/131,254, filed Apr. 18, 2016, 13 pages. cited by applicant

Non-Final Office Action mailed on Sep. 6, 2018, issued in connection with U.S. Appl. No. 15/098,760, filed Apr. 14, 2016, 29 pages. cited by applicant

Non-Final Office Action mailed on Sep. 8, 2020, issued in connection with U.S. Appl. No. 15/936,177, filed Mar. 26, 2018, 19 pages. cited by applicant

Non-Final Office Action mailed on Apr. 9, 2018, issued in connection with U.S. Appl. No. 15/804,776, filed Nov. 6, 2017, 18 pages. cited by applicant

Non-Final Office Action mailed on Apr. 9, 2021, issued in connection with U.S. Appl. No. 16/780,483, filed Feb. 3, 2020, 45 pages. cited by applicant

Non-Final Office Action mailed on Feb. 9, 2021, issued in connection with U.S. Appl. No. 16/806,747, filed Mar. 2, 2020, 16 pages. cited by applicant

Non-Final Office Action mailed on May 9, 2018, issued in connection with U.S. Appl. No. 15/818,051, filed Nov. 20, 2017, 22 pages. cited by applicant

Non-Final Office Action mailed on Sep. 9, 2020, issued in connection with U.S. Appl. No. 16/168,389, filed Oct. 23, 2018, 29 pages. cited by applicant

Notice of Allowance mailed Aug. 10, 2021, issued in connection with U.S. Appl. No. 17/157,686, filed Jan. 25, 2021, 9 pages. cited by applicant

Japanese Patent Office, Office Action and Translation mailed on Oct. 8, 2019, issued in connection with Japanese Patent Application No. 2019-521032, 5 pages. cited by applicant

Japanese Patent Office, Office Action Translation mailed on Nov. 5, 2019, issued in connection with Japanese Patent Application No. 2019-517281, 2 pages. cited by applicant

Japanese Patent Office, Office Action Translation mailed on Oct. 8, 2019, issued in connection with Japanese Patent Application No. 2019-521032, 8 pages. cited by applicant

Jo et al., "Synchronized One-to-many Media Streaming with Adaptive Payout Control," Proceedings of SPIE, 2002, pp. 71-82, vol. 4861. cited by applicant

Johnson, "Implementing Neural Networks into Modern Technology," IJCNN'99. International Joint Conference on Neural Networks . Proceedings [C. No. 99CH36339], Washington, DC, USA, 1999, pp. 1028-1032, vol. 2, doi: 10.1109/IJCNN.1999.831096. [retrieved on Jun. 22, 2020]. cited by applicant

Jones, Stephen, "Dell Digital Audio Receiver: Digital upgrade for your analog stereo," Analog Stereo, Jun. 24, 2000 <http://www.reviewsonline.com/articles/961906864.htm> retrieved Jun. 18, 2014, 2 pages. cited by applicant

Jose Alvarez and Mathieu Salzmann "Compression-aware Training of Deep Networks" 31st Conference on Neural Information Processing Systems, Nov. 13, 2017, 12pages. cited by applicant

Joseph Szurley et al, "Efficient computation of microphone utility in a wireless acoustic sensor network with multi-channel Wiener filter based noise reduction", 2012 IEEE International Conference on Acoustics, Speech and Signal Processing, Kyoto, Japan, Mar. 25-30, 2012, pp. 2657-2660, XP032227701, DOI: 10.1109/ICASSP.2012.6288463 ISBN: 978-1-4673-0045-2. cited by applicant

Ketabdar et al. Detection of Out-of-Vocabulary Words in Posterior Based ASR. Proceedings of Interspeech 2007, Aug. 27, 2007, 4 pages. cited by applicant

Kim et al. Character-Aware Neural Language Models. Retrieved from the Internet: URL: <https://arxiv.org/pdf/1508.06615v3.pdf>, Oct. 16, 2015, 9 pages. cited by applicant

Korean Patent Office, Korean Examination Report and Translation mailed on Apr. 26, 2021, issued in connection with Korean Application No. 10-2021-7008937, 15 pages. cited by applicant

Korean Patent Office, Korean Office Action and Translation mailed on Oct. 14, 2021, issued in connection with Korean Application No. 10-2020-7011843, 29 pages. cited by applicant

Korean Patent Office, Korean Office Action and Translation mailed on Aug. 16, 2019, issued in connection with Korean Application No. 10-2018-7027452, 14 pages. cited by applicant

Korean Patent Office, Korean Office Action and Translation mailed on Apr. 2, 2020, issued in connection with Korean Application No. 10-2020-7008486, 12 pages. cited by applicant

Korean Patent Office, Korean Office Action and Translation mailed on Mar. 25, 2020, issued in connection with Korean Application No. 10-2019-7012192, 14 pages. cited by applicant

Korean Patent Office, Korean Office Action and Translation mailed on Aug. 26, 2020, issued in connection with Korean Application No. 10-2019-7027640, 16 pages. cited by applicant

Korean Patent Office, Korean Office Action and Translation mailed on Mar. 30, 2020, issued in connection with Korean Application No. 10-2020-7004425, 5 pages. cited by applicant

Korean Patent Office, Korean Office Action and Translation mailed on Jan. 4, 2021, issued in connection with Korean Application No. 10-2020-7034425, 14 pages. cited by applicant

Korean Patent Office, Korean Office Action and Translation mailed on Sep. 9, 2019, issued in connection with Korean Application No. 10-2018-7027451, 21 pages. cited by applicant

Korean Patent Office, Korean Office Action mailed on May 8, 2019, issued in connection with Korean Application No. 10-2018-7027451, 7 pages. cited by applicant

Korean Patent Office, Korean Office Action mailed on May 8, 2019, issued in connection with Korean Application No. 10-2018-7027452, 5 pages. cited by applicant

Lei et al. Accurate and Compact Large Vocabulary Speech Recognition on Mobile Devices. Interspeech 2013, Aug. 25, 2013, 4 pages. cited by applicant

Lengerich et al. An End-to-End Architecture for Keyword Spotting and Voice Activity Detection, arXiv:1611.09405v1, Nov. 28, 2016, 5 pages. cited by applicant

Louderback, Jim, "Affordable Audio Receiver Furnishes Homes With MP3," TechTV Vault. Jun. 28, 2000 retrieved Jul. 10, 2014, 2 pages. cited by applicant

Maja Taseska and Emanuel A.P. Habets, "MMSE-Based Blind Source Extraction in Diffuse Noise Fields Using a Complex Coherence-Based a Priori Sap Estimator." International Workshop on Acoustic Signal Enhancement 2012, Sep. 4-6, 2012, 4pages. cited by applicant

Matrix—The Ultimate Development Board Sep. 14, 2019 Matrix—The Ultimate Development Board Sep. 14, 2019 <https://web.archive.org/web/20190914035838/https://www.matrix.one/> , 1 page. cited by applicant

Mesaros et al. Detection and Classification of Acoustic Scenes and Events: Outcome of the DCASE 2016 Challenge. IEEE/ACM Transactions on Audio, Speech, and Language Processing. Feb. 2018, 16 pages. cited by applicant

Morales-Cordovilla et al. "Room Localization for Distant Speech Recognition," Proceedings of Interspeech 2014, Sep. 14, 2014, 4 pages. cited by applicant

applicant

Newman, Jared. "Chromecast Audio's multi-room support has arrived," Dec. 11, 2015, <https://www.pcworld.com/article/3014204/customer-electronic/chromcase-audio-s-multi-room-support-has> . . . , 1 page. cited by applicant

Ngo et al. "Incorporating the Conditional Speech Presence Probability in Multi-Channel Wiener Filter Based Noise Reduction in Hearing Aids." EURASIP Journal on Advances in Signal Processing vol. 2009, Jun. 2, 2009, 11 pages. cited by applicant

Non-Final Office Action mailed Jul. 12, 2021, issued in connection with U.S. Appl. No. 17/008,104, filed Aug. 31, 2020, 6 pages. cited by applicant

Non-Final Office Action mailed Jun. 18, 2021, issued in connection with U.S. Appl. No. 17/236,559, filed Apr. 21, 2021, 9 pages. cited by applicant

Non-Final Office Action mailed Apr. 21, 2021, issued in connection with U.S. Appl. No. 16/109,375, filed Aug. 22, 2018, 9 pages. cited by applicant

Non-Final Office Action mailed Dec. 21, 2020, issued in connection with U.S. Appl. No. 16/153,530, filed Oct. 5, 2018, 22 pages. cited by applicant

Non-Final Office Action mailed Jul. 22, 2021, issued in connection with U.S. Appl. No. 16/179,779, filed Nov. 2, 2018, 19 pages. cited by applicant

Non-Final Office Action mailed Apr. 23, 2021, issued in connection with U.S. Appl. No. 16/660,197, filed Oct. 22, 2019, 9 pages. cited by applicant

Non-Final Office Action mailed Jun. 25, 2021, issued in connection with U.S. Appl. No. 16/213,570, filed Dec. 7, 2018, 11 pages. cited by applicant

Non-Final Office Action mailed Jul. 8, 2021, issued in connection with U.S. Appl. No. 16/813,643, filed Mar. 9, 2020, 12 pages. cited by applicant

Non-Final Office Action mailed Dec. 9, 2020, issued in connection with U.S. Appl. No. 16/271,550, filed Feb. 8, 2019, 35 pages. cited by applicant

Non-Final Office Action mailed Jul. 9, 2021, issued in connection with U.S. Appl. No. 16/806,747, filed Mar. 2, 2020, 18 pages. cited by applicant

Non-Final Office Action mailed on Jun. 1, 2017, issued in connection with U.S. Appl. No. 15/223,218, filed Jul. 29, 2016, 7 pages. cited by applicant

Non-Final Office Action mailed on Nov. 2, 2017, issued in connection with U.S. Appl. No. 15/584,782, filed May 2, 2017, 11 pages. cited by applicant

Non-Final Office Action mailed on Nov. 3, 2017, issued in connection with U.S. Appl. No. 15/438,741, filed Feb. 21, 2017, 11 pages. cited by applicant

Non-Final Office Action mailed on Nov. 4, 2019, issued in connection with U.S. Appl. No. 16/022,662, filed Jun. 28, 2018, 16 pages. cited by applicant

Non-Final Office Action mailed on Sep. 5, 2019, issued in connection with U.S. Appl. No. 16/416,752, filed May 20, 2019, 14 pages. cited by applicant

Non-Final Office Action mailed on Feb. 7, 2017, issued in connection with U.S. Appl. No. 15/131,244, filed Apr. 18, 2016, 12 pages. cited by applicant

Non-Final Office Action mailed on Feb. 8, 2017, issued in connection with U.S. Appl. No. 15/098,892, filed Apr. 14, 2016, 17 pages. cited by applicant

Non-Final Office Action mailed on Mar. 9, 2017, issued in connection with U.S. Appl. No. 15/098,760, filed Apr. 14, 2016, 13 pages. cited by applicant

Non-Final Office Action mailed on Oct. 9, 2019, issued in connection with U.S. Appl. No. 15/936,177, filed Mar. 26, 2018, 16 pages. cited by applicant

Non-Final Office Action mailed on Jul. 1, 2020, issued in connection with U.S. Appl. No. 16/138,111, filed Sep. 21, 2018, 14 pages. cited by applicant

Non-Final Office Action mailed on Jan. 10, 2018, issued in connection with U.S. Appl. No. 15/098,718, filed Apr. 14, 2016, 15 pages. cited by applicant

Non-Final Office Action mailed on Jan. 10, 2018, issued in connection with U.S. Appl. No. 15/229,868, filed Aug. 5, 2016, 13 pages. cited by applicant

Non-Final Office Action mailed on Jan. 10, 2018, issued in connection with U.S. Appl. No. 15/438,725, filed Feb. 21, 2017, 15 pages. cited by

applicant

Non-Final Office Action mailed on Sep. 10, 2018, issued in connection with U.S. Appl. No. 15/670,361, filed Aug. 7, 2017, 17 pages. cited by applicant

Non-Final Office Action mailed on Aug. 11, 2021, issued in connection with U.S. Appl. No. 16/841,116, filed Apr. 6, 2020, 9 pages. cited by applicant

Non-Final Office Action mailed on Feb. 11, 2021, issued in connection with U.S. Appl. No. 16/876,493, filed May 18, 2020, 16 pages. cited by

applicant

Non-Final Office Action mailed on Mar. 11, 2021, issued in connection with U.S. Appl. No. 16/834,483, filed Mar. 30, 2020, 11 pages. cited by

applicant

Non-Final Office Action mailed on Oct. 11, 2019, issued in connection with U.S. Appl. No. 16/177,185, filed Oct. 31, 2018, 14 pages. cited by

applicant

Non-Final Office Action mailed on Sep. 11, 2020, issued in connection with U.S. Appl. No. 15/989,715, filed May 25, 2018, 8 pages. cited by applicant

Non-Final Office Action mailed on Sep. 11, 2020, issued in connection with U.S. Appl. No. 16/219,702, filed Dec. 13, 2018, 9 pages. cited by applicant

Non-Final Office Action mailed on Apr. 12, 2021, issued in connection with U.S. Appl. No. 16/528,224, filed Jul. 31, 2019, 9 pages. cited by applicant

Non-Final Office Action mailed on Dec. 12, 2016, issued in connection with U.S. Appl. No. 15/098,718, filed Apr. 14, 2016, 11 pages. cited by

applicant

Non-Final Office Action mailed on Feb. 12, 2019, issued in connection with U.S. Appl. No. 15/670,361, filed Aug. 7, 2017, 13 pages. cited by applicant

Non-Final Office Action mailed on Jan. 13, 2017, issued in connection with U.S. Appl. No. 15/098,805, filed Apr. 14, 2016, 11 pages. cited by applicant

Non-Final Office Action mailed on Nov. 13, 2018, issued in connection with U.S. Appl. No. 15/717,621, filed Sep. 27, 2017, 23 pages. cited by

applicant

Non-Final Office Action mailed on Nov. 13, 2018, issued in connection with U.S. Appl. No. 16/160,107, filed Oct. 15, 2018, 8 pages. cited by applicant

Non-Final Office Action mailed on Nov. 13, 2019, issued in connection with U.S. Appl. No. 15/984,073, filed May 18, 2018, 18 pages. cited by

applicant

Non-Final Office Action mailed on Oct. 13, 2021, issued in connection with U.S. Appl. No. 16/679,538, filed Nov. 11, 2019, 8 pages. cited by applicant

Non-Final Office Action mailed on May 14, 2020, issued in connection with U.S. Appl. No. 15/948,541, filed Apr. 9, 2018, 8 pages. cited by applicant

Non-Final Office Action mailed on Sep. 14, 2017, issued in connection with U.S. Appl. No. 15/178,180, filed Jun. 9, 2016, 16 pages. cited by applicant

Non-Final Office Action mailed on Sep. 14, 2018, issued in connection with U.S. Appl. No. 15/959,907, filed Apr. 23, 2018, 15 pages. cited by

applicant

Non-Final Office Action mailed on Apr. 15, 2020, issued in connection with U.S. Appl. No. 16/138,111, filed Sep. 21, 2018, 15 pages. cited by

applicant

Non-Final Office Action mailed on Dec. 15, 2020, issued in connection with U.S. Appl. No. 17/087,423, filed Nov. 2, 2020, 7 pages. cited by applicant

Non-Final Office Action mailed on Jan. 15, 2019, issued in connection with U.S. Appl. No. 16/173,797, filed Oct. 29, 2018, 6 pages. cited by applicant

Non-Final Office Action mailed on Nov. 15, 2019, issued in connection with U.S. Appl. No. 16/153,530, filed Oct. 5, 2018, 17 pages. cited by applicant

Non-Final Office Action mailed on Mar. 16, 2018, issued in connection with U.S. Appl. No. 15/681,937, filed Aug. 21, 2017, 5 pages. cited by applicant

Non-Final Office Action mailed on Oct. 16, 2018, issued in connection with U.S. Appl. No. 15/131,254, filed Apr. 18, 2016, 16 pages. cited by

applicant

Non-Final Office Action mailed on Sep. 16, 2021, issued in connection with U.S. Appl. No. 16/879,553, filed May 20, 2020, 24 pages. cited by

applicant

Non-Final Office Action mailed on Aug. 17, 2021, issued in connection with U.S. Appl. No. 17/236,559, filed Apr. 21, 2021, 10 pages. cited by

applicant

Non-Final Office Action mailed on Sep. 17, 2020, issued in connection with U.S. Appl. No. 16/600,949, filed Oct. 14, 2019, 29 pages. cited by

applicant

Non-Final Office Action mailed on Apr. 18, 2018, issued in connection with U.S. Appl. No. 15/811,468, filed Nov. 13, 2017, 14 pages. cited by

applicant

Non-Final Office Action mailed on Aug. 18, 2021, issued in connection with U.S. Appl. No. 16/845,946, filed Apr. 10, 2020, 14 pages. cited by

applicant

Non-Final Office Action mailed on Jan. 18, 2019, issued in connection with U.S. Appl. No. 15/721,141, filed Sep. 29, 2017, 18 pages. cited by applicant

Non-Final Office Action mailed on Oct. 18, 2019, issued in connection with U.S. Appl. No. 15/098,760, filed Apr. 14, 2016, 27 pages. cited by applicant

Non-Final Office Action mailed on Sep. 18, 2019, issued in connection with U.S. Appl. No. 16/179,779, filed Nov. 2, 2018, 14 pages. cited by applicant

Non-Final Office Action mailed on Apr. 19, 2017, issued in connection with U.S. Appl. No. 15/131,776, filed Apr. 18, 2016, 12 pages. cited by applicant

Non-Final Office Action mailed on Dec. 19, 2019, issued in connection with U.S. Appl. No. 16/147,710, filed Sep. 29, 2018, 10 pages. cited by applicant

Non-Final Office Action mailed on Feb. 19, 2020, issued in connection with U.S. Appl. No. 16/148,879, filed Oct. 1, 2018, 15 pages. cited by applicant

Non-Final Office Action mailed on Sep. 2, 2020, issued in connection with U.S. Appl. No. 16/290,599, filed Mar. 1, 2019, 17 pages. cited by applicant

Non-Final Office Action mailed on Sep. 2, 2021, issued in connection with U.S. Appl. No. 16/947,895, filed Aug. 24, 2020, 16 pages. cited by applicant

Non-Final Office Action mailed on Feb. 20, 2018, issued in connection with U.S. Appl. No. 15/211,748, filed Jul. 15, 2016, 31 pages. cited by applicant

Non-Final Office Action mailed on Jun. 20, 2019, issued in connection with U.S. Appl. No. 15/946,585, filed Apr. 5, 2018, 10 pages. cited by applicant

Non-Final Office Action mailed on Apr. 21, 2021, issued in connection with U.S. Appl. No. 16/109,375, filed Aug. 22, 2018, 9 pages. cited by applicant

Non-Final Office Action mailed on Aug. 21, 2019, issued in connection with U.S. Appl. No. 16/192,126, filed Nov. 15, 2018, 8 pages. cited by applicant

Non-Final Office Action mailed on Feb. 21, 2019, issued in connection with U.S. Appl. No. 16/214,666, filed Dec. 10, 2018, 12 pages. cited by applicant

Non-Final Office Action mailed on Jan. 21, 2020, issued in connection with U.S. Appl. No. 16/214,711, filed Dec. 10, 2018, 9 pages. cited by applicant

Non-Final Office Action mailed on Jan. 21, 2020, issued in connection with U.S. Appl. No. 16/598,125, filed Oct. 10, 2019, 25 pages. cited by applicant

Non-Final Office Action mailed on Oct. 21, 2019, issued in connection with U.S. Appl. No. 15/973,413, filed May 7, 2018, 10 pages. cited by applicant

Non-Final Office Action mailed on Jul. 22, 2020, issued in connection with U.S. Appl. No. 16/145,275, filed Sep. 28, 2018, 11 pages. cited by applicant

Final Office Action mailed on Mar. 21, 2022, issued in connection with U.S. Appl. No. 16/153,530, filed Oct. 5, 2018, 23 pages. cited by applicant

Final Office Action mailed on Aug. 22, 2022, issued in connection with U.S. Appl. No. 16/168,389, filed Oct. 23, 2018, 37 pages. cited by applicant

Final Office Action mailed on Jul. 27, 2022, issued in connection with U.S. Appl. No. 16/989,350, filed Aug. 10, 2020, 15 pages. cited by applicant

Final Office Action mailed on Mar. 29, 2023, issued in connection with U.S. Appl. No. 17/549,034, filed Dec. 13, 2021, 21 pages. cited by applicant

Final Office Action mailed on Nov. 29, 2021, issued in connection with U.S. Appl. No. 17/236,559, filed Apr. 21, 2021, 11 pages. cited by applicant

Final Office Action mailed on Jun. 7, 2022, issued in connection with U.S. Appl. No. 16/736,725, filed Jan. 7, 2020, 14 pages. cited by applicant

Helwani et al. Source-domain adaptive filtering for MIMO systems with application to acoustic echo cancellation. In 2010 IEEE International Conference on Acoustics, Speech and Signal Processing, Jun. 28, 2010, 4 pages. [retrieved on Feb. 23, 2023], Retrieved from the Internet: URL: [https://scholar.google.com/scholar?hl=en&as_sdt=0%2C14&q=SOURCE-](https://scholar.google.com/scholar?hl=en&as_sdt=0%2C14&q=SOURCE-DOMAIN+ADAPTIVE+FILTERING+FOR+MIMO+SYSTEMS+WITH+APPLICATION+TO+ACOUSTIC+ECHO+CANCELLATION&btnG=cited+by+applicant)

[DOMAIN+ADAPTIVE+FILTERING+FOR+MIMO+SYSTEMS+WITH+APPLICATION+TO+ACOUSTIC+ECHO+CANCELLATION&btnG=cited by applicant](https://scholar.google.com/scholar?hl=en&as_sdt=0%2C14&q=SOURCE-DOMAIN+ADAPTIVE+FILTERING+FOR+MIMO+SYSTEMS+WITH+APPLICATION+TO+ACOUSTIC+ECHO+CANCELLATION&btnG=cited+by+applicant)

International Bureau, International Preliminary Report on Patentability, mailed on Jul. 21, 2022, issued in connection with International Application No. PCT/US2021/070007, filed on Jan. 6, 2021, 8 pages. cited by applicant

International Bureau, International Preliminary Report on Patentability, mailed on Apr. 26, 2022, issued in connection with International Application No. PCT/US2020/056632, filed on Oct. 21, 2020, 7 pages. cited by applicant

Japanese Patent Office, Decision of Refusal and Translation mailed on Oct. 4, 2022, issued in connection with Japanese Patent Application No. 2021-535871, 6 pages. cited by applicant

Japanese Patent Office, Decision of Refusal and Translation mailed on Jul. 26, 2022, issued in connection with Japanese Patent Application No. 2020-513852, 10 pages. cited by applicant

Japanese Patent Office, Non-Final Office Action mailed on Apr. 4, 2023, issued in connection with Japanese Patent Application No. 2021-573944, 5 pages. cited by applicant

Japanese Patent Office, Notice of Reasons for Refusal and Translation mailed on Sep. 13, 2022, issued in connection with Japanese Patent Application No. 2021-163622, 12 pages. cited by applicant

Japanese Patent Office, Notice of Reasons for Refusal and Translation mailed on Nov. 28, 2021, issued in connection with Japanese Patent Application No. 2020-550102, 9 pages. cited by applicant

Japanese Patent Office, Office Action and Translation mailed on Nov. 15, 2022, issued in connection with Japanese Patent Application No. 2021-146144, 9 pages. cited by applicant

Japanese Patent Office, Office Action mailed on Dec. 7, 2021, issued in connection with Japanese Patent Application No. 2020-513852, 6 pages. cited by applicant

Japanese Patent Office, Office Action mailed on Nov. 29, 2022, issued in connection with Japanese Patent Application No. 2021-181224, 6 pages. cited by applicant

Katsamanis et al. Robust far-field spoken command recognition for home automation combining adaptation and multichannel processing. ICASSP, IEEE International Conference on Acoustics, Speech and Signal Processing—Proceedings, May 2014, pp. 5547-5551. cited by applicant

Korean Patent Office, Korean Examination Report and Translation mailed on Oct. 13, 2022, issued in connection with Korean Application No. 10-2021-7030939, 4 pages. cited by applicant

Korean Patent Office, Korean Examination Report and Translation mailed on Apr. 19, 2022, issued in connection with Korean Application No. 10-2021-7008937, 14 pages. cited by applicant

Korean Patent Office, Korean Examination Report and Translation mailed on Nov. 25, 2021, issued in connection with Korean Application No. 10-2021-7008937, 14 pages. cited by applicant

Korean Patent Office, Korean Examination Report and Translation mailed on Jul. 26, 2022, issued in connection with Korean Application No. 10-2021-7016656, 17 pages. cited by applicant

Korean Patent Office, Korean Examination Report and Translation mailed on Dec. 27, 2021, issued in connection with Korean Application No. 10-2021-7008937, 22 pages. cited by applicant

Korean Patent Office, Korean Examination Report and Translation mailed on Mar. 31, 2023, issued in connection with Korean Application No. 10-2022-7016656, 7 pages. cited by applicant

Korean Patent Office, Korean Examination Report and Translation mailed on Oct. 31, 2021, issued in connection with Korean Application No. 10-2022-7024007, 10 pages. cited by applicant

Korean Patent Office, Office Action and Translation mailed on Feb. 27, 2023, issued in connection with Korean Application No. 10-2022-7021879, 5 pages. cited by applicant

Mathias Wolfel. Channel Selection by Class Separability Measures for Automatic Transcriptions on Distant Microphones, Interspeech 2007 10.21437/Interspeech.2007-255, 4 pages. cited by applicant

Molina et al., "Maximum Entropy-Based Reinforcement Learning Using a Confidence Measure in Speech Recognition for Telephone Speech," in IEEE Transactions on Audio, Speech, and Language Processing, vol. 18, No. 5, pp. 1041-1052, Jul. 2010, doi: 10.1109/TASL.2009.2032618. [Retrieved online] URL <https://ieeexplore.ieee.org/document/5247099?partnum=5247099&searchProductType=IEEE%20Journals%20Transactions>. cited by applicant

Non-Final Office Action mailed on Feb. 2, 2023, issued in connection with U.S. Appl. No. 17/305,698, filed Jul. 13, 2021, 16 pages. cited by applicant

Non-Final Office Action mailed on Dec. 5, 2022, issued in connection with U.S. Appl. No. 17/662,302, filed May 6, 2022, 12 pages. cited by applicant

Non-Final Office Action mailed on Oct. 5, 2022, issued in connection with U.S. Appl. No. 17/449,926, filed Oct. 4, 2021, 11 pages. cited by applicant

Non-Final Office Action mailed on Feb. 11, 2022, issued in connection with U.S. Appl. No. 17/145,667, filed Jan. 11, 2021, 9 pages. cited by applicant

Non-Final Office Action mailed on Apr. 12, 2023, issued in connection with U.S. Appl. No. 17/878,649, filed Aug. 1, 2022, 16 pages. cited by applicant

Non-Final Office Action mailed on Nov. 14, 2022, issued in connection with U.S. Appl. No. 17/077,974, filed Oct. 22, 2020, 6 pages. cited by applicant

Non-Final Office Action mailed on Sep. 14, 2022, issued in connection with U.S. Appl. No. 17/446,690, filed Sep. 1, 2021, 10 pages. cited by applicant

Non-Final Office Action mailed on Aug. 15, 2022, issued in connection with U.S. Appl. No. 17/448,015, filed Sep. 17, 2021, 12 pages. cited by applicant

Non-Final Office Action mailed on Dec. 15, 2022, issued in connection with U.S. Appl. No. 17/549,253, filed Dec. 13, 2021, 10 pages. cited by applicant

Non-Final Office Action mailed on Feb. 15, 2023, issued in connection with U.S. Appl. No. 17/453,632, filed Nov. 4, 2021, 12 pages. cited by applicant

Non-Final Office Action mailed on Sep. 15, 2022, issued in connection with U.S. Appl. No. 17/247,507, filed Dec. 14, 2020, 9 pages. cited by applicant

Non-Final Office Action mailed on Sep. 15, 2022, issued in connection with U.S. Appl. No. 17/327,911, filed May 24, 2021, 44 pages. cited by applicant

Non-Final Office Action mailed on Feb. 16, 2023, issued in connection with U.S. Appl. No. 17/305,920, filed Jul. 16, 2021, 12 pages. cited by applicant

Non-Final Office Action mailed on Oct. 18, 2022, issued in connection with U.S. Appl. No. 16/949,973, filed Nov. 23, 2020, 31 pages. cited by applicant

Non-Final Office Action mailed on Sep. 19, 2022, issued in connection with U.S. Appl. No. 17/385,542, filed Jul. 26, 2021, 9 pages. cited by applicant

Non-Final Office Action mailed on Oct. 20, 2022, issued in connection with U.S. Appl. No. 17/532,674, filed Nov. 22, 2021, 52 pages. cited by applicant

Non-Final Office Action mailed on Dec. 22, 2022, issued in connection with U.S. Appl. No. 16/168,389, filed Oct. 23, 2018, 39 pages. cited by applicant

Non-Final Office Action mailed on Mar. 23, 2022, issued in connection with U.S. Appl. No. 16/907,953, filed Jun. 22, 2020, 7 pages. cited by applicant

Non-Final Office Action mailed on Sep. 23, 2022, issued in connection with U.S. Appl. No. 16/153,530, filed Oct. 5, 2018, 25 pages. cited by applicant

Non-Final Office Action mailed on May 24, 2022, issued in connection with U.S. Appl. No. 17/101,949, filed Nov. 23, 2020, 10 pages. cited by applicant

Non-Final Office Action mailed on Oct. 25, 2022, issued in connection with U.S. Appl. No. 17/549,034, filed Dec. 13, 2021, 20 pages. cited by applicant

Non-Final Office Action mailed on May 26, 2022, issued in connection with U.S. Appl. No. 16/989,805, filed Aug. 10, 2020, 14 pages. cited by applicant

Notice of Allowance mailed on Mar. 4, 2020, issued in connection with U.S. Appl. No. 16/444,975, filed Jun. 18, 2019, 10 pages. cited by applicant

Notice of Allowance mailed on Feb. 5, 2020, issued in connection with U.S. Appl. No. 16/178,122, filed Nov. 1, 2018, 9 pages. cited by applicant

Notice of Allowance mailed on Oct. 5, 2018, issued in connection with U.S. Appl. No. 15/211,748, filed Jul. 15, 2018, 10 pages. cited by applicant

Notice of Allowance mailed on Feb. 6, 2019, issued in connection with U.S. Appl. No. 16/102,153, filed Aug. 13, 2018, 9 pages. cited by applicant

Notice of Allowance mailed on Feb. 6, 2020, issued in connection with U.S. Appl. No. 16/227,308, filed Dec. 20, 2018, 7 pages. cited by applicant

Notice of Allowance mailed on Apr. 7, 2020, issued in connection with U.S. Appl. No. 15/098,760, filed Apr. 14, 2016, 7 pages. cited by applicant

Notice of Allowance mailed on Apr. 7, 2020, issued in connection with U.S. Appl. No. 16/147,710, filed Sep. 29, 2018, 15 pages. cited by applicant

Notice of Allowance mailed on Jun. 7, 2019, issued in connection with U.S. Appl. No. 16/102,153, filed Aug. 13, 2018, 9 pages. cited by applicant

Notice of Allowance mailed on Jun. 7, 2021, issued in connection with U.S. Appl. No. 16/528,224, filed Jul. 31, 2019, 9 pages. cited by applicant

Notice of Allowance mailed on Aug. 9, 2018, issued in connection with U.S. Appl. No. 15/229,868, filed Aug. 5, 2016, 11 pages. cited by applicant

Notice of Allowance mailed on Mar. 9, 2018, issued in connection with U.S. Appl. No. 15/584,782, filed May 2, 2017, 8 pages. cited by applicant

Oord et al. WaveNet: A Generative Model for Raw Audio. Arxiv.org, Cornell University Library, Sep. 12, 2016, 15 pages. cited by applicant

Optimizing Siri on HomePod in Far-Field Settings. Audio Software Engineering and Siri Speech Team, Machine Learning Journal vol. 1, Issue 12. <https://machinelearning.apple.com/2018/12/03/optimizing-siri-on-homepod-in-far-field-settings.html>. Dec. 2018, 18 pages. cited by applicant

Palm, Inc., "Handbook for the Palm VII Handheld," May 2000, 311 pages. cited by applicant

Parada et al. Contextual Information Improves OOV Detection in Speech. Proceedings of the 2010 Annual Conference of the North American Chapter of the Association for Computational Linguistics, Jun. 2, 2010, 9 pages. cited by applicant

Pre-Appeal Brief Decision mailed on Jun. 2, 2021, issued in connection with U.S. Appl. No. 16/213,570, filed Dec. 7, 2018, 2 pages. cited by applicant

Preinterview First Office Action mailed on Aug. 5, 2019, issued in connection with U.S. Appl. No. 16/434,426, filed Jun. 7, 2019, 4 pages. cited by applicant

Preinterview First Office Action mailed on Mar. 25, 2020, issued in connection with U.S. Appl. No. 16/109,375, filed Aug. 22, 2018, 6 pages. cited by applicant

Preinterview First Office Action mailed on Sep. 30, 2019, issued in connection with U.S. Appl. No. 15/989,715, filed May 25, 2018, 4 pages. cited by applicant

Preinterview First Office Action mailed on May 7, 2020, issued in connection with U.S. Appl. No. 16/213,570, filed Dec. 7, 2018, 5 pages. cited by applicant

Preinterview First Office Action mailed on Jan. 8, 2021, issued in connection with U.S. Appl. No. 16/798,967, filed Feb. 24, 2020, 4 pages. cited by applicant

Presentations at WinHEC 2000, May 2000, 138 pages. cited by applicant

Renato De Mori. Spoken Language Understanding: A Survey. Automatic Speech Recognition & Understanding, 2007. IEEE, Dec. 1, 2007, 56 pages. cited by applicant

Restriction Requirement mailed on Aug. 14, 2019, issued in connection with U.S. Appl. No. 16/214,711, filed Dec. 10, 2018, 5 pages. cited by applicant

Rottondi et al., "An Overview on Networked Music Performance Technologies," IEEE Access, vol. 4, pp. 8823-8843, 2016, DOI: 10.1109/ACCESS.2016.2628440, 21 pages. cited by applicant

Rybakov et al. Streaming keyword spotting on mobile devices, arXiv:2005.06720v2, Jul. 29, 2020, 5 pages. cited by applicant

Shan et al. Attention-based End-to-End Models for Small-Footprint Keyword Spotting, arXiv:1803.10916v1, Mar. 29, 2018, 5 pages. cited by applicant

Snips: How to Snips—Assistant creation & Installation, Jun. 26, 2017, 6 pages. cited by applicant

Souden et al. "An Integrated Solution for Online Multichannel Noise Tracking and Reduction." IEEE Transactions on Audio, Speech, and Language Processing, vol. 19, No. 7, Sep. 7, 2011, 11 pages. cited by applicant

Souden et al. "Gaussian Model-Based Multichannel Speech Presence Probability" IEEE Transactions on Audio, Speech, and Language Processing, vol. 18, No. 5, Jul. 5, 2010, 6pages. cited by applicant

Souden et al. "On Optimal Frequency-Domain Multichannel Linear Filtering for Noise Reduction." IEEE Transactions on Audio, Speech, and Language Processing, vol. 18, No. 2, Feb. 2010, 17pages. cited by applicant

Speidel, Hans. Chatbot Training: How to use training data to provide fully automated customer support. Retrieved from the Internet: URL: <https://www.crowdguru.de/wp-content/uploads/Case-Study-Chatbox-training-How-to-use-training-data-to-provide-fully-automated-customer-support.pdf>. Jun. 29, 2017, 4 pages. cited by applicant

Stemmer et al. Speech Recognition and Understanding on Hardware-Accelerated DSP. Proceedings of Interspeech 2017: Show & Tell Contribution, Aug. 20, 2017, 2 pages. cited by applicant

Steven J. Nowlan and Geoffrey E. Hinton "Simplifying Neural Networks by Soft Weight-Sharing" Neural Computation 4, 1992, 21 pages. cited by applicant

Tsiami et al. "Experiments in acoustic source localization using sparse arrays in adverse indoors environments", 2014 22nd European Signal Processing Conference, Sep. 1, 2014, 5 pages. cited by applicant

Tsung-Hsien Wen et al: "A Network-based End-to-End Trainable Task-oriented Dialogue System", Corr ARXIV. vol. 1604.04562v1, Apr. 15, 2016, pp. 1-11, XP055396370, Stroudsburg, PA, USA. cited by applicant

Tweet: "How to start using Google app voice commands to make your life easier Share This Story shop @Bullet", Jan. 21, 2016, <https://bgr.com/2016/01/21/best-ok-google-voice-commands/>, 3 page. cited by applicant

Ullrich et al. "Soft Weight-Sharing for Neural Network Compression." ICLR 2017, 16 pages. cited by applicant

U.S. Appl. No. 60/490,768, filed Jul. 28, 2003, entitled "Method for synchronizing audio playback between multiple networked devices," 13 pages. cited by applicant

U.S. Appl. No. 60/825,407, filed Sep. 12, 2006, entitled "Controlling and manipulating groupings in a multi-zone music or media system," 82 pages. cited by applicant

UPnP; "Universal Plug and Play Device Architecture," Jun. 8, 2000; version 1.0; Microsoft Corporation; pp. 1-54. cited by applicant

Vacher et al. "Recognition of voice commands by multisource ASR and noise cancellation in a smart home environment" Signal Processing Conference 2012 Proceedings of the 20th European, IEEE, Aug. 27, 2012, 5 pages. cited by applicant

Vacher et al. "Speech Recognition in a Smart Home: Some Experiments for Telemonitoring," 2009 Proceedings of the 5th Conference on Speech Technology and Human-Computer Dialogue, Constant, 2009, 10 pages. cited by applicant

"S Voice or Google Now?"; <https://web.archive.org/web/20160807040123/lowdown.carphonewarehouse.com/news/s-voice-or-google-now/> . . . , Apr. 28, 2015; 4 pages. cited by applicant

Wen et al. A Network-based End-to-End Trainable Task-oriented Dialogue System, Corr (ARXIV), Apr. 15, 2016, 11 pages. cited by applicant

Wu et al. End-to-End Recurrent Entity Network for Entity-Value Independent Goal-Oriented Dialog Learning. DSTC6—Dialog System Technology Challenges, Dec. 10, 2017, 5 pages. cited by applicant

Wung et al. "Robust Acoustic Echo Cancellation in the Short-Time Fourier Transform Domain Using Adaptive Crossband Filters" IEEE International Conference on Acoustic, Speech and Signal Processing ICASSP, 2014, p. 1300-1304. cited by applicant

Xiao et al. "A Learning-Based Approach to Direction of Arrival Estimation in Noisy and Reverberant Environments," 2015 IEEE International Conference on Acoustics, Speech and Signal Processing, Apr. 19, 2015, 5 pages. cited by applicant

Xiaoguang et al. "Robust Small-Footprint Keyword Spotting Using Sequence-To-Sequence Model with Connectionist Temporal Classifier", 2019 IEEE, Sep. 28, 2019, 5 pages. cited by applicant

Advisory Action mailed on Nov. 7, 2022, issued in connection with U.S. Appl. No. 16/168,389, filed Oct. 23, 2018, 4 pages. cited by applicant

Advisory Action mailed on Feb. 28, 2022, issued in connection with U.S. Appl. No. 16/813,643, filed Mar. 9, 2020, 3 pages. cited by applicant

Australian Patent Office, Australian Examination Report Action mailed on Nov. 10, 2022, issued in connection with Australian Application No. 2018312989, 2 pages. cited by applicant

Australian Patent Office, Australian Examination Report Action mailed on May 19, 2022, issued in connection with Australian Application No. 2021212112, 2 pages. cited by applicant

Australian Patent Office, Australian Examination Report Action mailed on Sep. 28, 2022, issued in connection with Australian Application No. 2018338812, 3 pages. cited by applicant

Australian Patent Office, Australian Examination Report Action mailed on Mar. 4, 2022, issued in connection with Australian Application No. 2021202786, 2 pages. cited by applicant

Canadian Patent Office, Canadian Examination Report mailed on Dec. 1, 2021, issued in connection with Canadian Application No. 3096442, 4 pages. cited by applicant

Canadian Patent Office, Canadian Examination Report mailed on Sep. 14, 2022, issued in connection with Canadian Application No. 3067776, 4 pages. cited by applicant

Canadian Patent Office, Canadian Examination Report mailed on Oct. 19, 2022, issued in connection with Canadian Application No. 3123601, 5 pages. cited by applicant

Canadian Patent Office, Canadian Examination Report mailed on Nov. 2, 2021, issued in connection with Canadian Application No. 3067776, 4 pages. cited by applicant

Canadian Patent Office, Canadian Examination Report mailed on Oct. 26, 2021, issued in connection with Canadian Application No. 3072492, 3 pages. cited by applicant

Canadian Patent Office, Canadian Examination Report mailed on Mar. 29, 2022, issued in connection with Canadian Application No. 3111322, 3 pages. cited by applicant

Canadian Patent Office, Canadian Examination Report mailed on Jun. 7, 2022, issued in connection with Canadian Application No. 3105494, 5 pages. cited by applicant

Chinese Patent Office, First Office Action and Translation mailed on Jun. 1, 2021, issued in connection with Chinese Application No. 201980089721.3.

21 pages. cited by applicant
Chinese Patent Office, First Office Action and Translation mailed on Feb. 9, 2023, issued in connection with Chinese Application No. 201880076788, 13 pages. cited by applicant
Chinese Patent Office, First Office Action and Translation mailed on Oct. 9, 2022, issued in connection with Chinese Application No. 201780056695, 10 pages. cited by applicant
Chinese Patent Office, First Office Action and Translation mailed on Dec. 1, 2021, issued in connection with Chinese Application No. 201780077204, 11 pages. cited by applicant
Chinese Patent Office, First Office Action and Translation mailed on Nov. 10, 2022, issued in connection with Chinese Application No. 201980070006.7, 15 pages. cited by applicant
Chinese Patent Office, First Office Action and Translation mailed on Jan. 19, 2023, issued in connection with Chinese Application No. 201880064916.X, 10 pages. cited by applicant
Chinese Patent Office, First Office Action and Translation mailed on Sep. 19, 2022, issued in connection with Chinese Application No. 201980056604.9, 13 pages. cited by applicant
Chinese Patent Office, First Office Action and Translation mailed on Dec. 20, 2021, issued in connection with Chinese Application No. 202010302650.7, 10 pages. cited by applicant
Chinese Patent Office, First Office Action and Translation mailed on Nov. 25, 2022, issued in connection with Chinese Application No. 201780056321.5, 8 pages. cited by applicant
Chinese Patent Office, First Office Action and Translation mailed on Feb. 27, 2023, issued in connection with Chinese Application No. 201980003798.6, 12 pages. cited by applicant
Chinese Patent Office, First Office Action and Translation mailed on Dec. 30, 2022, issued in connection with Chinese Application No. 201880076775.3, 10 pages. cited by applicant
Chinese Patent Office, Second Office Action and Translation mailed on Mar. 3, 2022, issued in connection with Chinese Application No. 201880077216.4, 11 pages. cited by applicant
Chinese Patent Office, Second Office Action and Translation mailed on Apr. 1, 2023, issued in connection with Chinese Application No. 201980056604.9, 11 pages. cited by applicant
Chinese Patent Office, Second Office Action mailed on Dec. 21, 2022, issued in connection with Chinese Application No. 201980089721.5, 12 pages. cited by applicant
European Patent Office, Decision to Refuse European Patent Application mailed on May 30, 2022, issued in connection with European Application No. 17200837.7, 4 pages. cited by applicant
European Patent Office, European EPC Article 94.3 mailed on Feb. 10, 2023, issued in connection with European Application No. 19729968.8, 7 pages. cited by applicant
European Patent Office, European EPC Article 94.3 mailed on Mar. 11, 2022, issued in connection with European Application No. 19731415.6, 7 pages. cited by applicant
European Patent Office, European EPC Article 94.3 mailed on Nov. 11, 2021, issued in connection with European Application No. 19784172.9, 5 pages. cited by applicant
European Patent Office, European EPC Article 94.3 mailed on May 2, 2022, issued in connection with European Application No. 20185599.6, 7 pages. cited by applicant
European Patent Office, European EPC Article 94.3 mailed on Jun. 21, 2022, issued in connection with European Application No. 19780508.8, 5 pages. cited by applicant
European Patent Office, European EPC Article 94.3 mailed on Feb. 23, 2023, issued in connection with European Application No. 19839734.1, 8 pages. cited by applicant
European Patent Office, European EPC Article 94.3 mailed on Nov. 28, 2022, issued in connection with European Application No. 18789515.6, 7 pages. cited by applicant
European Patent Office, European EPC Article 94.3 mailed on Mar. 3, 2022, issued in connection with European Application No. 19740292.8, 10 pages. cited by applicant
European Patent Office, European EPC Article 94.3 mailed on Jun. 30, 2022, issued in connection with European Application No. 19765953.5, 4 pages. cited by applicant
European Patent Office, European Extended Search Report mailed on Oct. 7, 2022, issued in connection with European Application No. 22182193.7, 14 pages. cited by applicant
European Patent Office, European Extended Search Report mailed on Apr. 22, 2022, issued in connection with European Application No. 21195031.6, 14 pages. cited by applicant
European Patent Office, European Extended Search Report mailed on Jun. 23, 2022, issued in connection with European Application No. 22153180.9, 14 pages. cited by applicant
European Patent Office, European Extended Search Report mailed on Jun. 30, 2022, issued in connection with European Application No. 21212763.3, 14 pages. cited by applicant
European Patent Office, European Extended Search Report mailed on Jul. 8, 2022, issued in connection with European Application No. 22153523.0, 9 pages. cited by applicant
European Patent Office, European Search Report mailed on Mar. 1, 2022, issued in connection with European Application No. 21180778.9, 9 pages. cited by applicant
European Patent Office, European Search Report mailed on Oct. 4, 2022, issued in connection with European Application No. 22180226.7, 6 pages. cited by applicant
European Patent Office, Summons to Attend Oral Proceedings mailed on Jul. 15, 2022, issued in connection with European Application No. 17792272.1, 11 pages. cited by applicant
European Patent Office, Summons to Attend Oral Proceedings mailed on Feb. 4, 2022, issued in connection with European Application No. 17757075.1, 10 pages. cited by applicant
European Patent Office, Summons to Attend Oral Proceedings mailed on Dec. 9, 2021, issued in connection with European Application No. 17200837.7, 10 pages. cited by applicant
Final Office Action mailed on Jun. 1, 2022, issued in connection with U.S. Appl. No. 16/806,747, filed Mar. 2, 2020, 20 pages. cited by applicant
Final Office Action mailed on Aug. 17, 2022, issued in connection with U.S. Appl. No. 16/179,779, filed Nov. 2, 2018, 26 pages. cited by applicant
Final Office Action mailed on Dec. 17, 2021, issued in connection with U.S. Appl. No. 16/813,643, filed Mar. 9, 2020, 12 pages. cited by applicant
Notice of Allowance mailed Aug. 2, 2021, issued in connection with U.S. Appl. No. 16/660,197, filed Oct. 22, 2019, 7 pages. cited by applicant

Notice of Allowance mailed Mar. 31, 2021, issued in connection with U.S. Appl. No. 16/813,643, filed Mar. 9, 2020, 11 pages. cited by applicant
 Notice of Allowance mailed Aug. 4, 2021, issued in connection with U.S. Appl. No. 16/780,483, filed Feb. 3, 2020, 5 pages. cited by applicant
 Notice of Allowance mailed on Dec. 2, 2019, issued in connection with U.S. Appl. No. 15/718,521, filed Sep. 28, 2017, 15 pages. cited by applicant
 Notice of Allowance mailed on Dec. 4, 2017, issued in connection with U.S. Appl. No. 15/277,810, filed Sep. 27, 2016, 5 pages. cited by applicant
 Notice of Allowance mailed on Jul. 5, 2018, issued in connection with U.S. Appl. No. 15/237,133, filed Aug. 15, 2016, 5 pages. cited by applicant
 Notice of Allowance mailed on Jul. 9, 2018, issued in connection with U.S. Appl. No. 15/438,741, filed Feb. 21, 2017, 5 pages. cited by applicant
 Notice of Allowance mailed on Apr. 1, 2019, issued in connection with U.S. Appl. No. 15/935,966, filed Mar. 26, 2018, 5 pages. cited by applicant
 Notice of Allowance mailed on Aug. 1, 2018, issued in connection with U.S. Appl. No. 15/297,627, filed Oct. 19, 2016, 9 pages. cited by applicant
 Notice of Allowance mailed on Jun. 1, 2021, issued in connection with U.S. Appl. No. 16/219,702, filed Dec. 13, 2018, 8 pages. cited by applicant
 Notice of Allowance mailed on Jun. 1, 2021, issued in connection with U.S. Appl. No. 16/685,135, filed Nov. 15, 2019, 10 pages. cited by applicant
 Notice of Allowance mailed on Sep. 1, 2021, issued in connection with U.S. Appl. No. 15/936,177, filed Mar. 26, 2018, 22 pages. cited by applicant
 Notice of Allowance mailed on Aug. 10, 2020, issued in connection with U.S. Appl. No. 16/424,825, filed May 29, 2019, 9 pages. cited by applicant
 Notice of Allowance mailed on Feb. 10, 2021, issued in connection with U.S. Appl. No. 16/138,111, filed Sep. 21, 2018, 8 pages. cited by applicant
 Notice of Allowance mailed on Apr. 11, 2018, issued in connection with U.S. Appl. No. 15/719,454, filed Sep. 28, 2017, 15 pages. cited by applicant
 Notice of Allowance mailed on Oct. 11, 2019, issued in connection with U.S. Appl. No. 16/437,476, filed Jun. 11, 2019, 9 pages. cited by applicant
 Notice of Allowance mailed on Sep. 11, 2019, issued in connection with U.S. Appl. No. 16/154,071, filed Oct. 8, 2018, 5 pages. cited by applicant
 Notice of Allowance mailed on Aug. 12, 2021, issued in connection with U.S. Appl. No. 16/819,755, filed Mar. 16, 2020, 6 pages. cited by applicant
 Notice of Allowance mailed on Dec. 12, 2018, issued in connection with U.S. Appl. No. 15/811,468, filed Nov. 13, 2017, 9 pages. cited by applicant
 Notice of Allowance mailed on Jul. 12, 2017, issued in connection with U.S. Appl. No. 15/098,805, filed Apr. 14, 2016, 8 pages. cited by applicant
 Notice of Allowance mailed on Jun. 12, 2019, issued in connection with U.S. Appl. No. 15/670,361, filed Aug. 7, 2017, 7 pages. cited by applicant
 Notice of Allowance mailed on May 12, 2021, issued in connection with U.S. Appl. No. 16/402,617, filed May 3, 2019, 8 pages. cited by applicant
 Notice of Allowance mailed on Sep. 12, 2018, issued in connection with U.S. Appl. No. 15/438,744, filed Feb. 21, 2017, 15 pages. cited by applicant
 Notice of Allowance mailed on Dec. 13, 2017, issued in connection with U.S. Appl. No. 15/784,952, filed Oct. 16, 2017, 9 pages. cited by applicant
 Notice of Allowance mailed on Feb. 13, 2019, issued in connection with U.S. Appl. No. 15/959,907, filed Apr. 23, 2018, 10 pages. cited by applicant
 Notice of Allowance mailed on Jan. 13, 2020, issued in connection with U.S. Appl. No. 16/192,126, filed Nov. 15, 2018, 6 pages. cited by applicant
 Notice of Allowance mailed on Jan. 13, 2021, issued in connection with U.S. Appl. No. 16/539,843, filed Aug. 13, 2019, 5 pages. cited by applicant
 Notice of Allowance mailed on Nov. 13, 2020, issued in connection with U.S. Appl. No. 16/131,409, filed Sep. 14, 2018, 11 pages. cited by applicant
 Notice of Allowance mailed on Aug. 14, 2017, issued in connection with U.S. Appl. No. 15/098,867, filed Apr. 14, 2016, 10 pages. cited by applicant
 Notice of Allowance mailed on Aug. 14, 2020, issued in connection with U.S. Appl. No. 16/598,125, filed Oct. 10, 2019, 5 pages. cited by applicant
 Notice of Allowance mailed on Feb. 14, 2017, issued in connection with U.S. Appl. No. 15/229,855, filed Aug. 5, 2016, 11 pages. cited by applicant
 Notice of Allowance mailed on Jan. 14, 2021, issued in connection with U.S. Appl. No. 17/087,423, filed Nov. 2, 2020, 8 pages. cited by applicant
 Notice of Allowance mailed on Jun. 14, 2017, issued in connection with U.S. Appl. No. 15/282,554, filed Sep. 30, 2016, 11 pages. cited by applicant
 Notice of Allowance mailed on Nov. 14, 2018, issued in connection with U.S. Appl. No. 15/297,627, filed Oct. 19, 2016, 5 pages. cited by applicant
 Notice of Allowance mailed on Dec. 15, 2017, issued in connection with U.S. Appl. No. 15/223,218, filed Jul. 29, 2016, 7 pages. cited by applicant
 Notice of Allowance mailed on Jan. 15, 2020, issued in connection with U.S. Appl. No. 16/439,009, filed Jun. 12, 2019, 9 pages. cited by applicant
 Notice of Allowance mailed on Mar. 15, 2019, issued in connection with U.S. Appl. No. 15/804,776, filed Nov. 6, 2017, 9 pages. cited by applicant
 Notice of Allowance mailed on Oct. 15, 2019, issued in connection with U.S. Appl. No. 16/437,437, filed Jun. 11, 2019, 9 pages. cited by applicant
 Notice of Allowance mailed on Oct. 15, 2020, issued in connection with U.S. Appl. No. 16/715,713, filed Dec. 16, 2019, 9 pages. cited by applicant
 Notice of Allowance mailed on Oct. 15, 2021, issued in connection with U.S. Appl. No. 16/213,570, filed Dec. 7, 2018, 8 pages. cited by applicant
 Notice of Allowance mailed on Sep. 15, 2021, issued in connection with U.S. Appl. No. 16/685,135, filed Nov. 15, 2019, 10 pages. cited by applicant
 Notice of Allowance mailed on Apr. 16, 2021, issued in connection with U.S. Appl. No. 16/798,967, filed Feb. 24, 2020, 16 pages. cited by applicant
 Notice of Allowance mailed on Aug. 16, 2017, issued in connection with U.S. Appl. No. 15/098,892, filed Apr. 14, 2016, 9 pages. cited by applicant
 Notice of Allowance mailed on Aug. 17, 2017, issued in connection with U.S. Appl. No. 15/131,244, filed Apr. 18, 2016, 9 pages. cited by applicant
 Notice of Allowance mailed on Feb. 17, 2021, issued in connection with U.S. Appl. No. 16/715,984, filed Dec. 16, 2019, 8 pages. cited by applicant
 Notice of Allowance mailed on Jul. 17, 2019, issued in connection with U.S. Appl. No. 15/718,911, filed Sep. 28, 2017, 5 pages. cited by applicant
 Notice of Allowance mailed on Jun. 17, 2020, issued in connection with U.S. Appl. No. 16/141,875, filed Sep. 25, 2018, 6 pages. cited by applicant
 Notice of Allowance mailed on Sep. 17, 2018, issued in connection with U.S. Appl. No. 15/211,689, filed Jul. 15, 2016, 6 pages. cited by applicant
 Notice of Allowance mailed on Apr. 18, 2019, issued in connection with U.S. Appl. No. 16/173,797, filed Oct. 29, 2018, 9 pages. cited by applicant
 Notice of Allowance mailed on Dec. 18, 2019, issued in connection with U.S. Appl. No. 16/434,426, filed Jun. 7, 2019, 13 pages. cited by applicant
 Advisory Action mailed on Jun. 10, 2020, issued in connection with U.S. Appl. No. 15/936,177, filed Mar. 26, 2018, 4 pages. cited by applicant
 Advisory Action mailed on Aug. 13, 2021, issued in connection with U.S. Appl. No. 16/271,550, filed Feb. 8, 2019, 4 pages. cited by applicant
 Advisory Action mailed on Apr. 23, 2021, issued in connection with U.S. Appl. No. 16/219,702, filed Dec. 13, 2018, 3 pages. cited by applicant
 Advisory Action mailed on Apr. 24, 2020, issued in connection with U.S. Appl. No. 15/948,541, filed Apr. 9, 2018, 4 pages. cited by applicant
 Advisory Action mailed on Jun. 28, 2018, issued in connection with U.S. Appl. No. 15/438,744, filed Feb. 21, 2017, 3 pages. cited by applicant
 Advisory Action mailed on Dec. 31, 2018, issued in connection with U.S. Appl. No. 15/804,776, filed Nov. 6, 2017, 4 pages. cited by applicant
 Advisory Action mailed on Sep. 8, 2021, issued in connection with U.S. Appl. No. 16/168,389, filed Oct. 23, 2018, 4 pages. cited by applicant
 Advisory Action mailed on Jun. 9, 2020, issued in connection with U.S. Appl. No. 16/145,275, filed Sep. 28, 2018, 3 pages. cited by applicant
 Andra et al. Contextual Keyword Spotting in Lecture Video With Deep Convolutional Neural Network. 2017 International Conference on Advanced Computer Science and Information Systems, IEEE, Oct. 28, 2017, 6 pages. cited by applicant
 Anonymous,. S Voice or Google Now—The Lowdown. Apr. 28, 2015, 9 pages. [online], [retrieved on Nov. 29, 2017]. Retrieved from the Internet (URL:<http://web.archive.org/web/20160807040123/http://lowdown.carphonewarehouse.com/news/s-voice-or-google-now/29958/>). cited by applicant
 Anonymous: "What are the function of 4 Microphones on iPhone 6S/6S+?", ETrade Supply, Dec. 24, 2015, XP055646381, Retrieved from the Internet URL:<https://www.etradesupply.com/blog/4-microphones-iphone-6s6s-for/> [retrieved on Nov. 26, 2019]. cited by applicant
 Audhkhasi Kartik et al. End-to-end ASR-free keyword search from speech. 2017 IEEE International Conference on Acoustics, Speech and Signal Processing, Mar. 5, 2017, 7 pages. cited by applicant
 AudioTron Quick Start Guide, Version 1.0, Mar. 2001, 24 pages. cited by applicant
 AudioTron Reference Manual, Version 3.0, May 2002, 70 pages. cited by applicant
 AudioTron Setup Guide, Version 3.0, May 2002, 38 pages. cited by applicant
 Australian Patent Office, Australian Examination Report Action mailed on Apr. 14, 2020, issued in connection with Australian Application No. 2019202257, 3 pages. cited by applicant
 Australian Patent Office, Australian Examination Report Action mailed on Oct. 3, 2019, issued in connection with Australian Application No.

2018230932, 3 pages. cited by applicant

Australian Patent Office, Australian Examination Report Action mailed on Apr. 7, 2021, issued in connection with Australian Application No. 2019333058, 2 pages. cited by applicant

Australian Patent Office, Australian Examination Report Action mailed on Aug. 7, 2020, issued in connection with Australian Application No. 2019236722, 4 pages. cited by applicant

Australian Patent Office, Examination Report mailed on Jun. 28, 2021, issued in connection with Australian Patent Application No. 2019395022, 2 pages. cited by applicant

Australian Patent Office, Examination Report mailed on Oct. 30, 2018, issued in connection with Australian Application No. 2017222436, 3 pages. cited by applicant

“Automatic Parameter Tying in Neural Networks” ICLR 2018, 14 pages. cited by applicant

Bertrand et al. “Adaptive Distributed Noise Reduction for Speech Enhancement in Wireless Acoustic Sensor Networks” Jan. 2010, 4 pages. cited by applicant

Bluetooth. “Specification of the Bluetooth System: The ad hoc Scatternet for affordable and highly functional wireless connectivity,” Core, Version 1.1 A, Jul. 26, 1999, 1068 pages. cited by applicant

Bluetooth. “Specification of the Bluetooth System: Wireless connections made easy,” Core, Version 1.0 B, Dec. 1, 1999, 1076 pages. cited by applicant

Canadian Patent Office, Canadian Examination Report mailed on Mar. 9, 2021, issued in connection with Canadian Application No. 3067776, 5 pages. cited by applicant

Canadian Patent Office, Canadian Office Action mailed on Nov. 14, 2018, issued in connection with Canadian Application No. 3015491, 3 pages. cited by applicant

Chinese Patent Office, Chinese Office Action and Translation mailed on Jul. 2, 2021, issued in connection with Chinese Application No. 201880077216.4, 22 pages. cited by applicant

Chinese Patent Office, Chinese Office Action and Translation mailed on Mar. 30, 2021, issued in connection with Chinese Application No. 202010302650.7, 15 pages. cited by applicant

Chinese Patent Office, First Office Action and Translation mailed on Mar. 20, 2019, issued in connection with Chinese Application No. 201780025028.2, 18 pages. cited by applicant

Chinese Patent Office, First Office Action and Translation mailed on Mar. 27, 2019, issued in connection with Chinese Application No. 201780025029.7, 9 pages. cited by applicant

Chinese Patent Office, First Office Action and Translation mailed on May 27, 2021, issued in connection with Chinese Application No. 201880026360.5, 15 pages. cited by applicant

Chinese Patent Office, First Office Action and Translation mailed on Dec. 28, 2020, issued in connection with Chinese Application No. 201880072203.8, 11 pages. cited by applicant

Chinese Patent Office, First Office Action and Translation mailed on Nov. 5, 2019, issued in connection with Chinese Application No. 201780072651.3, 19 pages. cited by applicant

Chinese Patent Office, First Office Action mailed on Feb. 28, 2020, issued in connection with Chinese Application No. 201780061543.6, 29 pages. cited by applicant

Chinese Patent Office, Second Office Action and Translation mailed on May 11, 2020, issued in connection with Chinese Application No. 201780061543.6, 17 pages. cited by applicant

Chinese Patent Office, Second Office Action and Translation mailed on Jul. 18, 2019, issued in connection with Chinese Application No. 201780025029.7, 14 pages. cited by applicant

Chinese Patent Office, Second Office Action and Translation mailed on Sep. 23, 2019, issued in connection with Chinese Application No. 201780025028.2, 15 pages. cited by applicant

Chinese Patent Office, Second Office Action and Translation mailed on Mar. 31, 2020, issued in connection with Chinese Application No. 201780072651.3, 17 pages. cited by applicant

Chinese Patent Office, Third Office Action and Translation mailed on Sep. 16, 2019, issued in connection with Chinese Application No. 201780025029.7, 14 pages. cited by applicant

Chinese Patent Office, Third Office Action and Translation mailed on Aug. 5, 2020, issued in connection with Chinese Application No. 201780072651.3, 10 pages. cited by applicant

Chinese Patent Office, Translation of Office Action mailed on Jul. 18, 2019, issued in connection with Chinese Application No. 201780025029.7, 8 pages. cited by applicant

Chung et al. Empirical Evaluation of Gated Recurrent Neural Network on Sequence Modeling. Dec. 11, 2014, 9 pages. cited by applicant

Cipriani, The complete list of OK, Google commands—CNET. Jul. 1, 2016, 5 pages. [online], [retrieved on Jan. 15, 2020]. Retrieved from the Internet (URL: <https://web.archive.org/web/20160803230926/https://www.cnet.com/how-to/complete-list-of-ok-google--commands/>). cited by applicant

Corrected Notice of Allowability mailed on Mar. 8, 2017, issued in connection with U.S. Appl. No. 15/229,855, filed Aug. 5, 2016, 6 pages. cited by applicant

Couke et al. Efficient Keyword Spotting using Dilated Convolutions and Gating, arXiv:1811.07684v2, Feb. 18, 2019, 5 pages. cited by applicant

Dell, Inc. “Dell Digital Audio Receiver: Reference Guide,” Jun. 2000, 70 pages. cited by applicant

Dell, Inc. “Start Here,” Jun. 2000, 2 pages. cited by applicant

“Denon 2003-2004 Product Catalog,” Denon, 2003-2004, 44 pages. cited by applicant

European Patent Office, European EPC Article 94.3 mailed on Feb. 23, 2021, issued in connection with European Application No. 17200837.7, 8 pages. cited by applicant

European Patent Office, European EPC Article 94.3 mailed on Feb. 26, 2021, issued in connection with European Application No. 18789515.6, 8 pages. cited by applicant

European Patent Office, European Extended Search Report mailed on Oct. 7, 2021, issued in connection with European Application No. 21193616.6, 10 pages. cited by applicant

European Patent Office, European Extended Search Report mailed on Nov. 25, 2020, issued in connection with European Application No. 20185599.6, 9 pages. cited by applicant

European Patent Office, European Extended Search Report mailed on Feb. 3, 2020, issued in connection with European Application No. 19197116.7, 10 pages. cited by applicant

European Patent Office, European Extended Search Report mailed on Jan. 3, 2019, issued in connection with European Application No. 177570702, 8 pages. cited by applicant

European Patent Office, European Extended Search Report mailed on Jan. 3, 2019, issued in connection with European Application No. 17757075.1, 9 pages. cited by applicant

pages. cited by applicant
European Patent Office, European Extended Search Report mailed on Oct. 30, 2017, issued in connection with EP Application No. 17174435.2, 11 pages. cited by applicant
European Patent Office, European Extended Search Report mailed on Aug. 6, 2020, issued in connection with European Application No. 20166332.5, 10 pages. cited by applicant
European Patent Office, European Office Action mailed on Jul. 1, 2020, issued in connection with European Application No. 17757075.1, 7 pages. cited by applicant
European Patent Office, European Office Action mailed on Jan. 14, 2020, issued in connection with European Application No. 17757070.2, 7 pages. cited by applicant
European Patent Office, European Office Action mailed on Jan. 21, 2021, issued in connection with European Application No. 17792272.1, 7 pages. cited by applicant
European Patent Office, European Office Action mailed on Jan. 22, 2019, issued in connection with European Application No. 17174435.2, 9 pages. cited by applicant
European Patent Office, European Office Action mailed on Sep. 23, 2020, issued in connection with European Application No. 18788976.1, 7 pages. cited by applicant
European Patent Office, European Office Action mailed on Oct. 26, 2020, issued in connection with European Application No. 18760101.8, 4 pages. cited by applicant
European Patent Office, European Office Action mailed on Aug. 30, 2019, issued in connection with European Application No. 17781608.9, 6 pages. cited by applicant
European Patent Office, European Office Action mailed on Sep. 9, 2020, issued in connection with European Application No. 18792656.3, 10 pages. cited by applicant
European Patent Office, Examination Report mailed on Jul. 15, 2021, issued in connection with European Patent Application No. 19729968.8, 7 pages. cited by applicant
European Patent Office, Extended Search Report mailed on Aug. 13, 2021, issued in connection with European Patent Application No. 21164130.3, 11 pages. cited by applicant
European Patent Office, Extended Search Report mailed on May 16, 2018, issued in connection with European Patent Application No. 17200837.7, 11 pages. cited by applicant
European Patent Office, Extended Search Report mailed on Jul. 25, 2019, issued in connection with European Patent Application No. 18306501.0, 14 pages. cited by applicant
European Patent Office, Extended Search Report mailed on May 29, 2020, issued in connection with European Patent Application No. 19209389.6, 8 pages. cited by applicant
European Patent Office, Summons to Attend Oral Proceedings mailed on Dec. 20, 2019, issued in connection with European Application No. 17174435.2, 13 pages. cited by applicant
Fadilpasic, "Cortana can now be the default PDA on your Android", IT Pro Portal: Accessed via WayBack Machine;
[http://web.archive.org/web/20171129124915/https://www.itproportal.com/2015/08/11/cortana-can-now-be- . . .](http://web.archive.org/web/20171129124915/https://www.itproportal.com/2015/08/11/cortana-can-now-be-...), Aug. 11, 2015, 6 pages. cited by applicant
Final Office Action mailed Jul. 23, 2021, issued in connection with U.S. Appl. No. 16/439,046, filed Jun. 12, 2019, 12 pages. cited by applicant
Final Office Action mailed on Oct. 6, 2017, issued in connection with U.S. Appl. No. 15/098,760, filed Apr. 14, 2016, 25 pages. cited by applicant
Final Office Action mailed on Feb. 10, 2021, issued in connection with U.S. Appl. No. 16/219,702, filed Dec. 13, 2018, 9 pages. cited by applicant
Final Office Action mailed on Feb. 10, 2021, issued in connection with U.S. Appl. No. 16/402,617, filed May 3, 2019, 13 pages. cited by applicant
Final Office Action mailed on Nov. 10, 2020, issued in connection with U.S. Appl. No. 16/600,644, filed Oct. 14, 2019, 19 pages. cited by applicant
Final Office Action mailed on Apr. 11, 2019, issued in connection with U.S. Appl. No. 15/131,254, filed Apr. 18, 2016, 17 pages. cited by applicant
Final Office Action mailed on Aug. 11, 2017, issued in connection with U.S. Appl. No. 15/131,776, filed Apr. 18, 2016, 7 pages. cited by applicant
Final Office Action mailed on Dec. 11, 2019, issued in connection with U.S. Appl. No. 16/227,308, filed Dec. 20, 2018, 10 pages. cited by applicant
Final Office Action mailed on Sep. 11, 2019, issued in connection with U.S. Appl. No. 16/178,122, filed Nov. 1, 2018, 13 pages. cited by applicant
Final Office Action mailed on Apr. 13, 2018, issued in connection with U.S. Appl. No. 15/131,254, filed Apr. 18, 2016, 18 pages. cited by applicant
Final Office Action mailed on Apr. 13, 2018, issued in connection with U.S. Appl. No. 15/438,744, filed Feb. 21, 2017, 20 pages. cited by applicant
Final Office Action mailed on May 13, 2020, issued in connection with U.S. Appl. No. 16/153,530, filed Oct. 5, 2018, 20 pages. cited by applicant
Final Office Action mailed on Jul. 15, 2021, issued in connection with U.S. Appl. No. 16/153,530, filed Oct. 5, 2018, 22 pages. cited by applicant
Final Office Action mailed on Jun. 15, 2017, issued in connection with U.S. Appl. No. 15/098,718, filed Apr. 14, 2016, 15 pages. cited by applicant
Final Office Action mailed on Jun. 15, 2021, issued in connection with U.S. Appl. No. 16/819,755, filed Mar. 16, 2020, 12 pages. cited by applicant
Final Office Action mailed on Oct. 15, 2018, issued in connection with U.S. Appl. No. 15/804,776, filed Nov. 6, 2017, 18 pages. cited by applicant
Final Office Action mailed on Oct. 15, 2020, issued in connection with U.S. Appl. No. 16/109,375, filed Aug. 22, 2018, 9 pages. cited by applicant
Final Office Action mailed on Oct. 16, 2018, issued in connection with U.S. Appl. No. 15/438,725, filed Feb. 21, 2017, 10 pages. cited by applicant
Final Office Action mailed on May 18, 2020, issued in connection with U.S. Appl. No. 16/177,185, filed Oct. 31, 2018, 16 pages. cited by applicant
Final Office Action mailed on Feb. 21, 2018, issued in connection with U.S. Appl. No. 15/297,627, filed Oct. 19, 2016, 12 pages. cited by applicant
Final Office Action mailed on May 21, 2020, issued in connection with U.S. Appl. No. 15/989,715, filed May 25, 2018, 21 pages. cited by applicant
Final Office Action mailed on Feb. 22, 2021, issued in connection with U.S. Appl. No. 15/936,177, filed Mar. 26, 2018, 20 pages. cited by applicant
Final Office Action mailed on Feb. 22, 2021, issued in connection with U.S. Appl. No. 16/213,570, filed Dec. 7, 2018, 12 pages. cited by applicant
Final Office Action mailed on Jun. 22, 2020, issued in connection with U.S. Appl. No. 16/179,779, filed Nov. 2, 2018, 16 pages. cited by applicant
Final Office Action mailed on Mar. 23, 2020, issued in connection with U.S. Appl. No. 16/145,275, filed Sep. 28, 2018, 11 pages. cited by applicant
Final Office Action mailed on Feb. 24, 2020, issued in connection with U.S. Appl. No. 15/936,177, filed Mar. 26, 2018, 20 pages. cited by applicant
Final Office Action mailed on Apr. 26, 2019, issued in connection with U.S. Appl. No. 15/721,141, filed Sep. 29, 2017, 20 pages. cited by applicant
Non-Final Office Action mailed on Feb. 27, 2023, issued in connection with U.S. Appl. No. 17/493,430, filed Oct. 4, 2021, 17 pages. cited by applicant
Non-Final Office Action mailed on Feb. 28, 2023, issued in connection with U.S. Appl. No. 17/548,921, filed Dec. 13, 2021, 12 pages. cited by applicant
Non-Final Office Action mailed on Mar. 28, 2022, issued in connection with U.S. Appl. No. 17/222,151, filed Apr. 5, 2021, 5 pages. cited by applicant
Non-Final Office Action mailed on Nov. 29, 2021, issued in connection with U.S. Appl. No. 16/989,350, filed Aug. 10, 2020, 15 pages. cited by applicant
Non-Final Office Action mailed on Sep. 30, 2022, issued in connection with U.S. Appl. No. 17/353,254, filed Jun. 21, 2021, 22 pages. cited by applicant

Non-Final Office Action mailed on Jan. 4, 2022, issued in connection with U.S. Appl. No. 16/879,549, filed May 20, 2020, 16 pages. cited by applicant

Non-Final Office Action mailed on Nov. 4, 2022, issued in connection with U.S. Appl. No. 17/445,272, filed Aug. 17, 2021, 22 pages. cited by applicant

Non-Final Office Action mailed on Oct. 4, 2022, issued in connection with U.S. Appl. No. 16/915,234, filed Jun. 29, 2020, 16 pages. cited by applicant

Non-Final Office Action mailed on Apr. 5, 2023, issued in connection with U.S. Appl. No. 18/145,501, filed Dec. 22, 2022, 6 pages. cited by applicant

Non-Final Office Action mailed on Nov. 5, 2021, issued in connection with U.S. Appl. No. 16/153,530, filed Oct. 5, 2018, 21 pages. cited by applicant

Non-Final Office Action mailed on Dec. 7, 2021, issued in connection with U.S. Appl. No. 16/168,389, filed Oct. 23, 2018, 36 pages. cited by applicant

Non-Final Office Action mailed on Feb. 7, 2023, issued in connection with U.S. Appl. No. 17/303,001, filed May 18, 2021, 8 pages. cited by applicant

Non-Final Office Action mailed on Jan. 7, 2022, issued in connection with U.S. Appl. No. 17/135,123, filed Dec. 28, 2020, 16 pages. cited by applicant

Non-Final Office Action mailed on Mar. 7, 2022, issued in connection with U.S. Appl. No. 16/812,758, filed Mar. 9, 2020, 18 pages. cited by applicant

Non-Final Office Action mailed on Feb. 8, 2022, issued in connection with U.S. Appl. No. 16/806,747, filed Mar. 2, 2020, 17 pages. cited by applicant

Notice of Allowance mailed on Nov. 2, 2022, issued in connection with U.S. Appl. No. 16/989,805, filed Aug. 10, 2020, 5 pages. cited by applicant

Notice of Allowance mailed on Nov. 3, 2022, issued in connection with U.S. Appl. No. 17/448,015, filed Sep. 17, 2021, 7 pages. cited by applicant

Notice of Allowance mailed on Feb. 6, 2023, issued in connection with U.S. Appl. No. 17/077,974, filed Oct. 22, 2020, 7 pages. cited by applicant

Notice of Allowance mailed on Jan. 6, 2023, issued in connection with U.S. Appl. No. 17/896,129, filed Aug. 26, 2022, 13 pages. cited by applicant

Notice of Allowance mailed on Dec. 7, 2022, issued in connection with U.S. Appl. No. 17/315,599, filed May 10, 2021, 11 pages. cited by applicant

Notice of Allowance mailed on Feb. 8, 2023, issued in connection with U.S. Appl. No. 17/446,690, filed Sep. 1, 2021, 8 pages. cited by applicant

Notice of Allowance mailed on Jan. 9, 2023, issued in connection with U.S. Appl. No. 17/247,507, filed Dec. 14, 2020, 8 pages. cited by applicant

Notice of Allowance mailed on Mar. 9, 2023, issued in connection with U.S. Appl. No. 17/662,302, filed May 6, 2022, 7 pages. cited by applicant

Notice of Allowance mailed on Nov. 9, 2022, issued in connection with U.S. Appl. No. 17/385,542, filed Jul. 26, 2021, 8 pages. cited by applicant

Notice of Allowance mailed on Feb. 1, 2022, issued in connection with U.S. Appl. No. 16/439,046, filed Jun. 12, 2019, 9 pages. cited by applicant

Notice of Allowance mailed on Mar. 1, 2022, issued in connection with U.S. Appl. No. 16/879,549, filed May 20, 2020, 9 pages. cited by applicant

Notice of Allowance mailed on Jun. 10, 2022, issued in connection with U.S. Appl. No. 16/879,549, filed May 20, 2020, 8 pages. cited by applicant

Notice of Allowance mailed on May 11, 2022, issued in connection with U.S. Appl. No. 17/135,123, filed Dec. 28, 2020, 8 pages. cited by applicant

Notice of Allowance mailed on May 11, 2022, issued in connection with U.S. Appl. No. 17/145,667, filed Jan. 11, 2021, 7 pages. cited by applicant

Notice of Allowance mailed on Jul. 12, 2022, issued in connection with U.S. Appl. No. 16/907,953, filed Jun. 22, 2020, 8 pages. cited by applicant

Notice of Allowance mailed on Jul. 12, 2022, issued in connection with U.S. Appl. No. 17/391,404, filed Aug. 2, 2021, 13 pages. cited by applicant

Notice of Allowance mailed on Apr. 13, 2022, issued in connection with U.S. Appl. No. 17/236,559, filed Apr. 21, 2021, 7 pages. cited by applicant

Notice of Allowance mailed on Dec. 13, 2021, issued in connection with U.S. Appl. No. 16/879,553, filed May 20, 2020, 15 pages. cited by applicant

Notice of Allowance mailed on Feb. 13, 2023, issued in connection with U.S. Appl. No. 18/045,360, filed Oct. 10, 2022, 9 pages. cited by applicant

Notice of Allowance mailed on Jan. 14, 2022, issued in connection with U.S. Appl. No. 16/966,397, filed Jul. 30, 2020, 5 pages. cited by applicant

Notice of Allowance mailed on Aug. 15, 2022, issued in connection with U.S. Appl. No. 17/101,949, filed Nov. 23, 2020, 11 pages. cited by applicant

Notice of Allowance mailed on Feb. 15, 2023, issued in connection with U.S. Appl. No. 17/659,613, filed Apr. 18, 2022, 21 pages. cited by applicant

Notice of Allowance mailed on Sep. 15, 2022, issued in connection with U.S. Appl. No. 16/736,725, filed Jan. 1, 2020, 11 pages. cited by applicant

Notice of Allowance mailed on Aug. 17, 2022, issued in connection with U.S. Appl. No. 17/135,347, filed Dec. 28, 2020, 14 pages. cited by applicant

Notice of Allowance mailed on Nov. 17, 2022, issued in connection with U.S. Appl. No. 17/486,222, filed Sep. 27, 2021, 10 pages. cited by applicant

Notice of Allowance mailed on Jul. 18, 2022, issued in connection with U.S. Appl. No. 17/222,151, filed Apr. 5, 2021, 5 pages. cited by applicant

Notice of Allowance mailed on Dec. 2, 2021, issued in connection with U.S. Appl. No. 16/841,116, filed Apr. 6, 2020, 5 pages. cited by applicant

Notice of Allowance mailed on Dec. 20, 2022, issued in connection with U.S. Appl. No. 16/806,747, filed Mar. 2, 2020, 5 pages. cited by applicant

Notice of Allowance mailed on Jan. 20, 2023, issued in connection with U.S. Appl. No. 16/915,234, filed Jun. 29, 2020, 6 pages. cited by applicant

Notice of Allowance mailed on Jun. 20, 2022, issued in connection with U.S. Appl. No. 16/947,895, filed Aug. 24, 2020, 7 pages. cited by applicant

Notice of Allowance mailed on Mar. 20, 2023, issued in connection with U.S. Appl. No. 17/562,412, filed Dec. 27, 2021, 9 pages. cited by applicant

Notice of Allowance mailed on Dec. 21, 2021, issued in connection with U.S. Appl. No. 16/271,550, filed Feb. 8, 2019, 11 pages. cited by applicant

Notice of Allowance mailed on Mar. 21, 2023, issued in connection with U.S. Appl. No. 17/353,254, filed Jun. 21, 2021, 8 pages. cited by applicant

Notice of Allowance mailed on Nov. 21, 2022, issued in connection with U.S. Appl. No. 17/454,676, filed Nov. 12, 2021, 8 pages. cited by applicant

Notice of Allowance mailed on Feb. 18, 2020, issued in connection with U.S. Appl. No. 16/022,662, filed Jun. 28, 2018, 8 pages. cited by applicant

Notice of Allowance mailed on Jul. 18, 2019, issued in connection with U.S. Appl. No. 15/438,749, filed Feb. 21, 2017, 9 pages. cited by applicant

Notice of Allowance mailed on Jul. 18, 2019, issued in connection with U.S. Appl. No. 15/721,141, filed Sep. 29, 2017, 8 pages. cited by applicant

Notice of Allowance mailed on Mar. 18, 2021, issued in connection with U.S. Appl. No. 16/177,185, filed Oct. 31, 2018, 8 pages. cited by applicant

Notice of Allowance mailed on Aug. 19, 2020, issued in connection with U.S. Appl. No. 16/271,560, filed Feb. 8, 2019, 9 pages. cited by applicant

Notice of Allowance mailed on Dec. 19, 2018, issued in connection with U.S. Appl. No. 15/818,051, filed Nov. 20, 2017, 9 pages. cited by applicant

Notice of Allowance mailed on Jul. 19, 2018, issued in connection with U.S. Appl. No. 15/681,937, filed Aug. 21, 2017, 7 pages. cited by applicant

Notice of Allowance mailed on Mar. 19, 2021, issued in connection with U.S. Appl. No. 17/157,686, filed Jan. 25, 2021, 11 pages. cited by applicant

Notice of Allowance mailed on Aug. 2, 2019, issued in connection with U.S. Appl. No. 16/102,650, filed Aug. 13, 2018, 5 pages. cited by applicant

Notice of Allowance mailed on Dec. 2, 2020, issued in connection with U.S. Appl. No. 15/989,715, filed May 25, 2018, 11 pages. cited by applicant

Notice of Allowance mailed on Sep. 2, 2020, issued in connection with U.S. Appl. No. 16/214,711, filed Dec. 10, 2018, 9 pages. cited by applicant

Notice of Allowance mailed on Jul. 20, 2020, issued in connection with U.S. Appl. No. 15/984,073, filed May 18, 2018, 12 pages. cited by applicant

Notice of Allowance mailed on Mar. 20, 2018, issued in connection with U.S. Appl. No. 15/784,952, filed Oct. 16, 2017, 7 pages. cited by applicant

Notice of Allowance mailed on Oct. 20, 2021, issued in connection with U.S. Appl. No. 16/439,032, filed Jun. 12, 2019, 8 pages. cited by applicant

Notice of Allowance mailed on Sep. 20, 2018, issued in connection with U.S. Appl. No. 15/946,599, filed Apr. 5, 2018, 7 pages. cited by applicant

Notice of Allowance mailed on Apr. 21, 2021, issued in connection with U.S. Appl. No. 16/145,275, filed Sep. 28, 2018, 8 pages. cited by applicant

Notice of Allowance mailed on Feb. 21, 2020, issued in connection with U.S. Appl. No. 16/416,752, filed May 20, 2019, 6 pages. cited by applicant

Notice of Allowance mailed on Jan. 21, 2020, issued in connection with U.S. Appl. No. 16/672,764, filed Nov. 4, 2019, 10 pages. cited by applicant

Notice of Allowance mailed on Jan. 21, 2021, issued in connection with U.S. Appl. No. 16/600,644, filed Oct. 14, 2019, 7 pages. cited by applicant

Notice of Allowance mailed on Oct. 21, 2019, issued in connection with U.S. Appl. No. 15/946,585, filed Apr. 5, 2018, 5 pages. cited by applicant

Notice of Allowance mailed on Aug. 22, 2017, issued in connection with U.S. Appl. No. 15/273,679, filed Sep. 22, 2016, 5 pages. cited by applicant

Notice of Allowance mailed on Jan. 22, 2018, issued in connection with U.S. Appl. No. 15/178,180, filed Jun. 9, 2016, 9 pages. cited by applicant

Notice of Allowance mailed on Jul. 22, 2020, issued in connection with U.S. Appl. No. 16/131,409, filed Sep. 14, 2018, 13 pages. cited by applicant

Notice of Allowance mailed on Jul. 22, 2020, issued in connection with U.S. Appl. No. 16/790,621, filed Feb. 13, 2020, 10 pages. cited by applicant

Notice of Allowance mailed on Aug. 23, 2021, issued in connection with U.S. Appl. No. 16/109,375, filed Aug. 22, 2018, 10 pages. cited by applicant

Notice of Allowance mailed on Jun. 23, 2021, issued in connection with U.S. Appl. No. 16/814,844, filed Mar. 10, 2020, 8 pages. cited by applicant

Notice of Allowance mailed on Apr. 24, 2019, issued in connection with U.S. Appl. No. 16/154,469, filed Oct. 8, 2018, 5 pages. cited by applicant

Notice of Allowance mailed on Oct. 25, 2021, issued in connection with U.S. Appl. No. 16/723,909, filed Dec. 20, 2019, 11 pages. cited by applicant

Notice of Allowance mailed on Aug. 26, 2020, issued in connection with U.S. Appl. No. 15/948,541, filed Apr. 9, 2018, 9 pages. cited by applicant

Notice of Allowance mailed on May 26, 2021, issued in connection with U.S. Appl. No. 16/927,670, filed Jul. 13, 2020, 10 pages. cited by applicant

Notice of Allowance mailed on Apr. 27, 2020, issued in connection with U.S. Appl. No. 16/700,607, filed Dec. 2, 2019, 10 pages. cited by applicant

Notice of Allowance mailed on Mar. 27, 2019, issued in connection with U.S. Appl. No. 16/214,666, filed Dec. 10, 2018, 6 pages. cited by applicant

Notice of Allowance mailed on Mar. 28, 2018, issued in connection with U.S. Appl. No. 15/699,982, filed Sep. 8, 2017, 17 pages. cited by applicant

Notice of Allowance mailed on May 28, 2021, issued in connection with U.S. Appl. No. 16/524,306, filed Jul. 29, 2019, 9 pages. cited by applicant

Notice of Allowance mailed on Dec. 29, 2017, issued in connection with U.S. Appl. No. 15/131,776, filed Apr. 18, 2016, 13 pages. cited by applicant

Notice of Allowance mailed on Jan. 29, 2021, issued in connection with U.S. Appl. No. 16/290,599, filed Mar. 1, 2019, 9 pages. cited by applicant

Notice of Allowance mailed on Jun. 29, 2020, issued in connection with U.S. Appl. No. 16/216,357, filed Dec. 11, 2018, 8 pages. cited by applicant

Notice of Allowance mailed on Mar. 29, 2021, issued in connection with U.S. Appl. No. 16/600,949, filed Oct. 14, 2019, 9 pages. cited by applicant

Notice of Allowance mailed on May 29, 2020, issued in connection with U.S. Appl. No. 16/148,879, filed Oct. 1, 2018, 6 pages. cited by applicant

Notice of Allowance mailed on Sep. 29, 2021, issued in connection with U.S. Appl. No. 16/876,493, filed May 18, 2020, 5 pages. cited by applicant

Notice of Allowance mailed on Apr. 3, 2019, issued in connection with U.S. Appl. No. 16/160,107, filed Oct. 15, 2018, 7 pages. cited by applicant

Notice of Allowance mailed on Jun. 3, 2021, issued in connection with U.S. Appl. No. 16/876,493, filed May 18, 2020, 7 pages. cited by applicant

Notice of Allowance mailed on Jul. 30, 2018, issued in connection with U.S. Appl. No. 15/098,718, filed Apr. 14, 2016, 5 pages. cited by applicant

Notice of Allowance mailed on Jul. 30, 2019, issued in connection with U.S. Appl. No. 15/131,254, filed Apr. 18, 2016, 9 pages. cited by applicant

Notice of Allowance mailed on Mar. 30, 2020, issued in connection with U.S. Appl. No. 15/973,413, filed May 7, 2018, 5 pages. cited by applicant

Notice of Allowance mailed on Nov. 30, 2018, issued in connection with U.S. Appl. No. 15/438,725, filed Feb. 21, 2017, 5 pages. cited by applicant

Notice of Allowance mailed on Oct. 30, 2019, issued in connection with U.S. Appl. No. 16/131,392, filed Sep. 14, 2018, 9 pages. cited by applicant

Notice of Allowance mailed on Oct. 30, 2020, issued in connection with U.S. Appl. No. 16/528,016, filed Jul. 31, 2019, 10 pages. cited by applicant

Notice of Allowance mailed on May 31, 2019, issued in connection with U.S. Appl. No. 15/717,621, filed Sep. 27, 2017, 9 pages. cited by applicant

Notice of Allowance mailed on Jun. 4, 2021, issued in connection with U.S. Appl. No. 16/528,265, filed Jul. 31, 2019, 17 pages. cited by applicant

Final Office Action mailed on Apr. 30, 2019, issued in connection with U.S. Appl. No. 15/098,760, filed Apr. 14, 2016, 6 pages. cited by applicant

Final Office Action mailed on Jun. 4, 2021, issued in connection with U.S. Appl. No. 16/168,389, filed Oct. 23, 2018, 38 pages. cited by applicant

Final Office Action mailed on Oct. 4, 2021, issued in connection with U.S. Appl. No. 16/806,747, filed Mar. 2, 2020, 17 pages. cited by applicant

Final Office Action mailed on Feb. 5, 2019, issued in connection with U.S. Appl. No. 15/438,749, filed Feb. 21, 2017, 17 pages. cited by applicant

Final Office Action mailed on Feb. 7, 2020, issued in connection with U.S. Appl. No. 15/948,541, filed Apr. 9, 2018, 8 pages. cited by applicant

Final Office Action mailed on Jun. 8, 2021, issued in connection with U.S. Appl. No. 16/271,550, filed Feb. 8, 2019, 41 pages. cited by applicant

Final Office Action mailed on Sep. 8, 2020, issued in connection with U.S. Appl. No. 16/213,570, filed Dec. 7, 2018, 12 pages. cited by applicant

Fiorenza Arisio et al. "Deliverable 1.1 User Study, analysis of requirements and definition of the application task," May 31, 2012, http://dirha.fbk.eu/sites/dirha.fbk.eu/files/docs/DIRHA_D1.1., 31 pages. cited by applicant

First Action Interview Office Action mailed on Mar. 8, 2021, issued in connection with U.S. Appl. No. 16/798,967, filed Feb. 24, 2020, 4 pages. cited by applicant

First Action Interview Office Action mailed on Aug. 14, 2019, issued in connection with U.S. Appl. No. 16/227,308, filed Dec. 20, 2018, 4 pages. cited by applicant

First Action Interview Office Action mailed on Jun. 15, 2020, issued in connection with U.S. Appl. No. 16/213,570, filed Dec. 7, 2018, 4 pages. cited by applicant

First Action Interview Office Action mailed on Jun. 2, 2020, issued in connection with U.S. Appl. No. 16/109,375, filed Aug. 22, 2018, 10 pages. cited by applicant

First Action Interview Office Action mailed on Jan. 22, 2020, issued in connection with U.S. Appl. No. 15/989,715, filed May 25, 2018, 3 pages. cited by applicant

First Action Interview Office Action mailed on Jul. 5, 2019, issued in connection with U.S. Appl. No. 16/227,308, filed Dec. 20, 2018, 4 pages. cited by applicant

Freiberger, Karl, "Development and Evaluation of Source Localization Algorithms for Coincident Microphone Arrays," Diploma Thesis, Apr. 1, 2010, 106 pages. cited by applicant

Giacobello et al. "A Sparse Nonuniformly Partitioned Multidelay Filter for Acoustic Echo Cancellation," 2013, IEEE Workshop on Applications of Signal Processing to Audio and Acoustics, Oct. 2013, New Paltz, NY, 4 pages. cited by applicant

Giacobello et al. "Tuning Methodology for Speech Enhancement Algorithms using a Simulated Conversational Database and Perceptual Objective Measures," 2014, 4th Joint Workshop on Hands-free Speech Communication and Microphone Arrays HSCMA, 2014, 5 pages. cited by applicant

Han et al. "Deep Compression: Compressing Deep Neural Networks with Pruning, Trained Quantization and Huffman Coding." ICLR 2016, Feb. 15, 2016, 14 pages. cited by applicant

Hans Speidel: "Chatbot Training: How to use training data to provide fully automated customer support", Jun. 29, 2017, pp. 1-3, XP055473185, Retrieved from the Internet: URL:<https://www.crowdguru.de/wp-content/uploads/Case-Study-Chatbot-training-How-to-use-training-data-to-provide-fully-automated-customer-support.pdf> [retrieved on May 7, 2018]. cited by applicant

Helwani et al "Source-domain adaptive filtering for MIMO systems with application to acoustic echo cancellation", Acoustics Speech and Signal Processing, 2010 IEEE International Conference, Mar. 14, 2010, 4 pages. cited by applicant

Hirano et al. "A Noise-Robust Stochastic Gradient Algorithm with an Adaptive Step-Size Suitable for Mobile Hands-Free Telephones," 1995, International Conference on Acoustics, Speech, and Signal Processing, vol. 2, 4 pages. cited by applicant

Indian Patent Office, Examination Report mailed on May 24, 2021, issued in connection with Indian Patent Application No. 201847035595, 6 pages. cited by applicant

Indian Patent Office, Examination Report mailed on Feb. 25, 2021, issued in connection with Indian Patent Application No. 201847035625, 6 pages. cited by applicant

International Bureau, International Preliminary Report on Patentability and Written Opinion, mailed on Apr. 1, 2021, issued in connection with International Application No. PCT/US2019/052129, filed on Sep. 20, 2019, 13 pages. cited by applicant

International Bureau, International Preliminary Report on Patentability and Written Opinion, mailed on Jul. 1, 2021, issued in connection with International Application No. PCT/US2019/067576, filed on Dec. 19, 2019, 8 pages. cited by applicant

International Bureau, International Preliminary Report on Patentability and Written Opinion, mailed on Aug. 10, 2021, issued in connection with International Application No. PCT/US2020/017150, filed on Feb. 7, 2020, 20 pages. cited by applicant

International Bureau, International Preliminary Report on Patentability and Written Opinion, mailed on Dec. 10, 2020, issued in connection with

International Application No. PCT/US2019/033945, filed on May 25, 2018, 7 pages. cited by applicant
International Bureau, International Preliminary Report on Patentability and Written Opinion, mailed on Mar. 10, 2020, issued in connection with International Application No. PCT/US2018/050050, filed on Sep. 7, 2018, 7 pages. cited by applicant
International Bureau, International Preliminary Report on Patentability and Written Opinion, mailed on Apr. 15, 2021, issued in connection with International Application No. PCT/US2019/054332, filed on Oct. 2, 2019, 9 pages. cited by applicant
International Bureau, International Preliminary Report on Patentability and Written Opinion, mailed on Jan. 15, 2019, issued in connection with International Application No. PCT/US2017/042170, filed on Jul. 14, 2017, 7 pages. cited by applicant
International Bureau, International Preliminary Report on Patentability and Written Opinion, mailed on Jan. 15, 2019, issued in connection with International Application No. PCT/US2017/042227, filed on Jul. 14, 2017, 7 pages. cited by applicant
International Bureau, International Preliminary Report on Patentability and Written Opinion, mailed on Mar. 25, 2021, issued in connection with International Application No. PCT/US2019/050852, filed on Sep. 12, 2019, 8 pages. cited by applicant
International Bureau, International Preliminary Report on Patentability and Written Opinion, mailed on Aug. 27, 2019, issued in connection with International Application No. PCT/US2018/019010, filed on Feb. 21, 2018, 9 pages. cited by applicant
International Bureau, International Preliminary Report on Patentability and Written Opinion, mailed on Mar. 31, 2020, issued in connection with International Application No. PCT/US2018/053517, filed on Sep. 28, 2018, 10 pages. cited by applicant
International Bureau, International Preliminary Report on Patentability and Written Opinion, mailed on Feb. 5, 2019, issued in connection with International Application No. PCT/US2017/045521, filed on Aug. 4, 2017, 7 pages. cited by applicant
International Bureau, International Preliminary Report on Patentability and Written Opinion, mailed on Feb. 5, 2019, issued in connection with International Application No. PCT/US2017/045551, filed on Aug. 4, 2017, 9 pages. cited by applicant
International Bureau, International Preliminary Report on Patentability and Written Opinion, mailed on Jan. 7, 2021, issued in connection with International Application No. PCT/US2019/039828, filed on Jun. 28, 2019, 11 pages. cited by applicant
International Bureau, International Preliminary Report on Patentability and Written Opinion, mailed on Apr. 8, 2021, issued in connection with International Application No. PCT/US2019/052654, filed on Sep. 24, 2019, 7 pages. cited by applicant
International Bureau, International Preliminary Report on Patentability and Written Opinion, mailed on Apr. 8, 2021, issued in connection with International Application No. PCT/US2019/052841, filed on Sep. 25, 2019, 8 pages. cited by applicant
International Bureau, International Preliminary Report on Patentability and Written Opinion, mailed on Apr. 8, 2021, issued in connection with International Application No. PCT/US2019/053253, filed on Sep. 26, 2019, 10 pages. cited by applicant
International Bureau, International Preliminary Report on Patentability, mailed on Apr. 11, 2019, issued in connection with International Application No. PCT/US2017/0054063, filed on Sep. 28, 2017, 9 pages. cited by applicant
International Bureau, International Preliminary Report on Patentability, mailed on Jun. 17, 2021, issued in connection with International Application No. PCT/US2019/064907, filed on Dec. 6, 2019, 8 pages. cited by applicant
International Bureau, International Preliminary Report on Patentability, mailed on Mar. 2, 2021, issued in connection with International Application No. PCT/US2019/048558, filed on Aug. 28, 2019, 8 pages. cited by applicant
International Bureau, International Preliminary Report on Patentability, mailed on Feb. 20, 2020, issued in connection with International Application No. PCT/US2018/045397, filed on Aug. 6, 2018, 8 pages. cited by applicant
International Bureau, International Preliminary Report on Patentability, mailed on Apr. 23, 2019, issued in connection with International Application No. PCT/US2017/057220, filed on Oct. 18, 2017, 7 pages. cited by applicant
International Bureau, International Preliminary Report on Patentability, mailed on Mar. 31, 2020, issued in connection with International Application No. PCT/US2018053123, filed on Sep. 27, 2018, 12 pages. cited by applicant
International Bureau, International Preliminary Report on Patentability, mailed on Mar. 31, 2020, issued in connection with International Application No. PCT/US2018053472, filed on Sep. 28, 2018, 8 pages. cited by applicant
International Bureau, International Preliminary Report on Patentability, mailed on Mar. 31, 2020, issued in connection with International Application No. PCT/US2018053517, filed on Sep. 28, 2018, 10 pages. cited by applicant
International Bureau, International Preliminary Report on Patentability, mailed on Sep. 7, 2018, issued in connection with International Application No. PCT/US2017/018728, filed on Feb. 21, 2017, 8 pages. cited by applicant
International Bureau, International Preliminary Report on Patentability, mailed on Sep. 7, 2018, issued in connection with International Application No. PCT/US2017/018739, filed on Feb. 21, 2017, 7 pages. cited by applicant
Australian Patent Office, Australian Examination Report Action mailed on Jul. 11, 2023, issued in connection with Australian Application No. 2022246446, 2 pages. cited by applicant
Australian Patent Office, Australian Examination Report Action mailed on Jun. 14, 2023, issued in connection with Australian Application No. 2019299865, 2 pages. cited by applicant
Australian Patent Office, Australian Examination Report Action mailed on Sep. 25, 2023, issued in connection with Australian Application No. 2018338812, 3 pages. cited by applicant
Chinese Patent Office, First Office Action and Translation mailed on Sep. 6, 2023, issued in connection with Chinese Application No. 202010179593.14 pages. cited by applicant
Chinese Patent Office, Second Office Action mailed on May 30, 2023, issued in connection with Chinese Application No. 201980070006.7, 9 pages. cited by applicant
European Patent Office, European EPC Article 94.3 mailed on Jun. 5, 2023, issued in connection with European Application No. 20710649.3, 8 pages. cited by applicant
European Patent Office, European EPC Article 94.3 mailed on Jun. 27, 2023, issued in connection with European Application No. 21195031.6, 4 pages. cited by applicant
European Patent Office, European EPC Article 94.3 mailed on Mar. 29, 2023, issued in connection with European Application No. 22182193.7, 4 pages. cited by applicant
European Patent Office, European EPC Article 94.3 mailed on Jul. 31, 2023, issued in connection with European Application No. 21164130.3, 5 pages. cited by applicant
European Patent Office, European EPC Article 94.3 mailed on Apr. 6, 2023, issued in connection with European Application No. 21193616.6, 7 pages. cited by applicant
European Patent Office, European EPC Article 94.3 mailed on Sep. 6, 2023, issued in connection with European Application No. 19197116.7, 4 pages. cited by applicant
European Patent Office, European EPC Article 94.3 mailed on Sep. 7, 2023, issued in connection with European Application No. 20185599.6, 6 pages. cited by applicant

European Patent Office, European Search Report mailed on Sep. 21, 2023, issued in connection with European Application No. 23172783.5, 8 pages. cited by applicant

Final Office Action mailed on May 17, 2023, issued in connection with U.S. Appl. No. 16/168,389, filed Oct. 23, 2018, 44 pages. cited by applicant

Final Office Action mailed on Aug. 22, 2023, issued in connection with U.S. Appl. No. 18/061,570, filed Dec. 5, 2022, 12 pages. cited by applicant

Final Office Action mailed on Aug. 25, 2023, issued in connection with U.S. Appl. No. 16/989,350, filed Aug. 10, 2020, 21 pages. cited by applicant

Final Office Action mailed on Sep. 27, 2023, issued in connection with U.S. Appl. No. 18/048,034, filed Oct. 20, 2022, 9 pages. cited by applicant

Final Office Action mailed on Aug. 9, 2023, issued in connection with U.S. Appl. No. 17/493,430, filed Oct. 4, 2021, 19 pages. cited by applicant

Google LLC v. Sonos, Inc., International Trade Commission Case No. 337-TA-1330, Order No. 25: Regarding Respondent Sonos, Inc.'s Omnibus Motion for Summary Determination; dated May 16, 2023, 7 pages. cited by applicant

Google LLC v. Sonos, Inc., International Trade Commission Case No. 337-TA-1330, Order No. 28: Regarding Respondent Sonos, Inc.'s Omnibus Motion for Summary Determination; dated May 22, 2023, 3 pages. cited by applicant

Google LLC v. Sonos, Inc., International Trade Commission Case No. 337-TA-1330, Order No. 37: Regarding Complainant Google LLC's Motions in Limine; dated Jul. 7, 2023, 10 pages. cited by applicant

Google LLC v. Sonos, Inc., International Trade Commission Case No. 337-TA-1330, Respondent Sonos, Inc.'s Motion in Limine No. 4. Motion to Exclude Untimely Validity Arguments Regarding Claim 11 of U.S. Pat. No. 11,024,311; dated Jun. 13, 2023, 34 pages. cited by applicant

Google LLC v. Sonos, Inc., International Trade Commission Case No. 337-TA-1330, Respondent Sonos, Inc.'s Response to Google's Motion in Limine No. 3 Preclude Sonos from Presenting Evidence or Argument that Claim 3 of the '748 Patent is Indefinite for Lack of Antecedent Basis; dated Jun. 12, 2023, 26 pages. cited by applicant

International Bureau, International Search Report and Written Opinion mailed on Mar. 20, 2023, issued in connection with International Application No. PCT/US2022/045399, filed on Sep. 30, 2022, 25 pages. cited by applicant

International Searching Authority, Invitation to Pay Additional Fees on Jan. 27, 2023, issued in connection with International Application No. PCT/US2022/045399, filed on Sep. 30, 2022, 19 pages. cited by applicant

Japanese Patent Office, Decision of Refusal and Translation mailed on May 23, 2023, issued in connection with Japanese Patent Application No. 2021-163622, 13 pages. cited by applicant

Japanese Patent Office, Notice of Reasons for Refusal and Translation mailed on Aug. 8, 2023, issued in connection with Japanese Patent Application No. 2022-101346, 6 pages. cited by applicant

Korean Patent Office, Korean Examination Report and Translation mailed on Apr. 10, 2023, issued in connection with Korean Application No. 10-2022-7024007, 8 pages. cited by applicant

Korean Patent Office, Korean Examination Report and Translation mailed on Jul. 19, 2023, issued in connection with Korean Application No. 10-2022-7024007, 9 pages. cited by applicant

Non-Final Office Action mailed on Aug. 10, 2023, issued in connection with U.S. Appl. No. 18/070,024, filed Nov. 28, 2022, 4 pages. cited by applicant

Non-Final Office Action mailed on Sep. 14, 2023, issued in connection with U.S. Appl. No. 17/528,843, filed Nov. 17, 2021, 20 pages. cited by applicant

Non-Final Office Action mailed on Jul. 18, 2023, issued in connection with U.S. Appl. No. 18/066,093, filed Dec. 14, 2022, 12 pages. cited by applicant

Non-Final Office Action mailed on Apr. 20, 2023, issued in connection with U.S. Appl. No. 18/061,570, filed Dec. 5, 2022, 12 pages. cited by applicant

Non-Final Office Action mailed on Jun. 23, 2023, issued in connection with U.S. Appl. No. 18/048,945, filed on Oct. 24, 2022, 10 pages. cited by applicant

Non-Final Office Action mailed on Apr. 24, 2023, issued in connection with U.S. Appl. No. 17/532,744, filed Nov. 22, 2021, 18 pages. cited by applicant

Non-Final Office Action mailed on Apr. 25, 2023, issued in connection with U.S. Appl. No. 17/536,572, filed Nov. 29, 2021, 8 pages. cited by applicant

Non-Final Office Action mailed on Apr. 25, 2023, issued in connection with U.S. Appl. No. 17/656,794, filed Mar. 28, 2022, 22 pages. cited by applicant

Non-Final Office Action mailed on May 25, 2023, issued in connection with U.S. Appl. No. 18/157,937, filed Jan. 23, 2023, 9 pages. cited by applicant

Non-Final Office Action mailed on Jul. 3, 2023, issued in connection with U.S. Appl. No. 17/135,173, filed Dec. 28, 2020, 22 pages. cited by applicant

Non-Final Office Action mailed on Jul. 5, 2023, issued in connection with U.S. Appl. No. 18/061,579, filed Dec. 5, 2022, 11 pages. cited by applicant

Non-Final Office Action mailed on Jun. 7, 2023, issued in connection with U.S. Appl. No. 16/179,779, filed Nov. 2, 2018, 29 pages. cited by applicant

Non-Final Office Action mailed on Jun. 8, 2023, issued in connection with U.S. Appl. No. 18/048,034, filed Oct. 20, 2022, 8 pages. cited by applicant

Non-Final Office Action mailed on Jun. 8, 2023, issued in connection with U.S. Appl. No. 18/061,243, filed Dec. 2, 2022, 10 pages. cited by applicant

Notice of Allowance mailed on Jun. 9, 2023, issued in connection with U.S. Appl. No. 17/532,674, filed Nov. 22, 2021, 13 pages. cited by applicant

Notice of Allowance mailed on Jul. 10, 2023, issued in connection with U.S. Appl. No. 17/315,599, filed May 10, 2021, 2 pages. cited by applicant

Notice of Allowance mailed on Aug. 11, 2023, issued in connection with U.S. Appl. No. 17/878,649, filed Aug. 1, 2022, 7 pages. cited by applicant

Notice of Allowance mailed on May 11, 2023, issued in connection with U.S. Appl. No. 18/061,638, filed Dec. 5, 2022, 15 pages. cited by applicant

Notice of Allowance mailed on Jul. 12, 2023, issued in connection with U.S. Appl. No. 18/151,619, filed Jan. 9, 2023, 13 pages. cited by applicant

Notice of Allowance mailed on Jun. 12, 2023, issued in connection with U.S. Appl. No. 17/453,632, filed Nov. 4, 2021, 9 pages. cited by applicant

Notice of Allowance mailed on Jul. 13, 2023, issued in connection with U.S. Appl. No. 18/145,501, filed Dec. 22, 2022, 9 pages. cited by applicant

Notice of Allowance mailed on Jun. 13, 2023, issued in connection with U.S. Appl. No. 17/249,776, filed Mar. 12, 2021, 10 pages. cited by applicant

Notice of Allowance mailed on Aug. 14, 2023, issued in connection with U.S. Appl. No. 17/549,034, filed Dec. 13, 2021, 9 pages. cited by applicant

Notice of Allowance mailed on Sep. 14, 2023, issued in connection with U.S. Appl. No. 18/061,579, filed Dec. 5, 2022, 7 pages. cited by applicant

Notice of Allowance mailed on Jun. 15, 2023, issued in connection with U.S. Appl. No. 17/305,698, filed Jul. 13, 2021, 8 pages. cited by applicant

Notice of Allowance mailed on Jun. 15, 2023, issued in connection with U.S. Appl. No. 17/305,920, filed Jul. 16, 2021, 8 pages. cited by applicant

Notice of Allowance mailed on Aug. 16, 2023, issued in connection with U.S. Appl. No. 17/536,572, filed Nov. 29, 2021, 7 pages. cited by applicant

Notice of Allowance mailed on Aug. 21, 2023, issued in connection with U.S. Appl. No. 17/548,921, filed Dec. 13, 2021, 10 pages. cited by applicant

Notice of Allowance mailed on Jul. 21, 2023, issued in connection with U.S. Appl. No. 17/986,241, filed Nov. 14, 2022, 12 pages. cited by applicant

Notice of Allowance mailed on Apr. 26, 2022, issued in connection with U.S. Appl. No. 17/896,129, filed Aug. 26, 2022, 8 pages. cited by applicant

Notice of Allowance mailed on Apr. 26, 2023, issued in connection with U.S. Appl. No. 17/658,717, filed Apr. 11, 2022, 11 pages. cited by applicant

Notice of Allowance mailed on Sep. 27, 2023, issued in connection with U.S. Appl. No. 18/048,945, filed Oct. 24, 2022, 9 pages. cited by applicant

Notice of Allowance mailed on Sep. 27, 2023, issued in connection with U.S. Appl. No. 18/061,243, filed Dec. 2, 2022, 8 pages. cited by applicant

Notice of Allowance mailed on Sep. 29, 2023, issued in connection with U.S. Appl. No. 16/168,389, filed Oct. 23, 2018, 11 pages. cited by applicant

Notice of Allowance mailed on Jun. 30, 2023, issued in connection with U.S. Appl. No. 17/303,001, filed May 18, 2021, 8 pages. cited by applicant

Primary Examiner: Colucci; Michael

Attorney, Agent or Firm: FORTEM IP LLP

Background/Summary

CROSS-REFERENCE TO RELATED APPLICATIONS (1) This application claims priority to U.S. Patent Application Ser. No. 63/036,189, filed on Jun. 8, 2020, the disclosure of which is incorporated by reference herein in its entirety.

FIELD OF THE DISCLOSURE

(1) The present technology relates to consumer goods and, more particularly, to methods, systems, products, features, services, and other elements directed to voice-assisted control of media playback systems or some aspect thereof.

BACKGROUND

(2) Options for accessing and listening to digital audio in an out-loud setting were limited until in 2002, when SONOS, Inc. began development of a new type of playback system. Sonos then filed one of its first patent applications in 2003, entitled “Method for Synchronizing Audio Playback between Multiple Networked Devices,” and began offering its first media playback systems for sale in 2005. The Sonos Wireless Home Sound System enables people to experience music from many sources via one or more networked playback devices. Through a software control application installed on a controller (e.g., smartphone, tablet, computer, voice input device), one can play what she wants in any room having a networked playback device. Media content (e.g., songs, podcasts, video sound) can be streamed to playback devices such that each room with a playback device can play back corresponding different media content. In addition, rooms can be grouped together for synchronous playback of the same media content, and/or the same media content can be heard in all rooms synchronously.

Description

BRIEF DESCRIPTION OF THE DRAWINGS

(1) Features, aspects, and advantages of the presently disclosed technology may be better understood with regard to the following description, appended claims, and accompanying drawings where:

(2) Features, aspects, and advantages of the presently disclosed technology may be better understood with regard to the following description, appended claims, and accompanying drawings, as listed below. A person skilled in the relevant art will understand that the features shown in the drawings are for purposes of illustrations, and variations, including different and/or additional features and arrangements thereof, are possible.

(3) FIG. 1A is a partial cutaway view of an environment having a media playback system configured in accordance with aspects of the disclosed technology.

(4) FIG. 1B is a schematic diagram of the media playback system of FIG. 1A and one or more networks.

(5) FIG. 2A is a functional block diagram of an example playback device.

(6) FIG. 2B is an isometric diagram of an example housing of the playback device of FIG. 2A.

(7) FIG. 2C is a diagram of an example voice input.

(8) FIG. 2D is a graph depicting an example sound specimen in accordance with aspects of the disclosure.

(9) FIGS. 3A, 3B, 3C, 3D and 3E are diagrams showing example playback device configurations in accordance with aspects of the disclosure.

(10) FIG. 4 is a functional block diagram of an example controller device in accordance with aspects of the disclosure.

(11) FIGS. 5A and 5B are controller interfaces in accordance with aspects of the disclosure.

(12) FIG. 6 is a message flow diagram of a media playback system.

(13) FIG. 7A is a functional block diagram of an example network microphone device.

(14) FIG. 7B is an isometric diagram of the example network microphone device.

(15) FIG. 7C is a functional block diagram of certain components of the example network microphone device in accordance with aspects of the disclosure.

(16) FIG. 7D is a functional block diagram of a neural architecture of the example network microphone device in accordance with aspects of the disclosure.

(17) FIGS. 8A, 8B, 8C, and 8D illustrate example voice input processing sequences.

(18) FIG. 9 is a schematic diagram illustrating the example network microphone device while paired with an example network device.

(19) FIGS. 10A and 10B are controller interfaces in accordance with aspects of the disclosure.

(20) FIG. 11 is a schematic diagram illustrating an example media playback system and cloud network in accordance with aspects of the disclosure.

(21) FIG. 12 is a flow diagram of an example method to perform local voice control in accordance with aspects of the disclosure.

(22) FIG. 13 is a flow diagram of an example method to perform local voice control in accordance with aspects of the disclosure.

(23) The drawings are for purposes of illustrating example embodiments, but it should be understood that the inventions are not limited to the arrangements and instrumentality shown in the drawings. In the drawings, identical reference numbers identify at least generally similar elements. To facilitate the discussion of any particular element, the most significant digit or digits of any reference number refers to the figure in which that element is first introduced. For example, element 103a is first introduced and discussed with reference to FIG. 1A.

DETAILED DESCRIPTION

I. Overview

(24) Examples described herein relate to local voice control techniques using a networked microphone device (“NMD”). A NMD is a networked computing device that typically includes an arrangement of microphones, such as a microphone array, that is configured to detect sound present in the NMD's environment. NMDs may facilitate voice control of smart home devices, such as wireless audio playback devices, illumination devices, appliances, and home-automation devices (e.g., thermostats, door locks, etc.). NMDs may also be used to query

a cloud-based voice assistant service (VAS) for information such as search queries, news, weather, and the like.

(25) In one aspect, a NMD may implement a small-footprint (“mini”) spoken language understanding (SLU) pipeline. The mini-SLU pipeline derives intent of voice inputs by keyword spotting in natural language voice inputs. That is, the mini-SLU pipeline is configured to spot certain keywords, which correspond to respective commands. By spotting a particular keyword in a voice input, the mini-SLU pipeline directly derives an intent to perform the command associated with the spotted keyword. Further, in contrast to other keyword spotting approaches, the mini-SLU pipeline does not implement full automatic speech recognition (ASR). Instead, the mini-SLU directly performs detection of keywords from intermediate representations of the voice input and keywords using a keyword spotting neural network.

(26) More particularly, an example mini-SLU pipeline may implement a neural architecture with three components: an acoustic encoder, a convolutional keyword detector network, and an auxiliary keyword encoder network, which may be referred to together as a hybrid keyword detector. The acoustic encoder is composed of a stack of recurrent neural layers and is pre-trained to generate quantized intermediate features from conditioned data representing a natural language voice input. The intermediate features are input to the convolutional keyword detector network trained to output keyword confidences. To support custom keywords (“an open-vocabulary model”), the weights of the convolutional keyword detector network are not necessarily trained directly, but are instead predicted by the auxiliary keyword encoder network. The keyword encoder network is itself a neural network applied to a phone sequence of a keyword to predict the parameters of the convolutional keyword detector network that would detect the keyword.

(27) In an effort to maintain a small footprint, the mini-SLU pipeline is trained to detect a relatively small set of keywords compared with a cloud-based VAS. In some implementations, this set of keywords may be task-based. For instance, a mini-SLU pipeline implemented in a playback device may be trained to detect keywords corresponding to playback commands such as “play,” “pause,” or “skip.” As another example, a mini-SLU pipeline implemented in a washing machine may be trained to detect keywords such as “Start gentle cycle.”

(28) In exemplary NMDs, the mini-SLU pipeline is implemented in parallel with cloud-based processing of natural language voice inputs. Cloud-based processing may be significantly more capable than processing using the mini-SLU pipeline. For instance, the mini-SLU may be capable of recognizing 1,000 or fewer keywords (words and phrases) while a cloud-based VAS is capable of recognizing a wide variety of words and phrases. Such numbers are merely representative and will vary based on the specific implementations.

(29) Additionally or alternatively, the mini-SLU pipeline is implemented in parallel with a local voice input engine. In contrast with the mini-SLU, the local voice input engine implements full ASR to convert sound data from the microphones to text and then performs spoken language understanding to combine command keywords with parameter keywords. ASR-based local processing may be relatively more capable than the mini-SLU pipeline (and likewise have a larger footprint than the mini-SLU pipeline). For instance, an ASR-based local voice input processing may be capable of recognizing 10,000 keywords (words or phrases) compared with 1,000 or fewer for a mini-SLU pipeline.

(30) On the other hand, processing voice inputs via the mini-SLU pipeline may be relatively faster than other types of local and/or cloud processing. In particular, the mini-SLU pipeline may be relatively quicker due to various factors such as scope (i.e., attempting to detect a relatively small set of keywords), design (e.g., directly spotting keywords without first performing ASR), and architecture (e.g., no latency as inherent in cloud-based processing). Due to this relative speed in processing voice inputs, voice inputs processed via the mini-SLU pipeline may be referred to herein as “quickstarts.”

(31) To avoid duplicate processing of a voice input by the parallel voice processing pipelines, the mini-SLU pipeline may instruct or otherwise cause the other voice processing pipelines to forego or stop processing of a voice input when the mini-SLU pipeline successfully processes the voice input. On the other hand, if the mini-SLU pipeline is unable to process a voice input, that voice input may be processed by the ASR-based local voice input pipeline or the cloud-based VAS. At the same time, a user may request processing using a cloud-based VAS by pre-facing their voice input with a specific nonce wake word for that VAS. For example, a user might speak the wake word “Alexa” to invoke the AMAZON® VAS, “Ok, Google” to invoke the GOOGLE® VAS, “Hey, Siri” to invoke the APPLE® VAS, or “Hey, Sonos” to invoke a VAS offered by SONOS®, among other examples.

(32) To identify whether sound detected by the NMD contains a voice input that includes a particular wake word, NMDs often utilize a wake-word engine, which is typically onboard the NMD. The wake-word engine may be configured to identify (i.e., “spot” or “detect”) a particular wake word in recorded audio using one or more identification algorithms, which may include pattern recognition trained to detect the frequency and/or time domain patterns that speaking the wake word creates. In practice, a wake word is typically a pre-determined nonce word or phrase used to “wake up” an NMD and cause it to invoke a particular voice assistant service (“VAS”) to interpret the intent of voice input in detected sound. Under this paradigm, when performing cloud-based voice processing, the NMD only needs to be able to detect a wake-word in a voice input—the heavy-lifting of voice processing (i.e., spoken language understanding) is offloaded to the cloud.

(33) When a wake-word engine detects a wake word in recorded audio, the NMD may determine that a wake-word event (i.e., a “wake-word trigger”) has occurred, which indicates that the NMD has detected sound that includes a potential voice input. The occurrence of the wake-word event typically causes the NMD to perform additional processes involving the detected sound. With a VAS wake-word engine, these additional processes may include extracting detected-sound data from a buffer, among other possible additional processes, such as outputting an alert (e.g., an audible chime and/or a light indicator) indicating that a wake word has been identified. Extracting the detected sound may include reading out and packaging a stream of the detected-sound according to a particular format and transmitting the packaged sound-data to an appropriate VAS for interpretation.

(34) In turn, the VAS corresponding to the wake word that was identified by the wake-word engine receives the transmitted sound data from the NMD over a communication network. A VAS traditionally takes the form of a remote service implemented using one or more cloud servers configured to process voice inputs (e.g., AMAZON's ALEXA, APPLE's SIRI, MICROSOFT's CORTANA, GOOGLE'S ASSISTANT, etc.). In some instances, certain components and functionality of the VAS may be distributed across local and remote devices.

(35) When a VAS receives detected-sound data, the VAS processes this data, which involves identifying the voice input and determining intent of words captured in the voice input. The VAS may then provide a response back to the NMD with some instruction according to the determined intent. Based on that instruction, the NMD may cause one or more smart devices to perform an action. For example, in accordance with an instruction from a VAS, an NMD may cause a playback device to play a particular song or an illumination device to turn on/off, among other examples.

(36) In contrast to a VAS wake-word engine, the mini SLU might not trigger based on nonce wake words and instead operate in a wakewordless paradigm. That is, the mini-SLU pipeline continually monitors data from the microphones for the keywords that it is trained to detect. Under this paradigm, a user may more quickly and naturally interact with the NMD without needing to preface their request with a nonce wake word. In this design, concern that NMDs are continually listening for these keywords is mitigated by the fact that the user's voice recordings are temporary and remain local to the user's device.

(37) One challenge with traditional wake-word engines is that they can be prone to false positives caused by “false wake word” triggers. A false positive in the NMD context generally refers to detected sound input that erroneously invokes a VAS. With a VAS wake-work engine, a false positive may invoke the VAS, even though there is no user actually intending to speak a wake word to the NMD.

(38) For example, a false positive can occur when a wake-word engine identifies a wake word (e.g., music, a podcast, TV, etc.) playing in the environment of the NMD. This output audio may be playing from a playback device in the vicinity of the NMD or by the NMD itself. For instance, when the audio of a commercial advertising AMAZON's ALEXA service is output in the vicinity of the NMD, the word "Alexa" in the commercial may trigger a false positive. A word or phrase in output audio that causes a false positive may be referred to herein as a "false wake word."

(39) In other examples, words that are phonetically similar to an actual wake word cause false positives. For example, when the audio of a commercial advertising LEXUS® automobiles is output in the vicinity of the NMD, the word "Lexus" may be a false wake word that causes a false positive because this word is phonetically similar to "Alexa." As other examples, false positives may occur when a person speaks a VAS wake word or phonetically similar word in conversation.

(40) The occurrences of false positives are undesirable, as they may cause the NMD to consume additional resources or interrupt audio playback, among other possible negative consequences. Some NMDs may avoid false positives by requiring a button press to invoke the VAS, such as on the AMAZON FIRETV remote or the APPLE TV remote. In practice, the impact of a false positive generated by a VAS wake-word engine is often partially mitigated by the VAS processing the detected-sound data and determining that the detected-sound data does not include a recognizable voice input.

(41) A mini-SLU pipeline may be relatively more prone to false positive detections as compared with a VAS wake word engine. The mini-SLU pipeline is triggered based on a wider variety of words, including words that may be more commonly used in conversation (e.g., "play" "on", etc.) as compared with nonce wake words of a cloud-based VAS, which creates more opportunities for false positives. Second, unlike VAS wake word engines which can be trained on large sets of training data since the nonce wake words are known in advance, for at least some keywords (e.g., custom keywords), the keyword detector network is not trained directly, but instead relies on weights predicted by the keyword encoder network, which inherently produces less robust keyword detection.

(42) To mitigate this propensity for false positives, after generating a keyword detection event when a given keyword is detected by a mini-SLU pipeline, an example NMD may require satisfaction of one or more conditions before performing a command associated with the detected keyword. In particular, these conditions may correspond with conditions that indicate likelihood that a detected keyword was intended by a user as a voice input. Accordingly, when these conditions are satisfied, the likelihood that the detected keyword is not a false positive is increased. Conversely, when these conditions are not satisfied, it is more likely that the detected keyword is a false positive.

(43) In particular, one condition that may apply generally is whether the voice input matches a speaker profile corresponding to a particular user. Example NMDs may maintain or have access to pre-determined speaker profiles corresponding to the users in a household. When a voice input matches one of these pre-determined speaker profiles, confidence that the utterance was intended as a voice input to the NMD is increased.

(44) For example, a particular user may set up a custom keyword such as "Party Time" to trigger a particular command or action (such as playback of a particular playlist across multiple (or all) playback devices in a household, as may be useful during a party). When the user utters the keyword "Party Time," the detecting NMD may recognize that the utterance includes that keyword and further determine that the speaker of the utterance is the particular user. Since the speaker of the custom keyword is the particular user who configured the keyword, the NMD can be more confident that the speaker intended that utterance as a voice input than the NMD would otherwise be without this determination.

(45) Example local voice input processing pipelines such as the mini-SLU and the ASR-based local voice input pipeline, may support custom keywords. Relative to pre-loaded keywords, custom keywords may be relatively more difficult to spot, as the neural network(s) for keyword spotting in such pipelines may have been trained with relatively more training data for the pre-loaded keywords. Custom keywords might not have any particular training data at all; instead, the neural network weights used to detect custom keywords may be predicted by a keyword encoder.

(46) Some example voice inputs may include both pre-loaded and custom keywords. For instance, when analyzing a voice input (e.g., "play the party time playlist"), the NMD may have relatively higher confidence in detecting a pre-loaded keyword (e.g., "play") and relatively lower confidence in detecting a custom keyword (e.g., "party time playlist"). In some examples, the NMD may assign a confidence value to the voice input as a whole based on the individual probabilities of detecting the constituent keywords.

(47) Example local voice input processing pipelines such as the mini-SLU pipeline and the ASR-based local voice input pipeline may derive a greater confidence level in custom keywords based on detecting such keywords in a voice input with pre-loaded keywords. That is, when a pre-loaded keyword is detected in a voice input with relatively high confidence and a custom keyword is also detected in the voice input albeit with relatively low confidence, the NMD may assign a higher confidence to the voice input as a whole than would otherwise be assigned to a voice input with the constituent keywords. This functionality is based on this assumption that when the NMD has detected one or more keywords with high confidence, other sounds in time proximity to those high-confidence keywords are more likely to be keywords as well.

(48) As noted above, example techniques relate to wakewordless local voice control. An example implementation involves a network microphone device (NMD) including one or more microphones, a network interface, one or more processors, at least one speaker, one or more processor and data storage having stored therein instructions executable by the one or more processors. The NMD monitors, via one or more keyword engines, an input sound-data stream representing sound detected by the one or more microphones for (i) a wake word associated with a voice assistant service and (ii) one or more keywords. The one or more keywords are different than the wake word. The NMD generates a first wake-word detection event corresponding to a first voice input when the one or more keyword engines detect sound data matching the wake word in the input sound-data stream. Based on generating the first wake-word detection event, the NMD causes the voice assistant service to process the first voice input. The NMD generates a first keyword detection event corresponding to a second voice input when the one or more keyword engines detect sound data matching at least one first keyword of the one or more keywords. The NMD determines that the second voice input matches a particular predetermined speaker profile of one or more predetermined speaker profiles and based on (i) generating the first keyword detection event and (ii) determining that the second voice input includes sound data matching the particular predetermined speaker profile, performs a particular playback command associated with the at least one first keyword.

(49) Another example implementation involves a network microphone device (NMD) including one or more microphones, a network interface, one or more processors, at least one speaker, one or more processor and data storage having stored therein instructions executable by the one or more processors. The NMD monitors, via one or more keyword engines, an input sound-data stream representing sound detected by the one or more microphones for one or more keywords from a keyword library. The keyword library includes pre-defined keywords and user-defined keywords. The NMD generates a first keyword detection event corresponding to a first voice input when the one or more keyword engines detect sound data matching a first keyword from the keyword library in the input sound-data stream. The NMD performs automatic speech recognition on the first voice input to detect keywords from the keyword library in the first voice input. Performing automatic speech recognition on the first voice input includes detecting one or more pre-defined keywords from the keyword

library in the first voice input, detecting a first user-defined keyword in the first voice input, and determining a confidence metric indicating confidence in recognizing keywords from the keyword library in the first voice input. Based on detecting the one or more pre-defined keywords in combination with the first user-defined keyword, the NMD modifies the confidence metric to indicate increased confidence in detecting keywords from the keyword library in the first voice input.

(50) While some embodiments described herein may refer to functions performed by given actors, such as “users” and/or other entities, it should be understood that this description is for purposes of explanation only. The claims should not be interpreted to require action by any such example actor unless explicitly required by the language of the claims themselves.

(51) Moreover, some functions are described herein as being performed “based on” or “in response to” another element or function. “Based on” should be understood that one element or function is related to another function or element. “In response to” should be understood that one element or function is a necessary result of another function or element. For the sake of brevity, functions are generally described as being based on another function when a functional link exists; however, such disclosure should be understood as disclosing either type of functional relationship.

II. Example Operation Environment

(52) FIGS. 1A and 1B illustrate an example configuration of a media playback system **100** (or “MPS **100**”) in which one or more embodiments disclosed herein may be implemented. Referring first to FIG. 1A, the MPS **100** as shown is associated with an example home environment having a plurality of rooms and spaces, which may be collectively referred to as a “home environment,” “smart home,” or “environment **101**.” The environment **101** comprises a household having several rooms, spaces, and/or playback zones, including a master bathroom **101a**, a master bedroom **101b**, (referred to herein as “Nick’s Room”), a second bedroom **101c**, a family room or den **101d**, an office **101e**, a living room **101f**, a dining room **101g**, a kitchen **101h**, and an outdoor patio **101i**. While certain embodiments and examples are described below in the context of a home environment, the technologies described herein may be implemented in other types of environments. In some embodiments, for example, the MPS **100** can be implemented in one or more commercial settings (e.g., a restaurant, mall, airport, hotel, a retail or other store), one or more vehicles (e.g., a sports utility vehicle, bus, car, a ship, a boat, an airplane), multiple environments (e.g., a combination of home and vehicle environments), and/or another suitable environment where multi-zone audio may be desirable.

(53) Within these rooms and spaces, the MPS **100** includes one or more computing devices. Referring to FIGS. 1A and 1B together, such computing devices can include playback devices **102** (identified individually as playback devices **102a-102o**), network microphone devices **103** (identified individually as “NMDs” **103a-102i**), and controller devices **104a** and **104b** (collectively “controller devices **104**”). Referring to FIG. 1B, the home environment may include additional and/or other computing devices, including local network devices, such as one or more smart illumination devices **108** (FIG. 1B), a smart thermostat **110**, and a local computing device **105** (FIG. 1A). In embodiments described below, one or more of the various playback devices **102** may be configured as portable playback devices, while others may be configured as stationary playback devices. For example, the headphones **102o** (FIG. 1B) are a portable playback device, while the playback device **102d** on the bookcase may be a stationary device. As another example, the playback device **102c** on the Patio may be a battery-powered device, which may allow it to be transported to various areas within the environment **101**, and outside of the environment **101**, when it is not plugged in to a wall outlet or the like.

(54) With reference still to FIG. 1B, the various playback, network microphone, and controller devices **102**, **103**, and **104** and/or other network devices of the MPS **100** may be coupled to one another via point-to-point connections and/or over other connections, which may be wired and/or wireless, via a network **111**, such as a LAN including a network router **109**. For example, the playback device **102j** in the Den **101d** (FIG. 1A), which may be designated as the “Left” device, may have a point-to-point connection with the playback device **102a**, which is also in the Den **101d** and may be designated as the “Right” device. In a related embodiment, the Left playback device **102j** may communicate with other network devices, such as the playback device **102b**, which may be designated as the “Front” device, via a point-to-point connection and/or other connections via the NETWORK **111**.

(55) As further shown in FIG. 1B, the MPS **100** may be coupled to one or more remote computing devices **106** via a wide area network (“WAN”) **107**. In some embodiments, each remote computing device **106** may take the form of one or more cloud servers. The remote computing devices **106** may be configured to interact with computing devices in the environment **101** in various ways. For example, the remote computing devices **106** may be configured to facilitate streaming and/or controlling playback of media content, such as audio, in the home environment **101**.

(56) In some implementations, the various playback devices, NMDs, and/or controller devices **102-104** may be communicatively coupled to at least one remote computing device associated with a VAS and at least one remote computing device associated with a media content service (“MCS”). For instance, in the illustrated example of FIG. 1B, remote computing devices **106** are associated with a VAS **190** and remote computing devices **106b** are associated with an MCS **192**. Although only a single VAS **190** and a single MCS **192** are shown in the example of FIG. 1B for purposes of clarity, the MPS **100** may be coupled to multiple, different VASes and/or MCSes. In some implementations, VASes may be operated by one or more of AMAZON, GOOGLE, APPLE, MICROSOFT, SONOS or other voice assistant providers. In some implementations, MCSes may be operated by one or more of SPOTIFY, PANDORA, AMAZON MUSIC, or other media content services.

(57) As further shown in FIG. 1B, the remote computing devices **106** further include remote computing device **106c** configured to perform certain operations, such as remotely facilitating media playback functions, managing device and system status information, directing communications between the devices of the MPS **100** and one or multiple VASes and/or MCSes, among other operations. In one example, the remote computing devices **106c** provide cloud servers for one or more SONOS Wireless HiFi Systems.

(58) In various implementations, one or more of the playback devices **102** may take the form of or include an on-board (e.g., integrated) network microphone device. For example, the playback devices **102a-e** include or are otherwise equipped with corresponding NMDs **103a-e**, respectively. A playback device that includes or is equipped with an NMD may be referred to herein interchangeably as a playback device or an NMD unless indicated otherwise in the description. In some cases, one or more of the NMDs **103** may be a stand-alone device. For example, the NMDs **103f** and **103g** may be stand-alone devices. A stand-alone NMD may omit components and/or functionality that is typically included in a playback device, such as a speaker or related electronics. For instance, in such cases, a stand-alone NMD may not produce audio output or may produce limited audio output (e.g., relatively low-quality audio output).

(59) The various playback and network microphone devices **102** and **103** of the MPS **100** may each be associated with a unique name, which may be assigned to the respective devices by a user, such as during setup of one or more of these devices. For instance, as shown in the illustrated example of FIG. 1B, a user may assign the name “Bookcase” to playback device **102d** because it is physically situated on a bookcase. Similarly, the NMD **103f** may be assigned the named “Island” because it is physically situated on an island countertop in the Kitchen **101h** (FIG. 1A). Some playback devices may be assigned names according to a zone or room, such as the playback devices **102e**, **102l**, **102m**, and **102n**, which are named “Bedroom,” “Dining Room,” “Living Room,” and “Office,” respectively. Further, certain playback

devices may have functional descriptive names. For example, the playback devices **102a** and **102b** are assigned the names “Right” and “Front,” respectively, because these two devices are configured to provide specific audio channels during media playback in the zone of the Den **101d** (FIG. 1A). The playback device **102c** in the Patio may be named portable because it is battery-powered and/or readily transportable to different areas of the environment **101**. Other naming conventions are possible.

(60) As discussed above, an NMD may detect and process sound from its environment, such as sound that includes background noise mixed with speech spoken by a person in the NMD's vicinity. For example, as sounds are detected by the NMD in the environment, the NMD may process the detected sound to determine if the sound includes speech that contains voice input intended for the NMD and ultimately a particular VAS. For example, the NMD may identify whether speech includes a wake word associated with a particular VAS.

(61) In the illustrated example of FIG. 1B, the NMDs **103** are configured to interact with the VAS **190** over a network via the network **111** and the router **109**. Interactions with the VAS **190** may be initiated, for example, when an NMD identifies in the detected sound a potential wake word. The identification causes a wake-word event, which in turn causes the NMD to begin transmitting detected-sound data to the VAS **190**. In some implementations, the various local network devices **102-105** (FIG. 1A) and/or remote computing devices **106c** of the MPS **100** may exchange various feedback, information, instructions, and/or related data with the remote computing devices associated with the selected VAS. Such exchanges may be related to or independent of transmitted messages containing voice inputs. In some embodiments, the remote computing device(s) and the MPS **100** may exchange data via communication paths as described herein and/or using a metadata exchange channel as described in U.S. application Ser. No. 15/438,749 filed Feb. 21, 2017, and titled “Voice Control of a Media Playback System,” which is herein incorporated by reference in its entirety.

(62) Upon receiving the stream of sound data, the VAS **190** determines if there is voice input in the streamed data from the NMD, and if so the VAS **190** will also determine an underlying intent in the voice input. The VAS **190** may next transmit a response back to the MPS **100**, which can include transmitting the response directly to the NMD that caused the wake-word event. The response is typically based on the intent that the VAS **190** determined was present in the voice input. As an example, in response to the VAS **190** receiving a voice input with an utterance to “Play Hey Jude by The Beatles,” the VAS **190** may determine that the underlying intent of the voice input is to initiate playback and further determine that intent of the voice input is to play the particular song “Hey Jude.” After these determinations, the VAS **190** may transmit a command to a particular MCS **192** to retrieve content (i.e., the song “Hey Jude”), and that MCS **192**, in turn, provides (e.g., streams) this content directly to the MPS **100** or indirectly via the VAS **190**. In some implementations, the VAS **190** may transmit to the MPS **100** a command that causes the MPS **100** itself to retrieve the content from the MCS **192**.

(63) In certain implementations, NMDs may facilitate arbitration amongst one another when voice input is identified in speech detected by two or more NMDs located within proximity of one another. For example, the NMD-equipped playback device **102d** in the environment **101** (FIG. 1A) is in relatively close proximity to the NMD-equipped Living Room playback device **102m**, and both devices **102d** and **102m** may at least sometimes detect the same sound. In such cases, this may require arbitration as to which device is ultimately responsible for providing detected-sound data to the remote VAS. Examples of arbitrating between NMDs may be found, for example, in previously referenced U.S. application Ser. No. 15/438,749.

(64) In certain implementations, an NMD may be assigned to, or otherwise associated with, a designated or default playback device that may not include an NMD. For example, the Island NMD **103f** in the Kitchen **101h** (FIG. 1A) may be assigned to the Dining Room playback device **102l**, which is in relatively close proximity to the Island NMD **103f**. In practice, an NMD may direct an assigned playback device to play audio in response to a remote VAS receiving a voice input from the NMD to play the audio, which the NMD might have sent to the VAS in response to a user speaking a command to play a certain song, album, playlist, etc. Additional details regarding assigning NMDs and playback devices as designated or default devices may be found, for example, in previously referenced U.S. patent application Ser. No. 15/438,749.

(65) Further aspects relating to the different components of the example MPS **100** and how the different components may interact to provide a user with a media experience may be found in the following sections. While discussions herein may generally refer to the example MPS **100**, technologies described herein are not limited to applications within, among other things, the home environment described above. For instance, the technologies described herein may be useful in other home environment configurations comprising more or fewer of any of the playback, network microphone, and/or controller devices **102-104**. For example, the technologies herein may be utilized within an environment having a single playback device **102** and/or a single NMD **103**. In some examples of such cases, the NETWORK **111** (FIG. 1B) may be eliminated and the single playback device **102** and/or the single NMD **103** may communicate directly with the remote computing devices **106-d**. In some embodiments, a telecommunication network (e.g., an LTE network, a 5G network, etc.) may communicate with the various playback, network microphone, and/or controller devices **102-104** independent of a LAN.

(66) a. Example Playback & Network Microphone Devices

(67) FIG. 2A is a functional block diagram illustrating certain aspects of one of the playback devices **102** of the MPS **100** of FIGS. 1A and 1B. As shown, the playback device **102** includes various components, each of which is discussed in further detail below, and the various components of the playback device **102** may be operably coupled to one another via a system bus, communication network, or some other connection mechanism. In the illustrated example of FIG. 2A, the playback device **102** may be referred to as an “NMD-equipped” playback device because it includes components that support the functionality of an NMD, such as one of the NMDs **103** shown in FIG. 1A.

(68) As shown, the playback device **102** includes at least one processor **212**, which may be a clock-driven computing component configured to process input data according to instructions stored in memory **213**. The memory **213** may be a tangible, non-transitory, computer-readable medium configured to store instructions that are executable by the processor **212**. For example, the memory **213** may be data storage that can be loaded with software code **214** that is executable by the processor **212** to achieve certain functions.

(69) In one example, these functions may involve the playback device **102** retrieving audio data from an audio source, which may be another playback device. In another example, the functions may involve the playback device **102** sending audio data, detected-sound data (e.g., corresponding to a voice input), and/or other information to another device on a network via at least one network interface **224**. In yet another example, the functions may involve the playback device **102** causing one or more other playback devices to synchronously playback audio with the playback device **102**. In yet a further example, the functions may involve the playback device **102** facilitating being paired or otherwise bonded with one or more other playback devices to create a multi-channel audio environment. Numerous other example functions are possible, some of which are discussed below.

(70) As just mentioned, certain functions may involve the playback device **102** synchronizing playback of audio content with one or more other playback devices. During synchronous playback, a listener may not perceive time-delay differences between playback of the audio content by the synchronized playback devices. U.S. Pat. No. 8,234,395 filed on Apr. 4, 2004, and titled “System and method for synchronizing operations among a plurality of independently clocked digital data processing devices,” which is hereby incorporated by reference in its entirety, provides in more detail some examples for audio playback synchronization among playback devices.

(71) To facilitate audio playback, the playback device **102** includes audio processing components **216** that are generally configured to process

audio prior to the playback device **102** rendering the audio. In this respect, the audio processing components **216** may include one or more digital-to-analog converters (“DAC”), one or more audio preprocessing components, one or more audio enhancement components, one or more digital signal processors (“DSPs”), and so on. In some implementations, one or more of the audio processing components **216** may be a subcomponent of the processor **212**. In operation, the audio processing components **216** receive analog and/or digital audio and process and/or otherwise intentionally alter the audio to produce audio signals for playback.

(72) The produced audio signals may then be provided to one or more audio amplifiers **217** for amplification and playback through one or more speakers **218** operably coupled to the amplifiers **217**. The audio amplifiers **217** may include components configured to amplify audio signals to a level for driving one or more of the speakers **218**.

(73) Each of the speakers **218** may include an individual transducer (e.g., a “driver”) or the speakers **218** may include a complete speaker system involving an enclosure with one or more drivers. A particular driver of a speaker **218** may include, for example, a subwoofer (e.g., for low frequencies), a mid-range driver (e.g., for middle frequencies), and/or a tweeter (e.g., for high frequencies). In some cases, a transducer may be driven by an individual corresponding audio amplifier of the audio amplifiers **217**. In some implementations, a playback device may not include the speakers **218**, but instead may include a speaker interface for connecting the playback device to external speakers. In certain embodiments, a playback device may include neither the speakers **218** nor the audio amplifiers **217**, but instead may include an audio interface (not shown) for connecting the playback device to an external audio amplifier or audio-visual receiver.

(74) In addition to producing audio signals for playback by the playback device **102**, the audio processing components **216** may be configured to process audio to be sent to one or more other playback devices, via the network interface **224**, for playback. In example scenarios, audio content to be processed and/or played back by the playback device **102** may be received from an external source, such as via an audio line-in interface (e.g., an auto-detecting 3.5 mm audio line-in connection) of the playback device **102** (not shown) or via the network interface **224**, as described below.

(75) As shown, the at least one network interface **224**, may take the form of one or more wireless interfaces **225** and/or one or more wired interfaces **226**. A wireless interface may provide network interface functions for the playback device **102** to wirelessly communicate with other devices (e.g., other playback device(s), NMD(s), and/or controller device(s)) in accordance with a communication protocol (e.g., any wireless standard including IEEE 802.11a, 802.11b, 802.11g, 802.11n, 802.11ac, 802.15, 4G mobile communication standard, and so on). A wired interface may provide network interface functions for the playback device **102** to communicate over a wired connection with other devices in accordance with a communication protocol (e.g., IEEE 802.3). While the network interface **224** shown in FIG. 2A includes both wired and wireless interfaces, the playback device **102** may in some implementations include only wireless interface(s) or only wired interface(s).

(76) In general, the network interface **224** facilitates data flow between the playback device **102** and one or more other devices on a data network. For instance, the playback device **102** may be configured to receive audio content over the data network from one or more other playback devices, network devices within a LAN, and/or audio content sources over a WAN, such as the Internet. In one example, the audio content and other signals transmitted and received by the playback device **102** may be transmitted in the form of digital packet data comprising an Internet Protocol (IP)-based source address and IP-based destination addresses. In such a case, the network interface **224** may be configured to parse the digital packet data such that the data destined for the playback device **102** is properly received and processed by the playback device **102**.

(77) As shown in FIG. 2A, the playback device **102** also includes voice processing components **220** that are operably coupled to one or more microphones **222**. The microphones **222** are configured to detect sound (i.e., acoustic waves) in the environment of the playback device **102**, which is then provided to the voice processing components **220**. More specifically, each microphone **222** is configured to detect sound and convert the sound into a digital or analog signal representative of the detected sound, which can then cause the voice processing component **220** to perform various functions based on the detected sound, as described in greater detail below. In one implementation, the microphones **222** are arranged as an array of microphones (e.g., an array of six microphones). In some implementations, the playback device **102** includes more than six microphones (e.g., eight microphones or twelve microphones) or fewer than six microphones (e.g., four microphones, two microphones, or a single microphone).

(78) In operation, the voice-processing components **220** are generally configured to detect and process sound received via the microphones **222**, identify potential voice input in the detected sound, and extract detected-sound data to enable a VAS, such as the VAS **190** (FIG. 1B), to process voice input identified in the detected-sound data. The voice processing components **220** may include one or more analog-to-digital converters, an acoustic echo canceller (“AEC”), a spatial processor (e.g., one or more multi-channel Wiener filters, one or more other filters, and/or one or more beam former components), one or more buffers (e.g., one or more circular buffers), one or more wake-word engines, one or more voice extractors, and/or one or more speech processing components (e.g., components configured to recognize a voice of a particular user or a particular set of users associated with a household), among other example voice processing components. In example implementations, the voice processing components **220** may include or otherwise take the form of one or more DSPs or one or more modules of a DSP. In this respect, certain voice processing components **220** may be configured with particular parameters (e.g., gain and/or spectral parameters) that may be modified or otherwise tuned to achieve particular functions. In some implementations, one or more of the voice processing components **220** may be a subcomponent of the processor **212**.

(79) As further shown in FIG. 2A, the playback device **102** also includes power components **227**. The power components **227** include at least an external power source interface **228**, which may be coupled to a power source (not shown) via a power cable or the like that physically connects the playback device **102** to an electrical outlet or some other external power source. Other power components may include, for example, transformers, converters, and like components configured to format electrical power.

(80) In some implementations, the power components **227** of the playback device **102** may additionally include an internal power source **229** (e.g., one or more batteries) configured to power the playback device **102** without a physical connection to an external power source. When equipped with the internal power source **229**, the playback device **102** may operate independent of an external power source. In some such implementations, the external power source interface **228** may be configured to facilitate charging the internal power source **229**. As discussed before, a playback device comprising an internal power source may be referred to herein as a “portable playback device.” On the other hand, a playback device that operates using an external power source may be referred to herein as a “stationary playback device,” although such a device may in fact be moved around a home or other environment.

(81) The playback device **102** further includes a user interface **240** that may facilitate user interactions independent of or in conjunction with user interactions facilitated by one or more of the controller devices **104**. In various embodiments, the user interface **240** includes one or more physical buttons and/or supports graphical interfaces provided on touch sensitive screen(s) and/or surface(s), among other possibilities, for a user to directly provide input. The user interface **240** may further include one or more of lights (e.g., LEDs) and the speakers to provide visual and/or audio feedback to a user.

(82) As an illustrative example, FIG. 2B shows an example housing **230** of the playback device **102** that includes a user interface in the form

of a control area **232** at a top portion **234** of the housing **230**. The control area **232** includes buttons **236a-c** for controlling audio playback, volume level, and other functions. The control area **232** also includes a button **236d** for toggling the microphones **222** to either an on state or an off state.

(83) As further shown in FIG. 2B, the control area **232** is at least partially surrounded by apertures formed in the top portion **234** of the housing **230** through which the microphones **222** (not visible in FIG. 2B) receive the sound in the environment of the playback device **102**. The microphones **222** may be arranged in various positions along and/or within the top portion **234** or other areas of the housing **230** so as to detect sound from one or more directions relative to the playback device **102**.

(84) By way of illustration, SONOS, Inc. presently offers (or has offered) for sale certain playback devices that may implement certain of the embodiments disclosed herein, including a “PLAY:1,” “PLAY:3,” “PLAY:5,” “PLAYBAR,” “CONNECT:AMP,” “PLAYBASE,” “BEAM,” “CONNECT,” and “SUB.” Any other past, present, and/or future playback devices may additionally or alternatively be used to implement the playback devices of example embodiments disclosed herein. Additionally, it should be understood that a playback device is not limited to the examples illustrated in FIG. 2A or 2B or to the SONOS product offerings. For example, a playback device may include, or otherwise take the form of, a wired or wireless headphone set, which may operate as a part of the MPS **100** via a network interface or the like. In another example, a playback device may include or interact with a docking station for personal mobile media playback devices. In yet another example, a playback device may be integral to another device or component such as a television, a lighting fixture, or some other device for indoor or outdoor use.

(85) FIG. 2C is a diagram of an example voice input **280** that may be processed by an NMD or an NMD-equipped playback device. The voice input **280** may include a keyword portion **280a** and an utterance portion **280b**. The keyword portion **280a** may include a wake word or a local keyword.

(86) In the case of a wake word, the keyword portion **280a** corresponds to detected sound that caused a VAS wake-word event. In practice, a wake word is typically a predetermined nonce word or phrase used to “wake up” an NMD and cause it to invoke a particular voice assistant service (“VAS”) to interpret the intent of voice input in detected sound. For example, a user might speak the wake word “Alexa” to invoke the AMAZON® VAS, “Ok, Google” to invoke the GOOGLE® VAS, or “Hey, Siri” to invoke the APPLE® VAS, among other examples. In practice, a wake word may also be referred to as, for example, an activation-, trigger-, wakeup-word or -phrase, and may take the form of any suitable word, combination of words (e.g., a particular phrase), and/or some other audio cue.

(87) The utterance portion **280b** corresponds to detected sound that potentially comprises a user request following the keyword portion **280a**. An utterance portion **280b** can be processed to identify the presence of any words in detected-sound data by the NMD in response to the event caused by the keyword portion **280a**. In various implementations, an underlying intent can be determined based on the words in the utterance portion **280b**. In certain implementations, an underlying intent can also be based or at least partially based on certain words in the keyword portion **280a**, such as when keyword portion includes a command keyword. In any case, the words may correspond to one or more commands, as well as a certain command and certain keywords.

(88) A keyword in the voice utterance portion **280b** may be, for example, a word identifying a particular device or group in the MPS **100**. For instance, in the illustrated example, the keywords in the voice utterance portion **280b** may be one or more words identifying one or more zones in which the music is to be played, such as the Living Room and the Dining Room (FIG. 1A). In some cases, the utterance portion **280b** may include additional information, such as detected pauses (e.g., periods of non-speech) between words spoken by a user, as shown in FIG. 2C. The pauses may demarcate the locations of separate commands, keywords, or other information spoke by the user within the utterance portion **280b**.

(89) Based on certain command criteria, the NMD and/or a remote VAS may take actions as a result of identifying one or more commands in the voice input. Command criteria may be based on the inclusion of certain keywords within the voice input, among other possibilities. Additionally, AMAs and/or zone-state variables in conjunction with identification of one or more particular commands. Control-state variables may include, for example, indicators identifying a level of volume, a queue associated with one or more devices, and playback state, such as whether devices are playing a queue, paused, etc. Zone-state variables may include, for example, indicators identifying which, if any, zone players are grouped.

(90) In some implementations, the MPS **100** is configured to temporarily reduce the volume of audio content that it is playing upon detecting a certain keyword, such as a wake word, in the keyword portion **280a**. The MPS **100** may restore the volume after processing the voice input **280**. Such a process can be referred to as ducking, examples of which are disclosed in U.S. patent application Ser. No. 15/438,749, incorporated by reference herein in its entirety.

(91) FIG. 2D shows an example sound specimen. In this example, the sound specimen corresponds to the sound-data stream (e.g., one or more audio frames) associated with a spotted wake word or command keyword in the keyword portion **280a** of FIG. 2A. As illustrated, the example sound specimen comprises sound detected in an NMD's environment (i) immediately before a wake or command word was spoken, which may be referred to as a pre-roll portion (between times $t_{sub.0}$ and $t_{sub.1}$), (ii) while a wake or command word was spoken, which may be referred to as a wake-meter portion (between times $t_{sub.1}$ and $t_{sub.2}$), and/or (iii) after the wake or command word was spoken, which may be referred to as a post-roll portion (between times $t_{sub.2}$ and $t_{sub.3}$). Other sound specimens are also possible. In various implementations, aspects of the sound specimen can be evaluated according to an acoustic model which aims to map mels/spectral features to phonemes in a given language model for further processing. For example, automatic speech recognition (ASR) may include such mapping for command-keyword detection. Wake-word detection engines, by contrast, may be precisely tuned to identify a specific wake-word, and a downstream action of invoking a VAS (e.g., by targeting only nonce words in the voice input processed by the playback device).

(92) ASR for local keyword detection may be tuned to accommodate a wide range of keywords (e.g., 5, 10, 100, 1,000, 10,000 keywords). Local keyword detection, in contrast to wake-word detection, may involve feeding ASR output to an onboard, local NLU which together with the ASR determine when local keyword events have occurred. In some implementations described below, the local NLU may determine an intent based on one or more keywords in the ASR output produced by a particular voice input. In these or other implementations, a playback device may act on a detected command keyword event only when the playback devices determine that certain conditions have been met, such as environmental conditions (e.g., low background noise).

(93) b. Example Playback Device Configurations

(94) FIGS. 3A-3E show example configurations of playback devices. Referring first to FIG. 3A, in some example instances, a single playback device may belong to a zone. For example, the playback device **102c** (FIG. 1A) on the Patio may belong to Zone A. In some implementations described below, multiple playback devices may be “bonded” to form a “bonded pair,” which together form a single zone. For example, the playback device **102f** (FIG. 1A) named “Bed 1” in FIG. 3A may be bonded to the playback device **102g** (FIG. 1A) named “Bed 2” in FIG. 3A to form Zone B. Bonded playback devices may have different playback responsibilities (e.g., channel responsibilities). In another implementation described below, multiple playback devices may be merged to form a single zone. For example, the playback device **102d** named “Bookcase” may be merged with the playback device **102m** named “Living Room” to form a single Zone C. The merged

playback devices **102d** and **102m** may not be specifically assigned different playback responsibilities. That is, the merged playback devices **102d** and **102m** may, aside from playing audio content in synchrony, each play audio content as they would if they were not merged.

(95) For purposes of control, each zone in the MPS **100** may be represented as a single user interface (“UI”) entity. For example, as displayed by the controller devices **104**, Zone A may be provided as a single entity named “Portable,” Zone B may be provided as a single entity named “Stereo,” and Zone C may be provided as a single entity named “Living Room.”

(96) In various embodiments, a zone may take on the name of one of the playback devices belonging to the zone. For example, Zone C may take on the name of the Living Room device **102m** (as shown). In another example, Zone C may instead take on the name of the Bookcase device **102d**. In a further example, Zone C may take on a name that is some combination of the Bookcase device **102d** and Living Room device **102m**. The name that is chosen may be selected by a user via inputs at a controller device **104**. In some embodiments, a zone may be given a name that is different than the device(s) belonging to the zone. For example, Zone B in FIG. 3A is named “Stereo” but none of the devices in Zone B have this name. In one aspect, Zone B is a single UI entity representing a single device named “Stereo,” composed of constituent devices “Bed 1” and “Bed 2.” In one implementation, the Bed 1 device may be playback device **102f** in the master bedroom **101h** (FIG. 1A) and the Bed 2 device may be the playback device **102g** also in the master bedroom **101h** (FIG. 1A).

(97) As noted above, playback devices that are bonded may have different playback responsibilities, such as playback responsibilities for certain audio channels. For example, as shown in FIG. 3B, the Bed 1 and Bed 2 devices **102f** and **102g** may be bonded so as to produce or enhance a stereo effect of audio content. In this example, the Bed 1 playback device **102f** may be configured to play a left channel audio component, while the Bed 2 playback device **102g** may be configured to play a right channel audio component. In some implementations, such stereo bonding may be referred to as “pairing.”

(98) Additionally, playback devices that are configured to be bonded may have additional and/or different respective speaker drivers. As shown in FIG. 3C, the playback device **102b** named “Front” may be bonded with the playback device **102k** named “SUB.” The Front device **102b** may render a range of mid to high frequencies, and the SUB device **102k** may render low frequencies as, for example, a subwoofer. When unbonded, the Front device **102b** may be configured to render a full range of frequencies. As another example, FIG. 3D shows the Front and SUB devices **102b** and **102k** further bonded with Right and Left playback devices **102a** and **102j**, respectively. In some implementations, the Right and Left devices **102a** and **102j** may form surround or “satellite” channels of a home theater system. The bonded playback devices **102a**, **102b**, **102j**, and **102k** may form a single Zone D (FIG. 3A).

(99) In some implementations, playback devices may also be “merged.” In contrast to certain bonded playback devices, playback devices that are merged may not have assigned playback responsibilities, but may each render the full range of audio content that each respective playback device is capable of. Nevertheless, merged devices may be represented as a single UI entity (i.e., a zone, as discussed above). For instance, FIG. 3E shows the playback devices **102d** and **102m** in the Living Room merged, which would result in these devices being represented by the single UI entity of Zone C. In one embodiment, the playback devices **102d** and **102m** may playback audio in synchrony, during which each outputs the full range of audio content that each respective playback device **102d** and **102m** is capable of rendering.

(100) In some embodiments, a stand-alone NMD may be in a zone by itself. For example, the NMD **103h** from FIG. 1A is named “Closet” and forms Zone I in FIG. 3A. An NMD may also be bonded or merged with another device so as to form a zone. For example, the NMD device **103f** named “Island” may be bonded with the playback device **102i** Kitchen, which together form Zone F, which is also named “Kitchen.” Additional details regarding assigning NMDs and playback devices as designated or default devices may be found, for example, in previously referenced U.S. patent application Ser. No. 15/438,749. In some embodiments, a stand-alone NMD may not be assigned to a zone.

(101) Zones of individual, bonded, and/or merged devices may be arranged to form a set of playback devices that playback audio in synchrony. Such a set of playback devices may be referred to as a “group,” “zone group,” “synchrony group,” or “playback group.” In response to inputs provided via a controller device **104**, playback devices may be dynamically grouped and ungrouped to form new or different groups that synchronously play back audio content. For example, referring to FIG. 3A, Zone A may be grouped with Zone B to form a zone group that includes the playback devices of the two zones. As another example, Zone A may be grouped with one or more other Zones C-I. The Zones A-I may be grouped and ungrouped in numerous ways. For example, three, four, five, or more (e.g., all) of the Zones A-I may be grouped. When grouped, the zones of individual and/or bonded playback devices may play back audio in synchrony with one another, as described in previously referenced U.S. Pat. No. 8,234,395. Grouped and bonded devices are example types of associations between portable and stationary playback devices that may be caused in response to a trigger event, as discussed above and described in greater detail below.

(102) In various implementations, the zones in an environment may be assigned a particular name, which may be the default name of a zone within a zone group or a combination of the names of the zones within a zone group, such as “Dining Room+Kitchen,” as shown in FIG. 3A. In some embodiments, a zone group may be given a unique name selected by a user, such as “Nick’s Room,” as also shown in FIG. 3A. The name “Nick’s Room” may be a name chosen by a user over a prior name for the zone group, such as the room name “Master Bedroom.”

(103) Referring back to FIG. 2A, certain data may be stored in the memory **213** as one or more state variables that are periodically updated and used to describe the state of a playback zone, the playback device(s), and/or a zone group associated therewith. The memory **213** may also include the data associated with the state of the other devices of the MPS **100**, which may be shared from time to time among the devices so that one or more of the devices have the most recent data associated with the system.

(104) In some embodiments, the memory **213** of the playback device **102** may store instances of various variable types associated with the states. Variables instances may be stored with identifiers (e.g., tags) corresponding to type. For example, certain identifiers may be a first type “a1” to identify playback device(s) of a zone, a second type “b1” to identify playback device(s) that may be bonded in the zone, and a third type “c1” to identify a zone group to which the zone may belong. As a related example, in FIG. 1A, identifiers associated with the Patio may indicate that the Patio is the only playback device of a particular zone and not in a zone group. Identifiers associated with the Living Room may indicate that the Living Room is not grouped with other zones but includes bonded playback devices **102a**, **102b**, **102j**, and **102k**. Identifiers associated with the Dining Room may indicate that the Dining Room is part of Dining Room+Kitchen group and that devices **103f** and **102i** are bonded. Identifiers associated with the Kitchen may indicate the same or similar information by virtue of the Kitchen being part of the Dining Room+Kitchen zone group. Other example zone variables and identifiers are described below.

(105) In yet another example, the MPS **100** may include variables or identifiers representing other associations of zones and zone groups, such as identifiers associated with Areas, as shown in FIG. 3A. An Area may involve a cluster of zone groups and/or zones not within a zone group. For instance, FIG. 3A shows a first area named “First Area” and a second area named “Second Area.” The First Area includes zones and zone groups of the Patio, Den, Dining Room, Kitchen, and Bathroom. The Second Area includes zones and zone groups of the Bathroom, Nick’s Room, Bedroom, and Living Room. In one aspect, an Area may be used to invoke a cluster of zone groups and/or zones that share one or more zones and/or zone groups of another cluster. In this respect, such an Area differs from a zone group, which does not share a zone with another zone group. Further examples of techniques for implementing Areas may be found, for example, in U.S. application Ser. No. 15/682,506 filed Aug. 21, 2017, and titled “Room Association Based on Name,” and U.S. Pat. No. 8,483,853 filed Sep. 11, 2007, and titled “Controlling and manipulating groupings in a multi-zone media system.” Each of these applications is incorporated herein by reference in its

entirety. In some embodiments, the MPS **100** may not implement Areas, in which case the system may not store variables associated with Areas.

(106) The memory **213** may be further configured to store other data. Such data may pertain to audio sources accessible by the playback device **102** or a playback queue that the playback device (or some other playback device(s)) may be associated with. In embodiments described below, the memory **213** is configured to store a set of command data for selecting a particular VAS when processing voice inputs. During operation, one or more playback zones in the environment of FIG. **1A** may each be playing different audio content. For instance, the user may be grilling in the Patio zone and listening to hip hop music being played by the playback device **102c**, while another user may be preparing food in the Kitchen zone and listening to classical music being played by the playback device **102i**. In another example, a playback zone may play the same audio content in synchrony with another playback zone.

(107) For instance, the user may be in the Office zone where the playback device **102n** is playing the same hip-hop music that is being played by playback device **102c** in the Patio zone. In such a case, playback devices **102c** and **102n** may be playing the hip-hop in synchrony such that the user may seamlessly (or at least substantially seamlessly) enjoy the audio content that is being played out-loud while moving between different playback zones. Synchronization among playback zones may be achieved in a manner similar to that of synchronization among playback devices, as described in previously referenced U.S. Pat. No. 8,234,395.

(108) As suggested above, the zone configurations of the MPS **100** may be dynamically modified. As such, the MPS **100** may support numerous configurations. For example, if a user physically moves one or more playback devices to or from a zone, the MPS **100** may be reconfigured to accommodate the change(s). For instance, if the user physically moves the playback device **102c** from the Patio zone to the Office zone, the Office zone may now include both the playback devices **102c** and **102n**. In some cases, the user may pair or group the moved playback device **102c** with the Office zone and/or rename the players in the Office zone using, for example, one of the controller devices **104** and/or voice input. As another example, if one or more playback devices **102** are moved to a particular space in the home environment that is not already a playback zone, the moved playback device(s) may be renamed or associated with a playback zone for the particular space.

(109) Further, different playback zones of the MPS **100** may be dynamically combined into zone groups or split up into individual playback zones. For example, the Dining Room zone and the Kitchen zone may be combined into a zone group for a dinner party such that playback devices **102i** and **102l** may render audio content in synchrony. As another example, bonded playback devices in the Den zone may be split into (i) a television zone and (ii) a separate listening zone. The television zone may include the Front playback device **102b**. The listening zone may include the Right, Left, and SUB playback devices **102a**, **102j**, and **102k**, which may be grouped, paired, or merged, as described above. Splitting the Den zone in such a manner may allow one user to listen to music in the listening zone in one area of the living room space, and another user to watch the television in another area of the living room space. In a related example, a user may utilize either of the NMD **103a** or **103b** (FIG. **1B**) to control the Den zone before it is separated into the television zone and the listening zone. Once separated, the listening zone may be controlled, for example, by a user in the vicinity of the NMD **103a**, and the television zone may be controlled, for example, by a user in the vicinity of the NMD **103b**. As described above, however, any of the NMDs **103** may be configured to control the various playback and other devices of the MPS **100**.

(110) c. Example Controller Devices

(111) FIG. **4** is a functional block diagram illustrating certain aspects of a selected one of the controller devices **104** of the MPS **100** of FIG. **1A**. Such controller devices may also be referred to herein as a “control device” or “controller.” The controller device shown in FIG. **4** may include components that are generally similar to certain components of the network devices described above, such as a processor **412**, memory **413** storing program software **414**, at least one network interface **424**, and one or more microphones **422**. In one example, a controller device may be a dedicated controller for the MPS **100**. In another example, a controller device may be a network device on which media playback system controller application software may be installed, such as for example, an iPhone™, iPad™ or any other smart phone, tablet, or network device (e.g., a networked computer such as a PC or Mac™).

(112) The memory **413** of the controller device **104** may be configured to store controller application software and other data associated with the MPS **100** and/or a user of the system **100**. The memory **413** may be loaded with instructions in software **414** that are executable by the processor **412** to achieve certain functions, such as facilitating user access, control, and/or configuration of the MPS **100**. The controller device **104** is configured to communicate with other network devices via the network interface **424**, which may take the form of a wireless interface, as described above.

(113) In one example, system information (e.g., such as a state variable) may be communicated between the controller device **104** and other devices via the network interface **424**. For instance, the controller device **104** may receive playback zone and zone group configurations in the MPS **100** from a playback device, an NMD, or another network device. Likewise, the controller device **104** may transmit such system information to a playback device or another network device via the network interface **424**. In some cases, the other network device may be another controller device.

(114) The controller device **104** may also communicate playback device control commands, such as volume control and audio playback control, to a playback device via the network interface **424**. As suggested above, changes to configurations of the MPS **100** may also be performed by a user using the controller device **104**. The configuration changes may include adding/removing one or more playback devices to/from a zone, adding/removing one or more zones to/from a zone group, forming a bonded or merged player, separating one or more playback devices from a bonded or merged player, among others.

(115) As shown in FIG. **4**, the controller device **104** also includes a user interface **440** that is generally configured to facilitate user access and control of the MPS **100**. The user interface **440** may include a touch-screen display or other physical interface configured to provide various graphical controller interfaces, such as the controller interfaces **540a** and **540b** shown in FIGS. **5A** and **5B**. Referring to FIGS. **5A** and **5B** together, the controller interfaces **540a** and **540b** includes a playback control region **542**, a playback zone region **543**, a playback status region **544**, a playback queue region **546**, and a sources region **548**. The user interface as shown is just one example of an interface that may be provided on a network device, such as the controller device shown in FIG. **4**, and accessed by users to control a media playback system, such as the MPS **100**. Other user interfaces of varying formats, styles, and interactive sequences may alternatively be implemented on one or more network devices to provide comparable control access to a media playback system.

(116) The playback control region **542** (FIG. **5A**) may include selectable icons (e.g., by way of touch or by using a cursor) that, when selected, cause playback devices in a selected playback zone or zone group to play or pause, fast forward, rewind, skip to next, skip to previous, enter/exit shuffle mode, enter/exit repeat mode, enter/exit cross fade mode, etc. The playback control region **542** may also include selectable icons that, when selected, modify equalization settings and/or playback volume, among other possibilities.

(117) The playback zone region **543** (FIG. **5B**) may include representations of playback zones within the MPS **100**. The playback zones regions **543** may also include a representation of zone groups, such as the Dining Room+Kitchen zone group, as shown.

(118) In some embodiments, the graphical representations of playback zones may be selectable to bring up additional selectable icons to manage or configure the playback zones in the MPS **100**, such as a creation of bonded zones, creation of zone groups, separation of zone

groups, and renaming of zone groups, among other possibilities.

(119) For example, as shown, a “group” icon may be provided within each of the graphical representations of playback zones. The “group” icon provided within a graphical representation of a particular zone may be selectable to bring up options to select one or more other zones in the MPS **100** to be grouped with the particular zone. Once grouped, playback devices in the zones that have been grouped with the particular zone will be configured to play audio content in synchrony with the playback device(s) in the particular zone. Analogously, a “group” icon may be provided within a graphical representation of a zone group. In this case, the “group” icon may be selectable to bring up options to deselect one or more zones in the zone group to be removed from the zone group. Other interactions and implementations for grouping and ungrouping zones via a user interface are also possible. The representations of playback zones in the playback zone region **543** (FIG. 5B) may be dynamically updated as playback zone or zone group configurations are modified.

(120) The playback status region **544** (FIG. 5A) may include graphical representations of audio content that is presently being played, previously played, or scheduled to play next in the selected playback zone or zone group. The selected playback zone or zone group may be visually distinguished on a controller interface, such as within the playback zone region **543** and/or the playback status region **544**. The graphical representations may include track title, artist name, album name, album year, track length, and/or other relevant information that may be useful for the user to know when controlling the MPS **100** via a controller interface.

(121) The playback queue region **546** may include graphical representations of audio content in a playback queue associated with the selected playback zone or zone group. In some embodiments, each playback zone or zone group may be associated with a playback queue comprising information corresponding to zero or more audio items for playback by the playback zone or zone group. For instance, each audio item in the playback queue may comprise a uniform resource identifier (URI), a uniform resource locator (URL), or some other identifier that may be used by a playback device in the playback zone or zone group to find and/or retrieve the audio item from a local audio content source or a networked audio content source, which may then be played back by the playback device.

(122) In one example, a playlist may be added to a playback queue, in which case information corresponding to each audio item in the playlist may be added to the playback queue. In another example, audio items in a playback queue may be saved as a playlist. In a further example, a playback queue may be empty, or populated but “not in use” when the playback zone or zone group is playing continuously streamed audio content, such as Internet radio that may continue to play until otherwise stopped, rather than discrete audio items that have playback durations. In an alternative embodiment, a playback queue can include Internet radio and/or other streaming audio content items and be “in use” when the playback zone or zone group is playing those items. Other examples are also possible.

(123) When playback zones or zone groups are “grouped” or “ungrouped,” playback queues associated with the affected playback zones or zone groups may be cleared or re-associated. For example, if a first playback zone including a first playback queue is grouped with a second playback zone including a second playback queue, the established zone group may have an associated playback queue that is initially empty, that contains audio items from the first playback queue (such as if the second playback zone was added to the first playback zone), that contains audio items from the second playback queue (such as if the first playback zone was added to the second playback zone), or a combination of audio items from both the first and second playback queues. Subsequently, if the established zone group is ungrouped, the resulting first playback zone may be re-associated with the previous first playback queue or may be associated with a new playback queue that is empty or contains audio items from the playback queue associated with the established zone group before the established zone group was ungrouped. Similarly, the resulting second playback zone may be re-associated with the previous second playback queue or may be associated with a new playback queue that is empty or contains audio items from the playback queue associated with the established zone group before the established zone group was ungrouped. Other examples are also possible.

(124) With reference still to FIGS. 5A and 5B, the graphical representations of audio content in the playback queue region **646** (FIG. 5A) may include track titles, artist names, track lengths, and/or other relevant information associated with the audio content in the playback queue. In one example, graphical representations of audio content may be selectable to bring up additional selectable icons to manage and/or manipulate the playback queue and/or audio content represented in the playback queue. For instance, a represented audio content may be removed from the playback queue, moved to a different position within the playback queue, or selected to be played immediately, or after any currently playing audio content, among other possibilities. A playback queue associated with a playback zone or zone group may be stored in a memory on one or more playback devices in the playback zone or zone group, on a playback device that is not in the playback zone or zone group, and/or some other designated device. Playback of such a playback queue may involve one or more playback devices playing back media items of the queue, perhaps in sequential or random order.

(125) The sources region **548** may include graphical representations of selectable audio content sources and/or selectable voice assistants associated with a corresponding VAS. The VASes may be selectively assigned. In some examples, multiple VASes, such as AMAZON's Alexa, MICROSOFT's Cortana, etc., may be invocable by the same NMD. In some embodiments, a user may assign a VAS exclusively to one or more NMDs. For example, a user may assign a first VAS to one or both of the NMDs **102a** and **102b** in the Living Room shown in FIG. 1A, and a second VAS to the NMD **103f** in the Kitchen. Other examples are possible.

(126) d. Example Audio Content Sources

(127) The audio sources in the sources region **548** may be audio content sources from which audio content may be retrieved and played by the selected playback zone or zone group. One or more playback devices in a zone or zone group may be configured to retrieve for playback audio content (e.g., according to a corresponding URI or URL for the audio content) from a variety of available audio content sources. In one example, audio content may be retrieved by a playback device directly from a corresponding audio content source (e.g., via a line-in connection). In another example, audio content may be provided to a playback device over a network via one or more other playback devices or network devices. As described in greater detail below, in some embodiments audio content may be provided by one or more media content services.

(128) Example audio content sources may include a memory of one or more playback devices in a media playback system such as the MPS **100** of FIG. 1, local music libraries on one or more network devices (e.g., a controller device, a network-enabled personal computer, or a networked-attached storage (“NAS”)), streaming audio services providing audio content via the Internet (e.g., cloud-based music services), or audio sources connected to the media playback system via a line-in input connection on a playback device or network device, among other possibilities.

(129) In some embodiments, audio content sources may be added or removed from a media playback system such as the MPS **100** of FIG. 1A. In one example, an indexing of audio items may be performed whenever one or more audio content sources are added, removed, or updated. Indexing of audio items may involve scanning for identifiable audio items in all folders/directories shared over a network accessible by playback devices in the media playback system and generating or updating an audio content database comprising metadata (e.g., title, artist, album, track length, among others) and other associated information, such as a URI or URL for each identifiable audio item found. Other examples for managing and maintaining audio content sources may also be possible.

(130) FIG. 6 is a message flow diagram illustrating data exchanges between devices of the MPS **100**. At step **650a**, the MPS **100** receives an

indication of selected media content (e.g., one or more songs, albums, playlists, videos, stations) via the control device **104**. The selected media content can comprise, for example, media items stored locally on one or more devices (e.g., the audio source **105** of FIG. **1C**) connected to the media playback system and/or media items stored on one or more media service servers (one or more of the remote computing devices **106** of FIG. **1B**). In response to receiving the indication of the selected media content, the control device **104** transmits a message **651a** to the playback device **102** (FIGS. **1A-1C**) to add the selected media content to a playback queue on the playback device **102**. (131) At step **650b**, the playback device **102** receives the message **651a** and adds the selected media content to the playback queue for playback.

(132) At step **650c**, the control device **104** receives input corresponding to a command to play back the selected media content. In response to receiving the input corresponding to the command to play back the selected media content, the control device **104** transmits a message **651b** to the playback device **102** causing the playback device **102** to play back the selected media content. In response to receiving the message **651b**, the playback device **102** transmits a message **651c** to the computing device **106** requesting the selected media content. The computing device **106**, in response to receiving the message **651c**, transmits a message **651d** comprising data (e.g., audio data, video data, a URL, a URI) corresponding to the requested media content.

(133) At step **650d**, the playback device **102** receives the message **651d** with the data corresponding to the requested media content and plays back the associated media content.

(134) At step **650e**, the playback device **102** optionally causes one or more other devices to play back the selected media content. In one example, the playback device **102** is one of a bonded zone of two or more players (FIG. **1M**). The playback device **102** can receive the selected media content and transmit all or a portion of the media content to other devices in the bonded zone. In another example, the playback device **102** is a coordinator of a group and is configured to transmit and receive timing information from one or more other devices in the group. The other one or more devices in the group can receive the selected media content from the computing device **106**, and begin playback of the selected media content in response to a message from the playback device **102** such that all of the devices in the group play back the selected media content in synchrony.

III. Example Network Microphone Device

(135) FIG. **7A** is a functional block diagram illustrating certain aspects of an example network microphone device (NMD) **703**. Generally, the NMD **703** may be similar to the network microphone device(s) **103** illustrated in FIGS. **1A** and **1B**. As shown, the NMD **703** includes various components, each of which is discussed in further detail below. The various components of the NMD **703** may be operably coupled to one another via a system bus, communication network, or some other connection mechanism.

(136) Many of these components are similar to the playback device **102** of FIG. **2A**. In some examples, the NMD **703** may be implemented in a playback device **102**. In such cases, the NMD **703** might not include duplicate components (e.g., a network interface **224** and a network **724**), but may instead share several components to carry out both playback and voice control functions. Alternatively, within some examples, the NMD **703** is not designed for audio content playback and therefore may exclude audio processing components **216**, amplifiers **217**, and/or speakers **218** or may include relatively less capable versions of these components (e.g., less powerful amplifier(s) **217** and/or smaller speakers **218**). An example of such a device is the AMAZON ECHO DOT®.

(137) As shown, the NMD **703** includes at least one processor **712**, which may be a clock-driven computing component configured to process input data according to instructions stored in memory **713**. The memory **713** may be a tangible, non-transitory, computer-readable medium configured to store instructions that are executable by the processor **712**. For example, the memory **713** may be data storage that can be loaded with software code **714** that is executable by the processor **712** to achieve certain functions.

(138) The at least one network interface **724** may take the form of one or more wireless interfaces **725** and/or one or more wired interfaces **726**. The wireless interface **725** may provide network interface functions for the NMD **703** to wirelessly communicate with other devices (e.g., playback device(s) **102**, other NMD(s) **103**, and/or controller device(s) **104**) in accordance with a communication protocol (e.g., any wireless standard including IEEE 802.11a, 802.11b, 802.11g, 802.11n, 802.11ac, 802.15, 4G mobile communication standard, and so on). The wired interface **726** may provide network interface functions for the NMD **703** to communicate over a wired connection with other devices in accordance with a communication protocol (e.g., IEEE 802.3). While the network interface **724** shown in FIG. **7A** includes both wired and wireless interfaces, the playback device **102** may in various implementations include only wireless interface(s) or only wired interface(s).

(139) As shown in FIG. **7A**, the NMD **703** also includes voice processing components **720** that are operably coupled to microphones **722**. The microphones **722** are configured to detect sound (i.e., acoustic waves) in the environment of the NMD **703**, which is then provided to the voice processing components **720**. More specifically, the microphones **722** are configured to detect sound and convert the sound into a digital or analog signal representative of the detected sound, which can then cause the voice processing component **720** to perform various functions based on the detected sound, as described in greater detail below. In one implementation, the microphones **722** are arranged as one or more arrays of microphones (e.g., an array of six microphones). In some implementations, the NMD **703** includes more than six microphones (e.g., eight microphones or twelve microphones) or fewer than six microphones (e.g., four microphones, two microphones, or a single microphone).

(140) In operation, similar to the voice-processing components **220** of the NMD-equipped playback device **102** the voice-processing components **720** are generally configured to detect and process sound received via the microphones **722**, identify potential voice input in the detected sound, and extract detected-sound data to enable processing of the voice input by a cloud-based VAS, such as the VAS **190** (FIG. **1B**), or a local NLU. The voice processing components **720** may include one or more analog-to-digital converters, an acoustic echo canceller (“AEC”), a spatial processor, one or more buffers (e.g., one or more circular buffers), one or more wake-word engines, one or more voice extractors, and/or one or more speech processing components (e.g., components configured to recognize a voice of a particular user or a particular set of users associated with a household), among other example voice processing components. In example implementations, the voice processing components **720** may include or otherwise take the form of one or more DSPs or one or more modules of a DSP. In some implementations, one or more of the voice processing components **720** may be a subcomponent of the processor **712**.

(141) As further shown in FIG. **7A**, the NMD **703** also includes power components **727**. The power components **727** include at least an external power source interface **728**, which may be coupled to a power source (not shown) via a power cable or the like that physically connects the NMD **703** to an electrical outlet or some other external power source. Other power components may include, for example, transformers, converters, and like components configured to format electrical power.

(142) In some implementations, the power components **727** of the NMD **703** may additionally include an internal power source **729** (e.g., one or more batteries) configured to power the NMD **703** without a physical connection to an external power source. When equipped with the internal power source **729**, the NMD **703** may operate independent of an external power source. In some such implementations, the external power source interface **728** may be configured to facilitate charging the internal power source **729**. As discussed before, a NMD comprising an internal power source may be referred to herein as a “portable NMD.” On the other hand, a NMD that operates using an external power source may be referred to herein as a “stationary NMD,” although such a device may in fact be moved around a home or other environment

(e.g., to be connected to different power outlets of a home or other building).

(143) The NMD **703** further includes a user interface **740** that may facilitate user interactions independent of or in conjunction with user interactions facilitated by one or more of the controller devices **104**. In various embodiments, the user interface **740** includes one or more physical buttons and/or supports graphical interfaces provided on touch sensitive screen(s) and/or surface(s), among other possibilities, for a user to directly provide input. The user interface **740** may further include one or more of lights (e.g., LEDs) and the speakers to provide visual and/or audio feedback to a user.

(144) As an illustrative example, FIG. 7B shows an isometric view of the NMD **730**. As shown in FIG. 7B, the NMD **730** includes a housing **730**. The housing **730** may carry one or more components shown in FIG. 7A. The housing **730** includes a user interface **740a** carried on the top portion **734** of the housing **730**. The user interface **740** includes buttons **736a-736c** for controlling audio playback, volume level, and other functions. The user interface **740a** also includes a button **736d** for toggling the microphones **722** to either an on state or an off state.

(145) As further shown in FIG. 7B, apertures are formed in the top portion **734** of the housing **730** through which the microphones **722** receive sound in the environment of the NMD **703**. The microphones **722** may be arranged in various positions along and/or within the top portion **734** or other areas of the housing **730** so as to detect sound from one or more directions relative to the NMD **703**.

(146) FIG. 7C is a functional block diagram showing aspects of an NMD **703** configured in accordance with embodiments of the disclosure. As described in more detail below, the NMD **703** is configured to handle certain voice inputs locally, without necessarily transmitting data representing the voice input to a VAS. The NMD **703** is also configured to process other voice inputs using a voice assistant service.

(147) Referring to the FIG. 7C, the NMD **703** includes a voice front end **757** (also referred to as voice capture components). The microphones **722** of the NMD **703** are configured to provide detected sound, S.sub.D, from the environment of the NMD **703** to the voice front end **757**. The detected sound S.sub.D may take the form of one or more analog or digital signals. In example implementations, the detected sound S.sub.D may be composed of a plurality signals associated with respective channels that are fed to the voice front end **757**.

(148) Each channel may correspond to a particular microphone **722**. For example, an NMD having six microphones may have six corresponding channels. Each channel of the detected sound S.sub.D may bear certain similarities to the other channels but may differ in certain regards, which may be due to the position of the given channel's corresponding microphone relative to the microphones of other channels. For example, one or more of the channels of the detected sound S.sub.D may have a greater signal to noise ratio ("SNR") of speech to background noise than other channels.

(149) The voice front end **757** may include various components to facilitate conditioning and/or initial processing of the detected sound, S.sub.D, such as an AEC, a spatial processor, and one or more buffers. In operation, the AEC receives the detected sound S.sub.D and filters or otherwise processes the sound to suppress echoes and/or to otherwise improve the quality of the detected sound S.sub.D. That processed sound may then be passed to the spatial processor.

(150) The spatial processor is typically configured to analyze the detected sound S.sub.D and identify certain characteristics, such as a sound's amplitude (e.g., decibel level), frequency spectrum, directionality, etc. In one respect, the spatial processor **764** may help filter or suppress ambient noise in the detected sound S.sub.D from potential user speech based on similarities and differences in the constituent channels of the detected sound S.sub.D, as discussed above. As one possibility, the spatial processor may monitor metrics that distinguish speech from other sounds. Such metrics can include, for example, energy within the speech band relative to background noise and entropy within the speech band—a measure of spectral structure—which is typically lower in speech than in most common background noise. In some implementations, the spatial processor **764** may be configured to determine a speech presence probability, examples of such functionality are disclosed in U.S. patent application Ser. No. 15/984,073, filed May 18, 2018, titled "Linear Filtering for Noise-Suppressed Speech Detection," which is incorporated herein by reference in its entirety.

(151) In operation, the one or more buffers—one or more of which may be part of or separate from the memory **713** (FIG. 7A)—capture data corresponding to the detected sound S.sub.D. More specifically, the one or more buffers capture detected-sound data that was processed by the upstream AEC and spatial processor.

(152) The detected-sound data forms a digital representation (i.e., sound-data stream), S.sub.DS, of the sound detected by the microphones **722**. In practice, the sound-data stream S.sub.DS may take a variety of forms. As one possibility, the sound-data stream S.sub.DS may be composed of frames, each of which may include one or more sound samples. The frames may be streamed (i.e., read out) from the one or more buffers for further processing by downstream components, such as the wake-word engines **758** and the voice extractor **759** of the NMD **703**.

(153) In some implementations, at least one buffer captures detected-sound data utilizing a sliding window approach in which a given amount (i.e., a given window) of the most recently captured detected-sound data is retained in the at least one buffer while older detected-sound data is overwritten when it falls outside of the window. For example, at least one buffer may temporarily retain 20 frames of a sound specimen at given time, discard the oldest frame after an expiration time, and then capture a new frame, which is added to the **19** prior frames of the sound specimen.

(154) In practice, when the sound-data stream S.sub.DS is composed of frames, the frames may take a variety of forms having a variety of characteristics. As one possibility, the frames may take the form of audio frames that have a certain resolution (e.g., 16 bits of resolution), which may be based on a sampling rate (e.g., 44,100 Hz). Additionally, or alternatively, the frames may include information corresponding to a given sound specimen that the frames define, such as metadata that indicates frequency response, power input level, SNR, microphone channel identification, and/or other information of the given sound specimen, among other examples. Thus, in some embodiments, a frame may include a portion of sound (e.g., one or more samples of a given sound specimen) and metadata regarding the portion of sound. In other embodiments, a frame may only include a portion of sound (e.g., one or more samples of a given sound specimen) or metadata regarding a portion of sound.

(155) In any case, downstream components of the NMD **703** may process the sound-data stream S.sub.DS. These downstream components include one or more wake-word engine(s) **758**, a local voice input pipeline **760**, and a mini-SLU pipeline **770**, among other possible components. These downstream components may be referred to collectively as the voice back-end.

(156) The wake-word engine(s) **758** may include one or more VAS wake-word engines **758a**, which are configured to apply one or more identification algorithms to the sound-data stream S.sub.DS (e.g., streamed sound frames) to spot potential wake words in the detected-sound S.sub.D. Example wake word detection algorithms accept audio as input and provide an indication of whether a wake word is present in the audio. Many first- and third-party wake word detection algorithms are known and commercially available. For instance, operators of a voice service may make their algorithm available for use in third-party devices. Alternatively, an algorithm may be trained to detect certain wake-words.

(157) For instance, when the VAS wake-word engine(s) **758a** detects a potential VAS wake word, the VAS wake-word engines **758a** provides an indication of a "VAS wake-word event" (also referred to as a "VAS wake-word trigger"). In the illustrated example of FIG. 7A, the VAS wake-word engine(s) **758a** outputs a signal S.sub.VW that indicates the occurrence of a VAS wake-word event to the voice extractor **759**.

(158) In some multi-VAS implementations, the NMD **703** may include a VAS selector (not shown) that is generally configured to direct extraction by the voice extractor **759** and transmission of the sound-data stream S.sub.DS to the appropriate VAS when a given wake-word is identified by a particular wake-word engine (and a corresponding wake-word trigger) of the wake-word engines **758**. In such implementations, the NMD **703** may include multiple, different VAS wake-word engines and/or voice extractors, each supported by a respective VAS.

(159) Similar to the discussion above, each VAS wake-word engine **758a** may be configured to receive as input the sound-data stream S.sub.DS from the one or more buffers and apply identification algorithms to cause a wake-word trigger for the appropriate VAS. Thus, as one example, the VAS wake-word engine **758a** may be configured to identify the wake word “Alexa” and cause the NMD **703a** to invoke the AMAZON VAS when “Alexa” is spotted. As another example, another VAS wake-word engine may be configured to identify the wake word “Ok, Google” and cause the NMD **520** to invoke the GOOGLE VAS when “Ok, Google” is spotted. In single-VAS implementations, the VAS selector may be omitted.

(160) In response to the VAS wake-word event (e.g., in response to the signal S.sub.VW indicating the wake-word event), the voice extractor **759** is configured to receive and format (e.g., packetize) the sound-data stream S.sub.DS. For instance, the voice extractor **759** packetizes the frames of the sound-data stream S.sub.DS into messages. The voice extractor **759** transmits or streams these messages, M.sub.V, that may contain voice input in real time or near real time to a remote VAS via the network interface **724**.

(161) In some implementations, a user may selectively enable or disable voice input processing via cloud-based voice assistant services. In some examples, to disable the voice input processing via cloud-based voice assistant services, the NMD **703** physically or logically disables the VAS wake-word engine(s) **758a**. For instance, the NMD **703** may physically or logically prevent the sound-data stream S.sub.DS from the microphones **722** from reaching the VAS wake-word engine(s) **758a** and/or voice extractor **759**. Suppressing generation may involve gating, blocking or otherwise preventing output from the VAS wake-word engine(s) **758a** from generating a VAS wake-word event.

(162) As described in connection with FIG. 2C, the voice input **755** may include a keyword portion and an utterance portion. The keyword portion may correspond to detected sound that causes a VAS wake-word event (i.e., a VAS wake word). Alternatively, the keyword portion may correspond to a local keyword, which may generate a local keyword event.

(163) For instance, when the voice input **755** includes a VAS wake word, the keyword portion corresponds to detected sound that causes the VAS wake-word engine **758a** to output the wake-word event signal S.sub.VW to the voice extractor **759**. The utterance portion in this case corresponds to detected sound that potentially comprises a user request following the keyword portion.

(164) When a VAS wake-word event occurs, the VAS may first process the keyword portion within the sound-data stream S.sub.DS to verify the presence of a VAS wake word. In some instances, the VAS may determine that the keyword portion comprises a false wake word (e.g., the word “Election” when the word “Alexa” is the target VAS wake word). In such an occurrence, the VAS may send a response to the NMD **703** with an instruction for the NMD **703** to cease extraction of sound data, which causes the voice extractor **759** to cease further streaming of the detected-sound data to the VAS. The VAS wake-word engine **758a** may resume or continue monitoring sound specimens until it spots another potential VAS wake word, leading to another VAS wake-word event. In some implementations, the VAS does not process or receive the keyword portion but instead processes only the utterance portion.

(165) In any case, the VAS processes the utterance portion to identify the presence of any words in the detected-sound data and to determine an underlying intent from these words. The words may correspond to one or more commands, as well as certain keywords. The keyword may be, for example, a word in the voice input identifying a particular device or group in the MPS **100**. For instance, in the illustrated example, the keyword may be one or more words identifying one or more zones in which the music is to be played, such as the Living Room and the Dining Room (FIG. 1A).

(166) To determine the intent of the words, the VAS is typically in communication with one or more databases associated with the VAS (not shown) and/or one or more databases (not shown) of the MPS **100**. Such databases may store various user data, analytics, catalogs, and other information for natural language processing and/or other processing. In some implementations, such databases may be updated for adaptive learning and feedback for a neural network based on voice-input processing. In some cases, the utterance portion may include additional information such as detected pauses (e.g., periods of non-speech) between words spoken by a user, as shown in FIG. 2C. The pauses may demarcate the locations of separate commands, keywords, or other information spoken by the user within the utterance portion.

(167) After processing the voice input, the VAS may send a response to the MPS **100** with an instruction to perform one or more actions based on an intent it determined from the voice input. For example, based on the voice input, the VAS may direct the MPS **100** to initiate playback on one or more of the playback devices **102**, control one or more of these playback devices **102** (e.g., raise/lower volume, group/ungroup devices, etc.), or turn on/off certain smart devices, among other actions. After receiving the response from the VAS, the wake-word engine **771a** of the NMD **703** may resume or continue to monitor the sound-data stream S.sub.DS until it spots another potential wake-word, as discussed above.

(168) In general, the one or more identification algorithms that a particular VAS wake-word engine, such as the VAS wake-word engine **758a**, applies are configured to analyze certain characteristics of the detected sound stream S.sub.DS and compare those characteristics to corresponding characteristics of the particular VAS wake-word engine's one or more particular VAS wake words. For example, the wake-word engine **758a** may apply one or more identification algorithms to spot spectral characteristics in the detected sound stream S.sub.DS that match the spectral characteristics of the engine's one or more wake words, and thereby determine that the detected sound S.sub.D comprises a voice input including a particular VAS wake word.

(169) In some implementations, the one or more identification algorithms may be third-party identification algorithms (i.e., developed by a company other than the company that provides the NMD **703a**). For instance, operators of a voice service (e.g., AMAZON) may make their respective algorithms (e.g., identification algorithms corresponding to AMAZON's ALEXA) available for use in third-party devices (e.g., the NMDs **103**), which are then trained to identify one or more wake words for the particular voice assistant service. Additionally, or alternatively, the one or more identification algorithms may be first-party identification algorithms that are developed and trained to identify certain wake words that are not necessarily particular to a given voice service. Other possibilities also exist.

(170) As noted above, the NMD **703a** also includes a local keyword engine **758b** in parallel with the VAS wake-word engine **758a**. Like the VAS wake-word engine **758a**, the local keyword engine **758b** may apply one or more identification algorithms corresponding to one or more keywords. A “local keyword event” is generated when a local keyword is identified in the detected-sound S.sub.D. As shown in FIG. 7C, the VAS wake-word engine **758a** and local keyword engine **758b** apply different identification algorithms corresponding to their respective wake words, and further generate different events based on detecting a wake word in the detected-sound S.sub.D. In some implementations, the VAS wake-word engine **758a** and the local keyword engine **758b** are implemented in the same logical unit configured to detect multiple keywords (e.g., VAS wake words and local keywords) and generate respective events corresponding to the different keywords.

(171) Local keywords may take the form of command keywords. In contrast to the nonce words typically as utilized as VAS wake words, command keywords function as both the activation word and the command itself. For instance, example command keywords may correspond

(e.g., “play,” “pause,” “skip,” “etc.”), among other examples. Under appropriate conditions, based on detecting one of these command keywords, the NMD **703a** performs the corresponding command. Examples of command keyword eventing are described in U.S. patent application Ser. No. 16/439,009, filed Jun. 12, 2019, titled “Network Microphone Device with Command Keyword Conditioning,” which is incorporated by reference in its entirety. As noted above, utilizing command keywords instead of nonce keywords may allow a user to interact with the NMD **703** more naturally, without having to preface their voice input with the nonce keyword.

(172) On the other hand, some implementations may utilize a one or more local keywords that take the form of a nonce wake word corresponding to local processing (e.g., “Hey Sonos”), which is different from the VAS wake words corresponding to respective voice assistant services. Exemplary local wake-word detection is described in “Efficient keyword spotting using dilated convolutions and gating,” by Alice Coucke et al., published on Nov. 19, 2018, available at <https://arxiv.org/pdf/1811.07684.pdf>, which is incorporated by reference herein in its entirety and reproduced below in Appendix A. In such examples, the NMD **703** may utilize such keywords to trigger local keyword events, perhaps as an alternative to or in addition to command keywords.

(173) As noted above, the local voice input pipeline **760** may also process the sound-data stream S.sub.DS. The local voice input pipeline **760** includes an automatic speech recognizer (ASR) **761**, which is configured to process the sound-data stream S.sub.DS and output phonetic or phonemic representations, such as text corresponding to words. For instance, the ASR **761** may transcribe spoken words represented in the sound-data stream S.sub.DS to one or more strings representing the voice input **755**.

(174) The ASR **761** can feed ASR output (labeled as S.sub.ASR) to a local natural language unit (NLU) **762** that identifies particular keywords as being local keywords for invoking local-keyword events, as described below.

(175) Exemplary automatic speech recognition is described in “Snips Voice Platform: an embedded Spoken Language Understanding system for private-by-design voice interfaces,” by Alice Coucke et al., published on May 25, 2018, and available at <https://arxiv.org/pdf/1805.10190.pdf>, which is incorporated by reference herein in its entirety.

(176) When the local keyword engine **758b** detects a keyword in the sound-data stream S.sub.DS, the local keyword engine **758b** generates a local keyword event. This local keyword event triggers the local voice input pipeline **760** to process the portion of the sound-data stream S.sub.DS as a voice input. That is, the local NLU **762** may perform keyword spotting on the portions of the ASR output corresponding to the detected keyword, including portions of S.sub.ASR before and after the detected keyword.

(177) The local voice input pipeline **760** may generate confidence scores representing how closely the voice input matches the determined intent. As noted above, the local voice input pipeline **760** may perform keyword spotting on the output of the ASR **761**. In some cases, the local voice input pipeline **760** may generate confidence scores indicating likelihood of spotting the keywords. The local voice input pipeline **760** may generate a confidence score for the voice input as a whole based on the individual confidence scores for the spotted keywords.

(178) The local NLU **762** includes a keyword library (i.e., words and phrases) corresponding to respective commands and/or parameters. The local NLU **762** may derive an underlying intent from the detected keywords in the voice input **755**. For instance, if the local NLU **762** matches the keywords “David Bowie” and “kitchen” in combination with a play command, the local NLU **762** may determine that the intent of the voice input is to play David Bowie in the Kitchen **101h** on the playback device **102i**. In contrast to a processing of the voice input **755** by a cloud-based VAS, local processing of the voice input **755** by the local NLU **762** may be relatively less sophisticated, as the NLU **762** does not have access to the relatively greater processing capabilities and larger voice databases that a VAS generally has access to.

(179) In some examples, the local NLU **762** may determine an intent with one or more slots, which correspond to respective keywords. For instance, referring back to the play David Bowie in the Kitchen example, when processing the voice input, the local NLU **762** may determine that an intent is to play music (e.g., intent=playMusic), while a first slot includes David Bowie as target content (e.g., slot1=DavidBowie) and a second slot includes the Kitchen **101h** as the target playback device (e.g., slot2=kitchen). Here, the intent (to “playMusic”) is based on the command keyword and the slots are parameters modifying the intent to a particular target content and playback device.

(180) Certain parameter keywords may have a corresponding classification. For instance, some keywords may be designed as target keywords, which may refer to devices or groups of devices, perhaps by a zone or Room name. Other keywords may be classified as content keywords, which may refer to different media items by name or type. These classifications may assist the NMD **703** in slotting keywords to parameter slots.

(181) For instance, an example voice input **755** may be “play music at low volume” with “play” being the command keyword portion (corresponding to a playback command) and “music” “low volume” being parameter keywords. When deriving an intent of this voice input **755**, the local NLU **762** may slot these parameters as modifiers to the command keyword play to derive an intent. Further, various keywords may have classifications to assist in slotting the parameters.

(182) In a second example, another example voice input **755** may be “play my favorites in the Kitchen” with “play” again being the command keyword portion (corresponding to a playback command) and “my favorites” and “Kitchen” as detected parameter keywords. When analyzing this voice input **755**, after detecting the command keyword “play,” the local NLU **762** attempts to slot the other detected keywords as parameters to that command. “Kitchen” may slot in as a first parameter representing a target for the playback command (i.e., the kitchen **101h** zone). Further “favorites” corresponds to a second parameter corresponding to particular audio content (i.e., a particular playlist that includes a user’s favorite audio tracks).

(183) In a third example, a further example voice input **755** may be “volume up” with “volume” being the command keyword portion (corresponding to a volume adjustment command) and “up” being a parameter keyword. When analyzing this voice input **755**, after detecting the command keyword “volume,” the local NLU **762** attempts to slot the other detected keyword as a parameter to that command. “Up” may slot in as a first parameter representing a certain volume increase (e.g., a 10 point increase on a 100 point volume scale).

(184) Other example voice inputs may relate to smart device commands. For instance, an example voice input **755** may be “turn on patio lights” with “turn on” being the command keyword portion (corresponding to a power on command) and “patio” and “lights” being the parameter keywords. When analyzing this voice input **755**, after detecting the command keyword “turn on,” the local NLU **762** attempts to slot the other detected keywords as parameters to that command. In particular, if “patio” is classified as a target parameter, the mini-SLU pipeline **770** may slot that as the target for the command. As another example, another example voice input **755** may be “set temperature to 75” with “set temperature” being the command keyword portion (corresponding to a thermostat adjustment command) and “to 75” being the voice utterance portion. When analyzing this voice input **755**, the NLU **776** may recognize that “to 75” is a keyword in its library **778** corresponding to a parameter representing a setting for the thermostat adjustment command. Accordingly, the NLU **776** may determine an intent to set a smart thermostat to 75 degrees.

(185) Some commands may require one or more parameters, as such the command keyword alone does not provide enough information to perform the corresponding command. For example, the command keyword “volume” might require a parameter to specify a volume increase or decrease, as the intent of “volume” of volume alone is unclear. As another example, the command keyword “group” may require two or more parameters identifying the target devices to group.

(186) Accordingly, in some example implementations, when a given local wake-word is detected in the voice input 755 by the local voice input pipeline, 760 the local NLU 762 may determine whether the voice input 755 includes keywords corresponding to the required parameters. If the voice input 755 does include keywords matching the required parameters, the NMD 703 proceeds to perform the command (corresponding to the given command keyword) according to the parameters specified by the keywords.

(187) However, if the voice input 755 does not include keywords matching the required parameters for the command, the NMD 703 may prompt the user to provide the parameters. For instance, in a first example, the NMD 703 may play an audible prompt such as “I’ve heard a command, but I need more information” or “Can I help you with something?” Alternatively, the NMD 703 may send a prompt to a user’s personal device via a control application (e.g., the software components 132c of the control device(s) 104).

(188) Within additional examples, when a voice utterance portion does not include keywords corresponding to one or more required parameters, the NMD 703 may perform the corresponding command according to one or more default parameters. For instance, if a playback command does not include keywords indicating target playback devices 102 for playback, the NMD 703 may default to playback on the NMD 703 itself (e.g., if the NMD 703a is implemented within a playback device 102) or to target one or more associated playback devices 102 (e.g., playback devices 102 in the same room or zone as the NMD 703a). Further, in some examples, the user may configure default parameters using a graphical user interface (e.g., user interface 430) or voice user interface. For example, if a grouping command does not specify the playback devices 102 to group, the NMD 703 may default to instructing two or more pre-configured default playback devices 102 to form a synchrony group. Default parameters may be stored in data storage (e.g., the memory 112b (FIG. 1F)) and accessed when the NMD 703a determines that keywords exclude certain parameters. Other examples are possible as well.

(189) As noted above, a mini-SLU pipeline 770 may monitor the sound-data stream S.sub.DS. The mini-SLU pipeline 770 includes a hybrid keyword detector 771, which is configured to spot keywords. In contrast to keyword spotting via the local NLU 762, the hybrid keyword detector 771 spots keywords in the sound-data stream S.sub.DS rather than in the ASR output S.sub.ASR. While the local voice input pipeline 760 is shown as a parallel pipeline by way of example, in some examples, the NMD 703 might not include the local voice input pipeline 760.

(190) The hybrid keyword detector 771 may be configured to detect pre-loaded keywords. Pre-loaded keywords may include both command keywords as well as commonly-used parameters corresponding to the commands. The set of keywords implemented in a given NMD may be task-based. For instance, if the NMD 703 is implemented in the media playback system 100 (FIG. 1A), the NMD 703 may be trained to detect keywords corresponding to playback commands such as “play,” “pause,” or “skip.” In some cases, the pre-loaded keywords correspond to other tasks, such as control of various IoT devices like the one or more smart illumination devices 108 or smart thermostat 110 (FIG. 1B). Further, in some cases, the hybrid keyword detector 771 may be configured to detect pre-loaded keywords corresponding to two or more tasks, such as control of different types of smart devices in the same household.

(191) In some examples, the hybrid keyword detector 771 is configured to detect custom keywords. In various examples, a user may define custom keywords via a user interface, such as the user interface 440 (FIG. 4) on a control device 104 or the user interface 740 on the NMD 703 (FIG. 7A). Custom keywords may correspond to custom commands, such as a custom command (“party time”) to enable a custom scene (e.g., grouping playback devices into a synchrony group to play back a particular party playlist in synchrony).

(192) When the hybrid keyword detector 771 detects a keyword in the sound-data stream S.sub.DS, the hybrid keyword detector 771 generates a keyword detection event. This keyword detection event triggers the mini-SLU pipeline 770 to process the portion of the sound-data stream S.sub.DS as a voice input. With the mini-SLU pipeline 770, presence of a keyword in the voice input indicates intent to perform the command associated with the keyword. In other words, intent to perform a command is directly based on presence of the keyword corresponding to that command. Within examples, the NMD 703 may maintain or have access to data correlating the keywords to corresponding commands. In this manner, intent determination is relatively quicker and less resource intensive as compared with other voice input processing pipelines.

(193) In some cases, a given command may be associated with two or more keywords. In such examples, the mini-SLU pipeline 770 may determine intent to perform the command by detecting whether the two or more keywords are present in the voice input. Presence of one keyword associated with a given command in a voice input may prompt the mini-SLU pipeline 770 to determine whether the other keyword is present in the voice input. For instance, if the hybrid keyword detector 771 spots the keyword “volume” in a voice input, the mini-SLU pipeline 770 may determine whether the keywords “up” or “down” are also present in the voice input. In this manner, the mini-SLU pipeline 770 may determine intent based on presence without performing full spoken language understanding.

(194) As indicated above, in some cases, the hybrid keyword detector 771 is configured to spot parameter keywords. For instance, if the NMD 703 is implemented in the media playback system 100 (FIG. 1A), the NMD 703 may be trained to detect playback-related parameters. Pre-loaded parameter keywords may include commonly used names of playback targets (e.g., names of Rooms or zones commonly found in a household, such as “Living Room,” “Kitchen” or “Master Bedroom”) as illustrated by the zones of the media playback system 100 (FIG. 1A). Within examples, a user may add custom keywords such as playlist names or the names of favorite artists, albums, or other metadata, as well as the names of custom playback targets (e.g., custom zones names).

(195) To maintain the small footprint of the mini-SLU pipeline 770, it is generally impractical to train the hybrid keyword detector 771 to detect many items of metadata, such as the metadata of the millions of audio tracks provided by a streaming media service. Generally, voice inputs referencing metadata outside of a subset of user favorites are handled by a more capable processing pipeline, such as the local voice input pipeline or cloud-based voice assistant processing. In this design, the user is able to customize the mini-SLU pipeline 770 to handle certain commands and parameters quickly, while maintaining the more capable (albeit slower) parallel processing pipeline(s) for queries outside of the scope of the mini-SLU pipeline 770.

(196) In operation, the hybrid keyword detector 771 may generate confidence scores predicting whether a portion of the sound-data stream S.sub.DS (e.g., a time segment) includes each keyword. In example implementations, when the probability of detecting a keyword exceeds a threshold, the segment is determined to include that keyword. In an example implementation, when a keyword is detected, the hybrid keyword detector 771 generates a keyword detection event to process the portion of the sound-data stream S.sub.DS including the keyword as a voice input. The hybrid keyword detector 771 may lower the threshold for recognizing other portions of the of the sound-data stream S.sub.DS in proximity to the detected keyword as including keywords on the basis that these portions are more likely to be part of the voice input (and not false positives).

(197) The hybrid keyword detector 771 may implement a neural architecture to spot keywords. FIG. 7D illustrates an example neural architecture 775, which may be implemented in the hybrid keyword detector 771. In operation, the neural architecture 775 takes input from the sound-data stream S.sub.DS and generates confidence scores C.sub.1, C.sub.2, . . . C.sub.N predicting whether a portion of the sound-data stream S.sub.DS (e.g., a time segment) includes each keyword.

(198) Aspects of example hybrid keyword detectors and mini-SLU pipelines can be found below in Appendix A, under the section title “Predicting detection filters for small footprint open-vocabulary keyword spotting.

(199) As shown in FIG. 7D, the neural architecture 775 includes intermediate layers 776, which together form an acoustic encoder. In

illustrative examples, the intermediate layers 776 are composed of a stack of long short-term memory (LSTM) layers pre-trained to generate quantized intermediate features from the sound-data stream S.sub.DS. The intermediate layers can be represented mathematically as $F(x; \theta_{\text{sub.F}})$, where parameters $\theta_{\text{sub.F}}$ are applied to input x .

(200) The output layer 777 is a convolutional layer that predicts the probability of detecting each keyword at each timestep. The output layer 777 includes an output (referred to as a confidence score) (C.sub.1, C.sub.2, . . . C.sub.N) corresponding to each keyword. Each confidence score reflects how closely the sound patterns in the voice input 755 match the sound patterns for the corresponding word. In examples, these confidence scores may be sigmoid outputs with values from 0-1 with 1 indicating a high probability of the sound-data stream S.sub.DS including the keyword and 0 indicating a low probability. In such examples, for keyword k , the output sequence $y_{\text{sub.k}}$ is computed as follows:

$$y_{\text{sub.k}} = y_{\text{sub.k},1} \dots y_{\text{sub.k},T} = \sigma(\theta_{\text{sub.k}} * F(x; \theta_{\text{sub.F}}))$$

where σ is the sigmoid function, $*$ is the convolution operation, and $F(x; \theta_{\text{sub.F}})$ represents the intermediate layers 776 applied to input x , and $\theta_{\text{sub.k}}$ is the convolutional kernel corresponding to keyword k .

(201) The keyword encoder 778 is an auxiliary neural network configured to predict the parameters $\theta_{\text{sub.k}}$ used to detect the keyword. The keyword encoder 778 can be represented as:

$$\theta_{\text{sub.k}} = E(\pi_{\text{sub.k}}; \theta_{\text{sub.E}})$$

where $\theta_{\text{sub.E}}$ represents the parameters of the neural network of the keyword encoder 779 and $\pi_{\text{sub.k}}$ is the phone sequence of the keyword k . The keyword encoder 779 allows custom (i.e., user-defined) keywords to be adopted by the neural architecture 775. That is, when provided a custom keyword $k_{\text{sub.cust}}$ (e.g., “party time”), the keyword encoder 779 predicts the parameters $\theta_{\text{sub.k}}$ used to detect the custom keyword. These parameters are then convoluted with the input x to generate a confidence score C.sub.cust whether the input x includes the custom keyword.

(202) At inference, the neural architecture 775 may be pre-trained to detect a set of pre-loaded keywords $K = k_{\text{sub.1}}, \dots, k_{\text{sub.n}}$. These keywords may include command keywords for a specific task or tasks, such as playback (e.g., play, pause, skip, etc.) as well as common parameters for the tasks (e.g., playback zones such as “Living Room” or “Kitchen”). For each keyword $k \in K$, the phone sequence $\pi_{\text{sub.k}}$ is retrieved from a pronunciation lexicon or generated using a phone sequence converter 779 and the convolution kernel $\theta_{\text{sub.k}}$ is computed using the keyword encoder 779. Then, the output layer 777 can be created with the set of computed kernels $\{\theta_{\text{sub.k}}; k \in K\}$ to make the neural architecture ready to process the input data.

(203) Within examples, the intermediate layers 776 and the keyword encoder 778 may be jointly trained using generic speech training set $D = \{(x_{\text{sup.i}}, \pi_{\text{sup.i}})\}$ without knowing all of the final keywords used in operation. Combining the intermediate layers 776, the output layer 777, and the keyword encoder 778 yields:

$$y_{\text{sub.k}} = \sigma(E(\pi_{\text{sub.k}}) * F(x)).$$

For each time step t of each training sample x , the training set includes a set $K_{\text{sub.i,t, sup.}+}$ of positive examples for $\pi_{\text{sub.k}}$ (where $y_{\text{sub.k,t}}$ is close to 1) and a set $K_{\text{sub.i,t, sup.}-}$ of negative examples for $\pi_{\text{sub.k}}$ (where $y_{\text{sub.k,t}}$ is close to 0). Then, in training, the following loss is minimized:

$$(204) L_{\text{KWS}} = \sum_{x^{(i)}, \pi^{(i)} \in D} \sum_t \text{Math. } l(i, t)$$

where

$$l(i, t) = -\sum_{k \in K_{\text{sub.i,t, sub.}-}} \log(1 - y_{\text{sub.k,t, sup.i}}) - \sum_{k \in K_{\text{sub.i,t, sub.}+}} \log(y_{\text{sub.k,t, sup.i}}).$$

(205) In some examples, the output layer 777 may be further trained based on keyword-specific data, which increase the probability of detecting certain keywords (e.g., pre-loaded keywords) relative to other keywords (e.g., custom keywords). More particularly, the weights generated by the keyword encoder 778 when training on generic speech data may be used as a started point for re-training on keyword-specific data (i.e., users speaking the keywords to be detected). In such cases, the weights of the output layer 777 can be represented as:

$$\theta_{\text{sub.k}} = E(\pi_{\text{sub.k}}; \theta_{\text{sub.E}}) + \theta_{\text{sub.k, sup.}(data)}.$$

Given a training set $D_{\text{sub.K}}$ for a set of keywords K composed of positive as well as negative data, the data specific parameters $\{\theta_{\text{sub.k, sub.k, sup.}(data)}\}_{k \in K}$ can be adjusted to optimize the loss as noted above.

(206) Referring together to FIGS. 7C and 7D, in some cases, the NMD 703 may determine a confidence score for the voice input as a whole, which may be based on confidence scores for the constituent keywords in the voice input. For instance, the NMD 703 may average or otherwise combine the individual keyword confidence scores to determine the confidence score for the voice input. Then, the NMD 703 may perform a command according to a determined intent when the confidence score for a given voice input exceeds a given threshold value (e.g., 0.5 on a scale of 0-1, indicating that the given sound is more likely than not the command keyword). Conversely, when the confidence score for a given intent is at or below the given threshold value, the NMD 703 does not perform the operation according to the determined intent.

(207) As noted above, for certain keywords, such as pre-loaded keywords, the neural architecture 775 may have been trained with relatively more training data than other keywords, such as custom (e.g., user-defined) keywords. Custom keywords might not have any particular training data at all; instead, as discussed above, the weights used to detect custom keywords may be predicted by the keyword encoder 778, which itself was trained on generic speech data (and possibly additionally trained on keyword-specific data for the pre-loaded keywords). The hybrid keyword detector 771 may accordingly be able to detect any pre-loaded keywords in the voice input 755 with relatively more confidence than custom keywords.

(208) In some cases, the voice input 755 includes both pre-loaded and custom keywords. For instance, when analyzing a given voice input (e.g., “play the party time playlist”), the NMD may inherently have relatively higher confidence in detecting pre-loaded keywords in this voice input (e.g., “play”) compared with detecting the custom keywords in the voice input (e.g., “party time playlist”) that were defined by the user. This increased confidence may come from increased training data for the pre-loaded keywords, as well as other adjustments made to the neural architecture to improve the ability of the hybrid keyword detector to spot the pre-loaded keywords. Since the custom keywords are defined by the user, it is not possible to train the neural architecture 775 with such keyword specific data.

(209) In practice, many voice inputs include more than one keyword. Moreover, certain keywords are typically used in a voice input with other keywords. For instance, the command keyword “play” is often used with parameter keywords identifying what to play (which playlist, artist, song, station, etc.) and possibly where to play it (i.e., which zone), among other possible parameters. As another example, the command keyword “turn on” is often used with a parameter keyword identifying what to turn on.

(210) Based on such practices, the mini-SLU pipeline 770 may be configured to derive a greater confidence level in spotting custom keywords when detecting such keywords in a voice input with pre-loaded keywords. That is, when the hybrid keyword detector 771 spots a pre-loaded keyword in a voice input with high confidence and also spots a custom keyword in the voice input albeit with relatively lower confidence, the NMD 703 may increase the native confidence score for the custom keyword to indicate an increased confidence in spotting the keyword in the voice input. Such an adjustment to a custom keyword would increase the confidence for the voice input as a whole.

Alternatively, the hybrid keyword detector **771** may assign a higher confidence to the voice input as a whole than would otherwise be assigned to a voice input with the constituent keywords. This functionality is based on this assumption that when the hybrid keyword detector **771** has spotted one or more keywords with high confidence, other sounds spoken with those high-confidence keywords are more likely to be keywords as well.

(211) Similar processing techniques may be applied to other parallel processing pipelines. For instance, the local voice input pipeline **760** may be configured to derive a greater confidence level in spotting custom keywords when detecting such keywords in a voice input with pre-loaded keywords. That is, similar to the mini-SLU pipeline **770**, when the local voice input pipeline **760** spots a pre-loaded keyword in a voice input with high confidence and also spots a custom keyword in the voice input albeit with relatively lower confidence, the NMD **703** may increase the native confidence score for the custom keyword to indicate an increased confidence in spotting the keyword in the voice input. Such an adjustment to a consistent keyword would increase the confidence for the voice input as a whole. Alternatively, the NMD **703** may assign a higher confidence to the voice input as a whole than would otherwise be assigned to a voice input with the constituent keywords. Such processing techniques may also be applied to cloud-based processing by a voice assistant service that supports custom keywords.

(212) Within examples, certain keywords are functionally linked to other keywords, which may allow the NMD **703** adjust the confidence score for a voice input based on the combination of keywords detected. For instance, the command keyword “skip” may be functionally linked to the keywords “forward” and “backward” and their cognates. Accordingly, when the command keyword “skip” is detected in a given voice input **755**, the confidence for the voice input may be adjusted upwards when “backward” or “forward” is also detected. Conversely, the confidence for the voice input may be adjusted downwards when “backward” or “forward” is not detected.

(213) Further, in some cases, the NMD **703** may functionally link one or more pre-loaded keywords with one or more custom keywords. For instance, when a user defines a custom keyword to refer to a particular playlist, the NMD **703** may functionally link that keyword with the command keyword “play”, as the user is likely to use the “play” command keyword in combination with the custom playlist parameter keyword. Then, if one of the functionality-linked keywords is detected in a voice input, the hybrid keyword detector **771** may adjust the confidence score if the other keyword is also detected in the voice input, albeit at a lower confidence.

(214) In some implementations, a phrase may be used as a keyword, which provides additional patterns to match (or not match). For instance, a user may define a custom keyword of “Ron's Relaxation Lounge” to refer to playback devices in his den and the custom keyword “jams” to refer to a particular playlist. This user may then speak the voice input “Play jams in Ron's Relaxation Lounge.” Since the custom keyword has multiple patterns, the hybrid keyword detector **771** may typically detect it with a relatively high confidence as compared with “jams.”

Accordingly, when detecting both “Ron's Relaxation Lounge” and “jams” the hybrid keyword detector **771** may increase the confidence score of “jams” (or the voice input as a whole).

(215) As illustrated in FIG. 7C, the mini-SLU pipeline **770** may operate in parallel on the NMD **703** with cloud-based VAS processing and/or local processing via the local voice input pipeline **760** (referred to as parallel processing paths). Such parallel operation may result in parallel processing of a given voice input. For instance, the voice input “Siri, play me some Mitski” may trigger a VAS wake word event (based on the VAS wake word “Siri”) and also a keyword detection event (based on the keyword “play”). Duplicate processing of the voice input is undesirable as it may cause conflicting operations.

(216) In some cases, the mini-SLU pipeline **770** is configured to stop processing of the voice input by the parallel processing paths when the mini-SLU pipeline **770** processes the voice input. The mini-SLU pipeline **770** is typically able to process voice inputs more quickly than the parallel processing paths, as the mini-SLU pipeline **770** does not perform ASR and does not have latency inherent in cloud-based processing. Due to the relatively quick response of the mini-SLU pipeline **770** relative to the parallel processing paths, the mini-SLU pipeline **770** may generally be first to process voice inputs in the sound-data stream S.sub.DS. If the mini-SLU pipeline **770** completes processing (i.e., performs a command according to the determined intent), the mini-SLU pipeline **770** may stop processing by the parallel processing paths to avoid duplicate processing.

(217) Alternatively, when detecting one or more keywords in the sound-data stream S.sub.DS, the mini-SLU pipeline **770** may pause processing by the parallel processing paths. Then, if the mini-SLU pipeline **770** does not complete processing of the voice input (e.g., because the keywords were matched with low confidence), the mini-SLU pipeline **770** can resume processing by the parallel processing paths. This functionality allows the mini-SLU pipeline **770** to have a first opportunity to process the voice input for the benefit of quicker processing, but also maintain the parallel processing paths as backup to the mini-SLU pipeline **770**.

(218) In some implementations, the mini-SLU pipeline **770** sends the voice input **755** to a VAS when the mini-SLU pipeline **770** is unable to process the voice input **755** (e.g., when the mini-SLU pipeline **770** has a low confidence score keywords in the voice input **755**). In an example, to trigger sending the voice input **755**, the NMD **703** may generate a bridging event, which causes the voice extractor **759** to process the sound-data stream S.sub.DS, as discussed above. That is, the NMD **703** generates a bridging event to trigger the voice extractor **759** without a VAS wake-word being detected by the VAS wake-word engine **758a** (instead based on a keyword in the voice input **755**, as well as the mini-SLU pipeline **770** being unable to process the voice input **755**).

(219) Since the hybrid keyword detector is monitoring for more keywords, including words that may be commonly used in conversation, the hybrid keyword detector **771** may be relatively more prone to false positive detections as compared with the wake-word engines **758** (which may be monitoring for a VAS wake-word). Further, the hybrid keyword detector **771** may monitor for keywords more commonly used in conversation as compared with nonce wake word used to trigger VAS wake-word events. False positive detections are undesirable as they may cause unintended commands to be performed, which may alter or interrupt operation of the controlled device(s).

(220) The mini-SLU pipeline **770** may also include a speaker ID engine **773**. The speaker ID engine **773** is configured to determine whether a voice input matches a pre-determined speaker profile. The NMD **703** may maintain (e.g., in the memory **713**) or have access to (e.g., in the cloud) pre-determined speaker profiles corresponding to the users in a household (e.g., the media playback system **100** of FIG. 1A) as well as other users that have stored a profile with the system. When a voice input matches one of these pre-determined speaker profiles, confidence that the utterance was intended as a voice input to the NMD is increased.

(221) In example implementations, the mini-SLU pipeline **770** does not perform any command according to the determined intent in a voice input unless the voice input matches a pre-determined speaker profile. That is, determining that the voice input matches a pre-determined speaker profile is a condition on whether the NMD **703** performs a command when the hybrid keyword detector **771** keywords corresponding to a voice input. This condition may reduce the prevalence of false positives by the mini-SLU pipeline **770**, as the NMD **703** will respond only to known users.

(222) When a voice input includes a custom keyword set up by a particular user, the speaker profile condition may further increase confidence by not performing a command corresponding to the determined intent of the voice input unless the voice input matches a pre-determined speaker profile of the particular user. For example, a particular user may set up a custom keyword such as “Party Time” to trigger a particular command or action (such as playback of a particular playlist across multiple (or all) playback devices in a household, as may be

used during a party), the user utters the keyword “Party Time,” the detecting NMD may recognize that the utterance includes that keyword and further determine that the speaker of the utterance is the particular user. Since the speaker of the custom keyword is the particular user who configured the keyword, the NMD **703** is more confident that the detected utterance was intended as a voice input than the NMD **703** would otherwise be without this determination.

(223) The speaker ID engine **773** may perform speaker recognition using any suitable technique. For example, the speaker ID engine **773** may implement a neural architecture to perform speaker identification on an utterance. The network is trained to take sound data (e.g., a spectrogram) as input and produce output representing similarity between one or more pre-determined speaker profiles and the input, which may correspond to users in a household (e.g., the media playback system **100** of FIG. 1A). In this manner, the speaker ID engine **773** determines whether the voice input **755** matches a pre-determined speaker profile. Although the speaker ID engine **773** is shown by way of example as following the hybrid keyword detector **771** in the mini-SLU pipeline **770**, the speaker ID engine **773** may be implemented in parallel to the hybrid keyword detector **771** or as part of the voice front end **757**.

(224) Example techniques for speaker recognition at the edge are described in “Utterance-Level Aggregation For Speaker Recognition In the Wild,” by Weidi Xie et al., published on May 17, 2019, and available at <https://arxiv.org/pdf/1902.10107.pdf>, which is incorporated by reference herein in its entirety and reproduced below in Appendix A. Other suitable edge speaker recognition techniques may be utilized in various implementations. Speaker recognition techniques yet to be developed may increase accuracy and/or speed or speaker recognition at the edge.

(225) As noted above, in some examples, detection of a known speaker profile is a condition on performing a command according to the intent of a voice input. In some cases, the NMD **703** imposes one or more additional conditions corresponding to the detected keywords in the voice input. These additional conditions may further lower the prevalence of false positives.

(226) For instance, when a voice input includes a command keyword corresponding to a given command, the NMD **703** performs a command only when the targeted device(s) are in a state to perform the command. For instance, after detecting the command keyword “skip” as spoken by a known speaker profile, the NMD **703** performs skips to the next track) only when certain playback conditions indicating that a skip should be performed are met. These playback conditions may include, for example, (i) a first condition that a media item is being played back, (ii) a second condition that a queue is active, and (iii) a third condition that the queue includes a media item subsequent to the media item being played back. If any of these conditions are not satisfied, the command is not performed.

(227) The NMD **703** may include one or more state machine(s) to facilitate determining whether the appropriate conditions are met. An example state machine transitions between a first state and a second state based on whether one or more conditions corresponding to the detected command keyword are met. In particular, for a given command keyword corresponding to a particular command requiring one or more particular conditions, the state machine **779a** transitions into a first state when one or more particular conditions are satisfied and transitions into a second state when at least one condition of the one or more particular conditions is not satisfied.

(228) Within example implementations, the command conditions are based on states indicated in state variables. As noted above, the devices of the MPS **100** may store state variables describing the state of the respective device in various aspects. For instance, the playback devices **102** may store state variables indicating the state of the playback devices **102**, such as the audio content currently playing (or paused), the volume levels, network connection status, and the like). These state variables are updated (e.g., periodically, or based on an event (i.e., when a state in a state variable changes)) and the state variables further can be shared among the devices of the MPS **100**, including the NMD **703**.

(229) Similarly, the NMD **703** may maintain these state variables (either by virtue of being implemented in a playback device or as a stand-alone NMD). The state machine(s) monitor the states indicated in these state variables, and determines whether the states indicated in the appropriate state variables indicate that the command condition(s) are satisfied. Based on these determinations, the state machines transition between the first state and the second state, as described above.

(230) In some implementations, voice inputs containing certain command keywords are not performed unless certain conditions have been met via the state machines. For example, the first state and the second state of the state machine may operate as enable/disable toggles for a given command keyword. In particular, while a state machine corresponding to a particular command keyword is in the first state, the state machine enables performing the particular command keyword when detected by the hybrid keyword detector **771**. Conversely, while the state machine corresponding to the particular command keyword is in the second state, the state machine disables performing the particular command keyword when detected by the hybrid keyword detector **771**.

(231) Other example conditions may be based on the output of a voice activity detector (“VAD”), which may be implemented in the voice front-end **757**. The VAD is configured to detect the presence (or lack thereof) of voice activity in the sound-data stream S.sub.DS. In particular, the VAD **76** may analyze frames corresponding to the pre-roll portion of the voice input **755** (FIG. 2D) with one or more voice detection algorithms to determine whether voice activity was present in the environment in certain time windows prior to a keyword portion of the voice input **755**.

(232) The VAD may utilize any suitable voice activity detection algorithms. Example voice detection algorithms involve determining whether a given frame includes one or more features or qualities that correspond to voice activity, and further determining whether those features or qualities diverge from noise to a given extent (e.g., if a value exceeds a threshold for a given frame). Some example voice detection algorithms involve filtering or otherwise reducing noise in the frames prior to identifying the features or qualities.

(233) In some examples, the VAD may determine whether voice activity is present in the environment based on one or more metrics. For example, the VAD can be configured to distinguish between frames that include voice activity and frames that don't include voice activity. The frames that the VAD determines have voice activity may be caused by speech regardless of whether it near- or far-field. In this example and others, the VAD may determine a count of frames in the pre-roll portion of the voice input **755** that indicate voice activity. If this count exceeds a threshold percentage or number of frames, the VAD may be configured to output a signal or set a state variable indicating that voice activity is present in the environment. Other metrics may be used as well in addition to, or as an alternative to, such a count.

(234) The presence of voice activity in an environment may indicate that a voice input is being directed to the NMD **703**. Accordingly, when the VAD indicates that voice activity is not present in the environment (perhaps as indicated by a state variable set by the VAD) this may be configured as one of the command conditions for the local keywords. When this condition is met (i.e., the VAD indicates that voice activity is present in the environment), the state machine will transition to the first state to enable performing commands based on local keywords, so long as any other conditions for a particular local keyword are satisfied.

(235) Further, in some implementations, the NMD **703** may include a noise classifier. The noise classifier is configured to determine sound metadata (frequency response, signal levels, etc.) and identify signatures in the sound metadata corresponding to various noise sources. The noise classifier may include a neural network or other mathematical model configured to identify different types of noise in detected sound data or metadata. One classification of noise may be speech (e.g., far-field speech). Another classification, may be a specific type of speech, such as background speech, an example of which is described in greater detail with reference to FIG. 8. Background speech may be differentiated from other types of voice-like activity, such as more general voice activity (e.g., cadence, pauses, or other characteristics) of

voice-like activity detected by the VAD.

(236) For example, analyzing the sound metadata can include comparing one or more features of the sound metadata with known noise reference values or a sample population data with known noise. For example, any features of the sound metadata such as signal levels, frequency response spectra, etc. can be compared with noise reference values or values collected and averaged over a sample population. In some examples, analyzing the sound metadata includes projecting the frequency response spectrum onto an eigenspace corresponding to aggregated frequency response spectra from a population of NMDs. Further, projecting the frequency response spectrum onto an eigenspace can be performed as a pre-processing step to facilitate downstream classification.

(237) In various embodiments, any number of different techniques for classification of noise using the sound metadata can be used, for example machine learning using decision trees, or Bayesian classifiers, neural networks, or any other classification techniques. Alternatively or additionally, various clustering techniques may be used, for example K-Means clustering, mean-shift clustering, expectation-maximization clustering, or any other suitable clustering technique. Techniques to classify noise may include one or more techniques disclosed in U.S. application Ser. No. 16/227,308 filed Dec. 20, 2018, and titled “Optimization of Network Microphone Devices Using Noise Classification,” which is herein incorporated by reference in its entirety.

(238) In some implementations, an additional buffer may store information (e.g., metadata or the like) regarding the detected sound S.sub.D that was processed by the upstream AEC and spatial processor. This additional buffer may be referred to as a “sound metadata buffer.” Examples of such sound metadata include: (1) frequency response data, (2) echo return loss enhancement measures, (3) voice direction measures; (4) arbitration statistics; and/or (5) speech spectral data. In example implementations, the noise classifier may analyze the sound metadata in the buffer to classify noise in the detected sound S.sub.D.

(239) As noted above, one classification of sound may be background speech, such as speech indicative of far-field speech and/or speech indicative of a conversation not involving the NMD 703. The noise classifier may output a signal and/or set a state variable indicating that background speech is present in the environment. The presence of voice activity (i.e., speech) in the pre-roll portion of the voice input 755 indicates that the voice input 755 might not be directed to the NMD 703, but instead be conversational speech within the environment. For instance, a household member might speak something like “our kids should have a play date soon” without intending to direct the command keyword “play” to the NMD 703.

(240) Further, when the noise classifier indicates that background speech is present is present in the environment, this condition may disable the mini-SLU pipeline 770 and/or the local voice input pipeline 770. In some implementations, the condition of background speech being absent in the environment (perhaps as indicated by a state variable set by the noise classifier) is configured as one of the command conditions for the command keywords.

(241) Further, the noise classifier may determine whether background speech is present in the environment based on one or more metrics. For example, the noise classifier may determine a count of frames in the pre-roll portion of the voice input 755 that indicate background speech. If this count exceeds a threshold percentage or number of frames, the noise classifier may be configured to output the signal or set the state variable indicating that background speech is present in the environment. Other metrics may be used as well in addition to, or as an alternative to, such a count.

(242) Referring still to FIG. 7C, in example embodiments, the voice back end including the wake-word engines 758, the local voice input pipeline 760, and the mini-SLU pipeline 770 may take a variety of forms. For instance, these components may take the form of one or more modules that are stored in memory of the NMD 703 (e.g., the memory 713 of FIG. 7A). As another example, these components may take the form of a general-purposes or special-purpose processor, or modules thereof. In this respect, the wake-word engines 758, the local voice input pipeline 760, and the mini-SLU pipeline 770 may be part of the same physical component of the NMD 703 or each of the wake-word engines 758, the local voice input pipeline 760, and the mini-SLU pipeline 770 may take the form of a dedicated component. Other possibilities also exist.

IV. Example Local Voice Control Scenarios

(243) As noted above, the NMD 703 may perform local (“offline”) voice input processing. As noted above, the NMD 703 may perform local voice input processing using a local voice input engine 760 or a mini-SLU pipeline 770. FIGS. 8A, 8B, 8C, and 8D present example local voice input processing sequences.

(244) FIG. 8A shows an example sequence 881 of the NMD 703 processing an utterance by a user 123a. At 881a, the user 123a speaks an utterance “party time” corresponding to a custom keyword. This custom keyword may have been pre-configured by the user 123a to perform a command or a set of commands. For instance, the user configures the “party time” custom keyword to group a set of playback devices, such as the playback devices in the Kitchen 101h, the Living Room 101f, and the Dining Room 101g (FIG. 1A), and to start playing back a particular playlist on the grouped devices.

(245) At 881b, the microphones capture this utterance as a voice input 755a and provide detected sound, S.sub.D, to the voice front end 757. At 881c, the voice front end 757 processes the sound data and provides the sound-data stream S.sub.DS to the parallel voice processing pipelines, including the mini-SLU pipeline 770. The other parallel voice input processing pipelines are shown in FIG. 7C.

(246) At 881d, the hybrid keyword detector 771 of the mini-SLU pipeline 770 performs keyword spotting on the sound-data stream S.sub.DS using the neural architecture 775. The output layer 777 of the mini-SLU pipeline 770 generates confidence scores predicting whether each trained keyword is in the sound-data stream S.sub.DS. Recall that the weights of the output layer 777 that produce the confidence scores are not necessarily trained directly (and typically not trained directly for custom keywords), but rather predicted by the keyword encoder 778 (FIG. 7D).

(247) Here, the hybrid keyword detector 771 spots the custom keyword “party time” and generates a keyword detection event. In this case, the confidence score for the keyword “party time” is 0.642. In this example, the threshold is 0.5, so the hybrid keyword detector 771 considers the voice input 755a to include this keyword. The confidence scores for the other keywords trained on the neural architecture 775 are not shown. In this example, they would be near zero indicating that it’s unlikely that these other keywords appear in the sound-data stream S.sub.DS.

(248) At 881e, the speaker ID engine 773 determines whether the voice input 755a matches a pre-determined speaker profile. In this example, the NMD 703 has stored two pre-determined speaker profiles corresponding to the user 123a and a user 123b. Here, the speaker ID engine 773 determines that the voice input matches the pre-determined speaker profile corresponding to the user 123a.

(249) Based on generating the keyword event and determining that the voice input 755a includes sound data matching one of the predetermined speaker profiles, the NMD 703 performs one or more commands associated with the keyword. In this case, the NMD 703 instructs the playback devices 102 in the Kitchen 101h, the Living Room 101f, and the Dining Room 101g to form a synchrony group and to start playing back a particular playlist.

(250) FIG. 8B shows an example sequence 882 of the NMD 703 processing an utterance by a user 123b. At 882a, the user 123b speaks an utterance “turn on patio lights,” which includes a pre-loaded keyword (“turn on”) and a custom keyword “patio lights”. This custom keyword

may have been pre-configured by the user **123a** to refer to a smart illumination device.

(251) At **882b**, the microphones capture this utterance as a voice input **755b** and provide detected sound, S.sub.D, to the voice front end **757**. At **882c**, the voice front end **757** processes the sound data and provides the sound-data stream S.sub.DS to the parallel voice processing pipelines, including the mini-SLU pipeline **770**. The other parallel voice input processing pipelines are shown in FIG. 7C.

(252) At **882d**, the hybrid keyword detector **771** of the mini-SLU pipeline **770** performs keyword spotting on the sound-data stream S.sub.DS using the neural architecture **775**. The output layer **777** of the mini-SLU pipeline **770** generates confidence scores predicting whether each trained keyword is in the sound-data stream S.sub.DS. Recall that the weights of the output layer **777** that produce the confidence scores for pre-loaded keywords may be trained with keyword-specific training data, which may result in the hybrid keyword detector **771** having relatively greater confidence in detecting pre-loaded keywords.

(253) Here, the hybrid keyword detector **771** spots the pre-loaded keyword “turn on” and generates a keyword detection event. In this case, the confidence score for the keyword “turn on” is 0.834 and the confidence score for the keyword “patio lights” is 0.417. As noted above, the threshold is 0.5, so the hybrid keyword detector **771** considers the voice input **755b** to include the keyword “turn on” but has not predicted the presence of the keyword “patio lights” with sufficient confidence.

(254) However, in this example, the hybrid keyword detector **771** spotted the (“low-confidence”) custom keyword “patio lights” in the voice input **755b** with the pre-loaded (“high-confidence”). Accordingly, the mini-SLU pipeline **770** can be more confident that the patio lights keyword is intended as a voice input. As such, at **882e**, the mini-SLU pipeline **770** adjusts the confidence score upward (by an exemplary 0.1 adjustment). This gives the custom keyword “patio lights” an adjusted confidence score of 0.517, which exceeds the threshold.

(255) At **882f**, the speaker ID engine **773** determines whether the voice input **755b** matches a pre-determined speaker profile. As noted above, the NMD **703** has stored two pre-determined speaker profiles corresponding to the user **123a** and a user **123b**. Here, the speaker ID engine **773** determines that the voice input matches the pre-determined speaker profile corresponding to the user **123b**.

(256) Based on generating the keyword event and determining that the voice input **755b** includes sound data matching a predetermined speaker profile, the NMD **703** performs one or more commands associated with the keyword. In this case, the NMD **703** instructs the smart illumination device with the name “patio lights” to turn on.

(257) FIG. 8C shows an example sequence **883** of the NMD **703** processing an utterance by a user **123c**. At **883a**, the user **123c** speaks an utterance “pause” corresponding to a pre-loaded keyword.

(258) At **883b**, the microphones capture this utterance as a voice input **755c** and provide detected sound, S.sub.D, to the voice front end **757**. At **883c**, the voice front end **757** processes the sound data and provides the sound-data stream S.sub.DS to the parallel voice processing pipelines, including the mini-SLU pipeline **770**. The other parallel voice input processing pipelines are shown in FIG. 7C.

(259) At **883d**, the hybrid keyword detector **771** of the mini-SLU pipeline **770** performs keyword spotting on the sound-data stream S.sub.DS using the neural architecture **775**. The output layer **777** of the mini-SLU pipeline **770** generates confidence scores predicting whether each trained keyword is in the sound-data stream S.sub.DS.

(260) Here, the hybrid keyword detector **771** spots the pre-loaded keyword “pause” and generates a keyword detection event. In this case, the confidence score for the keyword “pause” is 0.891. In this example, the threshold is 0.5, so the hybrid keyword detector **771** considers the voice input **755c** to include this keyword. The confidence scores for the other keywords trained on the neural architecture **775** are not shown. In this example, they would be near zero indicating that it's unlikely that these other keywords appear in the sound-data stream S.sub.DS.

(261) At **883e**, the speaker ID engine **773** determines whether the voice input **755c** matches a pre-determined speaker profile. In this example, the NMD **703** has stored two pre-determined speaker profiles corresponding to the user **123a** and a user **123b**. Here, the speaker ID engine **773** determines that the voice input spoken by the user **123c** does not match the pre-determined speaker profile corresponding to the user **123a** or the user **123b**.

(262) Based on generating the keyword event and determining that the voice input **755a** includes sound data that does not match one of the predetermined speaker profiles, the NMD **703** forgoes performs commands associated with the keyword. That is, even though the hybrid keyword detector **771** spotted the keyword “pause” with high confidence exceeding the threshold, the NMD **703** does not perform the corresponding command.

(263) In some implementations, the mini-SLU pipeline **770** may implement two or more thresholds corresponding to different confidence levels. For instance, a mini-SLU pipeline **770** may implement a first threshold (e.g., **0.5**) and a second higher threshold (e.g., **0.85**). If a confidence score for a keyword exceeds the first threshold but is lower than the second threshold, the mini-SLU pipeline **770** requires the voice input to match a pre-determined speaker profile. However, if the confidence score for a keyword exceeds the second threshold, the mini-SLU pipeline **770** performs the corresponding command without the voice input necessarily matching a pre-determined speaker profile. In other words, because of the high confidence score, the mini-SLU pipeline **770** may assume that the spotted keyword is not a false positive detection.

(264) As noted above, some voice inputs may be processed by the local voice input pipeline **760**. FIG. 8D shows an example sequence **884** of the NMD **703** processing an utterance by a user **123a** using the local voice input pipeline **760**. At **884a**, the user **123a** speaks an utterance “play Mitski in the Living Room.”

(265) The mini-SLU pipeline **770** may concurrently process this voice input, but may not be able to derive the intent because the neural architecture **775** is not trained to detect certain keywords, such as the content name (the artist “Mitski”). As such, the mini-SLU pipeline **770** may automatically operate as a secondary processing pipeline to the mini-SLU pipeline **770**. Alternatively, as noted above, some implementations of the NMD **703** might not include the mini-SLU pipeline **770** and so FIG. 8D may represent exemplary processing of a voice input by an implementation of the NMD **703** that does not include the mini-SLU pipeline **770**.

(266) At **884b**, the microphones capture this utterance as a voice input **755d** and provide detected sound, S.sub.D, to the voice front end **757**. At **884c**, the voice front end **757** processes the sound data and provides the sound-data stream S.sub.DS to the parallel voice processing pipelines, including the local voice input pipeline **760** and the mini-SLU pipeline **770** (not shown).

(267) At **884d**, the ASR **761** of the local voice input pipeline **760** performs automatic speech recognition on the sound-data stream S.sub.DS. Then, at **884e**, the local NLU **762** performs keyword spotting on the output of the sound-data stream S.sub.DS. Similar to the hybrid keyword detector **771**, the local NLU **762** generates confidence scores predicting certain keywords are present.

(268) Here, the local NLU **762** spot the keywords “play” and generates a keyword detection event. In this case, the confidence score for the keyword “play” is 0.789. The confidence scores for “Mitski” keyword and the “living room” keyword are 0.313 and 0.598, respectively. In this example, the threshold is 0.5, so the local NLU **762** considers the voice input **755d** to include the keyword “play” and “living room” but has not determined the presence of the keyword “Mitski” with sufficient confidence.

(269) However, in this example, the local NLU **762** spotted the relatively low-confidence keyword “Miski” in the voice input **755d** with the relatively high-confidence keywords “play” and “living room.” Accordingly, at **884f**, the local NLU **762** can be more confident that the “Mitski” keyword is intended as a voice input. The local NLU **762** adjusts the confidence score upward (by an exemplary 0.2 adjustment).

This gives the keyword “Miski” an adjusted confidence score of 0.513, which exceeds the threshold.

(270) Based on determining the intent of the voice input **884d**, the NMD **703** performs one or more commands according to the determined intent. In this case, the NMD **703** starts the playback devices in the living room **101f** (FIG. **1A**) to start playing audio tracks by the artist Mitski from the default source (e.g., a default streaming audio service).

(271) In example implementations, the NMD **703** is paired with one or more smart devices. FIG. **9** illustrates an example pairing arrangement between the NMD **703** and a smart device **902**, which includes an integrated playback device and smart illumination device. By pairing the NMD **703** with the smart device(s), voice commands to control the smart device(s) may be directed to the NMD **703** to control the smart device(s) without necessarily including a keyword identifying the smart device(s) in the voice command. For instance, commands such as “play back Better Oblivion Community Center” and “turn on lights” are received by the NMD **703**, but carried out on the smart device **809** without necessarily identifying the smart device **809** by name, room, zone, or the like. On the other hand, a user may still direct inputs to other smart devices in the MPS **100** by referencing the name, room, zone, group, area, etc. that the smart device is associated with.

(272) Within examples, a user may configure the pairing arrangement using a graphical user interface or voice user interface. For instance, the user may use a GUI on an application of a control device **104** to configure the pairing arrangement. Alternatively, the user may speak a voice command such as “Please pair with the Ikea® lamp” or “Please pair with the Sonos® Play:1” to configure the pairing relationship. The NMD **703** may store data representing the pairing arrangement in one or more state variables, which may be referenced when identifying a device to carry out a voice command.

(273) Further, in the exemplary pairing relationship of FIG. **9**, the smart device **902** may play back audio responses to voice inputs. As noted above, the NMD **703** may, in some examples, exclude audio playback components typically present in a playback device (e.g., audio processing components **216**, amplifiers **217**, and/or speakers **218**) or may include relatively less capable versions of these components. By pairing the NMD **703** to a playback device, the playback device may provide playback functions to complement the NMD, including playback of audio responses to voice inputs captured by the NMD **703** and playback of audio content initiated via voice command to the NMD **703**.

(274) For instance, the user may speak the voice input “Alexa, what is the weather,” which is captured by the microphones **722b** (FIG. **7C**) of the NMD **703**. The NMD **703** transmits data representing this voice input to the servers **106a** of the VAS **190**. The servers **106a** process this voice input and provide data representing a spoken response. In some implementations, the smart device **902** receives this data directly from the computing devices **106a** of the VAS **190** via the networks **107** and the LAN **111**. Alternatively, the NMD **703** may receive the data from the VAS **190**, but send the data to the smart device **902**. In either case, the playback device **902** plays back the spoken response.

(275) As noted above, in some instances, voice input processing via the VAS **190** and voice input processing via the local voice input pipeline **760** and/or mini-SLU pipeline **770** may be concurrently enabled. In an example, a user may speak the voice input “Alexa, play ‘Hey Jude’ by the Beatles and turn on the Ikea lamps.” Here, “Alexa” is an example of a VAS wake word and “Ikea” is an example of a local keyword. Accordingly, such an input may generate both a VAS wake work event and one or more local events on the NMD **703**.

(276) As described earlier, a user may configure a custom keyword using a graphical user interface. FIG. **10A** shows an example controller interface **1040** displayed on a controller device **104** to facilitate configuring a custom keyword. The controller interface **1040** includes a first region **1191** configured to receive entry of text as a string. As discussed in connection with the neural architecture **775**, the keyword encoder **778** may predict the weights used in the output layer **777** to detect custom keywords.

(277) The controller interface **1040** further includes a second region **1092** with selectable controls corresponding to various commands. By way of example, the commands “play” and “turn on” are shown with respective selectable controls. Further example commands may be selectable as well. The second region **1092** may be scrollable to select additional commands.

(278) The controller interface **1040** also includes a third region **1093** with selectable controls corresponding to various targets for the command selected in the second region **1092**. To illustrate, selectable controls corresponding to the Living Room **101f** and the Kitchen **101h** (FIG. **1A**) are shown, as well as a selectable control corresponding to the NMD that detects a voice input including the custom keyword. Further example targets may be selectable as well. The third region **1093** may be scrollable to select additional commands.

(279) A fourth region **1094** may include selectable controls corresponding to the selected command. To illustrate, in FIG. **10B**, a user has provided a custom keyword “party time” in the first region **1191** and selected the command “play” and the targets as the Living Room **101f** and the Kitchen **101h**. Then, the fourth region **1094** is populated with selectable controls corresponding to various playlists and other media items to select as content for the play command.

(280) In some examples, the NMD **703** may configure the hybrid keyword detector **771** or the local NLU **672** to detect custom keywords that are not provided directly by the user, but nonetheless correspond to the user. The respective set of keywords that the hybrid keyword detector **771** or local NLU **672** are trained to spot are referred to collectively as the library of the NMD **703**. Training the hybrid keyword detector **771** and/or the local NLU **672** may be referred to as populating the library. While these respective sets are referred to collectively, since the hybrid keyword detector **771** and the local NLU **672** are trained separately using different techniques, the sets of keywords that each component is trained to detect are not necessarily the same. Further, to maintain the small footprint of the mini-SLU pipeline **770**, the hybrid keyword detector **771** will generally not be trained to detect as many keywords as the local NLU **672**.

(281) In a first aspect, the library may be customized to the devices that are within the household of the NMD (e.g., the household within the environment **101** (FIG. **1A**)). For instance, the library may include keywords corresponding to the names of the devices within the household, such as the zone names of the playback devices **102** in the MPS **100**. In a second aspect, the library may be customized to the users of the devices within the household. For example, the library may include keywords corresponding to names or other identifiers of a user's preferred playlists, artists, albums, and the like. Then, the user may refer to these names or identifiers in voice inputs.

(282) Within example implementations, the NMD **703** may populate the library locally within the network **111** (FIG. **1B**). As noted above, the NMD **703** may maintain or have access to state variables indicating the respective states of devices connected to the network **111** (e.g., the playback devices **104**). These state variables may include names of the various devices. For instance, the kitchen **101h** may include the playback device **101b**, which are assigned the zone name “Kitchen.” The NMD **703** may read these names from the state variables and include them in the library by training the hybrid keyword detector **771** and/or the local NLU **672** to recognize them as keywords. The keyword entry for a given name may then be associated with the corresponding device in an associated parameter (e.g., by an identifier of the device, such as a MAC address or IP address). The NMD **703a** can then use the parameters to customize control commands and direct the commands to a particular device.

(283) In further examples, the NMD **703** may populate the library by discovering devices connected to the network **111**. For instance, the NMD **703a** may transmit discovery requests via the network **111** according to a protocol configured for device discovery, such as universal plug-and-play (UPnP) or zero-configuration networking. Devices on the network **111** may then respond to the discovery requests and exchange data representing the device names, identifiers, addresses and the like to facilitate communication and control via the network **111**. The NMD **703** may read these names from the exchanged messages and include them in the library by training the hybrid keyword detector

771 and/or the local NLU 672 to recognize them as keywords.

(284) In further examples, the NMD 703 may populate the library using the cloud. To illustrate, FIG. 11 is a schematic diagram of the MPS 100 and a cloud network 1002. The cloud network 1002 includes cloud servers 1006, identified separately as media playback system control servers 1006a, streaming audio service servers 1006b, and IOT cloud servers 1006c. The streaming audio service servers 1006b may represent cloud servers of different streaming audio services. Similarly, the IOT cloud servers 1006c may represent cloud servers corresponding to different cloud services supporting smart devices 1090 in the MPS 100. Smart devices 1090 include smart illumination devices, smart thermostats, smart plugs, security cameras, doorbells, and the like.

(285) Within examples, a user may link an account of the MPS 100 to an account of an IOT service. For instance, an IOT manufacturer (such as IKEA®) may operate a cloud-based IOT service to facilitate cloud-based control of their IOT products using smartphone app, website portal, and the like. In connection with such linking, the hybrid keyword detector 771 and/or the local NLU 672 may be trained with keywords associated with the cloud-based service and the IOT devices. For instance, the local NLU 672 may be trained with a nonce keyword (e.g., “Hey Ikea”). Further, the hybrid keyword detector 771 and/or the local NLU 672 may be trained to detected names of various IOT devices, keyword commands for controlling the IOT devices, and keywords corresponding to parameters for the commands.

(286) One or more communication links 1003a, 1003b, and 1003c (referred to hereinafter as “the links 1003”) communicatively couple the MPS 100 and the cloud servers 1006. The links 1003 can include one or more wired networks and one or more wireless networks (e.g., the Internet). Further, similar to the network 111 (FIG. 1B), a network 1011 communicatively couples the links 1003 and at least a portion of the devices (e.g., one or more of the playback devices 102, NMDs 103, control devices 104, and/or smart devices 1090) of the MPS 100.

(287) In some implementations, the media playback system control servers 1006a facilitate populating the library. In an example, the media playback system control servers 1006a may receive data representing a request to populate the library from the NMD 703a. Based on this request, the media playback system control servers 1006a may communicate with the streaming audio service servers 1006b and/or IOT cloud servers 1006c to obtain keywords specific to the user.

(288) In some examples, the media playback system control servers 1006a may utilize user accounts and/or user profiles in obtaining keywords specific to the user. As noted above, a user of the MPS 100 may set-up a user profile to define settings and other information within the MPS 100. The user profile may then in turn be registered with user accounts of one or more streaming audio services to facilitate streaming audio from such services to the playback devices 102 of the MPS 100.

(289) Through use of these registered streaming audio services, the streaming audio service servers 1006b may collect data indicating a user's saved or preferred playlists, artists, albums, tracks, and the like, either via usage history or via user input (e.g., via a user input designating a media item as saved or a favorite). This data may be stored in a database on the streaming audio service servers 1006b to facilitate providing certain features of the streaming audio service to the user, such as custom playlists, recommendations, and similar features. Under appropriate conditions (e.g., after receiving user permission), the streaming audio service servers 1006b may share this data with the media playback system control servers 1006a over the links 1003b.

(290) Accordingly, within examples, the media playback system control servers 1006a may maintain or have access to data indicating a user's saved or preferred playlists, artists, albums, tracks, genres, and the like. If a user has registered their user profile with multiple streaming audio services, the saved data may include saved playlists, artists, albums, tracks, and the like from two or more streaming audio services. Further, the media playback system control servers 1006a may develop a more complete understanding of the user's preferred playlists, artists, albums, tracks, and the like by aggregating data from the two or more streaming audio services, as compared with a streaming audio service that only has access to data generated through use of its own service.

(291) Moreover, in some implementations, in addition to the data shared from the streaming audio service servers 1006b, the media playback system control servers 1006a may collect usage data from the MPS 100 over the links 1003a, after receiving user permission. This may include data indicating a user's saved or preferred media items on a zone basis. Different types of music may be preferred in different rooms. For instance, a user may prefer upbeat music in the Kitchen 101h and more mellow music to assist with focus in the Office 101e.

(292) Using the data indicating a user's saved or preferred playlists, artists, albums, tracks, and the like, the media playback system control servers 1006a may identify names of playlists, artists, albums, tracks, and the like that the user is likely to refer to when providing playback commands to the NMDs 703 via voice input. Data representing these names can then be transmitted via the links 1003a and the network 1004 to the NMDs 703 and then added to the library as keywords. For instance, the media playback system control servers 1006a may send instructions to the NMD 703 to train the hybrid keyword detector 771 and/or the local NLU 672 to spot certain names as keywords. Alternatively, the NMD 703 (or another device of the MPS 100) may identify names of playlists, artists, albums, tracks, and the like that the user is likely to refer to when providing playback commands to the NMD 703 via voice input and then train the hybrid keyword detector 771 and/or the local NLU 672 to spot these names.

(293) Due to such customization, similar voice inputs may result in different operations being performed when the voice input is processed locally as compared with processing by a VAS. For instance, a first voice input of “Alexa, play me my favorites in the Office” may trigger a VAS wake-word event, as it includes a VAS wake word (“Alexa”). A second voice input of “Play me my favorites in the Office” may trigger a command keyword, as it includes a command keyword (“play”). Accordingly, the first voice input is sent by the NMD 703 to the VAS, while the second voice input is processed locally.

(294) While these voice inputs are nearly identical, they may cause different operations. In particular, the VAS may, to the best of its ability, determine a first playlist of audio tracks to add to a queue of the playback device 102f in the office 101e. Similarly, the local NLU 776 may recognize keywords “favorites” and “kitchen” in the second voice input. Accordingly, the NMD 703 performs the voice command of “play” with parameters of <favorites playlist> and <kitchen 101h zone>, which causes a second playlist of audio tracks to be added to the queue of the playback device 102f in the office 101e. However, the second playlist of audio tracks may include a more complete and/or more accurate collection of the user's favorite audio tracks, as the second playlist of audio tracks may draw on data indicating a user's saved or preferred playlists, artists, albums, and tracks from multiple streaming audio services, and/or the usage data collected by the media playback system control servers 1006a. In contrast, the VAS may draw on its relatively limited conception of the user's saved or preferred playlists, artists, albums, and tracks when determining the first playlist.

(295) A household may include multiple users. Two or more users may configure their own respective user profiles with the MPS 100. Each user profile may have its own user accounts of one or more streaming audio services associated with the respective user profile. Further, the media playback system control servers 1006a may maintain or have access to data indicating each user's saved or preferred playlists, artists, albums, tracks, genres, and the like, which may be associated with the user profile of that user.

(296) In various examples, names corresponding to user profiles may be populated in the library. This may facilitate referring to a particular user's saved or preferred playlists, artists, albums, tracks, or genres. For instance, when a voice input of “Play Anne's favorites on the patio” is processed by the local NLU 762, the local NLU 762 may determine that “Anne” matches a stored keyword corresponding to a particular user. Then, when performing the playback command corresponding to that voice input, the NMD 703 adds a playlist of that particular user's

favorite audio tracks to the queue of the playback device **102c** in the patio **101i**.

(297) In some cases, a voice input might not include a keyword corresponding to a particular user, but multiple user profiles are configured with the MPS **100**. In some cases, the NMD **703a** may determine the user profile to use in performing a command using voice recognition, such as the speaker ID engine **773**. Although shown as part of the mini-SLU pipeline **770** by way of example, the speaker ID engine **773** may be implemented in a manner accessible to the local voice input engine **770**. Alternatively, the NMD **703a** may default to a certain user profile. Further, the NMD **703** may use preferences from the multiple user profiles when performing a command corresponding to a voice input that did not identify a particular user profile. For instance, the NMD **703** may determine a favorites playlist including preferred or saved audio tracks from each user profile registered with the MPS **100**.

(298) The IOT cloud servers **1006c** may be configured to provide supporting cloud services to the smart devices **1090**. The smart devices **1090** may include various “smart” internet-connected devices, such as lights, thermostats, cameras, security systems, appliances, and the like. For instance, an IOT cloud server **1006c** may provide a cloud service supporting a smart thermostat, which allows a user to control the smart thermostat over the internet via a smartphone app or website.

(299) Accordingly, within examples, the IOT cloud servers **1006c** may maintain or have access to data associated with a user's smart devices **1090**, such as device names, settings, and configuration. Under appropriate conditions (e.g., after receiving user permission), the IOT cloud servers **1006c** may share this data with the media playback system control servers **1006a** and/or the NMD **703** via the links **1003c**. For instance, the IOT cloud servers **1006c** that provide the smart thermostat cloud service may provide data representing such keywords to the NMD **703**, which facilitates populating the library with keywords corresponding to the temperature.

(300) Yet further, in some cases, the IOT cloud servers **1006c** may also provide keywords specific to control of their corresponding smart devices **1090**. For instance, the IOT cloud server **1006c** that provides the cloud service supporting the smart thermostat may provide a set of keywords corresponding to voice control of a thermostat, such as “temperature,” “warmer,” or “cooler,” among other examples. Data representing such keywords may be sent to the NMD **703** over the links **1003** and the network **1004** from the IOT cloud servers **1006c**.

(301) As noted above, some households may include more than NMD **703**. In example implementations, two or more NMDs **703** may synchronize or otherwise update their libraries. For instance, a first NMD **703a** and a second NMD **703b** may share data representing their respective libraries, possibly using a network (e.g., the network **904**). Such sharing may facilitate the NMDs **703a** being able to respond to voice input similarly, among other possible benefits.

(302) In some embodiments, one or more of the components described above can operate in conjunction with the microphones **722** to detect and store a user's pre-determined speaker profile, which may be associated with a user account of the MPS **100**. In some embodiments, speaker profiles may be stored as and/or compared to variables stored in a set of command information or data table. The voice profile may include aspects of the tone or frequency of a user's voice and/or other unique aspects of the user, such as those described in previously-referenced U.S. patent application Ser. No. 15/438,749.

(303) In some embodiments, one or more of the components described above can operate in conjunction with the microphones **722** to determine the location of a user in the home environment and/or relative to a location of one or more of the NMDs **103**. Techniques for determining the location or proximity of a user may include one or more techniques disclosed in previously-referenced U.S. patent application Ser. No. 15/438,749, U.S. Pat. No. 9,084,058 filed Dec. 29, 2011, and titled “Sound Field Calibration Using Listener Localization,” and U.S. Pat. No. 8,965,033 filed Aug. 31, 2012, and titled “Acoustic Optimization.” Each of these applications is herein incorporated by reference in its entirety.

V. First Example Local Voice Control Techniques

(304) FIG. **12** is a flow diagram showing an example method **1200** to perform local voice control. The method **1200** may be performed by a networked microphone device, such as the NMD **703** (FIG. **7A**). Alternatively, the method **1200** may be performed by any suitable device or by a system of devices, such as the playback devices **102**, NMDs **103**, control devices **104**, computing devices **105**, computing devices **106**, and/or NMD **703**.

(305) At block **1202**, the method **1200** includes monitoring an input sound-data stream representing sound detected by the one or more microphones for (i) a voice assistant service (VAS) wake word and (ii) one or more keywords. For instance, the NMD **703** may monitor the input sound-data stream S.sub.DS via the wake-word engine **758a** for a wake word associated with a voice assistant service (FIG. **7C**). Further, the hybrid keyword detector **771** of the mini-SLU pipeline **770** may concurrently monitor the sound-data stream S.sub.DS for one or more keywords (FIG. **7C**). Additionally or alternatively, the wake-word engine **758b** may concurrently monitor the sound-data stream S.sub.DS for one or more local keywords (FIG. **7C**).

(306) At block **1204**, the method **1200** includes generating a first wake-word detection event corresponding to a first voice input when sound data matching the VAS keyword is detected. For instance, the wake-word engine **758a** may generate a VAS wake-word event corresponding to a first voice input when the wake-word engine **758a** detects sound data matching the VAS wake word in the sound-data stream S.sub.DS (FIG. **7C**).

(307) At block **1206**, the method **1200** includes causing the voice assistant service to process the first voice input. For instance, based on generating VAS wake-word event corresponding to the first voice input, the NMD **703** may cause the voice extractor **759** to receive and format (e.g., packetize) the sound-data stream S.sub.DS into messages and then transmit or stream these messages, M.sub.V, to a remote VAS via the network interface **724** (FIG. **7C**). The VAS receives these messages, M.sub.V, processes the voice input (e.g., performs spoken language understanding to determine an intent of the voice input), and then transmits back one or more instructions to perform a command according to the determined intent.

(308) At block **1208**, the method **1200** includes generating a first keyword detection event corresponding to a second voice input when sound data matching at least one first keyword is detected. For example, the hybrid keyword detector **771** of the mini-SLU pipeline **770** may generate a keyword detection event corresponding to a second voice input when at least one first keyword is spotted in the sound-data stream S.sub.DS (FIG. **7C**). The hybrid keyword detector **771** may detect keywords using the neural architecture **775** (FIG. **7D**), among other examples.

(309) At block **1210**, the method **1200** includes determining that the second voice input matches a particular predetermined speaker profile of one or more predetermined speaker profiles. For instance, the speaker ID engine **773** may determine whether the portion of the sound-data stream S.sub.DS corresponding to second voice input matches a particular predetermined speaker profile of one or more predetermined speaker profiles (FIG. **7C**). Further exemplary operation of the speaker ID engine **773** is described in connection with FIGS. **8A**, **8B**, and **8C**.

(310) Within examples, the method **1200** may involve monitoring the input sound-data stream for voice data that match the one or more predetermined speaker profiles. For example, the speaker ID engine **773** may monitor the sound-data stream S.sub.DS for voice data that match the one or more predetermined speaker profiles. In such examples, determining that the second voice input matches the particular predetermined speaker profile may involve determining that a portion of the input sound-data stream corresponding to the second voice input includes particular voice data matching the particular predetermined speaker profile. In some examples, the speaker ID engine **773** may

monitor the input sound-data stream for voice data concurrently with the hybrid keyword detector 771 monitoring the input sound-data stream for the one or more keywords.

(311) At block 1212, the method 1200 includes performing a particular command associated with the at least one first keyword. For instance, when the at least one first keyword is associated with a particular playback command, the NMD 703 may perform the particular playback command by instructing one or more playback devices to perform the particular playback command. Other examples are possible as well.

(312) In some cases, a voice input does not match any speaker profile of one or more predetermined speaker profiles. For example, the method 1200 may further involve generating a second keyword detection event corresponding to a third voice input when the one or more keyword engines detect sound data matching at least one second keyword of the one or more keywords. For instance, the hybrid keyword detector 771 of the mini-SLU pipeline 770 may generate a second keyword detection event corresponding to a third voice input when the hybrid keyword detector 771 detects sound data matching at least one second keyword of the one or more keywords. The speaker ID engine 773 may determine that the third voice input does not match any of the one or more predetermined speaker profiles. Based on (i) generating the second keyword detection event and (ii) determining that the third voice input does not match any of the one or more predetermined speaker profiles, the method 1200 may involve foregoing processing of the third voice input.

(313) In other cases, a voice input may include sound data matching both a VAS wake word and at least one keyword. In some implementations, the NMD 703 processes the voice input using the VAS in such circumstances. For instance, the method 1200 may involve generating a second wake-word detection event corresponding to a fourth voice input when the one or more keyword engines detect both (i) sound data matching the wake word in the input sound-data stream and (ii) sound data matching at least one keyword of the one or more keywords. Based on generating the second wake-word detection event, the method 1200 involves causing the voice assistant service to process the fourth voice input.

(314) Within examples, the method 1200 further involves receiving data representing a command to associate the at least one first keyword of the one or more keywords with the particular predetermined speaker profile. As described above in connection with FIG. 7C, this association may indicate greater confidence in detecting keywords in a voice input, since the speaker of the keyword is the same user that configured the custom keyword. Based on receiving the data representing the command, the method 1200 involves storing, in the data storage, an association between the at least one first keyword and the particular predetermined speaker profile. In such cases, performing the particular command associated with the at least one first keyword is further may be further based on determining that there is a stored association between the at least one first keyword and the particular predetermined speaker profile in the data storage.

(315) In some implementations, the method 1200 involves updating at least one of the one or more keyword engines with parameters corresponding to the particular predetermined speaker profile based on determining that the second voice input matches the particular predetermined speaker profile. That is, the weights of the output layer 777 may be adjusted to better train the neural architecture 775 to detect the keyword as spoken by the particular predetermined speaker profile. In other words, the recorded keyword as spoken by a particular user acts as keyword-specific training data to retrain the neural architecture 775.

(316) In some examples, the method 1200 further involves receiving string data representing one or more custom keywords corresponding to the particular predetermined speaker profile and training the neural network to detect the one or more custom keywords based on the string data. For example, the NMD 703 may receive string data from the control device 104, which was received via graphical user interface such as the controller interface 1040 (FIG. 10A). Other examples are possible as well.

VI. Second Example Local Voice Control Techniques

(317) FIG. 13 is a flow diagram showing an example method 1300 to perform local voice control. The method 1300 may be performed by a networked microphone device, such as the NMD 703 (FIG. 7A). Alternatively, the method 1300 may be performed by any suitable device or by a system of devices, such as the playback devices 102, NMDs 103, control devices 104, computing devices 105, computing devices 106, and/or NMD 703.

(318) At block 1302, the method 1300 includes monitoring an input sound-data stream representing sound detected by the one or more microphones for one or more keywords. For instance, the wake-word engine 758b of the NMD 703 may monitor the sound-data stream S.sub.DS for one or more local keywords (FIG. 7C). As another example, the hybrid keyword detector 771 of the mini-SLU pipeline 770 may monitor the sound-data stream S.sub.DS for one or more keywords (FIG. 7C). Such monitoring may occur concurrently with the NMD 703 monitoring the sound-data stream S.sub.DS via the wake-word engine 758a for a wake word associated with a voice assistant service (FIG. 7C).

(319) At block 1304, the method 1300 includes generating a first keyword detection event corresponding to a second voice input when sound data matching at least one first keyword is detected in the sound-data stream S.sub.DS. For example, the wake-word engine 758b may generate a local keyword event when detecting a first keyword in the sound-data stream S.sub.DS (FIG. 7C). As another example, the hybrid keyword detector 771 of the mini-SLU pipeline 770 may generate a keyword detection event corresponding to a second voice input when at least one first keyword is spotted in the sound-data stream S.sub.DS (FIG. 7C).

(320) At block 1306, the method 1300 includes spotting (i) one or more pre-defined keywords and (ii) a user-defined keyword in the first voice input. For instance, the local voice input pipeline 760 may perform ASR and NLU on the first voice input using the ASR 761 and local NLU 762. In performing ASR and NLU, the local voice input pipeline 760 may detect (i) one or more pre-defined keywords and (ii) a user-defined keyword in the first voice input, as illustrated in the exemplary processing sequence 884 (FIG. 8D). As another example, the mini-SLU pipeline 770 may perform keyword spotting on the first voice input using the hybrid keyword detector 771. Such keyword spotting may result in spotting (i) one or more pre-defined keywords and (ii) a user-defined keyword in the first voice input, as illustrated in the exemplary processing sequence 882 of FIG. 8B.

(321) When keyword spotting, the NMD 703 may determine one or more confidence metrics indicating confidence in recognizing keywords from the keyword library in the first voice input. For instance, the NMD 703 may determine a first sub-metric indicating confidence in recognizing the particular user-defined keyword in the first voice input and one or more second sub-metrics indicating confidence in recognizing the one or more pre-loaded keywords from the keyword library in the first voice input. Exemplary determination of such sub-metrics are illustrated with the confidence scores for the individual keywords shown in the processing sequences 882 and 884 of FIGS. 8B and 8D, respectively.

(322) At block 1308, the method 1300 includes modifying a confidence metric to indicate increased confidence in detecting keywords from the keyword library in the first voice input. For instance, based detecting the one or more pre-defined keywords in combination with the first user-defined keyword, the local voice input pipeline 760 may increase a confidence score for the user-defined keyword, as illustrated in the exemplary processing sequence 884 (FIG. 8D). As another example, the mini-SLU pipeline 770 may increase a confidence score for the user-defined keyword, as illustrated in the exemplary processing sequence 882 (FIG. 8B).

(323) In some cases, the NMD 703 may determine a confidence score for a voice input as a whole, perhaps based on confidence scores in spotting individual keywords. In such cases, modifying the confidence metric may involve modifying the confidence score for the voice input

as a whole. Alternatively, as noted above, modifying the confidence scores for spotting individual keywords, which results in an increased confidence score for the voice input as a whole.

(324) In some implementations, the method **1300** further includes determining that the modified confidence metric exceeds a confidence threshold. For instance, as discussed with respect to the exemplary processing sequences **882** and **884**, a confidence threshold may be set at 0.5. Based on (i) generating the first keyword detection event and (ii) determining that the modified confidence metric exceeds the confidence threshold, the method **1300** may involve performing a particular playback command corresponding to the detected keywords in the first voice input.

(325) In some instances, the method **1300** may further involve detecting a second voice input that does not include any pre-defined keywords. In such examples, the method **1300** may further involve generating a second keyword detection event corresponding to a second voice input when the one or more keyword engines detect sound data matching a second keyword in the input sound-data stream and spotting a second user-defined keyword in the second voice input. The method may further involve determining a confidence metric indicating confidence in recognizing keywords in the second voice input, and based on not detecting pre-defined keywords in the second voice input, foregoing modifying the confidence metric to indicate increased confidence in detecting keywords in the second voice input.

(326) Further, in some cases, a confidence score might not exceed a threshold. To illustrate, in some examples, the method **1300** may involve determining that the confidence metric indicating confidence in recognizing keywords in the second voice input does not meet a confidence threshold. Then, based on (i) generating the second keyword detection event and (ii) determining that the confidence metric indicating confidence in recognizing keywords from the keyword library in the second voice input does not meet a confidence threshold, the method **1300** involves foregoing performing a particular playback command corresponding to the detected keywords in the second voice input.

CONCLUSION

(327) The description above discloses, among other things, various example systems, methods, apparatus, and articles of manufacture including, among other components, firmware and/or software executed on hardware. It is understood that such examples are merely illustrative and should not be considered as limiting. For example, it is contemplated that any or all of the firmware, hardware, and/or software aspects or components can be embodied exclusively in hardware, exclusively in software, exclusively in firmware, or in any combination of hardware, software, and/or firmware. Accordingly, the examples provided are not the only way(s) to implement such systems, methods, apparatus, and/or articles of manufacture.

(328) The specification is presented largely in terms of illustrative environments, systems, procedures, steps, logic blocks, processing, and other symbolic representations that directly or indirectly resemble the operations of data processing devices coupled to networks. These process descriptions and representations are typically used by those skilled in the art to most effectively convey the substance of their work to others skilled in the art. Numerous specific details are set forth to provide a thorough understanding of the present disclosure. However, it is understood to those skilled in the art that certain embodiments of the present disclosure can be practiced without certain, specific details. In other instances, well known methods, procedures, components, and circuitry have not been described in detail to avoid unnecessarily obscuring aspects of the embodiments. Accordingly, the scope of the present disclosure is defined by the appended claims rather than the foregoing description of embodiments.

(329) When any of the appended claims are read to cover a purely software and/or firmware implementation, at least one of the elements in at least one example is hereby expressly defined to include a tangible, non-transitory medium such as a memory, DVD, CD, Blu-ray, and so on, storing the software and/or firmware.

(330) The present technology is illustrated, for example, according to various aspects described below. Various examples of aspects of the present technology are described as numbered examples (1, 2, 3, etc.) for convenience. These are provided as examples and do not limit the present technology. It is noted that any of the dependent examples may be combined in any combination, and placed into a respective independent example. The other examples can be presented in a similar manner.

(331) Example 1: A method to be performed by a device including a network interface, one or more microphones, one or more processors, at least one speaker, and data storage having stored therein instructions executable by the one or more processors. The method includes monitoring, via one or more keyword engines, an input sound-data stream representing sound detected by the one or more microphones for (i) a wake word associated with a voice assistant service and (ii) one or more keywords, wherein the one or more keywords are different than the wake word; generating a first wake-word detection event corresponding to a first voice input when the one or more keyword engines detect sound data matching the wake word in the input sound-data stream; based on generating the first wake-word detection event, causing the voice assistant service to process the first voice input; generating a first keyword detection event corresponding to a second voice input when the one or more keyword engines detect sound data matching at least one first keyword of the one or more keywords, determining that the second voice input matches a particular predetermined speaker profile of one or more predetermined speaker profiles, and based on (i) generating the first keyword detection event and (ii) determining that the second voice input includes sound data matching the particular predetermined speaker profile, performing a particular playback command associated with the at least one first keyword.

(332) Example 2: The method of Example 1, wherein the method further comprises: generating a second keyword detection event corresponding to a third voice input when the one or more keyword engines detect sound data matching at least one second keyword of the one or more keywords; determining that the third voice input does not match any of the one or more predetermined speaker profiles; and based on (i) generating the second keyword detection event and (ii) determining that the third voice input does not match any of the one or more predetermined speaker profiles, foregoing processing of the third voice input.

(333) Example 3: The method of any of Examples 1 and 2, wherein the method further comprises: generating a second wake-word detection event corresponding to a fourth voice input when the one or more keyword engines detect both (i) sound data matching the wake word in the input sound-data stream and (ii) sound data matching at least one keyword of the one or more keywords; and based on generating the second wake-word detection event, causing the voice assistant service to process the fourth voice input.

(334) Example 4: The method of any of Examples 1-3, wherein the one or more keyword engines comprise a wake word engine and a local keyword engine, and wherein monitoring the input sound-data stream via the one or more keyword engines comprises: monitoring, via the wake word engine, the input sound-data stream for the wake word associated with a voice assistant service; and monitoring, via the local keyword engine, the input sound-data stream for the one or more keywords.

(335) Example 5: The method of any of Examples 1-4, wherein the method further comprises: receiving data representing a command to associate the at least one first keyword of the one or more keywords with the particular predetermined speaker profile; and based on receiving the data representing the command, storing, in the data storage, an association between the at least one first keyword and the particular predetermined speaker profile, wherein performing the particular playback command associated with the at least one first keyword is further based on determining that there is a stored association between the at least one first keyword and the particular predetermined speaker profile.

(336) Example 6: The method of any of Examples 1-5, wherein the method further comprises: monitoring, via a speaker detection engine, the input sound-data stream for voice data that match the one or more predetermined speaker profiles, and wherein determining that the second

voice input matches the particular predetermined speaker profile comprises determining, via a speaker detection engine, that a portion of the input sound-data stream corresponding to the second voice input includes particular voice data matching the particular predetermined speaker profile.

(337) Example 7: The method of Examples 6, wherein monitoring, via the speaker detection engine, the input sound-data stream for voice data that matches the one or more predetermined speaker profiles comprises monitoring the input sound-data stream for voice data concurrently with monitoring the input sound-data stream for the one or more keywords.

(338) Example 8: The method of any of Examples 1-7, wherein the method further comprises: based on determining that the second voice input matches the particular predetermined speaker profile, updating at least one of the one or more keyword engines with parameters corresponding to the particular predetermined speaker profile.

(339) Example 8: The method of any of Examples 1-7, wherein the method further comprises: detecting, via a neural network, presence of sound data representing one or more keywords corresponding to the particular playback command in the second voice input, wherein the one or more keywords comprise the at least one first keyword.

(340) Example 10: The method of Example 9, wherein the method further comprises: receiving string data representing one or more custom keywords corresponding to the particular predetermined speaker profile; and training the neural network to detect the one or more custom keywords based on the string data.

(341) Example 11: A tangible, non-transitory, computer-readable medium having instructions stored thereon that are executable by one or more processors to cause a playback device to perform the method of any one of Examples 1-10.

(342) Example 12: A playback device comprising at least one speaker, a network interface, one or more microphones, one or more processors, and a data storage having instructions stored thereon that are executable by the one or more processors to cause the playback device to perform the method of any of Examples 1-10.

(343) Example 13: A method to be performed by a device including a network interface, one or more microphones, one or more processors, at least one speaker, and data storage having stored therein instructions executable by the one or more processors. The method includes monitoring, via one or more keyword engines, an input sound-data stream representing sound detected by the one or more microphones for one or more keywords from a keyword library, wherein the keyword library comprises pre-defined keywords and user-defined keywords; generating a first keyword detection event corresponding to a first voice input when the one or more keyword engines detect sound data matching a first keyword from the keyword library in the input sound-data stream; performing automatic speech recognition on the first voice input to detect keywords from the keyword library in the first voice input, wherein performing automatic speech recognition on the first voice input comprises: (i) detecting one or more pre-defined keywords from the keyword library in the first voice input; (ii) detecting a first user-defined keyword in the first voice input; and (iii) determining a confidence metric indicating confidence in recognizing keywords from the keyword library in the first voice input; and based on detecting the one or more pre-defined keywords in combination with the first user-defined keyword, modifying the confidence metric to indicate increased confidence in detecting keywords from the keyword library in the first voice input.

(344) Example 14: The method of Example 13, wherein the method further comprises: determining that the modified confidence metric exceeds a confidence threshold; and based on (i) generating the first keyword detection event and (ii) determining that the modified confidence metric exceeds the confidence threshold, performing a particular playback command corresponding to the detected keywords in the first voice input.

(345) Example 15: The method of any of Examples 13 and 14, wherein determining the confidence metric indicating confidence in recognizing keywords from the keyword library in the first voice input comprises: determining a first sub-metric indicating confidence in recognizing the particular user-defined keyword in the first voice input; determining one or more second sub-metrics indicating confidence in recognizing the one or more pre-loaded keywords from the keyword library in the first voice input, wherein the one or more second sub-metrics indicate higher confidence than the first sub-metric; and determining the confidence metric based on the first sub-metric and the one or more second sub-metrics.

(346) Example 16: The method of Example 15, wherein modifying the confidence metric to indicate increased confidence in detecting keywords from the keyword library in the first voice input comprises: based on detecting the one or more pre-loaded keywords from the keyword library in the first voice input, modifying the first sub-metric to indicate increased confidence in recognizing the particular user-defined keyword in the first voice input.

(347) Example 17: The method of any of Examples 13-16, wherein the method further comprises: generating a second keyword detection event corresponding to a second voice input when the one or more keyword engines detect sound data matching a second keyword from the keyword library in the input sound-data stream; performing automatic speech recognition on the second voice input to detect keywords from the keyword library in the second voice input, wherein performing automatic speech recognition on the second voice input comprises: (i) detecting a second user-defined keyword in the second voice input; and (ii) determining a confidence metric indicating confidence in recognizing keywords from the keyword library in the second voice input; and based on not detecting pre-defined keywords from the keyword library in the second voice input, foregoing modifying the confidence metric to indicate increased confidence in detecting keywords from the keyword library in the second voice input.

(348) Example 18: The method of Example 17, wherein the method further comprises: determining that the confidence metric indicating confidence in recognizing keywords from the keyword library in the second voice input does not meet a confidence threshold; and based on (i) generating the second keyword detection event and (ii) determining that the confidence metric indicating confidence in recognizing keywords from the keyword library in the second voice input does not meet a confidence threshold, foregoing performing a particular playback command corresponding to the detected keywords in the second voice input.

(349) Example 19: The method of any of Examples 13-18, wherein performing automatic speech recognition on the first voice input to detect keywords from the keyword library in the first voice input comprises: detecting, via a neural network, presence of sound data representing the user-defined keyword in a first portion of the first voice input; and detecting, via the neural network, presence of sound data representing the user-defined keyword in respective second portions of the first voice input, wherein the neural network was trained to detect the pre-defined keywords of the keyword library with additional sound data compared with the user-defined keywords of the keyword library.

(350) Example 20: The method of any of Examples 13-19, 20, wherein the method further comprises: receiving string data representing one or more additional user-defined keywords; and training the neural network to detect the one or more additional user-defined keywords based on the string data.

(351) Example 21: The method of any of Examples 13-20, wherein at least a portion of the pre-defined keywords correspond to respective playback commands, and wherein at least a portion of the user-defined keywords correspond to user-defined device names.

(352) Example 22: A tangible, non-transitory, computer-readable medium having instructions stored thereon that are executable by one or more processors to cause a playback device to perform the method of any one of Examples 13-20.

(353) Example 23: A playback device comprising at least one speaker, a network interface, one or more microphones, one or more processors, and a data storage having instructions stored thereon that are executable by the one or more processors to cause the playback device to perform the method of any of Examples 13-20.

Claims

1. A playback device comprising: a network interface; one or more microphones; at least one speaker; one or more processors; a housing carrying the network interface, the one or more microphones, the at least one speaker, and the one or more processors; and data storage having instructions stored thereon that are executable by the one or more processors to cause the playback device to perform functions comprising: monitoring, via one or more keyword engines, an input sound-data stream representing sound detected by the one or more microphones for (i) a wake word associated with a cloud-based voice assistant service implemented via one or more servers that are remote from the playback device and (ii) one or more keywords associated with a local voice assistant implemented on the playback device, wherein the one or more keywords are different than the wake word, wherein detections of sound data matching the wake word trigger generation of wake-word detection events that cause processing via the cloud-based voice assistant service, and wherein detections of sound data matching the one or more keywords trigger generation of wake-word detection events that cause processing via the local voice assistant; generating a first wake-word detection event corresponding to a first voice input when the one or more keyword engines detect first sound data matching the wake word in the input sound-data stream; based on generating the first wake-word detection event, causing, via the network interface, the cloud-based voice assistant service to process the first voice input; generating a first keyword detection event corresponding to a second voice input when the one or more keyword engines detect sound data matching at least one first keyword of the one or more keywords; determining that the second voice input matches a particular predetermined speaker profile of one or more predetermined speaker profiles such that a particular speaker of the second voice input is recognized; based on (i) generating the first keyword detection event and (ii) determining that the second voice input includes sound data matching the particular predetermined speaker profile, processing the second voice input via the local voice assistant, wherein processing the second voice input via the local voice assistant comprises determining a particular playback command associated with the at least one first keyword; performing the particular playback command associated with the at least one first keyword; generating a second keyword detection event corresponding to a third voice input when the one or more keyword engines detect sound data matching at least one second keyword of the one or more keywords; determining that the third voice input does not match any of the one or more predetermined speaker profiles such that a speaker for the third voice input cannot be recognized; and based on (i) generating the second keyword detection event and (ii) determining that the third voice input does not match any of the one or more predetermined speaker profiles, forgoing processing of the third voice input via either the local voice assistant or the cloud-based voice assistant.
2. The playback device of claim 1, wherein the functions further comprise: generating a second wake-word detection event corresponding to a fourth voice input when the one or more keyword engines detect both (i) sound data matching the wake word in the input sound-data stream and (ii) sound data matching at least one keyword of the one or more keywords; and based on generating the second wake-word detection event, causing the cloud-based voice assistant service to process the fourth voice input.
3. The playback device of claim 1, wherein the one or more keyword engines comprise a wake word engine and a local keyword engine, and wherein monitoring the input sound-data stream via the one or more keyword engines comprises: monitoring, via the wake word engine, the input sound-data stream for the wake word associated with the cloud-based voice assistant service; and monitoring, via the local keyword engine, the input sound-data stream for the one or more keywords.
4. The playback device of claim 1, wherein the functions further comprise: receiving data representing a command to associate the at least one first keyword of the one or more keywords with the particular predetermined speaker profile; and based on receiving the data representing the command, storing, in the data storage, an association between the at least one first keyword and the particular predetermined speaker profile, wherein performing the particular playback command associated with the at least one first keyword is further based on determining that there is a stored association between the at least one first keyword and the particular predetermined speaker profile.
5. The playback device of claim 1, wherein the functions further comprise: monitoring, via a speaker detection engine, the input sound-data stream for voice data that match the one or more predetermined speaker profiles, and wherein determining that the second voice input matches the particular predetermined speaker profile comprises determining, via the speaker detection engine, that a portion of the input sound-data stream corresponding to the second voice input includes particular voice data matching the particular predetermined speaker profile.
6. The playback device of claim 5, wherein monitoring, via the speaker detection engine, the input sound-data stream for voice data that matches the one or more predetermined speaker profiles comprises monitoring the input sound-data stream for voice data concurrently with monitoring the input sound-data stream for the one or more keywords.
7. The playback device of claim 1, wherein the functions further comprise: based on determining that the second voice input matches the particular predetermined speaker profile, updating at least one of the one or more keyword engines with parameters corresponding to the particular predetermined speaker profile.
8. The playback device of claim 1, wherein the functions further comprise: detecting, via a neural network, presence of sound data representing one or more keywords corresponding to the particular playback command in the second voice input, wherein the one or more keywords comprise the at least one first keyword.
9. The playback device of claim 8, wherein the functions further comprise: receiving string data representing one or more custom keywords corresponding to the particular predetermined speaker profile; and training the neural network to detect the one or more custom keywords based on the string data.
10. A method to be performed by a playback device, the method comprising: monitoring, via one or more keyword engines, an input sound-data stream representing sound detected by one or more microphones for (i) a wake word associated with a cloud-based voice assistant service implemented via one or more servers that are remote from the playback device and (ii) one or more keywords associated with a local voice assistant implemented on the playback device, wherein the one or more keywords are different than the wake word, wherein detections of sound data matching the wake word trigger generation of wake-word detection events that cause processing via the cloud-based voice assistant service, wherein detections of sound data matching the one or more keywords trigger generation of wake-word detection events that cause processing via local voice assistant, and wherein the playback device comprises a housing carrying a network interface, the one or more microphones, at least one speaker, and one or more processors; generating a first wake-word detection event corresponding to a first voice input when the one or more keyword engines detect first sound data matching the wake word in the input sound-data stream; based on generating the first wake-word detection event, causing, via the network interface, the cloud-based voice assistant service to process the first voice input; generating a first keyword detection event corresponding to a second voice input when the one or more keyword engines detect

sound data matching at least one of the one or more keywords; determining that the second voice input matches a particular predetermined speaker profile of one or more predetermined speaker profiles such that a particular speaker of the second voice input is recognized; based on (i) generating the first keyword detection event and (ii) determining that the second voice input includes sound data matching the particular predetermined speaker profile, processing the second voice input via the local voice assistant, wherein processing the second voice input via the local voice assistant comprises determining a particular playback command associated with the at least one first keyword; generating a second keyword detection event corresponding to a third voice input when the one or more keyword engines detect sound data matching at least one second keyword of the one or more keywords; determining that the third voice input does not match any of the one or more predetermined speaker profiles such that a speaker for the third voice input cannot be recognized; and based on (i) generating the second keyword detection event and (ii) determining that the third voice input does not match any of the one or more predetermined speaker profiles, forgoing processing of the third voice input via either the local voice assistant or the cloud-based voice assistant.

11. The method of claim 10, further comprising: generating a second wake-word detection event corresponding to a fourth voice input when the one or more keyword engines detect both (i) sound data matching the wake word in the input sound-data stream and (ii) sound data matching at least one keyword of the one or more keywords; and based on generating the second wake-word detection event, causing the voice assistant service to process the fourth voice input.

12. The method of claim 10, wherein the one or more keyword engines comprise a wake word engine and a local keyword engine, and wherein monitoring the input sound-data stream via the one or more keyword engines comprises: monitoring, via the wake word engine, the input sound-data stream for the wake word associated with the voice assistant service; and monitoring, via the local keyword engine, the input sound-data stream for the one or more keywords.

13. The method of claim 10, further comprising: receiving data representing a command to associate the at least one first keyword of the one or more keywords with the particular predetermined speaker profile; and based on receiving the data representing the command, storing, in data storage, an association between the at least one first keyword and the particular predetermined speaker profile, wherein performing the particular playback command associated with the at least one first keyword is further based on determining that there is a stored association between the at least one first keyword and the particular predetermined speaker profile.

14. The method of claim 10, further comprising: monitoring, via a speaker detection engine, the input sound-data stream for voice data that match the one or more predetermined speaker profiles, and wherein determining that the second voice input matches the particular predetermined speaker profile comprises determining, via the speaker detection engine, that a portion of the input sound-data stream corresponding to the second voice input includes particular voice data matching the particular predetermined speaker profile.

15. The method of claim 14, wherein monitoring, via the speaker detection engine, the input sound-data stream for voice data that matches the one or more predetermined speaker profiles comprises monitoring the input sound-data stream for voice data concurrently with monitoring the input sound-data stream for the one or more keywords.

16. The method of claim 10, further comprising: based on determining that the second voice input matches the particular predetermined speaker profile, updating at least one of the one or more keyword engines with parameters corresponding to the particular predetermined speaker profile.

17. The method of claim 10, further comprising: detecting, via a neural network, presence of sound data representing one or more keywords corresponding to the particular playback command in the second voice input, wherein the one or more keywords comprise the at least one first keyword; receiving string data representing one or more custom keywords corresponding to the particular predetermined speaker profile; and training the neural network to detect the one or more custom keywords based on the string data.

18. A tangible, non-transitory, computer-readable medium storing instructions that, when executed by one or more processors, cause a playback device to perform functions comprising: monitoring, via one or more keyword engines, an input sound-data stream representing sound detected by one or more microphones for (i) a wake word associated with a cloud-based voice assistant service implemented via one or more servers that are remote from the playback device and (ii) one or more keywords associated with a local voice assistant implemented on the playback device, wherein the one or more keywords are different than the wake word, wherein detections of sound data matching the wake word trigger generation of wake-word detection events that cause processing via the cloud-based voice assistant service, wherein detections of sound data matching the one or more keywords trigger generation of wake-word detection events that cause processing via local voice assistant, and wherein the playback device comprises a housing carrying a network interface, the one or more microphones, at least one speaker, and the one or more processors; monitoring, via one or more keyword engines, an input sound-data stream representing sound detected by one or more microphones for (i) a wake word associated with a voice assistant service and (ii) one or more keywords, wherein the one or more keywords are different than the wake word; generating a first wake-word detection event corresponding to a first voice input when the one or more keyword engines detect first sound data matching the wake word in the input sound-data stream; based on generating the first wake-word detection event, causing, via the network interface, the cloud-based voice assistant service to process the first voice input; generating a first keyword detection event corresponding to a second voice input when the one or more keyword engines detect sound data matching at least one first keyword of the one or more keywords; determining that the second voice input matches a particular predetermined speaker profile of one or more predetermined speaker profiles such that a particular speaker of the second voice input is recognized; based on (i) generating the first keyword detection event and (ii) determining that the second voice input includes sound data matching the particular predetermined speaker profile, processing the second voice input via the local voice assistant, wherein processing the second voice input via the local voice assistant comprises determining a particular playback command associated with the at least one first keyword; generating a second keyword detection event corresponding to a third voice input when the one or more keyword engines detect sound data matching at least one second keyword of the one or more keywords; determining that the third voice input does not match any of the one or more predetermined speaker profiles such that a speaker for the third voice input cannot be recognized; and based on (i) generating the second keyword detection event and (ii) determining that the third voice input does not match any of the one or more predetermined speaker profiles, forgoing processing of the third voice input via either the local voice assistant or the cloud-based voice assistant.

19. The tangible, non-transitory, computer-readable medium of claim 18, wherein the functions further comprise: generating a second wake-word detection event corresponding to a fourth voice input when the one or more keyword engines detect both (i) sound data matching the wake word in the input sound-data stream and (ii) sound data matching at least one keyword of the one or more keywords; and based on generating the second wake-word detection event, causing the voice assistant service to process the fourth voice input.

20. The tangible, non-transitory, computer-readable medium of claim 18, wherein the one or more keyword engines comprise a wake word engine and a local keyword engine, and wherein monitoring the input sound-data stream via the one or more keyword engines comprises: monitoring, via the wake word engine, the input sound-data stream for the wake word associated with a voice assistant service; and monitoring, via the local keyword engine, the input sound-data stream for the one or more keywords.
