



US012385065B2

(12) **United States Patent**  
**Wilson et al.**

(10) **Patent No.: US 12,385,065 B2**

(45) **Date of Patent: \*Aug. 12, 2025**

(54) **GENE THERAPY FOR TREATING CITRULLENEMIA**

(71) Applicant: **The Trustees of the University of Pennsylvania**, Philadelphia, PA (US)

(72) Inventors: **James M. Wilson**, Philadelphia, PA (US); **Jenny Agnes Sidrane**, Phoenixville, PA (US); **Lili Wang**, Phoenixville, PA (US)

(73) Assignee: **The Trustees of the University of Pennsylvania**, Philadelphia, PA (US)

(\*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 165 days.

This patent is subject to a terminal disclaimer.

(21) Appl. No.: **18/057,572**

(22) Filed: **Nov. 21, 2022**

(65) **Prior Publication Data**

US 2023/0295660 A1 Sep. 21, 2023

#### Related U.S. Application Data

(63) Continuation of application No. 16/478,971, filed as application No. PCT/US2018/016413 on Feb. 1, 2018, now Pat. No. 11,535,866.

(60) Provisional application No. 62/453,424, filed on Feb. 1, 2017, provisional application No. 62/469,650, filed on Mar. 10, 2017.

(51) **Int. Cl.**

**A61K 48/00** (2006.01)

**A61P 43/00** (2006.01)

**C12N 15/86** (2006.01)

(52) **U.S. Cl.**

CPC ..... **C12N 15/86** (2013.01); **A61P 43/00** (2018.01); **C12Y 603/04005** (2013.01); **A61K 48/00** (2013.01); **C12N 2750/14143** (2013.01); **C12N 2830/008** (2013.01); **C12N 2830/42** (2013.01)

(58) **Field of Classification Search**

CPC .... **A61K 48/00**; **A61K 48/0058**; **C12N 15/86**; **C12N 2750/14143**; **C12N 2830/008**; **C12N 2830/42**; **C12Y 603/04005**

See application file for complete search history.

(56) **References Cited**

#### U.S. PATENT DOCUMENTS

11,535,866 B2 \* 12/2022 Wilson ..... C12N 9/93  
2003/0147853 A1 \* 8/2003 McClelland ..... C07K 14/755  
435/235.1  
2003/0198620 A1 \* 10/2003 Ozawa ..... A61K 38/44  
435/235.1  
2004/0009151 A1 \* 1/2004 Kay ..... C12Y 304/21022  
435/456

2006/0051333 A1 \* 3/2006 Arbetman ..... A61P 3/10  
435/456

2006/0136184 A1 6/2006 Gustafsson et al.

2014/0032186 A1 1/2014 Gustafsson et al.

2015/0315612 A1 11/2015 Wilson et al.

2015/0376144 A1 12/2015 DeRosa et al.

#### FOREIGN PATENT DOCUMENTS

WO WO 2003/052051 6/2003

WO WO 2005/033321 4/2005

WO WO 2011/126808 10/2011

WO WO 2013/049493 4/2013

WO WO 2015/012924 1/2015

WO WO 2017/015102 1/2017

WO WO 2017/100676 6/2017

#### OTHER PUBLICATIONS

Calcedo et al., Worldwide Epidemiology of Neutralizing Antibodies to Adeno-Associated Viruses. J Infect Dis. Feb. 1, 2009;199(3):381-90.

Castelhano-Carlos et al., Identification methods in newborn C57BL/6 mice: a developmental and behavioural evaluation. Lab Anim. Apr. 2010;44(2):88-103.

Chandler et al., Liver-directed adeno-associated virus serotype 8 gene transfer rescues a lethal murine model of citrullinemia type 1. Gene Ther. Dec. 2013;20(12):1188-91. Epub Oct. 17, 2013.

Engel et al., Mutations and polymorphisms in the human argininosuccinate synthetase (ASS1) gene. Hum Mutat. Mar. 2009;30(3):300-7. Gao et al., Adeno-associated viruses undergo substantial evolution in primates during natural infections. Proc Natl Acad Sci U S A. May 13, 2003;100(10):6081-6. Epub Apr. 25, 2003.

GenBank Accession: AF513852.1, Adeno-associated virus 8 nonstructural protein and capsid protein genes, complete cds, Sep. 5, 2002.

Grimm et al., Titration of AAV-2 particles via a novel capsid ELISA: packaging of genomes can limit production of recombinant AAV-2. Gene Ther. Jul. 1999;6(7):1322-30.

Kelly et al., Splicing of many human genes involves sites embedded within introns. Nucleic Acids Res. May 19, 2015;43(9):4721-32. Epub Apr. 20, 2015.

Kobayashi et al. Messenger RNA coding for argininosuccinate synthetase in citrullinemia. Am J Hum Genet. May 1986;38(5):667-80.

Kok et al., Adeno-associated virus-mediated rescue of neonatal lethality in argininosuccinate synthetase-deficient mice. Mol Ther. Oct. 2013;21(10):1823-31. doi: 10.1038/mt.2013.139. Epub Jul. 2, 2013.

(Continued)

Primary Examiner — Kevin K Hill

(74) Attorney, Agent, or Firm — Howson & Howson LLP; Colleen M. Schaller

(57) **ABSTRACT**

Compositions and regimens useful in treating type I citrullinemia are provided. The compositions include recombinant adeno-associated virus (rAAV) with a transthyretin enhancer and promoter driving expression of a human Argininosuccinate Synthase 1 (ASS1).

**20 Claims, 18 Drawing Sheets**

**Specification includes a Sequence Listing.**

(56)

**References Cited**

## OTHER PUBLICATIONS

- Lock et al., Absolute determination of single-stranded and self-complementary adeno-associated viral vector genome titers by droplet digital PCR. *Hum Gene Ther Methods*. Apr. 2014;25(2):115-25. Epub Feb. 14, 2014.
- Miyatake et al., Transcriptional targeting of herpes simplex virus for cell-specific replication. *J Virol*. Jul. 1997;71(7):5124-32.
- NCBI Reference Sequence: YP\_077180.1, capsid protein [Adeno-associated virus—8], Mar. 11, 2010.
- Saheki et al., Qualitative and quantitative abnormalities of argininosuccinate synthetase in citrullinemia. *Clin Chim Acta*. Feb. 5, 1981;109(3):325-35.
- Sandig et al., HBV-derived promoters direct liver-specific expression of an adenovirally transduced LDL receptor gene. *Gene Ther*. Nov. 1996;3(11):1002-9.
- Shepelev and Fedorov. *Advances in the Exon-Intron Database*. Brief Bioinform. Jun. 2006;7(2):178-85. Epub Mar. 9, 2006.
- Sommer et al., Quantification of adeno-associated virus particles and empty capsids by optical density measurement. *Mol Ther*. Jan. 2003;7(1):122-8.
- Thompson et al., A comprehensive comparison of multiple sequence alignments, *Nucleic Acids Res*. Jul. 1, 1999;27(13):2682-90.
- Wobus et al., Monoclonal antibodies against the adeno-associated virus type 2 (AAV-2) capsid: epitope mapping and identification of capsid domains involved in AAV-2-cell interaction and neutralization of AAV-2 infection. *J Virol*. Oct. 2000;74(19):9281-93.
- Wu et al., Effect of genome size on AAV vector packaging. *Mol Ther*. Jan. 2010;18(1):80-6. Epub Nov. 10, 2009.
- Wu et al., Optimization of self-complementary AAV vectors for liver-directed expression results in sustained correction of hemophilia B at low vector dose. *Mol Ther*. Feb. 2008;16(2):280-9. Epub Dec. 4, 2007.
- Search Report and Written Opinion in International Patent Application No. PCT/US18/16413, mailed Oct. 4, 2018.
- Requirement for Election/Restriction in U.S. Appl. No. 16/478,971, issued Sep. 3, 2021.
- Applicant's Response to Requirement for Election/Restriction in U.S. Appl. No. 16/478,971, filed Jan. 3, 2022.
- Non-Final Rejection in U.S. Appl. No. 16/478,971, issued Mar. 4, 2022.
- Applicant's Response to Non-Final Rejection in U.S. Appl. No. 16/478,971, filed Jul. 28, 2022.
- Notice of Allowance in U.S. Appl. No. 16/478,971, issued Aug. 25, 2022.

\* cited by examiner

FIG. 1

MAP of pAAV8.ApoE.A1AT(full).IVS2.hASS1co.bGH.




FIG. 2A




FIG. 2B




FIG. 2C




FIG. 2D




FIG. 2E




FIG. 2F




FIG. 3A




FIG. 3B




FIG. 3C




FIG. 3D






FIG. 3E




FIG. 3F




FIG. 4A




FIG. 4B




FIG. 5A




FIG. 5B




FIG. 5C




FIG. 5D




FIG. 6A




FIG. 6B




FIG. 6C




FIG. 7A




FIG. 7B




FIG. 8




FIG. 9A




FIG. 9B






FIG. 10




FIG. 11A




FIG. 11B




FIG. 12A





FIG. 12B






FIG. 13

1

# GENE THERAPY FOR TREATING CITRULLENEMIA

## CROSS-REFERENCE TO RELATED APPLICATIONS

This is a continuation of U.S. patent application Ser. No. 16/478,971, filed Jul. 18, 2019, which is a national stage application under 35 USC 371 of PCT/US2018/061413, filed Jan. 2, 2018, which claims the benefit under 35 USC 119 (e) of U.S. Provisional Patent Application No. 62/453,424, filed Feb. 1, 2017, and U.S. Provisional Patent Application No. 62/469,650, filed Mar. 10, 2017. Each of these applications is hereby incorporated by reference in its entirety.

## INCORPORATION-BY-REFERENCE OF MATERIAL SUBMITTED IN ELECTRONIC FORM

Applicant hereby incorporates by reference the Sequence Listing material filed in electronic form herewith. This file is labeled "16-7938USC1.xml" (created Feb. 19, 2025 and 139,685 bytes in size).

## 1. BACKGROUND

The application relates to embodiments useful for a gene therapy for treating type I citrullinemia. Type I citrullinemia is an autosomal recessive disease caused by mutations in argininosuccinate synthase 1 (ASS1) enzyme that catalyzes the synthesis of argininosuccinate from citrulline and aspartate, resulting in citrullinemia and buildup of ammonia.

The clinical spectrum of Type I citrullinemia (CTLN1) ranges from severe neonatal onset form to milder late-onset forms. Owing to its relatively recent addition to the newborn screening panel, patients with type I citrullinemia will be identified early, allowing immediate implementation of treatment. However, despite this early identification of disease and treatment, some patients may progress. The untreated mortality rate in untreated classical CTLN1 is 100%, with most deaths occurring before 17 days of life.

Current treatment approaches for type I citrullinemia include dietary restriction (restriction of protein intake), medications (nitrogen scavenger therapy and carnitine), and arginine supplementation. Liver transplantation is curative for citrullinemia but transplant recipients are required to maintain a constant immune suppression regimen to prevent rejection. Liver directed AAV treatments for type I citrullinemia have been shown. See, e.g., Chandler et al, Liver-directed adeno-associated virus serotype 8 gene transfer rescues a lethal murine model of citrullinemia type 1, *Gene Therapy* (2013) 20, 1188-1191, which is incorporated herein by reference. However, liver-directed gene therapy did not fully correct the biochemical phenotype of systemic ASS1 deficiency; arginine levels plummeted in treated individuals of a murine model for CTLN1 (fold/fold) due to persistent renal deficiency. See also, Kok et al, Adeno-associated Virus-mediated Rescue of Neonatal Lethality in Argininosuccinate Synthase-deficient Mice, *Molecular Therapy* vol. 21 no. 10, 1823-1831 Oct. 2013, which is incorporated herein by reference.

What are needed are more effective treatments for type I citrullinemia.

## 2. SUMMARY

The embodiments described herein relate to an AAV gene therapy vector for delivering normal human Argininosucci-

2

nate Synthase 1 (ASS1) to a subject in need thereof, following intravenous administration of the vector resulting in long-term, perhaps 10 years or more, of clinically meaningful correction of Type I citrullinemia (CTLN1) (also sometimes called citrullinuria or ASS1 deficiency). The subject patient population is patients with moderate to severe Type I citrullinemia, including those with the acute neonatal form (the "classic" form), a milder late-onset form (the "non-classic" form), or the form in which women have onset of severe symptoms during pregnancy or post-partum. The intended vector dose is, in one embodiment, intended to deliver ASS1 which results in near normal citrulline, glutamine and ammonia plasma levels. However, even nominal reductions in citrulline, glutamine and ammonia levels are desirable, and a desirable endpoint. As reported by Quinonez and Thoene, Pagon R A, Adam M P, Ardinger H H, et al., editors. Seattle (WA): University of Washington, Seattle; 1993-2016 (incorporated herein by reference), elevation of either citrulline or ammonia above acceptable levels (ammonia >100  $\mu\text{mol/L}$  or plasma citrulline >~100  $\mu\text{mol/L}$ ) is sufficient evidence to initiate treatment for CTLN1. In another embodiment, a neonatal diagnosis based on genetic testing is sufficient to initiate treatment.

In one aspect, this application provides the use of a replication deficient adeno-associated virus (AAV) to deliver a human Argininosuccinate Synthase 1 (hASS1) gene to liver cells of patients (human subjects) diagnosed with CTLN1. The recombinant AAV vector (rAAV) used for delivering the hASS1 gene ("rAAV.hASS1") should have a tropism for the liver (e.g., a rAAV bearing an AAV8 capsid), and the hASS1 transgene should be controlled by liver-specific expression control elements. In one embodiment, the expression control elements include one or more of the following: an enhancer; a promoter; an intron; a WPRE; and a polyA signal. Such elements are further described herein.

In one embodiment, the ASS1 protein sequence is shown in SEQ ID NO: 1. In one embodiment, the hASS1 coding sequence is shown in SEQ ID NO: 3. The coding sequence for hASS1 is, in one embodiment, codon optimized for expression in humans. Such sequence may share at least 80% identity to the native hASS1 coding sequence (SEQ ID NO: 3). In another embodiment, the hASS1 coding sequence is that shown in SEQ ID NO: 3.

In another aspect, provided herein is an aqueous suspension suitable for administration to a CTLN1 patient which includes the rAAV described herein. In some embodiments, the suspension includes an aqueous suspending liquid and about  $1 \times 10^{12}$  to about  $1 \times 10^{14}$  genome copies (GC) of the rAAV/mL. The suspension is, in one embodiment, suitable for intravenous injection. In other embodiment, the suspension further includes a surfactant, preservative, and/or buffer dissolved in the aqueous suspending liquid.

In another embodiment, provided herein is a method of treating a patient having CTLN1 with an rAAV as described herein. In one embodiment, about  $1 \times 10^{11}$  to about  $3 \times 10^{13}$  genome copies (GC) of the rAAV/kg patient body weight are delivered the patient in an aqueous suspension.

## 3. BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a schematic representation of AAV.hASS1co cis plasmid.

FIG. 2A is a survival curve of ASS1<sup>fold/fold</sup> mice as described in Example 2. Squares are male mice and circles are female mice.

3

FIG. 2B is a line graph of body weights in both genders (M, male; F, female) of  $ASS1^{fold/fold}$  mice (Fold). Wild-type littermates (WT) were provided as controls.

FIG. 2C is a graph showing elevated plasma  $NH_3$  levels of  $ASS1^{fold/fold}$  mice. Wild-type (WT) mice were provided as controls. Each circle or triangle indicates one sample. Mean $\pm$ SEM is also plotted. Mann Whitney test was performed and the p value between indicated groups is shown in the figure.

FIG. 2D is a graph showing elevated plasma citrulline levels of  $ASS1^{fold/fold}$  mice. Wild-type (WT) mice were provided as controls. Each circle or triangle indicates one sample. Mean $\pm$ SEM is also plotted. Mann Whitney test was performed and the p value between indicated groups is shown in the figure.

FIG. 2E is a graph showing elevated plasma arginine levels of  $ASS1^{fold/fold}$  mice. Wild-type (WT) mice were provided as controls. Each circle or triangle indicates one sample. Mean $\pm$ SEM is also plotted. Mann Whitney test was performed and the p value between indicated groups is shown in the figure.

FIG. 2F is a graph showing elevated urine orotic acid levels of  $ASS1^{fold/fold}$  mice at all age, or at the age of 4 weeks, 5 weeks, 6 weeks, 8 weeks, 10 weeks, 12 weeks and 14 weeks and older. Wild-type (WT) mice were provided as controls. Each dot indicates one sample. Mean $\pm$ SEM is also plotted.

FIG. 3A is a line graph of body weights of male  $ASS1^{fold/fold}$  mice injected intravenously at birth with  $3\times 10^{11}$  GC/pup of AAV8.TBG.PI.hASS1co. WPRE.bGH (Fold-M-G2, solid gray square, n=1) or AAV8.LSP.IVS2.hASS1co.bGH (Fold-M-G3, asterisk, n=3) or AAV8.TBG.PI.hASS1co.bGH (Fold-M-G4, triangle, n=3). Male  $ASS1^{fold/fold}$  (Fold-M, open square) and wild-type (WT-M, solid black square) mice without treatment were provided as controls.

FIG. 3B is a line graph of body weights of female  $ASS1^{fold/fold}$  mice injected intravenously at birth with  $3\times 10^{11}$  GC/pup of AAV8.TBG.PI.hASS1co. WPRE.bGH (Fold-F-G2, solid gray circle, n=1) or AAV8.LSP.IVS2.hASS1co.bGH (Fold-F-G3, asterisk, n=2) or AAV8.TBG.PI.hASS1co.bGH (Fold-F-G4, triangle, n=1). Female  $ASS1^{fold/fold}$  (Fold-F, open circle) and wild-type (WT-F, solid black circle) mice without treatment were provided as controls.

FIG. 3C is a line graph of body weights of male  $ASS1^{fold/fold}$  mice injected intravenously at birth with  $1\times 10^{11}$  GC/pup of AAV8.TBG.PI.hASS1co.WPRE.bGH (Fold-M-G2, red, n=2) or AAV8.LSP.IVS2.hASS1co.bGH (Fold-M-G3, purple, n=1). Male  $ASS1^{fold/fold}$  (Fold-M, blue) and wild-type (WT-M, black) mice without treatment were provided as controls.

FIG. 3D is a line graph of body weights of female  $ASS1^{fold/fold}$  mice injected intravenously at birth with  $1\times 10^{11}$  GC/pup of AAV8.TBG.PI.hASS1co.WPRE.bGH (Fold-F-G2, red, n=1) or AAV8.LSP.IVS2.hASS1co.bGH (Fold-F-G3, purple, n=2) or AAV8.TBG.PI.hASS1co.bGH (Fold-F-G4, green, n=2). Female  $ASS1^{fold/fold}$  (Fold-F, blue) and wild-type (WT-F, black) mice without treatment were provided as controls.

FIG. 3E is a line graph of body weights of male  $ASS1^{fold/fold}$  mice injected intraperitoneal on postnatal day 14 with  $1\times 10^{11}$  GC/mouse of AAV8.TBG.PI.hASS1co.WPRE.bGH (Fold-M-IP d14, light blue, n=4). Male  $ASS1^{fold/fold}$  (Fold-M, blue) and wild-type (WT-M, black) mice without treatment were provided as controls.

4

FIG. 3F is a line graph of body weights of female  $ASS1^{fold/fold}$  mice injected intraperitoneal on postnatal day 14 with  $1\times 10^{11}$  GC/mouse of AAV8.TBG.PI.hASS1co.WPRE.bGH (Fold-F-IP d14, magenta, n=2). Female  $ASS1^{fold/fold}$  (Fold-F, blue) and wild-type (WT-F, black) mice without treatment were provided as controls.

FIG. 4A is a bar graph of citrulline levels in the blood of  $ASS1^{fold/fold}$  mice injected intravenously at birth with  $3\times 10^{11}$  GC/pup of AAV8.TBG.PI.hASS1co.WPRE.bGH (G2-6w) or AAV8.LSP.IVS2.hASS1co.bGH (G3-6w) or AAV8.TBG.PI.hASS1co.bGH (G4-6w).  $ASS1^{fold/fold}$  (Fold) and wild-type (WT-M) mice without treatment were provided as controls.

FIG. 4B is a bar graph of citrulline levels in the blood of  $ASS1^{fold/fold}$  mice injected intravenously at birth with  $1\times 10^{11}$  GC/pup of AAV8.TBG.PI.hASS1co.WPRE.bGH (G2B-12w) or AAV8.LSP.IVS2.hASS1co.bGH (G3B-6w) or AAV8.TBG.PI.hASS1co.bGH (G4B-6w).  $ASS1^{fold/fold}$  (Fold) and wild-type (WT-M) mice without treatment were provided as controls.

FIG. 5A is a line graph of urine orotic acid levels in  $ASS1^{fold/fold}$  mice injected intravenously at birth with  $3\times 10^{11}$  GC/pup of AAV8.TBG.PI.hASS1co. WPRE.bGH. Data from mice with identification number 028 and 031 was acquired and plotted.

FIG. 5B is a line graph of urine orotic acid levels in  $ASS1^{fold/fold}$  mice injected intravenously at birth with  $3\times 10^{11}$  GC/pup of AAV8.LSP.IVS2.hASS1co.bGH. Data from mice with identification number 022, 038, 018 and 001 was acquired and plotted.

FIG. 5C is a line graph of urine orotic acid levels in  $ASS1^{fold/fold}$  mice injected intravenously at birth with  $3\times 10^{11}$  GC/pup of AAV8.TBG.PI.hASS1co.bGH. Data from mice with identification number 024, 025 and 043 was acquired and plotted.

FIG. 5D is a line graph of urine orotic acid levels in  $ASS1^{fold/fold}$  mice injected intravenously at birth with  $1\times 10^{11}$  GC/pup of AAV8.LSP.IVS2.hASS1co.bGH. Data from mice with identification number 059, 069 and 070 was acquired and plotted.

FIG. 6A is a survival curve of  $ASS1^{fold/fold}$  mice demonstrating liver-directed gene therapy improves the survival of  $ASS1^{fold/fold}$ . Four-week old  $ASS1^{fold/fold}$  (both males and females) received a single retro-orbital injection of AAV8.LSP.IVS.hASS1co.bGH vector at the dose of  $3\times 10^{11}$  GC/mouse (n=10) or  $1\times 10^{11}$  GC/mouse (n=10). Survival was monitored. Untreated  $ASS1^{fold/fold}$  mice were provided as controls (n=24).

FIG. 6B is a line graph of body weights of male  $ASS1^{fold/fold}$  mice demonstrating liver-directed gene therapy improves the body weight of  $ASS1^{fold/fold}$ . Four-week old  $ASS1^{fold/fold}$  received a single retro-orbital injection of AAV8.LSP.IVS.hASS1co.bGH vector at the dose of  $3\times 10^{11}$  GC/mouse or  $1\times 10^{11}$  GC/mouse. Body weights were monitored. Gender-matched untreated  $ASS1^{fold/fold}$  (Fold) and wild-type (WT) mice were provided as controls.

FIG. 6C is a line graph of body weights of female  $ASS1^{fold/fold}$  mice demonstrating liver-directed gene therapy improves the body weight of  $ASS1^{fold/fold}$ . Four-week old  $ASS1^{fold/fold}$  received a single retro-orbital injection of AAV8.LSP.IVS.hASS1co.bGH vector at the dose of  $3\times 10^{11}$  GC/mouse or  $1\times 10^{11}$  GC/mouse. Body weights were monitored. Gender-matched untreated  $ASS1^{fold/fold}$  (Fold) and wild-type (WT) mice were provided as controls.

FIG. 7A is a line graph of body weights of male  $ASS1^{fold/fold}$  mice demonstrating liver-directed gene therapy improves the body weight of  $ASS1^{fold/fold}$ . Four-week old

5

ASS1<sup>fold/fold</sup> received a single retro-orbital injection of AAV8.ApoE.A1AT (full).IVS2.hASS1co.bGH vector at the dose of  $3 \times 10^{11}$  GC/mouse or  $1 \times 10^{11}$  GC/mouse. Body weights were monitored. Gender-matched untreated ASS1<sup>fold/fold</sup> (Fold) and wild-type (WT) mice were provided as controls.

FIG. 7B is a line graph of body weights of female ASS1<sup>fold/fold</sup> mice demonstrating liver-directed gene therapy improves the body weight of ASS1<sup>fold/fold</sup>. Four-week old ASS1<sup>fold/fold</sup> received a single retro-orbital injection of AAV8.ApoE.A1AT (full).IVS2.hASS1co.bGH vector at the dose of  $3 \times 10^{11}$  GC/mouse or  $1 \times 10^{11}$  GC/mouse. Body weights were monitored. Gender-matched untreated ASS1<sup>fold/fold</sup> (Fold) and wild-type (WT) mice were provided as controls.

FIG. 8 is a line graph showing reduction of urine orotic acid in ASS1<sup>fold/fold</sup> following vector administration. Four-week old ASS1<sup>fold/fold</sup> received a single retro-orbital injection of AAV8.LSP.IVS2.hASS1co.bGH vector at the dose of  $3 \times 10^{11}$  or  $1 \times 10^{11}$  GC/mouse. ASS1<sup>fold/fold</sup> (Fold) mice were provided as controls.

FIGS. 9A to 9B provide graphs showing citrulline levels in ASS1<sup>fold/fold</sup> mice at 2 weeks and 6 weeks post AAV8 vector administration. Four-week old ASS1<sup>fold/fold</sup> received a single retro-orbital injection of the indicated vector at the dose of  $3 \times 10^{11}$  GC/mouse (FIG. 9A) or  $1 \times 10^{11}$  GC/mouse (FIG. 9B). Code for each vector is listed in Table 1. Untreated ASS1<sup>fold/fold</sup> (Fold) and wild-type (WT) mice were provided as controls. Significant differences compared to untreated fold mice were calculated using one-way ANOVA Dunnett's multiple comparisons test. \* P<0.05, \*\* P<0.01, \*\*\* P<0.001, \*\*\*\* P<0.0001.

FIG. 10 is a graph showing percent survival in ASS1<sup>fold/fold</sup> mice. Four-week old ASS1<sup>fold/fold</sup> received a single retro-orbital injection of the indicated vector at the dose of  $1 \times 10^{11}$  GC/mouse. Code for each vector is listed in Table 1. Untreated ASS1<sup>fold/fold</sup> (Fold) and wild-type (WT) mice were provided as controls.

FIG. 11A is a graph showing body weight in male ASS1<sup>fold/fold</sup> mice. Four-week old ASS1<sup>fold/fold</sup> received a single retro-orbital injection of the indicated vector at the dose of  $1 \times 10^{11}$  GC/mouse. Code for each vector is listed in Table 1. Untreated ASS1<sup>fold/fold</sup> (Fold) and wild-type (WT) mice were provided as controls. Liver-directed gene therapy improves the body weight of ASS1<sup>fold/fold</sup>.

FIG. 11B is a graph showing body weight in female ASS1<sup>fold/fold</sup> mice. Four-week old ASS1<sup>fold/fold</sup> received a single retro-orbital injection of the indicated vector at the dose of  $1 \times 10^{11}$  GC/mouse. Code for each vector is listed in Table 1. Untreated ASS1<sup>fold/fold</sup> (Fold) and wild-type (WT) mice were provided as controls. Liver-directed gene therapy improves the body weight of ASS1<sup>fold/fold</sup>.

FIGS. 12A and 12B are graphs showing a reduction in plasma citrulline levels by AAV. Four-week old ASS1<sup>fold/fold</sup> (both males and females) received a single retro-orbital injection of AAV8-hASS1 vectors at the dose of  $1 \times 10^{11}$  GC/mouse. Code for each vector is listed in Table 1. Plasma citrulline levels at 2 weeks (A) and 6 weeks (B) post vector administration. \*\* P<0.01; \*\*\*\* P<0.0001, one-way ANOVA, Kruskal-Wallis test, compared to untreated fold mice.

FIG. 13 is a graph showing a reduction in plasma citrulline levels by AAV. Four-week-old fold mice received a single retro orbital injection of AAV8-hASS1 vectors at the dose of  $1.0 \times 10^{11}$  GC. Plasma NH<sub>3</sub> levels at 6 weeks post vector injection are shown here. \*\* P<0.01; \*\*\*

6

P<0.001; \*\*\*\* P<0.0001, one-way ANOVA, Kruskal-Wallis test, compared to untreated fold mice.

#### 4. DETAILED DESCRIPTION

The embodiments described in the application relate to the use of a replication deficient adeno-associated virus (AAV) to deliver a human Argininosuccinate Synthase 1 (hASS1) gene to liver cells of patients (human subjects) diagnosed with type 1 citrullinemia (CTLN1). The recombinant AAV vector (rAAV) used for delivering the hASS gene ("rAAV.hASS1") should have a tropism for the liver (e.g., an rAAV bearing an AAV8 capsid), and the hASS1 transgene should be controlled by liver-specific expression control elements. In one embodiment, the expression control elements include one or more of the following: an enhancer; a promoter; an intron; a WPRE; and a polyA signal. Such elements are further described herein.

As used herein, "AAV8 capsid" refers to the AAV8 capsid having the amino acid sequence of GenBank, accession: YP\_077180.1, SEQ ID NO: 19, and/or an AAV8 capsid encoded by the nucleic acid sequence of GenBank: AF513852.1, nt 2121-4337, SEQ ID NO: 36, which sequences are incorporated by reference herein. Some variation from this encoded sequence is permitted, which may include sequences having about 99% identity to the referenced amino acid sequence in YP\_077180.1 and WO 2003/052051 (which is incorporated herein by reference) (i.e., less than about 1% variation from the referenced sequence). Methods of generating the capsid, coding sequences therefore, and methods for production of rAAV viral vectors have been described. See, e.g., Gao, et al, Proc. Natl. Acad. Sci. U.S.A. 100 (10), 6081-6086 (2003) and US 2015/0315612.

As used herein, the term "NAb titer" a measurement of how much neutralizing antibody (e.g., anti-AAV Nab) is produced which neutralizes the physiologic effect of its targeted epitope (e.g., an AAV). Anti-AAV NAb titers may be measured as described in, e.g., Calcedo, R., et al., Worldwide Epidemiology of Neutralizing Antibodies to Adeno-Associated Viruses. Journal of Infectious Diseases, 2009. 199 (3): p. 381-390, which is incorporated by reference herein.

The terms "percent (%) identity", "sequence identity", "percent sequence identity", or "percent identical" in the context of amino acid sequences refers to the residues in the two sequences which are the same when aligned for correspondence. Percent identity may be readily determined for amino acid sequences over the full-length of a protein, polypeptide, about 32 amino acids, about 330 amino acids, or a peptide fragment thereof or the corresponding nucleic acid sequence coding sequencers. A suitable amino acid fragment may be at least about 8 amino acids in length, and may be up to about 700 amino acids. Generally, when referring to "identity", "homology", or "similarity" between two different sequences, "identity", "homology" or "similarity" is determined in reference to "aligned" sequences. "Aligned" sequences or "alignments" refer to multiple nucleic acid sequences or protein (amino acids) sequences, often containing corrections for missing or additional bases or amino acids as compared to a reference sequence. Alignments are performed using any of a variety of publicly or commercially available Multiple Sequence Alignment Programs. Sequence alignment programs are available for amino acid sequences, e.g., the "Clustal X", "MAP", "PIMA", "MSA", "BLOCKMAKER", "MEME", and "Match-Box" programs. Generally, any of these programs are used at default settings, although one of skill in the art

can alter these settings as needed. Alternatively, one of skill in the art can utilize another algorithm or computer program which provides at least the level of identity or alignment as that provided by the referenced algorithms and programs. See, e.g., J. D. Thomson et al, Nucl. Acids. Res., "A comprehensive comparison of multiple sequence alignments", 27 (13): 2682-2690 (1999).

As used herein, the term "operably linked" refers to both expression control sequences that are contiguous with the gene of interest and expression control sequences that act in trans or at a distance to control the gene of interest.

A "replication-defective virus" or "viral vector" refers to a synthetic or artificial viral particle in which an expression cassette containing a gene of interest is packaged in a viral capsid or envelope, where any viral genomic sequences also packaged within the viral capsid or envelope are replication-deficient; i.e., they cannot generate progeny virions but retain the ability to infect target cells. In one embodiment, the genome of the viral vector does not include genes encoding the enzymes required to replicate (the genome can be engineered to be "gutless"—containing only the transgene of interest flanked by the signals required for amplification and packaging of the artificial genome), but these genes may be supplied during production. Therefore, it is deemed safe for use in gene therapy since replication and infection by progeny virions cannot occur except in the presence of the viral enzyme required for replication.

It is to be noted that the term "a" or "an" refers to one or more. As such, the terms "a" (or "an"), "one or more," and "at least one" are used interchangeably herein. The words "comprise", "comprises", and "comprising" are to be interpreted inclusively rather than exclusively. The words "consist", "consisting", and its variants, are to be interpreted exclusively, rather than inclusively. While various embodiments in the specification are presented using "comprising" language, under other circumstances, a related embodiment is also intended to be interpreted and described using "consisting of" or "consisting essentially of" language.

As used herein, the term "about" means a variability of 10% from the reference given, unless otherwise specified.

Unless defined otherwise in this specification, technical and scientific terms used herein have the same meaning as commonly understood by one of ordinary skill in the art and by reference to published texts, which provide one skilled in the art with a general guide to many of the terms used in the present application.

#### 4.1 Gene Therapy Vectors

In one aspect, a recombinant adeno-associated virus (rAAV) vector carrying the human ASS1 gene is provided for use in gene therapy. The rAAV.hASS1 vector should have a tropism for the liver (e.g., a rAAV bearing an AAV8 capsid) and the hASS1 transgene should be controlled by liver-specific expression control elements. In another embodiment, the rAAV.hASS1 vector has a tropism for kidney. The vector is formulated in a buffer/carrier suitable for infusion in human subjects. The buffer/carrier should include a component that prevents the rAAV from sticking to the infusion tubing but does not interfere with the rAAV binding activity in vivo.

##### 4.1.1. The rAAV.hASS Vector

##### 4.1.1.1. The hASS1 Sequence

Citrullinemia type I (CTLN1) (also called "classic citrullinemia") results from deficiency of the enzyme argininosuccinate synthase 1 (ASS1), the third step in the urea cycle, in which citrulline is condensed with aspartate to form arginosuccinic acid.

Type I citrullinemia shows kinetically abnormal ASS1 in the liver, kidney, and cultured fibroblasts. In quantitative-type citrullinemia, low ASS1 is found in the liver but not in kidney or cultured skin fibroblasts. Residual enzyme in the liver has normal kinetic properties (Saheki et al., 1981). In a study of mRNA coding for ASS1, Kobayashi et al. (Am J. Hum. Genet., 38:667-80, 1986, which is incorporated herein by reference) found that patients with the quantitative type of citrullinemia had, as demonstrated in previous studies, about 10% of the control value of the enzyme in the liver but a normal level of mRNA. They concluded that in quantitative-type citrullinemia, the decrease in the enzyme protein is due either to increased degradation of the enzyme or to decreased or inhibited translation in the liver.

Although certain pathogenic variants are identified with some phenotypes, the phenotype cannot be predicted in all instances. Severe, classic citrullinemia type I typically results from 22 defined pathogenic variants (Engel et al, Human Mutation, 2009 March; 30 (3): 300-7, which is incorporated herein by reference). The pathogenic variant in exon 15, p.Gly390Arg, remains the most prevalent associated with the classic phenotype. Mild (i.e., late-onset) citrullinemia type I is associated with 12 pathogenic variants.

One goal of therapies described herein would provide functional ASS1 enzyme resulting in citrulline, glutamine, and/or ammonia levels less than 100  $\mu\text{mol/L}$ . In another embodiment, any reduction in citrulline, glutamine, and/or ammonia levels is desirable. Other suitable clinical outcomes may include reduction in the use of scavenger, less restrictive diet or no need for liver transplant.

In one embodiment, the "subject" or "patient" is a mammalian subject having CTLN1 as described above. It is intended that a patient having CTLN1 of any severity is the intended subject. In addition, it is intended that a patient having any mutation in their native ASS1 gene is the intended subject.

In one embodiment, the hASS1 gene encodes the hASS1 protein shown in SEQ ID NO: 1. Thus, in one embodiment, the hASS1 transgene can include, but is not limited to, the sequence provided by SEQ ID NO:2 or SEQ ID NO: 3 which are provided in the attached Sequence Listing, which is incorporated by reference herein. SEQ ID NO: 3 provides the cDNA for native human ASS1. SEQ ID NO: 2 provides an engineered cDNA for human ASS1, which has been codon optimized for expression in humans (sometimes referred to herein as hASS1co). It is to be understood that reference to hASS1 herein may, in some embodiments, refer to the hASS1 native or codon optimized sequence. Alternatively or additionally, web-based or commercially available computer programs, as well as service based companies may be used to back translate the amino acid sequences to nucleic acid coding sequences, including both RNA and/or cDNA. See, e.g., backtranseq by EMBOSS/[www.ebi.ac.uk/Tools/st/](http://www.ebi.ac.uk/Tools/st/); Gene Infinity ([www.geneinfinity.org/sms/sms\\_back-translation.html](http://www.geneinfinity.org/sms/sms_back-translation.html)); ExPasy ([www.expasy.org/tools/](http://www.expasy.org/tools/)). It is intended that all nucleic acids encoding the described hASS1 polypeptide sequences are encompassed, including nucleic acid sequences which have been optimized for expression in the desired target subject (e.g., by codon optimization).

In one embodiment, the nucleic acid sequence encoding hASS1 shares at least 95% identity with the native hASS1 coding sequence of SEQ ID NO: 3. In another embodiment, the nucleic acid sequence encoding hASS1 shares at least 90, 85, 80, 75, 70, or 65% identity with the native hASS1 coding sequence of SEQ ID NO: 3. In one embodiment, the nucleic acid sequence encoding hASS1 shares about 84%



identity with the native hASS1 coding sequence of SEQ ID NO: 3. In one embodiment, the nucleic acid sequence encoding hASS1 is SEQ ID NO: 2.

In one embodiment, the hASS1 coding sequence is codon optimized for expression in the desirable subject species, e.g., humans. Codon-optimized coding regions can be designed by various different methods. This optimization may be performed using methods which are available on-line (e.g., GeneArt.), published methods, or a company which provides codon optimizing services, e.g., as DNA2.0 (Menlo Park, CA). One codon optimizing approach is described, e.g., in International Patent Publication No. WO 2015/012924, which is incorporated by reference herein. See also, e.g., US Patent Publication No. 2014/0032186 and US Patent Publication No. 2006/0136184. Suitably, the entire length of the open reading frame (ORF) for the product is modified. However, in some embodiments, only a fragment of the ORF may be altered (e.g., one or more of the individual immunoglobulin domains). By using one of these methods, one can apply the frequencies to any given polypeptide sequence, and produce a nucleic acid fragment of a codon-optimized coding region which encodes the polypeptide.

A number of options are available for performing the actual changes to the codons or for synthesizing the codon-optimized coding regions designed as described herein. Such modifications or synthesis can be performed using standard and routine molecular biological manipulations well known to those of ordinary skill in the art. In one approach, a series of complementary oligonucleotide pairs of 80-90 nucleotides each in length and spanning the length of the desired sequence are synthesized by standard methods. These oligonucleotide pairs are synthesized such that upon annealing, they form double stranded fragments of 80-90 base pairs, containing cohesive ends, e.g., each oligonucleotide in the pair is synthesized to extend 3, 4, 5, 6, 7, 8, 9, 10, or more bases beyond the region that is complementary to the other oligonucleotide in the pair. The single-stranded ends of each pair of oligonucleotides are designed to anneal with the single-stranded end of another pair of oligonucleotides. The oligonucleotide pairs are allowed to anneal, and approximately five to six of these double-stranded fragments are then allowed to anneal together via the cohesive single stranded ends, and then they ligated together and cloned into a standard bacterial cloning vector, for example, a TOPO® vector available from Thermo Fisher Scientific Inc. The construct is then sequenced by standard methods. Several of these constructs consisting of 5 to 6 fragments of 80 to 90 base pair fragments ligated together, i.e., fragments of about 500 base pairs, are prepared, such that the entire desired sequence is represented in a series of plasmid constructs. The inserts of these plasmids are then cut with appropriate restriction enzymes and ligated together to form the final construct. The final construct is then cloned into a standard bacterial cloning vector, and sequenced. Additional methods would be immediately apparent to the skilled artisan. In addition, gene synthesis is readily available commercially.

#### 4.1.1.2. The rAAV Vector

Because ASS1 is natively expressed in the liver, it is desirable to use an AAV which shows tropism for liver. In one embodiment, the AAV supplying the capsid is AAV8. In another embodiment, the AAV supplying the capsid is AAVrh.10. In yet another embodiment, the AAV supplying the capsid is a Clade E AAV. Such AAV include rh.2; rh.10; rh. 25; bb.1, bb.2, pi.1, pi.2, pi.3, rh.38, rh.40, rh.43, rh.49, rh.50, rh.51, rh.52, rh.53, rh.57, rh.58, rh.61, rh.64, hu.6, hu.

17, hu.37, hu.39, hu.40, hu.41, hu.42, hu.66, and hu.67. This clade further includes modified rh. 2; modified rh. 58; and modified rh.64. See, WO 2005/033321, which is incorporated herein by reference. However, any of a number of rAAV vectors with liver tropism can be used. In another embodiment, the rAAV vector has a tropism for kidney.

In a specific embodiment described in the Examples, infra, the gene therapy vector is an AAV8 vector expressing an hASS1 transgene under control of a thyroxine binding globulin (TBG) promoter referred to as AAV8.TBG.PI.hASS1co. WPRE.bGH. In another embodiment, the WPRE is removed. In another embodiment, the gene therapy vector is an AAV8 vector expressing an hASS1 transgene under control of a A1AT promoter, with an ApoE1 enhancer referred to as AAV8.ApoE.A1AT (full).IVS2.hASS1co.bGH. The external AAV vector component is a serotype 8, T=1 icosahedral capsid consisting of 60 copies of three AAV viral proteins, VP1, VP2, and VP3, at a ratio of 1:1:10. The capsid contains a single-stranded DNA rAAV vector genome.

In one embodiment, the rAAV.hASS1 genome contains an hASS1 transgene flanked by two AAV inverted terminal repeats (ITRs). In one embodiment, the hASS1 transgene includes one or more of an enhancer, promoter, an intron, a Woodchuck Hepatitis Virus (WHP) Posttranscriptional Regulatory Element (WPRE), an hASS1 coding sequence, and polyadenylation (polyA) signal. These control sequences are "operably linked" to the hASS1 gene sequences. The expression cassette containing these sequences may be engineered onto a plasmid which is used for production of a viral vector.

The ITRs are the genetic elements responsible for the replication and packaging of the genome during vector production and are the only viral cis elements required to generate rAAV. The minimal sequences required to package the expression cassette into an AAV viral particle are the AAV 5' and 3' ITRs, which may be of the same AAV origin as the capsid, or which of a different AAV origin (to produce an AAV pseudotype). In one embodiment, the ITR sequences from AAV2, or the deleted version thereof ( $\Delta$ ITR), are used. However, ITRs from other AAV sources may be selected. Where the source of the ITRs is from AAV2 and the AAV capsid is from another AAV source, the resulting vector may be termed pseudotyped. Typically, an expression cassette for an AAV vector comprises an AAV 5' ITR, the hASS1 coding sequences and any regulatory sequences, and an AAV 3' ITR. However, other configurations of these elements may be suitable. A shortened version of the 5' ITR, termed  $\Delta$ ITR, has been described in which the D-sequence and terminal resolution site (trs) are deleted. In other embodiments, the full-length AAV 5' and 3' ITRs are used. In one embodiment, the 5' ITR is that shown in SEQ ID NO: 16. In one embodiment, the 3' ITR is that shown in SEQ ID NO: 17.

Exemplary production plasmids to generate rAAVs are shown in SEQ ID NOs: 22 to 35. In one embodiment, provided herein is the plasmid of SEQ ID NO: 22. In another embodiment, provided herein is the plasmid of SEQ ID NO: 23. In another embodiment, provided herein is the plasmid of SEQ ID NO: 24. In another embodiment, provided herein is the plasmid of SEQ ID NO: 25. In another embodiment, provided herein is the plasmid of SEQ ID NO: 26. In another embodiment, provided herein is the plasmid of SEQ ID NO: 27. In another embodiment, provided herein is the plasmid of SEQ ID NO: 28. In another embodiment, provided herein is the plasmid of SEQ ID NO: 29. In another embodiment, provided herein is the plasmid of SEQ ID NO: 30. In another

embodiment, provided herein is the plasmid of SEQ ID NO: 31. In another embodiment, provided herein is the plasmid of SEQ ID NO: 32. In another embodiment, provided herein is the plasmid of SEQ ID NO: 33. In another embodiment, provided herein is the plasmid of SEQ ID NO: 34. In another embodiment, provided herein is the plasmid of SEQ ID NO: 35.

Expression of the hASS1 coding sequence is driven from a liver-specific promoter. An illustrative plasmid and vector described herein uses the thyroxine binding globulin (TBG) promoter (SEQ ID NO: 9), or a modified version thereof. One modified version of the TBG promoter is a shortened version, termed TBG-S1. A modified thyroxine binding globulin (TBG-S1) promoter sequence is shown in SEQ ID NO: 8. Alternatively, other liver-specific promoters may be used such as the transthyretin promoter (TTR) (SEQ ID NO: 11). Another suitable promoter is the alpha 1 anti-trypsin (A1AT), or a modified version thereof (which sequence is shown in SEQ ID NO: 10). In one embodiment, the promoter is an A1AT promoter combined with an ApoE enhancer, sometimes referred to as ApoE.A1AT (full). In one embodiment, the sequence is shown in SEQ ID NO: 20. Another suitable promoter is the Liver specific promoter LSP (TH-binding globulin promoter/alpha1-microglobulin/bikunin enhancer) (SEQ ID NO: 21). Other suitable promoters include human albumin (Miyatake et al., *J. Virol.*, 71:5124-32 (1997)), humAlb; and hepatitis B virus core promoter, (Sandig et al., *Gene Ther.*, 3:1002-9 (1996). See, e.g., The Liver Specific Gene Promoter Database, Cold Spring Harbor, [rulai.schl.edu/LSPD](http://rulai.schl.edu/LSPD), which is incorporated by reference. Although less desired, other promoters, such as viral promoters, constitutive promoters, regulatable promoters [see, e.g., WO 2011/126808 and WO 2013/04943], or a promoter responsive to physiologic cues may be used may be utilized in the vectors described herein.

In one embodiment, the expression control sequences include one or more enhancer. In one embodiment, the En34 enhancer is included (34 bp core enhancer from the human apolipoprotein hepatic control region), which is shown in SEQ ID NO: 4. In another embodiment, the EnTTR (100 bp enhancer sequence from transthyretin) is included. Such sequence is shown in SEQ ID NO: 5. See, Wu et al, *Molecular Therapy*, 16 (2): 280-289, February 2008, which is incorporated herein by reference. In yet another embodiment, the  $\alpha$ 1-microglobulin/bikunin precursor enhancer is included. In yet another embodiment, the ABPS (shortened version of the 100 bp distal enhancer from the  $\alpha$ 1-microglobulin/bikunin precursor [ABP] to 42 bp) enhancer is included. Such sequence is shown in SEQ ID NO: 6. In yet another embodiment, the ApoE enhancer is included. Such sequence is shown in SEQ ID NO: 7. In another embodiment, more than one enhancer is present. Such combination may include more than one copy of any of the enhancers described herein, and/or more than one type of enhancer.

In addition to a promoter, an expression cassette and/or a vector may contain other appropriate transcription initiation, termination, enhancer sequences, and efficient RNA processing signals. Such sequences include splicing and polyadenylation (polyA) signals; regulatory elements that enhance expression (i.e., WPRE (SEQ ID NO: 15); sequences that stabilize cytoplasmic mRNA; sequences that enhance translation efficiency (i.e., Kozak consensus sequence); sequences that enhance protein stability; and when desired, sequences that enhance secretion of the encoded product. In one embodiment, a polyadenylation (polyA) signal is included to mediate termination of hASS1 mRNA transcripts. Examples of other suitable polyA sequences include,

e.g., bovine growth hormone (SEQ ID NO: 12), SV40, rabbit beta globin, and TK polyA, amongst others.

In one embodiment, the regulatory sequences are selected such that the total rAAV vector genome is about 2.0 to about 5.5 kilobases in size. In one embodiment, the regulatory sequences are selected such that the total rAAV vector genome is about 2.1, 2.3, 2.8, 3.1, 3.2, 3.3 or 4.0 kb in size. In one embodiment, it is desirable that the rAAV vector genome approximate the size of the native AAV genome. Thus, in one embodiment, the regulatory sequences are selected such that the total rAAV vector genome is about 4.7 kb in size. In another embodiment, the total rAAV vector genome is less about 5.2 kb in size. The size of the vector genome may be manipulated based on the size of the regulatory sequences including the promoter, enhancer, intron, poly A, etc. See, Wu et al, *Mol Ther*, January 2010 18 (1): 80-6, which is incorporated herein by reference.

Thus, in one embodiment, an intron is included in the vector. Suitable introns include the human beta globin IVS2 (SEQ ID NO: 13). See, Kelly et al, *Nucleic Acids Research*, 43 (9): 4721-32 (2015), which is incorporated herein by reference. Another suitable promoter includes the Promega chimeric intron (SEQ ID NO: 14). See, Almond, B. and Schenborn, E. T. A Comparison of pCI-neo Vector and pcDNA4/HisMax Vector. [Internet] 2000, which is incorporated herein by reference. Available from: [www.promega.com/resources/pubhub/enotes/a-comparison-of-pcineo-vector-and-pcdna4hismax-vector/](http://www.promega.com/resources/pubhub/enotes/a-comparison-of-pcineo-vector-and-pcdna4hismax-vector/). Another suitable intron includes the hFIX intron (SEQ ID NO: 18). Various introns suitable herein are known in the art and include, without limitation, those found at [bpg.utoledo.edu/~afedorov/lab/eid.html](http://bpg.utoledo.edu/~afedorov/lab/eid.html), which is incorporated herein by reference. See also, Shepelev V., Fedorov A. Advances in the Exon-Intron Database. Briefings in Bioinformatics 2006, 7:178-185, which is incorporated herein by reference.

In one embodiment, the rAAV vector genome comprises a sequence selected from nt 1 to nt 3216 of SEQ ID NO: 22, nt 1 to nt 2331 of SEQ ID NO: 23, nt 1 to nt 3261 of SEQ ID NO: 24, nt 1 to nt 3325 of SEQ ID NO: 25, nt 1 to nt 2777 of SEQ ID NO: 26, nt 1 to nt 2777 of SEQ ID NO: 27, nt 1 to nt 3216 of SEQ ID NO: 28, nt 1 to nt 3066 of SEQ ID NO: 29, nt 1 to nt 2083 of SEQ ID NO: 30, nt 1 to nt 2121 of SEQ ID NO: 31, nt 1 to nt 3221 of SEQ ID NO: 32, nt 1 to nt 4040 of SEQ ID NO: 33, nt 1 to nt 2798 of SEQ ID NO: 34, or nt 1 to nt 3066 of SEQ ID NO: 35.

#### 4.1.2. Compositions

In one embodiment, the rAAV.hASS1 virus is provided in a pharmaceutical composition which comprises an aqueous carrier, excipient, diluent or buffer. In one embodiment, the buffer is PBS. In a specific embodiment, the rAAV.hASS1 formulation is a suspension containing an effective amount of rAAV.hASS1 vector suspended in an aqueous solution containing 0.001% Pluronic F-68 in TMN200 (200 mM sodium chloride, 1 mM magnesium chloride, 20 mM Tris, pH 8.0). However, various suitable solutions are known including those which include one or more of: buffering saline, a surfactant, and a physiologically compatible salt or mixture of salts adjusted to an ionic strength equivalent to about 100 mM sodium chloride (NaCl) to about 250 mM sodium chloride, or a physiologically compatible salt adjusted to an equivalent ionic concentration.

For example, a suspension as provided herein may contain both NaCl and KCl. The pH may be in the range of 6.5 to 8.5, or 7 to 8.5, or 7.5 to 8. A suitable surfactant, or combination of surfactants, may be selected from among Poloxamers, i.e., nonionic triblock copolymers composed of a central hydrophobic chain of polyoxypropylene (poly

(propylene oxide)) flanked by two hydrophilic chains of polyoxyethylene (poly(ethylene oxide)), SOLUTOL® HS 15 (Macrogol-15 Hydroxystearate), LABRASOL® (Polyoxy caprylic glyceride), polyoxy 10 oleyl ether, TWEEN® (polyoxyethylene sorbitan fatty acid esters), ethanol and polyethylene glycol. In one embodiment, the formulation contains a poloxamer. These copolymers are commonly named with the letter "P" (for poloxamer) followed by three digits: the first two digits x 100 give the approximate molecular mass of the polyoxypropylene core, and the last digit x 10 gives the percentage polyoxyethylene content. In one embodiment Poloxamer 188 is selected. The surfactant may be present in an amount up to about 0.0005% to about 0.001% of the suspension. In another embodiment, the vector is suspended in an aqueous solution containing 180 mM sodium chloride, 10 mM sodium phosphate, 0.001% Poloxamer 188, pH 7.3.

In one embodiment, the formulation is suitable for use in human subjects and is administered intravenously. In one embodiment, the formulation is delivered via a peripheral vein by bolus injection. In one embodiment, the formulation is delivered via a peripheral vein by infusion over about 10 minutes (+5 minutes). In one embodiment, the formulation is delivered via a peripheral vein by infusion over about 20 minutes (+5 minutes). In one embodiment, the formulation is delivered via a peripheral vein by infusion over about 30 minutes (+5 minutes). In one embodiment, the formulation is delivered via a peripheral vein by infusion over about 60 minutes (+5 minutes). In one embodiment, the formulation is delivered via a peripheral vein by infusion over about 90 minutes (+10 minutes). However, this time may be adjusted as needed or desired. Any suitable method or route can be used to administer an AAV-containing composition as described herein, and optionally, to co-administer other active drugs or therapies in conjunction with the AAV-mediated delivery of hASS1 described herein. Routes of administration include, for example, systemic, oral, inhalation, intranasal, intratracheal, intraarterial, intraocular, intravenous, intramuscular, subcutaneous, intradermal, and other parental routes of administration.

In one embodiment, the formulation may contain, e.g., about  $1.0 \times 10^{11}$  genome copies per kilogram of patient body weight (GC/kg) to about  $1 \times 10^{14}$  GC/kg, about  $5 \times 10^{11}$  genome copies per kilogram of patient body weight (GC/kg) to about  $3 \times 10^{13}$  GC/kg, or about  $1 \times 10^{12}$  to about  $1 \times 10^{14}$  GC/kg, as measured by qPCR or digital droplet PCR (ddPCR) as described in, e.g., M. Lock et al, Hum Gene Ther Methods. 2014 April; 25 (2): 115-25. doi: 10.1089/hgtb.2013.131. Epub 2014 Feb. 14, which is incorporated herein by reference. In one embodiment, the rAAV.hASS1 formulation is a suspension containing at least  $1 \times 10^{13}$  genome copies (GC)/mL, or greater, as measured by qPCR or digital droplet PCR (ddPCR) as described in, e.g., M. Lock et al, supra.

In order to ensure that empty capsids are removed from the dose of AAV.hASS1 that is administered to patients, empty capsids are separated from vector particles during the vector purification process, e.g., using the method discussed herein. In one embodiment, the vector particles containing packaged genomes are purified from empty capsids using the process described in U.S. Patent Appln No. 62/322,098, filed on Apr. 13, 2016, and entitled "Scalable Purification Method for AAV8", which is incorporated by reference herein. Briefly, a two-step purification scheme is described which selectively captures and isolates the genome-containing rAAV vector particles from the clarified, concentrated supernatant of a rAAV production cell culture. The process

utilizes an affinity capture method performed at a high salt concentration followed by an anion exchange resin method performed at high pH to provide rAAV vector particles which are substantially free of rAAV intermediates. Similar purification methods can be used for vectors having other capsids.

While any conventional manufacturing process can be utilized, the process described herein (and in U.S. Patent Appln No. 62/322,098) yields vector preparations wherein between 50 and 70% of the particles have a vector genome, i.e., 50 to 70% full particles. Thus for an exemplary dose of  $1.6 \times 10^{12}$  GC/kg, and the total particle dose will be between  $2.3 \times 10^{12}$  and  $3 \times 10^{12}$  particles. In another embodiment, the proposed dose is one half log higher, or  $5 \times 10^{12}$  GC/kg, and the total particle dose will be between  $7.6 \times 10^{12}$  and  $1.1 \times 10^{13}$  particles. In one embodiment, the formulation is characterized by an rAAV stock having a ratio of "empty" to "full" of 1 or less, preferably less than 0.75, more preferably, 0.5, preferably less than 0.3.

A stock or preparation of rAAV8 particles (packaged genomes) is "substantially free" of AAV empty capsids (and other intermediates) when the rAAV8 particles in the stock are at least about 75% to about 100%, at least about 80%, at least about 85%, at least about 90%, at least about 95%, or at least 99% of the rAAV8 in the stock and "empty capsids" are less than about 1%, less than about 5%, less than about 10%, less than about 15% of the rAAV8 in the stock or preparation.

Generally, methods for assaying for empty capsids and AAV vector particles with packaged genomes have been known in the art. See, e.g., Grimm et al., *Gene Therapy* (1999) 6:1322-1330; Sommer et al., *Molec. Ther.* (2003) 7:122-128. To test for denatured capsid, the methods include subjecting the treated AAV stock to SDS-polyacrylamide gel electrophoresis, consisting of any gel capable of separating the three capsid proteins, for example, a gradient gel containing 3-8% Tris-acetate in the buffer, then running the gel until sample material is separated, and blotting the gel onto nylon or nitrocellulose membranes, preferably nylon. Anti-AAV capsid antibodies are then used as the primary antibodies that bind to denatured capsid proteins, preferably an anti-AAV capsid monoclonal antibody, most preferably the B1 anti-AAV-2 monoclonal antibody (Wobus et al., *J. Virol.* (2000) 74:9281-9293). A secondary antibody is then used, one that binds to the primary antibody and contains a means for detecting binding with the primary antibody, more preferably an anti-IgG antibody containing a detection molecule covalently bound to it, most preferably a sheep anti-mouse IgG antibody covalently linked to horseradish peroxidase. A method for detecting binding is used to semi-quantitatively determine binding between the primary and secondary antibodies, preferably a detection method capable of detecting radioactive isotope emissions, electromagnetic radiation, or colorimetric changes, most preferably a chemiluminescence detection kit. For example, for SDS-PAGE, samples from column fractions can be taken and heated in SDS-PAGE loading buffer containing reducing agent (e.g., DTT), and capsid proteins were resolved on pre-cast gradient polyacrylamide gels (e.g., Novex). Silver staining may be performed using SilverXpress (Invitrogen, CA) according to the manufacturer's instructions. In one embodiment, the concentration of AAV vector genomes (vg) in column fractions can be measured by quantitative real time PCR (Q-PCR). Samples are diluted and digested with DNase I (or another suitable nuclease) to remove exogenous DNA. After inactivation of the nuclease, the samples are further diluted and amplified using primers and a TaqMan™ fluorogenic probe specific

for the DNA sequence between the primers. The number of cycles required to reach a defined level of fluorescence (threshold cycle, Ct) is measured for each sample on an Applied Biosystems Prism 7700 Sequence Detection System. Plasmid DNA containing identical sequences to that contained in the AAV vector is employed to generate a standard curve in the Q-PCR reaction. The cycle threshold (Ct) values obtained from the samples are used to determine vector genome titer by normalizing it to the Ct value of the plasmid standard curve. End-point assays based on the digital PCR can also be used.

In one aspect, an optimized q-PCR method is provided herein which utilizes a broad spectrum serine protease, e.g., proteinase K (such as is commercially available from Qia-gen). More particularly, the optimized qPCR genome titer assay is similar to a standard assay, except that after the DNase I digestion, samples are diluted with proteinase K buffer and treated with proteinase K followed by heat inactivation. Suitably samples are diluted with proteinase K buffer in an amount equal to the sample size. The proteinase K buffer may be concentrated to 2 fold or higher. Typically, proteinase K treatment is about 0.2 mg/mL, but may be varied from 0.1 mg/mL to about 1 mg/mL. The treatment step is generally conducted at about 55° C. for about 15 minutes, but may be performed at a lower temperature (e.g., about 37° C. to about 50° C.) over a longer time period (e.g., about 20 minutes to about 30 minutes), or a higher temperature (e.g., up to about 60° C.) for a shorter time period (e.g., about 5 to 10 minutes). Similarly, heat inactivation is generally at about 95° C. for about 15 minutes, but the temperature may be lowered (e.g., about 70 to about 90° C.) and the time extended (e.g., about 20 minutes to about 30 minutes). Samples are then diluted (e.g., 1000 fold) and subjected to TaqMan analysis as described in the standard assay.

Additionally, or alternatively, droplet digital PCR (ddPCR) may be used. For example, methods for determining single-stranded and self-complementary AAV vector genome titers by ddPCR have been described. See, e.g., M. Lock et al, *Hu Gene Therapy Methods*, Hum Gene Ther Methods. 2014 April; 25 (2): 115-25. doi: 10.1089/hgtb.2013.131. Epub 2014 Feb. 14.

#### 4.2 Patient Population

As discussed above, a subject having CTLN1 of any severity is the intended recipient of the compositions and methods described herein.

Subjects may be permitted to continue their standard of care treatment(s) (e.g., protein restricted diet, and/or medications (including nitrogen scavenger therapy and carnitine)) prior to and concurrently with the gene therapy treatment at the discretion of their caring physician. In the alternative, the physician may prefer to stop standard of care therapies prior to administering the gene therapy treatment and, optionally, resume standard of care treatments as a co-therapy after administration of the gene therapy.

Desirable endpoints of the gene therapy regimen are an increase in ASS activity resulting in citrulline levels below about 100  $\mu\text{mol/L}$  and/or ammonia levels below about 100  $\mu\text{mol/L}$ . In another embodiment, any reduction in citrulline, glutamine, and/or ammonia levels is desirable. Other suitable clinical outcomes may include reduction in the use of scavenger, less restrictive diet or no need for liver transplant. In one embodiment, patients achieve reduced circulating ASS1 levels after treatment with rAAV.hASS1, alone and/or combined with the use of adjunctive treatments.

#### 4.3. Dosing & Route of Administration

In one embodiment, the rAAV.hASS1 vector is delivered as a single dose per patient. In one embodiment, the subject is delivered the minimal effective dose (MED) (as determined by preclinical study described in the Examples herein). As used herein, MED refers to the rAAV.hASS1 dose required to achieve ASS1 activity resulting in citrulline levels below about 100  $\mu\text{mol/L}$  and/or ammonia levels below about 100  $\mu\text{mol/L}$ .

As is conventional, the vector titer is determined on the basis of the DNA content of the vector preparation. In one embodiment, quantitative PCR or optimized quantitative PCR as described in the Examples is used to determine the DNA content of the rAAV.hASS1 vector preparations. In one embodiment, digital droplet PCR as described in the Examples is used to determine the DNA content of the rAAV.hASS1 vector preparations. In one embodiment, the dosage is about  $1 \times 10^{11}$  genome copies (GC)/kg body weight to about  $1 \times 10^{13}$  GC/kg, inclusive of endpoints. In one embodiment, the dosage is  $5 \times 10^{11}$  GC/kg. In another embodiment, the dosage is  $5 \times 10^{12}$  GC/kg. In specific embodiments, the dose of rAAV.hASS1 administered to a patient is at least  $5 \times 10^{11}$  GC/kg,  $1 \times 10^{12}$  GC/kg,  $1.5 \times 10^{12}$  GC/kg,  $2.0 \times 10^{12}$  GC/kg,  $2.5 \times 10^{12}$  GC/kg,  $3.0 \times 10^{12}$  GC/kg,  $3.5 \times 10^{12}$  GC/kg,  $4.0 \times 10^{12}$  GC/kg,  $4.5 \times 10^{12}$  GC/kg,  $5.0 \times 10^{12}$  GC/kg,  $5.5 \times 10^{12}$  GC/kg,  $6.0 \times 10^{12}$  GC/kg,  $6.5 \times 10^{12}$  GC/kg,  $7.0 \times 10^{12}$  GC/kg, or  $7.5 \times 10^{12}$  GC/kg. Also, the replication-defective virus compositions can be formulated in dosage units to contain an amount of replication-defective virus that is in the range of about  $1.0 \times 10^9$  GC to about  $1.0 \times 10^{15}$  GC. As used herein, the term “dosage” can refer to the total dosage delivered to the subject in the course of treatment, or the amount delivered in a single (of multiple) administration.

In some embodiments, rAAV.hASS1 is administered in combination with one or more therapies for the treatment of CTLN1, such as a low protein diet or administration nitrogen scavenger therapy or dialysis.

#### 4.4. Measuring Clinical Objectives

Measurements of efficacy of treatment can be measured by transgene expression and activity as determined by ammonia or citrulline levels and/or ASS1 activity. Further assessment of efficacy can be determined by clinical assessment of dietary citrulline tolerance.

As used herein, the rAAV.hASS1 vector herein “functionally replaces” or “functionally supplements” the patient's defective ASS1 with active ASS1 when the patient expresses a sufficient level of ASS1 to achieve ASS1 activity resulting in citrulline and/or ammonia levels less than about 100  $\mu\text{mol/L}$ . In another embodiment, the rAAV.hASS1 vector functionally replaces or functionally supplements the patient's defective ASS1 when partial rescue is provided. This allows for treatment with a combination of scavengers and dietary control. In one embodiment, the treatment provides sufficient rescue such that liver transplantation is not required. In another embodiment, a reduction in the rate of complications such as viral diseases (e.g., flu) is desired.

## 5. EXAMPLES

The following examples are illustrative only and are not intended to limit the present invention.

#### EXAMPLE 1: AAV Vectors Containing hASS1

An exemplary gene therapy vector AAV8.TBG.PI.hASS1co. WPRE.bGH was constructed by

an AAV8 vector bearing a codon-optimized human ASS1 cDNA (hASS1co) under the control of TBG, a hybrid promoter based on the human thyroid hormone-binding globulin promoter and microglobulin/bikunin enhancer. The ASS1 expression cassette was flanked by AAV2 derived inverted terminal repeats (ITRs) and the expression was driven by a hybrid of the TBG enhancer/promoter and the Woodchuck Hepatitis Virus (WHP) posttranscriptional regulatory element (WPPE) as an enhancer. The transgene also included the Promega SV40 misc intron (PI) and a bovine growth hormone polyadenylation signal (bGH).

#### Another Exemplary Gene Therapy Vector

AAV8.ApoE.A1AT (full).IVS2.hASS1co.bGH was constructed by an AAV8 vector bearing a codon-optimized human ASS1 cDNA (hASS1co) under the control of

A1AT promoter and a ApoE enhancer (FIG. 1). The ASS1 expression cassette was flanked by AAV2 derived inverted terminal repeats (ITRs) and the expression was driven by the ApoE.A1AT enhancer/promoter. The transgene also included the human beta globin IVS2 as an intron and a bovine growth hormone polyadenylation signal (bGH).

The vector AAV8.TBG.PI.hASS1co.bGH was constructed as described above without WPPE as an enhancer.

The AAV8.LSP.IVS2.hASS1co.bGH vector encodes a codon-optimized human ASS1 cDNA (hASS1co) under the control of a liver-specific promoter (LSP), with intervening sequence 2 (IVS2) and a bovine growth hormone polyadenylation signal (bGH).

The vector was prepared using conventional triple transfection techniques in 293 cells as described e.g., by Mizukami, Hiroaki, et al. *A Protocol for AAV vector production and purification*. Diss. Di-vision of Genetic Therapeutics, Center for MolecularMedicine, 1998., which is incorporated herein by reference. All vectors were produced by the Vector Core at the University of Pennsylvania as previously described [Lock, M., et al, Hum Gene Ther, 21:1259-1271 (2010)].

#### EXAMPLE 2: Natural History Study

All animal procedures were performed in accordance with protocols approved by the Institutional Animal Care and Use Committee (IACUC) of the University of Pennsylvania.

Citrullinemia is an autosomal recessive disease caused by mutations in argininosuccinate synthase (ASS1) enzyme that catalyzes the synthesis of argininosuccinate from citrulline and aspartate, results in citrullinemia and buildup of ammonia. ASS1<sup>fold/fold</sup> mouse express deficient argininosuccinate synthase 1 (ASS1) [Harris BS, et al., Follicular dystrophy: a new skin and hair mutation on mouse Chromosome 2. MGI Direct Data Submission. 2007]. FOLD allele mice have a T389I substitution in exon 15 leading to an unstable protein structure with normal ASS1 mRNA and protein levels. Homozygotes survive up to 3 weeks or longer, have 5-10% enzyme activity and display clinical and biochemical parameters similar to CTLN1. At 1 week of age fold homozygotes lack hair such that they can be distinguished from their control littermates, and at 2 weeks of age fold homozygotes have wrinkled skin, a sparse coat does grow in. By P14 mice show a 10- to 40-fold increase in the levels of citrulline, and a 1.5- to threefold increase in the plasma levels of many amino acids, including glutamine, cystine, methionine, and lysine and arginine, glutamic acid, leucine, and ornithine levels are decreased.

ASS1<sup>fold/fold</sup> mice thus served as a mouse model for Citrullinemia. Survival curve was generated based on the observation of 28 male and 23 female ASS1<sup>fold/fold</sup> mice

(FIG. 2A). The result demonstrated that functionally deficient ASS1 reduced the lifespan of ASS1<sup>fold/fold</sup> mice significantly.

As a second parameter for normal development and growth, the body weights of ASS1<sup>fold/fold</sup> mice and healthy littermates after weaning were closely monitored and recorded. The results showed that female ASS1<sup>fold/fold</sup> mice weight remained relatively constant and the body weights of male ASS1<sup>fold/fold</sup> mice reached plateau at about 8 weeks old while both genders of wild-type littermates exhibited a steady growth over the observation period (FIG. 2B). It further demonstrated that functionally deficient ASS1 compromised the development and growth of the mice.

Additional testing was done on the untreated ASS1<sup>fold/fold</sup> mice and healthy littermates, including measurement of plasma ammonia (FIG. 2C), plasma citrulline (FIG. 2D), plasma arginine (FIG. 2E), urine orotic acid (FIG. 2E). Ammonia, citrulline, arginine and orotic acid levels were all elevated in untreated ASS1<sup>fold/fold</sup> mice as compared to healthy littermates.

#### EXAMPLE 3: AAV8.hASS1 vectors in the Model of Citrullinemia

To evaluate the efficacy and determine the dose-dependent effects of AAV8.hASS1co vectors, ASS1<sup>fold/fold</sup> mice were injected with  $1 \times 10^{11}$  GC/mouse or  $3 \times 10^{11}$  GC/mouse of the gene therapy vectors intravenously at birth, as shown in the Table 1 below. Wild-type and heterozygous littermates served as controls.

$3 \times 10^{11}$  GC/pup of AAV8.LSP.IVS2.hASS1co.bGH vector successfully increased the rate of weight gain in male ASS1<sup>fold/fold</sup> mice (FIG. 3A). In females,  $3 \times 10^{11}$  GC/pup of all three tested vectors rescued the reduction in body weight upon growth (FIG. 3B). Meanwhile, mice injected intravenously at birth with  $1 \times 10^{11}$  GC/pup of the vectors demonstrated a slight increase in weights (FIG. 3C and FIG. 3D). Mice which received an intraperitoneal injection of the AAV8.TBG.PI.hASS1co.WPRE.bGH vector at postnatal day 14 did not exhibit any increase in body weight (FIG. 3E and FIG. 3F).

A further experiment was performed to assess the survival of citrullinemia mice treated with the AAV8.hASS1co vectors. To assess citrulline accumulation in the blood, concentration of citrulline in ASS1<sup>fold/fold</sup> mice with intravenous injections of AAV8.TBG.PI.hASS1co.WPRE.bGH, AAV8.LSP.IVS2.hASS1co.bGH or AAV8.TBG.PI.hASS1co.bGH on postnatal day 0 at  $1 \times 10^{11}$  or  $3 \times 10^{11}$  GC/pup were examined (FIG. 4B and FIG. 4A, respectively). Injection of  $1 \times 10^{11}$  GC/pup of the vectors resulted in a minor decrease in citrulline compared to the untreated ASS1<sup>fold/fold</sup> mice (FIG. 4B), while  $3 \times 10^{11}$  GC/pup of the vectors successfully brought the citrulline level down (FIG. 4A).

A further study of expression and enzyme activity of ASS1 in the injected ASS1<sup>fold/fold</sup> mice is performed. Livers from the tested mice injected with AAV8.hASS1co vectors and the healthy littermate controls are collected and lysates are prepared. The mRNA is extracted and the expression of ASS1 is evaluated via RT-PCR. The protein expression of ASS1 is determined by western blot and immunohistochemistry. Experiments are also performed to assess the ASS1 activity in the ASS1<sup>fold/fold</sup> mice treated with the vector as well as controls.

An additional experiment was performed, where weight (FIG. 5A), ALT (FIG. 5B), and alkaline phosphatase (FIG. 5C) were measured on ASS1<sup>fold/fold</sup> mice treated with  $1 \times 10^{11}$

GC/pup of the vector AAV8.TBG.PI.hASS1co.WPRE.bGH. Wild-type and heterozygous littermates serves as controls.

Urine orotic acid levels were measured in ASS1<sup>fold/fold</sup> mice injected intravenously at birth with  $3 \times 10^{11}$  GC/pup of AAV8.TBG.PI.hASS1co.WPRE.bGH (FIG. 6A), AAV8.LSP.IVS2.hASS1co.bGH (FIG. 6B), AAV8.TBG.PI.hASS1co.bGH (FIG. 6C), or with  $1 \times 10^{11}$  GC/pup of AAV8.LSP.IVS2.hASS1co.bGH (FIG. 6D).

#### EXAMPLE 4: Additional Vectors

Additional AAV vectors as shown in Table below were produced. ASS1<sup>fold/fold</sup> mice were injected on postnatal day 0 at  $1 \times 10^{11}$  or  $3 \times 10^{11}$  GC/pup with the noted vectors. Citrulline levels at two and six week post injection were measured (FIGS. 9A and 9B).

FIG. 10 shows a survival curve of male and female mice injected with G3, G7, G9 and G11. All vectors tested provided significant increase in survival of ASS1<sup>fold/fold</sup> mice. Likewise, all vectors tested provided an increase in body weight in both male (FIG. 11A) and female (FIG. 11B) mice, a decrease in citrulline levels at 2 weeks (FIG. 12A) and 6 weeks (FIG. 12B) post injection, and a decrease in ammonia levels (FIG. 13).

In conclusion, a single injection of AAV8.hASSco vectors resulted in substantial blood citrulline reduction and con-

comitant functional correction when administered intravenously in ASS1-deficient mice.

#### EXAMPLE 5: Long-Term Rescue of a Hypomorphic Lethal Murine Model of Citrullinemia Type I by Liver-Directed, AAV8-Mediated Gene Therapy

Citrullinemia type I (CTLN1) is an autosomal, recessive disorder of the urea cycle caused by a deficiency of argininosuccinate synthase 1 (ASS1). The clinical spectrum of CTLN1 ranges from a severe neonatal onset form to a milder form with later onset. Affected patients have persistent elevated plasma citrulline levels and are at risk of life-threatening elevation of ammonia that can lead to irreversible cognitive impairment, coma, and death. Current treatment for CTLN1 patients, which includes a low protein diet, supplementation of arginine and administration of nitrogen scavengers, is often unable to prevent ongoing hyperammonemic crises. Liver transplantation has shown successful reduction of plasma ammonia and citrulline levels, but donor liver is limiting, the procedure itself carries significant morbidity, and immunosuppressive drugs are necessary for the duration of the graft. Therefore, there is a need for other approaches to therapy for CTLN1.

TABLE 1

Summary of Vectors for liver directed therapy for treatment of citrullinemia						
Grp	Vector	Key elements in vector			w2 citrulline (μM) Mean ± STD	w6 citrulline (% reduction)
		Enhancer-Promoter	Intron	Transgene		
G2	AAV8.TBG.PI.hASS1co.WPRE.bGH (p3795)	ABPx2 - TBG	PI	hASS1co		
G3	AAV8.TBG.IVS2.hASS1co.bGH (p4169)	ABPx2 - TBG	IVS2	hASS1co		
G4	AAV8.TBG.PI.hASS1co.bGH (p4157)	ABPx2 - TBG	PI	hASS1co		
G5	AAV8.EnTTR.TTR.hASS1co.bGH (p4319)	EnTTR - TTR	—	hASS1co		
G6	AAV8.En34.A1AT.hASS1co.bGH (p4320)	En34 - A1AT	—	hASS1co		
G7	AAV8.TBG.PI.hASS1-native.bGH (p4339)	ABPx2 - TBG	PI	hASS1-native		
G8	AAV8.TBG.hFIXintron.hASS1co.bGH (p4382)	ABPx2 - TBG	hFIX intron	hASS1co		
G9	AAV8.ApoE.A1AT.IVS2.hASS1co.bGH (p4383)	ApoE - A1AT	IVS2	hASS1co		
G10	AAV8.ApoE.A1AT(full).IVS2.hASS1co.bGH (p4385)	ApoE - A1AT (full)	IVS2	hASS1co		
G11	AAV8.En34.A1AT.PI.hASS1co.bGH (p4340)	En34 - A1AT	PI	hASS1co		
G12	AAV8.ApoE.A1AT(full).IVS2.hASS1-native.bGH (p4456)	ApoE - A1AT (full)	IVS2	hASS1-native		
G13	AAV8.ApoE.A1AT.IVS2.hASS1-native.bGH (p4457)	ApoE - A1AT	IVS2	hASS1-native		
G14	AAV8.TBG.IVS2.hASS1-native.bGH (p4458)	ABPx2 - TBG	IVS2	hASS1-native		
G15	AAV8.EnTTR.TTR.IVS2.hASS1-native.bGH (p4459)	EnTTR - TTR	IVS2	hASS1-native		
Grp	Size (bp) (ITR-ITR)	Yield (GC)/ Cellstack	w2 citrulline (μM) Mean ± STD		w6 citrulline (% reduction)	
			3E11 GC/mouse	1E11 GC/mouse	3E11 GC/mouse	1E11 GC/mouse
G2	3325	1.21E+14	714 ± 161 (n = 5)****	N.D.	68.4%	N.D.
G3	3261	8.60E+13	564 ± 122 (n = 13)****	1065 ± 329 (n = 12)	75	52
G4	2777	1.26E+14	1272 ± 406 (n = 9)	2176 ± 607 (n = 9)	43	3

TABLE 1-continued

Summary of Vectors for liver directed therapy for treatment of citrullinemia						
G5	2121	9.90E+13	1707 ± 732 (n = 8)	2328 ± 348 (n = 8)	24	-4
G6	2083	6.60E+13	1702 ± 549 (n = 8)	1808 ± 542 (n = 8)	24	19
G7	2777	1.17E+14	980 ± 231 (n = 8)	1681 ± 337 (n = 7)	56	25
G8	4040	1.38E+14	1966 ± 319 (n = 8)	2389 ± 392 (n = 8)	12	-7
G9	3066	6.75E+13	591 ± 57 (n = 9)****	664 ± 196 (n = 9)**	74	70
G10	3216	1.01E+14	404 ± 45 (n = 9)****	509 ± 118 (n = 16)****	82	77
G11	2331	1.17E+14	746 ± 348 (n = 8)**	1420 ± 485 (n = 8)	67	37
G12	3216	7.27E+13	N.D.	548 ± 111 (n = 10)****	N.D.	76
G13	3066	1.10E+14	N.D.	494 ± 148 (n = 10)****	N.D.	78
G14	3221	7.12E+13	N.D.	523 ± 147 (n = 9)****	N.D.	77
G15	2798	1.37E+14	N.D.	513 ± 119 (n = 10)****	N.D.	77
Fold			2239 ± 596 (n = 13)			

AAV vector-based gene therapy provides an alternative to current treatment options as long as the vector delivers sufficient and sustained transgene expression in the liver without substantial toxicity. Several candidate AAV8 vectors for CTLN1 were generated with different liver-specific promoters, introns, and cDNA sequences (native or codon-optimized hASS1 cDNA). In vivo evaluation of vectors was performed in a murine model of CTLN1 (ASS1fold/fold). Homozygous ASS1<sup>fold/fold</sup> (fold) mice carried a hypomorphic mutation and display lethality after weaning. Half of the untreated fold mice perished before the age of 12 weeks old, while a few (5%) lived up to 5 months. In addition to significantly elevated plasma citrulline levels, untreated fold mice had significantly reduced body weight, variable elevated plasma ammonia levels and urine orotic acid levels, and they were not fertile.

Four-week-old fold mice were dosed via retro-orbital or intraperitoneal injection with 3×10<sup>11</sup> GC or 1×10<sup>11</sup> GC of

vector. Reduction of plasma citrulline levels was chosen as the main criteria to differentiate the performance of different vectors. A lead vector containing the ApoE enhancer-alpha 1 antitrypsin promoter and the beta globulin intervening sequence 2 achieved 77% reduction of citrulline levels two weeks post vector administration at the dose of 1×10<sup>11</sup> GC. Intron played an important role in expression of ASS1 and vectors carrying the same promoter with other introns, or no intron, showed significantly perturbed efficiency in reducing citrulline levels. Vector with native cDNA sequences performed slightly better than a vector with codon-optimized cDNA sequences. Fold mice treated with the top candidate vectors gained weight, became fertile, and survived more than 9 months (still on-going).

#### Sequence Listing Free Text

The following information is provided for sequences containing free text under numeric identifier <223>.

SEQ ID NO	Amino Acid or Nucleic Acid Sequence	Free text under <223>	Description
1	Amino Acid		human ASS1
2	Nucleic Acid	<223> constructed sequence	engineered cDNA for human ASS1
3	Nucleic Acid		cDNA for native human ASS1
4	Nucleic Acid	<223> constructed sequence	En34 enhancer
5	Nucleic Acid	<223> constructed sequence	EnTTR enhancer
6	Nucleic Acid	<223> constructed sequence	ABPS enhancer
7	Nucleic Acid	<223> constructed sequence	ApoE enhancer
8	Nucleic Acid	<223> constructed sequence	TBG-S1
9	Nucleic Acid	<223> constructed sequence	TBG promoter
10	Nucleic Acid	<223> constructed sequence	A1AT promoter
11	Nucleic Acid	<223> constructed sequence	TTR promoter
12	Nucleic Acid	<223> constructed sequence	bGH polyA
13	Nucleic Acid	<223> constructed sequence	human beta globin IVS2
14	Nucleic Acid	<223> constructed sequence	Promega ® chimeric intron
15	Nucleic Acid	<223> constructed sequence	WPRE
16	Nucleic Acid	<223> constructed sequence	5' ITR
17	Nucleic Acid	<223> constructed sequence	3' ITR
18	Nucleic Acid	<223> constructed sequence	hFIX intron
19	Amino Acid	<223> AAV8	AAV8 capsid

SEQ ID NO	Amino Acid or Nucleic Acid Sequence	Free text under <223>	Description
20	Nucleic Acid	<223> constructed sequence	A1AT promoter combined with an ApoE enhancer
21	Nucleic Acid	<223> constructed sequence	liver-specific promoter LSP
22	Nucleic Acid	<223> constructed sequence	ApoE.A1AT(full).IVS2.hASS1co.bGH cis plasmid
23	Nucleic Acid	<223> constructed sequence	En34.A1AT.PI.hASS1co.bGH cis plasmid
24	Nucleic Acid	<223> constructed sequence	TBG.IVS2.hASS1co.bGH cis plasmid
25	Nucleic Acid	<223> constructed sequence	TBG.PI.hASS1co.WPRE.bGH cis plasmid
26	Nucleic Acid	<223> constructed sequence	TBG.PI.hASS1co.bGH cis plasmid
27	Nucleic Acid	<223> constructed sequence	TBG.PI.hASS1-native.bGH cis plasmid
28	Nucleic Acid	<223> constructed sequence	ApoE.A1AT(full).IVS2.hASS1-native.bGH cis plasmid
29	Nucleic Acid	<223> constructed sequence	ApoE.A1AT.IVS2.hASS1co.bGH cis plasmid
30	Nucleic Acid	<223> constructed sequence	En34.A1AT.hASS1co.bGH cis plasmid
31	Nucleic Acid	<223> constructed sequence	EnTTR.TTR.hASS1co.bGH cis plasmid
32	Nucleic Acid	<223> constructed sequence	TBG.IVS2.hASS1-native.bGH cis plasmid
33	Nucleic Acid	<223> constructed sequence	TBG.hFIXintron.hASS1co.bGH cis plasmid
34	Nucleic Acid	<223> constructed sequence	EnTTR.TTR.IVS2.hASS1-native.bGH cis plasmid
35	Nucleic Acid	<223> constructed sequence	ApoE.A1AT.IVS2.hASS1-native.bGH cis plasmid
36	Nucleic Acid		AAV8 capsid

25

All publications cited in this specification are incorporated herein by reference in their entireties, as are U.S. Provisional Patent Application No. 62/453,424, filed Feb. 1, 2017, and U.S. provisional Patent Application No. 62/469,650, filed Mar. 10, 2017. Similarly, the SEQ ID NOs which are referenced herein and which appear in the appended

Sequence Listing are incorporated by reference. While the invention has been described with reference to particular embodiments, it will be appreciated that modifications can be made without departing from the spirit of the invention. Such modifications are intended to fall within the scope of the appended claims.

## SEQUENCE LISTING

```

Sequence total quantity: 36
SEQ ID NO: 1          moltype = AA  length = 412
FEATURE               Location/Qualifiers
source                1..412
                     mol_type = protein
                     organism = Homo sapiens

SEQUENCE: 1
MSSKGSVVLA YSGGLDTSCI LVWLKEQGYD VIAYLANIQG KEDFEEARKK ALKLGAKKVF 60
IEDVSREFVE EFIWPAIQSS ALYEDRYLLG TSLARPCIAK KQVEIAQREG AKYVSHGATG 120
KGNDQVRFEL SCYSLAPQIK VIAPWRMPEF YNRFKGRNDL MEYAKQHGP IPVTPKNPWS 180
MDENLMHISY EAGILENPKN QAPPGLYTKT QDPAKAPNTP DILEIEFKKG VPVKVTNVKD 240
GTTHTSLEL FMYLNEVAGK HGVGRIDIVE NRFIGMKSRS IYETPAGTIL YHAHLIDIEAF 300
TMDREVRKIK QGLGLKFAEL VYTGFWHSPE CEFVRHCAIK SQERVEGKVQ VSVLKQGQVYI 360
LGRESPLSLY NEELVSMNVQ GDYEPTDATG FININSLRLK EYHRLQSKVT AK 412

SEQ ID NO: 2          moltype = DNA  length = 1236
FEATURE               Location/Qualifiers
misc_feature          1..1236
                     note = constructed sequence
source                1..1236
                     mol_type = other DNA
                     organism = synthetic construct

SEQUENCE: 2
atgagcagca agggctctgt ggtgctggcc tactctggcg gcctggacac cagctgtatc 60
ctcgtgtggc tgaaagaaca gggctacgac gtgatcgcc acctggccaa catcgccag 120
aaagaggact tcgaggaagc ccggaagaag gccctgaagc tgggcgccaa gaaggtgttc 180
atcgaggacg tgcctcgga gtctctggaa gagttcatct gcccgcctat ccagagcagc 240
gccctgtacg aggacagata cctgctggcg accagcctgg ccagaccctg tatcgcccg 300
aaacagggtg aaatcgccca gcgcgagggc gccaaatacg tgtctcaagg cgccaccggc 360
aagggaacg accaggtgag ctttgagctg agctgctact ccttgccccc ccagatcaaa 420
gtgatcgccc ctggcgagat gcccgagttc tacaaccggt tcaaggcccg gaacgacctg 480
atggaatacg ccaagcagca cggcatcccc atccccgtga ccccccaaga cccttgagc 540
atggacgaga acctgatgca catcagctac gaggcgggca tcctggaaaa ccccaagat 600
caggcccttc ccggcctgta cacaagacc caggaccctg ccaaggcccc caacaccccc 660
gacattcttg aaatcgagtt caagaaaggc gtgcccgtga aagtgaccaa cgtgaaggac 720
ggcaccaccc accagacctc cctggaactg ttcattgtac tgaacgaggt ggccggcaag 780
cacggcgctg gcagaatcga catcgtggaa aacagattca tcggcatgaa gtcccgggg 840
atctacgaga caccagccgg caccatcctg taccacgccc acctggatat cgaggccttc 900

```



-continued

---

```

accatggacc gggaagtgcg gaagatcaag cagggcctgg gcctgaagtt cgcgagctg 960
gtgtacacag gcttttggca cagccccgag tgcgagtttg tgcggcactg cattgccaag 1020
agccaggaac ggggtggaag caaggtgcag gtgtccgtgc tgaagggccca ggtgtacatt 1080
ctgggcagag agagccccct gagcctgtac aacgaggaac tgggtgtctat gaacgtgcag 1140
ggcgactacg agccccccga cgccaccggc ttcatacaaca tcaacagcct gagactgaaa 1200
gagtaccacc ggctgcagtc caaagtgacc gccaaag 1236

```

```

SEQ ID NO: 3          moltype = DNA length = 1236
FEATURE              Location/Qualifiers
source                1..1236
                      mol_type = genomic DNA
                      organism = Homo sapiens

```

```

SEQUENCE: 3
atgtccagca aaggctccgt ggttctggcc tacagtggcg gcctggacac ctctgcatc 60
ctcgtgtggc tgaaggaaca aggtatgac gtcattgcct atctggccaa cattggccag 120
aaggaagact tcgaggaagc caggaagaag gcactgaagc ttggggccaa aaagggtgtc 180
attgaggatg tcagcaggga gtttgggag gagttcatct ggccggccat ccagtccagc 240
gcactgtatg aggaccgcta cctcctgggc acctctcttg ccaggccctg catcgcccgc 300
aaacaagtgg aaatcgcccc gcgggagggg gccaaagtatg tgtcccacgg cgccacagga 360
aaggggaacg atcagggtccg gtttgcgtc agctgctact cactggcccc ccagataaag 420
gtcattgtct cctggaggat gcctgaattc tacaaccggt tcaagggccg caatgacctg 480
atggagtacg caaagcaaca cggtattccc atcccgggtca ctcccaagaa cccgtggagc 540
atggatgaga acctcatgca catcagctac gaggtctgga tcctgggaga ccccaagaac 600
caagcgctct caggtctcta cacgaagacc caggaccagc ccaagggccc caacaccctc 660
gacatttctg agatcgagtt caaaaaagggt gtccctgtga aggtgaccaa cgtcaaggat 720
ggcaccaccc accagacctc ctgggagctc ttcattgtacc tgaacgaagt cgccgggcaag 780
catggcgttg gccgtattga catcgtggag aaccgcttca ttggaatgaa gtcccagagt 840
atctacgaga cccagcaggc caccatcctt taccacgctc atttagacat cgaggccttc 900
accatggacc ggggaagtgcg caaaatcaaa caaggcctgg gcttgaattt tgctgagctg 960
gtgtataccg gtttctggca cagccctgag tgtgaatttg tccgccactg catcgccaag 1020
tcccaggagc gagtggaagg gaaagtgcag gtgtccgtcc tcaagggccca ggtgtacatc 1080
ctcgcccggt agtccccact gtctctctac aatgaggagc tggtagagct gaacgtgcag 1140
ggtgattatg agccaactga tgcaccgggg ttcatacaaca tcaattccct cagggtgaag 1200
gaatatcatc gtctccagag caaggtcact gccaaa 1236

```

```

SEQ ID NO: 4          moltype = DNA length = 34
FEATURE              Location/Qualifiers
misc_feature          1..34
                      note = constructed sequence
source                1..34
                      mol_type = other DNA
                      organism = synthetic construct

```

```

SEQUENCE: 4
tgtttgctgc ttgcaatggt tggccatttt aggg 34

```

```

SEQ ID NO: 5          moltype = DNA length = 100
FEATURE              Location/Qualifiers
misc_feature          1..100
                      note = constructed sequence
source                1..100
                      mol_type = other DNA
                      organism = synthetic construct

```

```

SEQUENCE: 5
ctacctctgt atcgccccgc cctgttctaa acatgtccta atactctgtc tctgcaaggg 60
tcatacgtag ttttccatct tactcaacat cctcccagtg 100

```

```

SEQ ID NO: 6          moltype = DNA length = 42
FEATURE              Location/Qualifiers
misc_feature          1..42
                      note = constructed sequence
source                1..42
                      mol_type = other DNA
                      organism = synthetic construct

```

```

SEQUENCE: 6
aggttaattt ttaaaactgt ttgctctgggt aataatctca gg 42

```

```

SEQ ID NO: 7          moltype = DNA length = 322
FEATURE              Location/Qualifiers
misc_feature          1..322
                      note = constructed sequence
source                1..322
                      mol_type = other DNA
                      organism = synthetic construct

```

```

SEQUENCE: 7
aaggctcaga ggcacacagg agtttctggg ctcacacctg ccccttccaa cccctcagtt 60
cccatcctcc agcagctggt tgtgtgctgc ctctgaagtc cacactgaac aaacttcagc 120
ctactcatgt ccctaaaaat ggcaaacatt gcaagcagca aacagcaaac acacagccct 180
ccctgcctcg tgaccttgga gctggggcag aggtcagaga cctctctggg cccatgccac 240
ctccaacatc cactcgacct cttggaattt cggtggagag gacgagaggt tgtcctggcg 300

```

-continued

---

tggttttaggt agtgtgagag gg 322

SEQ ID NO: 8                   moltype = DNA   length = 176  
 FEATURE                    Location/Qualifiers  
 misc\_feature               1..176  
                             note = constructed sequence  
 source                     1..176  
                             mol\_type = other DNA  
                             organism = synthetic construct

SEQUENCE: 8  
 actcaaaagt caaaaccttat ctttttttgc ttgtttcctc ttggccttgg tttgtacat 60  
 cagctttgaa aataccatcc cagggttaat gctgggggta atttataact aagagtgtc 120  
 tagttttgca atacaggaca tgctataaaa atggaaagat gttgctttct gagaga 176

SEQ ID NO: 9                   moltype = DNA   length = 477  
 FEATURE                    Location/Qualifiers  
 misc\_feature               1..477  
                             note = constructed sequence  
 source                     1..477  
                             mol\_type = other DNA  
                             organism = synthetic construct

SEQUENCE: 9  
 agggctggaa gctacctttg acatcatttc ctctgcgaat gcatgtataa tttctacaga 60  
 acctattaga aaggatcacc cagcctctgc ttttgtacaa ctttcctta aaaaactgcc 120  
 aattccactg ctgtttgccc caatagttag aactttttcc tgctgcctct tgggtctttt 180  
 gcctatggcc cctattctgc ctgctgaaga cactcttgcc agcatggact taaacccctc 240  
 cagctctgac aatcctcttt ctcttttggg ttacatgaag ggtctggcag ccaaagcaat 300  
 cactcaaaagt tcaaacctta tcattttttg ctttgttctc cttggccttg gttttgtaca 360  
 tcagctttga aaataccatc ccagggttaa tgctgggggt aatttataac taagagtgtc 420  
 ctagttttgc aatacaggac atgctataaa aatggaaaga tgttgctttc tgagaga 477

SEQ ID NO: 10                 moltype = DNA   length = 218  
 FEATURE                    Location/Qualifiers  
 misc\_feature               1..218  
                             note = constructed sequence  
 source                     1..218  
                             mol\_type = other DNA  
                             organism = synthetic construct

SEQUENCE: 10  
 tggacacagg acgctgtggt ttctgagcca gggggcgact cagatccag ccagtggact 60  
 tagccctctg ttgtctctcc gataactggg gtgaccttgg ttaatatcca ccagcagcct 120  
 ccccggttgc cctcttggtt ccactgctta aatacggacg aggacagggc cctgtctcct 180  
 cagcttcagg caccaccact gacctgggac agtgaata 218

SEQ ID NO: 11                 moltype = DNA   length = 190  
 FEATURE                    Location/Qualifiers  
 misc\_feature               1..190  
                             note = constructed sequence  
 source                     1..190  
                             mol\_type = other DNA  
                             organism = synthetic construct

SEQUENCE: 11  
 atttcataga acgaatgttc cgatgctcta atctctctag acaaggttca tatttgtatg 60  
 ggttacttat tctctcttgg ttgactaagt caataatcag aatcagcagg ttgcagtc 120  
 gattggcagg gataagcagc ctagctcagg agaagttagt ataaaagccc caggctggga 180  
 gcagccatca 190

SEQ ID NO: 12                 moltype = DNA   length = 215  
 FEATURE                    Location/Qualifiers  
 misc\_feature               1..215  
                             note = constructed sequence  
 source                     1..215  
                             mol\_type = other DNA  
                             organism = synthetic construct

SEQUENCE: 12  
 gcctcgactg tgcccttctag ttgccagcca tctgttgttt gccctctccc cgtgccttcc 60  
 ttgaccttgg aaggtgccac tccactgtc ctttcctaataaaaatgagga aatgcacgc 120  
 cattgtctga gtagggtgtca ttctattctg gggggtgggg tggggcagga cagcaagggg 180  
 gaggattggg aagacaatag caggcatgct gggga 215

SEQ ID NO: 13                 moltype = DNA   length = 572  
 FEATURE                    Location/Qualifiers  
 misc\_feature               1..572  
                             note = constructed sequence  
 source                     1..572  
                             mol\_type = other DNA  
                             organism = synthetic construct

SEQUENCE: 13  
 agcttacttg tggtagccag ctcggatcct gagaacttca gggtagtct atgggacct 60

-continued

---

```

tgatgttttc tttcccttc tttctatgg ttaagttcat gtcataaggaa ggggagaagt 120
aacagggtac acataattgac caaatcaggg taattttgca tttgtaattt taaaaaatgc 180
tttcttcttt taatatactt ttttgtttat cttattttcta atactttccc taatctcttt 240
ctttcagggc aataatgata caatgtatca tgccctcttg caccattcta aagaataaca 300
gtgataaatt ctgggttaag gcaatagcaa ttttctgca tataaatatt tctgcatata 360
aattgtaact gatgtaagag gtttcatatt gctaatagca gctacaatcc agctaccatt 420
ctgcttttat tttatggttg ggataaggct ggattattct gagtccaagc taggcccttt 480
tgctaatacat gttcatacct cttatcttcc tcccacagct cctgggcaac gtgctggtct 540
gtgtgctggc ccatcacttt ggcaagaat tg 572

```

```

SEQ ID NO: 14      moltype = DNA length = 133
FEATURE           Location/Qualifiers
misc_feature       1..133
                   note = constructed sequence
source            1..133
                   mol_type = other DNA
                   organism = synthetic construct

```

```

SEQUENCE: 14
gtaagtatca aggttacaag acaggtttaa ggagaccaat agaaactggg cttgtcgaga 60
cagagaagac ctctgcgttt ctgataggca cctattggtc ttactgacat ccactttgcc 120
tttctctcca cag 133

```

```

SEQ ID NO: 15      moltype = DNA length = 542
FEATURE           Location/Qualifiers
misc_feature       1..542
                   note = constructed sequence
source            1..542
                   mol_type = other DNA
                   organism = synthetic construct

```

```

SEQUENCE: 15
aatcaacctc tggattacaa aatttgtgaa agattgactg gtattcttaa ctatgttgct 60
ccttttacgc ttgttgata cgtgtcttta atgcctttgt atcatgtat tgcctccgt 120
atggctttta tttctcttc cttgtataaa tcctgggtgc tgcctcttta tgaggagttg 180
tgcccggttg tcaggcaacg tggcgtggtg tgcactgtgt ttgctgacgc aacccccact 240
ggttggggca ttgccaccac ctgtcagctc ctttcgggga ctttcgttt cccctccct 300
attgccacgg cggaactcat cgcgcctgc cttgcccgct gctggacagg ggctcggtcg 360
ttgggcactg acaattccgt ggtgtgtgct gggaaatcat cgtcctttcc ttggtgctc 420
gctgtgttg acccctggat tctgcgcggg acgtccttct gctacgtccc ttgggccctc 480
aatccagcgg accttcttc cgcgcgcctg ctgccggctc tgcggcctct tccgcgtctt 540
cg 542

```

```

SEQ ID NO: 16      moltype = DNA length = 168
FEATURE           Location/Qualifiers
misc_feature       1..168
                   note = constructed sequence
source            1..168
                   mol_type = other DNA
                   organism = synthetic construct

```

```

SEQUENCE: 16
ctgcgcgctc gctcgtcac tgaggccgcc cgggcaaacg ccgggcgtcg ggcgacctt 60
ggtcgcccgg cctcagttag ctagcgagcg cgcagagagg gaggggcaa ctccatcact 120
aggggttcct ttagttaa gattaaccg ccatgctact tatctacg 168

```

```

SEQ ID NO: 17      moltype = DNA length = 168
FEATURE           Location/Qualifiers
misc_feature       1..168
                   note = constructed sequence
source            1..168
                   mol_type = other DNA
                   organism = synthetic construct

```

```

SEQUENCE: 17
cgtagataag tagcatggcg ggttaatcat taactacaag gaacccttag tgatggagtt 60
ggccactccc tctctgcgct ctcgctcgt cactgaggcc gggcgaccaa aggtcgccc 120
acgccgggc tttgccggg cgcctcagt gagcgagcga gcgcgca 168

```

```

SEQ ID NO: 18      moltype = DNA length = 1421
FEATURE           Location/Qualifiers
misc_feature       1..1421
                   note = constructed sequence
source            1..1421
                   mol_type = other DNA
                   organism = synthetic construct

```

```

SEQUENCE: 18
gtttgtttcc tttttaaaa tacattgagt atgcttgctt ttagatata gaaatatctg 60
atgctgtctt cttactaaa ttttgattac atgatttgac agcaatattg aagagtctaa 120
cagccagcac gcaggttggt aagtactggt tctttgttag ctagggtttc ttctcttca 180
tttttaaac taaatagatc gacaatgctt atgatgcatt tatgtttaat aaactgtt 240
cagttcatga tttggtcatg taattcctgt tagaaaacat tcctctctt gggttaaaaa 300
aattaaaagt gggaaaacaa agaaatagca gaatatagtg aaaaaaata accacattat 360

```

-continued

```

ttttgtttgg acttaccact ttgaaatcaa aatgggaaac aaaagcacaa acaatggcct 420
tatttacaca aaaagtctga ttttaagata tatgacattt caagggtttca gaagtatgta 480
atgagggtgtg tctctaattt ttttaaattat atatcttcaa tttaaagttt tagttaaaac 540
ataaagatta acctttcatt agcaagctgt tagttatcac caaagctttt catggattag 600
gaaaaaatca ttttgtctct atgtcaaaaca tcttgaggtt gatatttggg gaaacacaat 660
actcagttga gttccctagg ggagaaaagc aagcttaaga attgacataa agagtaggaa 720
gttagctaata gcaacatata tcactttgtt ttttcacaac tacagtgtact ttatgtattt 780
cccagaggaa ggcatacagg gaagaaatta tcccatttgg acaaacagca tgttctcaca 840
ggaagcattt atcacactta cttgtcaact tcttagaatac aaatctagta gctgacagta 900
ccaggatcag ggggtgccaac cctaagcacc cccagaaagc tgactggccc tgtggttccc 960
actccagaca tgatgtcagc tggaccataa ttaggcttct gttcttcagg agacatttgt 1020
tcaaagtcac ttgggcaacc atattctgaa aacagcccag ccagggtgat ggatcacttt 1080
gcaaagatcc tcaatgagct attttcaagt gatgacaaag tgtgaagtta accgctcatt 1140
tgagaacttt ctttttctct caaagtaaat tcaaatatga ttagaatact gaccttttat 1200
tactggaatt ctcttgacta aaagtaaaat tgaattttta ttcctaaatc tccatgtgta 1260
tacagtactg tgggaacatc acagattttg gctccatgcc ctaaaagaaa attggctttc 1320
agattatttg gattaaaaac aaagactttc ttaagagatg taaaattttc atgatgtttt 1380
ctttttgtct aaaactaaag aattatttct ttacatttca g 1421

```

```

SEQ ID NO: 19      moltype = AA  length = 738
FEATURE           Location/Qualifiers
REGION            1..738
                  note = AAV8
source            1..738
                  mol_type = protein
                  organism = unidentified

```

```

SEQUENCE: 19
MAADGYLPDW LEDNLSEGIR EWWALKPGAP KPKANQQKQD DGRGLVLPGY KYLGPFPNGLD 60
KGEPVNAADA AALEHDKAYD QQLQAGDNPY LRYNHADAEF QERLQEDTSF GGNLGRAVFQ 120
AKKRVLEPLG LVEEGAKTAP GKRPVPEPSP QRSPTSSTGI GKKGQQPARK RLNFGQTGDS 180
ESVPDPQPLG EPPAAPSGVG PNTMAAGGGA PMADNNEGAD GVGSSSGNWH CDSTWLGDRV 240
ITTSTRTWAL PTYNNHLYKQ ISNGTSGGAT NDNTYFGYST PWGYFDNRF HCHFSPRDWQ 300
RLINNNWGRF PKRLSFKLFN IQVKEVTQNE GTKTIANNLT STIQVFTDSE YQLPYVLGSA 360
HQGCLPPPPA DVFMIPQYGY LTLNNGSQAV GRSSFYCLEY FPSQMLRTGN NFQFTYTFED 420
VPFHSSYAHs QSLDRLMNP LIDQYLYLSR TQTTGGTANT QTLGFSQGGP NTMANQAKNW 480
LPGPCYRQQR VSTTTGQNNN SNFAWTAGTK YHLNGRNSLA NPGIAMATHK DDEERFFPSN 540
GLIFGKQNA ARDNADYS DV MLTSEEEIKT TNPVATEEY IVADNLQQQN TAPQIGTVNS 600
QGALPGMVWQ NRDVYLQGP I WAKIPHTDGN FHPSPLMGGF GLKHPPPPQIL IKNTPVPADP 660
PTTFNQSKLN SFITQYSTGQ VSVEIEWELQ KENSKRWNP I QYTSNYYKS TSVDFAVNT 720
GVYSEPRPIG TRYLTRNL 738

```

```

SEQ ID NO: 20      moltype = DNA  length = 735
FEATURE           Location/Qualifiers
misc_feature       1..735
                  note = constructed sequence
source            1..735
                  mol_type = other DNA
                  organism = synthetic construct

```

```

SEQUENCE: 20
gctcagaggc acacaggagt ttctggggtc accctgcccc cttccaaccc ctcagttccc 60
atcctccagc agctgtttgt gtgctgcctc tgaagtcac actgaacaaa cttcagcccta 120
ctcatgtccc taaaatgggc aaacattgca agcagcaaac agcaaacaca cagccctccc 180
tgctgtctga ccttggaagt ggggcagagg tcagagacct ctctgggccc atgccacctc 240
caacatccac tcgacctcct ggaatttcgg tggagaggag cagaggttgt cctggcggtg 300
tttaggtagt gtgagagggc gcgccgatct tgctaccagt ggaacagcca ctaaggattc 360
tgcaagtaga gcagagggcc agctaagtgg tactctccca gagactgtct gactcagccc 420
acccctccca ccttgacac aggaagctgt ggtttctgag ccagggtacaa tgactcctt 480
cggttaagtgc agtgggaagt gtacactgcc caggcaaaagc gtcggggcag cgtaggcggg 540
cgactcagat cccagccagt ggacttagcc cctgtttgct cctccgataa ctgggggtgac 600
cttggttaat attcaccagc agcctcccc gttgcccctc tggatccact gcttaataac 660
ggacgaggac agggccctgt ctccctcagct tcaggcacca cactgacctc gggacagtag 720
atctagctta cttgt 735

```

```

SEQ ID NO: 21      moltype = DNA  length = 727
FEATURE           Location/Qualifiers
misc_feature       1..727
                  note = constructed sequence
source            1..727
                  mol_type = other DNA
                  organism = synthetic construct

```

```

SEQUENCE: 21
agttaatttt taaaaagcag tcaaaagtcc aagtgccctt gcgagcattt actctctctg 60
tttgctctgg ttaataatct caggagcaca aacattcctt actagttcta ggagttaatt 120
tttaaaaagc agtcaaaagt ccaagtgcct ttgcgagcat ttactctctc tgtttgctct 180
ggttaataat ctcaggagca caaacattcc ttactagttc tagagcgccc gccagtgtgc 240
tggaattcgg cttttttagg gctggaagct acctttgaca tcatttctctc tgcgaatgca 300
tgtataattt ctacagaacc tattagaaag gatcaccagc cctctgcttt tgtacaactt 360
tccttataaa aactgccaat cccactgctg tttggcccaa tagtgagaac ttttctctgc 420
tgctcttggt tgcttttgcc tatggcccct attctgcctg ctgaagacac tcttgccagc 480

```

-continued

```

atggacttaa acccctccag ctctgacaat cctctttctc ttttgtttta catgaagggt 540
ctggcagcca aagcaatcac tcaaaagtta aaccttatca ttttttgctt tgttcctctt 600
ggccttggtt ttgtacatca gctttgaaaa taccatccca ggggttaatgc tggggttaat 660
ttataactga gagtgtctta gttctgcaat acaggacatg ctataaaaaa ggaaagatgt 720
tgctttc 727

SEQ ID NO: 22      moltype = DNA length = 6026
FEATURE           Location/Qualifiers
misc_feature       1..6026
                   note = constructed sequence
source            1..6026
                   mol_type = other DNA
                   organism = synthetic construct

SEQUENCE: 22
ctgcgcgtcc gctcgtccac tgaggccgcc cgggcaaaag ccgggcgtcg ggcgaccttt 60
ggtcgcccg cctcagtgag cgagcgagcg cgcagagagg gagtggccaa ctccatcact 120
aggggttcc tgtagttaat gattaacccg ccatgctact tatctacgta gccatgctct 180
aggaagatcg gaattcgccc ttaaggctca gaggcacaca ggagtttctg ggctcaccct 240
gcccccttcc aacccctcag ttcccatcct ccagcagctg tttgtgtgct gcctctgaag 300
tccacactga acaaaactca gctactcat gtccctaaaa tgggcaaaaca ttgcaagcag 360
caaacagcaa acacacagcc ctccctgcct gctgaccttg gagctggggc agaggtcaga 420
gaactctctg ggcccatgcc acctccaaca tccactcgac cccttggaa ttcggtggag 480
aggagcagag gttgtctctg cgtgggttag gtagtgtgag agggcgcgcc gatcttgcta 540
ccagtggaa agccactaag gattctgcag tgagagcaga gggccagcta agtgggtactc 600
tcccagagac tgtctgacct accccacccc ctccaccttg gacacaggac gctgtgggtt 660
ctgagccagg tacaatgact cctttcggta agtgcagtg aagctgtaca ctgccaggc 720
aaagcgtcc ggccagcgtg cggggcgact cagatccca ccagtggact tagccctctg 780
ttgtctctcc gataactggg gtgaccttgg ttaataattc ccagcagcct ccccggttgc 840
ccctctggat ccactgctta aatacggagc aggcagggc cctgtctcct cagcttcagg 900
caccaccact gacctgggac agtagatcta gcttacttgt ggtaccgagc tcggatcctg 960
agaaactcag ggtgagtcta tgggaccctt gatgttttct tccccttct tttctatggt 1020
taagttcatg tcataggaag gggagaagta acagggtaca catattgacc aaatcagggt 1080
aattttgcat ttgtaatttt aaaaaatgct ttctcttttt aataatactt tttgtttatc 1140
ttattttcaa tactttccct aatctctttc tttcagggca ataataatgac aatgtatcat 1200
gcctctttgc accattctaa agaataacag tgataatttc tgggttaagg caatagcaat 1260
attttcgcat ataaatattt ctgcatataa attgtaactg atgtaagagg ttcatattg 1320
ctaatagcag ctacaatcca gctaccattc tgcttttatt ttatggttgg gataaggctg 1380
gattattctg agtccaagct agggcccttt gctaatcatg ttcataacct ttatcttctc 1440
cccacagctc ctgggcaacg tctgtgtctg tgtgtgtggc catcactttg gcaaaagaat 1500
gatctcgagt aactgaaggc ggccgcaccac atgagcagca agggctctgt ggtgctggcc 1560
tactctggcg gccctggcac cagctgtatc ctctgtggc tgaaagaaca gggctacgac 1620
gtgatcgctc acctggccaa catcgccagg aaagaggact tcgaggaagc ccggaagaag 1680
gacctgaagc tgggcgccc aaagggtgtc atcgaggacg tgtcccgcga gttcgtggaa 1740
gagttcatct ggcccgccat ccagagcagc gccctgtacg aggacagata cctgctgggc 1800
accagccttg ccagaccctg tatcgccggc aaacagggtg aaatcgccca gcgcgagggc 1860
gccaataacg tgtctcacgg cccaccggcg aagggaacag accaggtgcg ctttgagctg 1920
agctgctact ccttggcccc ccagatcaaa gtgatcgccc cttggcgagg gcccgagttc 1980
tacaaccggt tcaaggcgcg gaacgacctg atggaataacg ccaagcagca cggcatcccc 2040
atccccgtga gctctcaagg cctttggagc atggacgaga acctgatgca catcagctac 2100
gaggccggca tcttggaaaa ccccaagaat caggcccttc ccggcctgta cacaagacc 2160
caggaccctg ccaaggcccc caacaccccc gacattcttg aaatcgagtt caagaaggc 2220
gtgcccgtga aagtgaccaa cgtgaaggac ggcaccaccc accagacctc cctggaactg 2280
ttcatgtacc tgaacgaggt ggccggcaag caccggcgtg gcagaatcga catcgtggaa 2340
aacagattca tcggcatgaa gtccccgggc atctacgaga caccagccgg caccatcctg 2400
taccacgccc acctggatat cgaggccctc accatggacc gggaaagtgc gaagatcaag 2460
cagggccttg gccctgaagt cgcagagctg gtgtacacag gcttttggca cagccccgag 2520
tgcgagtttg tgcggcactg cattgtccaag agccaggaaac ggggtggaagg caaggtgcag 2580
gtgtccgtgc tgaagggccca ggtgtacatt ctgggcagag agagccccc gagcctgtac 2640
aacgaggaac tgggtgtctat gaacgtgcag ggcgactacg agccaccga cgcaccggc 2700
ttcatcaaca tcaacagcct gagactgaaa gagtaccacc ggctgcagtc caaagtgacc 2760
gccaagtgat aagcatgcgg atctgcctcg actgtgcctt ctagtgtcca gccatctgtt 2820
gtttgccctt ccccgctgcc ttcttgacc ctggaagggt ccaactccac tgtcctttcc 2880
taataaaatg aggaatttgc atcgattgt ctgagtaggt gtcatcttat tctggggggt 2940
ggggtggggc aggcagcaca gggggaggat tgggaagaca atagcaggca tctgtgggac 3000
tcgagtttaag ggcgaatttc cgataaggat cttcctagag catggctacg tagataagta 3060
gcatggcggg ttaatcatta actacaagga acccctagtg atggagttag ccaactccctc 3120
tctgcgcgct cgctcgctca ctgaggccgg gcgaccaaa gtgcgccgac gcccgggctt 3180
tgccggggcg gccctcagtg ggcagcgagc ggcagcctt aattaacctc attcactggc 3240
cgctgtttta caacgtcgtg actgggaaaa ccttggcggt acccaactta atcgcttgc 3300
agcacatccc cctttcgcca gctggcgtaa tagcgaagag gcccgccagc atcgcccttc 3360
ccaacagttg ccagcctga atggcgaatg ggaacgcgcc ttagcggcg cattaaagcg 3420
ggcgggtgtg gtggttacgc gcagcgtgac cgctacactt gccagcgccc tagcggccgc 3480
tctttcgtct ttcttccctt cctttctcgc cactgttcgc ggttttcccc gtcaagctct 3540
aaatcggggg ctccctttag ggttcgatt tagtgcttta cggcacctcg acccaaaaa 3600
acttgattag ggtgatggtt cactgagtg gccatcgccc tgatagacgg tttttcgccc 3660
tttgacgttg gagtccacgt tctttaatag tggactcttg ttccaaactg gaacaacact 3720
caaccctatc tcggtctatt cttttgattt ataaggatt ttgcccattt cggcctattg 3780
gttaaaaaat gagctgattt aacaaaaatt taacgcgaat ttaacaaaa tattaacgct 3840
tacaatttag gtggcacttt tcggggaaat gtgcgaggaa cccctatttg tttatttttc 3900

```

-continued

taaatacatt	caaatatgta	tccgctcatg	agacaataac	cctgataaat	gcttcaataa	3960
tattgaaaaa	ggaagagtat	gagtatattca	catttccgtg	tcgcocttat	tccctttttt	4020
gcggcathtt	gccttccctgt	ttttgctcac	ccagaaacgc	tggtgaaagt	aaaagatgct	4080
gaagatcagt	tgggtgcacg	agtgggttac	atcgaaactg	atctcaacag	cggtaagatc	4140
cttgagagtt	ttcgcccga	agaacgtttt	ccaatgatga	gcacttttaa	agttctgcta	4200
tgtggcgccg	tattatccc	tattgacgcc	gggcaagagc	aaactcggtc	ccgcatacac	4260
tattctcaga	atgacttggt	tgagtactca	ccagtcacag	aaaagcatct	tacggatggc	4320
atgacagtaa	gagaattatg	cagtgtctgc	ataaccatga	gtgataaac	tcgggccaac	4380
ttactttctga	caacgatcgg	aggaccgaag	gagctaaccg	cttttttgca	caacatgggg	4440
gatcatgtaa	ctcgccctga	tcgttgggaa	ccggagctga	atgaagccat	accaaacgac	4500
gagcgtgaca	ccacgatgcc	tgtagcaatg	gcaacaacgt	tcgcgaaact	attaactggc	4560
gaactactta	ctctagcttc	ccggcaacaa	ttaatagact	ggatggaggg	ggataaagt	4620
gcaggaccac	ttctgcgctc	ggcccttccg	gctggctggt	ttattgctga	taaatctgga	4680
gcgggtgagc	tgggtctcgc	cggtatcatt	gcagcactgg	ggccagatgg	taagccctcc	4740
cgtatcgtag	ttatctacac	gacggggagt	caggcaacta	tgatgaacg	aaatagacag	4800
atcgctgaga	taggtgcctc	actgattaag	cattggtaac	tgctagacca	agtttactca	4860
tatatacttt	agattgattt	aaaacttcat	ttttaattta	aaaggatcta	ggtgaagatc	4920
ctttttgata	atctcatgac	caaaatccct	taacgtgagt	tttcgttcca	ctgagcgtca	4980
gaccccgtag	aaaagatcaa	aggatcttct	tgagatcctt	ttttctgctg	cgtaatctgc	5040
tgcttgcaaa	caaaaaaac	accgctacca	gcgggtggtt	gtttgcccga	tcaagagcta	5100
ccaactcttt	ttccgaaggt	aactggcttc	agcagagcgc	agataccaaa	tactgttctt	5160
ctagtgtagc	cgtagttagg	ccaccacttc	aagaactctg	tagcaccgcc	tacatacttc	5220
gctctgctaa	tcctgttacc	agtggctgct	gccagtggcg	ataagtctgt	tcttaccggg	5280
ttggactcaa	gacgatagtt	accggataag	gcgcagcggt	cggtctgaac	ggggggttcg	5340
tgcaacagc	ccagcttgga	gcgaacgacc	tacaccgaac	tgagataact	acagcgtgag	5400
ctatgagaaa	cgcccaaggg	tccgaaggg	agaaaggcgg	acaggatctc	ggtaagcggc	5460
agggctcgaa	caggagagcg	cacgagggag	cttccagggg	gaaacgcctg	gtatctttat	5520
agtcctgtcg	ggtttcgcca	ccctgactt	gagcgtcgat	ttttgtgatg	ctcgtcaggg	5580
gggcggagcc	tattggaaaa	cgccagcaac	gcggcctttt	tacgggtcct	ggcctttttg	5640
tggccttttg	ctcacatggt	cttctcctgc	ttatccctcg	attctgtgga	taaccgtatt	5700
accgcctttg	agtgtgctga	taccgctcgc	cgcagccgaa	cgcagcagcg	cagcagtgca	5760
gtgagcggag	aagcggaaga	gcgcaccaata	cgcaaacccg	ctctccccgc	gcgttgcccg	5820
attcattaat	gcagctggca	cgcagaggtt	cccagctgga	aagcggcgag	tgagcgcaac	5880
gcaattaatg	tgaattagct	cactcattag	gcacccaggg	ctttacactt	tatgcttccg	5940
gctcgtatgt	tgtgtggaat	tgtgagcggg	taacaatttc	acacaggaaa	cagctatgac	6000
catgattacg	ccagatttaa	ttaagg				6026

SEQ ID NO: 23                      moltype = DNA    length = 5141  
 FEATURE                            Location/Qualifiers  
 misc\_feature                        1..5141  
                                       note = constructed sequence  
 source                                1..5141  
                                       mol\_type = other DNA  
                                       organism = synthetic construct

SEQUENCE: 23

ctgcgcgctc	gctcgcctac	tgaggccgccc	cgggcgaagc	ccgggctgctg	ggcgaccttt	60
ggtcgcccgg	cctcagtgag	cgagcagagc	cgcagagagg	gagtgggcaa	ctccatcact	120
aggggttcct	tgtagttaat	gattaaaccg	ccatgctact	tatctacgta	gccatgctct	180
aggaagatcg	gaatttcgccc	ttaagctagc	tgtttgcctg	tgcaatggtt	tgccattttt	240
aggggtggca	caggacgctg	tggtttctga	gccagggggc	gactcagatc	ccagccagtg	300
gacttagccc	ctgtttgtct	ctccgataac	tggggtgacc	ttggttaata	ttcaccagca	360
gcctcccccc	ttgcccctct	ggatccactg	cttaaatcac	gacgaggaca	gggcccgtgc	420
tcctcagctt	caggcaccac	cactgacctg	ggacagtga	tctgcagaag	ttggtcgtga	480
ggcactgggc	aggttaagtat	caaggttaca	agacagggtt	aaggagacca	atagaaactg	540
ggcttgctga	gacaggaaga	actcttgctg	ttctgatagg	cacctattgg	tcttactgac	600
atccactttg	ctcttctctc	cacaggtgtc	caggcgcccg	ccaccatgag	cagcaagggc	660
tctgtggtgc	tggcctactc	tggcggcctg	gacaccagct	gtatcctcgt	gtggctgaaa	720
gaacagggct	acgacgtgat	cgccactctg	gccaaacatc	gccagaaaga	ggactctgag	780
gaagcccggg	agaaggccct	gaagctgggc	gccaaagaag	tgttcctcga	ggacgtgtcc	840
cgcgagttcg	tggaaagatt	catctggccc	gccatccaga	gcagcgcctc	gtacgaggac	900
agataacctg	tgggcaccag	cctggccaga	ccctgtatcg	ccgggaaaca	ggtggaatc	960
gcccagcgcg	agggcgccaa	atacgtgtct	cacggcgcca	ccggcgaagg	caacgaccag	1020
gtgcgctttg	agctgagctg	ctactccctg	gccccccaga	tcaaagtgat	cgccctctgg	1080
cggatgcccc	agttctacaa	ccgggtcaag	ggccgggaac	acctgatgga	atacgccaag	1140
cagcacggca	tccccatccc	cgtgaccccc	aagaaccctt	ggagcatgga	cgagaacctg	1200
atgcacatca	gctacgaggc	cggcatcctg	gaaaacccca	agaatcaggg	ccctcccgcc	1260
ctgtacacaa	agacccagga	cctgcccga	gcccccaaca	cccccgacat	tctggaatc	1320
gagttcaaga	aaggcgtgcc	cgtgaaagtg	accaacgtga	aggacggcac	caaccaccag	1380
acctccctgg	aactgttcat	gtacctgaac	gaggtggccc	gcaagcacgg	cgtgggcaga	1440
atcgacatcg	tggaaaacag	attcatcggc	atgaagtccc	ggggcatcta	cgagacacca	1500
gcgggcacca	tctgtaccca	cgcccacctg	gatatcgagg	ccttcaccat	ggaccgggaa	1560
gtgcgggaaga	tcaagcaggg	cctgggctcg	aagttcgccg	agctgggtga	cacaggcttt	1620
tggcacagcc	ccgagtgcga	gtttgtgcgg	cactgcattg	ccaagagcca	ggaacgggtg	1680
gaaggcaagg	tgcaggtgtc	gctgctgaag	ggccaggtgt	acattctggg	cagagagagc	1740
ccctcgagcc	tgtacaacga	ggaactgggt	tctatgaacg	tcgaggggcg	ctacgagccc	1800
accgacggca	ccggtctcat	caacatcaac	agcctgagac	tgaagagata	ccaccggctg	1860
cagtcacaag	tgaccgccaa	gtgataagca	tcgggatctg	cctcgactgt	gccttctagt	1920
tgcagcccat	ctgttggttt	ccctccccc	gtgccttcc	tgaccctgga	aggtgccact	1980
cccactgtcc	tttctaata	aatgaggaa	attgcatcgc	attgtctgag	taggtgtcat	2040

-continued

tctattctcg	ggggtggggt	ggggcaggac	agcaaggggg	aggattggga	agacaatagc	2100
aggcatgctg	gggactcgag	ttaagggcga	attcccgatt	aggatcttcc	tagagcatgg	2160
ctacgtagat	aagtagcatg	gcgggttaat	cattaactac	aaggaaacccc	tagtgatgga	2220
gttggeccact	ccctctctgc	gcgctcgtc	gctcactgag	gccggggcgac	caaaggtcgc	2280
ccgacgccc	ggctttggcc	gggcccgcctc	agtgcgcgag	cgagcgcgca	gccttaatta	2340
acctaatcca	ctggccgtcg	ttttacaacg	tcgtgactgg	gaaaaccctg	gcgttaccca	2400
acttaatcgc	cttgacgac	atcccccttt	cgccagctgg	cgtaatagcg	aagaggccc	2460
caaccgatcgc	ctttoccaac	agttgcgcag	ectgaatggc	gaatgggacg	cgccctgtag	2520
cggcgcatta	agcgcggcgg	gtgtgggtgg	tacgcgcagc	gtgaccgcga	cacttgccag	2580
cgccctagcg	cccgcctcct	tcgctttcct	cccttccttt	ctcgccacgt	tcgcgcggctt	2640
tccccgtcaa	gctctaatac	gggggctccc	tttaggggtc	cgattttagtg	ctttacggca	2700
cctcgacccc	aaaaaacttg	attaggggtga	tgggtcacgt	agtgggccaat	cgccctgata	2760
gacgggtttt	cgccctttga	cgttggagtc	cacgttcttt	aatagtggac	tcttgttcca	2820
aactggaaaca	acactcaacg	ctatctcggt	ctattctttt	gatttataag	ggatttttgc	2880
gatttcggcc	tattgggttaa	aaaatgagct	gatttaacaa	aaatttaacg	cgaattttaa	2940
caaaatatta	acgcttacaa	tttaggtggc	acttttcggg	gaaatgtgcg	cggaacccct	3000
atttgtttat	ctttctaaat	acattcaaat	atgtatccgc	tcctgagaca	ataaccctga	3060
taaatgcttc	aataatattg	aaaaaggaag	agtatgagta	ttcaacattt	ccgtgtgcgc	3120
cttattccct	tttttgccgc	attttgcctt	cctgtttttg	ctcaccaga	aacgctgggtg	3180
aaagtaaaag	atgctgaaga	tcagttgggt	gcacgagtg	gttacatcga	actggatctc	3240
aacagcggtta	agatccctga	gagttttcgc	cccgaagaac	gtttttccat	gatgagcact	3300
tttaaagttc	tgcattgtgg	cgcggtatta	tcccgatttg	acgcccggga	agagcaactc	3360
ggtcgcccga	tcactaatc	tcagaatgac	ttgggtgagt	actcaccagt	cacagaaaag	3420
catcttacgg	atggcatgac	agtaagagaa	ttatgcagtg	ctgccataac	catgagtgat	3480
aaactgcgg	ccaacttact	ctgcacaacg	atcgaggagc	cgaaggagct	aacgcgtttt	3540
ttgcacaaaca	tgggggatca	tgttaactcg	cttgatcggt	gggaaaccgga	gctgaatgaa	3600
gccataccaa	acgacgagcg	tgacaccacg	atgcctgtag	caatggcaac	aacgttgccg	3660
aaactattaa	ctggcggaact	acttactcta	gcttcccggc	aacaattaat	agactggatg	3720
gaggcgggata	aaagttgcagg	accacttctg	cgctcggccc	ttccggctgg	ctgggtttatt	3780
gctgataaat	ctggagccgg	tgagcgtggg	tctcgcggtta	tcattgcagc	actggggcca	3840
gatggtaaag	cctcccgat	cgtagttatc	tacacgacgg	ggagtcaggc	aactatggat	3900
gaacgaaata	gcacagatcg	tgagataggt	gcctcactga	ttaagcattg	gtaactgtca	3960
gaccaagttt	actcatatct	actttagatt	gatttaaaac	ttcattttta	atttaaaagg	4020
atctagggtga	agatccctttt	tgataatctc	atgaccaaata	tcccttaacg	tgagttttcg	4080
ttccactgag	cgtagacacc	cgtagaaaag	atcaaaggat	cttcttgaga	tccttttttt	4140
ctgcgcgtta	tctgctgctt	gcaaaacaaa	aaaccaccgc	taccagcggg	ggtttggttg	4200
ccggatcaag	agctaccaac	tctttttccg	aaggtaactg	gcttcagcag	agcgcagata	4260
ccaaatactg	ttcttctagt	gtagccgtag	ttaggccacc	acttcaagaa	ctctgtagca	4320
ccgctacat	acctcgtctc	gctaatcctg	ttaccagtg	ctgctgcag	tgccgataag	4380
tcgtgtctta	ccgggttgga	ctcaagacga	tagttaccgg	ataaggcgcga	gcggtcgggc	4440
tgaacggggg	gttcggtcac	acagcccagc	ttggagcgaa	cgacctacac	cgaactgaga	4500
tacctacagc	gtgagctatg	agaaagcgcc	acgcttcccg	aaggggagaaa	ggcggacagg	4560
tatccggtta	gggcacgggt	cggaacagga	gagcgcacga	gggagcttcc	agggggaaac	4620
gcctgggtatc	tttatagctc	tgtcgggttt	cgccacctct	gacttgagcg	tcgatttttg	4680
tgatgctcgt	cagggggggc	gagccctatg	aaaaacgcca	gcaacgcggc	ctttttacgg	4740
ttcctggcct	tttgctggcc	atgttcttct	ctgcgttatc	ccctgattct		4800
gtggataaac	gtattaccgc	ctttgagtga	gctgataccg	ctgcgccag	ccgaacgacc	4860
gagcgcagcg	agtcagtgag	cgaggaaagc	gaagagcgcc	caatacgcaa	accgcctctc	4920
ccgcgcgctt	ggccgactta	ttaatgcagc	tggcacgaca	ggtttccgga	ctggaaagcg	4980
ggcagtgagc	gcaacgcaat	taatgtgagt	tagctcactc	attaggcacc	ccaggtctta	5040
cactttatgc	ttccggctcg	tatgttgtgt	ggaattgtga	gcggataaca	atttcacaca	5100
ggaacagct	atgaccatga	ttacgcccga	tttaattaag	g		5141

SEQ ID NO: 24                      moltype = DNA   length = 6071  
FEATURE  
misc\_feature                      1..6071  
   note = constructed sequence  
source                                1..6071  
   mol\_type = other DNA  
   organism = synthetic   construct

SEQUENCE: 24

ctgcgcgctc	gctcgtcac	tgaggccgccc	cgggcaaaagc	ccggggcgtcg	ggcgaccttt	60
ggtcgcccgg	cctcagtgag	cgagcgagcg	cgcagagagg	gagtgggcaa	ctccatcact	120
aggggttcct	tgtagtgaa	gattaaaccg	ccatgctact	tatctacgta	gccatgctct	180
aggaagatcg	gaattcgccc	ttaaagctagg	ggggatccac	tagtactcga	gacctaggag	240
ttaattttta	aaaagcagtc	aaaagtccaa	gtgcccttgc	gagcatttac	tctctctggt	300
tgctctggtt	aataatctca	ggagcacaaa	cattccttac	tagttctagg	agttaatatt	360
taaaaagcag	tcaaaagtcc	aagtgccctt	gcgagcattt	actctctctg	tttgctctgg	420
ttaataatct	caggagcaca	aacattcctt	actagttcta	gagcggccgc	cagtgtgctg	480
gaattcggct	tttttagggc	tggaagctac	ctttgacatc	atttcctctg	cgaatgcctg	540
tataatttct	acagaacctta	ttagaaggga	tcacccagcc	tctgcttttg	tacaaccttc	600
ccttaaaaaa	ctgccaatcc	cactgctggt	tgggccaata	gtgagaactt	tttctgctg	660
cctcttggtg	cttttgcccta	tggcccttat	ctcgcctgct	gaagacactc	ttgccagcat	720
ggacttaaac	ccctccagct	ctgacaaatc	tctttctctt	ttgttttaca	tgaagggtct	780
ggcagccaaa	gcaatcactc	aaagttcaaa	ccttatcatt	ttttgctttg	ttctctcttg	840
ccttggtttt	gtacatcagc	tttgaaaata	ccatcccagg	gttaatgctg	gggttaattt	900
ataactgaga	gtgctctagt	tctgcaatac	aggacatgct	ataaaaaatg	aaagatgttg	960
ctttctgaga	gatcagctta	ctgtgggtac	cgagctcgga	tcctgagaac	ttcagggtga	1020
gtctatggga	cccttgatgt	tttctttccc	cttcttttct	atggttaagt	tcattgtcata	1080

-continued

ggaaggggag	aagtaacagg	gtacacatat	tgaccaaata	agggttaattt	tgcatttgta	1140
attttaaaaa	atgctttctt	cttttaatat	acttttttgt	ttatcttatt	tctaatactt	1200
tccctaactc	ctttctttca	gggcaataat	gatacaatgt	atcatgcctc	tttgaccat	1260
tctaaagaat	aacagtgata	atttctgggt	taaggcaata	gcaatatttc	tgcataataa	1320
tatttctgca	tataaattgt	aactgatgta	agaggtttca	tattgctaata	agcagctaca	1380
atccagctac	cattctgctt	ttattttatg	gttgggataa	ggctggatta	ttctgagtc	1440
aagctaggcc	cttttgctaa	tcattgttcat	acctcttacc	ttctctccac	agctcctggg	1500
caacgtgctg	gtctgtgtgc	tggcccatca	ctttggcaaa	gaattgatct	cgagtaactg	1560
aaggcgccgc	ccaccatgag	cagcaagggc	tctgtggtgc	tggcctactc	tggcgccctg	1620
gacaccagct	gtatcctcgt	gtggctgaaa	gaacagggct	acgacgtgat	cgcctacctg	1680
gccaacatcg	gccagaaaga	ggacttcgag	gaagcccgga	agaaggccct	gaagctgggc	1740
gccaagaagg	tggtcatcga	ggacgtgtcc	cgcgagttcg	tggaaagatt	catctggccc	1800
gccatccaga	gcacgcctct	gtacgaggac	agatacctgc	tgggcaccag	cctggccaga	1860
ccctgtatcg	cccggaaaca	ggtggaaatc	gcccagcgcg	agggcgccaa	atacgtgtct	1920
cacggcgcca	ccggcaaggg	caacgaccag	gtgcgctttg	agctgagctg	ctactccctg	1980
gccccccaga	tcaaaagtat	gcctccttgg	cggatgcccg	agttctacaa	ccggttcaag	2040
ggccgggaacg	acctgatgga	atacgccaag	cagcacggca	tccccatccc	cgtgaccccc	2100
aagaacctct	ggagcatgga	cgagaacctg	atgcacatca	gctacgagcg	cggcacccctg	2160
gaaaacccca	agaatcaggc	ccctcccggc	ctgtacacaa	agaccagga	ccctgccaag	2220
gcccccaaca	cccgcagcga	tctggaaatc	gagttcaaga	aaggcgtgcc	cgtgaaagtg	2280
accaaactga	aggacggcac	cacccaccag	acctccctgg	aactgttcat	gtacctgaac	2340
gaggtggccg	gcaagcacgg	cgtgggcaga	atcgacatcg	tggaaaaacag	attcatcggc	2400
atgaagtccc	ggggcatctc	cgagacacca	gcccgcacca	tctgtacca	cgcccacctg	2460
gatatcgagg	ccttcaccat	ggaccgggaa	gtgcggaaga	tcaagcaggg	cctgggcccctg	2520
aagttcgccg	acgtggtgta	cacaggcttt	tggcacagcc	cagagtgcga	gtttgtgcgg	2580
cactgcattg	ccaagagcca	ggaaacgggtg	gaaggcaagg	tgcaggtgtc	cgtgctgaag	2640
ggccaggtgt	acattctctgg	cagagagagc	cccctgagcc	tgtacaaaga	ggaactgggtg	2700
tctatgaacg	tgcaggggca	ctacgagccc	accgacgcca	ccggtctcat	caacatcaac	2760
agcctgagac	tgaagagata	ccaccggctg	cagtcctaaag	tgaccgcctaa	gtgataagca	2820
tgcggtatctg	cctcgactgt	gccttctagt	tgcacgccat	ctgttgtttg	cccctcccc	2880
gtgccttctc	tgaccttgga	aggtgcccact	cccactgtcc	ttctctaata	aaatgaggaa	2940
attgcatcgc	attgtctgag	taggtgtcat	tctattctgg	ggggtggggt	ggggcaggac	3000
agcaaggggg	aggattggga	agacaatagc	aggcatgctg	gggactcgag	ttaagggcga	3060
attcccgatt	aggatcttcc	tagagcatgg	ctacgtatag	aagtatgatg	gcgggttaat	3120
cattaactac	aaggaacccc	tagtgatgga	gttggccact	ccctctctgc	gcgctcgctc	3180
gtcactagag	gcccggcgac	caaaggtcgc	ccgacgcccc	ggctttgccc	gggcggccctc	3240
agtgagcgag	cgagcgcgca	gccttaatta	acctaatcca	ctggccgctg	ttttacaacg	3300
tctgtactgg	gaaaaccctg	gcgttaccca	acttaatcgc	cttgacgac	atcccccttt	3360
cgccagctgg	cgtaatagcg	aagaggcccc	caccgatcgc	ccttcccaac	agttgcgcag	3420
cctgaatggc	gaatgggagc	gcctctgtag	cggcgccatta	agcgcggcgg	gtgtggtggt	3480
tacgcgcagc	gtgaccgcta	cccttgccag	cccctctctt	tcgctttctt	tcgctttctt	3540
cccttccctt	ctcgccacgt	tgcggcgctt	tcccctgcaa	gctctaaatc	gggggctccc	3600
tttaggggtc	cgattttagt	ctttacggca	cctgcacccc	aaaaaacttg	attaggggtga	3660
tgggtcactg	agtgggccat	cgccctgata	gacgggtttt	cgccctttga	cgttggagtc	3720
caactgtctt	aatagtgagc	tctgtttcca	aactggaaca	acactcaacc	ctatctcggt	3780
ctattctttt	gattttatag	ggattttggc	gatttcggcc	tattggttaa	aaaatgagct	3840
gatttaacaa	aaatttaacg	cgaattttta	caaaatatta	acgcttacaa	tttaggtggc	3900
acttttcggg	gaaatgtgcg	cgaaccccc	atttgtttat	ttttotaat	acattcaaat	3960
atgtatccgc	tcatgagaca	ataaccctga	taaatgcttc	aataatattg	aaaaagggaag	4020
agtatgagta	ttcaacattt	ccgtgtcgcc	cttattccct	tttttgcggc	attttgcctt	4080
cctgtttttg	ctcaccacga	aacgtgtgtg	aaagtaaaa	atgctgaaga	tcaagtgggt	4140
gcacgagtg	gtttacatcg	actggatctc	aacagcggta	agatccttga	gagtttttcg	4200
cccgaaagac	gtttttccat	gatgagcact	tttaaaagtc	tgtatgttgg	cgcggtatta	4260
tcctgtattg	acgcggggca	agagcaactc	ggtgcgcgca	tacactattc	tcagaatgac	4320
ttggttagtg	actcaccagt	ccagaaaaag	catcttacgg	atggcatgac	agtaagagaa	4380
ttatgcagtg	ctgccataac	catgagtgat	aaactgcgg	ccaacttact	tctgacaacg	4440
atcgaggagc	cgaaggagct	aaacgctttt	ttgcacaaca	tgggggatca	tgtaaactcg	4500
cttgatcgtt	gggaaccggga	gctgaatgaa	gccataccaa	acgacgagcg	tgacaccacg	4560
atgctctgag	caatgggcaac	aacgttgccg	aaactattaa	ctggcggaact	acttactcta	4620
gcttcccgcc	aacaattaat	agactggatg	gaggcggata	aagttgcagg	accacttctg	4680
cgctcgccgc	ttccgggctg	ctgggtttat	gctgataaat	ctggagccgg	tgagcgtggg	4740
tctcgcggtg	tcattgcagc	actggggcca	gatggttaag	cctcccgat	cgtagttatc	4800
tacacgacgg	ggagtccagg	aactatggat	gaacgaaata	gacagatcgc	tgagataggt	4860
gcctcactga	ttaagcatgt	gtaaactgtc	gaccaagttt	actcatatat	actttagatt	4920
gatttaaaac	ttcattttta	atttaaaagg	atctaggtga	agatcccttt	tgataatctc	4980
atgacccaaa	tcctttaacg	tgagttttcg	ttccactgag	cgtcagaccc	cgtagaaaa	5040
atcaaaggat	cttcttgaga	tctttttttt	ctgcgcgtaa	tctgctgctt	gcaaaacaaa	5100
aaaccaccgc	taccagcggt	ggtttgtttg	ccggatcaag	agctaccaac	tctttttccg	5160
aaggtaactg	gcttcagcag	agcgcagata	ccaaatactg	ttcttctagt	gtagccgtag	5220
ttaggccacc	acttcaagaa	ctctgttagca	ccgcctacat	acctcgctct	gctaactcctg	5280
ttaccagtgg	ctgctgccag	tggcgataag	tcgtgtctta	ccgggttgga	ctcaagacga	5340
tagttaccgg	ataaggcgca	gcggctcggg	tgaacggggg	gttcgtgcac	acagcccagc	5400
tggagcgcaa	cgaactacac	cgaactgaga	tacctacagc	gtgagctatg	agaaagcgcc	5460
acgcttcccg	aagggaagaa	ggcggacagg	tatccggtta	gcggcagggt	cggaaacagga	5520
gagcgacaga	gggagcttcc	agggggaaac	gcctgggtatc	tttatagtc	tgtcggggtt	5580
cgccacctct	gacttgagcg	tcgatttttg	tgatgctcgt	cagggggggc	gagcctatgg	5640
aaaaacgcca	gcaacgcggc	ctttttacgg	ttcctggcct	tttgctggcc	ttttgctcac	5700
atgttcttcc	ctcggttacc	ccctgattct	gtggataacc	gtattaccgc	ctttgagtga	5760
gctgatccgc	ctcgccgcag	cgaacgacc	gagcgcagcg	agtcagttag	cgagggaagcg	5820



-continued

```

gaagagcgcc caatagcga accgctctc cccgcgcgtt ggccgattca ttaatgcage 5880
tggcacgaca ggtttccga ctggaaagcg ggcagtgcgc gcaacgcaat taatgtgagt 5940
tagctcactc attaggcacc ccaggcttta cactttatgc ttccggctcg tatgttgtgt 6000
ggaattgtga gcgataaca atttcacaca ggaaacagct atgaccatga ttacgccaga 6060
tttaattaag g

```

```

SEQ ID NO: 25      moltype = DNA length = 6135
FEATURE            Location/Qualifiers
misc_feature       1..6135
                    note = constructed sequence
source             1..6135
                    mol_type = other DNA
                    organism = synthetic construct

```

```

SEQUENCE: 25
ctgcgcgctc gctcgcctac tgaggccgcc cgggcaaaagc ccggcgctcg ggccgacctt 60
ggtcgcccg gctcagtgag cgagcgagcg cgcagagagg gagtggccaa ctccatcact 120
aggggttcct tgtagttaat gattaaacccg ccatgctact tatctacgta gccatgctct 180
aggaagatcg gaattcgccc ttaagctagc aggttaattt ttaaaaagca gtcaaaagtc 240
caagtggccc ttggcagcat ttaactctct tgtttgctct gggttaataat ctccaggagca 300
caaacattcc agatccaggt taatttttaa aaagcagtc aaagtcctaa tggcccttgg 360
cagcatttac tctctctggt tgctctggtt aataatctca ggagcacaaa cattccagat 420
ccggcgcgcc agggctggaa gctaccttg acatcatttc ctctgcgaat gcatgtataa 480
tttctacaga acctattaga aaggatcacc cagcctctgc tttgtacaa ctttccctta 540
aaaaactgcc aatccactg ctgtttggcc caatagtgag aactttttcc tgctgcctct 600
tggtgctttt gctatggcc cctattctgc ctgctgaaga cactcttgc agcatggact 660
taaacccctc cagctctgac aatcctcttt ctcttttgtt ttacatgaag ggtctggcag 720
ccaaagcaat cactcaaaag tcaaacctta tcattttttg cttgttctct cttggccttg 780
gtttgttaca tcagctttga aaataccatc ccagggttaa tgcctgggtt aatttataac 840
taagagtgtc ctagttttgc aatacaggac atgctataaa aatggaaaaga tgttgccttc 900
tgagagatcg cagaagtgg tcgtgaggca ctgggcagggt aagtatcaag gttacaagac 960
aggtttaagg agaccaatag aaactgggct tgcgagaca gagaagactc ttgcgtttct 1020
gataggcacc tatgtgtctt actgacatcc actttgcctt tctctccaca ggtgtccagg 1080
cggcgccacc catgagcagc aagggctctg tgggtgctggc ctactctggc ggccctggaca 1140
ccagctgtat ccctgtgtgg ctgaaagaac agggctacga cgtgatcgcc tacctggcca 1200
acatcgccca gaaagaggac ttcgaggaa ggcggaaaga ggcctgaag ctggcgccca 1260
agaaggtgtt catcgaggac gtgtcccgcg agttcgtgga agagtccatc tggcccgcca 1320
tccagagcag gccctgttga gaggacagat acctgctggg caccagctcg gccagacct 1380
gtatcgcccg gaaacaggtg gaaatcgccc agcgcgaggg cgccaaatac gtgtctcacg 1440
gcgcaccgag caagggcaac gccacaggtgc gctttgagct gagctgtac tccctggccc 1500
cccagatcaa agtgatcgcc ccttggcgga tgcccgagtt ctacaaccgg ttcaagggcc 1560
ggaaacgacct gatggaatac gccaaagcagc acggcatccc catcccctg acccccaaga 1620
acccttgagc catggcagag aacctgatgc acatcagcta cgaggccggc atcctggaaa 1680
acccaagaa tcaggccctc ccgggctgtt acacaaaagc ccaggacctc gccaaaggccc 1740
ccaacacccc cgacattctg gaaatcgagt tcaagaaaag cgtgcccgtg aaagtgaaca 1800
acgtgaagga cggcaccacc caccagacct ccttggaact gttcatgtac ctgaacgagg 1860
tggccggcaa gcacggcggt ggcaagaatcg acatcgtgga aaacagattc atcggcatga 1920
agtcccgggg catctacgag acaccagcgg gcaccatcct gtaccacgce cactcggata 1980
tcgagggcctt caccatggag cgggaagtgcc ggaagatcaa cgagggcctg ggccctgaagt 2040
tcgcccagctt ggtgtacaca ggcttttggc acagccccga gtgcgagttt gtgcggcaact 2100
gcattgccaa gagccaggaa cgggtggaag gcaaggtgca ggtgtccgtg ctgaagggcc 2160
aggtgtacat tctgggcaga gagagccccc tgagcctgta caacgaggaa ctggtgtcta 2220
tgaaactgca gggcgacatc gagccaccgg acgccaccgg cttcatcaac atcaacagcc 2280
tgagactgaa agagtaccac cggctgcagt ccaaagtga cgccaagtga taagcatgag 2340
gatccaatca acctctggat taaaaaatt gtgaaagatt gactggtatt cttaaactatg 2400
ttgctccttt tacgtatgt ggatacgctg ctttaatgcc tttgtatcat gctattgctt 2460
cccgatggc tttcattttc ttctccttgt ataaatcctg gttgctgtct ctttatgagg 2520
agttgtggcc cgttgtcagg caacgtggcg tgggtgtcac tgtgtttgct gacgcaaccc 2580
ccactgggtg gggcattggc accactgttc agctccttcc cgggaacttc gctttccccc 2640
tccctattgc caccggcgaa ctcatcgccg cctgccttgc ccgctgctg acaggggctc 2700
ggctgttggg cactgacaa tccgtgggtg tgcgggggaa gctgacgtcc tttccatggc 2760
tgctcgcccg tgttgcaacc tggattctgc gcgggacgtc cttctgctac gtcccttcgg 2820
cctcaatcc agcggacctt ccttcccggc gctgctgccc ggctctgcgg cctcttcgcg 2880
gtcttcgaga tctgcctcga ctgtgccttc tagttgccag ccatctgttg tttgcccctc 2940
ccccgtgctt tccctgaccc tggaaaggtgc cactcccact gtcctttcct aataaaatga 3000
ggaaattgca tcgcattgtc tgagtgggtg tcattctatt ctgggggggtg ggggtggggca 3060
ggacagcaag ggggaggtat ggggaagacaa tagcaggcat gctggggact cgagttaagg 3120
tcgaattccc gattaggac ttccctagagc atggctacgt agataagtag catggcgggt 3180
taatcattaa ctacaaggaa cccctagtga tggagtgggc cactccctct ctgcgcgctc 3240
gctcgcctac tgaggccggg cgaccaaaag tcgcccgcag cccgggcttt gccggggcgg 3300
cctcagtgag cgagcgagcg cgcagcctta attaacctaa ttactgggc gtcgttttac 3360
aacgtcgtga ctgggaaaac cctggcggtta cccaacttaa tcgcttgca gcacatcccc 3420
ctttcgccag ctggcgtaat agcgaagagg cccgcaccga tcgccccttc caacagttgc 3480
gcagcctgaa tggcgaatgg gacgcgccct gtacggcgcg attaagcgcg gcggtgtgtg 3540
tgggtacgag cagcgtgacc gctacacttg ccagcgccct agcgcgcgct cctttcgctt 3600
tcttcccttc ctttctcgcc acgttcgcgg gctttccccc tcaagctcta aatcgggggc 3660
tccctttagg gttccgattt agtgccttac ggcaacctga ccccaaaaaa cttgattagg 3720
gtgatgggtc acgtagtggg ccctcgccct gatagacggt ttttcgccc ttagcgtttg 3780
agtccacggt ctttaaatgt ggaactctgt tccaaactgg aacaacactc aacctatct 3840
cggctctattc ttttgattta taagggtatt tgccgatttc ggctatttgg ttaaaaaatg 3900

```

-continued

```

agctgattta acaaaaattt aacgcgaatt ttaacaaaat attaacgctt acaatttagg 3960
tggcactttt cggggaaatg tgcgcggaac cctattttgt ttatttttct aaatacattc 4020
aaatatgtat ccgctcatga gacaataaacc ctgataaatg cttcaataat attgaaaaag 4080
gaagagtatg agtattcaac atttccgtgt cgccttattt cctttttttg cggcattttg 4140
ccttcctgtt tttgtccacc cagaaaacgt ggtgaaagta aaagatgctg aagatcagtt 4200
gggtgcacga gtgggttaca tcgaactgga tctcaacagc ggtaagatcc ttgagagttt 4260
tcgccccgaa gaacgttttc caatgatgag cactttttaa gttctgctat gtggcgcggt 4320
attatcccggt attgacgcgc ggcaagagca actcggtcgc cgcatacact attctcagaa 4380
tgacttggtt gagtactcac cagtcacaga aaagcatctt acggatggca tgacagtaag 4440
agaattatgc agtgctgcca taaccatgag tgataaact gcggccaact tacttctgac 4500
aacgatcgga ggacogaagg agctaaccgc ttttttgac aacatggggg atcatgtaac 4560
tcgccttgat cgttgggaac cggagctgaa tgaagccata ccaaacgacg agcgtgacac 4620
cacgatgctt gtgacaatgg caacaacgtt gcgcaaaact ttaactggcg aactacttac 4680
tctagcttcc cggcaacaat taatagactg gatggaggcg gataaagttg caggaccact 4740
tctgcgctcg gcccttcggt ctggctggtt tattgctgat aaatctggag ccggtgagcg 4800
tgggtctcgc ggtatcattg cagcactggg gccagatggt aagccctccc gtatcgtagt 4860
tatctcccggt acggggagtc aggcactatg ggatgaacga aatagacaga tcgctgagat 4920
agggtcctca ctgattaagc attggttaact gtcagaccaa gtttactcat atatacttta 4980
gattgattta aaacttcatt ttaatttaa aaggatctag tggaagatcc ttttgataa 5040
tctcatgacc aaaatccctt aacgtgagtt ttctgtccac tgagcgtcag accccgtaga 5100
aaagatcaaa ggatctcttt gagatccttt tttctgcgc gtaatctgct gcttgcaaac 5160
aaaaaaacca ccgtaccagc cgttggtttg tttgcgggat caagagctac caactctttt 5220
tccgaaggtt actggcttca gcagagcgca gataccaaat actgttcttc tagtgtagcc 5280
gtagttaggc caccacttca agaactctgt agcaccgcct acatacctcg ctctgctaact 5340
cctgttacca gtggctgctg ccagtggcga taagtctgtt cttaccgggt tggactcaag 5400
acgatagtta ccggaataag cgcagcggtc ggggtgaacg ggggggttcgt gcacacagcc 5460
cagcttgagg cgaacgacct acaccgaact gagataccta cagcgtgagc tatgagaaag 5520
cgccacgctt cccgaaggga gaaaggcgga caggtatccg gtaagcggca gggtcggaa 5580
aggagagcgc acgagggagc ttccaggggg aaacgcctgg tatctttata gtcctgtcgg 5640
gtttcgccac ctctgacttg agcgtcgatt tttgtgatgc tcgtcagggg ggcggagcct 5700
atggaaaaac gccagcaacg cggccttttt acggttcctg gccttttctg ggccttttgc 5760
tcacatgttc ttctctgctg tatcccttga ttctgtggat aaccgtatta ccgcttttga 5820
gtgagctgat accgctcgcc gcagccgaac gaccgagcgc agcaggtcag tgagcgagga 5880
agcgggaagag gcaccaatc gccaaaccgc cgttggccga ttcatatag 5940
cagctggcac gcaggtttc gcactggaa agcgggcagt gagcgcaacg caattaatgt 6000
gagttagctc actcattagg caccaccagg tttacacttt atgtctccgg ctcgtagtt 6060
gtgtggaatt gtgagcggat aacaatttca cacaggaaac agctatgacc atgattacgc 6120
cagatttaat taagg 6135

```

```

SEQ ID NO: 26      moltype = DNA length = 5587
FEATURE           Location/Qualifiers
misc_feature       1..5587
                   note = constructed sequence
source            1..5587
                   mol_type = other DNA
                   organism = synthetic construct

```

```

SEQUENCE: 26
ctgcgcgctc gctcgtcac tgaggccgcc cgggcaaaag ccgggctgct ggcgacctt 60
ggtcgcgccg cctcagtgag cgcagagagg gagtgcccaa ctccatcact 120
aggggttctc tgtagttaat gattaaaccg ccatgctact tatctacgta gccatgctct 180
aggaagatcg gaattcgccc ttaagctagc aggttaattt taaaaagca gtcaaaagtc 240
caagtggccc ttggcagctt ttactctctc tgtttgctct ggttaataat ctcaggagca 300
caaacattcc agatccaggt taatttttaa aaagcagtc aaagtccaag tggcccttgg 360
cagcatttca tctctctgtt tgctctggtt aataatctca ggagcacaaa cattccagat 420
ccggcgcgcc agggctggaa gctacctttg acatcatttc ctctgcgaat gcatgtataa 480
tttctacaga acctattaga aaggatcacc cagcctctgc tttgtacaa ctttccctta 540
aaaaactgcc aattccactg ctgtttggcc caatagttag aactttttcc tgcgtcctct 600
tgggtccttt gccctgggct cctattctgc ctgctgaaga cactcttgcc agcatggact 660
taaacccctc cagctctgac aatcctcttt ctcttttgtt ttacatgaag ggtctggcag 720
ccaaagcaat cactcaaaag tcaaacctta tcattttttg cttgttccct cttggccttg 780
gttttgtaaa tcagctttga aaataccatc ccagggttaa tgctgggggtt aatttataac 840
taagagtgtc ctagttttgc aatacaggac atgctataaa aatggaaaaga tgttgctttc 900
tgagagactg cagaagtggg tcgtgaggca ctgggcaggg aagtatcaag gttacaagac 960
aggtttaagg agaccaatag aaactgggct tgtcgagaca gagaagactc ttgcgtttct 1020
gataggcacc tatttggtctt actgacatcc actttgcctt tctctccaca ggtgtccagg 1080
cggccgccac catgagcagc aagggctctg tgggtctggc ctactctggc ggccctggaca 1140
ccagctgtat cctcgtgtgg ctgaaagaac agggctacga cgtgatcgcc tacctggcca 1200
acatcggcca gaaagaggac ttcgaggaag ccggaaagaa ggccctgaag cttggcgcca 1260
agaaggtgtt catcgaggac gtgtcccgcg agttcgtgga agagtccatc tggcccgcca 1320
tccagagcag cgcctgttac gaggacagat acctgctggg caccagcctg gccagacct 1380
gtatcgcccg gaaacagggt gaaatcgccc agcgcgaggg cgccaaatac gtgtctcacg 1440
gcgccaccgg caagggaac gaccagggtg gctttgagct gagctgtac tccctggccc 1500
cccagatcaa agtgatcgcc ccttggcgga tgcccaggtt ctacaacagg ttcaagggcc 1560
ggaaacgacct gatggaatc gccaaagcag acggcatccc catcccgtg accccaaga 1620
acccttggag catggacgag aacctgatgc acatcagcta cgaggccggc atcctggaaa 1680
acccaagaa tcaggccctt ccggcctgtt acacaaagac ccaggacctt gccaaaggcc 1740
ccaacacccc cgacattctg gaaatcgagt tcaagaaaag cgtgcccgtg aaagtgacca 1800
acgtgaagga cggcaccacc caccagacct ccttggaact gttcatgtac ctgaacgagg 1860
tggccggcaa gcacggcgctg ggcagaatcg acatcgtgga aaacagattc atcggcatga 1920

```

-continued

```

agtccegggg catctacgag acaccagcgg gcaccatcct gtaccacgcc cacctggata 1980
tcgaggccctt caccatggac cgggaagtgc ggaagatcaa gcagggcctg ggctgaagt 2040
tcgcccagctt ggtgtacaca ggcttttggc acagcccga gtgcgagttt gtgcggcact 2100
gcattgccaa gagccaggaa cgggtggaag gcaaggtgca ggtgtccgtg ctgaagggcc 2160
aggtgtacat tctgggcaga gagagcccc tgagcctgta caacgaggaa ctggtgtcta 2220
tgaacgtgca gggcgactac gagcccaccg acgccaccgg cttcatcaac atcaacagcc 2280
tgagactgaa agagtaccac cggctgcagt ccaaagtac cgccaagtga taagcatgag 2340
gatctgcctc gactgtgcct tctagttgcc agccatctgt tgtttgccc tccccgtgc 2400
cttctctgac cctggaaggt gccactccca ctgtccttcc ctaataaaat gaggaattg 2460
catcgcatgg tctgagtagg tgtcattcta ttctgggggg tggggtgggg caggacagca 2520
agggggaggga ttgggaagac aatagcaggc atgctgggga ctcgagtaa gggcgaaatt 2580
ccgattaggga tcttctctaga gcatggctac gtatagaagt agcatggcgg gttaatcatt 2640
aactacaagg aacccctagt gatggagttg gccactccct ctctgcgcgc tcgctcgctc 2700
actgaggcgg ggcgaccaa ggctgcgggt tggccggggc ggctcagtg 2760
agcgcagcag cgcgcagcct taattaacct aattcactgg ccgtcgtttt acaacgctgt 2820
gactgggaaa accctggcgt taccacaact aatcgcttg cagcacatcc ccttttcgcc 2880
agctggcgta atagcgaga ggcccgcacc gatcgccctt ccaacagtg gcgcagcctg 2940
aatggcgaaat gggacgcggc ctgtagcggc gcattaagcg cggcggtgtg ggtggttacg 3000
cgcagcgtga ccgctacatg tggcagcgcc ctgacggccc ctcttttcgc tttcttcctt 3060
tctcttctcg ccacgttcgc cggctttccc cgtcaagctc taaatcgggg gctcccttta 3120
gggttcggat ttagtgtctt acggcacctc gaccccaaaa aacttgatta ggggtgatgt 3180
tcacgtagtg ggcacatgcc ctgatagacg gtttttcgcc ctttgacgtt ggagtcacg 3240
ttctttaata gtggactctt gttccaaact tcaacccat ctcggtctat 3300
tcttttgatt tataagggat ttgcccattt tcggcctatt ggttaaaaaa tagctgatt 3360
taacaaaaat ttaacgcgaa ttttaacaaa atattaacgc ttacaattta ggtggcactt 3420
ttcggggaaa tgtgcgcgga acccctattt gtttattttt ctaaatatcat tcaaatatgt 3480
atccgctcat gagacaataa ccttgataaa tgcctcaata atattgaaa aggaagagta 3540
tgagtattca cactttccgt gtcgccctta ttcccttttt tgcggcattt tgccttctg 3600
tttttgccta cccagaaacg ctggtgaaag taaaagatgc tgaagatcag ttgggtgcac 3660
gagtggttta catcgaactg gatctcaaca cgggtaagat ccttgagagt ttccgcccgc 3720
aagaacgttt tccaatgatg agcactttta aagttctgct atgtggcgcg gtattatccc 3780
gtattgacgc cgggcaagag caactcggtc gccgcataca ctattctcag aatgacttgg 3840
ttgagtactc accagtcaac gaaaagcatc ttacggatgg catgacagta agagaattat 3900
gcagtgtgcg cataaacatg agtgataaca ctgcggccaa cttacttctg acaacgatcg 3960
gaggaccgaa ggagctaac cgtttttttg acaacatggg ggatcatgta actcgccctg 4020
atcgttggga accggagctg aatgaagcca taccaaaaga cgagcgtgac accacgatgc 4080
ctgtagcaat ggcacaaacg ttgcgcaaac tattaactgg cgaactactt actcagctt 4140
cccggcaaca attaatagac tggatggagg cggataaagt tgcaggacca cttctgcgct 4200
cggcccttcc ggctggctgg tttattgctg ataaatctgg agccggtgag cgtgggtctc 4260
gcggtatcat tgcagcactg gggccagatg gtaagccctc ccgtatcgta gttatctaca 4320
gcacggggag tcaggcaact atggatgaac gaaatagaca gatcgctgag ataggtgcct 4380
cactgattaa gcattgtgta ctgtcagacc aagtttactc atataactt tagattgatt 4440
taaaacttca tttttaattt aaaaggatct aggtgaagat cctttttgat aatctcatga 4500
ccaaaatccc ttaacgtgag ttttcgttcc actgagcgtc agaccccgta gaaaagatca 4560
aaggatcttc ttgagatcct tttttctgc gcgtaactct ctgcttgcaa acaaaaaaac 4620
caccgctacc agcggtaggtt tgtttgcggg atcaagagct accaactctt ttccgaagg 4680
taactggctt cagcagagcg cagataccaa atactgttct tctagtgtag ccgtagttag 4740
gccaccactt caagaactct gtacacccgc ctacatacct cgctctgcta atcctgttac 4800
cagtggctgc tgcagctggc gataagtcgt gtcttaccgg gttggactca agacgatagt 4860
taccggataa ggcgcagcgg tgggctgtaa cgggggggtt gtgcacacag ccagcttgg 4920
agcgaaacgc ctacaccgaa ctgagatacc tacagcgtga gctatgagaa agcgccacgc 4980
ttccgaagg gagaaaggcg gacaggtatc cggtaagcgg cagggtcgga acagagagc 5040
gcacgaggga gcttccaggg ggaacgcctt ggtatcttta tagtctctgc gggtttcgcc 5100
acctctgact tgagcgtcga tttttgtgat gctcgtcagg gggcgaggc ctatgaaaaa 5160
acgcagcaaa cgggcctttt ttacggttcc tggccttttg ctggcctttt gctcacatgt 5220
tctttctcgc gttatccctt gattctgtgg ataaccgtat taccgccttt gagtgtgctg 5280
ataccgctcg ccgcagccga acgaccgagc gcagcgagtc agtgagcgag gaagcggaag 5340
agcggccaat acgcaaacgc cctctcccc gcgcttgccc gattcattaa tgcagctggc 5400
acgacaggtt tcccagctgg aaagcgggca gtgagcgcaa cgcaattaat gtgagttagc 5460
tcaactatta ggcaccccg gctttacact ttatgcttcc ggctcgtatg ttgtgtgtaa 5520
ttgtgagcgg ataacaattt cacacaggaa acagctatga ccatgattac gccagattta 5580
attaagg

```

```

SEQ ID NO: 27      moltype = DNA length = 5587
FEATURE            Location/Qualifiers
misc_feature       1..5587
                   note = constructed sequence
source             1..5587
                   mol_type = other DNA
                   organism = synthetic construct

```

```

SEQUENCE: 27
ctgcgcgctc gctcgtcac tgaggccgcc cgggcaaagc cggggcgctg ggcgaccttt 60
ggtcgcccgg cctcagtgag cgagcgagcg cgcagagagg gagtggccaa ctccatcact 120
aggggttctc ttagttaaat gattaacccg ccatgctact tatctacgta gccatgctct 180
aggaagatcg gaattcgcgc ttaagctagc aggttaattt taaaaagca gtcaaaagtc 240
caagtggccc ttgacagcat ttactctctc tgtttgctct ggttaataat ctgaggagca 300
caaacattcc agatccaggt taatttttaa aaagcagtca aaagtccaag tggcccttgg 360
cagcatttac tctctctggt ttctctggtt aataatctca ggagcacaaa cattccagat 420
ccggcgcgcc agggctggaa gctacctttg acatcatctt ctctgcgaat gcatgtataa 480

```

-continued

ttttctacaga	acctattaga	aaggatcacc	cagcctctgc	ttttgtacaa	ctttccctta	540
aaaaactgcc	aattccactg	ctgtttggcc	caatagttag	aactttttcc	tgtgcctct	600
tgggtctttt	gcctatggcc	cctattctgc	ctgctgaaga	cactcttgcc	agcatggact	660
taaacccttc	cagctctgac	aatectcttt	ctcttttgtt	ttacatgaag	ggtctggcag	720
ccaaagcaat	cactcaaatg	tcaaacctta	tcattttttg	ctttgttctt	cttggccttg	780
gtttttgtaca	tcagctttga	aaataccatc	ccagggttaa	tgtctggggt	aatttataac	840
taagagtgc	ctagttttgc	aatacaggac	atgctataaa	aatggaaaga	tgttgccttc	900
tgagagactg	cagaagttag	tcgtgaggca	ctgggcagg	aagtatcaag	gttacaagac	960
agggttaag	agaccaatag	aaactgggct	tgtcgagaca	gagaagactc	ttgcgtttct	1020
gataggcacc	tattggtctt	actgacatcc	actttgcctt	tctctccaca	ggtgtccagg	1080
cggccgcac	catgtccagc	aaaggctccg	tgggtctggc	ctacagtggc	ggcctggaca	1140
cctcgtgcat	cctcgtgtgg	ctgaaggaa	aaggctatga	cgtcattgcc	tatctggcca	1200
acattggcca	gaaggaaag	ttcgaggaa	ccaggaaaga	ggcactgaag	cttggggcca	1260
aaaaaggtgt	cattgaggat	gtcagcagg	agtttggga	ggagttcatc	tggccggcca	1320
tcagctccag	cgcactgtat	gaggaccgct	acctctcggg	cactctctct	gccaggccct	1380
gcacgcgccg	caaacaagt	gaaatcgccc	agcgggagg	ggccaagtat	gtgtccacg	1440
gcgcacacgg	caagggggaa	gatcagggtc	ggtttgagct	cagctgctac	tcactggccc	1500
cccagataaa	ggtcatgtct	ccttgaggga	tgcctgaatt	ctacaaccgg	ttcaagggcc	1560
gcaatgacct	gatggagtac	gcaaaagca	acgggattcc	catcccggtc	actccaaga	1620
acccgtggag	catggatgag	aacctcatgc	acatcagcta	caggctgga	atcctggaga	1680
accccaagaa	ccaagcgctt	ccaggctctt	acacgaagac	ccaggaccca	gccaaagccc	1740
ccaaaccccc	tgacattctc	gagatcgagt	tcaaaaaagg	ggtccctgtg	aaggtgacca	1800
acgtcaagga	tggcaccacc	caccagacct	ccttggagct	cttcatgtac	ctgaacgaag	1860
tcgcgggcaa	gcattggcgt	ggcgcgtatt	acatcgtgga	gaaccgcttc	attggaatga	1920
agtcccgagg	tatctacgag	acccagcag	gcacatcctt	ttaccacgct	catttagaca	1980
tcgaggcctt	accatgggac	cgggaagtgc	gcaaaatcaa	acaaggcctt	ggcttgaaat	2040
ttgctgagct	ggtgtatacc	ggtttctggc	acagccctga	gtgtgaattt	gtccgccact	2100
gcacgcgcaa	gtcccgagg	cgagtggaa	ggaaagtgca	ggtgtccgtc	ctcaagggcc	2160
agggtgacat	cctcggccgg	gagtcgccac	tgtctctcta	caatgaggag	ctgggtgagca	2220
tgaacgtgca	gggtgattat	gagccaactg	atgcccaccg	gttcatcaac	atcaattccc	2280
tcaggctgaa	ggaatatcat	cgtctccaga	gcaaggtcac	tgcctaatga	taagcatgag	2340
gatctgcctc	gactgtgect	tgtagtgtgc	agccatctgt	tgtttgcccc	tcctccgtgc	2400
cttccctgac	cctggaaggt	gccactccca	ctgtcctttc	ctaataaaat	gagggaattg	2460
catcgcattg	tgtgagtagg	tgtcattcta	ttctgggggg	tggggtgggg	caggacagca	2520
agggggagg	ttgggaagac	aatagcaggc	atgctgggga	ctcgagttaa	gggccaattc	2580
ccgattagga	tcttcctaga	gcattgctac	gtagataagt	agcatggcgg	gttaatcatt	2640
aaactacaag	aacctctagt	gatggagtgt	gccactccct	ctctgcgcgc	tcgctcgctc	2700
actgaggccg	ggcgacacaa	ggtcgcccca	cgcccgggct	ttgcccgggc	ggcctcagtg	2760
agcgagcgag	cgcgagcgct	taattaacct	aattcactgg	ccgtcgtttt	acaacgtcgt	2820
gactgggaaa	acctggcggt	taccaaactt	aatcgccctt	cagcacatcc	ccctttcgcc	2880
agctggcgta	atagcggaaga	ggcccgccac	gatcgccctt	cccaacagtg	gcgcagcctg	2940
aatggcgaa	gggacgcgcc	ctgtagcggc	gcattaagcg	cggcggtgtg	ggtggttacg	3000
cgacgcgtga	cgcctacact	tgcacgcgcc	ctagcgcgcc	ctcctttcgc	ttctctccct	3060
tcccttctcg	ccacgttcgc	cggctttccc	cgtcaagctc	taaatcgggg	gctcccttta	3120
gggttcgat	ttagtgtctt	acggcacctc	gaccccaaaa	aacttgatta	gggtgatggt	3180
tcacgtagt	ggcctacgcc	gtttttcgcc	ctttgacgtt	ggagtccacg		3240
ttctttaata	gtggactctt	gttccaaact	ggaacacac	tcaaccttat	ctcggtctat	3300
ctctttgatt	tataagggat	tttgccgatt	tcggcctatt	gggttaaaaa	tgaagtgatt	3360
taacaaaaat	ttaacgcgaa	ttttaacaaa	atattaacgc	ttacaattta	ggtggcactt	3420
ttcggggaaa	tgtgcgcgga	acccctatct	gtttatcttt	ctaaatacat	tcaaatatgt	3480
atccgctcat	gagacaataa	ccttgataaa	tgtctcaata	atattgaaaa	aggaagagta	3540
tgagtattca	acatttccgt	gtcgccctta	ttcccttttt	tgcggcattt	tgccctctcg	3600
tttttgcctc	cccagaaacg	ctgggtgaa	taaaagatgc	tgaagatcag	ttgggtgcac	3660
gagtggtgtt	catcgaaact	gatctcaaca	cgggtaagat	ccttgagagt	tttcgccccg	3720
aagaacgttt	tccaatgatg	agcaatttta	aagttctgct	atgtggcgcg	gtattatccc	3780
gtattgacgc	cgggcaagag	caactcggtc	gcgcacatac	ctattctcag	aatgacttgg	3840
ttgagtactc	accagtcaca	gaaaagcatc	ttacggatgg	catgacagta	agagaattat	3900
gcagtgtctg	cataaccact	agtataaaca	ctcgggccaa	cttacttctg	acaacgatcg	3960
gaggaccgaa	ggagctaacc	gcttttttgc	acaaacatgg	ggatcatgta	actcgccctg	4020
atcgttggga	accggagctg	aatgaagcca	taccaaacga	cgaagcgtgac	accacgatgc	4080
ctgtagcaat	ggcaacaacg	ttgcgcaaac	tattaaactg	cgaactactt	actctagctt	4140
cccggcaaca	attaatagac	tggatggagg	cggataaaat	tgcaggacca	cttctgcgct	4200
cggcccttcc	ggctggctgg	tttattgctg	ataaatctgg	agccggtgag	cgtgggtctc	4260
gcggtatcat	tcagcactcg	ggccagatg	gtaagccctc	ccgtatcgta	gttatctaca	4320
cgacggggag	tcaggcaact	atggatgaac	gaaatagaca	gatcgctgag	ataggtgcct	4380
cactgattaa	gcatttggtaa	ctgtcagacc	aagtttactc	atatataact	tagattgatt	4440
taaaacttca	tttttaattt	aaaaggatct	aggtgaagat	cctttttgat	aatctcatga	4500
ccaaaatccc	ttaacgtgag	ttttcgttcc	actgagcgtc	agaccccgta	gaaaagatca	4560
aaggatcttc	ttgagatcct	ttttttctgc	gcgtaaatctg	ctgcttgcaa	acaaaaaac	4620
caccgctacc	agcgggtggt	tgttttgccg	atcaagagct	accaactctt	tttccgaagg	4680
taactggctt	cagcagagcg	cagataccaa	atactgttct	tctagtgtag	ccgtagttag	4740
gccaccactt	caagaactct	gtagcaccgc	ctacatactt	cgtctgctga	atcctgttac	4800
cagtggctgc	tgcagatggc	gataagtcgt	gtcttaccgg	gttgagatca	agacgatagt	4860
taccggataa	ggcgacgcgg	tcgggctgaa	cgggggggtc	gtgcacacag	cccagcttgg	4920
agcgaaacgc	ctacacgcga	ctgagatacc	tacagcgtga	gctatgagaa	agcgccacgc	4980
ttcccgaaag	gagaaagcg	gacaggtatc	cggtaagcgg	cagggtcgga	acaggagagc	5040
gcacgaggga	gcttccagg	ggaacgcct	ggtatcttta	tagtccctgc	gggtttcgcc	5100
acctctgact	tgagcctcga	tttttgtgat	gctcgtcagg	ggggcgagc	ctatggaaaa	5160
acgcagcaaa	cgcggccttt	ttacgggtcc	tggccttttg	ctggcctttt	gctcacatgt	5220

-continued

```

tctttctctgc gttatccctt gattctgttg ataaccgtat taccgccttt gagtgaagctg 5280
ataccgctctg ccgcagccga acgaccgagc gcagcgagtc agtgagcgag gaagcggaag 5340
agcgcccaat acgcaaaccc cctctccccg cgcgttgccc gattcattaa tgcagctggc 5400
acgacaggtt tcccgactgg aaagcgggca gtgagcgcaa cgcaattaat gtgagttagc 5460
tcactcatta ggcacccacg gctttacact ttatgcttcc ggctcgtagt ttgtgtggaa 5520
ttgtgagcgg ataacaattt cacacaggaa acagctatga ccatgattac gccagattta 5580
attaagg 5587

```

```

SEQ ID NO: 28      moltype = DNA length = 6026
FEATURE
misc_feature       Location/Qualifiers
                    1..6026
                    note = constructed sequence
source             1..6026
                    mol_type = other DNA
                    organism = synthetic construct

```

```

SEQUENCE: 28
ctgcgcctgc gctcgtctac tgaggccgcc cgggcaaaag cggggcgtcg ggcgaccttt 60
ggtcgccccg cctcagtgag cgagcgagcg cgcagagagg gagtggccaa ctccatcact 120
aggggttctt tgatgtaaat gattaaccg ccatgctact tatctacgta gccatgctct 180
aggaagatcg gaattcgccc ttaaggctca gaggcacaca ggagtttctg ggctcaccct 240
gcccccttcc aaccctcag ttccatcctt ccagcagctg tttgtgtgct gcctctgaag 300
tccacactga acaaaactta gctactcat gtccctaaaa tgggcaaaaca ttgcaagcag 360
caaacagcaa acacacagcc ctccctgcct gctgaccttg gagctggggc agaggtcaga 420
gacctctctg ggcccatgcc acctccaaca tccactcgac cccttggaat ttcggtgagg 480
aggagcagag gttgtctctg cgtggtttag gtagtgtgag agggcgcgcc gatcttgcta 540
ccagtggaac agccactaag gattctgcag tgagagcaga gggccagcta agtggtactc 600
tcccagagac tgtctgactc accgcccccc ctccaccttg gacacaggac gctgtgggtt 660
ctgagccagg tacaatgact cctttcggta agtgagtgag aagctgtaca ctgccaggc 720
aaagcgctcg ggcagcgtag gcgggcgact cagatcccag ccagtgagct tagccccctg 780
ttgctcctcc gataactggg gtgaccttgg ttaatatcca ccagcagcct ccccgcttgc 840
ccctctggat ccaactgcta aatacggacg aggcagggcg cctgtctcct cagcttcagg 900
caccaccact gacctgggac agtagatcta gcttacttgt ggtaccgagc tcggatccctg 960
agaacttcag ggtgagtcta tgggacccct gatgttttct ttccctctct tttctatggt 1020
taagttcatg tcataggaa gggagaaagta acagggtaca catattgacc aaatcagggt 1080
aattttgcatt ttgtaatttt aaaaaatgct ttctctttt aatatacttt tttgtttatc 1140
ttatttctaa tactttccct aatctctttt ttccagggca ataatagata aatgtatcat 1200
gctcttttgc caatttctaa agaataacag tgataattt tgggttaagg caatagcaat 1260
attttctgcat ataaatattt ctgcataata attgtaactg atgtaagagg tttcatattg 1320
ctaatagcag ctacaatcca gctaccattc tgcctttatt ttatggttgg gataaaggctg 1380
gattattctg agtcacaagc aggccttttt gctaactcat ttcatacctc ttatcttctt 1440
cccacagctc ctgggcaaac tgctggtctg tgtgctggcc catcactttg gcaaaagaatt 1500
gatctcgagt aactgaaggc ggccgcccacc atgtccagca aaggctccgt ggttctggcc 1560
tacagtggcg gctcggcac cctgtgcac ctcgtgtggc tgaaggaaca aggctatgac 1620
gtcattgcct atctggccaa cattggccag aaggaagact tcgaggaagc caggaagaag 1680
gcactgaagc ttggggccaa aaaggtgttc attgaggatg tcagcaggga gtttggagg 1740
gagttcatct ggcgggccat ccagtccagc gcactgtatg aggaccgcta cctcctgggc 1800
acctctcttg accggccctg catcgccccc aaacaagtgg aaatcgcca gcgggagggg 1860
gccaaagtat tgtcccacg cgccacagga aaggggaacg atcaggtccg gtttgagctc 1920
agctgctact cactggcccc ccagataaag gtcattgtct cctggaggat gcctgaattc 1980
tacaaccggt tcaagggccg caatgacctg atggagtagc caaagcaaca cgggattccc 2040
atcccggcta ctcccagaa ccggtggagc atggatgaga acctcatgca catcagctac 2100
gaggctggaa tctcggagaa ccccagaac caagcgccct caggtctcta cacgaagacc 2160
caggaccag ccaaaagccc caacacccct gacattctcg agatcgagtt caaaaaaggg 2220
gtccctgtga aggtgaccaa cgtcaaggat ggcaccaccc accagacctc cttggagctc 2280
ttcatgtacc tgaacgaagt cgcgggcaag catggcgtag gccgtattga catcgtggag 2340
aaccgcttca ttggaatgaa gtcccagggt atctacgaga cccagcagg caccatcctt 2400
taccacgctc atttagacat cagggccttc acctggagcc ggggaagtgc caaaatcaaa 2460
caaggcctgg gcttgaattt tgctgagctg gtgtataacc gtttctggca cagccctgag 2520
tgtgaatttg tcccaccact catcgccaag tcccaggagc gagtgggaag gaaagtgcag 2580
gtgtccgtcc tcaagggcca ggtgtacatc ctccgcccgg agtccccact gtctctctac 2640
aatgaggagc tggtagagcat gaacgtgcag ggtgattatg agccaactga tgcacccggg 2700
ttcatcaaca tcaattccct caggctgaag gaatatcatc gtctccagag caaggtcact 2760
gccaatgat aagcatcgcg atctgcctcg actgtgcctt ctagtgtgca gccatctgtt 2820
gtttgccccct ccccgggccc ttccctgacc ctggaaggtg ccaactccac tgccttttcc 2880
taataaaatg aggaatttgc atcgcattgt ctgagtaggt gtcattctat tctggggggg 2940
ggggtggggc aggcagacaa gggggaggat tgggaagaca atagcaggca tgcgtgggac 3000
tcgagttaag ggcgaattcc cgataaggat cttcctagag catggctacg tagataagta 3060
gcattggcgg ttaatcatta actacaagga acccctagtg atggagttgg ccatccctc 3120
tctgcgcgct cgctcgctca ctgaggcccg gcgacaaaag gtcgcccgac gcccgggcct 3180
tgcccgggcg gcctcagtg ggcagcgagc gcgcagcctt aattaacctt attcactggc 3240
cgctggttta caacgtcggt actgggaaaa cctggcgctt acccaactta atcgcttgc 3300
agcacatccc cctttcgcca gctggcgtaa tagcgaagag gcccgcccg atcgcccttc 3360
ccaacagttg cgcagcctga atggcgaatg ggcagcgccc tgtagcgcg cattaagcgc 3420
ggcggtgtgt gtggttacgc gcaagctgac cgctacactt gccagcgccc tagcgcccg 3480
tctttctgct ttcttccctt cctttctcgc cactgtcgcc ggctttcccc gtcaagctct 3540
aaatcggggg ctccctttag ggttccgatt tagtgcttta cggcacctcg accccaaaaa 3600
acttgattag ggtgatgggt cacgtagtgg gccatcgccc tgatagacgg tttttcgccc 3660
tttgacgttg gagtccagct tctttaatag tggactcttg ttccaaactg gaacaacact 3720
caaccctatc tcggtctatt cttttgattt ataagggatt ttgcccagtt cggcctattg 3780

```

-continued

gttaaaaaat	gagctgattt	aacaaaaatt	taacgcgaat	tttaacaaaa	tattaacgct	3840
tacaattttg	gtggcacttt	tcggggaaaat	gtgcgcggaa	ccctattttg	tttatttttc	3900
taaatacatt	caaatatgta	tcgcgtcatg	agacaataac	cctgataaat	gcttcaataa	3960
tattgaaaaa	ggaagagtat	gagtattcaa	catttccgtg	tcgccttat	tcctttttt	4020
gcggcatttt	gccttccgtg	ttttgctcac	ccagaaacgc	tggtgaaagt	aaaagatgct	4080
gaagatcagt	tggtgtcacg	agtggtttac	atcgaactgg	atctcaacag	cggtaagatc	4140
cttgagagtt	ttcgcgccga	agaacgtttt	ccaatgatga	gcacttttaa	agttctgcta	4200
tgtggcgctg	tattatcccg	tattgacgcc	gggcaagagc	aactcggtcg	ccgcatacac	4260
tattctcaga	atgactcgtg	tgagtactca	ccagtcacag	aaaagcatct	tacggatggc	4320
atgacagtaa	gagaattatg	cagtgtgcc	ataaccatga	gtgataaac	tgcgcccaac	4380
ttactttcga	caacgatcgg	aggaccgaag	gagctaaccg	cttttttgca	caacatgggg	4440
gatcatgtaa	ctgccttga	tcgttgggaa	ccggagctga	atgaagccat	accaaagcag	4500
gagcgtgaca	ccacgatgcc	tgtagcaatg	gcaacaacgt	tcgcgaact	attaactggc	4560
gaactactta	ctctagcttc	ccggcaacaa	ttaatagact	ggatggaggc	ggataaagt	4620
gcaggaccac	ttctgcgctc	ggcccttccg	gctggctggg	ttattgctga	taaatctgga	4680
gcccgtgagc	gtgggtctcg	cggtatcatt	gcagcactgg	ggccagatgg	taagccctcc	4740
cgtatcgtag	ttatccctg	gacggggagt	caggcaacta	tgatgaacg	aaatagacag	4800
atcgtcgtga	taggtgcctc	actgattaag	cattggtaac	tgctagacca	agtttactca	4860
tataactttt	agattgattt	aaaaacttcat	ttttaattta	aaaggatcta	ggtgaagatc	4920
ctttttgata	atctcatgac	caaaatccct	taacgtgagt	tttcgttcca	ctgagcgtca	4980
gaccccgtag	aaaagatcaa	aggatcttct	tgagatcctt	ttttctcgcg	cgtaatctgc	5040
tgcttgcaaa	caaaaaaac	accgctacca	gcgggtggtt	gtttgcgga	tcaagagcta	5100
ccaaactctt	ttccgaaggt	aactggcttc	agcagagcgc	agataccaaa	tactgttctt	5160
ctagtgtagc	cgtagttagg	ccaccacttc	aagaactctg	tagcaccgcc	tacatacctc	5220
gctctgctaa	tcctgttacc	agtggctgct	gccagtggcg	ataagtcgtg	tcttaccggg	5280
ttggactcaa	gacgatagtt	accggataag	gcgcagcggg	cgggctgaac	gggggggttcg	5340
tgacacacgc	ccagcttgga	gcgaacgacc	tacaccgaac	tgagatacct	acagcgtgag	5400
ctatgagaaa	gcgcccagct	tcgccgaagg	agaaaggcgg	acaggtatcc	ggtaagcggc	5460
agggctcgaa	caggagagcg	cacgagggag	cttccagggg	gaaacgcctg	gtatctttat	5520
agtcctgtcg	ggtttcgcca	cctctgactt	gagcgtcgat	ttttgtgatg	ctcgtcaggg	5580
gggcggagcc	tatggaaaaa	gcccgcaaac	gcggcctttt	tacggttcct	ggccttttgc	5640
tggccttttg	ctcacatggt	tttctctcg	ttatccctcg	attctgtgga	taaccgtatt	5700
accgcctttg	agtgagctga	taccgctcgc	cgcagccgaa	cgaccgagcg	cagcagatca	5760
gtgagcaggg	aagcggaaaga	gcgcccaata	cgcaaacgcg	ctctcccgcg	gcgttgcccg	5820
attcattaat	gcagctggca	cgacaggttt	cccactgga	aagcggcgag	tgagcgcaac	5880
gcaattaatg	tgagtttagct	cactcattag	gcaccccagg	ctttacactt	tatgcttccg	5940
gctcgtatgt	tgtgtggaat	tgtgagcggg	taacaatttc	acacaggaaa	cagctatgac	6000
catgattacg	ccagatttaa	ttaagg				6026

SEQ ID NO: 29      moltype = DNA   length = 5876  
FEATURE            Location/Qualifiers  
misc\_feature        1..5876  
                      note = constructed sequence  
source              1..5876  
                      mol\_type = other DNA  
                      organism = synthetic construct

SEQUENCE: 29

ctgcgcgctc	gctcgtcac	tgaggccgcc	cgggcaaacg	ccgggcgtcg	ggcgaccttt	60
ggctgcgccg	cctcagtgag	cgcagagagg	gagtgcccaa	ctccatcact		120
aggggttctc	tgtagttaat	gattaaaccg	ccatgctact	tatctacgta	gccatgctct	180
aggaagatcg	gaattcgccc	ttaagctagc	cgtgacaaag	gctcagaggc	acacaggagt	240
ttctgggctc	accctgcgcc	ctccaaacc	ctcagttccc	atcctccagc	agctgtttgt	300
gtgctgcctc	tgaagtccac	actgaacaaa	cttcagccta	ctcatgtccc	taaaatgggc	360
aaacattgca	agcagcaaac	agcaaacaca	cagccctccc	tgctcgtgta	ccttgaggct	420
ggggcagagg	tcagagacct	ctctgggccc	atgccacctc	caacatccac	tcgacccctt	480
ggaaattcgg	tggagaggag	cagaggttgt	cctggcgtgg	tttaggtagt	gtgagaggga	540
gatccggcgc	gcctggacac	aggacgctgt	ggtttctgag	ccagggggcg	actcagatcc	600
cagccagtg	acttagcccc	tgtttgtctc	tcggataact	gggtgacct	tggttaatat	660
tcaccagcag	cctccccctg	tgccccctcg	gatccactgc	ttaaatacgg	acgaggacag	720
ggccctgtct	cctcagcttc	aggcaccacc	actgacctgg	gacagtgaat	agcgagatct	780
agcttacttt	tgttaccagc	tcggatccct	agaacttcag	ggtgagtcta	tgggacccct	840
gatgttttct	ttccccctct	ttctcatggt	taagttcatg	tcataaggaag	gggagaagta	900
acagggtaca	catattgacc	aaatcagggt	aattttgcat	ttgtaatttt	aaaaaatgct	960
ttcttctttt	aatatacttt	tttgtttatc	ttatttctaa	tactttccct	aatctctttc	1020
tttcagggca	ataatgatac	aatgtatcat	gcctctttgc	accattctaa	agaataacag	1080
tgataatttc	tgggttaagg	caatagcaat	atttctgcat	ataaatattt	ctgcataata	1140
attgtaactg	atgtaagagg	tttcatattg	ctaatagcag	ctacaatcca	gctaccattc	1200
tgtctttatt	ttatgggttg	gataaggcgt	gattattctg	agtcacagct	aggccctttt	1260
gctaatacat	ttcatacctc	ttatcttctc	cccacagctc	ctgggcaacg	tgctggtctg	1320
tgtgtggccc	catcactttg	gcaaaagaat	gatctcagat	aactgaaggc	ggccgcccac	1380
atgagcagca	agggtctctg	ggtgctggcc	tactctggcg	gcctggacac	cagctgtatc	1440
ctcgtgtggc	tgaagaagca	gggctacgac	gtgatcgctc	acctggccaa	catcgccacg	1500
aaagaggact	tcgaggaagc	ccggaagaag	gccctgaagc	tgggcgccaa	gaagggtgtc	1560
atcgaggacg	tgccccgca	cctcgtggaa	gagttcatct	ggcccgccat	ccagagcagc	1620
gcccgtgacg	aggacagata	cttctgtggc	accagcctgg	ccagaccctg	tatcgcccg	1680
aaacagggtg	aaatcgccca	gcgcgagggc	gccaaatacg	tgtctcagcg	cgcacccggc	1740
aaggggcaac	accaggtgcg	ctttgagctg	agctgctact	ccctggcccc	ccagatcaaa	1800
gtgatcgccc	cttggcggtg	gcccgagttc	tacaaccggt	tcaaggcgcc	gaacgacctg	1860
atggaatacg	ccaagcagca	cggcatcccc	atccccgtga	cccccaagaa	cccttgaggc	1920

-continued

atggacgaga	acctgatgca	catcagctac	gaggccggca	tccctggaaaa	ccccaagaat	1980
caggccccc	cggcctgta	cacaaagacc	caggaccctg	ccaaggcccc	caacaccccc	2040
gacattcttg	aatcgagtt	caagaaggc	gtgcccgta	aagtgaccaa	cgtgaaggac	2100
ggcaccacc	accagacctc	cctggaactg	tctatgtacc	tgaacgaggt	ggcgggcaag	2160
cacggcgtgg	gcagaatcga	catcgtggaa	aacagattca	tccgcatgaa	gtcccggggc	2220
atctacgaga	caccagccgg	caccatcctg	taccacgccc	acctggatat	cgaggccttc	2280
accatggacc	gggaagtgcg	gaagatcaag	cagggcctgg	gcctgaagtt	cgccgagctg	2340
gtgtacacag	gcttttggca	cagccccgag	tgcgagtttg	tgcggcactg	cattgccaag	2400
agccaggaa	gggtgggaag	caaggtgcag	gtgtccgtgc	tgaagggcca	ggtgtacatt	2460
ctgggagag	agagccccct	gagcctgtac	aacgaggaac	tggtgtctat	gaacgtgcag	2520
ggcgactacg	agcccacga	cgccacggc	ttcatcaaca	tcaacagcct	gagactgaaa	2580
gagtagcacc	ggctgcagtc	caaagtgaac	gccaaagtga	aagcatgcgg	atctgcctcg	2640
actgtgcctt	ctagtgtcca	gccatctgtt	gtttgccctt	cccccggtgc	ttccttgacc	2700
ctggaaggtg	ccactccctc	tgtcctttcc	taataaaatg	aggaatttgc	atcgcatgtt	2760
ctgagtaggt	gtcattctat	tctggggggg	gggtgggggc	aggacagcaa	gggggaggat	2820
tgggaagaca	atagcaggca	tgtcggggac	tcgagttaag	ggcgaattcc	cgataaggat	2880
cttctagag	ctaggctacg	tagataagta	gcattggcgg	ttaatcatta	actacaagga	2940
acccctagt	atggagttgg	ccactccctc	tctgcgcgtc	cgctcgctca	ctgaggccgg	3000
gcgaccaaag	gtcgcccgac	gcccgggctt	tgcccgggcg	gcctcagtga	gcgagcgagc	3060
gcgcagcctt	aattaaccta	attcactggc	cgtcgtttta	caacgtcgtg	actgggaaaa	3120
ccctggcgtt	acccaactta	atcgccctgc	agcacatccc	cctttcgcca	gctggcgtaa	3180
tagcgaagag	gcccgcaccg	atcgcccttc	ccaacagttg	cgagcctga	atggcgaatg	3240
ggagcgcgcc	tgtagcggcg	cattaagcgc	ggcgggtgtg	gtggttacgc	gcagcgtgac	3300
gcctacactt	gccagcggcc	tagcggccgc	tcctttcgct	ttcttccctt	cctttctcgc	3360
cacgttcgcc	ggctttcccc	gtcaagctct	aaatcggggg	ctccctttag	ggttcgcat	3420
tagtgcttta	gggcacctcg	acccccaaaa	acttgattag	ggtgatggtt	cacgtagtgg	3480
gccatcgccc	tgtatagcgg	tttttcgccc	tttgacgttg	gagtcacagt	tctttaatag	3540
tggactcttg	ttccaaactg	gaacaacact	caaccctatc	tcggtctatt	cttttgattt	3600
ataagggatt	ttgcccattt	cggcctattg	gttaaaaaat	gagctgattt	aacaaaaatt	3660
taacgcgaat	tttaacaaaa	tattaacgct	tacaatttag	gtggcacttt	tcggggaaat	3720
gtgcgcggaa	cccttatttg	tttatttttc	taaatacatt	caaatatgta	tccgctcatg	3780
agacaataac	cctgataaat	gcttcaataa	tattgaaaaa	ggaagagtat	gagtattcaa	3840
catttccgtg	tcgccccttat	tcctcttttt	gcggcatttt	gccttccctg	ttttgctcac	3900
ccagaaacgc	tggatgaacg	aaaagatgct	gaagatcagt	tgggtgcacg	agtgggttac	3960
atcgaaactg	ttgtcaacag	cggtaagatc	cttgagagtt	ttcggcccca	agaacgtttt	4020
ccaatgatga	gcacttttta	agttctgcta	tgtggcggcg	tattatcccc	tattgacgcc	4080
gggcaagagc	aactcggctg	ccgcatacac	tattctcaga	atgacttggt	tgagtactca	4140
ccagtcacag	aaaagcatct	tcaggatggc	atgacagtaa	gagaattatg	cagtgtctgc	4200
ataaccatga	gtgataacac	tcgcccacac	ttacttctga	caacgatcgg	aggaccgaag	4260
gagctaaccg	cttttttgca	caacatgggg	gatcatgtaa	ctcgccttga	tcgttgggaa	4320
ccggagctga	atgaagccat	acccaaacgc	gagcgtgaca	ccacgatgcc	tgtagcaaat	4380
gcacaaacgt	tcgcgcaaac	attaactggc	gaactactta	ctctagcttc	ccggcaacaa	4440
tttaatagact	ggatggaggc	ggataaagtt	gcaggaccac	ttctgcgtc	ggcccttcgc	4500
gctggctggt	ttattgctga	taaatctgga	gccggtgagc	gtgggtctcg	cggatcattt	4560
gcagcactgg	ggccagatgg	taagccctcc	cgtatcgtag	ttatctacac	gacggggagt	4620
caggcaacta	tggtgaacg	aaatagacag	atcgctgaga	taggtgcctc	actgattaag	4680
cattggtaac	tgtcagacca	agtttactca	tataactctt	agattgattt	aaaaacttcat	4740
ttttaattta	aaaggatcta	ggtgaagatc	ctttttgata	atctcatgac	caaaatccct	4800
taacgtgagt	tttcgttcca	ctgagcgtca	gaccccgtag	aaaagatcaa	aggatcttct	4860
tgagatcctt	tttttctcgc	cgtaatctgc	tgcttgcaaa	caaaaaaac	accgctacca	4920
gcggtggttt	gtttgcggga	tcaagagcta	ccaactcttt	ttccgaaggt	aactggcttc	4980
agcagagcgc	agataccaaa	tactgttctt	ctagtgtagc	cgtagttagg	ccaccacttc	5040
aagaactctg	tagcaccgcc	tacatacctc	gctctgctaa	tcctgttacc	agtggctgct	5100
gccagtggcg	ataagctgtg	tcttacccgg	ttggactcaa	gacgatagtt	accggataag	5160
gcgcagcggg	cgggctgaac	gggggggttc	tgccacacagc	ccagcttgga	gcgaacgacc	5220
tacaccgaac	tggatatact	acagcgtgag	ctatgagaaa	gcgccacgct	tcgccgaagg	5280
agaaaggcgg	acaggtatcc	ggtaagcggc	agggctcgaa	caggagagcg	cacgagggag	5340
cttccagggg	gaaacgcctg	gtatctttat	agtcctgtcg	ggtttcgcca	cctctgaact	5400
gagcgtcgat	ttttgtgatg	ctcgtcaggg	gggcggagcc	tatggaaaaa	cgccagcaac	5460
gcggcctttt	tacggttcct	ggccttttgc	tggccttttg	ctcacatggt	ctttcctcgc	5520
ttatccctcg	attctgttga	taaccgtatt	accgcctttg	agtgagctga	taccgctcgc	5580
cgcagccgaa	cgaccgagcg	cagcgagtca	gtgagcgagg	aagcgggaag	gcgcccaata	5640
cgcaaacccg	ctctcccccg	gcgttgcccg	attcattaat	gcagctggca	cgacagggtt	5700
cccgaactga	aagcgggcag	tgagcgcac	gcaattaatg	tgagttagct	cactcattag	5760
gcacccacag	ctttacactt	tatgcttccg	gctcgtatgt	tgtgtggaat	tgtgagcgga	5820
taacaatttc	acacagga	cagctatgac	catgattacg	ccagatttaa	ttaagg	5876

SEQ ID NO: 30                   moltype = DNA   length = 4893  
 FEATURE                       Location/Qualifiers  
 misc\_feature                 1..4893  
                               note = constructed sequence  
 source                         1..4893  
                               mol\_type = other DNA  
                               organism = synthetic construct

SEQUENCE: 30

ctgcgcgctc	gctcgtctac	tgaggccggc	cgggcaaaag	ccgggcgctg	ggcgaccttt	60
ggtgcgcccg	cctcagtgag	cgagcgagcg	cgcagagagg	gagtggccaa	ctccatcact	120
aggggttcct	tgtagttaat	gattaacccg	ccatgctact	tatctactta	agtggttgct	180
gcttgcaatg	tttgccattt	ttagggaat	tctggacaca	ggacgctgtg	gtttctgagc	240

-continued

cagggggcca	ctcagatccc	agccagtgga	cttagccctt	gtttgctcct	ccgataactg	300
gggtgacctt	gggttaattt	caccagcagc	ctccccctt	gccccctctg	atccactgct	360
taaatcacga	cgaggacagg	gcctgtcttc	ctcagcttca	ggcaccacca	ctgacctggg	420
acagtgaata	gcggcccgcca	ccatgagcag	caagggtctt	gtggtgctgg	cctactctgg	480
cggcctggac	accagctgta	tcctcgtgtg	gctgaaagaa	cagggtctacg	acgtgatcgc	540
ctacctggcc	aacatcgccc	agaaagagga	cttcgaggaa	gcccgggaaga	aggccctgaa	600
gctggggccc	aagaaggtgt	tcacgagga	cgtgtcccgc	gagttcgtgg	aagagttcat	660
ctggcccgcc	atccagagca	gcgcctgtga	cgaggacaga	tacctgctgg	gcaccagcct	720
ggccagaccc	tgtatcgccc	ggaacacaggt	ggaaatcgcc	cagcgcgagg	gcgccaaata	780
cgtgtctcac	ggcgccaccg	gcaagggcaa	cgaccaggtg	cgctttgagc	tgagctgcta	840
ctccctggcc	cccagatca	aagtgatcgc	cccttggcgg	atgcccaggt	tctacaaccg	900
gttcaagggc	cggaacgacc	tgtatggaata	cgccaagcag	cacggcatcc	ccatccccgt	960
gacccccaa	aacccttgga	gcattggacga	gaacctgatg	cacatcagct	acgaggcccg	1020
catcctggaa	aaccocaaaga	atcaggcccc	ctccggcctg	tacacaaaga	cccaggaccc	1080
tgccaaaggcc	cccacacccc	ccgacattct	ggaaatcgag	ttcaagaaag	gcgtgcccgt	1140
gaaagtgacc	aacgtgaagg	acggcaccac	ccaccagacc	tccttggaa	tggtcatgta	1200
cctgaacgag	gtggcccgga	agcacggcgt	gggcagaatc	gacatcgtgg	aaaacagatt	1260
catcggcatg	aagtcccggg	gcattctacga	gacaccagcc	ggcaccatcc	tgtaccacgc	1320
ccacctggat	atcgaggcct	tcacctgga	ccgggaagtg	cggaagatca	agcagggcct	1380
gggcctgaag	ttcgccgagc	tggtgtacac	aggcttttgg	cacagccccc	agtgccaggt	1440
tgtcgggcac	tgcattgcca	agagccagga	acgggtggaa	ggcaaggctg	aggtgtccgt	1500
gctgaagggc	caggtgtaca	ttctgggcag	agagagcccc	ctgagcctgt	acaacgagga	1560
atcgtgtgtc	atgaacagtgc	agggcgacta	cgagccccc	gacgcccacc	gcttcatcaa	1620
catcaacagc	ctgagactga	aagagtacca	ccggctcgag	tcacaaagtga	ccgccaagtg	1680
ataagcatgc	ggatctgect	cgactgtgcc	ttctagtgtc	cagccatctg	ttgtttgccc	1740
ctccccctgt	ccctctctga	ccctggaagg	tgccactccc	actgtcctt	cctaataaaa	1800
tgaggaaatt	gcacgcgatt	gtctgagtag	gtgtcattct	attctggggg	gtggggtggg	1860
gcaggacagc	agaggggagg	attgggaaga	caatagcagg	catgctgggg	actcgagtag	1920
ataagttaga	tggcggttga	atcattaaat	acaaggaacc	cctagtgtatg	gagttggcca	1980
ctccctctct	gcgcgctcgc	tcgctcactg	aggccggcgc	accacaaagtc	gcccgcagcc	2040
cgggctttgc	ccggggcgcc	tcagtgagcg	agcgagcgcg	cagccttaat	taacctaat	2100
cactggcgtg	cgttttcaaa	cgtcgtgact	gggaaaaacc	tgccgttacc	caacttaata	2160
gccttgacgc	acatccccct	ttcgccagct	ggcgtaata	cgagagagcc	cgccaccgat	2220
gcctttccca	acagttcgcc	agcctgaatg	gcgaatggga	cgcccccgtg	agcggcgcat	2280
taagcgcggc	gggtgtgggt	gttacgcgca	gcgtgaccgc	tacacttgcc	agcgccttag	2340
cgcccgctcc	tttcgctttc	ttcccttcc	ttctcgccac	gttcgcccgc	tttccccgtc	2400
aagctctaaa	tcgggggctc	cccttagggt	tcggatttag	tgctttacgg	cacctcgacc	2460
ccaaaaaact	tgattagggt	gatggttcac	gtagtgggccc	atcgccctga	tagacgggtt	2520
tcgccccttt	gcggttgagg	tcacggttct	ttaatagtg	actctgttcc	caaacctgga	2580
caacactcaa	ccctatctcg	gtctattctt	ttgatttata	agggattttg	ccgattctcg	2640
cctattggtt	aaaaaatag	ctgatttaac	aaaaatttaa	cgcgaaattt	aaacaaatat	2700
taacgcttac	aatttaggtg	gcacttttcc	gggaaatgtg	cgcggaaccc	ctatttggtt	2760
atttttctaa	atacattcaa	atagtattcc	gctcatgaga	caataaccct	gataaatgct	2820
tcaataatat	tgaaaaagga	agagtatgag	tattcaacat	ttccgtgtcg	cccttattcc	2880
cttttttgcg	gcatttttgc	ttcctgtttt	tgctcaccac	gaaacgctgg	tgaagataaa	2940
agatgctgaa	gatcagttgg	gtgcacgagt	gggttacatc	gaactggatc	tcaacagcgg	3000
taagatcctt	gagagttttc	gccccgaaga	acgtttttcca	atgatgagca	ctttttaaagt	3060
tctgctatgt	ggcgcggtat	tatcccgat	tgcagccggg	caagagcaac	tcggctcgccg	3120
catacactat	tctcagaatg	acttggttga	gtactcacca	gtcacagaaa	agcatcttac	3180
ggatggcatg	acagtaagag	aattatgcag	tgctgccata	accatgagtg	ataacactgc	3240
ggccaaacta	cttcgtacaa	cgatcgaggg	accgaaggag	ctaaccgctt	ttttgcacaa	3300
catgggggat	catgtaactc	gccttgatcg	ttgggaaccg	gagctgaatg	aagccatacc	3360
aaacgacgag	cgtgacacca	cgatgcctgt	agcaatggca	acaacgttgc	gcaaaactatt	3420
aactggcgaa	ctaactactc	tagcttcccg	gcaacaatta	atagactgga	tgaggcgga	3480
taaaagttaga	ggaccacttc	tcgcctcgcc	ccttcggcgt	ggctgggtta	ttgctgataa	3540
atctggagcc	gggtgagcgt	gggtctcgccg	tatcattgca	gcaactggggc	cagatggtaa	3600
gccttcccg	atcgtagtta	tctacacgac	ggggagtcag	gcaactatgg	atgaacgaaa	3660
tagacagatc	gctgagatag	gtgcctcact	gattaagcat	tggttaactgt	cagaccaagt	3720
ttactcatat	atactttaga	ttgatttaaa	acttcatttt	taatttaaaa	ggatctaggt	3780
gaagatcctt	tttgataaat	tcattgaccaa	aatcccttaa	cgtgagtttt	cgttccactg	3840
agcgtcagac	ccgtagaaaa	agatcaaaag	atcttcttga	gatccttttt	ttctgcgcgt	3900
aatctgctgc	ttgcaaaaca	aaaaaccacc	gctaccagcg	tggttttgtt	tgccggatca	3960
agagctacca	actctttttc	cgaaggtaac	tggttccagc	agagcgcaga	taccaataac	4020
tggtcttcta	gtgtagccgt	agttaggcca	ccacttcaag	aactctgtag	caccgcctac	4080
atacctcgct	ctgctaatac	tggtaccagt	ggctgctgcc	agtgccgata	agtcgtgtct	4140
taccgggttg	gactcaagac	gatagttacc	ggataaggcg	cagcggtcgg	gctgaacggg	4200
gggttcgtgc	acacagccca	gcttgagcgc	aacgacctac	accgaactga	gatacctaca	4260
gcgtgagcta	tgagaaagcg	ccacgcttcc	cgaagggaga	aaggcggaca	ggatcccggt	4320
aagcggcagg	gtcgggaacag	gagagcgcac	gagggagcct	ccagggggaa	acgcctggta	4380
tctttatagt	cctgtcgggt	ttcgccacct	ctgacttgag	cgtcgatttt	tgtagtgctc	4440
gtcagggggg	cgagccctat	ggaaaaacgc	cagcaacgcg	gcctttttac	ggttccctgg	4500
cttttgctgg	ccttttgctc	acatgttctt	tcctgcgtta	tcctctgatt	ctgtggataa	4560
ccgtattacc	gccttttagt	gagctgatac	cgctcgccgc	agccgaacga	ccgagcgcat	4620
cgagtcagt	agcgaggaag	cggaagagcg	cccaatacgc	aaacgcctcc	tccccgcgcg	4680
ttggccgatt	cttaaatgca	gctggcacga	caggtttccc	gactggaaa	cgggcagtg	4740
gcgcaacgca	attaatgtga	gttagctcac	tcattaggca	cccagcgctt	tacactttat	4800
gcttccggct	cgtatgttgt	gtggaattgt	gagcggataa	caatttcaca	caggaacacg	4860
ctatgacctat	gattacgcca	gatttaatta	agg			4893



-continued

```

SEQ ID NO: 31      moltype = DNA length = 4931
FEATURE            Location/Qualifiers
misc_feature        1..4931
                    note = constructed sequence
source              1..4931
                    mol_type = other DNA
                    organism = synthetic construct

SEQUENCE: 31
ctgcgcgctc gctcgtctac tgaggccgcc cgggcaaagc ccgggcgctc ggcgaccttt 60
ggtcgcccgg cctcagtgag cgagcgagcg cgcagagagg gagtggccaa ctccatcact 120
aggggttcct tgtagttaat gattaaaccc ccatgctact tatctactta agctacotcg 180
tgatcgcccc gccctgttcc aaacatgtcc taatactctg totctgcaag ggtoatcagt 240
agttttccat cttactcaac atcctcccag tggaaattcat ttcatagaac gaatgttccg 300
atgctctaat ctctctagac aagggtcata tttgtatggg ttactttattc tctctttgtt 360
gactaagtca ataactcagaa tcagcagggt tgcagtcaga ttggcaggga taagcagcct 420
agctcaggag aagtgaagtat aaaagcccca ggctgggagc agccatcagc ggcggccacc 480
atgagcagca agggctctgt ggtgctggcc tactctggcg gcctggacac cagctgtatc 540
ctcgtgtggc tgaagaacaa gggctacgac gtgatcgccct acctggccaa catcgccag 600
aaagaggact tcgaggaagc ccggaagaag gccctgaagc tgggcgccaa gaagggttcc 660
atcgaggacg tgcctcgca gttcgtggaa gaggttcatct ggcccgccat ccagagcagc 720
gccctgtacg aggacagata cctgctgggc accagcctgg ccagaccctg tatcgcccg 780
aaacaggtgg aaatcgccca gcgcgagggc gccaaatacg tgtctcagcg cgccaccggc 840
aagggcaacg accaggtgcg ctttgagctg agctgctact ccttggcccc ccagatcaaa 900
gtgatcgccc cttggcgagat gcccgagttc tacaaccggt tcaaggcgcc gaacgacctg 960
atggaatacg ccaagcagca cgccatcccc atccccgtga ccccaagaa cccttggagc 1020
atggacgaga gacctgatgca catcagctac gaggccggca tcttggaaaa ccccaagaat 1080
caggccccctc ccggcctgta cacaagagacc caggaccctg ccaaggcccc caacaccccc 1140
gacattctgg aaatcgagtt caagaaaggc gtgcccgtga aagtgaacca cgtgaaggac 1200
ggcaccaccc accagacctc cctggaaactg ttcattgacc tgaacgaggt ggccggcaag 1260
cacggcggtg gcagaatcga catcgtggaa aacagattca tcggcatgaa gtcccggggc 1320
atctacgaga caccagccgg accatcctg taccacgccc acctggatat cgaggccttc 1380
accttggacc gggaaagtgc gaagatcaag cagggcctgg gcctgaagt cgcgcagctg 1440
gtgtacacag gcttttggca cagccccgag tgcgagtttg tgcggcactg cattgccaa 1500
agccaggaac aggtggaagc caaggtgcag gtgtccgtgc tgaagggcc a ggtgtacatt 1560
ctgggcagag agagccccct gagcctgtac aacgaggaac tgggtgtctat gaactgtcag 1620
ggcgactacg agcccaccga cgcaccggcg ttcatacaca tcaacagcct gagactgaaa 1680
gagtagccac ggctgcagtc caaagtgcac aagcatgcgg atctgcctcg 1740
actgtgcctt ctagtgtgca gccatctgtt gtttgccctt ccccgctgcc ttccttgacc 1800
ctggaaggtg ccactccacc tgccttttcc taataaaatg aggaatattg atcgcatgt 1860
ctgagttagt gtcatctcat tctggggggg ggggtggggc aggcagcaaa gggggaggat 1920
tgggaagaca atagcaggca tgcctgggag tcgagtagat aagtagcatg gcgggttaat 1980
cattaaacta aaggaaacccc tagtgatgga gttggccact cctctctcgc gcgctcgctc 2040
gctcaactgag gccgggagcgc caaaggctgc ccgacgcccgg ggttttgccc ggcgggccc 2100
agtgagcgag cgagcgcgca gcccttaatta acctaatca ctggccgctg ttttacaacg 2160
tcgtgactgg gaaaacccctg gcgttaccca acttaactgc cttgcagcac atccccctt 2220
cgccagctgg gtaatatgca aagagccccc caccgatcgc ccttcccaac agttgcgcag 2280
cctgaatggc gaattggagc cgcctgtgag cggcgcatca agcgcggcgg gtgtggtggt 2340
tacgcgcagc gtgaccgcta cacttgccag cgccttagcg cccgctcctt tcgctttctt 2400
cccttccttt ctcgcccagc tcgcccggctt tccccgtcaa gctctaatac gggggctccc 2460
tttaggggtc cgatttagtg ctttacggca cctcgacccc aaaaaacttg attaggggtg 2520
tggttcaact agtgggcat cgcctgata gacggttttt cgccctttga cgttggagtc 2580
cacgttcttt aatagtggac tctgtttcca aactggaaca acactcaacc ctatctcggt 2640
ctattctttt gatttataag ggattttgcc gatttcggcc tattggttaa aaaaatgagc 2700
gatttaacaa aaatttaacg cgaattttaa caaaatatta acgcttaca tttaggtggc 2760
acctttcggg gaaatgtgcg atgaacccct atttgtttat ttttataaat acattcaaat 2820
atgtatccgc tcatgagaca ataacctga taaatgcttc aataaatattg aaaaaggag 2880
agtatgagta ttcaacattt ccgtgtcgcc cttatctcct tttttggcgc attttgcct 2940
cctgtttttg ctcaccaga aacgctggtg aaagtaaaag atgctgaaga tcagttgggt 3000
gcacgagtg gttacatcga actggatctc aacagcggtg agatccttga gatttttcgc 3060
cccgaagaac gttttccaat gatgagcact tttaaagttc tgctatgtgg cgcgggtatta 3120
tcccgtattg acgcccggca agagcaactc ggtcgccgca tacactattc tcagaatgac 3180
ttggttgagt actcaccagt cacagaaaag catcttacgg atggcatgac agtaagagaa 3240
ttatgcagtg ctgcataaac catgagtgat aacactgcgg ccaacttact tctgacaacg 3300
atcgaggagc cgaaggagct aaccgttttt ttgcacaaca tgggggatca tgtaactcgc 3360
cttgatcgtt gggaaaccgga gctgaatgaa gccataccaa acgacgagcg tgacaccacg 3420
atgctctgag caatggcaac aacgttgccg aaactattaa ctggcgaaact acttactcta 3480
gcttcccggc aacaattaat agactggatg gaggcggata aagttgcagg accacttctg 3540
cgctcggccc ttcgggtgct ctgggttatt gctgataaat ctggagccgg tgagcgtggg 3600
tctcgcggtt catttgagc actggggcca gatggtaagc cctcccgtat cgtagttatc 3660
tacacgacgg ggagtcaggc aactatggat gaacgaaata gacagatcgc tgagataggt 3720
gctcactga ttaagcattg gtaactgtca gaccaagttt actcatatat actttagatt 3780
gatttataaac ttcattttta attttaaagg atctaggtga agatcctttt tgataatctc 3840
atgacccaaa tcccttaacg tgagttttcg ttcactgag cgtcagaccc cgtagaaaa 3900
atcaagggat cctcttgaga tctctttttt ctgcgcgtaa tctgtgctt gcaaacaaaa 3960
aaaccaccgc taccagcggt ggtttgtttg ccggatcaag agctaccaac tctttttccg 4020
aaggtaactg gcttcagcag agcgcagata ccaaaactcg ttcttctagt gtagccgtag 4080
ttaggccacc acttcaagaa ctctgtagca ccgcctacat acctcgctct gctaactcgt 4140
ttaccagtg gctcgtccag tggcgataag tctgtgtcta ccgggttgga ctcaagacga 4200
tagttaccgg ataaggcgca gcggtcgggc tgaacggggg gttcgtgcac acagcccagc 4260

```

-continued

ttggagcgaa	cgacctacac	cgaactgaga	tacctacagc	gtgagctatg	agaaagcgcc	4320
acgcttcccg	aaggagagaaa	ggcggacagg	tatccggtaa	gcggcagggt	cggaacagga	4380
gagcgacacga	gggagcttcc	agggggaaac	gcctgggtatc	tttatagatcc	tgtcgggttt	4440
cgccacctct	gacttgagcg	tcgatttttg	tgatgctcgt	caggggggag	gagcctatgg	4500
aaaaacgcca	gcaacgcggc	ctttttacgg	ttcctggcct	tttgcctggc	ttttgctcac	4560
atgttcttct	ctgcgttatc	ccctgattct	gtggataacc	gtattaccgc	ctttgagtga	4620
gctgataccg	ctcgcgcgag	cgaacgcacc	gagcgagcgc	agtcagtgag	cgaggaagcg	4680
gaagagcgcc	caatacgcaa	accgcctctc	ccgcgcgctt	ggcggattca	ttaatgcagc	4740
tggcacgaca	gggtttcccg	ctggaaagcg	ggcagtgagc	gcaacgcaat	taatgtgagt	4800
tagctcactc	attaggcacc	cagggttcta	cactttatgc	ttccggctcg	tatgttgtgt	4860
ggaattgtga	gcggataaca	atttcacaca	ggaaacagct	atgacctatga	ttacgccaga	4920
tttaattaag	g					4931

```

SEQ ID NO: 32      moltype = DNA length = 6031
FEATURE           Location/Qualifiers
misc_feature       1..6031
                   note = constructed sequence
source            1..6031
                   mol_type = other DNA
                   organism = synthetic construct

```

```

SEQUENCE: 32
ctgcgcgctc gctcgctcac tgaggccgcc cgggcaaacg cggggcgctc ggcgaccttt 60
ggtcgccccg cctcagtgag cgagcgagcg cgcagagagg gaggggccaa ctccatcact 120
aggggttcct tgtagttaat gattaaccgc ccatgctact tatctacgta gccatgctct 180
aggaagatcg gaattcgccc ttaagctagg agttaatttt taaaaagcag tcaaaagtcc 240
aagtgcctct gcgagcattt acctctctcg tttgctctgg ttaataatct caggagcaca 300
aacattcctt actagtctta ggagttaatt tttaaaaagc agtcaaaagt ccaagtgcct 360
ttgcgagcat tactctcttc tgtttgctct ggtaataaat ctcaggagca caaacattcc 420
ttactagttc tagacgggcc gccagtgctg tggaaattcg cttttttagg gctgggaagt 480
acctttgaca tcatctcttc tgcgaatgca tgtataattt ctacagaacc tattagaagg 540
gatcacccag cctctgcttt tttacaactt tcccttaaaa aactggcaat cccactgctg 600
tttggcccaa tagtgagaac tttttcctgc tgcctcttgg tctttttgct tatggccctc 660
attctgcctg ctgaagacac tcttgccagc atggacttaa accctccagc ctctgacaat 720
cctctttctc ttttgtttta catgaagggt ctggcagcca aagcaatcac tcaaaagtca 780
aaccttatca ttttttgett tgttctctct ggctcttggg ttgtacatca gctttgaaaa 840
taccatccca ggggtaattg tgggggtaat ttataactga gaggctctca gttctgcaat 900
acaggacatg ctataaaaaat ggaagatgtg tgccttctga gagatcagct tactttgtgt 960
accgagctcg gatcctgaga acctcagggt gaggctctatg gaccttgatg gttttctttc 1020
ccctctcttt ctatgggttaa gttcatgtca taggaagggg agaagtaaca gggtagacat 1080
attgacccaa tcagggttaat tttgcatttg taatttttaa aaatgctttc tctttttaat 1140
atactttttt gtttatctta tttctaatat tttccctaat ctctttcttt cagggcaata 1200
atgatacaat gtatcatgct tctttgcacc attctaaaga ataacagtga taatttctgg 1260
gttaaggcaa tagcaattat tctgcatata aatatttctg catataaatt gtaactgatg 1320
taagagggtt catattgcta atagcagcta caatccagct accattctgc ttttatttta 1380
tgggtggggt aaggctggat tatcttgagt ccaagctagg cccttttgc aatcatgttc 1440
atacctctta tcttctctcc acagctcctg ggcaacgtgc tggctgtgtg gctggcccat 1500
cactttggca aagaattgat ctcgaggccg ccaccatgtc cagcaaaagg tccgtgggtc 1560
tggctacacg tggcgccctg gacacctcgt gcatcctcgt gtggctgaag gaacaaggct 1620
atgacgtcat tgcctatctg gccaaacattg gccagaagga agacttcgag gaagcgagga 1680
agaaggcact gaagcttggg gccaaaaagg tgttcattga ggatgtcagc agggagtttg 1740
tgaggagagt catctggcgc gccatccagt ccagcgact gtatgaggac cgctacctcc 1800
tgggcacctc ccttgccagc cctgcatcg cccgcaaaac agtggaatc gccagcggg 1860
agggggccaa gtatgtgtcc cacggcgcca caggaaaggg gaacgatcag gtcgggtttg 1920
agctcagctg ctactcactg gcccccagga taaaggctat tgcctcctgg aggatgcctg 1980
aattctacaa ccggttcaag ggcgcgaatg acctgatgga gtacgcaaa caacacggga 2040
ttcccatccc ggtcactccc aagaacccgt ggagcatgga tgagaacctc atgcacatca 2100
gctacgaggg tggaaacctg gagaacccca agaaccaggc gcctccaggc ctctacacga 2160
agaccagga cccagccaaa ccccacaaca cccctgacat tctcgagatc gagtccaata 2220
aaggggtccc tgtgaagggt accaacgtca aggatggcac caccaccag acctccttgg 2280
agctcttcat gtacctgaac gaagtcgagg gcaagcatgg cgtgggccc attgacatcg 2340
tggaagaaccg cttcattgga atgaagtccc gaggtatcta cgagacccca gcaggcacca 2400
tcccttacca cgtcatttta gacatcgagg ccttcacct ggaccgggaa gtgcgcaaaa 2460
tcaaacaggc cctgggcttg aaatttctg agctgggtga taccgggttc tggcacagcc 2520
ctgagtgtag attgtccgc cactgcatcg ccaagtccca ggagcgagtg gaagggaag 2580
tgcaggtgtc cgtcctcaag ggcaggtgt acatcctcgg ccgggagtc ccactgtctc 2640
tctacaatga ggagctgggt agcatgaacg tgcagggtga ttatgagcca actgatgcca 2700
ccgggttcat caacatcaat tccctcaggc tgaaggaata tcatcgtctc cagagcaagg 2760
tactgcccac atgataagca tgcggatctg cctcgactgt gccttctagt tgcagccat 2820
ctgttgtttg cccctccccg gtgccttctc tgacctgga aggtgccact cccactgtcc 2880
tttcttaata aaatgaggaa attgcatcgc attgtctgag taggtgtcat tctattctgg 2940
ggggtggggt ggggcaggac agcaaggggg aggatggga agacaatagc aggcattgctg 3000
gggactcgag ttaaggcgca attcccagata aggatcttcc tagagcatgg ctacgtagat 3060
aagtgcagtg gcgggttaat cattaactac aaggaacccc tagtgatgga gttggccact 3120
ccctctctgc ggcctcctc gctcactgag gccggggcac caaaggctgc ccgacgccc 3180
ggctttgccc gggcgccctc agtgagcgag gccttaatta acctaatca 3240
ctggccgtcg ttttacaacg tctgtactgg gaaaaccctg gcgttaccca acttaatcgc 3300
cttgagcac atccccctt cccagctgg cgtaatagcg aagaggcccg caccgatcgc 3360
cctcccaac agttgcgcag cctgaatggc gaatgggacg cgcctgttag cggcgatta 3420
agcgcggcgg gtgtgggtgt tacgcgcagc gtgaccgcta cacttgccag cgcctagcg 3480

```

-continued

```

ccccctcctt tegettttctt ccttcccttt ctegccacgt tegccggtt tccccgtcaa 3540
gctctaaatc gggggctccc tttagggttc cgatttagtg ctttacggca cctcgacccc 3600
aaaaaacttg attagggtga tgggtcacgt agtgggcat cgccctgata gacggttttt 3660
cgcccttga cgttggagtc caggttcttt aatagtgac tcttgttcca aactggaaca 3720
acactcaacc ctatctcggt ctattctttt gatttataag ggattttgcc gatctcgcc 3780
tattggttaa aaaatgagct gatttaacaa aaatttaacg cgaattttaa caaaatatta 3840
acgcttacaa tttagggtgc acttttcggg gaaatgtgcy cggaacccct attgtttat 3900
ttttctaaat acattcaaat atgtatccgc tcatgagaca ataacctga taaatgcttc 3960
aataatattg aaaaaggag agtatgagta ttcaacattt ccgtgtcgcc cttattccct 4020
tttttgcggc attttgcctt cctgtttttg ctacccaga aacgctgggt aaagtaaaag 4080
atgctgaaga tcagttgggt gcaagtggtt gttacatcga actggatctc aacagcggt 4140
agatccttga gagttttcgc cccgaagaac gttttccaat gatgagcact tttaaagttc 4200
tgctatgttg cgcggtatta tcccgattg acgcccggca agagcaactc ggtcgccgca 4260
tacactatct tcagaattgc ttggttgagt actcaccagt cacagaaaag catcttacgg 4320
atggcatgac agtaagagaa ttatgcagtg ctgccataac catgagtgat aacactgcgg 4380
ccaacttact tctgacaacg atcggaggac cgaaggagct aaccgctttt tgcaacaaca 4440
tggggggact ttaactcgc cttgatcgtt gggaaaccga gctgaatgaa gccataccaa 4500
acgacgagcg tgacaccacg atgcctgtag caatggcaac aacgttgcgc aaactattaa 4560
ctggcgaaact cttactctca gcttcccggc aacaattaat agactggatg gagcggtata 4620
aagttgcagg accactctcg cgtcgggccc ttccggctgg ctggtttatt gctgataaat 4680
ctggagccgg tgagcgtggg tctcgcggta tcatgcagc actggggcca gatggtaagc 4740
ctcccggtat cgtagttatc tacacgacgg ggagtcaggc aactatggat gaacgaaata 4800
gacagatcgc tgatagaggt gctcactga ttaagcattg gtaactgtca gaccaagttt 4860
actcatatat acttttagatt gatttaaaac ttcattttta atttaaaagg atctaggtga 4920
agatcctttt tgataatctc atgaccaaaa tcccttaacg tgagttttcg ttccactgag 4980
cgtcagaccc cgtagaaaag atcaaaaggt cttcttgaga tccctttttt ctgcccgtaa 5040
tctgctgctt gcaaacaaaa aaaccaccgc taccagcggg ggtttgtttg ccggatcaag 5100
agctaccaac tctttttccg aaggttaactg gcttcagcag agcgcagata ccaaatactg 5160
ttctctagtg gtacccgtag ttaggccacc acttcaagaa ctctgtagca ccgcctacat 5220
acctcgctct gctaatcctg ttaccagtggt ctgctgccag tggcgataag tctgtcttta 5280
ccgggttgga ctcaagacga tagttaccgg ataaggcgca gcggtcgggc tgaacggggg 5340
gttcgtgcac acagcccagc ttggagcgaa cgacctacac cgaactgaga tacctacagc 5400
gtgagctatg agaaagcgcc acgcttcccg aaggagagaa ggccgacagg tatccggtaa 5460
gcccaggggt cggaaacagga gagcgcacga gggagcttcc aggggaaac gcctggtatc 5520
tttatagtc tctcgggttt cggccactct gacttgagcg tcgatttttg tgatgctcgt 5580
cagggggggc gagcctatgg aaaaacgcca gcaacggcg ctttttacgg ttccctggcct 5640
tttgctggcc tttgtctcac atgttctttc ctgcgtttat cctgattct gtggataacc 5700
gtattaccgc ctttgagtga gctgataccg ctgcgcgag ccgaacgacc gagcgacgag 5760
agtacgtgag cgaggaagcg gaagagcgcc caatacgcga accgcctctc ccgcgcgctt 5820
ggccgattca ttaatgcagc tggcacgaca ggtttccga ctggaaagcg ggcaagtgcg 5880
gcaacgcaat taatgtgagt tagctcactc attaggcacc ccaggcctta cactttatgc 5940
ttccggctcg tatgttgtgt ggaattgtga gcggataaca atttcacaca ggaacacgct 6000
atgaccatga ttacgccaga ttttaattaag g 6031

```

```

SEQ ID NO: 33      moltype = DNA length = 6850
FEATURE            Location/Qualifiers
misc_feature        1..6850
                    note = constructed sequence
source              1..6850
                    mol_type = other DNA
                    organism = synthetic construct

```

```

SEQUENCE: 33
ctgcgcgctc gctcgtcac tgaggccgcc cgggcaaaag ccgggctgct ggcgaccttt 60
ggtcgcggcg cctcagtgag cgagcgagcg cgcagagagg gagtggccaa ctccatcact 120
aggggttcct ttagtttaat gattaaccgc ccatgctact tatctacgta gccatgctct 180
aggaagatcg gaattcgcgc ttaagctagc ggatccaggt taatttttaa aaagcagtca 240
aaagtccaaag tggcccttgg cagcattttac tctctctgtt tgctctgggt aataatctca 300
ggagcacaaa cattccagat ccagggttaat ttttaaaaag cagtcaaaag tccaagtggc 360
ccttggcagc atttactctc tctgtttgct ctggttaata atctcaggag cacaaacatt 420
cgatcccgcg cgcgccaggg ctggaagcta cctttgacat catttccctc gcgaatgcac 480
gtataatttc tacagaaact attagaaagg atcaccagc ctctgctttt gtacaacttt 540
cccttaaaaa actgccaatt ccactgctgt ttggcccaat agtgagaact ttttctgct 600
gcctcttggt gcttttgccct atggccccta ttctgcctcg tgaagacact cttgccagca 660
tggacttaaa cccctccagc tctgacaatc ctcttctctc tttgttttac atgaagggtc 720
tggcagccaa agcaatcact caaagttcaa accctatcat tttttgcttt gttcctcttg 780
gccttggttt tgtacatcag ctttgaatat accatcccag ggttaatgct ggggttaatt 840
tataactaag agtgcctag ttttgcaata caggacatgc tataaaaatg gaaagatggt 900
gctttctgag agagcgcccg cgtttgtttc cttttttaaa atacattgag tatgcttgcc 960
ttttagatat agaaatatct gatgctgtct tcttcaacta attttgatta catgatttga 1020
cagcaatatt gaagagtcta acagccagca cgcagggttg taagtactgg ttctttgtta 1080
gctagggtttt cttcttcttc atttttaaaa ctaaaatagat cgacaatgct tatgatgcac 1140
ttatgtttaa taaacactgt tcagttcatg atttggtcat gtaattcctg ttagaaaaca 1200
ttcatctcct tggtttaaaa aaattaaaag tgggaaaaaa aagaaatagc agaatatagt 1260
gaaaaaaaat aaccacatta tttttgttg gacttaccac tttgaaatca aaatgggaaa 1320
caaaagcaca aacaatggcc ttatttacac aaaaagtctg attttaagat atatgacatt 1380
tcaagggttc agaagtatgt aatgaggtgt gtctctaatt ttttaaatca tatatcttca 1440
atttaagatt ttagttaaaa cataaagatt aacctttcat tagcaagctg ttagttatca 1500
ccaaagcttt tcatggatta ggaaaaaatc attttgctc tatgtcaaac atcttgaggt 1560
tgatatttgg ggaacacaaa tactcagttg agttccctag gggagaaaaa caagcttaag 1620

```

-continued

aattgacata	aagagtagga	agtttagctaa	tgcaacatat	atcactttgt	tttttcacaa	1680
ctacagtgac	tttatgtatt	tcccagagga	aggcatacac	ggaagaaatt	atcccatttg	1740
gacaaacagc	atgtttctac	aggaagcatt	tatcacactt	acttgccaac	tttctagaat	1800
caaatctagt	agctgacagt	accaggatca	gggggtgccaa	ccctaagcac	ccccagaaag	1860
ctgactggcc	ctgtgggtcc	cactccagac	atgatgtcag	ctggaccata	attaggcttc	1920
tgttcttcag	gagacatttg	ttcaaagtca	tttgggcaac	catattctga	aaacagccca	1980
gccaggggtga	tggatcactt	tgcaaagatc	ctcaatgagc	tattttcaag	tgatgacaaa	2040
gtgtgaagtt	aaccgctcat	ttgagaactt	tctttttcat	ccaaagtaaa	ttcaaatatg	2100
attagaaatc	tgacctttta	ttactggaat	tctcttgact	aaaagtaaaa	ttgaatttta	2160
attcctaaat	ctccatgtgt	atacagtact	gtgggaacat	cacagatttt	ggctccatgc	2220
cctaaagaga	aattggcttt	cagattattt	ggattaaaaa	caaagacttt	cctaagagat	2280
gtaaaatttt	catgatgttt	tcttttttgc	taaaactaaa	gaattatctt	tttacatttc	2340
agatggccgc	caccatgagc	agcaagggct	ctgtgggtgt	ggcctactct	ggcggcctgg	2400
acaccagctg	tattcctcgtg	tggtcgaaaag	aacagggcta	cgacgtgatc	gcctacctgg	2460
ccaacatcgg	ccagaaagag	gacttcgagg	aagcccgga	gaagccctg	aaagctggcg	2520
ccaagaaggt	gttcactgag	gacgtgtccc	gcgagttcgt	ggaagagtcc	atctggccc	2580
ccatccagag	cagcgccctg	tacgaggaca	gatacctgct	gggcaccagc	ctggccagac	2640
cctgtatcgc	ccggaacacg	gtggaatcgc	cccagcgcca	gggcgcaaaa	tacgtgtctc	2700
acggcgccac	cggcaagggc	aacgaccagg	tgcgctttga	gctgagctgc	tactccctgg	2760
ccccccagat	caagtgcttc	gccccctggc	ggatgcccga	gttctacaac	cggttcaagg	2820
gccggaacga	cctgatggaa	tacgccaaag	agcacggcat	ccccatcccc	gtgaccccca	2880
agaacccctg	gagcatggag	gagaaacctga	tgcacatcag	ctacgaggcc	ggcatcctgg	2940
aaaaacccaa	gaatccaggcc	cctcccggcc	tgtacacaaa	gacccaggag	cctgccaaag	3000
cccccaacac	ccccgacatt	ctggaaatcg	agttcaagaa	aggcgctgcc	gtgaaagtga	3060
ccaacgtgaa	ggaagggcacc	acccaccaga	cctccctgga	actgttcatt	tacctgaacg	3120
agggtggccg	caagcacggc	gtgggcagaa	tgcacatcgt	ggaaaacaga	ttcatcggca	3180
tgaagtccc	gggcatctac	gagacaccag	ccggcaccat	cctgtaccac	gcccacctgg	3240
atatcgaggc	cttcaccatg	gaccgggaag	tgcggaagat	caagcagggc	ctgggcctga	3300
agttcgccga	cctgggtgtac	acaggctttt	ggcacagccc	cgagtgcgag	tttgtcgcc	3360
actgattcgc	caagagccag	gaacgggtgg	aaggcaaggt	gcaggtgtcc	gtgctgaagg	3420
gccaggtgta	catctctggc	agagagagcc	ccttgagcct	gtacaacgag	gaactgggtg	3480
ctatgaacgt	caggggcgac	tacgagccca	ccgacgccac	cggcttcatt	aacatcaaca	3540
gctgagactc	gaaagagtac	caccggctgc	agtcacaaat	gaccgcgaag	tgataagcat	3600
gcggatctgc	ctgactgtgc	ccttctagtt	gccagccatc	tgtgtgttgc	ccctcccccg	3660
tgccttcctt	gacctggaa	gggtgccact	ccactgtcct	ttcctaataa	aatgaggaaa	3720
ttgcactcga	ttgtctgagt	aggtgtcatt	ctattctggg	gggtgggggtg	gggcaggaca	3780
gcaaggggga	ggattgggag	gacaatagca	ggcatgctgg	ggactcgagt	taaggggcga	3840
ttcccagata	gagatcttct	agagcatggc	tacgtagata	agtagcaggt	cgggttaaat	3900
attaactaca	aggaacccct	agtgatggag	ttggccactc	cctctctcgc	cgctcgtctg	3960
ctcactgagg	ccggggcgacc	aaaggtcgcc	cgacgcccgc	gctttgcccc	ggcggcctca	4020
gtgagcgagc	gagcgccgag	ccttaattaa	cctaattcac	tggccgctgt	tttacaaagt	4080
cgtgactggg	aaaacccctg	cgttacccaa	cctaattcgc	ttgcagcaca	tcccccttcc	4140
gccagctggc	gtaatatgca	agaggcccgc	accgatcgcc	cctcccaaca	gttgccgagc	4200
ctgaatggcg	aatgggacgc	gcccctgtag	ggcgcatata	gcgcccgggg	tgtgggtggt	4260
acgcccagcg	tgaccgctac	acttgccagc	gcccctagcg	ccgctccttt	cgctttcttc	4320
ccttcccttc	tcgcccagctt	cccgcgcttt	ccccgtcaag	ctctaataat	ggggctccct	4380
ttagggttcc	gatttagtgc	tttacggcac	ctcgacccca	aaaaacttga	ttagggtgat	4440
ggttcacgta	gtggggccat	gcccctgatag	acgggttttc	gccccttgac	gttgaggatcc	4500
acgttcttta	atagtggact	cttgttccaa	actggaaaca	cactcaaccc	tatctcggtc	4560
tattcttttg	atttataagg	gattttgccc	atttcggcct	attgggttaa	aaatgagctg	4620
atttaacaaa	aatttaacgc	gaattttaac	aaaatattaa	cgcttacaat	ttagggtgca	4680
cttttcgggg	aaatgtgcgc	ggaaccccta	tttgtttatt	tttctaataa	cattcaataa	4740
tgtatccgct	catgagacaa	taaccctgat	aaatgcttca	ataatattga	aaaaggaaga	4800
gtatgagtat	tcaacatttc	cgtgtcgccc	ttaattccct	ttttgcggca	ttttgccttc	4860
ctgtttttgc	tcacccagaa	acgctgggtga	aagtataaga	tgctgaagat	cagttgggtg	4920
cacgagtggt	ttacatcgaa	ctggatctca	acagcggtaa	gatccttgag	agttttcgcc	4980
ccgaagaacg	ttttccaatg	atgagcactt	ttaaagttct	gctatgtggc	gcgggtattat	5040
cccgatttga	cgccgggcaa	gagcaactcg	gtcgccgcat	acactattct	cagaatgact	5100
tgggttagta	ctcaccagtc	acagaaaagc	atcttacgga	tggcatgaca	gtaagagaat	5160
tatgcagtgc	tgccataacc	atgagtgata	acactgccc	caacttactt	ctgacaacga	5220
tcggaggacc	gaaggagcta	accgcttttt	tgccacaacat	gggggatcat	gtaactcgcc	5280
ttgatcgttg	ggaacccgag	ctgaatgaag	ccataccaaa	cgacgagcgt	gacaccacga	5340
tgccctgtag	aatgggaaca	acgttgcgca	aactattaac	tggcgaaacta	cttactctag	5400
cttcccggca	acaattataa	gactggatgg	aggcggaata	agttgcagga	ccacttctgc	5460
gctcggccct	tccggctggc	tgggtttatt	ctgataaaat	tggagccggg	gagcgtgggt	5520
ctcgcggtat	cattgacgca	ctggggccag	atggtaagcc	ctcccgtatc	gtagtattct	5580
acacgacggg	gagtcaggca	actatggatg	aacgaaatag	acagatcgct	gagatagggt	5640
ctcactgat	taagcatttg	taactgtcag	accaagttta	ctcatatata	ctttagattg	5700
atttaaaact	tcattttttaa	tttaaaagga	tctaggtgaa	gatccttttt	gataatctca	5760
tgacaaaat	cccttaacgt	gagttttcgt	tccactgagc	gtcagacccc	gtagaaaaga	5820
tcaaaggatc	ttcttgagat	cctttttttc	tgccggtaat	ctgctgcttg	caaacaaaaa	5880
aaccaccgct	accagcgggt	gtttgtttgc	cggatcaaga	gctaccaact	ctttttccga	5940
aggtaactgg	cttcagcaga	gcgcagatac	caaatactgt	tcttctagtg	tagccgtagt	6000
tagggcacc	cttcaagac	ctctgagcac	cgccctacata	cctcgctctg	ctaactcgtg	6060
taccagtggc	tgtgcgcagt	ggcgataagt	cgtgtcttac	cgggttggac	tcaagacgat	6120
agttaccgga	taaggcgag	cgttcgggct	gaacgggggg	ttcgtgcaca	cagcccagct	6180
tggagcgaa	gacctacac	gaactgagat	acctacagcg	tgagctatga	gaaagcgcca	6240
cgttcocga	agggaagaa	gcggacaggt	atccggtaag	cggcagggtc	ggaacaggag	6300
agcgcacgag	ggagcttcca	gggggaacgc	cctggtatct	ttatagtcct	gtcgggtttc	6360

-continued

```

gccacctctg acttgagcgt cgaattttgt gatgctcgtc agggggggcgg agcctatgga 6420
aaaacgcgag caacgcggcc tttttacggt tccctggcctt ttgctggcct tttgctcaca 6480
tggtctttcc tgcgttatcc cctgattctg tggataaccg tattaccgcc tttgagtgag 6540
ctgataccgc tcgcccgcgc cgaacgaccg agcgcagcga gtcagtgcgc gaggaagcgg 6600
aagagcgccc aatacgcaaa ccgctctctc ccgcgcgttg gccgattcat taatgcagct 6660
ggcagcgacg gtttcccgcac tggaaagcgg gcagtgcgcg caacgcgaatt aatgtgagtt 6720
agctcactca ttaggcacc caggttttac actttatgct tccggctcgt atgttgtgtg 6780
gaattgtgag cggataacaa tttcacacag gaaacagcta tgaccatgat tacgccagat 6840
ttaattaagg                                     6850

```

```

SEQ ID NO: 34      moltype = DNA length = 5608
FEATURE            Location/Qualifiers
misc_feature       1..5608
                    note = constructed sequence
source             1..5608
                    mol_type = other DNA
                    organism = synthetic construct

```

```

SEQUENCE: 34
ctgcgcgtc gctcgtcac tgaggccgcc cgggcaaacg ccggcgctcg ggcgaccttt 60
ggtcgccccg cctcagtgag cgcagagagg gagtggccaa ctccatcact 120
aggggttcct tgtagttaat gattaaccgc ccatgctact tatctacgta gccatgctct 180
aggaagatcg gaattcgccc ttaagctacc tctgctatcg ccggccctcg ttcaaacatg 240
tcctaatact ctgtctctgc aagggtcacc agtagttttc catcttactc aacatcctcc 300
cagtggaatt catttcatag aacgaatggt ccgatgctct aatctctcta gacaagggtc 360
atatgtgtat gggttactta ttctctcttt gttgactaa gcaataatca gaatcagcag 420
gtttgcagtc agattggcag ggataagcag cctagctcag gagaagtgcg tataaaagcc 480
ccaggtcggg agcagccatc agcggccgat ctgacttact tgggtgacca gctcggatcc 540
tgagaacttc agggtgagtc tatgggaccc ttgatgtttt cttccctctt cttttctatg 600
gttaagttca tgcataagga aggggagaag taacagggtta cacatattga ccaaatcagg 660
gtaattttgc atttgttaatt taaaaaaatg ctttctcttt ttaataact tttttgttta 720
tcttatttct aatactttcc ctaactctct tctttcaggg caataatgat acaatgtatc 780
atgcctcttt gcaccattct aaagaataac agtgataatt tctgggttaa ggcaatagca 840
atatttctgc atataaatat ttctgcataa aaattgtaac tgatgtaaga ggtttcatat 900
tgctaatagc agctacaatc cagctaccat tctgctttta tttatgggtt gggataagggc 960
tggattatcc tgagtccaag ctaggccctt ttgctaatac tgttcatacc tcttatcttc 1020
ctcccacagc tcctgggcaa cgtgctggtc tgtgtgctgg cccatcactt tggcaaaaga 1080
ttgatctcga gtaactgaag gcggccgcga ccatgtccag caaaggctcc gtggttctgg 1140
cctacagtg gggcctggac acctcgtgca tctcgtgtg gctgaaggaa caaggctatg 1200
acgtcattgc ctatctggcc aacattggcc agaaggaaga cttcgaggaa gccagggaaga 1260
aggaactgaa gcttggggcc aaaaagggtg tcatagga tgctcagcagg gagtttgtgg 1320
aggagtccat tggcccgccc atccagtgca gcgcactgta tgaggaccgc taacctctgg 1380
gcacctctct tgcaggcccc tgcctcgccc gcaaacaaag ggaaatcgcc cagcgggagg 1440
gggccaagta tctgtccccc ggcgccacag gaaaggggaa cgaacaggtc cggtttgagc 1500
tcagctgcta ctactggcc cccagataaa aggtcattgc tccctggagg atgcctgaat 1560
tctacaaccc gttcaagggc cgcgaatgacc tgatggagta cgcaaaagaa cagcgggattc 1620
ccatcccggt cactccaag aaccctgga gcatggatga gaacctcatg cacatcagct 1680
acgagggctg aatcctggag aaccccaaga accaagcgcc tccaggtctc tacacgaaga 1740
cccaggaccg agccaaagcc cccaacaccc ctgacattct cgagatcgag ttcaaaaaag 1800
gggtccctgt gaaggtgacc aacgtcaagg atggcaccac ccaccagacc tccttggagc 1860
tcttcattga cctgaacgaa gtccggggca agcatggcgt gggccgtatt gacatcgtgg 1920
agaaccgctt cattggaatg aagtcccgag gtatctacga gaccccgca ggccaccatcc 1980
tttaccacgc tcatttagac atcgaggcct tcaccatgga ccgggaagtg cgcaaaatca 2040
aacaaggcct gggcttgaaa tttgctgagc tgggtgtatac cggttttctgg cacagccctg 2100
agtgtgaatt tgcgcgccac tgcctcgcca agtcccagga gcgagtgga gggaaggtgc 2160
aggtgtccgt cctcaagggc caggtgtaca tctcggcccg ggagtcacca ctgtctctct 2220
acaatgagga gctgggtgagc atgaacgtgc aggggtgatta tgagccaaat gatgccaccg 2280
ggttcatcaa catcaattcc ctgaggtgca aggaatatca tcgtctccag agcaagggtca 2340
ctgccaaatg ataagcatgc ggaatctgct cgaactgtgc tctagtgtgc cagccatctg 2400
ttgtttgccc ctcccccggt ccttctctga ccttggaaag tgccactccc actgtccttt 2460
cctaataaaa tgaggaaatt gcatcgcat gtctgagtag gtgtcattct attctggggg 2520
gtgggggtgg gcaggacagg aagggggagg attgggaaga caatagcagg catgctgggg 2580
actcgagtta agggcgaatt cccgataagg atcttccctag agcatggcta cgtagataag 2640
tagcatggcg ggttaatcat taactacaag gaacccctag tgatggagtt ggccactccc 2700
tctctgcgcg ctctgcgct cactgagccc gggcgaccac aggtcgcccc acgcccgggc 2760
tttgcggggg cggcctcagt gagcgagcga gcgcgcagcc ttaattaaac taattcactg 2820
gccgtcgttt tacaacgtcg tgactgggaa aacctgccc ttacccaact taatcgccct 2880
gcagcacatc cccctttcgc cagctggcgt aatagcgaag agggccgcac cgatcgccct 2940
tcccaacagt tgcgcagcct gaatggcgaa tgggacgcgc cctgtagcgg cgcatgaagc 3000
gcggcggggtg tgggtggttac gcgcagcgtg accgctacac ttgccagcgc cctagcgccc 3060
gtctctttcg ctttctctcc ttctttcttc gccacgttcc ccggctttcc cgtcgaagct 3120
ctaaatcggg ggtccctttt agggttccga tttagtgctt tacggcacct cgaccccaaa 3180
aaacttgatt aggggtgatg ttcacgtagt gggccatcgc cctgatagac ggtttttcgc 3240
cctttgagct tggagtcacc gttctttaat agtggactct tgttccaaac tggaaacaaca 3300
ctcaacccta tctcgttcta ttcttttgat ttataaggga ttttgccgat ttcggcctat 3360
tgggttaaaaa atgagctgat ttaacaaaaa ttttaacgca attttaacaa aatattaacg 3420
cttacaattt aggtggcact ttcgggggaa atgtgcgcgg aacctcatt tgtttatttt 3480
tctaaataca ttcaaatatg tatccgctca tgagacaata acctgataa atgcttcaat 3540
aatattgaaa aagggaagat atgagtattc aacatttccg tgtcgccctt attccctttt 3600
ttgcggcatt ttgccttctt gtttttctc acccagaaac gctgggtgaa gtaaaagatg 3660

```

-continued

```

ctgaagatca gttgggtgca cgaagtgggtt acatcgaact ggatctcaac agcggtaaga 3720
tccttgagag ttttcggccc gaagaacggtt ttccaatgat gagcactttt aaagttctgc 3780
tatgtggcgc ggtattatcc cgtattgacg ccgggcaaga gcaactcggg cgcgcatac 3840
actattctca gaatgacttg gttgagtact caccagtcac agaaaagcat cttacggatg 3900
gcatgacagt aagagaatta tgcaagtctg ccataacatc gagtgataac actgcggcca 3960
acttacttct gacaacgata ggaggaccga aggagctaac cgcttttttg cacaacatgg 4020
gggatcatgt aactcgctt gatcgttggg aaccggagct gaatgaagcc ataccaaacg 4080
acgagcgtga caccacgatg cctgtagcaa tggcaacaac gttcgcaaaa ctattaactg 4140
gcgaactact tactctagct tcccggcaac aattaataga ctggatggag gcggataaag 4200
ttgcaggacc acttctgcgc tcggcccttc cggctggctg gtttattgct gataaatctg 4260
gagccgggtg acgtgggtct cgcggtatca ttgcagcact ggggccagat ggtaagccct 4320
cccgatcgtg agttatctac acgacgggga gtcaggcaac tatggatgaa cgaatatagac 4380
agatcgtgga gatagggtgc tcaactgatta agcattggta actgtcagac caagtttact 4440
catatatact ttgatttgat ttaaaacttc atttttaatt taaaaggatc taggtgaaga 4500
tcctttttga taatctcatg accaaaatcc cttaacgtga gttttcgttc cactgagcgt 4560
cagaccccggt agaaaagatc aaaggatctt cttagagatcc tttttttctg cgcgtaactc 4620
gctgcttgca aacaaaaaaa ccaccgctac cagcgggtgt ttgtttgccg gatcaagagc 4680
taccactctt ttttcggaag gtaactggct tcagcagagc gcagatacca aatactgttc 4740
ttctagtgtg gccgtagtta gggccaccat tcaagaactc ttagcaccgc cctacatacc 4800
tcgctctgct aatcctgtta ccagtggtg ctgccagtgg cgataagtcg tgtcttaccg 4860
ggttggagtc aagacgatag ttaccggata aggcgcagcg gtcgggtgta acggggggtt 4920
cgtgcacaca gccacgcttg gagcgaaacga cctacaccga actgagatag ctacagcgtg 4980
agctatgaga aagcgccacg cttcccgaag ggagaaaggg ggacaggtat ccggtaagcg 5040
gcagggtcgg aacaggagag cgcacgaggg agcttcacgg gggaaacgcc tggatatctt 5100
atagtctgtg cgggtttcgc cacctctgac ttgagcgtcg atttttgtga tgctcgtcag 5160
ggggcgaggag cctatggaaa aacgcagaca acgcccctt tttacggttc ctggcccttt 5220
gctggccctt tgctcacatg tttcttctg cgttatcccc tgattctgtg gataaccgta 5280
ttaccgcctt tgagttagct gataccgctc gccgcagccg aacgaccgag cgcagcagat 5340
cagttagcga ggaagcggaa gagcgcccaa tacgcaaacg gcctctccc gcgcgttggc 5400
cgattcatta atgcagctgg cagcagaggt ttcccagact gaaagcgggc agtgagcgca 5460
acgcaattaa tgtgagttag ctactcatt aggcacccca ggctttacac tttatgcttc 5520
cggctcgtat gttgtgtgga attgtgagcg gataacaatt tcacacagga aacagctatg 5580
accatgatta cgcagatatt aattaagg 5608

```

```

SEQ ID NO: 35      moltype = DNA length = 5876
FEATURE           Location/Qualifiers
misc_feature       1..5876
                  note = constructed sequence
source            1..5876
                  mol_type = other DNA
                  organism = synthetic construct

```

```

SEQUENCE: 35
ctgcgcgtc tgagccgcc cgggcaaac cggggcgtg ggcgacctt 60
ggtcgcccgc ctcagtgag cgcagagag gagtggccaa ctccatcact 120
aggggttctc tgtagttaac gattaaccgc ccatgctact tatctacgta gccatgctct 180
aggaagatcg gaattcgccc ttaagctagc cgtgacaaag gctcagagcc acacaggagt 240
ttctgggctc acctgcccc cttccaaccc ctcagttccc atcctccagc agctgtttgt 300
gtgctgcctc tgaagtcac actgaacaaa cttcagccta ctcattgtcc taaaatgggc 360
aaacattgca acgagcaaac agcaaacaca cagccctccc tgctgctgta ccttggagct 420
ggggcagagg tcagagacct ccttgggccc atgccacctc caacatccac tcgacccctt 480
ggaatttcgg tggagaggag cagaggttgt cctggcgtgg tttaggtagt gtgagaggga 540
gatccggcgc gccctggaac aggacgctgt ggtttctgag ccagggggag actcagatcc 600
cagccagtg gcttagcccc tgcttgctcc tcgcataact ggggtgacct tggttaatat 660
tcaccagcag cctccccctg tgcccctctg gatccactgc ttaataacgg acgaggacag 720
ggcctgtctc cctcagcttc aggcaccacc actgacctgg gacagtgaat agcgagatct 780
agcttacttg tggtagcagc cgggacctg agaacttcag ggtgagtcta tgggacctt 840
gatgtttctc ttcccctctc tttctatggt taagttcatg tcattaggaag gggagaagta 900
acagggtaca catattgacc aaatcagggg aattttgcat ttgtaatttt aaaaaatgct 960
ttctcttttt aataactttt tttgtttatc ttattttctaa tactttccct aatctctttc 1020
tttcagggca ataagtatac aatgtatcat gcctctttgc accattctaa agaataacag 1080
tgataatttc tgggttaagg caatagcaat atttctgcat ataaatattt ctgcataata 1140
attgtaactg atgtaagagg tttcatattg ctaatagcag ctacaatcca gctaccattc 1200
tgcttttatt ttatgggttg gataaggctg gattattctg agtccaaagt aggcctcttt 1260
gctaatacatg ttaatacctc ttatcttctc cccacagctc ctgggcaaac tgctggtctg 1320
tgtgtcggcc catcactttg gcaagaattt gatctcagat aactgaaggg ggcggccacc 1380
atgtccagca aaggtccgtg ggttctggcc tacagtggcg gcctggacac ctcgtgcatc 1440
ctcgtgtggc tgaaggaaca aggctatgac gtcattgcct atctggccaa cattggccag 1500
aagggaagct tcgaggaagc cagggaagaag gcactgaagc ttggggccaa aaagggtgtc 1560
attgaggatg tcagcaggga gtttgtggag gagttcatct ggccggccat ccagtccagc 1620
gcactgtatg aggaccgcta cctcctgggc acctctcttg ccaggccctg catcgcccgc 1680
aaacaagtgg aaatcgccca gcgggagggg gccaaagtatg tgccccacgg cggcacagga 1740
aaggggaaac atcaggtccg gtttgagctc agctgctact cactggcccc ccagataaag 1800
gtcattgtct cctggaggat gcctgaattc tacaacgggt tcaaggggcg caatgacctg 1860
atggagtagc caaagcaaca cgggattccc atcccgttca ctcccaagaa cccgtggagc 1920
atggatgaga acctcatgca catcagctac gaggctggaa tcctgggaaa ccccaagaa 1980
caagcgctcc caggtctcta cacgaagacc caggaccacg ccaagcccc caacaccct 2040
gacattctcg agatcgagtt caaaaaaggg gtccctgtga aggtgaccaa cgtcaaggat 2100
ggcaccaccc accagacctc cttggagctc ttcattgacc tgaacgaagt cgcgggcaag 2160
catggcgtgg gccgtattga catcgtggag aaccgcttca ttggaatgaa gtcccagggt 2220

```

-continued

```

atctacgaga cccacgagg caccatcctt taccacgctc atttagacat cgaggccttc 2280
accatggacc ggggaagtgcg caaaatcaaa caaggcctgg gcttgaaatt tgcctgagctg 2340
gtgtataccg gttttctggca cagccctgag tgtgaatttg tccgccactg catcgccaag 2400
tcccaggagc gagtgggaagg gaaagtgcag gtgtccgtcc tcaagggccca ggtgtacatc 2460
ctcgcccggg agtcccact gtctctctac aatgaggagc tggtagcat gaacgtgcag 2520
ggtgattatg agccaactga tgcaccggg ttcataca tcaattccct cagggtgaag 2580
gaatatcatc gtctccagag caaggctcact gccaaatgat aagcatgcgg atctgcctcg 2640
actgtgcctt ctagtgtgcca gccatctgtt gtttgccct ccccggtgcc ttccttgacc 2700
ctggaaggtg ccactcccac tgtcctttcc taataaaatg aggaattgc atcgattgt 2760
ctgagtaggt gtcattctat tctggggggg ggggtggggc aggacagcaa gggggaggat 2820
tgggaagaca atagcaggca tgcctggggac tgcagttaag ggcgaattcc cgataaggat 2880
cttctagag catggctacg tagataagta gcatggcggg ttaatacatta actacaagga 2940
acccctagt atggagttgg ccactccctc tctgcgcgt cgctcgctca ctgaggccgg 3000
gcgaccaag gtgcgccact gcccggtt tgcggggcg gccctcagtga gcgagcgagc 3060
gcgcagcctt aattaacctc attcactggc cgtcgtttta caacgtcggt actgggaaaa 3120
ccctggcgtt acccaactta atgccttgc agcacatccc ccttcgcca gctggcgtaa 3180
tagcgaagag gcccgcacg atcgcccttc ccaacagttg cgcagcctga atggcgaatg 3240
ggacgcgccc tgtagcgcg cattaagcgc ggcgggtgtg gtggttacgc gcagcgtagc 3300
cgctacactt gccagcgccc tagcgccgc tcttctcgt tcttccctt cctttctcgc 3360
cacgttcgcc ggtttcccc gtcaagctct aaatcgggg ctcctttag ggttccgatt 3420
tagtgcttta cggcacctcg acccaaaaaa acttgattag ggtgatggtt cactgagtg 3480
ggcatcgccc tgatagacgg ttttccgcc tttgacgttg gactccactg tctttaatag 3540
tggactcttg ttccaaactg gaacaacact caaccctatc tgcgtctatt cttttgattt 3600
ataagggatt ttgcgattt cggcctattg gttaaaaaat gagctgattt aacaaaaatt 3660
taacgcgaat ttaacaaaaa tattaacgct tacaatttag gtggcacttt tcggggaatt 3720
gtgcgcggaa cccctatttg tttattttt taaatacatt caaatatgta tccgctcatg 3780
agacaataac cctgataaat gcttcaataa tattgaaaaa ggaagagtat gagtattcaa 3840
catttccgtg tcgcccctat tccctttttt cgggcatttt gcctcctgt tttgtctcac 3900
ccagaaacgc tgggtgaaagt aaaagatgct gaagatcagt tgggtgcacg agtgggttac 3960
atcgaaactg atctcaacag cggtaagatc cttgagagtt ttcgccccga agaactgttt 4020
ccaatgatga gcaactttta agttctgcta tgtggcgcg tattatcccg tattgacgcc 4080
gggcaagagc aactcggtag ccgcatacac tattctcaga atgacttggt tgagtactca 4140
ccagtcacag aaaagcactt tacggatggc atgacagtaa gagaattatg cagtgtctgc 4200
ataaccatga gtgataacac tgcggccaac ttacttctga caacgatcgg aggaccgaag 4260
gagctaaccg cttttttgca caacatgggg gatcatgtaa ctcgccttga tegtgtggaa 4320
ccggagctga atgaagccat accaaacgac gagcgtgaca ccacgatgcc tbtgacaaatg 4380
gcaacaacgt tgcgcaaaat attaaactggc gaactactta ctctagcttc ccggcaacaa 4440
ttaatagact ggaatggaggc ggataaagtt gcaggaccac ttctgcgtc ggcccttccg 4500
gctggctggt ttatttctga taaatctgga gccggtgagc gtgggtctcg cggatcatt 4560
gcagcactgg ggcagatgg taagccctcc cgtatcgtag ttatctacac gacggggagt 4620
caggcaacta tggatgaacg aaatagacag atcgctgaga taggtgcctc actgattaag 4680
cattggtaac tgtcagacca agttactca tatatactt agattgattt aaaaattcat 4740
ttttaattta aaaggatcta ggtgaagatc ctttttgata atctcatgac caaaatccct 4800
taacgtgagt tttcgttcca ctgagcgtca gaccccgtag aaaagatcaa aggatcttct 4860
tgagatcctt ttttctcgcg cgtaatctgc tgcctgcaaa caaaaaaac accgctacca 4920
gcggtggttt gtttgcggga tcaagagcta ccaactcttt ttcgaaggtt aactggcttc 4980
agcagagcgc agataccaaa tactgttctt ctagtgtagc cgtagttagg ccaccacttc 5040
aagaactctg tagaccgcgc tacataacct cgtctgttaa tctctgtacc agtggctgct 5100
gccagtggcg ataagtctgt tctaccggg ttggaactca gacgatagtt accggataag 5160
gcgcagcggg cggggtgaac ggggggttcg tgcacacagc ccagcttgga gccaacgacc 5220
tacaccgaac tgagatacct acagcgtgag ctatgagaaa gcgccacgct tcccgaagg 5280
agaaaggcgg caaggtatcc ggtaaagcgc agggatcgaa caggagagcg cacgagggag 5340
cttcaggggg gaaacgcctg gtatctttat agtcctgtcg ggtttcgcca cctctgactt 5400
gagcgtcgat ttttctgtag ctgctcaggg gggcgagcgc tatggaaaaa cgcacgcaac 5460
gcggcctttt tacggttctt ggccttttgc tggccttttg ctacatggt ctttctgcg 5520
ttatccccctg attctgtgga taaccgtatt accgccttgc agtgagctga taccgctcgc 5580
cgacagcgaa cgaccgagcg cagcagagtc gtgagcgagg aagcggaaga gcgccaata 5640
cgcaaacgcg ctctcccgcg gcgttggcgc attcattaat gcagctggca cgacaggttt 5700
cccgactgga aagcgggcag tgagcgcaac gcaattaatg tgagttagct cactcattag 5760
gcacccacag ctttacactt tatgcttccg gctcgtatgt tgtgtggaat tgtgagcgga 5820
taacaatttc acacaggaaa cagctatgac catgattacg ccagatttaa ttaagg 5876

```

```

SEQ ID NO: 36      moltype = DNA length = 4393
FEATURE           Location/Qualifiers
source            1..4393
                  mol_type = genomic DNA
                  organism = adeno-associated virus 8

```

```

SEQUENCE: 36
cagagagggg gtggccaact ccatcactag gggtagcgcg aagcgctccc cagctgccc 60
cgtcagcgct gacgtaaat acgtcatagg ggaagtggcc tgtattagct gtcacgtgag 120
tgcttttgcg gcattttgcg acaccagtg gccatttgag gtatatatgg ccgagtgagc 180
gagcaggatc tccattttga ccgcgaaatt tgaacgagca gcagccatgc cgggcttcta 240
cgagatcgtg atcaaggtgc cgagcgacct ggacgagcac ctgcggggca tttctgactc 300
gtttgtgaac tgggtggcgc agaaggaatg ggagctgccc cggattctg acatggatcg 360
gaatctgacg gagcagggc cctgaccgt ggccgagaag ctgcagcgcg acttctcggt 420
ccaatggcgc cgcgtgagta agccccgga ggccctcttc tttgttcagt tcgagaaggg 480
cgagagctac tttcacctgc acgttctggt cgagaccacg ggggtcaagt ccatggtgct 540
aggcgcgttc ctgagtcaga ttccggaaaa gcttgggtcca gacctctac ccgcggggtc 600
gagccccacc ttgcccaact ggttcgcggg gaccaaagac gcggtaatgg ccgcggcggg 660

```

-continued

```

ggggaacaag gtggtgggac agtgetacat ccccaactac ctctgcccc agactcagcc 720
cgagctgcag tgggcgtgga ctaacatgga ggagtataata agcgcggtgct tgaacctggc 780
cgagcgcaaa cggctcgtgg cgcagcacct gacccacgto agccagacgc aggagcagaa 840
caaggagaaat ctgaacccca attctgacgc gcccggtgatc aggtcaaaaa cctccgcgcg 900
ctatatggag ctggtcgggt ggctgggtgga cgggggcatac acctccgaga agcagtggaat 960
ccaggaggac caggcctcgt acatctcctt caacgcccgc tccaaactcgc ggtcccagat 1020
caaggccgcg ctggacaatg ccggcaagat catggcgctg accaaatccg cgcccagcta 1080
cctggtgggg ccctcgctgc ccgcgacat taccagaaac cgcactacc gcactcctgc 1140
tctcaacggc tacgacctg cctacgcccg ctccgtcttt ctccgctggg ctcaaaaaa 1200
gttcgggaaa cgcaacacca tctggctgtt tggacccgcc accaccggca agaccaacat 1260
tgcggaagcg atcggccacg ccgtgcccct ctacggctgc gtcaactgga ccaatgagaa 1320
ctttcccttc aatgattgcg tcgacaagat ggtgatctgg tgggaggagg gcaagatgac 1380
ggccaaggtc gtggagtcgc caaaggccat tctcgccggc agcaaggtgc gctggacca 1440
aaagtgcgaag tcgtccgccc agatcgaccc cacccccgtg atcgtcacct ccaacaccaa 1500
catgtgcgccc gtgattgacg ggaacagcac caccttcgag caccagacgc ctctccagga 1560
ccggtatgtt aaagtgcgaac taccgcccg tctggagcac gactttggca aggtgacaaa 1620
gcaggaagtc aaagagttct tcgctggggc cagtgtacac gtgaccgagg tggcgcatga 1680
gttttacgto agaaggggcg gagccagcaa aagaccggcc cccgatgacg cgataaaaag 1740
cgagcccaag cgggcctgccc cctcagtcgc ggtatccatg acgtcagacg cggaaggagc 1800
tcgggtggac tttgcccaca ggtaccaaaa caaatgttct cgtcacgcgg gcactgttca 1860
gatgtgtttt cctcgcaaaa cgtgcgagag aatgaatcag aatttcaaca tttgtctcac 1920
acacggggtc agagactgct agagtggtt ccccgccgtg tcagaatctc aaccggtcgt 1980
cagaagagag acgtatcgga aactctgctc gattcatcat ctgctggggc gggctcccga 2040
gattgcttgc tcggccctgc atctggtcaa cgtggacctg gatgactgtg tttctgagca 2100
ataaatgact taaaccaggt atggctgccg atgggttatct tccagattgg ctcgaggaca 2160
acctctctga gggcatctgc gactgggtgg cgtgaaaacc tggagccccc aagcccaaaag 2220
ccaaccagca aaagcaggac gacggccggg gtctggtgct tcctggctac aagtacctcg 2280
gaccttcaa gggactcgac aagggggagc ccgtcaacgc ggcggacgca gcggccctcg 2340
agcacgacaa ggcctacgac cagcagctgc aggcgggtga caatccgtac ctgcggtata 2400
accacgcccga cgccgagttt caggagcgtc tgcagaaga tacgtctttt gggggcaacc 2460
tcgggcgagc agtcttccag gccaaagaag ggggttctga acctctcggt ctggttgagg 2520
aaggcgctaa gacggctcct ggaaagaaga gaccggtaga gccatcacc cagcgttctc 2580
cagactcctc tacgggcatc ggcaagaaag gccaacagcc cgccagaaaa agactcaatt 2640
ttggtcagac tggcgactca gactcagttc cagaccctca acctctcgga gaacctccag 2700
cagcgccctc tgggtgggga cctaatacaa tggctgcagg cgggtggcgca ccaatggcag 2760
acaataacga aggcgcccag ggagtggtga gttcctcggg aaattggcat tgcgattcca 2820
catggctggg gcacagagtc atcacacca gcaccggaac ctgggcccgtg cccacctaca 2880
acaaccacct ctacaagcaa atctccaacg ggacatcggg aggagccacc aacgacaaca 2940
cctaacttcg ctacagcacc ccttgggggt attttgactt taacagattc cactgccact 3000
tttcaaccag tgaactggcag gactcatca acaacaactg gggattccgg cccaagagac 3060
tcagcttcaa gctcttcaac atccaggtca aggaggtcac gcagaatgaa ggcaccaaga 3120
ccatcgccaa taacctcacc agcaccatcc aggtgtttac ggactcgga taccagctgc 3180
cgtaacttct cggctctgccc caccagggtc gcctgcctcc gttcccgcg gacgtgttca 3240
tgattcccca ctgaggtctac ctaaacctca acaacggtag tcaggccgtg ggacgctcct 3300
ccttctactg cctggaatac tttccttcgc agatgctgag aaccggcaac aacttccagt 3360
ttacttacac cttcgaggag gtgcctttcc acagcagcta cgccacagc cagagcttgg 3420
accggctgat gaatcctctg attgaccagt acctgtacta cttgtctcgg actcaaaaca 3480
caggaggcac ggcaaatagc cagactctgg gcttcagcca aggtgggcct aatacaatgg 3540
ccaatcaggc aaagaactgg ctgccaggac cctgtttaccg ccaacaacgc gtctcaacga 3600
caaccgggca aaacaacaat agcaactttg cctggactgc tgggaccaa taccatctga 3660
atggaagaaa ttcattggct aatcctggca tcgctatggc aacacacaaa gacgacgagg 3720
agcggttttt tcccagtaac gggatcctga tttttggcaa acaaaatggt gccagagaca 3780
atgcggatta cagcgatgct atgctcacca gcgaggaaga aatcaaaacc actaaccctg 3840
tggttacaga ggaatacggc atcgtggcag ataacttga gcagcaaaac acggctcctc 3900
aaattggaac tgtcaacagc cagggggcct taccgggtat ggtctggcag aaccgggacg 3960
tgtacctgca gggteccatc tgggccaaga ttcctcacac ggacggcaac ttcacccgt 4020
ctccgctgat gggcggtctt ggcctgaaac atcctccgccc tcagatcctg atcaagaaca 4080
cgctgtacc tcgggactct ccgaccacct tcaaccagtc aaagctgaac tctttcatca 4140
cgcaatacac caccggacag gtcagcgtgg aaattgaatg ggagctgcag aaggaaaaca 4200
gcaagcgctg gaaccccgag atccagtaaca cctccaacta ctacaaatct acaagtgtgg 4260
actttgctgt taatacagaa ggcgtgtact ctgaaccccg cccattggc accgttacc 4320
tcacccgtaa tctgtaattg cctgtaatac aataaaccgg ttgattcgtt tcagtgaac 4380
tttggctctc gcg 4393

```

The invention claimed is:

1. A recombinant adeno-associated virus (AAV) comprising an AAV capsid, and a vector genome packaged therein, the vector genome comprising an expression cassette comprising

a promoter operably linked to  
a nucleotide sequence encoding a human argininosuccinate synthase 1 (ASS1);  
wherein the nucleotide sequence encoding the human ASS1 comprises SEQ ID NO: 2.

2. The recombinant AAV according to claim 1, wherein the AAV capsid is an AAV8 capsid or variant thereof.

55

3. The recombinant AAV of claim 1, wherein the promoter is a liver-specific promoter.

60

4. The recombinant AAV of claim 1, wherein the promoter is a thyroxine binding globulin (TBG) promoter, an alpha 1 anti-trypsin (A1AT) promoter, or a transthyretin promoter (TTR) promoter.

65

5. The recombinant AAV of claim 1, wherein the promoter is a constitutive promoter.

6. The recombinant AAV of claim 1, wherein the vector genome further comprises an AAV 5' ITR sequence from AAV2 and an AAV 3' ITR sequence from AAV2.



73

7. A pharmaceutical composition comprising the recombinant AAV of claim 1 and an aqueous carrier, excipient, diluent, or buffer.

8. A method of treating citrullinemia in a patient in need thereof, the method comprising administering the pharmaceutical composition of claim 7 to the patient.

9. A recombinant adeno-associated virus (AAV) comprising an AAV capsid, and a vector genome packaged therein, the vector genome comprising:

- (a) an AAV 5' ITR sequence;
- (b) a nucleotide sequence encoding a human argininosuccinate synthase 1 (ASS1); and
- (c) an AAV 3' ITR sequence,

wherein the nucleotide sequence encoding the human ASS1 comprises SEQ ID NO: 2.

10. The recombinant AAV of claim 9, wherein the AAV capsid is an AAV8 capsid or variant thereof.

11. The recombinant AAV of claim 9, wherein the AAV 5' ITR sequence from AAV2 and the AAV 3' ITR sequence are from AAV2.

12. The recombinant AAV of claim 9, wherein the AAV 5' ITR sequence comprises SEQ ID NO: 16 and the AAV 3' ITR sequence comprises SEQ ID NO: 17.

74

13. A plasmid comprising an expression cassette, the expression cassette comprising a promoter operably linked to a nucleotide sequence encoding a human argininosuccinate synthase 1 (ASS1),

wherein the nucleotide sequence encoding the human ASS1 comprises SEQ ID NO: 2.

14. The plasmid of claim 13, wherein the promoter is a thyroxine binding globulin (TBG) promoter, an alpha 1 anti-trypsin (A1AT) promoter, or a transthyretin promoter (TTR) promoter.

15. The plasmid of claim 13, wherein the promoter is a constitutive promoter.

16. The plasmid of claim 13, further comprising an AAV 5' ITR sequence from AAV2 and an AAV 3' ITR sequence from AAV2, wherein the AAV 5' ITR sequence and the AAV 3' ITR sequence flank the expression cassette.

17. The plasmid of claim 16, wherein the AAV 5' ITR sequence comprises SEQ ID NO: 16 and the AAV 3' ITR sequence comprises SEQ ID NO: 17.

18. A 293 cell comprising the plasmid of claim 13.

19. A 293 cell comprising the plasmid of claim 15.

20. A 293 cell comprising the plasmid of claim 17.

\* \* \* \* \*