



US012384781B2

(12) **United States Patent**
Jang et al.

(10) **Patent No.:** US 12,384,781 B2
(45) **Date of Patent:** *Aug. 12, 2025

(54) **COMPOUND, PHOTORESISTIVE FLUORESCENT RESIN COMPOSITION COMPRISING SAME, COLOR CONVERSION FILM MANUFACTURED THEREFROM, BACKLIGHT UNIT, AND DISPLAY DEVICE**

(71) Applicant: **LG CHEM, LTD.**, Seoul (KR)

(72) Inventors: **Hanbit Jang**, Daejeon (KR); **Duy Hieu Le**, Daejeon (KR); **Jaemyeng Jeong**, Daejeon (KR); **Hoyong Lee**, Daejeon (KR)

(73) Assignee: **LG CHEM, LTD.**, Seoul (KR)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 881 days.

This patent is subject to a terminal disclaimer.

(21) Appl. No.: **17/621,640**

(22) PCT Filed: **Jul. 13, 2020**

(86) PCT No.: **PCT/KR2020/009177**

§ 371 (c)(1),
(2) Date: **Dec. 21, 2021**

(87) PCT Pub. No.: **WO2021/010701**

PCT Pub. Date: **Jan. 21, 2021**

(65) **Prior Publication Data**

US 2022/0389014 A1 Dec. 8, 2022

(30) **Foreign Application Priority Data**

Jul. 18, 2019 (KR) 10-2019-0087014

(51) **Int. Cl.**

C07D 471/06 (2006.01)
C07F 7/18 (2006.01)
C08K 5/3437 (2006.01)
G03F 7/033 (2006.01)
H10K 85/40 (2023.01)
H10K 85/60 (2023.01)

(52) **U.S. Cl.**
CPC **C07D 471/06** (2013.01); **C07F 7/1804** (2013.01); **C08K 5/3437** (2013.01); **G03F 7/033** (2013.01); **H10K 85/40** (2023.02); **H10K 85/631** (2023.02); **H10K 85/636** (2023.02); **H10K 85/653** (2023.02); **H10K 85/654** (2023.02); **H10K 85/655** (2023.02); **H10K 85/6572** (2023.02); **H10K 85/6574** (2023.02)

(58) **Field of Classification Search**
CPC .. C07D 471/06; H10K 85/654; H10K 85/636; H10K 85/631; H10K 85/655; H10K 85/6574; H10K 85/653; H10K 85/6572; H10K 85/40; C08K 5/3437; G03F 7/033
See application file for complete search history.

(56) **References Cited**

FOREIGN PATENT DOCUMENTS

KR	10-2016-0097147 A	8/2016
KR	10-2018-0090541 A	8/2018
KR	10-1992084 B1	6/2019
WO	2018-134263 A1	7/2018

OTHER PUBLICATIONS

Lu et al., 115(37) J. Physical Chem. B., 10871-10876 (2011) (CAS Abstract) (Year: 2011).*
International Search Report issued for International Application No. PCT/KR2020/009177 on Oct. 14, 2020, 5 pages.
Xue et al., Synthesis and characterization of the first soluble nonracemic chiral main-chain perylene tetracarboxylic diimide polymers, Polymer, 2008, 49(24), pp. 5314-5321.
Lu et al., Helical Assembly Induced by Hydrogen Bonding from Chiral Carboxylic Acids Based on Perylene Bisimides, The Journal of Physical Chemistry B, 2011, 115(37), pp. 10871-10876.

* cited by examiner

Primary Examiner — Timothy R Rozof


(74) Attorney, Agent, or Firm — ROTHWELL, FIGG,
ERNST & MANBECK, P.C.

(57) **ABSTRACT**


The present specification relates to a compound represented by Chemical Formula 1, a photoresist fluorescent resin composition including the same, and a color conversion film manufactured using the same, a backlight unit and a display apparatus.

10 Claims, 1 Drawing Sheet

【FIG. 1】



【FIG. 2】



**COMPOUND, PHOTOSENSITIVE
FLUORESCENT RESIN COMPOSITION
COMPRISING SAME, COLOR CONVERSION
FILM MANUFACTURED THEREFROM,
BACKLIGHT UNIT, AND DISPLAY DEVICE**

This application is a 35 U.S.C. 371 National Phase Entry Application from PCT/KR2020/009177, filed on Jul. 13, 2020, which claims priority to and the benefits of Korean Patent Application No. 10-2019-0087014, filed with the Korean Intellectual Property Office on Jul. 18, 2019, the entire contents of which are incorporated herein by reference.

TECHNICAL FIELD

The present specification relates to a compound, a photoresist fluorescent resin composition including the same,


Existing compounds having a BF_2 or $\text{B}(\text{CN})_2$ -based bodipy structure provides, as a fluorescent dye having high light efficiency and a narrow full width at half maximum, excellent light properties when used in a color conversion film, but has insufficient light resistance and heat resistance to be commercialized, and development of compounds having high durability has been required.

BRIEF SUMMARY OF THE INVENTION

The present specification is directed to providing a compound, a photoresist fluorescent resin composition including the same, and a color conversion film manufactured using the same, a backlight unit and a display apparatus.

One embodiment of the present specification provides a compound represented by the following Chemical Formula 1.

[Chemical Formula 1]



and a color conversion film manufactured using the same, a backlight unit and a display apparatus.

BACKGROUND OF THE INVENTION

Existing light emitting diodes (LED) are obtained by mixing a green phosphorescent substance and a red phosphorescent substance to a blue light emitting diode, or mixing a yellow phosphorescent substance and a blue-green phosphorescent substance to a UV light emitting diode. However, with such a method, it is difficult to control colors, and therefore, color rendering is not favorable. Accordingly, color gamut declines.

In order to overcome such color gamut decline and to reduce production costs, methods of obtaining green and red in a manner of filming quantum dots and binding the dots to a blue LED have been recently tried. However, cadmium series quantum dots have safety problems, and other quantum dots have significantly decreased efficiency compared to cadmium series quantum dots. In addition, quantum dots have reduced stability for oxygen and water, and have a disadvantage in that the performance is significantly degraded when aggregated. Furthermore, unit costs of production are high since, when producing quantum dots, maintaining the sizes to be constant is difficult.

In Chemical Formula 1, A1 to A4 are each independently a substituted or unsubstituted aryl group, or a substituted or unsubstituted heterocyclic group,

X1 and X2 are each independently O, NH or NR', R' is $-(\text{G}1)_{g1}-\text{E}$ or $-\text{G}2-\text{O}-\text{G}3-\text{E}$, or forms a ring with adjacent groups,

R1, R2, R4 and R5 are each independently hydrogen, a halogen group, a substituted or unsubstituted alkyl group, a substituted or unsubstituted cycloalkyl group, a substituted or unsubstituted alkoxy group, a substituted or unsubstituted aryl group, or a substituted or unsubstituted heterocyclic group,

R3 and R6 are each independently a polymerizable group, E is a halogen group, a substituted or unsubstituted alkyl group, a substituted or unsubstituted cycloalkyl group, a substituted or unsubstituted alkoxy group, a substituted or unsubstituted aryl group, a substituted or unsubstituted heterocyclic group, or a polymerizable group,

L1, L2, L4 and L5 are each independently a direct bond, or a substituted or unsubstituted alkylene group, G1 to G3, L3 and L6 are each independently a direct bond, a substituted or unsubstituted alkylene group, a substituted or unsubstituted cycloalkylene group, a

substituted or unsubstituted arylene group, or a substituted or unsubstituted divalent heterocyclic group, a and b are each an integer of 0 to 3, g1 and l1 to l6 are each an integer of 1 to 3, and when a, b, g1 and l1 to l6 are each 2 or greater, structures in the parentheses are the same as or different from each other.

Another embodiment of the present specification provides a photoresist fluorescent resin composition including a binder resin; a multifunctional monomer; and the compound described above.

Another embodiment of the present specification provides a color conversion film including the compound bonding to a binder resin.

Another embodiment of the present specification provides a backlight unit including the color conversion film described above.

Another embodiment of the present specification provides a display apparatus including the backlight unit described above.

Advantageous Effects

A compound according to one embodiment of the present specification is capable of high color reproduction.

A compound according to one embodiment of the present specification has high solubility.

A compound according to one embodiment of the present specification has high light resistance.

A compound according to one embodiment of the present specification has an advantage of being not dyed.

BRIEF DESCRIPTION OF DRAWINGS

FIG. 1 is a mimetic diagram of using a color conversion film according to one embodiment of the present specification in a backlight unit.

FIG. 2 is a mimetic diagram illustrating a structure of a display apparatus according to one embodiment of the present specification.

DETAILED DESCRIPTION OF THE INVENTION

Hereinafter, the present specification will be described in detail.

One embodiment of the present specification provides a compound represented by Chemical Formula 1.

Existing perylene derivatives have a limitation in high color reproduction since absorption and emission wavelengths thereof are short wavelengths. In addition, existing perylene derivatives have disadvantages of being dyed and having weak light resistance.

Meanwhile, the compound according to one embodiment of the present specification is capable of high color reproduction by absorption and emission wavelengths moving to long wavelengths compared to existing perylene derivatives. Specifically, the compound according to one embodiment of the present specification is capable of high color reproduction by absorption and emission wavelengths moving to long wavelengths and thereby accomplishing a wider range of color coordinates compared to existing perylene derivatives.

The compound according to one embodiment of the present specification has superior light resistance compared to existing perylene derivatives. Specifically, the compound according to one embodiment of the present specification

has superior light resistance by having an electron withdrawing group at the imide position compared to existing perylene derivatives.

The compound according to one embodiment of the present specification has a reaction group polymerizable with a binder in the molecule and thereby has an advantage of being not dyed due to the bond with a binder.

In the present specification, a certain part "including" certain constituents means capable of further including other constituents, and does not exclude other constituents unless particularly stated on the contrary.

In the present specification, one member being placed "on" another member includes not only a case of the one member being in contact with the another member but a case of still another member being present between the two members.

In the present specification, an "adjacent" group may mean a substituent substituting an atom directly linked to an atom substituted by the corresponding substituent, a substituent sterically most closely positioned to the corresponding substituent, or another substituent substituting an atom substituted by the corresponding substituent. For example, two substituents substituting ortho positions in a benzene ring, and two substituents substituting the same carbon in an aliphatic ring may be interpreted as groups "adjacent" to each other.


Examples of substituents in the present specification are described below, however, the substituents are not limited thereto.

The term "substitution" means a hydrogen atom bonding to a carbon atom of a compound being changed to another substituent, and the position of substitution is not limited as long as it is a position at which the hydrogen atom is substituted, that is, a position at which a substituent can substitute, and when two or more substituents substitute, the two or more substituents may be the same as or different from each other.


The term "substituted or unsubstituted" in the present specification means being substituted with one, two or more substituents selected from the group consisting of deuterium; a halogen group; a cyano group; a nitro group; a hydroxyl group; an imide group; an amide group; an ester group; a substituted or unsubstituted amine group; a substituted or unsubstituted silyl group; a substituted or unsubstituted alkyl group; a substituted or unsubstituted cycloalkyl group; a substituted or unsubstituted haloalkyl group; a substituted or unsubstituted alkoxy group; a substituted or unsubstituted aryloxy group; a substituted or unsubstituted alkenyl group; a substituted or unsubstituted alkynyl group; a substituted or unsubstituted aryl group and a substituted or unsubstituted heterocyclic group, or being substituted with a substituent linking two or more substituents among the substituents illustrated above, or having no substituents.

In the present specification, examples of the halogen group may include fluorine, chlorine, bromine or iodine.


In the present specification, the number of carbon atoms of the imide group is not particularly limited, but is preferably from 1 to 30. Specifically, compounds having structures as below may be included, however, the imide group is not limited thereto.



5




6




In the present specification, in the ester group, the oxygen 10 of the ester group may be substituted with a linear, branched or cyclic alkyl group having 1 to 25 carbon atoms or an aryl group having 6 to 30 carbon atoms. Specifically, compounds having the following structural formulae may be included, however, the ester group is not limited thereto.

15



35



In the present specification, the amine group may be selected from the group consisting of $-\text{NH}_2$; a monoalkylamine group; a dialkylamine group; an N-alkylarylamine group; a monoarylamine group; a diarylamine group; an N-arylhetereoarylamine group; an N-alkylhetereoarylamine group, a monohetereoarylamine group and a dihetereoarylamine group, and, although not particularly limited thereto, the number of carbon atoms is preferably from 1 to 30.

40 In the present specification, the N-alkylarylamine group means an amine group in which N of the amine group is substituted with an alkyl group and an aryl group.

45 In the present specification, the N-arylhetereoarylamine group means an amine group in which N of the amine group is substituted with an aryl group and a heteroaryl group.

50 In the present specification, the N-alkylhetereoarylamine group means an amine group in which N of the amine group is substituted with an alkyl group and a heteroaryl group.

55 In the present specification, an alkyl group in the alkylamine group, the N-alkylarylamine group and the N-alkylhetereoarylamine group is the same as examples of an alkyl group to describe later.

60 In the present specification, specific examples of the silyl group may include a trimethylsilyl group, a triethylsilyl group, a t-butyldimethylsilyl group, a vinyldimethylsilyl group, a propyldimethylsilyl group, a triphenylsilyl group, a diphenylsilyl group, a phenylsilyl group and the like, but are not limited thereto.

65 In the present specification, the alkyl group may be linear or branched, and although not particularly limited thereto, the number of carbon atoms is preferably from 1 to 30. Specific examples thereof may include methyl, ethyl, pro-

pyl, n-propyl, isopropyl, butyl, n-butyl, isobutyl, tert-butyl, sec-butyl, 1-methyl-butyl, 1-ethyl-butyl, pentyl, n-pentyl, isopentyl, neopentyl, tert-pentyl, hexyl, n-hexyl, 1-methyl-pentyl, 2-methyl pentyl, 4-methyl-2-pentyl, 3,3-dimethylbutyl, 2-ethylbutyl, heptyl, n-heptyl, 1-methylhexyl, cyclopentylmethyl, cyclohexylmethyl, octyl, n-octyl, tert-octyl, 1-methylheptyl, 2-ethylhexyl, 2-propylpentyl, n-nonyl, 2,2-dimethylheptyl, 1-ethyl-propyl, 1,1-dimethyl-propyl, iso-hexyl, 4-methylhexyl, 5-methylhexyl and the like, but are not limited thereto.

In the present specification, the cycloalkyl group is not particularly limited, but preferably has 3 to 30 carbon atoms, and specific examples thereof may include cyclopropyl, cyclobutyl, cyclopentyl, 3-methylcyclopentyl, 2,3-dimethylcyclopentyl, cyclohexyl, 3-methylcyclohexyl, 4-methylcyclohexyl, 2,3-dimethylcyclohexyl, 3,4,5-trimethylcyclohexyl, 4-tert-butylcyclohexyl, cycloheptyl, cyclooctyl and the like, but are not limited thereto.

In the present specification, the haloalkyl group represents an alkyl group in which one or more hydrogen atoms of the alkyl group are replaced by the same or a different halogen group. The haloalkyl group may be linear or branched, and although not particularly limited thereto, the number of carbon atoms is preferably from 1 to 10. Specific examples thereof may include $-\text{CH}_2\text{Cl}$, $-\text{CF}_3$, $-\text{CH}_2\text{CF}_3$, $-\text{CF}_2\text{CF}_3$ and the like, but are not limited thereto.

In the present specification, the alkoxy group may be linear, branched or cyclic. The number of carbon atoms of the alkoxy group is not particularly limited, but is preferably from 1 to 30.

In the present specification, the aryloxy group is a monovalent substituent represented by $\text{RO}-$, and R is an aryl group. Examples thereof may include phenoxy, naphthoxy, biphenyloxy and the like, but are not limited thereto.

In the present specification, the alkenyl group may be linear or branched, and although not particularly limited thereto, the number of carbon atoms is preferably from 2 to 30.

In the present specification, the alkynyl group may be linear or branched, and although not particularly limited thereto, the number of carbon atoms is preferably from 2 to 30. Specific examples thereof may include alkynyl groups such as ethynyl, propynyl, 2-methyl-2-propynyl, 2-butynyl, 2-pentynyl and the like, but are not limited thereto.


In the present specification, the aryl group is not particularly limited, but preferably has 6 to 30 carbon atoms, and the aryl group may be monocyclic or polycyclic.

When the aryl group is a monocyclic aryl group, the number of carbon atoms is not particularly limited, but is preferably from 6 to 30. Specific examples of the monocyclic aryl group may include a phenyl group, a biphenyl group, a terphenyl group and the like, but are not limited thereto.

When the aryl group is a polycyclic aryl group, the number of carbon atoms is not particularly limited, but is preferably from 10 to 30. Specific examples of the polycyclic aryl group may include a naphthyl group, an anthracenyl group, a phenanthryl group, a triphenyl group, a pyrenyl group, a perylenyl group, a chrysene group, a fluorenyl group and the like, but are not limited thereto.

In the present specification, the fluorenyl group may be substituted, and adjacent groups may bond to each other to form a ring.

When the fluorenyl group is substituted,



and the like may be included. However, the structure is not limited thereto.








In the present specification, the heterocyclic group is a group including one or more atoms that are not carbon, that is, heteroatoms, and specifically, the heteroatom may include one or more atoms selected from the group consisting of O, N, Se, S and the like. The number of carbon atoms is not particularly limited, but is preferably from 2 to 30, and the heterocyclic group may be monocyclic or polycyclic. Examples of the heterocyclic group may include a thiophenyl group, a furanyl group, a pyrrole group, an imidazolyl group, a thiazolyl group, an oxazolyl group, an oxadiazolyl group, a pyridyl group, a bipyridyl group, a pyrimidyl group, a triazinyl group, a triazolyl group, an acridyl group, a pyridazinyl group, a pyrazinyl group, a quinolinyl group, a quinazolinyl group, a quinoxalinyl group, a phthalazinyl group, a pyridopyrimidyl group, a pyridopyrazinyl group, a pyrazinopyrazinyl group, an isoquinolinyl group, an indolyl group, a carbazolyl group, a benzoxazolyl group, a benzimidazolyl group, a benzothiazolyl group, a benzocarbazolyl group, a benzothiophenyl group, a dibenzothiophenyl group, a benzofuranyl group, a phenanthrolinyl group, an isoxazolyl group, a thiadiazolyl group, a phenothiazinyl group, a dibenzofuranyl group and the like, but are not limited thereto.

In the present specification, descriptions on the heterocyclic group may be applied to the heteroaryl group except that it is an aromatic heterocyclic group.


In one embodiment of the present specification, the polymerizable group may have at least one selected from the group consisting of a substituted or unsubstituted ethylenically unsaturated group, a substituted or unsubstituted siloxane group and a substituted or unsubstituted epoxy group.

9

The polymerizable group may be any one of the following structures.



5




In the structures, Z1 and Z2 are each independently hydrogen, a halogen group, or a substituted or unsubstituted alkyl group, Z3 to Z5 are each independently a substituted or unsubstituted alkyl group, and * represents a bonding position.

In one embodiment of the present specification, Chemical Formula 1 may be represented by the following Chemical Formula 2.

20

[Chemical Formula 2]



25

30


35

40


In Chemical Formula 2, A1 to A4, X1, X2, R1, R3, R5, R6, L1, L3, L5, L6, I1, I3, I5, I6, a and b have the same definitions as in Chemical Formula 1.

In one embodiment of the present specification, Chemical Formula 1 may be represented by any one of the following Chemical Formulae 3 to 7.

[Chemical Formula 3]




[Chemical Formula 4]





-continued

[Chemical Formula 5]



[Chemical Formula 6]



[Chemical Formula 7]

In Chemical Formulae 3 to 7,

R11 and R12 are each independently -(G1)_{g1}-E or -G2-
O-G3-E,A1 to A4, R1, R3, R5, R6, L1, L3, L5, L6, G1 to G3, E,
g1, I1, I3, I5, I6, a and b have the same definitions as
in Chemical Formula 1,R13 to R18 are each independently a polymerizable
group,L11 to L20 are each independently a direct bond, or a
substituted or unsubstituted alkylene group,

I11 to I20 are each an integer of 1 to 3,

when I11 to I20 are each 2 or greater, structures in the
parentheses are the same as or different from each
other, and

X4 and X5 are each independently O or NH.

In one embodiment of the present specification, R1, R2, R4 and R5 are each independently hydrogen, a halogen group, a substituted or unsubstituted alkyl group, a substituted or unsubstituted cycloalkyl group, a substituted or unsubstituted alkoxy group, a substituted or unsubstituted aryl group, or a substituted or unsubstituted heterocyclic group.

In one embodiment of the present specification, R1, R2, R4 and R5 are each independently hydrogen, a halogen group, an alkyl group, a haloalkyl group, a cycloalkyl group, an alkoxy group, an aryl group or a heterocyclic group.

In one embodiment of the present specification, R1, R2, R4 and R5 are each independently hydrogen, a halogen

group, an alkyl group, a haloalkyl group, a substituted or unsubstituted cyclopentyl group, a substituted or unsubstituted cyclohexyl group, a substituted or unsubstituted cycloheptyl group, a substituted or unsubstituted alkoxy group, a substituted or unsubstituted phenyl group, a substituted or unsubstituted naphthyl group, a substituted or unsubstituted furanyl group, a substituted or unsubstituted thiophenyl group, a substituted or unsubstituted dibenzofuranyl group, a substituted or unsubstituted pyridyl group, or a substituted or unsubstituted quinolinyl group.

In one embodiment of the present specification, R1, R2, R4 and R5 are each independently hydrogen, a halogen group, an alkyl group, a haloalkyl group, a cyclopentyl group unsubstituted or substituted with an alkyl group, a cyclohexyl group unsubstituted or substituted with an alkyl group, a cycloheptyl group unsubstituted or substituted with an alkyl group, an alkoxy group unsubstituted or substituted with an alkyl group, a phenyl group unsubstituted or substituted with an alkyl group, a naphthyl group unsubstituted or substituted with an alkyl group, a furanyl group unsubstituted or substituted with an alkyl group, a thiophenyl group unsubstituted or substituted with an alkyl group, a dibenzofuranyl group unsubstituted or substituted with an alkyl group, a pyridyl group unsubstituted or substituted with an alkyl group, or a quinolinyl group unsubstituted or substituted with an alkyl group.

In one embodiment of the present specification, L1, L2, L4 and L5 are each independently a direct bond, or a substituted or unsubstituted alkylene group.

13

In one embodiment of the present specification, L1, L2, L4 and L5 are each independently a direct bond, or a linear or branched alkylene group.

In one embodiment of the present specification, G1 to G3, L3 and L6 are each independently a direct bond, a substituted or unsubstituted alkylene group, a substituted or unsubstituted cycloalkylene group, a substituted or unsubstituted arylene group, or a substituted or unsubstituted divalent heterocyclic group. 5

In one embodiment of the present specification, G1 to G3, L3 and L6 are each independently a direct bond, an alkylene group, a cyclohexylene group unsubstituted or substituted with an alkyl group, a cyclopentylene group unsubstituted or substituted with an alkyl group, a phenylene group unsubstituted or substituted with an alkyl group, a divalent pyridine group unsubstituted or substituted with an alkyl group, a divalent thiophene group unsubstituted or substituted with an alkyl group, or a divalent furan group unsubstituted or substituted with an alkyl group. 10 15 20

In one embodiment of the present specification, E is a halogen group, a substituted or unsubstituted alkyl group, a substituted or unsubstituted cycloalkyl group, a substituted or unsubstituted alkoxy group, a substituted or unsubstituted aryl group, a substituted or unsubstituted heterocyclic group, 25 or a polymerizable group.

In one embodiment of the present specification, E is a halogen group, an alkyl group, a haloalkyl group, a cyclopentyl group unsubstituted or substituted with an alkyl group, a cyclohexyl group unsubstituted or substituted with an alkyl group, a cycloheptyl group unsubstituted or substituted with an alkyl group, an alkoxy group unsubstituted or substituted with an alkyl group, a phenyl group unsubstituted or substituted with an alkyl group, a naphthyl group unsubstituted or substituted with an alkyl group, a furanyl group unsubstituted or substituted with an alkyl group, a thiophenyl group unsubstituted or substituted with an alkyl group, a dibenzofuranyl group unsubstituted or substituted with an alkyl group, a pyridyl group unsubstituted or substituted with an alkyl group, a quinolinyl group unsubstituted or substituted with an alkyl group, or a polymerizable group. 30 35 40

In one embodiment of the present specification, A1 to A4 are each independently a substituted or unsubstituted aryl group, or a substituted or unsubstituted heteroaryl group. 45

In one embodiment of the present specification, A1 to A4 are each independently a substituted or unsubstituted aryl group. 50

In one embodiment of the present specification, A1 to A4 are each independently a substituted or unsubstituted phenyl group; or a substituted or unsubstituted biphenyl group. 55



In one embodiment of the present specification, A1 to A4 are each independently a phenyl group unsubstituted or substituted with a group selected from the group consisting of a halogen group, a cyano group, an alkyl group, a haloalkyl group, an ester group, an alkoxy group, an aryloxy group and an aryl group; or a biphenyl group unsubstituted or substituted with a group selected from the group consisting of a halogen group, a cyano group, an alkyl group, a haloalkyl group, an ester group, an alkoxy group, an aryloxy group and an aryl group. 60 65

In one embodiment of the present specification, A1 to A4 are the same as each other.

In one embodiment of the present specification, the compound represented by Chemical Formula 1 is point symmetric, line symmetric or surface symmetric. 65


14

The compound represented by Chemical Formula 1 is represented by any one of the following compounds.



15

-continued



5

10

15


20

25


30

35

40

**16**

-continued



30

35

40


45


50

55


60

65





17
-continued

30

18
-continued


35

40



19

-continued



5

10

15

20

25

30

35

40

45

50



55


60

65

20

-continued



21
-continued

5

10

20

25

30

35

40

45

50




55

60

65


22

-continued



23

-continued



5

10

15


20

25

30


24

-continued



35

40




45

50

55


60

65



25

-continued



5

10

15


20

25


30

35

40

**26**

-continued



5

10

15


20

25


30

35

40




27
-continued



5
10
15
20
25


30
35

40




45
50
55
60
65

28
-continued




30



29

-continued



5

10

15

20

25

30

35

40

45

50


55

60


65



30

-continued



30





31
-continued**32**
-continued

30


35

40



33

-continued



5

25


20

25

30

35

40



50


55

60

65

34

-continued



15


20

25

30

35

40



50


55

60


65

35

-continued

**36**



-continued



30


35

40



37

-continued



5

10

15


20

25



30

35

40


**38**

-continued



39

-continued



5

10

15


20

25

30

40

-continued



35

40



45

50


55

60

65



41
-continued



5

10

15

20

25

30

35

40

45

50


55

60

65

42

-continued



30

35

40



45

50

55


60

65



43

-continued



5


30

35

40


44

-continued



The chemical structure of N,N-dimethylformamide (DMF) is shown. It consists of a central carbon atom bonded to a nitrogen atom, which is further bonded to two methyl groups. This central carbon is also bonded to an oxygen atom, which is part of a carbonyl group (C=O).

35




45

50


三

60



45

-continued



5

10

15


20

25

30


46

-continued



35

40




45

50

55


60

65



47

-continued



5

10

15


20

25


30

35

40

**48**

-continued



5

10

15

20

25

30

35

40


45

50

55


60

65




49

-continued

**50**



-continued




30

35


40



51
-continued



52
-continued



35

40



45

50

55


60

65




53

-continued

**54**


-continued



30

35

40




45

50

55


60

65




55


-continued




5




10



15



20






25

30


56

-continued




35


40



45



50




55

60

65

57

-continued



10

15


20

25

30

35

40



50




55

60

65


58

-continued



59

-continued



5

10

15


20

25

30

60

-continued



35

40



45

50


55

60

65




61
-continued




5
10
15
20
25

62
-continued




30
35


40




45
50
55
60
65



63
-continued



64
-continued



30

35

40



45

50

55


60

65




65

-continued

**66**



-continued




30

35

40




67
-continued




5
10
15
20
25

68
-continued




30
35

40




45
50
55
60
65



69

-continued



5

10

15

20

25

30

35

40

45

50




55

60


65

70


-continued



71
-continued



72
-continued



5

10

15

20

25

30

35

40



45

50


55

60

65




73
-continued




5
10
15
20
25

74
-continued




30
35


40



45
50
55
60
65




75
-continued




5
10
15
20
25

76
-continued




30
35


40




45
50
55
60
65



77
-continued




78
-continued



30

35

40




45

50


55

60

65



79
-continued



5

10

15

20

25

30

35

40

45




50

55


60

65

80
-continued



81
-continued



5

10

15


20

25

30

35

40



45



50

55

60


65

82
-continued



83

-continued



5

10

15


20

25

30

35

40



45

50


55

60

65

84

-continued




5

10

15


20

25



85

-continued



5

10

15

20

25

30

35

40

45

50


55

60

65

86

-continued



5

10

15

20

25

30

35

40



45

50

55


60

65




87

-continued

**88**


-continued



30

35

40




45

50

55


60

65



89

-continued



5

10

15


20

25

30

90

-continued



35

40



45

50

55


60

65



91

-continued



5

10

15


20

25

30


92

-continued



35

40




45

50

55


60

65



93

-continued



5

10

15


20

25



30

35

40

**94**



-continued



30

35

40




45

50

55


60

65




95

-continued

**96**



-continued



30


35

40




97

-continued


**98**

-continued


5




10




15



20




25




30

35


40




45




50



55



60




65




99

-continued

**100**

-continued

5



10

15

20

25

30

35

40



45

50

55


60

65




101

-continued

**102**


-continued



30

35

40




45

50

55


60

65




103

-continued

**104**

-continued



5

10

15

20

25

30

35

40



45

50

55


60

65



105

-continued



5

10

15

20

25

30

35

40

45

50




55

60


65

106


-continued



107
-continued



108
-continued



5

10

15

20

25

30

35

40



45

50

55


60

65




109

-continued

**110**



-continued





30

35

40





111
-continued5
10
15
20
25**112**
-continued


30

35

40


45
50
55
60
65

113
-continued




5
10
15
20
25

114
-continued




30
35

40




45
50
55
60
65



115

-continued



5

10

15


20

25







30

35

40

**116**

-continued



30

35

40







45



50

55

60

65





117
-continued**118**
-continued


30

35

40




119
-continued




5
10
15
20
25

120
-continued




30
35

40




45
50
55
60
65




121


-continued



5



10




15

20

25

122


-continued



30

35

40




45

50

55


60

65



123

-continued



5

10

15

20

25

30

35

40

45

50





55

60

65


124

-continued



125

-continued



5

10

15


20

25


30

35

40


**126**

-continued




30

35



127


-continued



30



128

-continued




35

40



129

-continued



5

10

15

20

25

30

35

40

45

50




55

60

65


130

-continued



131

-continued



5

10

15

20

25

30

35

40

45

50




55

60

65


132

-continued



133

-continued



5

10

15

20

25

30

35

40

45

50




55

60

65


134

-continued



135

-continued



5

10

15


20

25

30


136

-continued



35

40




45

50


55

60

65




137
-continued



5
10
15
20
25


30
35

40




45
50
55
60
65

138
-continued




30



139

-continued



5

10

15


20

25

30


140

-continued



35

40




45

50

55


60

65



141

-continued



5

10

15

20

25

30

35

40

45

50




55

60

65


142

-continued



143

-continued



5

10

15

20

25

30

35

40

45

50


55

60

65

144

-continued



30

35

40



45

50

55


60

65




145

-continued

**146**


-continued



30

35

40




45


50

55

60

65



147
-continued

5

10

15

20

25

30

35

40





45

50

55


60

65

148
-continued

149

-continued



5


10

15

20

25

30



35

40

45

50



55

60

65


150

-continued



151

-continued



5

10

15


20

25

30

35

40



45

50




55

60

65


152

-continued



153

-continued



5

10

15


20

25

30

35

40



45

50




55

60

65


154

-continued



155


-continued



30

156



-continued




30

35

40



157
-continued

5

10

15

20

25

30

35

40

45

50





55

60

65


158

-continued



159

-continued



5

O NCC1CCCCC1C2=CN=C2

20

O NC(=O)C1=CC=CC=C1

25

O NC(=O)C1=CC=CC=C1

10

O NC(=O)C1=CC=CC=C1

15

O NC(=O)C1=CC=CC=C1



5

25

30


160

-continued



35

40




45

50

55


60

65



161


-continued



30



162

-continued




35

40



163


-continued





30

164

-continued




40



165


-continued



30



166

-continued




35

40



167


-continued





30

35

40


**168**

-continued




169

-continued

**170**



-continued



30


35

40



171

-continued



5

10

15


20

25

30

172

-continued



35

40



45

50

55


60

65




173

-continued

**174**



-continued



30


35

40




175

-continued

**176**

-continued



5

10

15

20

25

30

35

40



45

50


55

60

65



177
-continued



5

10

15

20

25

30

35

40

45


50

55

60

65

178
-continued



30

35

40



45

50

55


60

65



179

-continued



5

10

15

20

25

30

35

40

45

50















55

60

65


180

-continued




181

-continued

**182**

-continued



5

10

15

20

25

30

35

40



45

50

55


60

65



183

-continued



5

10

15

20

25

30

35

40

45

50




55

60

65


184

-continued



185

-continued



5

10

15

20

25

30

35

40

45

50









55

60

65


186

-continued



187

-continued



5

10

15

20

25

30

35

40

45

50








55

60

65


188

-continued



189

-continued



5

10

15

20

25

30

35

40

45

50




55

60

65


190

-continued




191

-continued

**192**

-continued



5

10

15

20

25

30

35

40


45

50

55


60

65



193

-continued



5

10

15

20

25


30

193

-continued

194

-continued

**194**

-continued

35

40



45

50

55


60

65



195

-continued



5

10

20

25

30

35

40

45

50


55

60

65

196

-continued



5

10

15

20

25

30

35

40


45

50

55


60

65



197

-continued



5

10

15

20

25

30

35

40

45

50




55

60

65


198

-continued




199

-continued

**200**



-continued



30


35

40



201

-continued



5

10

15


20

25

30

202

-continued



35

40


45

50

55


60

65



203

-continued



5

10

14

20

30

34

40

45



50

54

60


204

-continued



205

-continued



5

10

15

20

25

30

35

40

45

50


55

60

65

206

-continued



5

10

15

20

25

30

35

40



45

50

55


60

65




207

-continued

**208**



-continued



30


35

40



209

-continued



5

10

15


20

25


30

35

40

**210**

-continued




45

50

55


60

65



211

-continued



5

10

15


20

25

30

212

-continued



35

40



45

50

55


60

65



213

-continued



5

10

15

20

25

30

35

40

45

50




55

60

65


214

-continued




215

-continued

**216**


-continued



30

35

40




45

50


55

60


65



-continued





218



30


35

40



219

-continued



5

10

15

20

25

30

35

40

45

50




55

60

65


220

-continued




221

-continued

**222**



-continued



30


35

40




223

-continued



**224**

-continued




35

40



225

-continued



5

10

15

20

25

30

35

40

45

50





55

60

65


226

-continued



227

-continued



5

10

15


20

25

30

228

-continued



35

40



45

50

55


60

65



229

-continued



5

10

15


20

25

30

230

-continued



5

10


15

20

25

35

40




45

50

55


60

65



231

-continued



5

10

15



20

25

30

232

-continued



35

40



45

50

55


60

65




233

-continued

**234**



-continued



35


35

40



235

-continued



5

10

15


20

25

30

236

-continued



35

40



45

50

55


60

65



237

-continued



5

10

15

20

25

30

35

40

45

50




55

60

65


238

-continued



239

-continued



5

10

15

20

25

30

35

40

45

50





55

60

65


240

-continued



241

-continued



5

10

15


20

25


30

35

40

**242**

-continued




45

50

55


60

65




243

-continued

**244**


-continued



30

35

40




45

50

55


60

65



245

-continued



5

10

15

20

25

30

35

40

45

50




55

60

65


246

-continued




247

-continued

**248**

-continued



5

10

15

20

25

30

35

40



45

50

55


60

65



249

-continued



5

10

15


20

25

30

35

40



45

50


55

60

65

250

-continued



5

10

15


20

25

30

35

40



45

50


55

60

65

251

-continued



5

25

10

15


20

25

30

35

40



45

50




55

60

65


252

-continued



253

-continued



5

10

15


20

25


30

35

40

**254**

-continued




45

50

55


60

65



255

-continued



5

10

15


20

25


30

35

40

**256**

-continued



5

10

15


20

25

30


35

40



257

-continued



5

10

15

20

25

30

35

40

45

50




55

60

65


258

-continued



259

-continued



5

10

15

20

25

30

35

40

45

50



55

60

65


260

-continued



261

-continued



5

10

15

20

25

30

35

40

45

50


55

60

65

262

-continued



5

10

15

20

25

30

35

40



45

50

55


60

65



263

-continued



5

10

15


20

25


30

35

40

**264**

-continued




45

50

55


60

65



265

-continued



5

10

15

20

25

30

35

40

45

50


55

60

65

266

-continued



5

10

15

20

25

30

35

40



45

50

55


60

65




267

-continued

**268**



-continued



30


35

40



269

-continued



5

10


15

20

30

35

40



45

50



55

60

65


270

-continued



271


-continued



30



272

-continued




35

40



273

-continued



5

10

15

20

25

30

35

40

45

50





55

60

65


274

-continued




275

-continued

**276**

-continued



5

10

15

20

25

30

35

40



45

50

55


60

65



277

-continued



5

10

15


20

25

30

278

-continued



5

10

15


20

25

30

35

40




45

50

55


60

65



279

-continued



5

10

15

20

25

30

35

40

45

50



55

60

65


280

-continued




281

-continued

**282**

-continued



5

10

15

20

25

30

35

40



45

50

55


60

65



283

-continued



5

10

15


20

25


30

35

40

**284**

-continued




45

50

55


60

65



285

-continued



5

10

15


20

25


30

35

40

**286**

-continued



5

10

15

20

30

35

40


45

50

55


60

65



287


-continued



30



288

-continued




35

40



289

-continued



5

10

15

20

25

30

35

40

45

50




55

60

65


290

-continued




291


-continued



10







20



30

292

-continued




25


30

35

40




50




60

65



293

-continued



5

10

15


20

25


30

35

40

**294**

-continued



30

35

40


45

50

55


60

65



295

-continued



5

10

15


20

25

30


296

-continued



35

40




45

50

55


60

65




297

-continued



5



10



15




20




25


30




35




40




45




50



55




60



65

298

-continued



5



10



15




20



25



30



35



40



45



50



55



60



65




70



75



80



85




90



95

299

-continued



5

10

15

20

25

30

35

40

45

50




55

60

65


300

-continued



301

-continued



5

10

15


20

25

30

302

-continued



35

40



45

50

55


60

65



303

-continued



5

10

15

20

25

30

35

40

45

50




55

60


65

304




-continued



305
-continued




306
-continued



307

-continued



5

10

15

20

25

30

35

40

45

50




55

60

65


308

-continued



309

-continued



5

10

15


20

25

30

310

-continued



35

40



45

50

55


60

65



311

-continued



5

10

15

20

30

35

40

45

50




55

60

65


312

-continued



313

-continued



5

10

15

20

25

30

35

40

45

50




55

60


65

314

-continued



315
-continued



5

10

15

20

25

30

35

40

45

50




55

60

65


316

-continued



317

-continued



10


15

20

25

30

35



45

50


55

60

65

318

-continued




10

15


20

25



319

-continued




5

10
1520
25

30


320

-continued



35

40




45

50

55


60

65




321

-continued

**322**



-continued



30


35

40



323

-continued



5

10

15

20

25

30

35

40

45

50




55

60

65


324

-continued




325

-continued

**326**

-continued



5

10

15

20

25

30

35

40



45

50

55


60

65



327

-continued



5

10

15


20

25

30

328

-continued



35

40



45

50

55


60

65



329

-continued



5

10

15


20

25

30

35

40



45

50



55

60

65


330

-continued



331

-continued



5


25

20

30

35

40



45

50


55

60

65




332

-continued




10

15



333

-continued



5

10

15


20

25

30

334

-continued



35

40



45

50

55


60

65



335

-continued



5

10

15


20

25

30

336

-continued



35

40



45

50

55


60

65



337

-continued



5

10

15


20

25

30

338

-continued



35

40



45

50

55


60

65



339

-continued



5

10

15

20

30

35

40

45

50




55

60

65


340

-continued



341

-continued



5

10

15

20

30

35

40

45



50

60

65


342

-continued




343

-continued

**344**

-continued



5

10

15

20

25

30

35

40



45

50

55


60

65



345

-continued



5

10

15

20

25

30

35

40

45

50



















55

60

65


346

-continued




347

-continued

**348**



-continued



35


35

40




349

-continued

**350**



-continued



30


35

40



351

-continued



5

10

15


20

25

30

352

-continued



35

40



45

50

55


60

65




353

-continued

**354**

-continued



5

10

15

20

25

30

35

40



45

50

55


60

65



355

-continued



5

10

15


20

25

30

356

-continued



35

40





45

50

55


60

65



357

-continued



5

10

15

20

30

35

40

45

50



55

60

65


358

-continued



359

-continued



5

10

15

20

30

35

40

45

50




55

60

65


360

-continued


Cl
C=O
NH

361

-continued

**362**


-continued



30

35

40




45

50

55


60

65




363

-continued

**364**


-continued



30

35

40




45

50

55


60

65



365

-continued



5

10

15

20

25

30

35

40

45

50


55

60

65

366

-continued



5

10

15

20

25

30

35

40



45

50

55


60

65



367

-continued



5

10

15


20

25

30

35

40



45

50



55

60

65


368

-continued



369

-continued



5

10

15

20

30

35

40

45

50




55

60

65


370

-continued




371

-continued

**372**


-continued



30

35

40




45

50


55

60

65




373
-continued




5
10
15
20
25

374
-continued




30
35

40




45
50
55
60
65



375

-continued



5

10

15








20

25

30

376

-continued



35

40



45

50

55


60

65



377

-continued



5

10

15

20

25

30

35

40

45

50



55

60

65


378

-continued




379

-continued

**380**

-continued



5

10

15

20

25

30

35

40



45

50

55


60

65



381

-continued



5

10

15

20

25

30

35

40

45

50




55

60

65


382

-continued



383

-continued



5

10

15

20

25

30

35

40

45

50


55

60

65

384

-continued



5

10

15

20

25

30

35

40



45

50

55


60

65



385

-continued



5


10

15


20

25


30

**386**

-continued



35



40


45

50

55


60

65



387

-continued



5

10

15


20

25


30

35

40

**388**

-continued



5

10

15


20

25

30


35

40



389

-continued



5

10

15

20

25

30

35

40

45

50


55

60

65

390

-continued



o

C

Cl

C

Cl

C

O

C

O

C

O

C

O

C

O

C



O

C

O


C

O



391

-continued



5

10

15

20

25

30

35

40

45

50


55

60

65

392

-continued



30

35

40



45

50

55


60

65



393

-continued



5

10

15

20

25

30

35

40

45

50




55

60

65


394

-continued



395

-continued



5

10

15

20

25

30

35

40

45

50



55

60

65


396

-continued



397

-continued



5

10

15



20

25

30

398

-continued



35

40



45

50

55


60

65



399

-continued



5

10

15

20

25

30

35

40

45

50





55

60

65


400

-continued



401

-continued



5

10

15


20

25

30

402

-continued



35

40




45

50

55


60

65



403

-continued



5

10

15

20

25

30

35

40

45

50





55

60

65


404

-continued



405

-continued



5

10

15


20

25

30


406

-continued



35

40




45

50

55


60

65




407


-continued



5



10



15




20




25

408


-continued



5



10



15



20




25


30

35


40




45




50




55



60




65



409

-continued



5

10

15

20

30

35

40

45

50




55

60

65


410

-continued




411

-continued

**412**

-continued



5

10

15

20

25

30

35

40



45

50

55


60

65



413

-continued



In the compounds, Ph is a phenyl group.

One embodiment of the present specification provides a photoresist fluorescent resin composition including a binder resin; a multifunctional monomer; and the compound described above.

A content of the compound may be from 0.005% by weight to 70% by weight based on a total solid weight of the photoresist fluorescent resin composition, but is not limited thereto.

A content of the compound may be from 0.001% by weight to 15% by weight based on a total weight of the photoresist fluorescent resin composition, but is not limited thereto.

The compound may have a maximum absorption wavelength (λ_{max}) of 570 nm to 590 nm, and specifically 580 nm to 590 nm.

414

As the binder resin, a copolymer resin of a monomer providing mechanical strength and a monomer providing alkali solubility may be used.

The monomer providing mechanical strength of the film 5 may be any one or more of unsaturated carboxylic acid esters; aromatic vinyls; unsaturated ethers; unsaturated imides; and acid anhydrides.

Specific examples of the unsaturated carboxylic acid 10 esters may be selected from the group consisting of benzyl

- 10 (meth)acrylate, methyl (meth)acrylate, ethyl (meth)acrylate, butyl (meth)acrylate, dimethylaminoethyl (meth)acrylate, isobutyl (meth)acrylate, t-butyl (meth)acrylate, cyclohexyl (meth)acrylate, isobornyl (meth)acrylate, ethylhexyl (meth) acrylate, 2-phenoxyethyl (meth)acrylate, tetrahydrofuryl 15 (meth)acrylate, hydroxyethyl (meth)acrylate, 2-hydroxypropyl (meth)acrylate, 2-hydroxy-3-chloropropyl (meth)acrylate, 4-hydroxybutyl (meth)acrylate, acyloctyloxy-2-hydroxypropyl (meth)acrylate, glycerol (meth)acrylate, 2-methoxyethyl (meth)acrylate, 3-methoxybutyl (meth) 20 acrylate, ethoxy diethylene glycol (meth)acrylate, methoxy triethylene glycol (meth)acrylate, methoxy tripropylene glycol (meth)acrylate, poly(ethylene glycol)methyl ether (meth)acrylate, phenoxy diethylene glycol (meth)acrylate, p-nonylphenoxy polyethylene glycol (meth)acrylate, p-nonylphenoxy polypropylene glycol (meth)acrylate, glycidyl (meth)acrylate, tetrafluoropropyl (meth)acrylate, 1,1,1,3,3, 3-hexafluoroisopropyl (meth)acrylate, octafluoropentyl (meth)acrylate, heptadecafluorodecyl (meth)acrylate, tribromophenyl (meth)acrylate, methyl α -hydroxynethyl acrylate, ethyl α -hydroxynethyl acrylate, propyl α -hydroxynethyl acrylate and butyl α -hydroxynethyl acrylate, but are 30 not limited thereto.

Specific examples of the aromatic vinyls may be selected 35 from the group consisting of styrene, α -methylstyrene, (o,m,p)-vinyl toluene, (o,m,p)-methoxystyrene and (o,m,p)-chlorostyrene, but are not limited thereto.

Specific examples of the unsaturated ethers may be selected 40 from the group consisting of vinyl methyl ether, vinyl ethyl ether and allyl glycidyl ether, but are not limited thereto.

Specific examples of the unsaturated imides may be selected 45 from the group consisting of N-phenylmaleimide, N-(4-chlorophenyl)maleimide, N-(4-hydroxyphenyl)maleimide and N-cyclohexylmaleimide, but are not limited thereto.

Specific examples of the acid anhydride may include maleic anhydride, methyl maleic anhydride, tetrahydrophthalic anhydride and the like, but are not limited thereto.

The monomer providing alkali solubility may be a monomer 50 containing an acid group. The monomer containing an acid group may use one or more types selected from the group consisting of (meth)acrylic acid, crotonic acid, itaconic acid, maleic acid, fumaric acid, monomethyl maleic acid, isoprenesulfonic acid, styrenesulfonic acid, 5-norbornene-2-carboxylic acid and the like, but is not limited 55 thereto.

A content of the binder resin may be greater than or equal 60 to 1% by weight and less than or equal to 60% by weight based on a total solid weight of the photoresist fluorescent resin composition, but is not limited thereto.

A content of the binder resin may be greater than or equal 65 to 1% by weight and less than or equal to 30% by weight based on a total weight of the photoresist fluorescent resin composition, but is not limited thereto.

The binder resin may have an acid value of greater than or equal to 50 KOH mg/g and less than or equal to 130 KOH mg/g, and a weight average molecular weight of greater than

415

or equal to 1,000 g/mol and less than or equal to 40,000 g/mol, however, the acid value and the weight average molecular weight are not limited thereto.

The multifunctional monomer means a compound having two or more polymerizable functional groups, and acts as a crosslinking agent in the photoresist fluorescent resin composition. Herein, the polymerizable functional group is not particularly limited as long as it is capable of polymerization, and examples thereof may include an ethylenically unsaturated group, a siloxane group, a hydroxyl group, an epoxy group and the like. Specifically, the multifunctional monomer may include an ethylenically unsaturated bond.

The multifunctional monomer may be one or more types selected from among ethylene glycol di(meth)acrylate, polyethylene glycol di(meth)acrylate having 2 to 14 ethylene groups, trinnethylolpropane di(meth)acrylate, trinnethylolpropane tri(meth)acrylate, pentaerythritol tri(meth)acrylate, pentaerythritol tetra(meth)acrylate, propylene glycol di(meth)acrylate having 2 to 14 propylene groups, dipentaerythritol penta(meth)acrylate and dipentaerythritol hexa(meth)acrylate, but is not limited thereto.

A content of the multifunctional monomer may be from 1% by weight to 60% by weight based on a total solid weight of the photoresist fluorescent resin composition, but is not limited thereto.

A content of the multifunctional monomer may be from 1% by weight to 30% by weight based on a total weight of the photoresist fluorescent resin composition, but is not limited thereto.

The photoresist fluorescent resin composition may further include a photoinitiator.

In the photoresist fluorescent resin composition according to the present disclosure, the photoinitiator may be any one or more selected from among acetophenone-based compounds; biimidazole-based compounds; triazine-based compounds; and oxime-based compounds.

Examples of the acetophenone-based compound may include 2-hydroxy-2-methyl-1-phenyl propan-1-one, 1-(4-isopropylphenyl)-2-hydroxy-2-methylpropan-1-one, 4-(2-hydroxyethoxy)-phenyl-(2-hydroxy-2-propyl)ketone, 1-hydroxycyclohexylphenyl ketone, benzoin methyl ether, benzoin ethyl ether, benzoin isobutyl ether, benzoin butyl ether, 2,2-dimethoxy-2-phenylacetophenone, 2-methyl-(4-methylthio)phenyl-2-morpholino-1-propan-1-one, 2-benzyl-2-dimethylamino-1-(4-morpholinophenyl)-butan-1-one, 2-methyl-1-[4-(methylthio)phenyl]2-morpholinopropan-1-one or the like, but are not limited thereto.

Examples of the biimidazole-based compound may include 2,2'-bis(2-chlorophenyl)-4,4',5,5'-tetraphenyl biimidazole, 2,2'-bis(o-chlorophenyl)-4,4',5,5'-tetrakis(3,4,5-trimethoxyphenyl)-1,2'-biimidazole, 2,2'-bis(2,3-dichlorophenyl)-4,4',5,5'-tetra phenyl biimidazole, 2,2'-bis(o-chlorophenyl)-4,4',5,5'-tetraphenyl-1,2'-biimidazole or the like, but are not limited thereto.

Examples of the triazine-based compound may include 3-{[2,4-bis(trichloromethyl)-s-triazin-6-yl]phenylthio}propionic acid, 1,1,1,3,3,3-hexafluoroisopropyl-3-{4-[2,4-bis(trichloromethyl)-s-triazin-6-yl]phenylthio}propionate, ethyl-2-{4-[2,4-bis(trichloromethyl)-s-triazin-6-yl]phenylthio}acetate, 2-epoxyethyl-2-{4-[2,4-bis(trichloromethyl)-s-triazin-6-yl]phenylthio}acetate, cyclohexyl-2-{4-[2,4-bis(trichloromethyl)-s-triazin-6-yl]phenylthio}acetate, benzyl-2-{4-[2,4-bis(trichloromethyl)-s-triazin-6-yl]phenylthio}acetate, 3-{chloro-4-[2,4-bis(trichloromethyl)-s-triazin-6-yl]phenylthio}propionic acid, 3-{4-[2,4-bis(trichloromethyl)-s-triazin-6-yl]phenylthio}propionamide, 2,4-bis(trichloromethyl)-6-p-methoxystyryl-s-triazine, (trichloromethyl)-6-(1-p-dimethylaminophenyl)-1,3-butadienyl-s-triazine, 2-trichloromethyl-4-amino-6-p-methoxystyryl-s-triazine or the like, but are not limited thereto.

416

Examples of the oxime-based compound may include CGI-242, CGI-124 of Ciba Specialty Chemicals, and the like, but are not limited thereto.

A content of the photoinitiator may be from 0.1% by weight to 20% by weight based on a total solid content of the photoresist fluorescent resin composition, but is not limited thereto.

A content of the photoinitiator may be from 0.1% by weight to 15% by weight based on a total weight of the photoresist fluorescent resin composition, but is not limited thereto.

The photoresist fluorescent resin composition according to one embodiment of the present disclosure may further include a solvent.

The solvent may be one or more types selected from the group consisting of acetone, methyl ethyl ketone, methyl isobutyl ketone, methyl cellosolve, ethyl cellosolve, tetrahydrofuran, 1,4-dioxane, ethylene glycol dimethyl ether, ethylene glycol diethyl ether, propylene glycol dimethyl ether, propylene glycol diethyl ether, diethylene glycol dimethyl ether, diethylene glycol diethyl ether, diethylene glycol methylethyl ether, chloroform, methylene chloride, 1,2-dichloroethane, 1,1,1-trichloroethane, 1,1,2-trichloroethane, 1,1,2-trichloroethene, hexane, heptane, octane, cyclohexane, benzene, toluene, xylene, methanol, ethanol, isopropanol, propanol, butanol, t-butanol, 2-ethoxypropanol, 2-methoxypropanol, 3-methoxybutanol, cyclohexanone, cyclopentanone, propylene glycol methyl ether acetate, propylene glycol ethyl ether acetate, 3-methoxybutyl acetate, ethyl 3-ethoxypropionate, ethyl cellosolve acetate, methyl cellosolve acetate, butyl acetate, propylene glycol monomethyl ether and dipropylene glycol monomethyl ether, but is not limited thereto.

A content of the total solid may be from 10% by weight to 50% by weight, and a content of the solvent may be from 50% by weight to 90% by weight based on a total weight of the photoresist fluorescent resin composition, however, the content is not limited thereto.

The photoresist composition according to one embodiment of the present disclosure may further include one or more types of additives selected from the group consisting of a dispersant, a curing accelerator, a thermal polymerization inhibitor, a surfactant, a photosensitizer, a plasticizer, an adhesion promoter, a filler and an adhesion aid.

As the photosensitizer, the plasticizer, the adhesion promoter, the filler and the like, all compounds that may be included in existing photoresist fluorescent resin compositions may be used.

The additives may be each independently included in 0.01% by weight to 5% by weight based on a total weight of the photoresist fluorescent resin composition, however, each content is not limited thereto.

The additives may be each independently included in 0.01% by weight to 5% by weight based on a total solid weight of the photoresist fluorescent resin composition, however, each content is not limited thereto.

One embodiment of the present specification provides a color conversion film including the compound described above bonding to a binder resin.

More specifically, a thin-film type photoresist material is formed by coating the photoresist fluorescent resin composition of the present disclosure on a substrate using a proper method.

The coating method is not particularly limited, and a spray method, a roll coating method, a spin coating method and the like may be used, and a spin coating method is generally widely used. In addition, after forming the coated film, some of the residual solvent may be removed under vacuum in some cases.

Examples of a light source for curing the photoresist fluorescent resin composition according to the present disclosure include mercury vapor arc, carbon arc, Xe arc, which emit light with a wavelength of 250 nm to 450 nm, and the like, but are not limited thereto.

When curing the photoresist fluorescent resin composition, the compound represented by Chemical Formula 1 has a polymerizable group capable of binding with a binder resin. In this case, an advantage of having no dyeing in the process is obtained.

The color conversion film of the present specification has a maximum emission peak in a 610 nm to 640 nm region, and specifically, has a maximum emission peak in a 615 nm to 640 nm region and preferably in a 620 nm to 640 nm region. In this case, an advantage of high color reproduction is obtained.

In the color conversion film of the present specification, the maximum emission peak may have a full width at half maximum of 41 nm or less, and specifically greater than or equal to 35 nm and less than or equal to 41 nm. The full width at half maximum means, when converting light absorbed from an external light source to light having another wavelength and emitting the light, a width of the emission peak at half the maximum height in the maximum emission peak of the emitted light, and color gamut is excellent as the full width at half maximum is smaller.

The color conversion film may further include additional fluorescent materials in addition to the compound represented by Chemical Formula 1. When using a light source emitting blue light, the color conversion film preferably includes both a green light emitting fluorescent material and a red light emitting fluorescent material. In addition, when using a light source emitting blue light and green light, the color conversion film may only include a red light emitting fluorescent material. However, the color conversion film is not limited thereto, and even when using a light source emitting blue light, the color conversion film may only include a red light emitting compound when a separate film including a green light emitting fluorescent material is laminated. On the other hand, even when using a light source emitting blue light, the color conversion film may only include a green light emitting compound when a separate film including a red light emitting fluorescent material is laminated.

The color conversion film may further include an additional layer including a resin matrix; and a compound dispersed into the resin matrix and emitting light in a wavelength different from the wavelength of the compound represented by Chemical Formula 1. The compound emitting light in a wavelength different from the wavelength of the compound represented by Chemical Formula 1 may also be the compound represented by Chemical Formula 1, or may be other known fluorescent materials.

The resin matrix material is preferably a thermoplastic polymer or a thermocurable polymer. Specifically, a poly(meth)acryl-based such as polymethyl methacrylate (PMMA), a polycarbonate (PC)-based, a polystyrene (PS)-

based, a polyarylene (PAR)-based, a polyurethane (PU)-based, a styrene-acrylonitrile (SAN)-based, a polyvinylidene fluoride (PVDF)-based, a modified polyvinylidene fluoride (modified-PVDF)-based and the like may be used as the resin matrix material.

According to one embodiment of the present specification, the color conversion film according to the embodiments described above additionally includes light diffusing particles. By dispersing light diffusing particles into the color conversion film instead of a light diffusing film used in the art for enhancing luminance, higher luminance may be exhibited compared to using a separate light diffusing film, and an adhering process may be skipped as well.

As the light diffusing particles, particles having a high refractive index with the resin matrix may be used, and examples thereof may include TiO₂, silica, borosilicate, alumina, sapphire, air or other gas-filled hollow beads or particles (for example, air/gas-filled glass or polymers); polystyrene, polycarbonate, polymethyl methacrylate, acryl, methyl methacrylate, styrene, a melamine resin, a formaldehyde resin, or polymer particles including melamine and formaldehyde resins, or any suitable combination thereof.

The light diffusing particles may have particle diameters in a range of 0.1 μm to 5 μm, for example, in a range of 0.3 μm to 1 μm. The content of the light diffusing particles may be determined as necessary.

The color conversion film according to the embodiments described above may have a thickness of 2 μm to 200 μm. Particularly, the color conversion film may exhibit high luminance even with a small thickness of 2 μm to 20 μm. This is due to the fact that the content of the fluorescent material molecules included in the unit volume is higher compared to quantum dots.

The color conversion film according to the embodiments described above may have a substrate provided on one surface. This substrate may function as a support when preparing the color conversion film. Types of the substrate are not particularly limited, and the material or thickness is not limited as long as it is transparent and is capable of functioning as the support. Herein, being transparent means having visible light transmittance of 70% or higher. For example, a PET film may be used as the substrate.

One embodiment of the present specification provides a backlight unit including the color conversion film. The backlight unit may have backlight unit constitutions known in the art except for including the color conversion film. FIG. 1 illustrates a mimetic diagram of a backlight unit structure according to one embodiment. According to FIG. 1, the color conversion film including the compound represented by Chemical Formula 1 is provided on a surface opposite to a surface facing a reflecting plate of a light guide plate. FIG. 1 illustrates a constitution including a light source and a reflecting plate surrounding the light source, however, the constitution is not limited to such a structure, and may vary depending on the backlight unit structure known in the art. In addition, as the light source, a direct type as well as a side chain type may be used, and the reflecting plate or the reflective layer may not be included or may be replaced with other constituents as necessary, and as necessary, additional films such as a light diffusing film, a light concentrating film and a luminance enhancing film may be further provided. Preferably, a prism sheet, a multilayer reflective polarizer film, a light concentrating film or a luminance enhancing film is further provided on the color conversion film.

In the constitution of the backlight unit as in FIG. 1, a scattering pattern may be provided as necessary on an upper surface or a lower surface of the light guide plate. Light

419

introduced into the light guide plate has non-uniform light distribution due to repetition of optical processes such as reflection, total reflection, refraction or transmission, and the scattering pattern may be used to induce the non-uniform light distribution to uniform brightness.

One embodiment of the present specification provides a display apparatus including the backlight unit. The display apparatus is not particularly limited as long as it includes the backlight unit. For example, the display apparatus includes a display module and a backlight unit. FIG. 2 illustrates a structure of the display apparatus. However, the structure is not limited thereto, and between the display module and the backlight unit, additional films such as a light diffusing film, a light concentrating film and a luminance enhancing film may be further provided as necessary.


Hereinafter, the present specification will be described in more detail with reference to examples. However, the following examples are for illustrative purposes only, and are not to limit the present specification.

The compound according to one embodiment of the present application may be prepared using preparation methods to describe later.

For example, the core structure of the compound having the structure of Chemical Formula 1 may be prepared through the following Reaction Formula 1. Substituents may bond using methods known in the art, and types, positions and the number of the substituents may vary depending on technologies known in the art.

[Reaction Formula 1]


<Step 1>



1

5

420



2

25

Herein, A1 to A4, L1, I1, L2, I2, L4, I4, L5, I5, R1, R2, R4 and R5 have the same definitions as in Chemical Formula 1, and X3, L7, I7, E2 and c have the same definitions as in the following Chemical Formula 8.

After dissolving 1 equivalent of Compound 1 and a catalytic amount of dimethylformamide (DMF) in a dichloromethane (DCM) solvent in a reaction container, 4 equivalents of oxalyl chloride was slowly introduced thereto in an ice bath. The result was stirred at room temperature under nitrogen. Then, dichloromethane was evaporated using a rotary evaporator. An acyl chloride in which a hydroxyl group is replaced with a chlorine group in the carboxyl group of Compound 1 was synthesized.

After dissolving 4 equivalents of an amine or an alcohol represented by the following Chemical Formula 8 and 10 equivalents of triethylamine (TEA) in a dichloromethane solvent in another reaction container, the synthesized acyl chloride was dissolved in dichloromethane in an ice bath, and then the solution described above was slowly introduced thereto. The mixture was stirred at room temperature under nitrogen. After the reaction was completed, the result was extracted using dichloromethane and water, and water was removed from the separated organic layer using anhydrous magnesium sulfate ($MgSO_4$). The water-removed organic layer was concentrated through vacuum distillation, and then recrystallized using dichloromethane and hexane to obtain Compound 2 by suction filtration. Compound 2 was dried under a vacuum condition at $80^\circ C$.

[Chemical Formula 8]

$E1-(X3-(L7)_I)^c-E2$

In Chemical Formula 8, X3, L7, I7 and c respectively have the same definitions as X1, L3, I3 and a of Chemical Formula 1, E1 is hydrogen, and E2 is a hydroxyl group, a halogen group, a carboxyl group, an amine group, a vinyl group, $-C(=O)NH_2$ or a polymerizable group.

In Compound 2, when E2 is not a polymerizable group, that is, when E2 is a hydroxyl group, a halogen group, a


60

65

421

carboxyl group, an amine group, a vinyl group or $-C(=O)-NH_2$, the polymerizable group may react through the following Step 2.

<Step 2>



Herein, A1 to A4, L1, I1, L2, I2, L4, I4, L5, I5 and R1 to R6 have the same definitions as in Chemical Formula 1, and X3, L7, I7, E2 and c have the same definitions as in Chemical Formula 8.


After dissolving 1 equivalent of Compound 2 and 6 equivalents of triethylamine (TEA) in a dichloromethane (DCM) solvent in a reaction container, the result was stirred in an ice bath. In this reaction container, a compound, which has a polymerizable group and capable of reacting with E2 of Compound 2, dissolved in dichloromethane was slowly introduced thereto, then 4-dimethylaminopyridine (DMAP) was introduced thereto, and the result was stirred at room

422

temperature under nitrogen. After the reaction was completed, the result was extracted using dichloromethane and water, and water was removed from the separated organic layer using anhydrous magnesium sulfate ($MgSO_4$). The water-removed organic layer was concentrated through vacuum distillation, and then recrystallized using methyl tertiary-butyl ether and hexane to obtain Compound 3 by suction filtration. Compound 3 was dried under a vacuum condition at 80° C.


EXAMPLE

[Preparation Example 1] Synthesis of Compound A



423

-continued

**A. Synthesis of Compound A-2**

After dissolving 1 equivalent of Compound A-1 and a catalytic amount of dimethylformamide (DMF) in a dichloromethane (DCM) solvent in a reaction container, 4 equivalents of oxalyl chloride was slowly introduced thereto in an ice bath. The result was stirred at room temperature under nitrogen, and dichloromethane was evaporated using a rotary evaporator. An acyl chloride in which a hydroxyl group is replaced with a chlorine group in the carboxyl group of Compound A-1 was synthesized.

After dissolving 4 equivalents of 1,4-benzenediol and 10 equivalents of triethylamine (TEA) in a dichloromethane solvent in another reaction container, the synthesized acyl chloride was dissolved in dichloromethane in an ice bath, and the above-described solution was slowly introduced thereto. The mixture was stirred at room temperature under nitrogen. After the reaction was completed, the result was extracted using dichloromethane and water, and water was removed from the separated organic layer using anhydrous magnesium sulfate ($MgSO_4$). The water-removed organic layer was concentrated through vacuum distillation, and then recrystallized with dichloromethane and hexane to obtain Compound A-2 by suction filtration. Compound A-2 was dried under a vacuum condition at 80° C.



B. Synthesis of Compound A

After dissolving 1 equivalent of Compound A-2 and 6 equivalents of triethylamine in a dichloromethane solvent in a reaction container, the result was stirred in an ice bath. In this reaction container, 6 equivalents of epichlorohydrin dissolved in dichloromethane was slowly introduced. 4-Dimethylaminopyridine was further introduced thereto, and the result was stirred at room temperature under nitrogen. After the reaction was completed, the result was extracted using dichloromethane and water, and water was removed from the separated organic layer using anhydrous magnesium sulfate ($MgSO_4$). The water-removed organic layer

424


was concentrated through vacuum distillation, and then recrystallized with methyl tertiary-butyl ether and hexane to obtain Compound A by suction filtration. Compound A was dried under a vacuum condition at 80° C.

5 HR LC/MS/MS m/z calculated for $C_{82}H_{70}N_2O_{22}$ (M^+): 1434.4420; found: 1434.4421.


[Preparation Example 2] Synthesis of Compound B

425

-continued

5
10
15
20
25**426**

-continued




Synthesis was conducted in the same manner as in Preparation Example 1 except that Compound B-1 and 2,2'-oxybisethanol were used instead of Compound A-1 and 1,4-benzenediol in Synthesis of Compound A-2, and Compound B-2 and 2-methylene-butyryl chloride were used instead of Compound A-2 and epichlorohydrin in Synthesis of Compound A, and Compound B was synthesized therethrough.

HR LC/MS/MS m/z calculated for C₉₄H₉₀N₂O₁₆ (M⁺): 1502.6290; found: 1502.6280.

[Preparation Example 4] Synthesis of Compound D


[Preparation Example 3] Synthesis of Compound C

40



427

-continued




Synthesis was conducted in the same manner as in Synthesis of Compound A-2 except that Compound D-1 and 2-(trimethoxysilyl)ethanol were used instead of Compound A-1 and 1,4-benzenediol, and Compound D was synthesized therethrough.

HR LC/MS/MS m/z calculated for $\text{C}_{76}\text{H}_{68}\text{N}_4\text{O}_{18}\text{Si}_2$ (M^+): 1380.4067; found: 1380.4067.


[Preparation Example 5] Synthesis of Compound E

35



429**430**


-continued



Synthesis was conducted in the same manner as in Preparation Example 1 except that Compound E-1 and bromoethanol were used instead of Compound A-1 and 1,4-benzenediol in Synthesis of Compound A-2, and Compound E-2 and methacrylamide were used instead of Compound A-2 and epichlorohydrin in Synthesis of Compound A, and Compound E was synthesized therethrough.



HR LC/MS/MS m/z calculated for C₉₆H₈₀N₄O₁₄ (M+): 1512.5671; found: 1516.5671.

³⁰ [Preparation Example 6] Synthesis of Compound F



431



432



Synthesis was conducted in the same manner as in Preparation Example 1 except that Compound F-1 and 3-hydroxypropanamide were used instead of Compound A-1 and 1,4-benzenediol in Synthesis of Compound A-2, and Compound F-2 was used instead of Compound A-2 in Synthesis


of Compound A, and Compound F was synthesized throughout.

65 HR LC/MS/MS m/z calculated for C₈₄H₈₈N₄O₁₆ (M⁺): 1408.6195; found: 1408.6199.



435

-continued


436


Synthesis was conducted in the same manner as in Preparation Example 1 except that Compound G-1 and 2-(2-aminoethoxy)ethan-1-ol were used instead of Compound A-1 and 1,4-benzenediol in Synthesis of Compound A-2, and Compound G-2 and methacryloyl chloride were used instead of Compound A-2 and epichlorohydrin in Synthesis

of Compound A, and Compound G was synthesized throughout.

³⁰ HR LC/MS/MS m/z calculated for C₁₁₄H₁₃₂N₄O₁₆ (M⁺): 1812.9638; found: 1812.9640.

[Preparation Example 8] Synthesis of Compound H







Synthesis was conducted in the same manner as in Synthesis of Compound A-2 except that Compound H-1 and 2-aminoethyl 2-chloroacrylate were used instead of Compound A-1 and 1,4-benzenediol, and Compound H was synthesized therethrough.

HR LC/MS/MS m/z calculated for C₉₀H₈₄C₁₂N₆O₁₄⁶⁵
(M+): 1542.5423; found: 1542.5424.


439

[Preparation Example 9] Synthesis of Compound I

440

441


-continued

442

Synthesis was conducted in the same manner as in Preparation Example 1 except that Compound I-1 and 3-amino-³⁰propionic acid were used instead of Compound A-1 and 1,4-benzenediol in Synthesis of Compound A-2, and Compound I-2 was used instead of Compound A-2 in Synthesis of Compound A, and Compound I was synthesized throughout.


HR LC/MS/MS m/z calculated for C₉₄H₁₀₄N₄O₁₆ (M+): 1544.7447; found: 1544.7447.

[Preparation Example 10] Synthesis of Compound J



J-2



-continued



J

Synthesis was conducted in the same manner as in Synthesis of Compound A-2 except that Compound J-2 and oxiran-2-ylmethanamine were used instead of Compound A-1 and 1,4-benzenediol, and Compound J was synthesized ⁶⁰ therethrough.


HR LC/MS/MS m/z calculated for C₇₀H₆₄N₄O₁₂ (M+): ⁶⁵
1152.4521; found: 1152.4525.

445[Preparation Example 11] Synthesis of Compound
K**446**

K-2

447


-continued

448

Synthesis was conducted in the same manner as in Preparation Example 1 except that Compound K-1 and 2-aminoethanol were used instead of Compound A-1 and 1,4-benzenediol in Synthesis of Compound A-2, and Compound K-2 was used instead of Compound A-2 in Synthesis of Compound A, and Compound K was synthesized there-through.

HR LC/MS/MS m/z calculated for C₈₀H₇₀N₆O₁₄ (M+): 1338.4950; found: 1338.4950.



[Preparation Example 12] Synthesis of
Compound L



L-1

449**450**



-continued



Synthesis was conducted in the same manner as in Preparation Example 1 except that Compound L-1 and ethylene diamine were used instead of Compound A-1 and 1,4-benzenediol in Synthesis of Compound A-2, and Compound L-2 and 12 equivalents of epichlorohydrin were used instead


of Compound A-2 and 6 equivalents of epichlorohydrin in Synthesis of Compound A, and Compound L was synthesized therethrough.

65 HR LC/MS/MS m/z calculated for C₈₆H₇₈N₆O₁₄ (M+): 1418.5576; found: 1418.5572.

451[Preparation Example 13] Synthesis of Compound
M**452**

453


-continued



454

Synthesis was conducted in the same manner as in Preparation Example 1 except that Compound M-1 and diethanolamine were used instead of Compound A-1 and 1,4-benzenediol in Synthesis of Compound A-2, and Compound M-2 and 12 equivalents of methacryloyl chloride were used instead of Compound A-2 and 6 equivalents of epichlorohydrin in Synthesis of Compound A, and Compound M was synthesized therethrough.

30 HR LC/MS/MS m/z calculated for C₁₀₆H₁₀₈N₄O₁₈ (M⁺): 1724.7659; found: 1724.7660.

[Preparation Example 14] Synthesis of Compound N





455**456**

Synthesis was conducted in the same manner as in Preparation Example 1 except that Compound N-1 and 2-chloro-N-ethyl-ethanamine were used instead of Compound A-1 and 1,4-benzenediol in Synthesis of Compound A-2, and Compound N-2 and methacrylamide were used instead of

Compound A-2 and epichlorohydrin in Synthesis of Compound A, and Compound N was synthesized therethrough.


65

HR LC/MS/MS m/z calculated for C₈₆H₇₈N₆O₁₂ (M⁺): 1386.5678; found: 1386.5678.

457[Preparation Example 15] Synthesis of Compound
0**458**

459

-continued

460


Synthesis was conducted in the same manner as in Synthesis of Compound A-2, except that Compound O-1 and diallylamine were used instead of Compound A-1 and 1,4-benzenediol, and Compound O-2 was synthesized there-through.³⁰


After dissolving 1 equivalent of Compound O-2 and 10 equivalents of meta-chloroperoxybenzoic acid (m-CPBA) in dichloromethane, the reaction was progressed at room tem-

perature under nitrogen, and Compound 0 was synthesized therethrough.


HR LC/MS/MS m/z calculated for C₇₈H₇₆N₄O₁₄ (M+): 1292.5358; found: 1292.5358.

[Preparation Example 16] Synthesis of
Compound P



461**462**

P-2





P

Synthesis was conducted in the same manner as in Preparation Example 1 except that Compound P-1 and N-(2-chloroethyl)aniline were used instead of Compound A-1 and 1,4-benzenediol in Synthesis of Compound A-2, and Compound P-2 and oxiran-2-ylmethanamine were used instead


of Compound A-2 and epichlorohydrin in Synthesis of Compound A, and Compound P was synthesized throughout.

HR LC/MS/MS m/z calculated for C₉₀H₉₀N₆O₁₂ (M+): 1446.6617; found: 1446.6618.

463[Preparation Example 17] Synthesis of Compound
Q**464**

465


-continued

466

Synthesis was conducted in the same manner as in Preparation Example 1 except that Compound Q-1 and 4,4'-iminobis-butanoic acid were used instead of Compound A-1 and 1,4-benzenediol in Synthesis of Compound A-2, and Compound Q-2 and 12 equivalents of epichlorohydrin were used instead of Compound A-2 and 6 equivalents of epichlorohydrin in Synthesis of Compound A, and Compound Q was synthesized therethrough.

HR LC/MS/MS m/z calculated for C₉₆H₁₀₄N₄O₂₂
₃₀ (M+): 1664.7142; found: 1664.7142.



[Preparation Example 18] Synthesis of Compound R



R-1

467**468**

-continued



Synthesis was conducted in the same manner as in Preparation Example 1 except that Compound R-1 and 1-piperazineethanol were used instead of Compound A-1 and 1,4-benzenediol in Synthesis of Compound A-2, and Compound R-2 and methacryloyl chloride were used instead of Compound A-2 and epichlorohydrin in Synthesis of Compound A, and Compound R was synthesized therethrough.


60

65

HR LC/MS/MS m/z calculated for C₁₀₂H₁₀₆N₆O₁₄ (M+): 1664.7142; found: 1664.7142.

469

[Comparative Preparation Example 1] Synthesis of Compound S




After dissolving 1 equivalent of Compound S-1, 8 equivalents of phenol and 6 equivalents of potassium carbonate in a methylpyrrolidone (NMP) solvent in a reaction container, the result was stirred at 110° C. After the reaction was completed, a compound was obtained using water and then suction filtration. The obtained compound was extracted using dichloromethane and water, and then water was removed from the separated organic layer using anhydrous magnesium sulfate. The water-removed organic layer was concentrated through vacuum distillation, and then recrystallized using dichloromethane and ethanol to obtain Compound S by suction filtration. Compound S was dried under a vacuum condition at 80° C.

470

HR LC/MS/MS m/z calculated for C₇₂H₅₈N₂O₈ (M+): 1078.4193; found: 1078.4195.

[Comparative Preparation Example 2] Synthesis of Compound T



After dissolving 1 equivalent of Compound T-1 and 10 equivalents of ammonium acetate in a propionic acid solvent in a reaction container, the result was refluxed for 24 hours. After the reaction was completed, precipitates were collected using water. The precipitates were obtained by suction filtration, and used in a next reaction without separate purification. After dissolving 1 equivalent of the precipitates in a dimethylformamide (DMF) solvent, 1 equivalent of sodium methoxide was introduced thereto, and the result was stirred for 4 hours. After that, 6 equivalents of 3-bromopropyne was introduced thereto, and the result was stirred for 24 hours. After the reaction was completed, the result was extracted using water, and water was removed from the separated organic layer using anhydrous magnesium sulfate. The water-removed organic layer was concentrated through vacuum distillation, and then recrystallized using dichloromethane and ethanol to obtain Compound T by suction filtration. Compound T was dried under a vacuum condition at 80° C.

HR LC/MS/MS m/z calculated for C₅₈H₃₈N₂O₈ (M+): 890.2628; found: 890.2628.

Example 1

A solution was prepared by dissolving 1.5 parts by weight of Compound C (maximum absorption wavelength 583 nm

471

and maximum emission wavelength 611 nm in toluene solution) prepared in Preparation Example 3, 33.9 parts by weight of an acryl-based binder (VS12A80, LG Chem.), 59.3 parts by weight of a multifunctional monomer (pentaerythritol triacrylate, Nippon Kayaku), 2.3 parts by weight of an adhesive aid and surfactant (KBM 503, Shinetsu) and 3.0 parts by weight of a photoinitiator (Tinuvin® 477, BASF) in a propylene glycol monomethyl ether acetate (PGMEA) solvent so that the solid content became 21% by weight. The mixed solution was sufficiently stirred, and coated as a thin film on a glass substrate, and then dried to prepare a color conversion film.


472

length 586 nm and maximum emission wavelength 614 nm in toluene solution) was used instead of Compound C.

5

Example 6

Preparation was made in the same manner as in Example 1 except that Compound R (maximum absorption wavelength 583 nm and maximum emission wavelength 612 nm in toluene solution) was used instead of Compound C.



VS12A80 BINDER

Herein, a to g are each independently the number of repeating units in the parentheses, and for example, a to g are each independently an integer of 2 to 10,000.

Example 2

Preparation was made in the same manner as in Example 1 except that Compound E (maximum absorption wavelength 584 nm and maximum emission wavelength 611 nm in toluene solution) was used instead of Compound C.

Example 3

Preparation was made in the same manner as in Example 1 except that Compound F (maximum absorption wavelength 581 nm and maximum emission wavelength 609 nm in toluene solution) was used instead of Compound C.

Example 4

Preparation was made in the same manner as in Example 1 except that Compound H (maximum absorption wavelength 583 nm and maximum emission wavelength 612 nm in toluene solution) was used instead of Compound C.

Example 5

Preparation was made in the same manner as in Example 1 except that Compound M (maximum absorption wave-

35

Comparative Example 1

Preparation was made in the same manner as in Example 1 except that Compound S (maximum absorption wavelength 572 nm and maximum emission wavelength 601 nm in toluene solution) was used instead of Compound C.

Comparative Example 2

Preparation was made in the same manner as in Example 1 except that Compound T (maximum absorption wavelength 570 nm and maximum emission wavelength 599 nm in toluene solution) was used instead of Compound C.

45

Experimental Example 1

1) Measurement of Absorption and Emission Spectra in Thin Film State

A luminance spectrum of each of the color conversion films prepared in Examples 1 to 6 and Comparative Examples 1 and 2 was measured using a spectroradiometer (SR series of TOPCON Corporation). Specifically, the prepared color conversion film was laminated on one surface of a light guide plate of a backlight unit including an LED blue backlight (maximum emission wavelength 450 nm) and the light guide plate, and after laminating a prism sheet and a double brightness enhance film (DBEF) on the color conversion film, an initial value was set so that the brightness of the blue LED light was 600 nit based on the film.

2) Measurement of Absorption and Emission Spectra in Solution State

In order to measure absorption and emission wavelengths, the sample was dissolved to a concentration of 10^{-5} M using toluene as a solvent, and absorption and emission spectra thereof were measured.

3) Checking of Degree of Dyeing

A photoresist fluorescent resin composition was prepared by dissolving, based on 100 wt % of the photoresist fluorescent resin composition, 0.63 wt % (3.0 wt % in solid content) of a dye subject to measurement (compound of Table 1), 7.37 wt % of a binder (VS12A80, LG Chem.) and 13 wt % of a polyfunctional monomer (dipentaerythritol hexaacrylate) in 79 wt % of propylene glycol monomethyl ether acetate (PGMEA).

The prepared photoresist fluorescent resin composition was spin coated on 5 cm \times 5 cm glass (Corning Incorporated), and pre-baked for 70 seconds at 110° C. to form a coating film. Then, the distance between the coating film and a photo mask was set to 200 μ m, and an exposure dose of 40 mJ/cm 2 was irradiated using an exposure device (Hoya-Schott). The exposed coating film was developed for 60 seconds using a developing solution (KOH, 0.04%) to form a pattern layer having a pattern width and a space width of 90 μ m and 180 μ m, respectively.

After forming the pattern layer, first post-bake (PB) was conducted for 20 minutes at 30° C. in an oven. After that, a solution obtained by dissolving 33 wt % of a photocurable epoxy acrylic resin in a solvent mixture of PGMEA, methyl-3-methoxy propionate (MMP) and methyl ethyl di glycol (MEDG), was overcoated on the pattern layer using a negative type coating method, and second post-bake (PB) was conducted for 30 minutes at 30° C. in an oven to complete the color conversion film. A colorimetric value of a pattern portion of the pattern layer without the overcoating layer and a colorimetric value of a pattern portion of the pattern layer after forming the overcoating layer were measured, and a degree of dyeing was checked through a difference between the two measured values (ΔE_{ab}).

Properties of the compounds used in Examples 1 to 6 and Comparative Examples 1 and 2 in the solution, and absorption and emission wavelengths in the thin film when used in the color conversion film, and a ΔE_{ab} value are as shown in Table 1.


TABLE 1

Example	Com- ound	Solution		Thin Film		45
		λ_{max} (UV)	λ_{max} (PL)	λ_{max} (UV)	λ_{max} (PL)	
1	C	583	611	584	625	2.23
2	E	584	611	584	623	2.54
3	F	581	609	585	621	2.98
4	H	583	612	585	625	2.12
5	M	586	614	586	627	1.91
6	R	583	612	585	625	1.95
Compar- ative Example 1	S	572	601	575	612	4.81
Compar- ative Example 2	T	570	599	572	610	3.99

Through Table 1, it was identified that the compound according to the disclosure of the present application had longer absorption and emission wavelengths in the solution and in the thin film compared to the comparative examples, and the ΔE_{ab} value was 3 or less, and as a result, it was seen that there was less dyeing compared to the comparative examples.

The invention claimed is:

1. A compound represented by the following Chemical Formula 1:



wherein, in the Chemical Formula 1,
A1 to A4 are each independently a substituted or unsubstituted aryl group, or a substituted or unsubstituted heterocyclic group;

X1 and X2 are each independently O, NH or NR';
R' is -(G1)_{g1}-E or -G2-O-G3-E, or forms a ring with adjacent groups;

R1, R2, R4 and R5 are each independently hydrogen, a halogen group, a substituted or unsubstituted alkyl group, a substituted or unsubstituted cycloalkyl group, a substituted or unsubstituted alkoxy group, a substituted or unsubstituted aryl group, or a substituted or unsubstituted heterocyclic group;

R3 and R6 are each independently a polymerizable group;
E is a halogen group, a substituted or unsubstituted alkyl group, a substituted or unsubstituted cycloalkyl group, a substituted or unsubstituted alkoxy group, a substituted or unsubstituted aryl group, a substituted or unsubstituted heterocyclic group, or a polymerizable group;

L1, L2, L4 and L5 are each independently a direct bond, or a substituted or unsubstituted alkylene group;
G1 to G3, L3 and L6 are each independently a direct bond, a substituted or unsubstituted alkylene group, a


475

substituted or unsubstituted cycloalkylene group, a substituted or unsubstituted arylene group, or a substituted or unsubstituted divalent heterocyclic group; a and b are each an integer of 0 to 3;


g1 and 11 to 16 are each an integer of 1 to 3; and when a, b, g1 and 11 to 16 are each 2 or greater, structures in the parentheses are the same as or different from each other, and

wherein the polymerizable group is a group having at least one selected from the group consisting of a substituted or unsubstituted ethylenically unsaturated group, a substituted or unsubstituted siloxane group and a substituted or unsubstituted epoxy group.



2. The compound of claim 1, wherein the polymerizable group is any one of the following groups:



[Chemical Formula 3]



[Chemical Formula 4]

**476**


-continued

wherein,

Z1 and Z2 are each independently hydrogen, a halogen group, or a substituted or unsubstituted alkyl group; Z3 to Z5 are each independently a substituted or unsubstituted alkyl group; and

* represents a bonding position.

3. The compound of claim 1, wherein the Chemical Formula 1 is represented by the following Chemical Formula 2:



in the Chemical Formula 2,


A1 to A4, X1, X2, R1, R3, R5, R6, L1, L3, L5, L6, 11, 13, 15, 16, a and b have the same definitions as in the Chemical Formula 1.

4. The compound of claim 1, wherein the Chemical Formula 1 is represented by any one of the following Chemical Formulae 3 to 7:

477


-continued

[Chemical Formula 5]




478

[Chemical Formula 6]



[Chemical Formula 7]



in the Chemical Formulae 3 to 7,


40

R11 and R12 are each independently -(G1)_{g1}-E or -G2-O-G3-E;A1 to A4, R1, R3, R5, R6, L1, L3, L5, L6, G1 to G3, E, 45
g1, 11, 13, 15, 16, a and b have the same definitions as
in the Chemical Formula 1;R13 to R18 are each independently a polymerizable
group; 50L11 to L20 are each independently a direct bond, or a
substituted or unsubstituted alkylene group;

I11 to I20 are each an integer of 1 to 3;


when I11 to I20 are each 2 or greater, structures in the 55
parentheses are the same as or different from each
other; and

X4 and X5 are each independently O or NH.

5. The compound of claim 1, wherein A1 to A4 in the 60
Chemical Formula 1 are each independently a substituted or
unsubstituted aryl group.6. The compound of claim 1, wherein the compound 65
represented by the Chemical Formula 1 is represented by
any one of the following compounds:

479

-continued



5

10

15

20

25

30

35

40

45

50



55

60

65


480

-continued




481


-continued




5




10



15



20




25


30

35


40




45




50



55




60




65

482


-continued




5




10



15



20



25

30

35

40

45

50

55

60

65

70

75

80

85


90

95

100

483

-continued



5

10

15

20

25

30

35

40

45

50


55

60


65

484

-continued




65



485

-continued



5

10

15


20

25


30

35

40

**486**

-continued




45

50

55


60

65



487

-continued



5

10


15

20

25

30

35



40

45

50



55

60

65


488

-continued



489

-continued



5

10

15


20

25


30

490

-continued



35



40


45

50

55


60

65



491

-continued



5

10


15

20

25

30

35



40

45

50




55

60

65


492

-continued



493

-continued



5

10

15

20

25

30

35

40

45

50



55

60

65


494

-continued



495


-continued



30


496

-continued




35

40




65




497

-continued





30

35


**498**

-continued




499

-continued

**500**


-continued



30

35

40




45

50

55


60

65




501

-continued



**502**

-continued




35

40



503

-continued



5

10

15

20


25

30

35

504

-continued



40


45

50


55

60

65



505



5

10

20

35

40

45




50

55

60


65

506



507

-continued



5

10

15

20

25

30

35

40

45

50




55

60

65


508

-continued



509

-continued



5

10

15

20

25

30

35

40

45

50





55

60

65


510

-continued



511

-continued



5

10

15

20

25

30

35

40

45



50

60


65

512

-continued



513
-continued




514
-continued



515

-continued



5

10

15

20

25

30

35

40

45

50




55

60


65

516

-continued



517
-continued




518
-continued



519

-continued



10

15


20

25

30

35

40



50


55

60

65


520

-continued



10

15



25

30

35

40

45

50


55

60

65

521

-continued



5

10

15


20

25

30

35

40



45

50


55

60

65

522

-continued



5

10

15


20

25

30


35

40




523

-continued

**524**

-continued



5

10

15

20

25

30

35

40



45

50

55


60

65



525

-continued



5

10

15


20

25


30

35

40

**526**

-continued



5

10

15


20

25

30

35

40



45

50


55

60

65

527


-continued



5

O-Si(OMe)2-O-CH2-CH2-O-

10




15

O-Si(OMe)2-O-CH2-CH2-O-


20

O-Si(OMe)2-O-CH2-CH2-O-

25

**528**


-continued




30

35

40



45



50


55

60

65

529


-continued



5

530

-continued



10

15


20

25

30

35

40




45

50

55


60

65



531


-continued



5

532

-continued



10

15


20

25

30

35

40




45

50

55


60

65




533

-continued

**534**



-continued

15
20
25

30


35

40

50
55
60
65

535

-continued



5

10

15

20

25

30

35

40

45

50




55

60

65


536

-continued




537


-continued



5



10



15


20

25


30

35


40









45



50




55

**538**

-continued

539

-continued



5

10

15



20

25



30

35

40


**540**

-continued



541

-continued



5

10

15

20

25

30

35

40

45

50



55

60

65


542

-continued




543

-continued

**544**

-continued



30

35

40



45

50

55


60

65




545

-continued

**546**

-continued



30

35

40



45

50

55


60

65




547


-continued




5

**548**

-continued




5



549

-continued



5

10

15

20

25

30

35

40

45

50




55

60

65


550

-continued



551

-continued



5

10

15

20

25

30

35

40

45

50



55

60

65

552

-continued



30

35

40



45



50

55

60

65



553
-continued**554**
-continued

30

35

40



45


50

55


60

65



555
-continued

5



30

35


40

45

50

60

65


556
-continued

10

15


20

25




557


-continued




5



10



15




20

25


30

558


-continued




5




10



15



20



25

30

35

40

45

50

55

60


65

70

75

559

-continued



5

10

15


20

25


30

35

40

**560**

-continued




45

50

55


60

65




561


-continued




5



10



15







20

25


30

562


-continued



35



40



45

50


55

60

65

563

-continued



5

10

15


20

25


30

35

40

**564**

-continued



5

10

15

20

25

30

35

40


45

50

55


60

65



565

-continued



5


10

15

20

25

30



35

40

45

50


55

60

65

566

-continued



5

10

15

20

25

30

35

40


45

50

55


60

65



567

-continued



5

10

15


20

25



30

35

40

**568**

-continued





45

50

55


60

65



569

-continued



5

10


15

20


30

35

40

**570**

-continued




45

50

55


60

65



571

-continued



5

10

15

20

25

30

35

40

45

50




55

60

65


572

-continued



573

-continued



5

10

15


20

25


30

35

40

**574**

-continued




45

50

55


60

65



575

-continued



5

10

15

20

25

30

35

40

45

50




55

60

65


576

-continued



577

-continued



5

10


15

20

25

30

35



40

45

50



55

60

65


578

-continued



579

-continued



5

579, part 1

10

579, part 1

15

579, part 1

20

579, part 1


25

579, part 1

30

35

40



45

50


55

60

65


580

-continued




580, part 1

580, part 1




581



-continued



5


**582**

-continued



583

-continued



5

10

15

20

25

30

35

40

45

50


55

60

65

584

-continued



5

10

15

20

25

30

35

40



45

50

55


60

65




585


-continued




5




30




35



40




45




50

586


-continued




10




15




20




25




30



35



40



45

50


55

60

65

587

-continued



5

10

15

20

30

35

40

45

50


55

60

65

588

-continued



5

10

15

20

30

35

40



45

50

55


60

65




589

-continued



5



10

15

20

25

30

35

40

45

50



55

60

65


590

-continued



591

-continued



5

10

15

20

25

30

35

40

45

50


55

60

65

592

-continued



5

10

15

20

25

30

35

40



45

50

55


60

65




593

-continued

**594**

-continued



30

35



40

45

50


60

65



595

-continued



5

10

15

20

25

30

35

40

45

50




55

60

65


596

-continued



597

-continued



5

10

15

20

25

30

35

40

45

50





55

60

65


598

-continued



599

-continued



5

10

15


20

25

30

600

-continued



5

10

15

20

25

30

35

35

40


45


50

55


60

65




601

5



10



15


20

25


30

35


40




45



50



55



60


65

602

-continued

603

-continued



5

10

15


20

25

30

604

-continued



35

40



45

50

55


60

65




605


-continued




5



10



15




20

25


30

606


-continued



5




10



15

20




25


30

35


40




45




50



55




60



65

607
-continued



5

10

15

20

25

30

35

40

45



50

55

60


65

608
-continued



609

-continued



5

10

15

20

25

30

35

40

45

50





55

60

65


610

-continued



611

-continued



5

10

15


20

25

30

35

40



45

50













55


60

65

612

-continued



613
-continued

5

10

15

20

25

30

35

40



45

50


55

60

65


614
-continued

615
-continued





5
10
15
20
25

616
-continued




30
35

40
45
50
55
60
65



617
-continued



5

10

15

20

25

30

35

40

45


50

55

60

65

618
-continued



5

10

15

20

25

30

35

40



45

50


55

60

65



619
-continued



5

10

15

20

25

30

35

40

45





50

55

60


65

620
-continued



621

-continued



5

10

15

20

25

30

35

40

45

50





55

60

65


622

-continued




623


-continued




5




20




30




40



50





60



65


624

-continued



625

-continued



5

10


15

20

30


626

-continued



35

40




45

50

55


60

65



627

-continued



5

10

15



20

25

30

628

-continued



35

40



45

50


55

60

65



629
-continued



5

10


15

20

25


30

630
-continued



35

40




45

50


55

60

65



631
-continued



5

10

15


20

25

30

35

40



45



50

55


60

65


632
-continued



633
-continued





634
-continued




30

35

40



635
-continued



5

10

15

20

25

30

35

40

45


50

55

60

65

636
-continued



5

10

15

20

25

30

35

40



45

50

55


60

65




637


-continued




5




10



15




20




25

638


-continued




5



10



15




20

25


30

35


40




45



50



55




60


65

639

-continued

**640**



-continued



30


35

40



641

-continued



5

10

15


20

25

30

642

-continued



35

40



45

50

55


60

65



643

-continued



5

10

15

20

25

30

35

40

45

50


55

60

65

644

-continued



5

10

15

20

25

35

40


45

50

55


60

65



645

-continued



5

10

15

20

25

30

35

40

45

50


55

60

65

646

-continued



5

10

15

20

25

30

35

40


45

50

55


60

65



647

-continued



5

10

15

20

25

30

35

40

45

50




55

60

65


648

-continued



649

-continued



5

10

15

20

25

30

35

40

45

50



55

60

65


650

-continued



651

-continued



5

10

15


20

25

30

652

-continued



35

40



45

50


55

60


65



653
-continued





654
-continued



30


35

40




655

-continued

**656**

-continued



5

10

15

20

25

30

35

40



45

50

55


60

65



657

-continued



5

10

15


20

25

30

658

-continued



O

35

40



45

50

55


60

65




659

-continued

**660**



-continued



30


35

40



661

-continued



5

10

15

20

25

30

35

40

45

50




55


60

65

662

-continued



663
-continued

5


10

15

20


25

30

664
-continued

35

40




45

50

55


60

65




665


-continued




5




10



15



20



25

30

35

40

45

50


55

60

65

666

-continued



5

10

15

20

25

30

35

40

45

50


55

60

65

667


-continued



30



668

-continued




35

40



669

-continued



5

10

15


20

25


30

35

40

**670**

-continued



5

10

15

20

25

35

40


45

50

55


60

65



671

-continued



5

10

15


20

25


30

35

40

**672**

-continued



5

10

15

20

25

30

35

40


45

50


55

60

65



673
-continued



5

10

15


20

25

30

35

40



45


50

55

60

65

674
-continued




5



10

15

20

25





675
-continued**676**
-continued

30


35

40



677

-continued



5

10

15


20

25

30

678

-continued



35

40



45

50

55


60

65



679

-continued



5

10

15


20

25


30

35

40

**680**

-continued



5

10

15

20

25

30

35

40


45

50

55


60

65



681

-continued



5

10

15


20

25


30

35

40

**682**

-continued



5

10

15

20

25

30

35

40


45

50

55


60

65



683

-continued



5

10

15


20

25


30

35

40

**684**

-continued




45

50

55


60

65



685

-continued



5

10

15


20

25


30

35

40

**686**

-continued



5

10

15

20

25

30

35

40


45

50

55


60

65



687

-continued



5

10

15

20

25

30

35

40

45

50




55

60

65


688

-continued



689

-continued



5

10

15


20

25

30

35

40



45

50


55

60

65

690

-continued



5

10

15


20

25

30

35

40



45

50


55

60


65

691

-continued



5



10

15

20

25

30

35

40

45

50


55

60

65


692

-continued




693

-continued



5



10

15

20

25

30

35

40

45

50



55

60

65

694

-continued



5

10

15

20

25

30

35

40


45

50

55


60

65




695


-continued




5



10




15



20

696

-continued




25


30

35


40



45




50



55


60

65



697

-continued



5

10

15


20

25

30

35

40



45

50


55

60

65

698

-continued



5

10

15


20

25

30

35

40



45

50


55

60


65

699

-continued

**700**



-continued



30


35

40



701

-continued



5

10

15


20

25

30


702

-continued



35

40




45

50


55

60

65



703
-continued



5

10
15


20

25


30

35

40



704
-continued




45


50

55

60

65



705
-continued

5

10

15



20

25

30

35

40

**706**
-continued


5

10


15

20

25



707
-continued



5

10



15

20

25


30

708
-continued



35

40




45

50

55


60

65



709

-continued



5

10

15

20

25

30

35

40

45

50




55

60


65

710


-continued



711
-continued



712
-continued



5
10
15
20
25

30
35

40



45

50


55

60

65



713
-continued



5

10


15

20


30

35

40



714
-continued




45

50

55


60

65



715

-continued



5

10

15

20

25

30

35

40

45

50




55

60


65

716

-continued




717
-continued





5
10
15
20
25

718
-continued




30
35

40
45
50
55
60
65



719

-continued



5

10

15

20

25

30

35

40

45

50




55

60

65


720

-continued



721

-continued



5

10

20

25

30

35

40

45

50




55

60

65


722

-continued



723

-continued



5

10

15

20

25

30

35

40

45

50



55

60

65


724

-continued



725

-continued



5

10

15


20

25

30

726

-continued



35

40



45

50

55


60

65



727

-continued



5

10

15

20

25

30

35

40

45

50




55

60

65


728

-continued




729

-continued




5



10



15









20

25

30


730

-continued



35

40




45

50

55


60

65



731

-continued



5

10

15


20

25


30

35

40

**732**

-continued



35


45

50


55

60

65




733
-continued





30

734
-continued




35

40



735

-continued



5

10

15


20

25



30

35


40

**736**

-continued



737
-continued



5

10

15


20

25


30

35

40



738
-continued



5

10

15

20

25

30

35

40


45

50

55


60

65




739

-continued

**740**



-continued




30




35

40




741**742**

-continued




743

-continued

**744**

-continued



5

10

15

20

25

30

35

40



45

50

55


60

65



745

-continued



5

10

15


20

25









30

35

40


**746**

-continued



747

-continued



5

10

15


20

25


30

35

40

**748**

-continued




45

50


55

60

65



749



5

10

14

20

30

2


40

4

50

60

750



5

10

14

20

30

2

40


4

50

60

751

-continued



5

10

15

20

25

30

35

40

45

50


55

60


65

752

-continued




35



753

-continued



5

10

15

20

25

30

35

40

45

50



55

60

65


754

-continued



755

-continued



5

10

15


20

25


30

35


40




45




50



55




60



65

756

-continued



5

10

15


20

25

30


35

40



757

-continued



5

10

15

20

25

30

35

40

45

50



55

60

65


758

-continued



759


-continued




30

35

40


**760**

-continued




30

35




761
-continued





30

35

40




762
-continued



763

-continued



5

10

15

20

25

30

35

40

45

50




55

60

65


764

-continued




765

-continued

**766**

-continued



5

10

15

20

25

30

35

40



45

50

55


60

65



767

-continued



5

10

15

20

25

30

35

40

45

50




55

60

65


768

-continued



769

-continued



5

10

15

20

25

30

35

40

45

50



55

60


65

770

-continued




771
-continued




5
10
15
20
25

772
-continued




30
35

40




45
50
55
60
65



773

-continued



5

10

15

20

25

30

35

40

45

50



55

60

65


774

-continued



775

-continued



5

10

15


20

25



30

35

40

**776**

-continued



35

40


45

50

55


60

65



777

-continued



5

10


15

20


30

35

40

**778**

-continued



5

35

40


45

50

55


60

65



779

-continued



5

10

14

30

25

35

40


15

12

60


780

-continued



781

-continued



5

10

15

20

25

30

35

40

45

50




55

60

65


782

-continued




783

-continued

**784**



-continued



30


35

40



785

-continued



5

10

15


20

25


30

35

40

**786**

-continued




45

50

55


60

65



787

-continued



5

10

15


20

25

30

788

-continued



35

40


45

50

55


60

65




789

-continued

**790**



-continued



30


35

40



791

-continued



10

15


20

25

30

35

40



50


55

60

65


792

-continued




10

15




793



-continued



5


**794**

-continued



795

-continued



5

10

15


20

25

30

35

40



45

50




55

60

65


796

-continued



797

-continued



5

10

15

20

25

30

35

40

45

50


55

60

65

798

-continued



5

10

15

20

25

30

35

40



45

50

55


60

65



799

-continued



5

10

15

20

25

30

35

40

45

50




55

60

65


800

-continued



801

-continued



5

10

15

20

25

30

35

40

45

50


55

60



65

802

-continued




65



803

-continued



5

10

15

20

25

30

35

40

45

50



55

60

65


804

-continued



805

-continued



5

10

15

20

25

30

35

40

45

50



55

60

65


806

-continued



807

-continued



5

10

15


20

25



30

35

40


**808**

-continued



809

-continued



5

10

15


20

25

30

35

40



45

50


55

60

65

810

-continued



5

10

15


20

25

30


35

40



811

-continued



5

10

15


20

25

30

812

-continued



35

40



45

50

55


60

65




813

-continued

**814**



-continued



30


35

40




815


-continued



5



10



15


20

25

30


816

-continued



35

40




45

50

55


60

65



817

-continued



5

10

15


20

25

30

35

40



45

50




55

60

65


818

-continued



819

-continued



5

10

15

20

25

30

35

40

45

50



55

60

65


820

-continued



821

-continued



5

10

15


20

25

30

822

-continued



35

40



45

50

55


60

65



823

-continued




5

30

35

40



45

50




55

60

65


824

-continued



825

-continued



5

10

15


20

25


30

35

40

**826**

-continued



5

10

15

20

25

30

35

40


45

50

55


60

65



827

-continued



5

10

15

20

25

30

35

40

45

50



55

60

65


828

-continued



829

-continued



5

10

15


20

25

30

35

40



45

50



55

60

65


830

-continued



831

-continued



5

10

15

20

25

30

35

40

45

50


55

60

65

832

-continued



5

10

15

20

25

30

35

40



45

50

55


60

65




833

-continued

**834**


-continued



30

35

40




45

50

55


60

65



835

-continued



5


10

15

20

25

30



35

40

45

50



55

60

65


836

-continued



837

-continued



5

10

15

20

25

30

35

40

45

50


55

60

65

838

-continued



5

10

15

20

25

30

35

40



45

50

55


60

65



839

-continued



5

10

15

20

25

30

35

40

45

50




55

60

65


840

-continued




841

-continued

**842**

-continued



5

10

15

20

25

30

35

40



45

50

55


60

65



843

-continued



5

10

15

20

25

30

35

40

45

50




55

60

65


844

-continued




845

-continued

**846**


-continued



30

35

40




45

50

55


60

65



847


-continued



30


848

-continued



35

40




45

50


60

65



849

-continued



5

10

20

25

30

35

40

45

50


55

60

65

850


-continued




30

851

-continued

**852**

-continued



5

10

15

20

25

30

35

40



45

50


55

60

65



853
-continued



5

10

15

20

30

35

40

45



50

55

60


65

854
-continued



855

-continued



5

10

15


20

25


30

35

40

**856**

-continued




45

50

55


60

65



857

-continued



5

10

15

20

25

30

35

40

45

50



55

60

65


858

-continued



859

-continued



5

10

15



20

25

30

860


-continued



30

35

40




45

50

55


60

65



861

-continued



5

10

15

20

25

30

35

40

45

50




55

60

65


862

-continued


o-CH₂-CH₂-CH₂-CH₂-CH₂-CH(OCH₂CH₂CH₂CH₂CH₂CH₂O-o-CH₂-CH₂-CH₂-CH₂-CH₂-CH(OCH₂CH₂CH₂CH₂CH₂CH₂O-o-CH₂-CH₂-CH₂-CH₂-CH₂-CH(OCH₂CH₂CH₂CH₂CH₂CH₂O-o-CH₂-CH₂-CH₂-CH₂-CH₂-CH(OCH₂CH₂CH₂CH₂CH₂CH₂O-o-CH₂-CH₂-CH₂-CH₂-CH₂-CH(OCH₂CH₂CH₂CH₂CH₂CH₂O-o-CH₂-CH₂-CH₂-CH₂-CH₂-CH(OCH₂CH₂CH₂CH₂CH₂CH₂O-o-CH₂-CH₂-CH₂-CH₂-CH₂-CH(OCH₂CH₂CH₂CH₂CH₂CH₂O-o-CH₂-CH₂-CH₂-CH₂-CH₂-CH(OCH₂CH₂CH₂CH₂CH₂CH₂O-o-CH₂-CH₂-CH₂-CH₂-CH₂-CH(OCH₂CH₂CH₂CH₂CH₂CH₂O-o-CH₂-CH₂-CH₂-CH₂-CH₂-CH(OCH₂CH₂CH₂CH₂CH₂CH₂O-o-CH₂-CH₂-CH₂-CH₂-CH₂-CH(OCH₂CH₂CH₂CH₂CH₂CH₂O-o-CH₂-CH₂-CH₂-CH₂-CH₂-CH(OCH₂CH₂CH₂CH₂CH₂CH₂O-o-CH₂-CH₂-CH₂-CH₂-CH₂-CH(OCH₂CH₂CH₂CH₂CH₂CH₂O-o-CH₂-CH₂-CH₂-CH₂-CH₂-CH(OCH₂CH₂CH₂CH₂CH₂CH₂O-o-CH₂-CH₂-CH₂-CH₂-CH₂-CH(OCH₂CH₂CH₂CH₂CH₂CH₂O-o-CH₂-CH₂-CH₂-CH₂-CH₂-CH(OCH₂CH₂CH₂CH₂CH₂CH₂O-

863

-continued

**864**

-continued



5

10

15

20

25

30

35

40



45

50

55


60

65



865

-continued



5

10

15

20

25

30

35

40

45

50





55

60

65


866

-continued



867

-continued



5


10

15

20

25

30



35

40

45

50



55

60

65


868

-continued




869


-continued



10






20



30

870


-continued




30

35



40



50




60




871

-continued

**872**


-continued



30

35

40




45

50

55


60

65



873

-continued



5

10

15


20

25


30

35

40

**874**

-continued




45

50

55


60

65



875

-continued



5

10

15

20

25

30

35

40

45

50


55

60

65

876

-continued



5

10

15

20

25

35

40



45

50

55


60

65



877

-continued



5

10

15

20

25

30


35

40

45

878

-continued



wherein, Ph is a phenyl group.

7. A photoresist fluorescent resin composition comprising:

a binder resin;

a multifunctional monomer; and

the compound of claim 1.

8. A color conversion film comprising the compound of claim 1, wherein the compound is bound to a binder resin.

9. A backlight unit comprising the color conversion film of claim 8.

10. A display apparatus comprising the backlight unit of claim 9.

* * * * *