



US 20250261503A1

(19) United States

(12) Patent Application Publication (10) Pub. No.: US 2025/0261503 A1

MARGULIES et al.

(43) Pub. Date: Aug. 14, 2025

(54) ORGANIC ELECTROLUMINESCENT MATERIALS AND DEVICES

(71) Applicant: Universal Display Corporation, Ewing, NJ (US)

(72) Inventors: Eric A. MARGULIES, Philadelphia, PA (US); Wei-Chun SHIH, Lawrenceville, NJ (US)

(73) Assignee: Universal Display Corporation, Ewing, NJ (US)

(21) Appl. No.: 19/040,008


(22) Filed: Jan. 29, 2025

Related U.S. Application Data

(60) Provisional application No. 63/552,311, filed on Feb. 12, 2024.

(57)

ABSTRACT

A compound of formula $\text{Ir}(\text{L}_A)_x(\text{L}_B)_y(\text{L}_C)_z$, where L_A has structure comprising Formula I,


Publication Classification

(51) Int. Cl.

H10K 50/12 (2023.01)
H10K 50/13 (2023.01)
H10K 50/15 (2023.01)
H10K 50/16 (2023.01)
H10K 85/30 (2023.01)
H10K 85/60 (2023.01)
H10K 101/20 (2023.01)
H10K 101/60 (2023.01)
H10K 102/00 (2023.01)

(52) U.S. Cl.

CPC *H10K 50/121* (2023.02); *H10K 85/342* (2023.02); *H10K 85/626* (2023.02); *H10K 85/631* (2023.02); *H10K 85/654* (2023.02);

is provided. In Formula I, each of X^3 to X^7 is N or CR; Z is an electron-withdrawing group; Y is a linking group; each R, R' , R^3 , R^4 , R^5 , R^A , and R^B is hydrogen or a General Substituent defined herein; and each R^1 and R^2 is a substituent comprising at least one carbon atom. Formulations, OLEDs, and consumer products containing the compound are also provided.




FIG. 1




FIG. 2

ORGANIC ELECTROLUMINESCENT MATERIALS AND DEVICES

CROSS-REFERENCE TO RELATED APPLICATIONS

[0001] This application claims priority under 35 U.S.C. § 119(e) to U.S. Provisional Application No. 63/552,311, filed on Feb. 12, 2024, the entire contents of which are incorporated herein by reference.

FIELD

[0002] The present disclosure generally relates to organic or metal coordination compounds and formulations and their various uses including as emitters, sensitizers, charge transporters, or exciton transporters in devices such as organic light emitting diodes and related electronic devices and consumer products.

BACKGROUND


[0003] Opto-electronic devices that make use of organic materials are becoming increasingly desirable for various reasons. Many of the materials used to make such devices are relatively inexpensive, so organic opto-electronic devices have the potential for cost advantages over inorganic devices. In addition, the inherent properties of organic materials, such as their flexibility, may make them well suited for particular applications such as fabrication on a flexible substrate. Examples of organic opto-electronic devices include organic light emitting diodes/devices (OLEDs), organic phototransistors, organic photovoltaic cells, organic scintillators, and organic photodetectors. For OLEDs, the organic materials may have performance advantages over conventional materials.

[0004] OLEDs make use of thin organic films that emit light when voltage is applied across the device. OLEDs are becoming an increasingly interesting technology for use in applications such as displays, illumination, and backlighting.

[0005] One application for emissive molecules is a full color display. Industry standards for such a display call for pixels adapted to emit particular colors, referred to as “saturated” colors. In particular, these standards call for saturated red, green, and blue pixels. Alternatively, the OLED can be designed to emit white light. In conventional liquid crystal displays emission from a white backlight is filtered using absorption filters to produce red, green and blue emission. The same technique can also be used with OLEDs. The white OLED can be either a single emissive layer (EML) device or a stack structure. Color may be measured using CIE coordinates, which are well known to the art.

SUMMARY

[0006] In one aspect, the present disclosure provides a compound of Formula $\text{Ir}(\text{L}_A)_x(\text{L}_B)_y(\text{L}_C)_z$, where a first ligand L_A has structure comprising Formula I,



In Formula $\text{Ir}(\text{L}_A)_x(\text{L}_B)_y(\text{L}_C)_z$:

- [0007]** x is 1, 2, or 3;
- [0008]** each of y and z is independently 0, 1, or 2;
- [0009]** $x+y+z=3$;
- [0010]** X^3 is N or CR³; X^4 is N or CR⁴; X^5 is N or CR⁵; and X^6 and X^7 are each independently C or N;
- [0011]** Z is an electron-withdrawing group;
- [0012]** Y is selected from the group consisting of BR, BRR', NR, PR, P(O)R, O, S, Se, C=O, C=S, C=Se, C=NR', C=CRR', S=O, SO₂, CR, CRR', SiRR', and GeRR';
- [0013]** R^A and R^B each independently represents mono to the maximum allowable substitution, or no substitution;
- [0014]** R , R' , R^3 , R^4 , R^5 , R^A , and R^B are each independently hydrogen or a substituent selected from the group consisting of deuterium, halogen, alkyl, cycloalkyl, heteroalkyl, heterocycloalkyl, arylalkyl, alkoxy, aryloxy, amino, silyl, germyl, boryl, alkenyl, cycloalkenyl, heteroalkenyl, alkynyl, aryl, heteroaryl, acyl, carboxylic acid, ether, ester, nitrile, isonitrile, sulfanyl, sulfinyl, sulfonyl, phosphino, selenyl, and combinations thereof;
- [0015]** each of R^1 and R^2 comprises at least one carbon atom and is independently selected from the group consisting of alkyl, cycloalkyl, heteroalkyl, heterocycloalkyl, arylalkyl, alkoxy, aryloxy, amino, silyl, germyl, boryl, alkenyl, cycloalkenyl, heteroalkenyl, alkynyl, aryl, heteroaryl, acyl, carboxylic acid, ether, ester, nitrile, isonitrile, sulfanyl, sulfinyl, sulfonyl, phosphino, selenyl, combinations thereof, partially and fully deuterated variations thereof, and partially or fully halogenated variations thereof;
- [0016]** any two substituents can be joined or fused to form a ring; and
- [0017]** each of L_B and L_C is independently a bidentate ligand.
- [0018]** In another aspect, the present disclosure provides a formulation comprising a compound having a first ligand L_A having a structure comprising Formula I as described herein.
- [0019]** In yet another aspect, the present disclosure provides an OLED having an organic layer comprising a compound having a first ligand L_A having a structure comprising Formula I as described herein.
- [0020]** In yet another aspect, the present disclosure provides a consumer product comprising an OLED with an organic layer comprising a compound having a first ligand L_A having a structure comprising Formula I as described herein.

BRIEF DESCRIPTION OF THE DRAWINGS

- [0021] FIG. 1 shows an organic light emitting device.
 [0022] FIG. 2 shows an inverted organic light emitting device that does not have a separate electron transport layer.

DETAILED DESCRIPTION

A. Terminology

[0023] Unless otherwise specified, the below terms used herein are defined as follows:

[0024] As used herein, “top” means furthest away from the substrate, while “bottom” means closest to the substrate. Where a first layer is described as “disposed over” a second layer, the first layer is disposed further away from substrate. There may be other layers between the first and second layer, unless it is specified that the first layer is “in contact with” the second layer. For example, a cathode may be described as “disposed over” an anode, even though there are various organic layers in between.

[0025] As used herein, “solution processable” means capable of being dissolved, dispersed, or transported in and/or deposited from a liquid medium, either in solution or suspension form.

[0026] As used herein, and as would be generally understood by one skilled in the art, a first “Highest Occupied Molecular Orbital” (HOMO) or “Lowest Unoccupied Molecular Orbital” (LUMO) energy level is “greater than” or “higher than” a second HOMO or LUMO energy level if the first energy level is closer to the vacuum energy level. Since ionization potentials (IP) are measured as a negative energy relative to a vacuum level, a higher HOMO energy level corresponds to an IP having a smaller absolute value (an IP that is less negative). Similarly, a higher LUMO energy level corresponds to an electron affinity (EA) having a smaller absolute value (an EA that is less negative). On a conventional energy level diagram, with the vacuum level at the top, the LUMO energy level of a material is higher than the HOMO energy level of the same material. A “higher” HOMO or LUMO energy level appears closer to the top of such a diagram than a “lower” HOMO or LUMO energy level.

[0027] As used herein, and as would be generally understood by one skilled in the art, a first work function is “greater than” or “higher than” a second work function if the first work function has a higher absolute value. Because work functions are generally measured as negative numbers relative to vacuum level, this means that a “higher” work function is more negative. On a conventional energy level diagram, with the vacuum level at the top, a “higher” work function is illustrated as further away from the vacuum level in the downward direction. Thus, the definitions of HOMO and LUMO energy levels follow a different convention than work functions.

[0028] Layers, materials, regions, and devices may be described herein in reference to the color of light they emit. In general, as used herein, an emissive region that is described as producing a specific color of light may include one or more emissive layers disposed over each other in a stack.

[0029] As used herein, a “NIR”, “red”, “green”, “blue”, “yellow” layer, material, region, or device refers to a layer, a material, a region, or a device that emits light in the wavelength range of about 700-1500 nm, 580-700 nm,

500-600 nm, 400-500 nm, 540-600 nm, respectively, or a layer, a material, a region, or a device that has a highest peak in its emission spectrum in the respective wavelength region. In some arrangements, separate regions, layers, materials, or devices may provide separate “deep blue” and “light blue” emissions. As used herein, the “deep blue” emission component refers to an emission having a peak emission wavelength that is at least about 4 nm less than the peak emission wavelength of the “light blue” emission component. Typically, a “light blue” emission component has a peak emission wavelength in the range of about 465-500 nm, and a “deep blue” emission component has a peak emission wavelength in the range of about 400-470 nm, though these ranges may vary for some configurations.

[0030] In some arrangements, a color altering layer that converts, modifies, or shifts the color of the light emitted by another layer to an emission having a different wavelength is provided. Such a color altering layer can be formulated to shift wavelength of the light emitted by the other layer by a defined amount, as measured by the difference in the wavelength of the emitted light and the wavelength of the resulting light. In general, there are two classes of color altering layers: color filters that modify a spectrum by removing light of unwanted wavelengths, and color changing layers that convert photons of higher energy to lower energy. For example, a “red” color filter can be present in order to filter an input light to remove light having a wavelength outside the range of about 580-700 nm. A component “of a color” refers to a component that, when activated or used, produces or otherwise emits light having a particular color as previously described. For example, a “first emissive region of a first color” and a “second emissive region of a second color different than the first color” describes two emissive regions that, when activated within a device, emit two different colors as previously described.

[0031] As used herein, emissive materials, layers, and regions may be distinguished from one another and from other structures based upon light initially generated by the material, layer or region, as opposed to light eventually emitted by the same or a different structure. The initial light generation typically is the result of an energy level change resulting in emission of a photon. For example, an organic emissive material may initially generate blue light, which may be converted by a color filter, quantum dot or other structure to red or green light, such that a complete emissive stack or sub-pixel emits the red or green light. In this case the initial emissive material, region, or layer may be referred to as a “blue” component, even though the sub-pixel is a “red” or “green” component.

[0032] In some cases, it may be preferable to describe the color of a component such as an emissive region, sub-pixel, color altering layer, or the like, in terms of 1931 CIE coordinates. For example, a yellow emissive material may have multiple peak emission wavelengths, one in or near an edge of the “green” region, and one within or near an edge of the “red” region as previously described. Accordingly, as used herein, each color term also corresponds to a shape in the 1931 CIE coordinate color space. The shape in 1931 CIE color space is constructed by following the locus between two color points and any additional interior points. For example, interior shape parameters for red, green, blue, and yellow may be defined as shown below:

Color	CIE Shape Parameters
Central Red	Locus: [0.6270, 0.3725]; [0.7347, 0.2653]; Interior: [0.5086, 0.2657]
Central Green	Locus: [0.0326, 0.3530]; [0.3731, 0.6245]; Interior: [0.2268, 0.3321]
Central Blue	Locus: [0.1746, 0.0052]; [0.0326, 0.3530]; Interior: [0.2268, 0.3321]
Central Yellow	Locus: [0.3731, 0.6245]; [0.6270, 0.3725]; Interior: [0.3700, 0.4087]; [0.2886, 0.4572]

[0033] The terms "halo," "halogen," and "halide" are used interchangeably and refer to fluorine, chlorine, bromine, and iodine.

[0034] The term "acyl" refers to a substituted carbonyl group ($-\text{C}(\text{O})-\text{R}_s$).

[0035] The term "ester" refers to a substituted oxycarbonyl ($-\text{O}-\text{C}(\text{O})-\text{R}_s$ or $-\text{C}(\text{O})-\text{O}-\text{R}_s$) group.

[0036] The term "ether" refers to an $-\text{OR}_s$ group.

[0037] The terms "sulfanyl" or "thio-ether" are used interchangeably and refer to a $-\text{SR}_s$ group.

[0038] The term "selenyl" refers to a $-\text{SeR}_s$ group.

[0039] The term "sulfinyl" refers to a $-\text{S}(\text{O})-\text{R}_s$ group.

[0040] The term "sulfonyl" refers to a $-\text{SO}_2-\text{R}_s$ group.

[0041] The term "phosphino" refers to a group containing at least one phosphorus atom bonded to the relevant structure. Common examples of phosphino groups include, but are not limited to, groups such as a $-\text{P}(\text{R}_s)_2$ group or a $-\text{PO}(\text{R}_s)_2$ group, wherein each R_s can be same or different.

[0042] The term "silyl" refers to a group containing at least one silicon atom bonded to the relevant structure.

Common examples of silyl groups include, but are not limited to, groups such as a $-\text{Si}(\text{R}_s)_3$ group, wherein each R_s can be same or different.

[0043] The term "germyl" refers to a group containing at least one germanium atom bonded to the relevant structure. Common examples of germyl groups include, but are not limited to, groups such as a $-\text{Ge}(\text{R}_s)_3$ group, wherein each R_s can be same or different.

[0044] The term "boryl" refers to a group containing at least one boron atom bonded to the relevant structure. Common examples of boryl groups include, but are not limited to, groups such as a $-\text{B}(\text{R}_s)_2$ group or its Lewis adduct $-\text{B}(\text{R}_s)_3$ group, wherein R_s can be same or different.

[0045] In each of the above, R_s can be hydrogen or a substituent selected from the group consisting of the general substituents as defined in this application. Preferred R_s is selected from the group consisting of deuterium, halogen, alkyl, cycloalkyl, heteroalkyl, heterocycloalkyl, arylalkyl, alkoxy, aryloxy, amino, silyl, alkenyl, cycloalkenyl, heteroalkenyl, alkynyl, aryl, heteroaryl, and combination thereof. More preferably R_s is selected from the group consisting of alkyl, cycloalkyl, aryl, heteroaryl, and combination thereof.

[0046] The term "alkyl" refers to and includes both straight and branched chain alkyl groups having an alkyl carbon atom bonded to the relevant structure. Preferred alkyl groups are those containing from one to fifteen carbon atoms, preferably one to nine carbon atoms, and the preferred alkyl groups include methyl, ethyl, n-propyl, isopropyl, n-butyl, sec-butyl, iso-butyl, tert-butyl, n-pentyl, 2-methylbutyl, 3-methylbutyl, 2,2-dimethylpropyl, 1,3-dimethylpropyl, 1,1-dimethylpropyl, 2-ethylpropyl, 1,2-dimethylpropyl, n-hexyl, 2-methylpentyl, 3-methylpentyl, 2,2-dimethylbutyl, 2,3-dimethylbutyl, n-heptyl, 2-methylhexyl,

3-methylhexyl, 2,2-dimethylpentyl, 2,3-dimethylpentyl, 2,4-dimethylpentyl, 3,3-dimethylpentyl, 3-ethylpentyl, 2,2,3-trimethylbutyl, and the like. Additionally, the alkyl group can be further substituted.

[0047] The term "cycloalkyl" refers to and includes monocyclic, polycyclic, and spiro alkyl groups having a ring alkyl carbon atom bonded to the relevant structure. Preferred cycloalkyl groups are those containing 3 to 12 ring carbon atoms and includes cyclopropyl, cyclopentyl, cyclohexyl, bicyclo[3.1.1]heptyl, spiro[4.5]decyl, spiro[5.5]undecyl, adamantyl, and the like. Additionally, the cycloalkyl group can be further substituted.

[0048] The terms "heteroalkyl" or "heterocycloalkyl" refer to an alkyl or a cycloalkyl group, respectively, having at least one carbon atom replaced by a heteroatom. Optionally the at least one heteroatom is selected from O, S, N, P, B, Si, Ge and Se, preferably, O, S or N. Additionally, the heteroalkyl or heterocycloalkyl group can be further substituted.

[0049] The term "alkenyl" refers to and includes both straight and branched chain alkene groups. Alkenyl groups are essentially alkyl groups that include at least one carbon-carbon double bond in the alkyl chain with one carbon atom from the carbon-carbon double bond that is bonded to the relevant structure. Cycloalkenyl groups are essentially cycloalkyl groups that include at least one carbon-carbon double bond in the cycloalkyl ring. The term "heteroalkenyl" as used herein refers to an alkenyl group having at least one carbon atom replaced by a heteroatom. Optionally the at least one heteroatom is selected from O, S, N, P, B, Si, Ge, and Se, preferably, O, S, or N. Preferred alkenyl, cycloalkenyl, or heteroalkenyl groups are those containing two to fifteen carbon atoms. Additionally, the alkenyl, cycloalkenyl, or heteroalkenyl group can be further substituted.

[0050] The term "alkynyl" refers to and includes both straight and branched chain alkyne groups. Alkynyl groups are essentially alkyl groups that include at least one carbon-carbon triple bond in the alkyl chain with one carbon atom from the carbon-carbon triple bond that is bonded to the relevant structure. Preferred alkynyl groups are those containing two to fifteen carbon atoms. Additionally, the alkynyl group can be further substituted.

[0051] The terms "aralkyl" or "arylalkyl" are used interchangeably and refer to an aryl-substituted alkyl group having an alkyl carbon atom bonded to the relevant structure. Additionally, the aralkyl group can be further substituted.

[0052] The term "heterocyclic group" refers to and includes aromatic and non-aromatic cyclic groups containing at least one heteroatom. Optionally the at least one heteroatom is selected from O, S, Se, N, P, B, Si, Ge, and Se, preferably, O, S, N, or B. Hetero-aromatic cyclic groups may be used interchangeably with heteroaryl. Preferred hetero-non-aromatic cyclic groups are those containing 3 to 10 ring atoms, preferably those containing 3 to 7 ring atoms, which includes at least one hetero atom, and includes cyclic amines such as morpholino, piperidino, pyrrolidino, and the like, and cyclic ethers/thio-ethers, such as tetrahydrofuran, tetrahydropyran, tetrahydrothiophene, and the like. Additionally, the heterocyclic group can be further substituted or fused.

[0053] The term "aryl" refers to and includes both single-ring and polycyclic aromatic hydrocarbyl groups. The polycyclic rings may have two or more rings in which two

carbons are common to two adjoining rings (the rings are “fused”). Preferred aryl groups are those containing six to thirty carbon atoms, preferably six to twenty-four carbon atoms, six to eighteen carbon atoms, and more preferably six to twelve carbon atoms. Especially preferred is an aryl group having six carbons, ten carbons, twelve carbons, fourteen carbons, or eighteen carbons. Suitable aryl groups include phenyl, biphenyl, triphenyl, triphenylene, tetraphenylene, naphthalene, anthracene, phenalene, phenanthrene, pyrene, chrysene, perylene, and azulene, preferably phenyl, biphenyl, triphenyl, triphenylene, and naphthalene. Additionally, the aryl group can be further substituted or fused, such as, without limitation, fluorene.

[0054] The term “heteroaryl” refers to and includes both single-ring aromatic groups and polycyclic aromatic ring systems that include at least one heteroatom. The heteroatoms include, but are not limited to O, S, Se, N, P, B, Si, Ge, and Se. In many instances, O, S, N, or B are the preferred heteroatoms. Hetero-single ring aromatic systems are preferably single rings with 5 or 6 ring atoms, and the ring can have from one to six heteroatoms. The hetero-polycyclic ring systems can have two or more aromatic rings in which two atoms are common to two adjoining rings (the rings are “fused”) wherein at least one of the rings is a heteroaryl. The hetero-polycyclic aromatic ring systems can have from one to six heteroatoms per ring of the polycyclic aromatic ring system. Preferred heteroaryl groups are those containing three to thirty carbon atoms, preferably three to twenty-four carbon atoms, three to eighteen carbon atoms, and more preferably three to twelve carbon atoms. Suitable heteroaryl groups include dibenzothiophene, dibenzofuran, dibenzoselenophene, furan, thiophene, benzofuran, benzothiophene, benzoselenophene, carbazole, indolocarbazole, pyridyldindole, pyrrolodipyridine, pyrazole, imidazole, triazole, oxazole, thiazole, oxadiazole, oxatriazole, dioxazole, thiadiazole, pyridine, pyridazine, pyrimidine, pyrazine, triazine, oxazine, oxathiazine, oxadiazine, indole, benzimidazole, indazole, indoxazine, benzoxazole, benzisoxazole, benzothiazole, quinoline, isoquinoline, cinnoline, quinazoline, quinoxaline, naphthyridine, phthalazine, pteridine, xanthene, acridine, phenazine, phenothiazine, phenoxazine, benzofuropyridine, furodipyridine, benzothienopyridine, thienodipyridine, benzoselenophenopyridine, selenophendipyridine, azaborine, borazine, $5\lambda^2,9\lambda^2$ -diaza-13b-boranaphtho[2,3,4-de]anthracene, $5\lambda^2$ -benzo[d]benzo[4,5]imidazo[3,2-a]imidazole, and 5,9-dioxa-13b-boranaphtho[3,2,1-de]anthracene; preferably dibenzothiophene, dibenzofuran, dibenzoselenophene, carbazole, indolocarbazole, imidazole, pyridine, triazine, benzimidazole, $5\lambda^2,9\lambda^2$ -diaza-13b-boranaphtho[2,3,4-de]anthracene, $5\lambda^2$ -benzo[d]benzo[4,5]imidazo[3,2-a]imidazole, and 5,9-dioxa-13b-boranaphtho[3,2,1-de]anthracene. Additionally, the heteroaryl group can be further substituted or fused.

[0055] Of the aryl and heteroaryl groups listed above, the groups of triphenylene, naphthalene, anthracene, dibenzothiophene, dibenzofuran, dibenzoselenophene, carbazole, indolocarbazole, imidazole, pyridine, pyrazine, pyrimidine, triazine, benzimidazole, $5\lambda^2,9\lambda^2$ -diaza-13b-boranaphtho[2,3,4-de]anthracene, $5\lambda^2$ -benzo[d]benzo[4,5]imidazo[3,2-a]imidazole, 5,9-dioxa-13b-boranaphtho[3,2,1-de]anthracene, and the respective aza-analogs of each thereof are of particular interest.

[0056] In many instances, the General Substituents are selected from the group consisting of deuterium, halogen,

alkyl, cycloalkyl, heteroalkyl, heterocycloalkyl, arylalkyl, alkoxy, aryloxy, amino, silyl, germyl, boryl, alkenyl, cycloalkenyl, heteroalkenyl, alkynyl, aryl, heteroaryl, acyl, carboxylic acid, ether, ester, nitrile, isonitrile, sulfanyl, selenyl, sulfinyl, sulfonyl, phosphino, and combinations thereof.

[0057] In some instances, the Preferred General Substituents are selected from the group consisting of deuterium, fluorine, alkyl, cycloalkyl, heteroalkyl, alkoxy, aryloxy, amino, silyl, germyl, boryl, alkenyl, cycloalkenyl, heteroalkenyl, aryl, heteroaryl, nitrile, isonitrile, sulfanyl, and combinations thereof.

[0058] In some instances, the More Preferred General Substituents are selected from the group consisting of deuterium, fluorine, alkyl, cycloalkyl, alkoxy, aryloxy, amino, silyl, germyl, boryl, aryl, heteroaryl, nitrile, sulfanyl, and combinations thereof.

[0059] In some instances, the Even More Preferred General Substituents are selected from the group consisting of deuterium, fluorine, alkyl, cycloalkyl, silyl, aryl, heteroaryl, nitrile, and combinations thereof.

[0060] In yet other instances, the Most Preferred General Substituents are selected from the group consisting of deuterium, alkyl, cycloalkyl, aryl, heteroaryl, and combinations thereof.

[0061] The terms “substituted” and “substitution” refer to a substituent other than H that is bonded to the relevant position, e.g., a carbon or nitrogen. For example, when R¹ represents mono-substitution, then one R¹ must be other than H (i.e., a substitution). Similarly, when R¹ represents di-substitution, then two of R¹ must be other than H. Similarly, when R¹ represents zero or no substitution, R¹, for example, can be a hydrogen for all available valencies of ring atoms, as in carbon atoms for benzene and the nitrogen atom in pyrrole, or simply represents nothing for ring atoms with fully filled valencies, e.g., the nitrogen atom in pyridine. The maximum number of substitutions possible in a ring structure will depend on the total number of available valencies in the ring atoms.

[0062] As used herein, “combinations thereof” indicates that one or more members of the applicable list are combined to form a known or chemically stable arrangement that one of ordinary skill in the art can envision from the applicable list. For example, an alkyl and deuterium can be combined to form a partial or fully deuterated alkyl group; a halogen and alkyl can be combined to form a halogenated alkyl substituent; and a halogen, alkyl, and aryl can be combined to form a halogenated arylalkyl. In one instance, the term substitution includes a combination of two to four of the listed groups. In another instance, the term substitution includes a combination of two to three groups. In yet another instance, the term substitution includes a combination of two groups. Preferred combinations of substituent groups are those that contain up to fifty atoms that are not hydrogen or deuterium, or those which include up to forty atoms that are not hydrogen or deuterium, or those that include up to thirty atoms that are not hydrogen or deuterium. In many instances, a preferred combination of substituent groups will include up to twenty atoms that are not hydrogen or deuterium.

[0063] The “aza” designation in the fragments described herein, i.e. aza-dibenzofuran, aza-dibenzothiophene, etc. means that one or more of the C—H groups in the respective aromatic ring can be replaced by a nitrogen atom, for example, and without any limitation, azatriphenylene

encompasses both dibenzo[f,h]quinoxaline and dibenzo[f,h]quinoline. One of ordinary skill in the art can readily envision other nitrogen analogs of the aza-derivatives described above, and all such analogs are intended to be encompassed by the terms as set forth herein.

[0064] As used herein, “deuterium” refers to an isotope of hydrogen. Deuterated compounds can be readily prepared using methods known in the art. For example, U.S. Pat. No. 8,557,400, Patent Pub. No. WO 2006/095951, and U.S. Pat. Application Pub. No. US 2011/0037057, which are hereby incorporated by reference in their entireties, describe the making of deuterium-substituted organometallic complexes. Further reference is made to Ming Yan, et al., *Tetrahedron* 2015, 71, 1425-30 and Atzrodt et al., *Angew. Chem. Int. Ed. (Reviews)* 2007, 46, 7744-65, which are incorporated by reference in their entireties, describe the deuteration of the methylene hydrogens in benzyl amines and efficient pathways to replace aromatic ring hydrogens with deuterium, respectively.


[0065] As used herein, any specifically listed substituent, such as, without limitation, methyl, phenyl, pyridyl, etc. includes undeuterated, partially deuterated, and fully deuterated versions thereof. Similarly, classes of substituents such as, without limitation, alkyl, aryl, cycloalkyl, heteroaryl, etc. also include undeuterated, partially deuterated, and fully deuterated versions thereof. Unless otherwise specified, atoms in chemical structures without valences fully filled by H or D should be considered to include undeuterated, partially deuterated, and fully deuterated versions thereof. For example, the chemical structure of implies to include C_6H_6 , C_6D_6 , $C_6H_3D_3$, and any other partially deuterated variants thereof. Some common basic partially or fully deuterated group include, without limitation, CD_3 , $CD_2C(CH_3)_3$, $C(CD_3)_3$, and C_6D_5 .

[0066] It is to be understood that when a molecular fragment is described as being a substituent or otherwise attached to another moiety, its name may be written as if it were a fragment (e.g. phenyl, phenylene, naphthyl, dibenzofuryl) or as if it were the whole molecule (e.g. benzene, naphthalene, dibenzofuran). As used herein, these different ways of designating a substituent or attached fragment are considered to be equivalent.

[0067] In some instances, a pair of substituents in the molecule can be optionally joined or fused into a ring. The preferred ring is a five to nine-membered carbocyclic or heterocyclic ring, includes both instances where the portion of the ring formed by the pair of substituents is saturated and where the portion of the ring formed by the pair of substituents is unsaturated. In yet other instances, a pair of adjacent substituents can be optionally joined or fused into a ring. As used herein, “adjacent” means that the two substituents involved can be on the same ring next to each other, or on two neighboring rings having the two closest available substitutable positions, such as 2, 2' positions in a biphenyl, or 1, 8 position in a naphthalene.

B. The Compounds of the Present Disclosure

[0068] In one aspect, the present disclosure provides a compound of Formula $Ir(L_A)_x(L_B)_y(L_C)_z$, where a first ligand L_A has structure comprising Formula I,



In Formula $Ir(L_A)_x(L_B)_y(L_C)_z$:

- [0069]** x is 1, 2, or 3;
- [0070]** each of y and z is independently 0, 1, or 2;
- [0071]** $x+y+z=3$;
- [0072]** X^3 is N or CR³; X^4 is N or CR⁴; X^5 is N or CR⁵; and X^6 and X^7 are each independently C or N;
- [0073]** Z is an electron-withdrawing group;
- [0074]** Y is selected from the group consisting of BR, BRR', NR, PR, P(O)R, O, S, Se, C=O, C=S, C=Se, C=NR', C=CRR', S=O, SO₂, CR, CRR', SiRR', and GeRR';
- [0075]** R^A and R^B each independently represents mono to the maximum allowable substitution, or no substitution;
- [0076]** R , R' , R^3 , R^4 , R^5 , R^A , and R^B are each independently hydrogen, or a substituent selected from the group consisting of the General Substituents defined herein;
- [0077]** each of R^1 and R^2 comprises at least one carbon atom and is independently selected from the group consisting of alkyl, cycloalkyl, heteroalkyl, heterocycloalkyl, arylalkyl, alkoxy, aryloxy, amino, silyl, germyl, boryl, alkenyl, cycloalkenyl, heteroalkenyl, alkyenyl, aryl, heteroaryl, acyl, carboxylic acid, ether, ester, nitrile, isonitrile, sulfanyl, sulfinyl, sulfonyl, phosphino, selenyl, combinations thereof, partially and fully deuterated variations thereof, and partially or fully halogenated variations thereof;
- [0078]** any two substituents can be joined or fused to form a ring; and
- [0079]** each of L_B and L_C is independently a bidentate ligand.
- [0080]** In some embodiments, if none of X^3 to X^7 are N, and if Z is CN, and R^3 , R^4 , R^5 , and each R^B are hydrogen or deuterium, then R^2 is not methyl, iso-propyl, iso-butyl, or neopentyl. In some embodiments, none of X^3 to X^7 are N, Z is CN, R^3 , R^4 , R^5 , and each R^B are hydrogen or deuterium, and R^2 is not methyl, iso-propyl, iso-butyl, or neopentyl.
- [0081]** In some embodiments, if none of X^3 to X^7 are N, and if Z is CN and R^3 is methyl, then R^2 is not methyl, isobutyl, or neopentyl. In some embodiments, none of X^3 to X^7 are N, Z is CN, R^3 is methyl, and R^2 is not methyl, isobutyl, or neopentyl.
- [0082]** In some embodiments, if none of X^3 to X^7 are N, and if Z is CN and R^3 is phenyl, para-tolyl, or naphthyl, then R^2 is not methyl, isobutyl, or neopentyl. In some embodiments, none of X^3 to X^7 are N, Z is CN, R^3 is phenyl, para-tolyl, or naphthyl, and R^2 is not methyl, isobutyl, or neopentyl.

[0083] In some embodiments, if none of X³ to X⁷ are N, and if Z is CN and R³ is para-C₆H₄—SiMe₃, meta-C₆H₄—CN, carbazole, or an alkyl-substituted carbazole, then R² is not methyl. In some embodiments, none of X³ to X⁷ are N, Z is CN, R³ is para-C₆H₄—SiMe₃, meta-C₆H₄—CN, carbazole, or an alkyl-substituted carbazole, and R² is not methyl.

[0084] In some embodiments, if none of X³ to X⁷ are N, and if Z is F, then R² is not methyl or isopropyl. In some embodiments, none of X³ to X⁷ are N, Z is F, and R² is not methyl or isopropyl.

[0085] In some embodiments, the first ligand L_A consists essentially of a structure of Formula I. In some embodiments, the first ligand L_A has a structure of Formula I.

[0086] In some embodiments, at least one R³, R⁴, R⁵, R⁴, or R^B is selected from the group consisting of the General Substituents defined herein. In some embodiments, at least one R⁴ is selected from the group consisting of the General Substituents defined herein. In some embodiments, at least one R^B is selected from the group consisting of the General Substituents defined herein. In some embodiments, at least one R³ is selected from the group consisting of the General Substituents defined herein. In some embodiments, at least one R⁴ is selected from the group consisting of the General Substituents defined herein. In some embodiments, at least one R⁵ is selected from the group consisting of the General Substituents defined herein. In some embodiments, at least one R³, R⁴, R⁵, R⁴, or R^B is selected from the group consisting of the Preferred General Substituents defined herein.

[0087] In some embodiments of Formula I, at least one R, R', Z, R¹, R², R³, R⁴, R⁵, R⁴, and R^B is partially or fully deuterated. In some embodiments, at least one R¹ is partially or fully deuterated. In some embodiments, at least one R² is partially or fully deuterated. In some embodiments, at least one R³ is partially or fully deuterated. In some embodiments, at least one R⁴ is partially or fully deuterated. In some embodiments, at least one R⁵ is partially or fully deuterated. In some embodiments, at least one R⁴ is partially or fully deuterated. In some embodiments, at least one R^B is partially or fully deuterated. In some embodiments, at least one R or R' is partially or fully deuterated. In some embodiments, at least one of R¹ or R² is partially or fully deuterated. In some embodiments, Z is partially or fully deuterated.

[0088] In some embodiments, Z is an electron withdrawing group selected from the group consisting of the General Substituents defined herein. In some embodiments, Z is an electron withdrawing group selected from the group consisting of the Preferred General Substituents defined herein. In some embodiments, Z is an electron withdrawing group selected from the group consisting of the More Preferred General Substituents defined herein. In some embodiments, Z is an electron withdrawing group selected from the group consisting of the Most Preferred General Substituents defined herein.

[0089] In some embodiments, R³, R⁴, R⁵, R⁴, and R^B are each independently hydrogen or a substituent selected from the group consisting of the Preferred General Substituents defined herein. In some embodiments, R³, R⁴, R⁵, R⁴, and R^B are each independently hydrogen or a substituent selected from the group consisting of the More Preferred General Substituents defined herein. In some embodiments, R³, R⁴, R⁵, R⁴, and R^B are each independently hydrogen or a substituent selected from the group consisting of the Most Preferred General Substituents defined herein. Even a substituent selected from the group consisting of the Even

More Preferred General Substituents defined herein. In some embodiments, R³, R⁴, R⁵, R⁴, and R^B are each independently hydrogen or a substituent selected from the group consisting of the Most Preferred General Substituents defined herein.

[0090] In some embodiments, each of R¹ and R² comprises at least one carbon atom and is independently selected from the group consisting of alkyl, cycloalkyl, heteroalkyl, alkoxy, aryloxy, amino, silyl, germyl, boryl, alkenyl, cycloalkenyl, heteroalkenyl, aryl, heteroaryl, nitrile, isonitrile, sulfanyl, combinations thereof, partially and fully deuterated variations thereof, and partially or fully fluorinated variations thereof. In some embodiments, each of R¹ and R² comprises at least one carbon atom and is independently selected from the group consisting of alkyl, cycloalkyl, alkoxy, aryloxy, amino, silyl, germyl, boryl, aryl, heteroaryl, nitrile, sulfanyl, combinations thereof, partially and fully deuterated variations thereof, and partially or fully fluorinated variations thereof. In some embodiments, each of R¹ and R² comprises at least one carbon atom and is independently selected from the group consisting of alkyl, cycloalkyl, silyl, aryl, heteroaryl, nitrile, combinations thereof, partially and fully deuterated variations thereof, and partially or fully fluorinated variations thereof. In some embodiments, each of R¹ and R² comprises at least one carbon atom and is independently selected from the group consisting of alkyl, cycloalkyl, aryl, heteroaryl, combinations thereof, partially and fully deuterated variations thereof, and partially or fully fluorinated variations thereof. In some such embodiments, R¹ may be methyl, ethyl, iso-propyl, tert-butyl, neo-pentyl, or their partially and fully deuterated variations. In some such embodiments, R² may be methyl, ethyl, iso-propyl, tert-butyl, neo-pentyl, cyclopentyl, cyclohexyl, substituted cyclohexyl, phenyl, substituted aryl or heteroaryl, or their partially and fully deuterated variations.

[0091] In some embodiments, the compound has a formula selected from the group consisting of Ir(L_A)₃, Ir(L_A)(L_B)₂, Ir(L_A)₂(L_B), Ir(L_A)₂(L_C), and Ir(L_A)(L_B)(L_C); and wherein L_A, L_B, and L_C are different from each other.

[0092] In some embodiments, Y is selected from the group consisting of O, S, and Se. In some embodiments, Y is O. In some embodiments, Y is S. In some embodiments, Y is Se.

[0093] In some embodiments, Y is selected from the group consisting of BR, NR, and PR. In some embodiments, Y is selected from the group consisting of BRR', CRR', SiRR', and GeRR'. In some embodiments, Y is selected from the group consisting of P(O)R, C=O, C=S, C=Se, C=NR, C=CRR', S=O, and SO₂. In some embodiments, Y is CR.

[0094] In some embodiments, at least one of X³ to X⁷ is N.



[0095] In some embodiments, X³ is N. In some embodiments, X⁴ is N. In some embodiments, X⁵ is N. In some embodiments, X⁶ is N. In some embodiments, X⁷ is N.

[0096] In some embodiments, X³ is CR³. In some embodiments, X⁴ is CR⁴. In some embodiments, X⁵ is CR⁵. In some embodiments, X⁶ is C. In some embodiments, X⁷ is C.

[0097] In some embodiments, X³ is CR³; X⁴ is CR⁴; X⁵ is CR⁵; and X⁶ and X⁷ are C.

[0098] In some embodiments, Z is an electron-withdrawing group is selected from the group consisting of the following EWG1 LIST: F, CF₃, CN, COCH₃, CHO, COCF₃, COOME, COOCF₃, NO₂, SF₃, SiF₃, PF₄, SF₅, OCF₃, SCF₃, SeCF₃, SOCF₃, SeOCF₃, SO₂F, SO₂CF₃, SeO₂CF₃, OSeO₂CF₃, OCN, SCN, SeCN, NC, *N(R^{k2})₃, (R^{k2})₂CCN, (R^{k2})₂CCF₃, CNC(CF₃)₂, BR^{k3}R^{k2}, substituted or unsubsti-

tuted dibenzoborole, 1-substituted carbazole, 1,9-substituted carbazole, substituted or unsubstituted carbazole, substituted or unsubstituted pyridine, substituted or unsubstituted pyrimidine, substituted or unsubstituted pyrazine, substituted or unsubstituted pyridoxine, substituted or unsubstituted triazine, substituted or unsubstituted oxazole, substituted or unsubstituted benzoxazole, substituted or unsubstituted thiazole, substituted or unsubstituted benzothiazole, substituted or unsubstituted imidazole, substituted or unsubstituted benzimidazole, ketone, carboxylic acid, ester, nitrile, isonitrile, sulfinyl, sulfonyl, partially and fully fluorinated alkyl, partially and fully fluorinated aryl, partially and fully fluorinated heteroaryl, cyano-containing alkyl, cyano-containing aryl, cyano-containing heteroaryl, isocyanate,




[0099] wherein each R^{k_1} represents mono to the maximum allowable substitution, or no substitutions;

[0100] wherein Y^G is selected from the group consisting of BR_e , NR_e , PR_e , O , S , Se , $C=O$, $S=O$, SO_2 , CR_eR_f , SiR_eR_f and GeR_eR_f ; and


[0101] wherein each of R^{k1} , R^{k2} , R^{k3} , R_e , and R_f is independently a hydrogen, or a substituent selected from the group consisting of the General Substituents defined herein.

[0102] In some embodiments, Z is an electron-withdrawing group selected from the group consisting of the structures of the following EWG2 List:


-continued




-continued




E30




E31




E32




E33




E34




E35




E36




E37




E38




E39




E40



E41




E42




E43


-continued




E44




E45




E46




E47




E48




E49




E50




E51




E52




E53




E54



E55









E56



E57

-continued

*c1cc(S(F)(F)F)cc1*c1cc(Si(F)(F)F)cc1*c1cc(P(F)(F)F)cc1*c1cc(S(F)(F)F)cc1*c1cc(O(F)(F)F)cc1*c1cc(S(F)(F)F)cc1*c1cc(Se(F)(F)F)cc1*c1cc(OC(F)(F)F)cc1*c1cc(SC(F)(F)F)cc1*c1cc(SeCN)cc1*c1cc(N)cc1

E58

E59

E60

E61

E62

E63

E64

E65

E66

E67

E68

E69

E70

E71










E72

E73

E74

E75

-continued



E76

E77

E78

E79

E80


E81

E82


E83

E84


-continued




-continued




-continued




E105




E106




E107




E108




E109




E110




E111



E112




E113




E114

-continued


E115




E116




E117




E118




E119




E120




E121




E122




E123



-continued




E124




E125


-continued




E22




E23




E24




E25




E27




E28




E29




E1




E2




E3




E5




E7




E9




E10




E12




E14




E30




E35




E36



E38




E40




E41

[0103] In some embodiments, Z is an electron-withdrawing group selected from the group consisting of the structures of the following EWG3 LIST:


-continued




E108




E109




E110




E112




E114




E115



E116



E119




E1


E2

E3


-continued




E5




E9




E10




E14




E28




E35




E36




E38




E42




E71



E72




E73




E106

[0104] In some embodiments, Z is an electron-withdrawing group selected from the group consisting of the structures of the following EWG4 LIST:


-continued




E107




E108




E109




E110




E112




E114



E115










E116




E119

substituted or unsubstituted carbazole, substituted or unsubstituted pyridine, substituted or unsubstituted pyrimidine, substituted or unsubstituted pyrazine, substituted or unsubstituted triazine, substituted or unsubstituted oxazole, substituted or unsubstituted benzoxazole, substituted or unsubstituted thiazole, substituted or unsubstituted benzothiazole, substituted or unsubstituted imidazole, substituted or unsubstituted benzimidazole, ketone, carboxylic acid, ester, nitrile, sulfinyl, sulfonyl, partially and fully fluorinated aryl, partially and fully fluorinated heteroaryl, cyano-containing aryl, cyano-containing heteroaryl, isocyanate,



[0105] In some embodiments, Z is a π -electron deficient electron-withdrawing group selected from the group consisting of the structures of the following Pi-EWG LIST: CN, COCH₃, CHO, COCF₃, COOMe, COOCF₃, NO₂, SF₅, SiF₃, PF₄, SF₅, OCF₃, SCF₃, SeCF₃, SOCF₃, SeOCF₃, SO₂F, SO₂CF₃, SeO₂CF₃, OSeO₂CF₃, OCN, SCN, SeCN, NC, *N(R^{k2})₃, BR^{k2}R^{k3}, substituted or unsubstituted dibenzoborole, 1-substituted carbazole, 1,9-substituted carbazole,



wherein the variables are the same as previously defined.

[0106] In some embodiments, Z is selected from the group consisting of CN, F, substituted or unsubstituted triazine, substituted or unsubstituted pyrimidine, substituted or unsubstituted pyridine, and substituted or unsubstituted benzonitrile.

[0107] In some embodiments, Z is CN. In some such embodiments, R³ is not substituted or unsubstituted phenyl. In some embodiments, R³ is not unsubstituted phenyl. In some embodiments, R³ is not substituted phenyl.

[0108] In some embodiments of Formula I, R¹ is or comprises an electron-withdrawing group from the EWG1 LIST as defined herein. In some embodiments, R¹ is or comprises an electron-withdrawing group from the EWG2 LIST as defined herein. In some embodiments, R¹ is or comprises an electron-withdrawing group from the EWG3 LIST as defined herein. In some embodiments, R¹ is or comprises an electron-withdrawing group from the EWG4 LIST as defined herein. In some embodiments, R¹ is or comprises an electron-withdrawing group from the Pi-EWG LIST as defined herein.

[0109] In some embodiments of Formula I, R² is or comprises an electron-withdrawing group from the EWG1 LIST as defined herein. In some embodiments, R² is or comprises an electron-withdrawing group from the EWG2 LIST as defined herein. In some embodiments, R² is or comprises an electron-withdrawing group from the EWG3 LIST as defined herein. In some embodiments, R² is or comprises an electron-withdrawing group from the EWG4 LIST as defined herein.

LIST as defined herein. In some embodiments, R² is or comprises an electron-withdrawing group from the Pi-EWG LIST as defined herein.

[0110] In some embodiments where X³ is CR³, R³ is or comprises an electron-withdrawing group from the EWG1 LIST as defined herein. In some embodiments, R³ is or comprises an electron-withdrawing group from the EWG2 LIST as defined herein. In some embodiments, R³ is or comprises an electron-withdrawing group from the EWG3 LIST as defined herein. In some embodiments, R³ is or comprises an electron-withdrawing group from the EWG4 LIST as defined herein. In some embodiments, R³ is or comprises an electron-withdrawing group from the Pi-EWG LIST as defined herein. In some embodiments, R³ is selected from the group consisting of LIST 1 as defined herein.

[0111] In some embodiments where X⁴ is CR⁴, R⁴ is or comprises an electron-withdrawing group from the EWG1 LIST as defined herein. In some embodiments, R⁴ is or comprises an electron-withdrawing group from the EWG2 LIST as defined herein. In some embodiments, R⁴ is or comprises an electron-withdrawing group from the EWG3 LIST as defined herein. In some embodiments, R⁴ is or comprises an electron-withdrawing group from the EWG4 LIST as defined herein. In some embodiments, R⁴ is or comprises an electron-withdrawing group from the Pi-EWG LIST as defined herein.

[0112] In some embodiments where X⁵ is CR⁵, R⁵ is or comprises an electron-withdrawing group from the EWG1 LIST as defined herein. In some embodiments, R⁵ is or comprises an electron-withdrawing group from the EWG2 LIST as defined herein. In some embodiments, R⁵ is or comprises an electron-withdrawing group from the EWG3 LIST as defined herein. In some embodiments, R⁵ is or comprises an electron-withdrawing group from the EWG4 LIST as defined herein. In some embodiments, R⁵ is or comprises an electron-withdrawing group from the Pi-EWG LIST as defined herein.

[0113] In some embodiments, at least one R³, R⁴, R⁵, or R^B is or comprises an electron-withdrawing group from the EWG1 LIST as defined herein. In some embodiments, at least one R³, R⁴, R⁵, or R^B is or comprises an electron-withdrawing group from the EWG2 LIST as defined herein. In some embodiments, at least one R³, R⁴, R⁵, or R^B is or comprises an electron-withdrawing group from the EWG3 LIST as defined herein. In some embodiments, at least one R³, R⁴, R⁵, or R^B is or comprises an electron-withdrawing group from the EWG4 LIST as defined herein. In some embodiments, at least one R³, R⁴, R⁵, or R^B is or comprises an electron-withdrawing group from the Pi-EWG LIST as defined herein.

[0114] In some embodiments of Formula I, at least one R⁴ is or comprises an electron-withdrawing group from the EWG1 LIST as defined herein. In some embodiments, at least one R⁴ is or comprises an electron-withdrawing group from the EWG2 LIST as defined herein. In some embodiments, at least one R⁴ is or comprises an electron-withdrawing group from the EWG3 LIST as defined herein. In some embodiments, at least one R⁴ is or comprises an electron-withdrawing group from the EWG4 LIST as defined herein. In some embodiments, at least one R⁴ is or comprises an electron-withdrawing group from the Pi-EWG LIST as defined herein.

[0115] In some embodiments of Formula I, at least one R^B is or comprises an electron-withdrawing group from the

EWG1 LIST as defined herein. In some embodiments, at least one R^B is or comprises an electron-withdrawing group from the EWG2 LIST as defined herein. In some embodiments, at least one R^B is or comprises an electron-withdrawing group from the EWG3 LIST as defined herein. In some embodiments, at least one R^B is or comprises an electron-withdrawing group from the EWG4 LIST as defined herein. In some embodiments, at least one R^B is or comprises an electron-withdrawing group from the Pi-EWG LIST as defined herein.

[0116] In some embodiments of Formula I, at least one R or R' is or comprises an electron-withdrawing group from the EWG1 LIST as defined herein. In some embodiments, at least one R or R' is or comprises an electron-withdrawing group from the EWG2 LIST as defined herein. In some embodiments, at least one R or R' is or comprises an electron-withdrawing group from the EWG3 LIST as defined herein. In some embodiments, at least one R or R' is or comprises an electron-withdrawing group from the EWG4 LIST as defined herein. In some embodiments, at least one R or R' is or comprises an electron-withdrawing group from the Pi-EWG LIST as defined herein.

[0117] In some embodiments, R¹ is selected from alkyl, cycloalkyl, aryl, silyl, germyl, partially and fully deuterated variations thereof, and combinations thereof.

[0118] In some embodiments, R¹ is alkyl or partially or fully deuterated alkyl. In some embodiments, R¹ comprises exactly one C. In some embodiments, R¹ is CH₃. In some embodiments, R¹ is CD₃.

[0119] In some embodiments, R¹ comprises silyl or germyl. In some embodiments, R¹ is silyl. In some embodiments, R¹ is germyl.

[0120] In some embodiments, R¹ is selected from the group consisting of LIST 1 as defined herein.

[0121] In some embodiments, R² is selected from alkyl, cycloalkyl, aryl, silyl, germyl, partially and fully deuterated variations thereof, and combinations thereof.

[0122] In some embodiments, R² is alkyl or partially or fully deuterated alkyl. In some embodiments, R² is methyl or a partially or fully deuterated variant thereof. In some embodiments, R² is t-butyl or a partially or fully deuterated variant thereof.

[0123] In some embodiments, R² is cycloalkyl, aryl, or partially or fully deuterated variants thereof, which may be further substituted. In some embodiments, R² is cyclohexane or a partially or fully deuterated variant thereof. In some embodiments, R² is spiro[5,5]undecane or a partially or fully deuterated variant thereof. In some embodiments, R² is phenyl or a partially or fully deuterated variant thereof. In some embodiments, R² is biphenyl or a partially or fully deuterated variant thereof.


[0124] In some embodiments, R² comprises exactly one C. In some embodiments, R² is CH₃ or CD₃.

[0125] In some embodiments, R² comprises at least two C atoms. In some embodiments, R² comprises at least three C atoms.






[0126] In some embodiments, R² comprises at least four C atoms. In some embodiments, R² comprises at least five C atoms. In some embodiments, R² comprises at least six C atoms. In some embodiments, R² is selected from the group consisting of LIST 1 as defined herein.

[0127] In some embodiments, R² comprises silyl or germyl. In some embodiments, R² comprises silyl. In some embodiments, R² comprises germyl. In some embodiments,









R² comprises a silyl group or a germyl group. In some such embodiments, the silyl group may have a formula —SiR_{1g}R_{2g}R_{3g}. In some such embodiments, the germyl group may have a formula —GeR_{1g}R_{2g}R_{3g}, wherein each of R_{1g}, R_{2g}, and R_{3g} is independently a hydrogen, or a substituent selected from the group consisting of the General Substituents defined herein. In some embodiments, the formula —SiR_{1g}R_{2g}R_{3g} or the formula —GeR_{1g}R_{2g}R_{3g} may be selected from the group consisting of the following structures:













-continued

R_{Z8}R_{Z9}R_{Z10}R_{Z11}R_{Z12}








-continued

R_{Z13}R_{Z14}R_{Z15}R_{Z16}R_{Z17}R_{Z18}R_{Z19}R_{Z20}







-continued









-continued

R_{Z21}








-continued

R_{Z38}R_{Z39}R_{Z40}R_{Z41}R_{Z42}R_{Z43}







-continued

R_{Z44}R_{Z45}R_{Z46}R_{Z47}R_{Z48}R_{Z49}


-continued

 R_{Z50}  R_{Z51}  R_{Z52}  R_{Z53}  R_{Z54}  R_{Z55}  R_{Z56}












-continued

 R_{Z57}  R_{Z58}  R_{Z59}  R_{Z60}  R_{Z61}  R_{Z62} 


-continued

R_{Z63}











-continued

R_{Z70}R_{Z64}R_{Z65}R_{Z66}R_{Z67}R_{Z68}R_{Z69}R_{Z71}R_{Z72}R_{Z73}R_{Z74}


-continued

















-continued

R_{Z82}R_{Z83}R_{Z84}R_{Z85}










-continued

R₂₈₆








-continued

R₂₉₄R₂₈₇R₂₈₈R₂₈₉R₂₉₀R₂₉₁R₂₉₂R₂₉₃R₂₉₅R₂₉₆R₂₉₇R₂₉₈R₂₉₉R₃₀₀


-continued

R_{Z101}R_{Z102}R_{Z103}R_{Z104}R_{Z105}R_{Z106}R_{Z107}R_{Z108}R_{Z109}







-continued

R_{Z110}R_{Z111}R_{Z112}R_{Z113}R_{Z114}R_{Z115}R_{Z116}






-continued

R_{Z117}


-continued

R_{Z123}R_{Z118}R_{Z119}R_{Z120}R_{Z121}R_{Z122}











-continued

R_{Z124}R_{Z125}R_{Z126}R_{Z127}R_{Z128}


-continued

R_Z129

-continued

R_Z135R_Z130R_Z136R_Z131R_Z137R_Z132R_Z138R_Z133R_Z139R_Z140

-continued



[0128] In some embodiments, R¹ and R² comprise a total of at least 4 carbon atoms. In some embodiments, R¹ and R² comprise a total of at least 5 carbon atoms. In some embodiments, R¹ and R² comprise a total of at least 6 carbon atoms. In some embodiments, R¹ and R² comprise a total of at least 7 carbon atoms. In some embodiments, R¹ and R² comprise a total of at least 8 carbon atoms. In some embodiments, R¹ and R² comprise a total of at least 9 carbon atoms. In some embodiments, R¹ and R² comprise a total of at least 10 carbon atoms. In some embodiments, R¹ and R² comprise a total of at least 11 carbon atoms. In some embodiments, R¹ and R² comprise a total of at least 12 carbon atoms. In some embodiments, R¹ and R² comprise a total of at least 13 carbon atoms. In some embodiments, R¹ and R² comprise a total of at least 14 carbon atoms. In some embodiments, R¹ and R² comprise a total of at least 15 carbon atoms.

[0129] In some embodiments, at least one of R¹ or R² comprises a total of at least 4 carbon atoms. In some embodiments, at least one of R¹ or R² comprises a total of at least 5 carbon atoms. In some embodiments, at least one of R¹ or R² comprises a total of at least 6 carbon atoms. In some embodiments, at least one of R¹ or R² comprises a total of at least 7 carbon atoms. In some embodiments, at least one of R¹ or R² comprises a total of at least 8 carbon atoms.

In some embodiments, at least one of R¹ or R² comprises a total of at least 9 carbon atoms. In some embodiments, at least one of R¹ or R² comprises a total of at least 10 carbon atoms.

[0130] In some embodiments, R³ is selected from alkyl, cycloalkyl, aryl, heteroaryl, silyl, germyl, partially and fully deuterated variations thereof, and combinations thereof.

[0131] In some embodiments, R³ is alkyl or partially or fully deuterated alkyl. In some embodiments, R³ is methyl or partially or fully deuterated methyl. In some embodiments, R³ is t-butyl or partially or fully deuterated t-butyl. In some embodiments, R³ is isopropyl or partially or fully deuterated isopropyl.

[0132] In some embodiments, R³ is cycloalkyl, aryl, heteroaryl, or partially or fully deuterated variants thereof, which may be further substituted. In some embodiments, R³ is cyclohexane or a partially or fully deuterated variant thereof, which may be further substituted. In some embodiments, R³ is spiro[5,5]undecane or a partially or fully deuterated variant thereof, which may be further substituted. In some embodiments, R³ is phenyl or a partially or fully deuterated variant thereof, which may be further substituted. In some embodiments, R³ is 3-tertbutyl phenyl or a partially or fully deuterated variant thereof, which may be further substituted. In some embodiments, R³ is biphenyl or a partially or fully deuterated variant thereof, which may be further substituted. In some embodiments, R³ is carbazole or a partially or fully deuterated variant thereof, which may be further substituted. In some embodiments, R³ is 3,6-di-tertbutyl-9-carbazolyl. In some embodiments, R³ is 2,7-di-tertbutyl-9-carbazolyl.

[0133] In some embodiments, R³ comprises exactly one C. In some embodiments, R³ is CH₃ or CD₃.

[0134] In some embodiments, R³ comprises silyl or germyl. In some embodiments, R³ comprises silyl. In some embodiments, R³ comprises germyl.

[0135] In some embodiments, R³ comprises at least one aromatic ring. In some embodiments, R³ comprises at least two aromatic rings. In some embodiments, R³ comprises at least three aromatic rings. In some embodiments, R³ comprises at least four aromatic rings. In some such embodiments, the aromatic rings are not fused to each other. In some such embodiments, adjacent aromatic rings are joined by a single bond.

[0136] In some embodiments, R⁴ is selected from alkyl, cycloalkyl, aryl, heteroaryl, silyl, germyl, partially and fully deuterated variations thereof, and combinations thereof.

[0137] In some embodiments, R⁴ is alkyl or partially or fully deuterated alkyl. In some embodiments, R⁴ is methyl or partially or fully deuterated methyl. In some embodiments, R⁴ is t-butyl or partially or fully deuterated t-butyl. In some embodiments, R⁴ is not isopropyl.

[0138] In some embodiments, R⁴ is cycloalkyl, aryl, heteroaryl, or partially or fully deuterated variants thereof, which may be further substituted. In some embodiments, R⁴ is cyclohexane, or a partially or fully deuterated variant thereof, which may be further substituted. In some embodiments, R⁴ is spiro[5,5]undecane, or a partially or fully deuterated variant thereof, which may be further substituted. In some embodiments, R⁴ is phenyl, or a partially or fully deuterated variant thereof, which may be further substituted. In some embodiments, R⁴ is 3-tertbutyl phenyl, or a partially or fully deuterated variant thereof, which may be further

substituted. In some embodiments, R⁴ is biphenyl, or a partially or fully deuterated variant thereof, which may be further substituted.

[0139] In some embodiments, R⁴ comprises exactly one C. In some embodiments, R⁴ is CH₃ or CD₃.

[0140] In some embodiments, R⁴ comprises silyl or germethyl. In some embodiments, R⁴ comprises silyl. In some embodiments, R⁴ comprises germethyl.

[0141] In some embodiments, each of R³ and R⁴ is independently hydrogen or deuterium.

[0142] In some embodiments, R⁵ is selected from alkyl, cycloalkyl, aryl, heteroaryl, silyl, germethyl, partially and fully deuterated variations thereof, and combinations thereof.

[0143] In some embodiments, R⁵ is alkyl or partially or fully deuterated alkyl. In some embodiments, R⁵ is methyl or partially or fully deuterated methyl. In some embodiments, R⁵ is t-butyl or partially or fully deuterated t-butyl. In some embodiments, R⁵ is not isopropyl.

[0144] In some embodiments, R⁵ is cycloalkyl, aryl, heteroaryl, or partially or fully deuterated variants thereof, which may be further substituted. In some embodiments, R⁵ is cyclohexane, or a partially or fully deuterated variant thereof, which may be further substituted. In some embodiments, R⁵ is spiro[5.5]undecane, or a partially or fully deuterated variant thereof, which may be further substituted. In some embodiments, R⁵ is phenyl, or a partially or fully deuterated variant thereof, which may be further substituted. In some embodiments, R⁵ is 3-tertbutyl phenyl, or a partially or fully deuterated variant thereof, which may be further substituted. In some embodiments, R⁵ is biphenyl, or a partially or fully deuterated variant thereof, which may be further substituted.

[0145] In some embodiments, R⁵ comprises exactly one C. In some embodiments, R⁵ is CH₃ or CD₃.

[0146] In some embodiments, R⁵ comprises silyl or germethyl. In some embodiments, R⁵ comprises silyl. In some embodiments, R⁵ comprises germethyl.

[0147] In some embodiments, each R⁴ is H or D. In some embodiments, each R⁴ is H. In some embodiments, each R⁴ is D.

[0148] In some embodiments, at least one R⁴ is not H. In some embodiments, at least one R⁴ comprises at least one C atom.

[0149] In some embodiments, at least one R⁴ comprises a substituent selected from the group consisting of alkyl, cycloalkyl, aryl, heteroaryl, and combinations thereof.

[0150] In some embodiments, each R^B is H or D. In some embodiments, each R^B is H. In some embodiments, each R^B is D.

[0151] In some embodiments, at least one R^B is not H. In some embodiments, at least one R^B comprises at least one C atom.

[0152] In some embodiments, at least one R^B comprises a substituent selected from the group consisting of alkyl, cycloalkyl, aryl, heteroaryl, and combinations thereof.

[0153] In some embodiments, X⁶ is C and R^B is attached to X⁶. In some such embodiments, R^B comprises at least one C atom. In some embodiments, R^B comprises at least two C atoms. In some embodiments, R^B comprises at least three C atoms. In some embodiments, R^B comprises at least four C atoms. In some embodiments, R^B comprises at least five C atoms. In some embodiments, R^B comprises at least six C atoms. In some embodiments, R^B comprises at least seven C atoms. In some embodiments, R^B comprises a moiety

selected from the group consisting of alkyl, partially or fully deuterated alkyl, cycloalkyl, aryl, heteroaryl, ether, and an electron-withdrawing group. In some such embodiments, R^B comprises a moiety selected from the group consisting of methyl, ethyl, n-propyl, iso-propyl, n-butyl, iso-butyl, tert-butyl, n-pentyl, iso-pentyl, neopentyl, n-hexyl, 2,2-dimethylbutyl, 2,3-dimethylbutyl, 2,2,3-trimethylbutyl, 2,3,3-trimethylpentyl, 2-methylpentyl, 2-methylhexyl, 3-ethylpentyl, 3-ethylhexyl, methylcyclopentyl, methylcyclohexyl, isopropylcyclopentyl, isopropylcyclohexyl, benzyl, methylbenzyl, dimethylbenzyl, methoxy, and fluorine. R^B moieties may be fully or partially deuterated, and may be further substituted, for example by fluorine, cyano, or silyl groups. In some such embodiments, X⁷ is C. In some such embodiments, X⁷ is N.

[0154] In some embodiments, none of X³ to X⁷ are N.

[0155] In some embodiments, Z is CN, and R³, R⁴, R⁵, and each R^B is hydrogen or deuterium.

[0156] In some embodiments, R² is not methyl, iso-propyl, iso-butyl, or neopentyl.

[0157] In some embodiments, Z is CN and R³ is methyl.

[0158] In some embodiments, R² is not methyl, isobutyl, or neopentyl.


[0159] In some embodiments, Z is CN and R³ is phenyl, para-tolyl, or naphthyl.

[0160] In some embodiments, R² is not methyl, isobutyl, or neopentyl. In some embodiments, R² is not methyl. In some embodiments, R² is not methyl or isopropyl.


[0161] In some embodiments, Z is CN and R³ is para-C₆H₄—SiMe₃, meta-C₆H₄—CN, carbazole, or an alkyl-substituted carbazole.

[0162] In some embodiments, Z is F.


[0163] In some embodiments, R¹ or R² are each independently selected from the group consisting of the structures of the following LIST 1:




-continued




R9




R10




R11




R12



R13




R14




R15




R16




R17




R18




R19



R20



R21



R22




R23




R24


-continued




R25




R26



R27




R28




R29




R30




R31




R32




R33




R34













R35



R36



-continued



R55

R56

R57

R58

R59

R60










R61

R62

R63

R64

-continued



R65

R66

R67

R68

R69


R70

R71


R72

R73


-continued




R74




R75




R76




R77




R78




R79




R80



R81




R82




R83

-continued


R84




R85




R86




R87




R88




R89




R90




R91



R92




-continued




R93


-continued




R103




R94




R95




R96




R97




R98




R99




R100




R101




R102




R104




R105




R106




R107



R108




R109




R110


-continued




R111




R112




R113




R114



R115




R116




R117


-continued




R118




R119




R120



R121




R122




R123

-continued




R124


-continued




R130




R125




R131




R126




R132




R127




R133




R128



R134




R129




R135

-continued




R136


-continued




R142




R137




R143




R138




R144




R139




R145




R140



R146




R141




R147


-continued




R148




R149




R150




R151



R152




R153




R154

-continued


R155




R156




R157




R158




R159



R160




R161




-continued

R162




-continued


R168




R163




R169




R164




R170




R165




R171




R166




R172




R173




R174




R175



R167




R176




-continued


R177




R178




R179




R180




R181




R182




R183



R183




R185




-continued


R186




R187




R188




R189




R190




R191




R192




-continued




R193




R194




R195



R196




R197




R198


-continued




R199




R200




R201



R202




R203




R204

-continued




R205

-continued




R210

, ,




R206

R211




R212

R207



R213



, ,




R208

R214

R209




-continued




R215


-continued




R222




R216




R223




R217




R224




R218




R225




R219




R226




R220



R227




R221




R228


-continued




R229




R230




R231




R232



R233




R234




R235

-continued


R236




R237




R238




R239



R240




R241




-continued

R242




-continued


R248




R243




R249




R244




R250




R245




R251




R246




R252




R247



R253




-continued




R254

-continued




R259


R255




R260




R261




R256




R262




R263




R257



R258




-continued




R264


-continued




R269




R265




R270




R266




R271




R267



R272




R268




R273

-continued




R274


-continued




R279




R275




R280




R276




R281




R277




R282



R278




R283




R284

-continued




R285


-continued




R291




R286




R287




R292




R288




R293




R289



R294




R290




R295

-continued




R296


-continued




R301




R297




R302




R298




R303




R299




R304



R300




R305




R306

-continued




R307


-continued




R312




R308




R313




R309




R314




R310




R315



R311




R316



R317


-continued

R318




-continued


R326




R319



R327




R320




R328




R321




R329




R322




R330




R323



R331




R324




R332



R325





R333







R334






[0164] In some embodiments, the ligand L_A is selected from the group consisting of the structures of the following LIST 2:



-continued



-continued



wherein:

[0165] each of R^{B1} and R^{B2} independently represents mono to the maximum allowable substitutions, or no substitutions;

[0166] each R^{B1} and R^{B2} are each independently hydrogen or a substituent selected from the group consisting of the General Substituents defined herein; and

[0167] any two substituents can be fused or joined to form a ring.

[0168] In some embodiments where ligand L_A is selected from LIST 2, at least one R³, R⁴, R⁵, R⁴, R^B, R^{B1}, or R^{B2} is selected from the group consisting of the General Substituents defined herein. In some embodiments, at least one R⁴ is selected from the group consisting of the General Substituents defined herein. In some embodiments, at least one R^B is selected from the group consisting of the General Substituents defined herein. In some embodiments, at least

least one R^{B1} is or comprises an electron-withdrawing group from the Pi-EWG LIST as defined herein.

[0178] In some embodiments where ligand L_A is selected from LIST 2, at least one R^{B2} is or comprises an electron-withdrawing group from the EWG1 LIST as defined herein. In some embodiments, at least one R^{B2} is or comprises an electron-withdrawing group from the EWG2 LIST as defined herein. In some embodiments, at least one R^{B2} is or comprises an electron-withdrawing group from the EWG3 LIST as defined herein. In some embodiments, at least one R^{B2} is or comprises an electron-withdrawing group from the EWG4 LIST as defined herein. In some embodiments, at least one R^{B2} is or comprises an electron-withdrawing group from the Pi-EWG LIST as defined herein.

[0179] In some embodiments, the ligand L_A is selected from $L_{A,i}(R^K)(R^L)(R^M)(R^N)$ wherein i is an integer from 1 to 37, R^K is selected from the group consisting of R3 to R334, each of R^M and R^N is independently selected from the group consisting of R1 to R334; when i is an integer from 1 to 3, R^L is selected from the group consisting of R9 to R333; when i is an integer from 4 to 12, R^L is selected from the group consisting of R9 to R334; when i is an integer from 13 to 15, R^L is selected from the group consisting of R5 to R334; when i is from 16 to 24 and 37, R^L is selected from the group consisting of R3 to R334; and when i is an integer from 25 to 36, R^L is selected from the group consisting of R3 to R333; wherein each of $L_{A1}(R3)(R9)(R1)(R1)$ to $L_{A37}(R334)(R334)(R334)(R334)$ is defined in the following LIST 3:

L_A	Structure of L_A
$L_{A1}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A1}(R3)(R9)(R1)(R1)$ to $L_{A1}(R334)(R333)(R334)$ (R334) have the structure	
$L_{A2}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A2}(R3)(R9)(R1)(R1)$ to $L_{A2}(R334)(R333)(R334)$ (R334) have the structure	

-continued

L_A	Structure of L_A
$L_{A3}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A3}(R3)(R9)(R1)(R1)$ to $L_{A3}(R334)(R333)(R334)$ (R334) have the structure	
$L_{A4}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A4}(R3)(R9)(R1)(R1)$ to $L_{A4}(R334)(R334)(R334)$ (R334) have the structure	
$L_{A5}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A5}(R3)(R9)(R1)(R1)$ to $L_{A5}(R334)(R334)(R334)$ (R334) have the structure	
$L_{A6}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A6}(R3)(R9)(R1)(R1)$ to $L_{A6}(R334)(R334)(R334)$ (R334) have the structure	

-continued

L_A	Structure of L_A
$L_{A7}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A7}(R3)(R9)(R1)(R1)$ to $L_{A7}(R334)(R334)(R334)$ (R334) have the structure	
$L_{A8}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A8}(R3)(R9)(R1)(R1)$ to $L_{A8}(R334)(R334)(R334)$ (R334) have the structure	
$L_{A9}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A9}(R3)(R9)(R1)(R1)$ to $L_{A9}(R334)(R334)(R334)$ (R334) have the structure	
$L_{A10}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A10}(R3)(R9)(R1)(R1)$ to $L_{A10}(R334)(R334)(R334)$ (R334) have the structure	

-continued

L_A	Structure of L_A
$L_{A11}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A11}(R3)(R9)(R1)(R1)$ to $L_{A11}(R334)(R334)(R334)$ (R334) have the structure	
$L_{A12}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A12}(R3)(R9)(R1)(R1)$ to $L_{A12}(R334)(R334)(R334)$ (R334) have the structure	
$L_{A13}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A13}(R3)(R5)(R1)(R1)$ to $L_{A13}(R334)(R334)(R334)$ (R334) have the structure	
$L_{A14}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A14}(R3)(R5)(R1)(R1)$ to $L_{A14}(R334)(R334)(R334)$ (R334) have the structure	

-continued

L_A	Structure of L_A
$L_{A15}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A15}(R3)(R5)(R1)(R1)$ to $L_{A15}(R334)(R334)(R334)$ have the structure	
$L_{A16}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A16}(R3)(R3)(R1)(R1)$ to $L_{A16}(R334)(R334)(R334)$ have the structure	
$L_{A17}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A17}(R3)(R3)(R1)(R1)$ to $L_{A17}(R334)(R334)(R334)$ have the structure	
$L_{A18}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A18}(R3)(R3)(R1)(R1)$ to $L_{A18}(R334)(R334)(R334)$ have the structure	

-continued

L_A	Structure of L_A
$L_{A19}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A19}(R3)(R3)(R1)(R1)$ to $L_{A19}(R334)(R334)(R334)$ have the structure	
$L_{A20}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A20}(R3)(R3)(R1)(R1)$ to $L_{A20}(R334)(R334)(R334)$ have the structure	
$L_{A21}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A21}(R3)(R3)(R1)(R1)$ to $L_{A21}(R334)(R334)(R334)$ have the structure	
$L_{A22}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A22}(R3)(R3)(R1)(R1)$ to $L_{A22}(R334)(R334)(R334)$ have the structure	

-continued

L_A	Structure of L_A
$L_{A23}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A23}(R3)(R3)(R1)(R1)$ to $L_{A23}(R334)(R334)(R334)$ (R334) have the structure	
$L_{A24}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A24}(R3)(R3)(R1)(R1)$ to $L_{A24}(R334)(R334)(R334)$ (R334) have the structure	
$L_{A25}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A25}(R3)(R5)(R1)(R1)$ to $L_{A25}(R334)(R333)(R334)$ (R334) have the structure	
$L_{A26}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A26}(R3)(R5)(R1)(R1)$ to $L_{A26}(R334)(R333)(R334)$ (R334) have the structure	

-continued

L_A	Structure of L_A
$L_{A27}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A27}(R3)(R5)(R1)(R1)$ to $L_{A27}(R334)(R333)(R334)$ (R334) have the structure	
$L_{A28}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A28}(R3)(R5)(R1)(R1)$ to $L_{A28}(R334)(R333)(R334)$ (R334) have the structure	
$L_{A29}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A29}(R3)(R5)(R1)(R1)$ to $L_{A29}(R334)(R333)(R334)$ (R334) have the structure	
$L_{A30}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A30}(R3)(R5)(R1)(R1)$ to $L_{A30}(R334)(R333)(R334)$ (R334) have the structure	

-continued

L_A	Structure of L_A
$L_{A31}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A31}(R3)(R5)(R1)(R1)$ to $L_{A31}(R334)(R333)(R334)$ (R334) have the structure	
$L_{A32}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A32}(R3)(R5)(R1)(R1)$ to $L_{A32}(R334)(R333)(R334)$ (R334) have the structure	
$L_{A33}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A33}(R3)(R5)(R1)(R1)$ to $L_{A33}(R334)(R333)(R334)$ (R334) have the structure	
$L_{A34}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A34}(R3)(R5)(R1)(R1)$ to $L_{A34}(R334)(R333)(R334)$ (R334) have the structure	

-continued

L_A	Structure of L_A
$L_{A35}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A35}(R3)(R5)(R1)(R1)$ to $L_{A35}(R334)(R333)(R334)$ (R334) have the structure	
$L_{A36}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A36}(R3)(R5)(R1)(R1)$ to $L_{A36}(R334)(R333)(R334)$ (R334) have the structure	
$L_{A37}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A37}(R3)(R5)(R1)(R1)$ to $L_{A37}(R334)(R333)(R334)$ (R334) have the structure	

wherein R1 to R334 have the structures defined in the following LIST 4:

R1

R2


R3

R4


R5

R6


-continued




R7




R8




R9




R10




R11



R12



R13



R14



R15



R16




R17



R18



R19




R20




R21


-continued




R22




R23




R24




R25




R26



R27



R28




R29




R30




R31



R32




R33




R34


-continued




R35




R36




R37




R38




R39




R40



R41




R42




R43

-continued


R44




R45




R46




R47




R48




R49




R50




R51




R52




-continued




R53




R54




R55




R56




R57




R58



R59




R60




R61


-continued




R62




R63




R64




R65




R66




R67




R68



R69




R70




R71


-continued




R72




R73




R74




R75




R76




R77



R78




R79




R80

-continued


R81




R82




R83




R84




R85




R86




R87




R88




R89




-continued




R90




R91




R92




R93




R94




R95




R96



R97




R98




R99

-continued


R100




R101




R102




R103




R104




R105




R106




R107




R108




-continued




R109




R110




R111




R112




R113



R114




R115




R116

-continued


R117




R118




R119




R120




R121




R122




-continued




R123




R124




R125



R126




R127




R128


-continued




R129




R130




R131



R132




R133




R134

-continued




R135


-continued




R141




R136




R142




R137




R143




R138




R144




R139



R145




R140




R146

-continued




R147


-continued




R153




R148




R154




R149




R155




R150




R156




R151




R157



R152




R158




R159

-continued




R160


-continued




R166




R161




R167




R162




R168




R163




R169




R164




R170



R165




R171




R172


-continued




R173




R174




R175




R176




R177




R178



R179




R180




R181

-continued


R182




R183




R183




R185




R186




R187




R188



R189




-continued




R190


-continued




R196




R191




R197




R192




R198




R193




R199




R194



R200




R195



R201


-continued

R202




-continued


R208




R203




R209




R204




R210




R205




R211




R206



R212




R207




-continued

R213




-continued


R220




R214




R221




R215




R222




R216




R223




R217




R224




R218



R225




R219




-continued


R226




R227




R228




R229




R230




R231




R232




R233




R234




R235




R236




R237




R238



R239




-continued




R240

-continued




R246

R241





R247





R248

R242





R249

R243





R250

R244




R251


R245




-continued




R252




R253




R254



R255




R256




R257

-continued


R258




R259




R260



R261




R262




-continued

R263




-continued


R268




R264




R269




R265




R270




R266




R271




R267



R272




-continued




R273


-continued




R277




R274




R278




R279




R275




R280



R276




R281




R282

-continued




R283

-continued




R289




R284


R290




R290




R285




R291



R286




R292




R287

R293




R288




-continued

R294




-continued


R299




R295




R300




R296




R301




R297




R302




R298



R303




-continued




R304

-continued




R309




R305


R306



R310




R311




R307


R312




R308



R313




-continued




R314


-continued




R320




R315




R321




R316




R322




R317




R323




R318




R324




R319




R325




R326




R327




R328



R329




-continued




R330

R331



R332



R333

R334

[0180] In some embodiments, L_B comprises at least one electron-withdrawing group from the EWG1 LIST as defined herein. In some embodiments, L_B comprises at least one electron-withdrawing group from the EWG2 LIST as defined herein. In some embodiments, L_B comprises at least one electron-withdrawing group from the EWG3 LIST as defined herein. In some embodiments, L_B comprises at least one electron-withdrawing group from the EWG4 LIST as defined herein. In some embodiments, L_B comprises at least one electron-withdrawing group from the Pi-EWG LIST as defined herein.

[0181] In some embodiments, L_C comprises at least one electron-withdrawing group from the EWG1 LIST as defined herein. In some embodiments, L_C comprises at least one electron-withdrawing group from the EWG2 LIST as defined herein. In some embodiments, L_C comprises at least one electron-withdrawing group from the EWG3 LIST as defined herein. In some embodiments, L_C comprises at least one electron-withdrawing group from the EWG4 LIST as defined herein. In some embodiments, L_C comprises at least one electron-withdrawing group from the Pi-EWG LIST as defined herein.


[0182] In some embodiments, L_B is a substituted or unsubstituted phenylpyridine, and L_C is a substituted or unsubstituted acetylacetone.


[0183] In some embodiments, at least one L_B or L_C is a substituted or unsubstituted phenylpyridine.


[0184] In some embodiments, at least one L_B or L_C is a phenylpyridine substituted by at least one of a deuterated substituent, a silyl group, a germyl group, or an electron-withdrawing group.

[0185] In some embodiments, at least one L_B or L_C is a substituted or unsubstituted phenyl-benzimidazole. In some embodiments, the benzimidazole moiety forms an N—Ir bond.

[0186] In some embodiments, L_B and L_C are each independently selected from the group consisting of the structures of the following LIST 5:







wherein:

[0187] T is selected from the group consisting of B, Al, Ga, and In;

[0188] K¹ is selected from the group consisting of a single bond, O, S, NR_e, PR_e, BR_e, CR_eR_f and SiR_eR_f

[0189] each of Y¹ to Y¹³ is independently selected from the group consisting of C and N;

[0190] Y' is selected from the group consisting of BR_e, BR_eR_f, NR_e, PR_e, P(O)R_e, O, S, Se, C=O, C=S, C=Se, C=N R_e, C=CR_eR_f, S=O, SO₂, CR_eR_f, SiR_eR_f and GeR_eR_f;


[0191] R_e and R_f can be fused or joined to form a ring;

[0192] each R_a, R_b, R_c, and R_d independently represents from mono to the maximum allowed number of substitutions, or no substitution;


[0193] each of R_{a1}, R_{b1}, R_{c1}, R_{d1}, R_a, R_b, R_c, R_d, R_e, and R_f is independently a hydrogen or a substituent selected from the group consisting of the General Substituents defined herein; and


[0194] any two substituents of R_{a1}, R_{b1}, R_{c1}, R_{d1}, R_a, R_b, R_c, and R_d can be fused or joined to form a ring or form a multidentate ligand.


[0195] In some embodiments, L_B and L_C are each independently selected from the group consisting of the structures of the following LIST 6:




-continued


















-continued











-continued




-continued











-continued





-continued




-continued







-continued








[0196] wherein:


[0197] R_a' , R_b' , R_c' , R_d' , and R_e' each independently represents zero, mono, or up to a maximum allowed number of substitution to its associated ring;[0198] R_a' , R_b' , R_c' , R_d' , and R_e' each independently hydrogen or a substituent selected from the group consisting of the General Substituents defined herein; and[0199] two substituents of R_a' , R_b' , R_c' , R_d' , and R_e' can be fused or joined to form a ring or form a multidentate ligand.[0200] In some embodiments, L_B comprises a structure of

wherein the variables are the same as previously defined. In some embodiments, each of Y^1 to Y^4 is independently carbon. In some embodiments, at least one of Y^1 to Y^4 is N. In some embodiments, exactly one of Y^1 to Y^4 is N. In some embodiments, Y^1 is N. In some embodiments, Y^2 is N. In some embodiments, Y^3 is N. In some embodiments, Y^4 is N. In some embodiments, at least one of R_a is a tertiary alkyl, silyl or germyl. In some embodiments, at least one of R_a is a tertiary alkyl. In some embodiments, Y^3 is C and the R_a attached thereto is a tertiary alkyl, silyl or germyl. In some embodiments, Y^1 to Y^3 is C, Y^4 is N, and the R_a attached to Y^3 is a tertiary alkyl, silyl or germyl. In some embodiments, Y^1 to Y^3 is C, Y^4 is N, and the R_a attached to Y^2 is a tertiary alkyl, silyl or germyl. In some embodiments, at least one of R_b is a tertiary alkyl, silyl, or germyl. In some embodiments, the tertiary alkyl is tert-butyl. In some embodiments, at least one pair of R_a and R_b are joined or fused to form a ring.


[0201] In some embodiments, the compound has formula $Ir(L_A)_3$, formula $Ir(L_A)(L_{Bk})_2$, formula $Ir(L_A)(L_{Bk})$, formula $Ir(L_A)_2(L_{Cj-k})$, or formula $Ir(L_A)_2(L_{Cj-II})$, wherein L_A is according to any of the embodiments described herein, including $L_{A1}(R3)(R9)(R1)(R1)$ to wherein k is an integer from 1 to 541, and each L_{Bk} has the structure defined in the following LIST 7:

 L_{B1}  L_{B2}  L_{B3}  L_{B4} 


-continued




L_{B5}




L_{B11}




L_{B6}




L_{B12}




L_{B7}




L_B13




L_{B8}




L_{B14}




L_{B9}



L_B15




LR10












L_{B16}






-continued

L_{B17}





-continued

L_{B22}L_{B18}L_{B23}L_{B19}L_{B24}L_{B20}L_{B25}L_{B21}L_{B26}


-continued

L_{B27}L_{B28}L_{B29}L_{B30}L_{B31}









-continued

L_{B32}L_{B33}L_{B34}L_{B35}


-continued

L_B36









-continued

L_B41L_B37L_B42L_B38L_B43L_B39L_B44L_B40


-continued

L_{B45}








-continued

L_{B50}L_{B46}L_{B51}L_{B47}L_{B48}L_{B52}L_{B49}L_{B53}


-continued

 L_{B54} 








-continued

 L_{B58}  L_{B55}  L_{B59}  L_{B56}  L_{B60}  L_{B57}  L_{B61} 


-continued

L_B62









-continued

L_B66L_B63L_B67L_B64L_B68L_B65L_B69


-continued

L_{B70}








-continued

L_{B75}L_{B71}L_{B72}L_{B73}L_{B74}L_{B76}L_{B77}L_{B78}


-continued

 L_{B79} 








-continued

 L_{B83}  L_{B80}  L_{B84}  L_{B81}  L_{B85}  L_{B82}  L_{B86} 


-continued

 L_{B87} 








-continued

 L_{B91}  L_{B88}  L_{B92}  L_{B89}  L_{B93}  L_{B90}  L_{B94} 


-continued

L_{B95}










-continued

L_{B98}L_{B96}L_{B99}L_{B100}L_{B97}L_{B101}L_{B102}


-continued

 L_{B103} 









-continued

 L_{B108}  L_{B109}  L_{B104}  L_{B110}  L_{B105}  L_{B111}  L_{B106}  L_{B112}  L_{B107} 






-continued

L_B113






-continued

L_B117L_B114L_B118L_B115L_B119L_B116L_B120L_B121






-continued

L_B122L_B123L_B124L_B125L_B126






-continued

L_B127L_B128L_B129L_B130L_B131


-continued

L_B132L_B133L_B134L_B135L_B136









-continued

L_B137L_B138L_B139L_B140L_B141


-continued

L_B142









-continued

L_B146L_B143L_B147L_B144L_B148L_B145L_B149L_B150


-continued

 L_{B151} 










-continued

 L_{B156}  L_{B152}  L_{B157}  L_{B153}  L_{B158}  L_{B154}  L_{B159}  L_{B155} 


-continued

L_{B160}









-continued

L_{B165}L_{B161}L_{B166}L_{B162}L_{B167}L_{B163}L_{B168}L_{B164}L_{B169}


-continued

L_B170








-continued

L_B175L_B171L_B172L_B176L_B173L_B177L_B174L_B178


-continued

 L_{B179} 








-continued

 L_{B183}  L_{B180}  L_{B184}  L_{B181}  L_{B185}  L_{B182}  L_{B186} 


-continued

L_B187








-continued

L_B191L_B188L_B192L_B189L_B193L_B190L_B194


-continued

 L_{B195} 










-continued

 L_{B199}  L_{B196}  L_{B200}  L_{B197}  L_{B201}  L_{B198}  L_{B202} 


-continued

 L_{B203} 








-continued

 L_{B208}  L_{B204}  L_{B209}  L_{B205}  L_{B210}  L_{B211}  L_{B207}  L_{B212} 


-continued

 L_{B213} 








-continued

 L_{B217}  L_{B214}  L_{B218}  L_{B215}  L_{B219}  L_{B216}  L_{B220} 


-continued

 L_{B221} 








-continued

 L_{B225}  L_{B222}  L_{B226}  L_{B223}  L_{B227}  L_{B224}  L_{B228} 


-continued

L_{B229}








-continued

L_{B233}L_{B230}L_{B234}L_{B231}L_{B235}L_{B232}L_{B236}


-continued

 L_{B237} 








-continued

 L_{B241}  L_{B238}  L_{B242}  L_{B239}  L_{B243}  L_{B240}  L_{B244} 


-continued

L_B245








-continued

L_B249L_B250L_B246L_B247L_B251L_B248L_B252


-continued

 L_{B253} 








-continued

 L_{B257}  L_{B254}  L_{B258}  L_{B255}  L_{B259}  L_{B256}  L_{B260} 


-continued

L_B261








-continued

L_B265L_B262L_B266L_B263L_B267L_B264L_B268


-continued

 L_{B269} 







-continued

 L_{B273}  L_{B270}  L_{B274}  L_{B271}  L_{B275}  L_{B272}  L_{B276} 


-continued

 L_{B277} 






-continued

 L_{B280}  L_{B281}  L_{B282}  L_{B283}  L_{B278} 


-continued

 L_{B284} 








-continued

 L_{B287}  L_{B285}  L_{B288}  L_{B286}  L_{B289} 


-continued

L_B290








-continued

L_B294L_B291L_B295L_B292L_B296L_B293L_B297


-continued

 L_{B298} 






-continued

 L_{B302}  L_{B303}  L_{B299}  L_{B304}  L_{B300}  L_{B305}  L_{B301} 


-continued

 L_{B306} 








-continued

 L_{B309}  L_{B310}  L_{B311}  L_{B312}  L_{B308} 


-continued

L_{B313}








-continued

L_{B317}L_{B314}L_{B318}L_{B315}L_{B319}L_{B316}L_{B320}


-continued

L_{B321}








-continued

L_{B325}L_{B322}L_{B326}L_{B323}L_{B327}L_{B324}L_{B328}


-continued

 L_{B329} 








-continued

 L_{B333}  L_{B330}  L_{B334}  L_{B331}  L_{B335}  L_{B332}  L_{B336} 


-continued

L_{B337}








-continued

L_{B341}L_{B338}L_{B342}L_{B339}L_{B343}L_{B340}L_{B344}


-continued

L_B345









-continued

L_B349L_B346L_B350L_B347L_B351L_B348L_B352






-continued

 L_{B353} 






-continued

 L_{B357}  L_{B354}  L_{B358}  L_{B355}  L_{B359}  L_{B356}  L_{B360}  L_{B361} 


-continued

L_B362L_B363L_B364L_B365L_B366








-continued

L_B367L_B368L_B369L_B370L_B371


-continued

L_{B372}








-continued

L_{B376}L_{B373}L_{B377}L_{B374}L_{B378}L_{B375}L_{B379}


-continued

 L_{B380} 








-continued

 L_{B384}  L_{B381}  L_{B385}  L_{B382}  L_{B386}  L_{B383}  L_{B387} 


-continued

 L_{B388} 








-continued

 L_{B392}  L_{B389}  L_{B393}  L_{B390}  L_{B394}  L_{B391}  L_{B395} 


-continued

L_B396








-continued

L_B400L_B397L_B401L_B398L_B402L_B399L_B403


-continued

L_B404








-continued

L_B408L_B405L_B409L_B406L_B410L_B407L_B411


-continued

 L_{B412} 








-continued

 L_{B416}  L_{B413}  L_{B417}  L_{B414}  L_{B418}  L_{B415}  L_{B419} 


-continued

 L_{B420} 







-continued

 L_{B424}  L_{B421}  L_{B425}  L_{B422}  L_{B426}  L_{B423}  L_{B427} 


-continued

 L_{B428} 








-continued

 L_{B432}  L_{B429}  L_{B430}  L_{B434}  L_{B431}  L_{B435} 


-continued

L_B436








-continued

L_B440L_B437L_B441L_B438L_B442L_B439L_B443


-continued

L_{B444}









-continued

L_{B448}L_{B445}L_{B449}L_{B446}L_{B450}L_{B447}L_{B451}


-continued

L_{B452}






-continued

L_{B457}L_{B453}L_{B458}L_{B454}L_{B455}L_{B459}L_{B456}L_{B460}


-continued

 L_{B461} 










-continued

 L_{B465}  L_{B462}  L_{B466}  L_{B467}  L_{B468}  L_{B464}






-continued

L_{B469}






-continued

L_{B474}L_{B470}L_{B475}L_{B471}L_{B476}L_{B472}L_{B477}L_{B473}L_{B478}


-continued

L_B479L_B480L_B481L_B482L_B483








-continued

L_B484L_B485L_B486L_B487L_B488


-continued

L_{B489}







-continued

L_{B493}L_{B490}L_{B494}L_{B491}L_{B495}L_{B492}L_{B496}


-continued

 L_{B497} 










-continued

 L_{B501}  L_{B498}  L_{B502}  L_{B499}  L_{B503} L_{B500}  L_{B504} 






-continued

 L_{B505} 






-continued

 L_{B510}  L_{B506}  L_{B507}  L_{B508}  L_{B509}  L_{B511}  L_{B512}  L_{B513}  L_{B514} 









-continued

 L_{B515}  L_{B516}  L_{B517}  L_{B518}  L_{B519} 


-continued

 L_{B520}  L_{B521}  L_{B522}  L_{B523}  L_{B524} 







-continued

 L_{B525}  L_{B529}  L_{B526}  L_{B530}  L_{B527}  L_{B531}  L_{B532}  L_{B528} 





-continued

L_B533

-continued

L_B537L_B534L_B538L_B535L_B536L_B539

-continued

 L_{B540} wherein each L_{Cj-I} has a structure based on formula L_{B541} and
each L_{Cj-II} has a structure based on formulawherein for L_{Cj} in L_{Cj-I} and L_{Cj-II} , R^{201} and R^{202} are defined in the following LIST 8:

L_{Cj}	R^{201}	R^{202}	L_{Cj}	R^{201}	R^{202}	L_{Cj}	R^{201}	R^{202}	L_{Cj}	R^{201}	R^{202}
L_{C1}	R^{D1}	R^{D1}	L_{C193}	R^{D1}	R^{D3}	L_{C385}	R^{D17}	R^{D40}	L_{C577}	R^{D143}	R^{D120}
L_{C2}	R^{D2}	R^{D2}	L_{C194}	R^{D1}	R^{D4}	L_{C386}	R^{D17}	R^{D41}	L_{C578}	R^{D143}	R^{D133}
L_{C3}	R^{D3}	R^{D3}	L_{C195}	R^{D1}	R^{D5}	L_{C387}	R^{D17}	R^{D42}	L_{C579}	R^{D143}	R^{D134}
L_{C4}	R^{D4}	R^{D4}	L_{C196}	R^{D1}	R^{D9}	L_{C388}	R^{D17}	R^{D43}	L_{C580}	R^{D143}	R^{D135}
L_{C5}	R^{D5}	R^{D5}	L_{C197}	R^{D1}	R^{D10}	L_{C389}	R^{D17}	R^{D48}	L_{C581}	R^{D143}	R^{D136}
L_{C6}	R^{D6}	R^{D6}	L_{C198}	R^{D1}	R^{D17}	L_{C390}	R^{D17}	R^{D49}	L_{C582}	R^{D143}	R^{D144}
L_{C7}	R^{D7}	R^{D7}	L_{C199}	R^{D1}	R^{D18}	L_{C391}	R^{D17}	R^{D50}	L_{C583}	R^{D143}	R^{D145}
L_{C8}	R^{D8}	R^{D8}	L_{C200}	R^{D1}	R^{D20}	L_{C392}	R^{D17}	R^{D54}	L_{C584}	R^{D143}	R^{D146}
L_{C9}	R^{D9}	R^{D9}	L_{C201}	R^{D1}	R^{D22}	L_{C393}	R^{D17}	R^{D55}	L_{C585}	R^{D143}	R^{D147}
L_{C10}	R^{D10}	R^{D10}	L_{C202}	R^{D1}	R^{D37}	L_{C394}	R^{D17}	R^{D58}	L_{C586}	R^{D143}	R^{D149}
L_{C11}	R^{D11}	R^{D11}	L_{C203}	R^{D1}	R^{D40}	L_{C395}	R^{D17}	R^{D59}	L_{C587}	R^{D143}	R^{D151}
L_{C12}	R^{D12}	R^{D12}	L_{C204}	R^{D1}	R^{D41}	L_{C396}	R^{D17}	R^{D78}	L_{C588}	R^{D143}	R^{D154}
L_{C13}	R^{D13}	R^{D13}	L_{C205}	R^{D1}	R^{D42}	L_{C397}	R^{D17}	R^{D79}	L_{C589}	R^{D143}	R^{D155}
L_{C14}	R^{D14}	R^{D14}	L_{C206}	R^{D1}	R^{D43}	L_{C398}	R^{D17}	R^{D81}	L_{C590}	R^{D143}	R^{D161}
L_{C15}	R^{D15}	R^{D15}	L_{C207}	R^{D1}	R^{D48}	L_{C399}	R^{D17}	R^{D87}	L_{C591}	R^{D143}	R^{D175}
L_{C16}	R^{D16}	R^{D16}	L_{C208}	R^{D1}	R^{D49}	L_{C400}	R^{D17}	R^{D88}	L_{C592}	R^{D144}	R^{D3}
L_{C17}	R^{D17}	R^{D17}	L_{C209}	R^{D1}	R^{D50}	L_{C401}	R^{D17}	R^{D89}	L_{C593}	R^{D144}	R^{D5}
L_{C18}	R^{D18}	R^{D18}	L_{C210}	R^{D1}	R^{D54}	L_{C402}	R^{D17}	R^{D93}	L_{C594}	R^{D144}	R^{D17}
L_{C19}	R^{D19}	R^{D19}	L_{C211}	R^{D1}	R^{D55}	L_{C403}	R^{D17}	R^{D116}	L_{C595}	R^{D144}	R^{D18}
L_{C20}	R^{D20}	R^{D20}	L_{C212}	R^{D1}	R^{D58}	L_{C404}	R^{D17}	R^{D117}	L_{C596}	R^{D144}	R^{D20}
L_{C21}	R^{D21}	R^{D21}	L_{C213}	R^{D1}	R^{D59}	L_{C405}	R^{D17}	R^{D118}	L_{C597}	R^{D144}	R^{D22}
L_{C22}	R^{D22}	R^{D22}	L_{C214}	R^{D1}	R^{D78}	L_{C406}	R^{D17}	R^{D119}	L_{C598}	R^{D144}	R^{D37}
L_{C23}	R^{D23}	R^{D23}	L_{C215}	R^{D1}	R^{D79}	L_{C407}	R^{D17}	R^{D120}	L_{C599}	R^{D144}	R^{D40}
L_{C24}	R^{D24}	R^{D24}	L_{C216}	R^{D1}	R^{D81}	L_{C408}	R^{D17}	R^{D133}	L_{C600}	R^{D144}	R^{D41}
L_{C25}	R^{D25}	R^{D25}	L_{C217}	R^{D1}	R^{D87}	L_{C409}	R^{D17}	R^{D134}	L_{C601}	R^{D144}	R^{D42}
L_{C26}	R^{D26}	R^{D26}	L_{C218}	R^{D1}	R^{D88}	L_{C410}	R^{D17}	R^{D135}	L_{C602}	R^{D144}	R^{D43}
L_{C27}	R^{D27}	R^{D27}	L_{C219}	R^{D1}	R^{D89}	L_{C411}	R^{D17}	R^{D136}	L_{C603}	R^{D144}	R^{D48}
L_{C28}	R^{D28}	R^{D28}	L_{C220}	R^{D1}	R^{D93}	L_{C412}	R^{D17}	R^{D143}	L_{C604}	R^{D144}	R^{D49}
L_{C29}	R^{D29}	R^{D29}	L_{C221}	R^{D1}	R^{D116}	L_{C413}	R^{D17}	R^{D144}	L_{C605}	R^{D144}	R^{D54}
L_{C30}	R^{D30}	R^{D30}	L_{C222}	R^{D1}	R^{D117}	L_{C414}	R^{D17}	R^{D145}	L_{C606}	R^{D144}	R^{D58}
L_{C31}	R^{D31}	R^{D31}	L_{C223}	R^{D1}	R^{D118}	L_{C415}	R^{D17}	R^{D146}	L_{C607}	R^{D144}	R^{D59}
L_{C32}	R^{D32}	R^{D32}	L_{C224}	R^{D1}	R^{D119}	L_{C416}	R^{D17}	R^{D147}	L_{C608}	R^{D144}	R^{D78}
L_{C33}	R^{D33}	R^{D33}	L_{C225}	R^{D1}	R^{D120}	L_{C417}	R^{D17}	R^{D149}	L_{C609}	R^{D144}	R^{D79}
L_{C34}	R^{D34}	R^{D34}	L_{C226}	R^{D1}	R^{D133}	L_{C418}	R^{D17}	R^{D151}	L_{C610}	R^{D144}	R^{D81}
L_{C35}	R^{D35}	R^{D35}	L_{C227}	R^{D1}	R^{D134}	L_{C419}	R^{D17}	R^{D154}	L_{C611}	R^{D144}	R^{D87}
L_{C36}	R^{D36}	R^{D36}	L_{C228}	R^{D1}	R^{D135}	L_{C420}	R^{D17}	R^{D155}	L_{C612}	R^{D144}	R^{D88}

-continued

L_{Cj}	R^{201}	R^{202}	L_{Cj}	R^{201}	R^{202}	L_{Cj}	R^{201}	R^{202}	L_{Cj}	R^{201}	R^{202}
L_{C37}	R^{D37}	R^{D37}	L_{C229}	R^{D1}	R^{D136}	L_{C421}	R^{D17}	R^{D161}	L_{C613}	R^{D144}	R^{D89}
L_{C38}	R^{D38}	R^{D38}	L_{C230}	R^{D1}	R^{D143}	L_{C422}	R^{D17}	R^{D175}	L_{C614}	R^{D144}	R^{D93}
L_{C39}	R^{D39}	R^{D39}	L_{C231}	R^{D1}	R^{D144}	L_{C423}	R^{D50}	R^{D3}	L_{C615}	R^{D144}	R^{D116}
L_{C40}	R^{D40}	R^{D40}	L_{C232}	R^{D1}	R^{D145}	L_{C424}	R^{D50}	R^{D5}	L_{C616}	R^{D144}	R^{D117}
L_{C41}	R^{D41}	R^{D41}	L_{C233}	R^{D1}	R^{D146}	L_{C425}	R^{D50}	R^{D18}	L_{C617}	R^{D144}	R^{D118}
L_{C42}	R^{D42}	R^{D42}	L_{C234}	R^{D1}	R^{D147}	L_{C426}	R^{D50}	R^{D20}	L_{C618}	R^{D144}	R^{D119}
L_{C43}	R^{D43}	R^{D43}	L_{C235}	R^{D1}	R^{D149}	L_{C427}	R^{D50}	R^{D22}	L_{C619}	R^{D144}	R^{D120}
L_{C44}	R^{D44}	R^{D44}	L_{C236}	R^{D1}	R^{D151}	L_{C428}	R^{D50}	R^{D37}	L_{C620}	R^{D144}	R^{D133}
L_{C45}	R^{D45}	R^{D45}	L_{C237}	R^{D1}	R^{D154}	L_{C429}	R^{D50}	R^{D40}	L_{C621}	R^{D144}	R^{D134}
L_{C46}	R^{D46}	R^{D46}	L_{C238}	R^{D1}	R^{D155}	L_{C430}	R^{D50}	R^{D41}	L_{C622}	R^{D144}	R^{D135}
L_{C47}	R^{D47}	R^{D47}	L_{C239}	R^{D1}	R^{D161}	L_{C431}	R^{D50}	R^{D42}	L_{C623}	R^{D144}	R^{D136}
L_{C48}	R^{D48}	R^{D48}	L_{C240}	R^{D1}	R^{D175}	L_{C432}	R^{D50}	R^{D43}	L_{C624}	R^{D144}	R^{D145}
L_{C49}	R^{D49}	R^{D49}	L_{C241}	R^{D4}	R^{D3}	L_{C433}	R^{D50}	R^{D48}	L_{C625}	R^{D144}	R^{D146}
L_{C50}	R^{D50}	R^{D50}	L_{C242}	R^{D4}	R^{D5}	L_{C434}	R^{D50}	R^{D49}	L_{C626}	R^{D144}	R^{D147}
L_{C51}	R^{D51}	R^{D51}	L_{C243}	R^{D4}	R^{D6}	L_{C435}	R^{D50}	R^{D54}	L_{C627}	R^{D144}	R^{D149}
L_{C52}	R^{D52}	R^{D52}	L_{C244}	R^{D4}	R^{D10}	L_{C436}	R^{D50}	R^{D55}	L_{C628}	R^{D144}	R^{D151}
L_{C53}	R^{D53}	R^{D53}	L_{C245}	R^{D4}	R^{D17}	L_{C437}	R^{D50}	R^{D58}	L_{C629}	R^{D144}	R^{D154}
L_{C54}	R^{D54}	R^{D54}	L_{C246}	R^{D4}	R^{D18}	L_{C438}	R^{D50}	R^{D59}	L_{C630}	R^{D144}	R^{D155}
L_{C55}	R^{D55}	R^{D55}	L_{C247}	R^{D4}	R^{D20}	L_{C439}	R^{D50}	R^{D78}	L_{C631}	R^{D144}	R^{D161}
L_{C56}	R^{D56}	R^{D56}	L_{C248}	R^{D4}	R^{D22}	L_{C440}	R^{D50}	R^{D79}	L_{C632}	R^{D144}	R^{D175}
L_{C57}	R^{D57}	R^{D57}	L_{C249}	R^{D4}	R^{D37}	L_{C441}	R^{D50}	R^{D81}	L_{C633}	R^{D145}	R^{D3}
L_{C58}	R^{D58}	R^{D58}	L_{C250}	R^{D4}	R^{D40}	L_{C442}	R^{D50}	R^{D87}	L_{C634}	R^{D145}	R^{D5}
L_{C59}	R^{D59}	R^{D59}	L_{C251}	R^{D4}	R^{D41}	L_{C443}	R^{D50}	R^{D88}	L_{C635}	R^{D145}	R^{D17}
L_{C60}	R^{D60}	R^{D60}	L_{C252}	R^{D4}	R^{D42}	L_{C444}	R^{D50}	R^{D89}	L_{C636}	R^{D145}	R^{D18}
L_{C61}	R^{D61}	R^{D61}	L_{C253}	R^{D4}	R^{D43}	L_{C445}	R^{D50}	R^{D93}	L_{C637}	R^{D145}	R^{D20}
L_{C62}	R^{D62}	R^{D62}	L_{C254}	R^{D4}	R^{D48}	L_{C446}	R^{D50}	R^{D116}	L_{C638}	R^{D145}	R^{D22}
L_{C63}	R^{D63}	R^{D63}	L_{C255}	R^{D4}	R^{D49}	L_{C447}	R^{D50}	R^{D117}	L_{C639}	R^{D145}	R^{D37}
L_{C64}	R^{D64}	R^{D64}	L_{C256}	R^{D4}	R^{D50}	L_{C448}	R^{D50}	R^{D118}	L_{C640}	R^{D145}	R^{D40}
L_{C65}	R^{D65}	R^{D65}	L_{C257}	R^{D4}	R^{D54}	L_{C449}	R^{D50}	R^{D119}	L_{C641}	R^{D145}	R^{D41}
L_{C66}	R^{D66}	R^{D66}	L_{C258}	R^{D4}	R^{D55}	L_{C450}	R^{D50}	R^{D120}	L_{C642}	R^{D145}	R^{D42}
L_{C67}	R^{D67}	R^{D67}	L_{C259}	R^{D4}	R^{D58}	L_{C451}	R^{D50}	R^{D133}	L_{C643}	R^{D145}	R^{D43}
L_{C68}	R^{D68}	R^{D68}	L_{C260}	R^{D4}	R^{D59}	L_{C452}	R^{D50}	R^{D134}	L_{C644}	R^{D145}	R^{D48}
L_{C69}	R^{D69}	R^{D69}	L_{C261}	R^{D4}	R^{D78}	L_{C453}	R^{D50}	R^{D135}	L_{C645}	R^{D145}	R^{D49}
L_{C70}	R^{D70}	R^{D70}	L_{C262}	R^{D4}	R^{D79}	L_{C454}	R^{D50}	R^{D136}	L_{C646}	R^{D145}	R^{D54}
L_{C71}	R^{D71}	R^{D71}	L_{C263}	R^{D4}	R^{D81}	L_{C455}	R^{D50}	R^{D143}	L_{C647}	R^{D145}	R^{D58}
L_{C72}	R^{D72}	R^{D72}	L_{C264}	R^{D4}	R^{D87}	L_{C456}	R^{D50}	R^{D144}	L_{C648}	R^{D145}	R^{D59}
L_{C73}	R^{D73}	R^{D73}	L_{C265}	R^{D4}	R^{D88}	L_{C457}	R^{D50}	R^{D145}	L_{C649}	R^{D145}	R^{D78}
L_{C74}	R^{D74}	R^{D74}	L_{C266}	R^{D4}	R^{D89}	L_{C458}	R^{D50}	R^{D146}	L_{C650}	R^{D145}	R^{D79}
L_{C75}	R^{D75}	R^{D75}	L_{C267}	R^{D4}	R^{D93}	L_{C459}	R^{D50}	R^{D147}	L_{C651}	R^{D145}	R^{D81}
L_{C76}	R^{D76}	R^{D76}	L_{C268}	R^{D4}	R^{D116}	L_{C460}	R^{D50}	R^{D149}	L_{C652}	R^{D145}	R^{D87}
L_{C77}	R^{D77}	R^{D77}	L_{C269}	R^{D4}	R^{D117}	L_{C461}	R^{D50}	R^{D151}	L_{C653}	R^{D145}	R^{D88}
L_{C78}	R^{D78}	R^{D78}	L_{C270}	R^{D4}	R^{D118}	L_{C462}	R^{D50}	R^{D154}	L_{C654}	R^{D145}	R^{D89}
L_{C79}	R^{D79}	R^{D79}	L_{C271}	R^{D4}	R^{D119}	L_{C463}	R^{D50}	R^{D155}	L_{C655}	R^{D145}	R^{D93}
L_{C80}	R^{D80}	R^{D80}	L_{C272}	R^{D4}	R^{D120}	L_{C464}	R^{D50}	R^{D161}	L_{C656}	R^{D145}	R^{D116}
L_{C81}	R^{D81}	R^{D81}	L_{C273}	R^{D4}	R^{D133}	L_{C465}	R^{D50}	R^{D175}	L_{C657}	R^{D145}	R^{D117}
L_{C82}	R^{D82}	R^{D82}	L_{C274}	R^{D4}	R^{D134}	L_{C466}	R^{D55}	R^{D3}	L_{C658}	R^{D145}	R^{D118}
L_{C83}	R^{D83}	R^{D83}	L_{C275}	R^{D4}	R^{D135}	L_{C467}	R^{D55}	R^{D5}	L_{C659}	R^{D145}	R^{D119}
L_{C84}	R^{D84}	R^{D84}	L_{C276}	R^{D4}	R^{D136}	L_{C468}	R^{D55}	R^{D18}	L_{C660}	R^{D145}	R^{D120}
L_{C85}	R^{D85}	R^{D85}	L_{C277}	R^{D4}	R^{D143}	L_{C469}	R^{D55}	R^{D20}	L_{C661}	R^{D145}	R^{D133}
L_{C86}	R^{D86}	R^{D86}	L_{C278}	R^{D4}	R^{D144}	L_{C470}	R^{D55}	R^{D22}	L_{C662}	R^{D145}	R^{D134}
L_{C87}	R^{D87}	R^{D87}	L_{C279}	R^{D4}	R^{D145}	L_{C471}	R^{D55}	R^{D37}	L_{C663}	R^{D145}	R^{D135}
L_{C88}	R^{D88}	R^{D88}	L_{C280}	R^{D4}	R^{D146}	L_{C472}	R^{D55}	R^{D40}	L_{C664}	R^{D145}	R^{D136}
L_{C89}	R^{D89}	R^{D89}	L_{C281}	R^{D4}	R^{D147}	L_{C473}	R^{D55}	R^{D41}	L_{C665}	R^{D145}	R^{D146}
L_{C90}	R^{D90}	R^{D90}	L_{C282}	R^{D4}	R^{D149}	L_{C474}	R^{D55}	R^{D42}	L_{C666}	R^{D145}	R^{D147}
L_{C91}	R^{D91}	R^{D91}	L_{C283}	R^{D4}	R^{D151}	L_{C475}	R^{D55}	R^{D43}	L_{C667}	R^{D145}	R^{D149}
L_{C92}	R^{D92}	R^{D92}	L_{C284}	R^{D4}	R^{D154}	L_{C476}	R^{D55}	R^{D48}	L_{C668}	R^{D145}	R^{D151}
L_{C93}	R^{D93}	R^{D93}	L_{C285}	R^{D4}	R^{D155}	L_{C477}	R^{D55}	R^{D49}	L_{C669}	R^{D145}	R^{D154}
L_{C94}	R^{D94}	R^{D94}	L_{C286}	R^{D4}	R^{D161}	L_{C478}	R^{D55}	R^{D54}	L_{C670}	R^{D145}	R^{D155}
L_{C95}	R^{D95}	R^{D95}	L_{C287}	R^{D4}	R^{D175}	L_{C479}	R^{D55}	R^{D58}	L_{C671}	R^{D145}	R^{D161}
L_{C96}	R^{D96}	R^{D96}	L_{C288}	R^{D4}	R^{D9}	L_{C480}	R^{D55}	R^{D59}	L_{C672}	R^{D145}	R^{D175}
L_{C97}	R^{D97}	R^{D97}	L_{C289}	R^{D4}	R^{D9}	L_{C481}	R^{D55}	R^{D78}	L_{C673}	R^{D146}	R^{D3}
L_{C98}	R^{D98}	R^{D98}	L_{C290}	R^{D4}	R^{D10}	L_{C482}	R^{D55}	R^{D79}	L_{C674}	R^{D146}	R^{D5}
L_{C99}	R^{D99}	R^{D99}	L_{C291}	R^{D4}	R^{D17}	L_{C483}	R^{D55}	R^{D81}	L_{C675}	R^{D146}	R^{D17}
L_{C100}	R^{D100}	R^{D100}	L_{C292}	R^{D9}	R^{D18}	L_{C484}	R^{D55}	R^{D87}	L_{C676}	R^{D146}	R^{D18}
L_{C101}	R^{D101}	R^{D101}	L_{C293}	R^{D9}	R^{D20}	L_{C485}	R^{D55}	R^{D88}	L_{C677}	R^{D146}	R^{D20}
L_{C102}	R^{D1										

-continued

L_{Cj}	R^{201}	R^{202}	L_{Cj}	R^{201}	R^{202}	L_{Cj}	R^{201}	R^{202}	L_{Cj}	R^{201}	R^{202}
L_{C111}	R^{D111}	R^{D111}	L_{C303}	R^{D9}	R^{D54}	L_{C495}	R^{D55}	R^{D135}	L_{C687}	R^{D146}	R^{D58}
L_{C112}	R^{D112}	R^{D112}	L_{C304}	R^{D9}	R^{D55}	L_{C496}	R^{D55}	R^{D136}	L_{C688}	R^{D146}	R^{D59}
L_{C113}	R^{D113}	R^{D113}	L_{C305}	R^{D9}	R^{D58}	L_{C497}	R^{D55}	R^{D143}	L_{C689}	R^{D146}	R^{D78}
L_{C114}	R^{D114}	R^{D114}	L_{C306}	R^{D9}	R^{D59}	L_{C498}	R^{D55}	R^{D144}	L_{C690}	R^{D146}	R^{D79}
L_{C115}	R^{D115}	R^{D115}	L_{C307}	R^{D9}	R^{D78}	L_{C499}	R^{D55}	R^{D145}	L_{C691}	R^{D146}	R^{D81}
L_{C116}	R^{D116}	R^{D116}	L_{C308}	R^{D9}	R^{D79}	L_{C500}	R^{D55}	R^{D146}	L_{C692}	R^{D146}	R^{D87}
L_{C117}	R^{D117}	R^{D117}	L_{C309}	R^{D9}	R^{D81}	L_{C501}	R^{D55}	R^{D147}	L_{C693}	R^{D146}	R^{D88}
L_{C118}	R^{D118}	R^{D118}	L_{C310}	R^{D9}	R^{D87}	L_{C502}	R^{D55}	R^{D149}	L_{C694}	R^{D146}	R^{D89}
L_{C119}	R^{D119}	R^{D119}	L_{C311}	R^{D9}	R^{D88}	L_{C503}	R^{D55}	R^{D151}	L_{C695}	R^{D146}	R^{D93}
L_{C120}	R^{D120}	R^{D120}	L_{C312}	R^{D9}	R^{D89}	L_{C504}	R^{D55}	R^{D154}	L_{C696}	R^{D146}	R^{D117}
L_{C121}	R^{D121}	R^{D121}	L_{C313}	R^{D9}	R^{D93}	L_{C505}	R^{D55}	R^{D155}	L_{C697}	R^{D146}	R^{D118}
L_{C122}	R^{D122}	R^{D122}	L_{C314}	R^{D9}	R^{D116}	L_{C506}	R^{D55}	R^{D161}	L_{C698}	R^{D146}	R^{D119}
L_{C123}	R^{D123}	R^{D123}	L_{C315}	R^{D9}	R^{D117}	L_{C507}	R^{D55}	R^{D175}	L_{C699}	R^{D146}	R^{D120}
L_{C124}	R^{D124}	R^{D124}	L_{C316}	R^{D9}	R^{D118}	L_{C508}	R^{D116}	R^{D3}	L_{C700}	R^{D146}	R^{D133}
L_{C125}	R^{D125}	R^{D125}	L_{C317}	R^{D9}	R^{D119}	L_{C509}	R^{D116}	R^{D5}	L_{C701}	R^{D146}	R^{D134}
L_{C126}	R^{D126}	R^{D126}	L_{C318}	R^{D9}	R^{D120}	L_{C510}	R^{D116}	R^{D17}	L_{C702}	R^{D146}	R^{D135}
L_{C127}	R^{D127}	R^{D127}	L_{C319}	R^{D9}	R^{D133}	L_{C511}	R^{D116}	R^{D18}	L_{C703}	R^{D146}	R^{D136}
L_{C128}	R^{D128}	R^{D128}	L_{C320}	R^{D9}	R^{D134}	L_{C512}	R^{D116}	R^{D20}	L_{C704}	R^{D146}	R^{D146}
L_{C129}	R^{D129}	R^{D129}	L_{C321}	R^{D9}	R^{D135}	L_{C513}	R^{D116}	R^{D22}	L_{C705}	R^{D146}	R^{D147}
L_{C130}	R^{D130}	R^{D130}	L_{C322}	R^{D9}	R^{D136}	L_{C514}	R^{D116}	R^{D37}	L_{C706}	R^{D146}	R^{D149}
L_{C131}	R^{D131}	R^{D131}	L_{C323}	R^{D9}	R^{D143}	L_{C515}	R^{D116}	R^{D40}	L_{C707}	R^{D146}	R^{D151}
L_{C132}	R^{D132}	R^{D132}	L_{C324}	R^{D9}	R^{D144}	L_{C516}	R^{D116}	R^{D41}	L_{C708}	R^{D146}	R^{D154}
L_{C133}	R^{D133}	R^{D133}	L_{C325}	R^{D9}	R^{D145}	L_{C517}	R^{D116}	R^{D42}	L_{C709}	R^{D146}	R^{D155}
L_{C134}	R^{D134}	R^{D134}	L_{C326}	R^{D9}	R^{D146}	L_{C518}	R^{D116}	R^{D43}	L_{C710}	R^{D146}	R^{D161}
L_{C135}	R^{D135}	R^{D135}	L_{C327}	R^{D9}	R^{D147}	L_{C519}	R^{D116}	R^{D48}	L_{C711}	R^{D146}	R^{D175}
L_{C136}	R^{D136}	R^{D136}	L_{C328}	R^{D9}	R^{D149}	L_{C520}	R^{D116}	R^{D49}	L_{C712}	R^{D133}	R^{D3}
L_{C137}	R^{D137}	R^{D137}	L_{C329}	R^{D9}	R^{D151}	L_{C521}	R^{D116}	R^{D54}	L_{C713}	R^{D133}	R^{D5}
L_{C138}	R^{D138}	R^{D138}	L_{C330}	R^{D9}	R^{D154}	L_{C522}	R^{D116}	R^{D58}	L_{C714}	R^{D133}	R^{D3}
L_{C139}	R^{D139}	R^{D139}	L_{C331}	R^{D9}	R^{D155}	L_{C523}	R^{D116}	R^{D59}	L_{C715}	R^{D133}	R^{D18}
L_{C140}	R^{D140}	R^{D140}	L_{C332}	R^{D9}	R^{D161}	L_{C524}	R^{D116}	R^{D78}	L_{C716}	R^{D133}	R^{D20}
L_{C141}	R^{D141}	R^{D141}	L_{C333}	R^{D9}	R^{D175}	L_{C525}	R^{D116}	R^{D79}	L_{C717}	R^{D133}	R^{D22}
L_{C142}	R^{D142}	R^{D142}	L_{C334}	R^{D10}	R^{D3}	L_{C526}	R^{D116}	R^{D81}	L_{C718}	R^{D133}	R^{D37}
L_{C143}	R^{D143}	R^{D143}	L_{C335}	R^{D10}	R^{D5}	L_{C527}	R^{D116}	R^{D87}	L_{C719}	R^{D133}	R^{D40}
L_{C144}	R^{D144}	R^{D144}	L_{C336}	R^{D10}	R^{D17}	L_{C528}	R^{D116}	R^{D88}	L_{C720}	R^{D133}	R^{D41}
L_{C145}	R^{D145}	R^{D145}	L_{C337}	R^{D10}	R^{D18}	L_{C529}	R^{D116}	R^{D89}	L_{C721}	R^{D133}	R^{D42}
L_{C146}	R^{D146}	R^{D146}	L_{C338}	R^{D10}	R^{D20}	L_{C530}	R^{D116}	R^{D93}	L_{C722}	R^{D133}	R^{D43}
L_{C147}	R^{D147}	R^{D147}	L_{C339}	R^{D10}	R^{D22}	L_{C531}	R^{D116}	R^{D117}	L_{C723}	R^{D133}	R^{D48}
L_{C148}	R^{D148}	R^{D148}	L_{C340}	R^{D10}	R^{D37}	L_{C532}	R^{D116}	R^{D118}	L_{C724}	R^{D133}	R^{D49}
L_{C149}	R^{D149}	R^{D149}	L_{C341}	R^{D10}	R^{D40}	L_{C533}	R^{D116}	R^{D119}	L_{C725}	R^{D133}	R^{D54}
L_{C150}	R^{D150}	R^{D150}	L_{C342}	R^{D10}	R^{D41}	L_{C534}	R^{D116}	R^{D120}	L_{C726}	R^{D133}	R^{D58}
L_{C151}	R^{D151}	R^{D151}	L_{C343}	R^{D10}	R^{D42}	L_{C535}	R^{D116}	R^{D133}	L_{C727}	R^{D133}	R^{D59}
L_{C152}	R^{D152}	R^{D152}	L_{C344}	R^{D10}	R^{D43}	L_{C536}	R^{D116}	R^{D134}	L_{C728}	R^{D133}	R^{D78}
L_{C153}	R^{D153}	R^{D153}	L_{C345}	R^{D10}	R^{D48}	L_{C537}	R^{D116}	R^{D135}	L_{C729}	R^{D133}	R^{D79}
L_{C154}	R^{D154}	R^{D154}	L_{C346}	R^{D10}	R^{D49}	L_{C538}	R^{D116}	R^{D136}	L_{C730}	R^{D133}	R^{D81}
L_{C155}	R^{D155}	R^{D155}	L_{C347}	R^{D10}	R^{D50}	L_{C539}	R^{D116}	R^{D143}	L_{C731}	R^{D133}	R^{D87}
L_{C156}	R^{D156}	R^{D156}	L_{C348}	R^{D10}	R^{D54}	L_{C540}	R^{D116}	R^{D144}	L_{C732}	R^{D133}	R^{D88}
L_{C157}	R^{D157}	R^{D157}	L_{C349}	R^{D10}	R^{D55}	L_{C541}	R^{D116}	R^{D145}	L_{C733}	R^{D133}	R^{D89}
L_{C158}	R^{D158}	R^{D158}	L_{C350}	R^{D10}	R^{D58}	L_{C542}	R^{D116}	R^{D146}	L_{C734}	R^{D133}	R^{D93}
L_{C159}	R^{D159}	R^{D159}	L_{C351}	R^{D10}	R^{D59}	L_{C543}	R^{D116}	R^{D147}	L_{C735}	R^{D133}	R^{D117}
L_{C160}	R^{D160}	R^{D160}	L_{C352}	R^{D10}	R^{D78}	L_{C544}	R^{D116}	R^{D149}	L_{C736}	R^{D133}	R^{D118}
L_{C161}	R^{D161}	R^{D161}	L_{C353}	R^{D10}	R^{D79}	L_{C545}	R^{D116}	R^{D151}	L_{C737}	R^{D133}	R^{D119}
L_{C162}	R^{D162}	R^{D162}	L_{C354}	R^{D10}	R^{D81}	L_{C546}	R^{D116}	R^{D154}	L_{C738}	R^{D133}	R^{D120}
L_{C163}	R^{D163}	R^{D163}	L_{C355}	R^{D10}	R^{D87}	L_{C547}	R^{D116}	R^{D155}	L_{C739}	R^{D133}	R^{D133}
L_{C164}	R^{D164}	R^{D164}	L_{C356}	R^{D10}	R^{D88}	L_{C548}	R^{D116}	R^{D161}	L_{C740}	R^{D133}	R^{D134}
L_{C165}	R^{D165}	R^{D165}	L_{C357}	R^{D10}	R^{D89}	L_{C549}	R^{D116}	R^{D175}	L_{C741}	R^{D133}	R^{D135}
L_{C166}	R^{D166}	R^{D166}	L_{C358}	R^{D10}	R^{D93}	L_{C550}	R^{D143}	R^{D3}	L_{C742}	R^{D133}	R^{D136}
L_{C167}	R^{D167}	R^{D167}	L_{C359}	R^{D10}	R^{D116}	L_{C551}	R^{D143}	R^{D5}	L_{C743}	R^{D133}	R^{D146}
L_{C168}	R^{D168}	R^{D168}	L_{C360}	R^{D10}	R^{D117}	L_{C552}	R^{D143}	R^{D17}	L_{C744}	R^{D133}	R^{D147}
L_{C169}	R^{D169}	R^{D169}	L_{C361}	R^{D10}	R^{D118}	L_{C553}	R^{D143}	R^{D18}	L_{C745}	R^{D133}	R^{D149}
L_{C170}	R^{D170}	R^{D170}	L_{C362}	R^{D10}	R^{D119}	L_{C554}	R^{D143}	R^{D20}	L_{C746}	R^{D133}	R^{D151}
L_{C171}	R^{D171}	R^{D171}	L_{C363}	R^{D10}	R^{D120}	L_{C555}	R^{D143}	R^{D22}	L_{C747}	R^{D133}	R^{D154}
L_{C172}	R^{D172}	R^{D172}	L_{C364}	R^{D10}	R^{D133}	L_{C556}	R^{D143}	R^{D37}	L_{C748}	R^{D133}	R^{D155}
L_{C173}	R^{D173}	R^{D173}	L_{C365}	R^{D10}	R^{D134}	L_{C557}	R^{D143}	R^{D40}	L_{C749}	R^{D133}	R^{D161}
L_{C174}	R^{D174}	R^{D174}	L_{C366}	R^{D10}	R^{D13						

-continued

L_{Cj}	R^{201}	R^{202}	L_{Cj}	R^{201}	R^{202}	L_{Cj}	R^{201}	R^{202}	L_{Cj}	R^{201}	R^{202}
L_{C185}	R^{D185}	R^{D185}	L_{C377}	R^{D10}	R^{D161}	L_{C569}	R^{D143}	R^{D87}	L_{C761}	R^{D175}	R^{D48}
L_{C186}	R^{D186}	R^{D186}	L_{C378}	R^{D10}	R^{D175}	L_{C570}	R^{D143}	R^{D88}	L_{C762}	R^{D175}	R^{D49}
L_{C187}	R^{D187}	R^{D187}	L_{C379}	R^{D17}	R^{D3}	L_{C571}	R^{D143}	R^{D89}	L_{C763}	R^{D175}	R^{D54}
L_{C188}	R^{D188}	R^{D188}	L_{C380}	R^{D17}	R^{D5}	L_{C572}	R^{D143}	R^{D93}	L_{C764}	R^{D175}	R^{D58}
L_{C189}	R^{D189}	R^{D189}	L_{C381}	R^{D17}	R^{D18}	L_{C573}	R^{D143}	R^{D116}	L_{C765}	R^{D175}	R^{D59}
L_{C190}	R^{D190}	R^{D190}	L_{C382}	R^{D17}	R^{D20}	L_{C574}	R^{D143}	R^{D117}	L_{C766}	R^{D175}	R^{D78}
L_{C191}	R^{D191}	R^{D191}	L_{C383}	R^{D17}	R^{D22}	L_{C575}	R^{D143}	R^{D118}	L_{C767}	R^{D175}	R^{D79}
L_{C192}	R^{D192}	R^{D192}	L_{C384}	R^{D17}	R^{D37}	L_{C576}	R^{D143}	R^{D119}	L_{C768}	R^{D175}	R^{D81}
L_{C769}	R^{D193}	R^{D193}	L_{C387}	R^{D1}	R^{D193}	L_{C985}	R^{D4}	R^{D193}	L_{C1093}	R^{D9}	R^{D193}
L_{C770}	R^{D194}	R^{D194}	L_{C388}	R^{D1}	R^{D194}	L_{C986}	R^{D4}	R^{D194}	L_{C1094}	R^{D9}	R^{D194}
L_{C771}	R^{D195}	R^{D195}	L_{C389}	R^{D1}	R^{D195}	L_{C987}	R^{D4}	R^{D195}	L_{C1095}	R^{D9}	R^{D195}
L_{C772}	R^{D196}	R^{D196}	L_{C3880}	R^{D1}	R^{D196}	L_{C988}	R^{D4}	R^{D196}	L_{C1096}	R^{D9}	R^{D196}
L_{C773}	R^{D197}	R^{D197}	L_{C3881}	R^{D1}	R^{D197}	L_{C989}	R^{D4}	R^{D197}	L_{C1097}	R^{D9}	R^{D197}
L_{C774}	R^{D198}	R^{D198}	L_{C3882}	R^{D1}	R^{D198}	L_{C990}	R^{D4}	R^{D198}	L_{C1098}	R^{D9}	R^{D198}
L_{C775}	R^{D199}	R^{D199}	L_{C3883}	R^{D1}	R^{D199}	L_{C991}	R^{D4}	R^{D199}	L_{C1099}	R^{D9}	R^{D199}
L_{C776}	R^{D200}	R^{D200}	L_{C3884}	R^{D1}	R^{D200}	L_{C992}	R^{D4}	R^{D200}	L_{C1100}	R^{D9}	R^{D200}
L_{C777}	R^{D201}	R^{D201}	L_{C3885}	R^{D1}	R^{D201}	L_{C993}	R^{D4}	R^{D201}	L_{C1101}	R^{D9}	R^{D201}
L_{C778}	R^{D202}	R^{D202}	L_{C3886}	R^{D1}	R^{D202}	L_{C994}	R^{D4}	R^{D202}	L_{C1102}	R^{D9}	R^{D202}
L_{C779}	R^{D203}	R^{D203}	L_{C3887}	R^{D1}	R^{D203}	L_{C995}	R^{D4}	R^{D203}	L_{C1103}	R^{D9}	R^{D203}
L_{C780}	R^{D204}	R^{D204}	L_{C3888}	R^{D1}	R^{D204}	L_{C996}	R^{D4}	R^{D204}	L_{C1104}	R^{D9}	R^{D204}
L_{C781}	R^{D205}	R^{D205}	L_{C3889}	R^{D1}	R^{D205}	L_{C997}	R^{D4}	R^{D205}	L_{C1105}	R^{D9}	R^{D205}
L_{C782}	R^{D206}	R^{D206}	L_{C3890}	R^{D1}	R^{D206}	L_{C998}	R^{D4}	R^{D206}	L_{C1106}	R^{D9}	R^{D206}
L_{C783}	R^{D207}	R^{D207}	L_{C3891}	R^{D1}	R^{D207}	L_{C999}	R^{D4}	R^{D207}	L_{C1107}	R^{D9}	R^{D207}
L_{C784}	R^{D208}	R^{D208}	L_{C3892}	R^{D1}	R^{D208}	L_{C1000}	R^{D4}	R^{D208}	L_{C1108}	R^{D9}	R^{D208}
L_{C785}	R^{D209}	R^{D209}	L_{C3893}	R^{D1}	R^{D209}	L_{C1001}	R^{D4}	R^{D209}	L_{C1109}	R^{D9}	R^{D209}
L_{C786}	R^{D210}	R^{D210}	L_{C3894}	R^{D1}	R^{D210}	L_{C1002}	R^{D4}	R^{D210}	L_{C1110}	R^{D9}	R^{D210}
L_{C787}	R^{D211}	R^{D211}	L_{C3895}	R^{D1}	R^{D211}	L_{C1003}	R^{D4}	R^{D211}	L_{C1111}	R^{D9}	R^{D211}
L_{C788}	R^{D212}	R^{D212}	L_{C3896}	R^{D1}	R^{D212}	L_{C1004}	R^{D4}	R^{D212}	L_{C1112}	R^{D9}	R^{D212}
L_{C789}	R^{D213}	R^{D213}	L_{C3897}	R^{D1}	R^{D213}	L_{C1005}	R^{D4}	R^{D213}	L_{C1113}	R^{D9}	R^{D213}
L_{C790}	R^{D214}	R^{D214}	L_{C3898}	R^{D1}	R^{D214}	L_{C1006}	R^{D4}	R^{D214}	L_{C1114}	R^{D9}	R^{D214}
L_{C791}	R^{D215}	R^{D215}	L_{C3899}	R^{D1}	R^{D215}	L_{C1007}	R^{D4}	R^{D215}	L_{C1115}	R^{D9}	R^{D215}
L_{C792}	R^{D216}	R^{D216}	L_{C3900}	R^{D1}	R^{D216}	L_{C1008}	R^{D4}	R^{D216}	L_{C1116}	R^{D9}	R^{D216}
L_{C793}	R^{D217}	R^{D217}	L_{C3901}	R^{D1}	R^{D217}	L_{C1009}	R^{D4}	R^{D217}	L_{C1117}	R^{D9}	R^{D217}
L_{C794}	R^{D218}	R^{D218}	L_{C3902}	R^{D1}	R^{D218}	L_{C1010}	R^{D4}	R^{D218}	L_{C1118}	R^{D9}	R^{D218}
L_{C795}	R^{D219}	R^{D219}	L_{C3903}	R^{D1}	R^{D219}	L_{C1011}	R^{D4}	R^{D219}	L_{C1119}	R^{D9}	R^{D219}
L_{C796}	R^{D220}	R^{D220}	L_{C3904}	R^{D1}	R^{D220}	L_{C1012}	R^{D4}	R^{D220}	L_{C1120}	R^{D9}	R^{D220}
L_{C797}	R^{D221}	R^{D221}	L_{C3905}	R^{D1}	R^{D221}	L_{C1013}	R^{D4}	R^{D221}	L_{C1121}	R^{D9}	R^{D221}
L_{C798}	R^{D222}	R^{D222}	L_{C3906}	R^{D1}	R^{D222}	L_{C1014}	R^{D4}	R^{D222}	L_{C1122}	R^{D9}	R^{D222}
L_{C799}	R^{D223}	R^{D223}	L_{C3907}	R^{D1}	R^{D223}	L_{C1015}	R^{D4}	R^{D223}	L_{C1123}	R^{D9}	R^{D223}
L_{C800}	R^{D224}	R^{D224}	L_{C3908}	R^{D1}	R^{D224}	L_{C1016}	R^{D4}	R^{D224}	L_{C1124}	R^{D9}	R^{D224}
L_{C801}	R^{D225}	R^{D225}	L_{C3909}	R^{D1}	R^{D225}	L_{C1017}	R^{D4}	R^{D225}	L_{C1125}	R^{D9}	R^{D225}
L_{C802}	R^{D226}	R^{D226}	L_{C3910}	R^{D1}	R^{D226}	L_{C1018}	R^{D4}	R^{D226}	L_{C1126}	R^{D9}	R^{D226}
L_{C803}	R^{D227}	R^{D227}	L_{C3911}	R^{D1}	R^{D227}	L_{C1019}	R^{D4}	R^{D227}	L_{C1127}	R^{D9}	R^{D227}
L_{C804}	R^{D228}	R^{D228}	L_{C3912}	R^{D1}	R^{D228}	L_{C1020}	R^{D4}	R^{D228}	L_{C1128}	R^{D9}	R^{D228}
L_{C805}	R^{D229}	R^{D229}	L_{C3913}	R^{D1}	R^{D229}	L_{C1021}	R^{D4}	R^{D229}	L_{C1129}	R^{D9}	R^{D229}
L_{C806}	R^{D230}	R^{D230}	L_{C3914}	R^{D1}	R^{D230}	L_{C1022}	R^{D4}	R^{D230}	L_{C1130}	R^{D9}	R^{D230}
L_{C807}	R^{D231}	R^{D231}	L_{C3915}	R^{D1}	R^{D231}	L_{C1023}	R^{D4}	R^{D231}	L_{C1131}	R^{D9}	R^{D231}
L_{C808}	R^{D232}	R^{D232}	L_{C3916}	R^{D1}	R^{D232}	L_{C1024}	R^{D4}	R^{D232}	L_{C1132}	R^{D9}	R^{D232}
L_{C809}	R^{D233}	R^{D233}	L_{C3917}	R^{D1}	R^{D233}	L_{C1025}	R^{D4}	R^{D233}	L_{C1133}	R^{D9}	R^{D233}
L_{C810}	R^{D234}	R^{D234}	L_{C3918}	R^{D1}	R^{D234}	L_{C1026}	R^{D4}	R^{D234}	L_{C1134}	R^{D9}	R^{D234}
L_{C811}	R^{D235}	R^{D235}	L_{C3919}	R^{D1}	R^{D235}	L_{C1027}	R^{D4}	R^{D235}	L_{C1135}	R^{D9}	R^{D235}
L_{C812}	R^{D236}	R^{D236}	L_{C3920}	R^{D1}	R^{D236}	L_{C1028}	R^{D4}	R^{D236}	L_{C1136}	R^{D9}	R^{D236}
L_{C813}	R^{D237}	R^{D237}	L_{C3921}	R^{D1}	R^{D237}	L_{C1029}	R^{D4}	R^{D237}	L_{C1137}	R^{D9}	R^{D237}
L_{C814}	R^{D238}	R^{D238}	L_{C3922}	R^{D1}	R^{D238}	L_{C1030}	R^{D4}	R^{D238}	L_{C1138}	R^{D9}	R^{D238}
L_{C815}	R^{D239}	R^{D239}	L_{C3923}	R^{D1}	R^{D239}	L_{C1031}	R^{D4}	R^{D239}	L_{C1139}	R^{D9}	R^{D239}
L_{C816}	R^{D240}	R^{D240}	L_{C3924}	R^{D1}	R^{D240}	L_{C1032}	R^{D4}	R^{D240}	L_{C1140}	R^{D9}	R^{D240}
L_{C817}	R^{D241}	R^{D241}	L_{C3925}	R^{D1}	R^{D241}	L_{C1033}	R^{D4}	R^{D241}	L_{C1141}	R^{D9}	R^{D241}
L_{C818}	R^{D242}	R^{D242}	L_{C3926}	R^{D1}	R^{D242}	L_{C1034}	R^{D4}	R^{D242}	L_{C1142}	R^{D9}	R^{D242}
L_{C819}	R^{D243}	R^{D243}	L_{C3927}	R^{D1}	R^{D243}	L_{C1035}	R^{D4}	R^{D243}	L_{C1143}	R^{D9}	R^{D243}
L_{C820}	R^{D244}	R^{D244}	L_{C3928}	R^{D1}	R^{D244}	L_{C1036}	R^{D4}	R^{D244}	L_{C1144}	R^{D9}	R^{D244}
L_{C821}	R^{D245}	R^{D245}	L_{C3929}	R^{D1}	R^{D245}	L_{C1037}	R^{D4}	R^{D245}	L_{C1145}	R^{D9}	R^{D245}
L_{C822}	R^{D246}	R^{D246}	L_{C3930}	R^{D1}	R^{D246}	L_{C1038}	R^{D4}	R^{D246}	L_{C1146}	R^{D9}	R^{D246}
L_{C823}	R^{D17}	R^{D193}	L_{C3931}	R^{D50}	R^{D193}	L_{C1039}	R^{D145}	R^{D193}	L_{C1147}	R^{D168}	R^{D193}
L_{C824}	R^{D17}	R^{D194}	L_{C3932}	R^{D50}							


-continued

-continued













L_{Cj}	R^{201}	R^{202}	L_{Cj}	R^{201}	R^{202}	L_{Cj}	R^{201}	R^{202}	L_{Cj}	R^{201}	R^{202}
L_{C1233}	R^{D10}	R^{D225}	L_{C1287}	R^{D55}	R^{D225}	L_{C1341}	R^{D37}	R^{D225}	L_{C1395}	R^{D143}	R^{D225}
L_{C1234}	R^{D10}	R^{D226}	L_{C1288}	R^{D55}	R^{D226}	L_{C1342}	R^{D37}	R^{D226}	L_{C1396}	R^{D143}	R^{D226}
L_{C1235}	R^{D10}	R^{D227}	L_{C1289}	R^{D55}	R^{D227}	L_{C1343}	R^{D37}	R^{D227}	L_{C1397}	R^{D143}	R^{D227}
L_{C1236}	R^{D10}	R^{D228}	L_{C1290}	R^{D55}	R^{D228}	L_{C1344}	R^{D37}	R^{D228}	L_{C1398}	R^{D143}	R^{D228}
L_{C1237}	R^{D10}	R^{D229}	L_{C1291}	R^{D55}	R^{D229}	L_{C1345}	R^{D37}	R^{D229}	L_{C1399}	R^{D143}	R^{D229}
L_{C1238}	R^{D10}	R^{D230}	L_{C1292}	R^{D55}	R^{D230}	L_{C1346}	R^{D37}	R^{D230}	L_{C1400}	R^{D143}	R^{D230}
L_{C1239}	R^{D10}	R^{D231}	L_{C1293}	R^{D55}	R^{D231}	L_{C1347}	R^{D37}	R^{D231}	L_{C1401}	R^{D143}	R^{D231}
L_{C1240}	R^{D10}	R^{D232}	L_{C1294}	R^{D55}	R^{D232}	L_{C1348}	R^{D37}	R^{D232}	L_{C1402}	R^{D143}	R^{D232}
L_{C1241}	R^{D10}	R^{D233}	L_{C1295}	R^{D55}	R^{D233}	L_{C1349}	R^{D37}	R^{D233}	L_{C1403}	R^{D143}	R^{D233}
L_{C1242}	R^{D10}	R^{D234}	L_{C1296}	R^{D55}	R^{D234}	L_{C1350}	R^{D37}	R^{D234}	L_{C1404}	R^{D143}	R^{D234}
L_{C1243}	R^{D10}	R^{D235}	L_{C1297}	R^{D55}	R^{D235}	L_{C1351}	R^{D37}	R^{D235}	L_{C1405}	R^{D143}	R^{D235}
L_{C1244}	R^{D10}	R^{D236}	L_{C1298}	R^{D55}	R^{D236}	L_{C1352}	R^{D37}	R^{D236}	L_{C1406}	R^{D143}	R^{D236}
L_{C1245}	R^{D10}	R^{D237}	L_{C1299}	R^{D55}	R^{D237}	L_{C1353}	R^{D37}	R^{D237}	L_{C1407}	R^{D143}	R^{D237}
L_{C1246}	R^{D10}	R^{D238}	L_{C1300}	R^{D55}	R^{D238}	L_{C1354}	R^{D37}	R^{D238}	L_{C1408}	R^{D143}	R^{D238}
L_{C1247}	R^{D10}	R^{D239}	L_{C1301}	R^{D55}	R^{D239}	L_{C1355}	R^{D37}	R^{D239}	L_{C1409}	R^{D143}	R^{D239}
L_{C1248}	R^{D10}	R^{D240}	L_{C1302}	R^{D55}	R^{D240}	L_{C1356}	R^{D37}	R^{D240}	L_{C1410}	R^{D143}	R^{D240}
L_{C1249}	R^{D10}	R^{D241}	L_{C1303}	R^{D55}	R^{D241}	L_{C1357}	R^{D37}	R^{D241}	L_{C1411}	R^{D143}	R^{D241}
L_{C1250}	R^{D10}	R^{D242}	L_{C1304}	R^{D55}	R^{D242}	L_{C1358}	R^{D37}	R^{D242}	L_{C1412}	R^{D143}	R^{D242}
L_{C1251}	R^{D10}	R^{D243}	L_{C1305}	R^{D55}	R^{D243}	L_{C1359}	R^{D37}	R^{D243}	L_{C1413}	R^{D143}	R^{D243}
L_{C1252}	R^{D10}	R^{D244}	L_{C1306}	R^{D55}	R^{D244}	L_{C1360}	R^{D37}	R^{D244}	L_{C1414}	R^{D143}	R^{D244}
L_{C1253}	R^{D10}	R^{D245}	L_{C1307}	R^{D55}	R^{D245}	L_{C1361}	R^{D37}	R^{D245}	L_{C1415}	R^{D143}	R^{D245}
L_{C1254}	R^{D10}	R^{D246}	L_{C1308}	R^{D55}	R^{D246}	L_{C1362}	R^{D37}	R^{D246}	L_{C1416}	R^{D143}	R^{D246}

[0202] wherein R^{D1} to R^{D246} have the structures defined in the following LIST 9:













-continued












-continued

 R^{D20}  R^{D21}  R^{D22}  R^{D23}  R^{D24}  R^{D25}  R^{D26}  R^{D27}  R^{D28}  R^{D29}  R^{D30}  R^{D31}  R^{D32}  R^{D33}











-continued

 R^{D34}  R^{D35}  R^{D36}  R^{D37}  R^{D38}  R^{D39}  R^{D40}  R^{D41}  R^{D42}  R^{D43}  R^{D44}  R^{D45}  R^{D46}  R^{D47} 










-continued

R^{D48}R^{D49}R^{D50}R^{D51}R^{D52}R^{D53}R^{D54}R^{D55}R^{D56}











-continued

R^{D60}R^{D61}R^{D62}R^{D63}R^{D64}R^{D65}R^{D66}R^{D67}R^{D68}R^{D69}R^{D70}R^{D71}










-continued












-continued

R^{D96}R^{D97}R^{D98}R^{D99}R^{D100}R^{D101}R^{D102}R^{D103}R^{D104}R^{D105}R^{D106}R^{D107}R^{D108}R^{D109}R^{D110}R^{D111}R^{D112}R^{D113}R^{D114}R^{D115}R^{D116}














-continued

 R^{D117}  R^{D118}  R^{D119}  R^{D120}  R^{D121}  R^{D122}  R^{D123}  R^{D124}  R^{D125}










-continued

 R^{D126}  R^{D127}  R^{D128}  R^{D129}  R^{D130}  R^{D131}  R^{D132}  R^{D133}  R^{D134}


-continued




-continued

 R^{D149}  R^{D151}  R^{D153}  R^{D155}  R^{D156}  R^{D158}  R^{D159}  R^{D160}  R^{D161} 


-continued




-continued











-continued














-continued












-continued











-continued

 R^{D217}  R^{D218}  R^{D219}  R^{D220}  R^{D221}  R^{D222}  R^{D223}  R^{D224}  R^{D225}  R^{D226}  R^{D227}  R^{D228} 


-continued

 R^{D229}  R^{D230}  R^{D231}  R^{D232}  R^{D233}  R^{D234}  R^{D235}  R^{D236}  R^{D237}











-continued


 R^{D238}  R^{D239}  R^{D240}  R^{D241}  R^{D242}  R^{D243}  R^{D244}  R^{D245}

-continued

 R^{D246}

-continued

 L_{C9-I} L_{C10-I}  L_{C17-I}  L_{C55-I}  L_{C78-I}  L_{C116-I}  L_{C50-I}  L_{C190-I} L_{C1-I}  L_{C4-I} 












[0208] In some embodiments, the compound has a formula selected from the group consisting of $\text{Ir}(\text{L}_A)_3$, $\text{Ir}(\text{L}_A)_2(\text{L}_B)$, $\text{Ir}(\text{L}_A)(\text{L}_B)_2$, $\text{Ir}(\text{L}_A)_2(\text{L}_C)$, and $\text{Ir}(\text{L}_A)(\text{L}_B)(\text{L}_C)$. In some embodiments, L_A is selected from the group consisting of the structures of LIST 2, and LIST 3, L_B is selected from the group consisting of the structures of LIST 5, LIST 6, and LIST 7 (L_{Bk}), and L_C is selected from the group consisting of the structures of $\text{L}_{C_{i-I}}$ and $\text{L}_{C_{i-II}}$ defined herein.


[0209] In some embodiments, L_A is selected from the group consisting of the structures of LIST 2 and L_B is selected from the group consisting of the structures of L_{BK} . In some embodiments, L_A is selected from LIST 3 defined herein, and L_B is selected from the group consisting of the structures of L_{Bk} wherein k is an integer from 1 to 541. In some embodiments, L_A is selected from LIST 2 defined herein, and L_C is selected from the group consisting of the structures of L_{Cj-1} and L_{Cj+1} wherein j is an integer from 1 to 1416.

[0210] In some embodiments, the compound can have the formula $\text{Ir}(\text{L}_{-A}\text{i-}(\text{R}^K)(\text{R}^L)(\text{R}^M)(\text{R}^N))_3$ consisting of the compounds of $\text{Ir}(\text{L}_{-A1}(\text{R}3)(\text{R}9)(\text{R}1)(\text{R}1))_3$ to $\text{Ir}(\text{L}_{-A37}(\text{R}334)(\text{R}334)(\text{R}334)(\text{R}334))_3$, the formula $\text{Ir}(\text{L}_{-A})(\text{L}_{-B1})_2$, the formula $\text{Ir}(\text{L}_{-A}\text{i-}(\text{R}^K)(\text{R}^L)(\text{R}^M)(\text{R}^N))(\text{L}_{-Bk})_2$ consisting of the compounds of $\text{Ir}(\text{L}_{-A1}(\text{R}3)(\text{R}9)(\text{R}1)(\text{R}1))(\text{L}_{-B1})_2$ to $\text{Ir}(\text{L}_{-A37}(\text{R}334)(\text{R}334)(\text{R}334)(\text{R}334))(\text{L}_{-B541})_2$, the formula $\text{Ir}(\text{L}_{-A}\text{i-}(\text{R}^K)(\text{R}^L)(\text{R}^M)(\text{R}^N))_2(\text{L}_B)$, the formula $\text{Ir}(\text{L}_{-A1}(\text{R}^K)(\text{R}^L)(\text{R}^M)(\text{R}^N))_2(\text{L}_{-Bk})$ consisting of the compounds of $\text{Ir}(\text{L}_{-A1}(\text{R}3)(\text{R}9)(\text{R}1)(\text{R}1))_2(\text{L}_{-B1})$ to $\text{Ir}(\text{L}_{-A37}(\text{R}334)(\text{R}334)(\text{R}334)(\text{R}334))_2(\text{L}_{-B541})$, the formula $\text{Ir}(\text{L}_{-A}\text{i-}(\text{R}^K)(\text{R}^L)(\text{R}^M)(\text{R}^N))_2(\text{L}_{Cj-I})$ consisting of the compounds of $\text{Ir}(\text{L}_{-A1}(\text{R}3)(\text{R}9)(\text{R}1)(\text{R}1))_2(\text{L}_{Cj-II})$ to $\text{Ir}(\text{L}_{-A37}(\text{R}334)(\text{R}334)(\text{R}334)(\text{R}334))_2(\text{L}_{C1416-I})$, the formula $\text{Ir}(\text{L}_{-A}\text{i-}(\text{R}^K)(\text{R}^L)(\text{R}^M)(\text{R}^N))_2(\text{L}_{Cj-I})$ consisting of the compounds of $\text{Ir}(\text{L}_{-A1}(\text{R}3)(\text{R}9)(\text{R}1)(\text{R}1))_2(\text{L}_{Cj-II})$ to


$\text{Ir}(\text{L}_{A37}(\text{R334})(\text{R334})(\text{R334})(\text{R334}))_2(\text{L}_{C1416-II})$, the formula $\text{Ir}(\text{L}_{A1}-(\text{R}^K)(\text{R}^L)(\text{R}^M)(\text{R}^N))(\text{L}_{Bk})(\text{L}_{Cj-I})$ consisting of the compounds of $\text{Ir}(\text{L}_{A1}(\text{R3})(\text{R9})(\text{R1})(\text{R1}))(\text{L}_{B1})(\text{L}_{Cj-I})$ to $\text{Ir}(\text{L}_{A37}(\text{R334})(\text{R334})(\text{R334})(\text{R334}))(\text{L}_{B541})(\text{L}_{C1416-I})$, or the formula $\text{Ir}(\text{L}_{A1}-(\text{R}^K)(\text{R}^L)(\text{R}^M)(\text{R}^N))(\text{L}_{Bk})(\text{L}_{Cj-II})$ consisting of the compounds of $\text{Ir}(\text{L}_{A1}(\text{R3})(\text{R9})(\text{R1})(\text{R1}))(\text{L}_{B1})$ (L_{CI-II}) to $\text{Ir}(\text{L}_{A37}(\text{R334})(\text{R334})(\text{R334})(\text{R334}))(\text{L}_{B541})$ ($\text{L}_{C1416-II}$), wherein $\text{L}_{A1}-(\text{R}^K)(\text{R}^L)(\text{R}^M)(\text{R}^N)$, L_{Bk} and L_{Cj-I} and L_{Cj-II} are all defined herein.

[0211] In some embodiments, the compound is selected from the group consisting of the structures of the following LIST 11:













-continued




-continued














-continued




-continued




-continued










-continued




-continued











-continued




-continued




-continued












-continued










-continued




-continued










-continued




-continued






-continued




-continued



-continued



-continued



[0212] In some embodiments, the compound having a first ligand L_A of Formula I described herein can be at least 30% deuterated, at least 40% deuterated, at least 50% deuterated, at least 60% deuterated, at least 70% deuterated, at least 80% deuterated, at least 90% deuterated, at least 95% deuterated, at least 99% deuterated, or 100% deuterated. As used herein, percent deuteration has its ordinary meaning and includes the percent of all possible hydrogen atoms in the compound (e.g., positions that are hydrogen or deuterium) that are occupied by deuterium atoms. In some embodiments, carbon atoms comprised the ring coordinated to the metal M are fully or partially deuterated. In some embodiments, carbon atoms comprised by a polycyclic ring system coordinated to the metal M are fully or partially deuterated. In some embodiments, a substituent attached to a monocyclic or fused polycyclic ring system coordinated to the metal M is fully or partially deuterated.

[0213] In some embodiments, the compound of formula I has an emission at room temperature with a full width at half maximum (FWHM) of equal to or less than 50, 45, 40, 35, 30, 25, 20, 15, 10, or 5 nm. Narrower FWHM means better color purity for the OLED display application.

[0214] In some embodiments of heteroleptic compound having the formula of $Ir(L_A)_x(L_B)_y(L_C)_z$ as defined above, the ligand L_A has a first substituent R^I , where the first substituent R^I has a first atom a-I that is the farthest away from the metal M among all atoms in the ligand L_A . Additionally, the ligand L_B , if present, has a second substituent R^{II} , where the second substituent R^{II} has a first atom a-II that is the farthest away from the metal M among all atoms in the ligand L_B . Furthermore, the ligand L_C , if present, has a third substituent R^{III} , where the third substituent R^{III} has a first atom a-III that is the farthest away from the metal M among all atoms in the ligand L_C .

[0215] In such heteroleptic compounds, vectors V_{D1} , V_{D2} , and V_{D3} can be defined as follows. V_{D1} represents the direction from the metal M to the first atom a-I and the vector V_{D1} has a value D^1 that represents the straight line distance between the metal M and the first atom a-I in the first substituent R^I . V_{D2} represents the direction from the metal M to the first atom a-II and the vector V_{D2} has a value D^2 that represents the straight line distance between the metal M and the first atom a-II in the second substituent R^{II} . V_{D3} represents the direction from the metal M to the first atom a-III and the vector V_{D3} has a value D^3 that represents the straight line distance between the metal M and the first atom a-III in the third substituent R^{III} .

[0216] In such heteroleptic compounds, a sphere having a radius r is defined whose center is the metal M and the radius r is the smallest radius that will allow the sphere to enclose all atoms in the compound that are not part of the substituents R^I , R^{II} and R^{III} , and where at least one of D^1 , D^2 , and D^3 is greater than the radius r by at least 1.5 Å. In some embodiments, at least one of D^1 , D^2 , and D^3 is greater than the radius r by at least 2.9, 3.0, 4.3, 4.4, 5.2, 5.9, 7.3, 8.8, 10.3, 13.1, 17.6, or 19.1 Å. In some embodiments, at least two of D^1 , D^2 , and D^3 is greater than the radius r by at least 1.5, 2.9, 3.0, 4.3, 4.4, 5.2, 5.9, 7.3, 8.8, 10.3, 13.1, 17.6, or 19.1 Å.

[0217] In some embodiments of such heteroleptic compound, the compound has a transition dipole moment axis and angles are defined between the transition dipole moment axis and the vectors V_{D1} , V_{D2} , and V_{D3} , where at least one of the angles between the transition dipole moment axis and the vectors V_{D1} , V_{D2} , and V_{D3} is less than 40°. In some embodiments, at least one of the angles between the transition dipole moment axis and the vectors V_{D1} , V_{D2} , and V_{D3} is less than 30°, 20°, 15°, or 10°. In some embodiments,

at least two of the angles between the transition dipole moment axis and the vectors V_{D1} , V_{D2} , and V_{D3} are less than 20°. In some embodiments, at least two of the angles between the transition dipole moment axis and the vectors V_{D1} , V_{D2} , and V_{D3} are less than 15° or 10°.

[0218] In some embodiments, all three angles between the transition dipole moment axis and the vectors V_{D1} , V_{D2} , and V_{D3} are less than 20°. In some embodiments, all three angles between the transition dipole moment axis and the vectors V_{D1} , V_{D2} , and V_{D3} are less than 15° or 10°.

[0219] In some embodiments of such heteroleptic compounds, the compound has a vertical dipole ratio (VDR) of 0.33 or less. In some embodiments of such heteroleptic compounds, the compound has a VDR of 0.30, 0.25, 0.20, or 0.15 or less.

[0220] One of ordinary skill in the art would readily understand the meaning of the terms transition dipole moment axis of a compound and vertical dipole ratio of a compound. Nevertheless, the meaning of these terms can be found in U.S. Pat. No. 10,672,997 whose disclosure is incorporated herein by reference in its entirety. In U.S. Pat. No. 10,672,997, horizontal dipole ratio (HDR) of a compound, rather than VDR, is discussed. However, one skilled in the art readily understands that $VDR=1-HDR$.

[0221] In some embodiments, the compound can be an emissive dopant. In some embodiments, the compound can produce emissions via phosphorescence, fluorescence, thermally activated delayed fluorescence, triplet-triplet annihilation, or combinations of these processes. In some embodiments, the emissive dopant can be a racemic mixture, or can be enriched in one enantiomer. In some embodiments, the present compounds can have different stereoisomers, such as fac and mer. The current compound relates both to individual isomers and to mixtures of various isomers in any mixing ratio. In some embodiments, the compound can be homoleptic (each ligand is the same). In some embodiments, the compound can be heteroleptic (at least one ligand is different from others). When there are more than one ligand coordinated to a metal, the ligands can all be the same in some embodiments. In some other embodiments, at least one ligand is different from the other ligands. In some embodiments, every ligand can be different from every other ligand. This is also true in embodiments where a ligand being coordinated to a metal can be linked with other ligands being coordinated to that metal to form a tridentate, tetradeinate, pentadentate, or hexadentate ligands. Thus, where the coordinating ligands are being linked together, all of the ligands can be the same in some embodiments, and at least one of the ligands being linked can be different from the other ligand(s) in some other embodiments.

[0222] In yet another aspect of the present disclosure, a formulation that comprises the novel compound disclosed herein is described. The formulation can include one or more components selected from the group consisting of a solvent, an emitter, a host, a hole injection material, hole transport material, electron blocking material, hole blocking material, and an electron transport material, disclosed herein.

[0223] The present disclosure encompasses any chemical structure comprising the novel compound of the present disclosure, or a monovalent or polyvalent variant thereof. In other words, the inventive compound, or a monovalent or polyvalent variant thereof, can be a part of a larger chemical

structure. Such chemical structure can be selected from the group consisting of a monomer, a polymer, a macromolecule, and a supramolecule (also known as supermolecule). As used herein, a “monovalent variant of a compound” refers to a moiety that is identical to the compound except that one hydrogen has been removed and replaced with a bond to the rest of the chemical structure. As used herein, a “polyvalent variant of a compound” refers to a moiety that is identical to the compound except that more than one hydrogen has been removed and replaced with a bond or bonds to the rest of the chemical structure. In the instance of a supramolecule, the inventive compound can also be incorporated into the supramolecule complex without covalent bonds. As used in this context, the description that a structure A comprises a moiety B means that the structure A includes the structure of moiety B not including the H or D atoms that can be attached to the moiety B. This is because at least one H or D on a given moiety structure has to be replaced to become a substituent so that the moiety B can be part of the structure A, and one or more of the H or D on a given moiety B structure can be further substituted once it becomes a part of structure A.

C. The OLEDs and the Devices of the Present Disclosure


[0224] In another aspect, the present disclosure also provides an OLED device comprising a first organic layer that contains a compound as disclosed in the above compounds section of the present disclosure.

[0225] In some embodiments, the OLED comprises: an anode; a cathode; and an organic layer disposed between the anode and the cathode, where the organic layer comprises a compound having a first ligand L_A having a structure comprising Formula I as described herein.


[0226] In some embodiments, the organic layer is selected from the group consisting of HIL, HTL, EBL, EML, HBL, ETL, and EIL. In some embodiments, the organic layer may be an emissive layer and the compound as described herein may be an emissive dopant or a non-emissive dopant.

[0227] In some embodiments, the organic layer may further comprise a host, wherein host comprises at least one chemical group selected from the group consisting of triphenylene, carbazole, indolocarbazole, dibenzothiophene, dibenzofuran, dibenzoselenophene, $5\lambda^2$ -benzo[d]benzo[4,5]imidazo[3,2-a]imidazole, 5,9-dioxa-13b-boranaphtho[3,2,1-de]anthracene, azaborinine, oxaborinine, dihydroacridine, xanthene, dihydrobenzoazasiline, dibenzooxasiline, phenoxazine, phenoxathiine, phenothiazine, dihydrophenazine, fluorene, naphthalene, anthracene, phenanthrene, phenanthroline, benzoquinoline, quinoline, isoquinoline, quinazoline, pyrimidine, pyrazine, pyridine, triazine, boryl, silyl, aza-triphenylene, aza-carbazole, aza-indolocarbazole, aza-dibenzothiophene, aza-dibenzofuran, aza-dibenzoselenophene, aza- $5\lambda^2$ -benzo[d]benzo[4,5]imidazo[3,2-a]imidazole, and aza-(5,9-dioxa-13b-boranaphtho[3,2,1-de]anthracene).


[0228] In some embodiments, the host can be selected from the group consisting of the structures of the following HOST Group 1:










-continued




-continued










-continued




-continued










-continued




-continued










-continued




-continued









-continued




-continued




-continued







-continued



-continued






wherein:


- [0229] each of J_1 to J_6 is independently C or N;
- [0230] L' is a direct bond or an organic linker;
- [0231] each Y^{AA} , Y^{BB} , Y^{CC} and Y^{DD} is independently selected from the group consisting of absent a bond, direct bond, O, S, Se, CRR', SiRR', GeRR', NR, BR, BRR';
- [0232] each of $R^{A'}$, $R^{B'}$, $R^{C'}$, $R^{D'}$, $R^{E'}$, $R^{F'}$, and $R^{G'}$ independently represents mono, up to the maximum substitutions, or no substitutions;
- [0233] each R, R', R^{A'}, R^{B'}, R^{C'}, R^{D'}, R^{E'}, R^{F'}, and R^{G'} is independently a hydrogen or a substituent selected from the group consisting of the General Substituents as defined herein; any two substituents can be joined or fused to form a ring;
- [0234] and where possible, each unsubstituted aromatic carbon atom is optionally replaced with N to form an aza-substituted ring.

[0235] In some embodiments at least one of J_1 to J_3 is N. In some embodiments at least two of J_1 to J_3 are N. In some embodiments, all three of J_1 to J_3 are N. In some embodiments, each Y^{CC} and Y^{DD} is independently O, S, or SiRR', or more preferably O or S. In some embodiments, at least one unsubstituted aromatic carbon atom is replaced with N to form an aza-ring.


[0236] In some embodiments, the host is selected from the group consisting of EG1-MG1-EG1 to EG53-MG27-EG53 with a formula of EGa-MGb-EGc, or EG1-EG1 to EG53-EG53 with a formula of EGa-EGc when MGb is absent, wherein a is an integer from 1 to 53, b is an integer from 1 to 27, c is an integer from 1 to 53. The structure of EG1 to EG53 is shown below:




-continued




EG7




EG8




EG9




EG10




EG11




EG12



EG13




EG14




EG15


-continued




EG16




EG17




EG18




EG19




EG20



EG21




EG22



EG23


-continued

EG24




-continued


EG30




EG25




EG26




EG27



EG34





EG35




EG28

EG29




-continued

EG36




-continued


EG42




EG37




EG43




EG44




EG38




EG45




EG39




EG46




EG40



EG47




EG41




-continued

EG48




-continued

EG53




EG49




The structure of MG1 to MG27 is shown below:


MG1




MG2




MG3




MG4




MG5




MG6




MG7




EG50




EG51




E52




-continued




MG8




MG9




MG10




MG11




MG12




MG13



MG14





MG15




MG16

-continued


MG17




MG18




MG19




MG20




MG21



MG22




MG23



MG24

-continued



-continued

h	MGb	EGa	EGc
h28	MG7	EG43	EG45
h29	MG8	EG1	EG28
h30	MG8	EG6	EG7
h31	MG8	EG7	EG7
h32	MG8	EG7	EG11
h33	MG9	EG1	EG43
h34	MG10	4-EG1	2-EG37
h35	MG10	4-EG1	2-EG38
h36	MG10	EG1	EG42
h37	MG11	4-EG1	2-EG39
h38	MG12	1-EG17	9-EG31
h39	MG13	3-EG17	9-EG4
h40	MG13	3-EG17	9-EG13
h41	MG13	3-EG17	9-EG31
h42	MG13	3-EG17	9-EG45
h43	MG13	3-EG17	9-EG46
h44	MG13	3-EG17	9-EG48
h45	MG13	3-EG17	9-EG49
h46	MG13	3-EG32	9-EG31
h47	MG13	3-EG44	9-EG3
h48	MG14	3-EG13	5-EG45
h49	MG14	3-EG23	5-EG45
h50	MG15	EG3	EG48
h51	MG15	EG17	EG31
h52	MG15	EG31	EG36
h53	MG16	EG17	EG17
h54	MG17	EG17	EG17
h55	MG18	EG16	EG24
h56	MG18	EG16	EG30
h57	MG18	EG20	EG41
h58	MG19	EG16	EG29
h59	MG20	EG1	EG31
h60	MG20	EG17	EG18
h61	MG21	EG23	EG23
h62	MG22	EG1	EG45
h63	MG22	EG1	EG46
h64	MG22	EG3	EG46
h65	MG22	EG4	EG46
h66	MG22	EG4	EG47
h67	MG22	EG9	EG45
h68	MG23	EG1	EG3
h69	MG23	EG1	EG6
h70	MG23	EG1	EG14
h71	MG23	EG1	EG18
h72	MG23	EG1	EG19
h73	MG23	EG1	EG23
h74	MG23	EG1	EG51
h75	MG23	EG2	EG18
h76	MG23	EG3	EG3
h77	MG23	EG3	EG4
h78	MG23	EG3	EG5
h79	MG23	EG4	EG4
h80	MG23	EG4	EG5
h81	MG24	2-EG1	10-EG33
h82	MG24	2-EG4	10-EG36
h83	MG24	2-EG21	10-EG36
h84	MG24	2-EG23	10-EG36
h85	MG25	2-EG1	9-EG33
h86	MG25	2-EG3	9-EG36
h87	MG25	2-EG4	9-EG36
h88	MG25	2-EG17	9-EG27
h89	MG25	2-EG17	9-EG36
h90	MG25	2-EG21	9-EG36
h91	MG25	2-EG23	9-EG27
h92	MG25	2-EG23	9-EG36
h93	MG26	EG1	EG9
h94	MG26	EG1	EG10
h95	MG26	EG1	EG21
h96	MG26	EG1	EG23
h97	MG26	EG1	EG26
h98	MG26	EG3	EG3
h99	MG26	EG3	EG9
h100	MG26	EG3	EG23
h101	MG26	EG3	EG26

-continued

h	MGb	EGa	EGc
h102	MG26	EG4	EG10
h103	MG26	EG5	EG10
h104	MG26	EG6	EG10
h105	MG26	EG10	EG10
h106	MG26	EG10	EG14
h107	MG26	EG10	EG15
h108	MG27	EG52	EG53
h109	—	EG13	EG18
h110	—	EG17	EG31
h111	—	EG17	EG50
h112	—	EG40	EG45

[0238] In the table above, the EGa and EGc structures that are bonded to one of the asymmetric structures MG10, MG11, MG12, MG13, MG14, MG17, MG24, and MG25, are noted with a numeric prefix identifying their bonding position in the MGb structure.

[0239] In some embodiments, the organic layer may further comprise a host, wherein the host comprises a metal complex.

[0240] In some embodiments, the emissive layer can comprise two hosts, a first host and a second host. In some embodiments, the first host is a hole transporting host, and the second host is an electron transporting host. In some embodiments, the first host is a hole transporting host, and the second host is a bipolar host. In some embodiments, the first host is an electron transporting host, and the second host is a bipolar host. In some embodiments, the first host and the second host can form an exciplex. In some embodiments, the emissive layer can comprise a third host. In some embodiments, the third host is selected from the group consisting of an insulating host (wide band gap host), a hole transporting host, and an electron transporting host. In some embodiments, the third host forms an exciplex with one of the first host and the second host, or with both the first host and the second host. In some embodiments, the emissive layer can comprise a fourth host. In some embodiments, the fourth host is selected from the group consisting of an insulating host (wide band gap host), a hole transporting host, and an electron transporting host. In some embodiments, the fourth host forms an exciplex with one of the first host, the second host, and the third host, with two of the first host, the second host, and the third host, or with each of the first host, the second host, and the third host. In some embodiments, the electron transporting host has a LUMO less than -2.4 eV, less than -2.5 eV, less than -2.6 eV, or less than -2.7 eV. In some embodiments, the hole transporting host has a HOMO higher than -5.6 eV, higher than -5.5 eV, higher than -5.4 eV, or higher than -5.35 eV. The HOMO and LUMO values can be determined using solution electrochemistry. Solution cyclic voltammetry and differential pulsed voltammetry can be performed using a CH Instruments model 6201B potentiostat using anhydrous dimethylformamide (DMF) solvent and tetrabutylammonium hexafluorophosphate as the supporting electrolyte. Glassy carbon, platinum wire, and silver wire were used as the working, counter and reference electrodes, respectively. Electrochemical potentials can be referenced to an internal ferrocene-ferroconium redox couple (Fc/Fc⁺) by measuring the peak potential differences from differential pulsed voltammetry. The corresponding highest occupied molecular orbital (HOMO) and lowest unoccupied molecular orbital (LUMO) energies can be

determined by referencing the cationic and anionic redox potentials to ferrocene (4.8 eV vs. vacuum) according to literature ((a) Fink, R.; Heischkel, Y.; Thelakkat, M.; Schmidt, H.-W. *Chem. Mater.* 1998, 10, 3620-3625. (b) Pommerene, J.; Vestweber, H.; Guss, W.; Mahrt, R. F.; Bassler, H.; Porsch, M.; Daub, J. *Adv. Mater.* 1995, 7, 551).

[0241] In some embodiments, the compound as described herein may be a sensitizer or a component of a sensitizer; wherein the device may further comprise an acceptor that receives the energy from the sensitizer. In some embodiments, the acceptor is an emitter in the device. In some embodiments, the acceptor may be a fluorescent material. In some embodiments, the compound described herein can be used as a phosphorescent sensitizer in an OLED where one or multiple layers in the OLED contain an acceptor in the form of one or more non-delayed fluorescent and/or delayed fluorescence material. In some embodiments, the compound described herein can be used as one component of an exciplex to be used as a sensitizer. As a phosphorescent sensitizer, the compound must be capable of energy transfer to the acceptor and the acceptor will emit the energy or further transfer energy to a final emitter. The acceptor concentrations can range from 0.001% to 99.9%. The acceptor could be in either the same layer as the phosphorescent sensitizer or in one or more different layers. In some embodiments, the acceptor is a thermally activated delayed fluorescence (TADF) material. In some embodiments, the acceptor is a non-delayed fluorescent material. In some embodiments, the emission can arise from any or all of the sensitizer, acceptor, and final emitter. In some embodiments, the acceptor has an emission at room temperature with a full width at half maximum (FWHM) of equal to or less than 50, 45, 40, 35, 30, 25, 20, 15, 10, or 5 nm. Narrower FWHM means better color purity for the OLED display application.

[0242] As used herein, phosphorescence generally refers to emission of a photon with a change in electron spin quantum number, i.e., the initial and final states of the emission have different electron spin quantum numbers, such as from T1 to S0 state. Most of the Ir and Pt complexes currently used in OLED are phosphorescent emitters. In some embodiments, if an exciplex formation involves a triplet emitter, such exciplex can also emit phosphorescent light. On the other hand, fluorescent emitters generally refer to emission of a photon without a change in electron spin quantum number, such as from S1 to S0 state, or from D1 to D0 state. Fluorescent emitters can be delayed fluorescent or non-delayed fluorescent emitters. Depending on the spin state, fluorescent emitter can be a singlet emitter or a doublet emitter, or other multiplet emitter. It is believed that the internal quantum efficiency (IQE) of fluorescent OLEDs can exceed the 25% spin statistics limit through delayed fluorescence. There are two types of delayed fluorescence, i.e. P-type and E-type delayed fluorescence. P-type delayed fluorescence is generated from triplet-triplet annihilation (TTA). On the other hand, E-type delayed fluorescence does not rely on the collision of two triplets, but rather on the thermal population between the triplet states and the singlet excited states. Thermal energy can activate the transition from the triplet state back to the singlet state. This type of delayed fluorescence is also known as TADF. E-type delayed fluorescence characteristics can be found in an exciplex system or in a single compound. Without being bound by theory, it is believed that TADF emissions require a compound or an exciplex having a small singlet-triplet energy

gap (AES-T) less than or equal to 400, 350, 300, 250, 200, 150, 100, or 50 meV. There are two major types of TADF emitters, one is called donor-acceptor type TADF, the other one is called multiple resonance (MR) TADF. Often, single compound donor-acceptor TADF compounds are constructed by connecting an electron donor moiety such as amino- or carbazole-derivatives and an electron acceptor moiety such as N-containing six-membered aromatic rings or cyano-substituted aromatic rings. Donor-acceptor exciplexes can be formed between a hole transporting compound and an electron transporting compound. Examples of MR-TADF materials include highly conjugated fused ring systems. In some embodiments, MR-TADF materials comprises boron, carbon, and nitrogen atoms. Such materials may comprise other atoms, such as oxygen, as well. In some embodiments, the reverse intersystem crossing time from T1 to S1 of the delayed fluorescent emission at 293K is less than or equal to 10 microseconds. In some embodiments, such time can be greater than 10 microseconds and less than 100 microseconds.

[0243] In some embodiments, the OLED may comprise an additional compound selected from the group consisting of a non-delayed fluorescence material, a delayed fluorescence material, a phosphorescent material, and combination thereof.

[0244] In some embodiments, the inventive compound described herein is a phosphorescent material.

[0245] In some embodiments, the phosphorescent material is an emitter which emits light within the OLED. In some embodiments, the phosphorescent material does not emit light within the OLED. In some embodiments, the phosphorescent material energy transfers its excited state to another material within the OLED. In some embodiments, the phosphorescent material participates in charge transport within the OLED. In some embodiments, the phosphorescent material is a sensitizer or a component of a sensitizer, and the OLED further comprises an acceptor. In some embodiments, the phosphorescent material forms an exciplex with another material within the OLED, for example a host material, an emitter material.

[0246] In some embodiments, the non-delayed fluorescence material or the delayed fluorescence material is an emitter which emits light within the OLED. In some embodiments, the non-delayed fluorescence material or the delayed fluorescence material does not emit light within the OLED. In some embodiments, the non-delayed fluorescence material or the delayed fluorescence material energy transfers its excited state to another material within the OLED. In some embodiments, the non-delayed fluorescence material or the delayed fluorescence material participates in charge transport within the OLED. In some embodiments, the non-delayed fluorescence material or the delayed fluorescence material is an acceptor, and the OLED further comprises a sensitizer.

[0247] In some embodiments of the OLED, the delayed fluorescence material comprises at least one donor group and at least one acceptor group. In some embodiments, the delayed fluorescence material is a metal complex. In some embodiments, the delayed fluorescence material is a non-metal complex. In some embodiments, the delayed fluorescence material is a Pt, Pd, Zn, Cu, Ag, or Au complex (some of them are also called metal-assisted (MA) TADF). In some embodiments, the metal-assisted delayed fluorescence material comprises a metal-carbene bond. In some embodiments,

the non-delayed fluorescence material or delayed fluorescence material comprises at least one chemical group selected from the group consisting of aryl-amine, aryloxy, arylthio, triphenylene, carbazole, indolocarbazole, dibenzothiophene, dibenzofuran, dibenzoselenophene, 5 λ^2 -benzo[d]benzo[4,5]imidazo[3,2-a]imidazole, 5,9-dioxa-13b-horanaphtho[3,2,1-de]anthracene, 5 \square 2,9 \square 2-diaza-13b-boranaphtho[2,3,4-de]anthracene, 5-oxa-9 \square 2-aza-13b-boranaphtho[3,2,1-de]anthracene, azaborinine, oxaborinine, dihydroacridine, xanthene, dihydrobenzoazasiline, dibenzoxasiline, phenoxyline, phenoxathiine, phenothiazine, dihydrophenazine, fluorene, naphthalene, anthracene, phenanthrene, phenanthroline, benzoquinoline, quinoline, isoquinoline, quinazoline, pyrimidine, pyrazine, pyridine, triazine, boryl, amino, silyl, aza-variants thereof, and combinations thereof. In some embodiments, non-delayed the fluorescence material or delayed fluorescence material comprises a tri(aryl/heteroaryl)borane with one or more pairs of the substituents from the aryl/heteroaryl being joined to form a ring. In some embodiments, the fluorescence material comprises at least one chemical group selected from the group consisting of naphthalene, anthracene, phenalene, phenanthrene, fluorene, pyrene, chrysene, perylene, and azulene.

[0248] In yet another aspect, the OLED of the present disclosure may also comprise an emissive region containing a compound or a formulation of the compound as disclosed in the above compounds section of the present disclosure. In some embodiments, the emissive region can comprise a compound or a formulation of the compound having a first ligand L_A having a structure comprising Formula I as described herein. In some embodiments, the emissive region consists of one or more organic layers, wherein at least one of the one or more organic layers has a minimum thickness selected from the group consisting of 350, 400, 450, 500, 550, 600, 650 and 700 Å. In some embodiments, the at least one of the one or more organic layers are formed from an Emissive System that has a figure of merit (FOM) value equal to or larger than the number selected from the group consisting of 2.50, 2.55, 2.60, 2.65, 2.70, 2.75, 2.80, 2.85, 2.90, 2.95, 3.00, 5.00, 10.0, 15.0, and 20.0. The definition of FOM is available in U.S. patent Application Publication No. 2023/0292605, and its entire contents are incorporated herein by reference. In some embodiments, the at least one of the one or more organic layers comprises a compound or a formulation of the compound as disclosed in Sections A and D of the present disclosure.

[0249] In some embodiments, the OLED or the emissive region comprising the inventive compound disclosed herein can be incorporated into a full-color pixel arrangement of a device. The full-color pixel arrangement of such device comprises at least one pixel, wherein the at least one pixel comprises a first subpixel and a second subpixel. The first subpixel includes a first OLED comprising a first emissive region. The second subpixel includes a second OLED comprising a second emissive region. In some embodiments, the first and/or second OLED, the first and/or second emissive region can be the same or different and each can independently have the various device characteristics and the various embodiments of the inventive compounds included therein, and various combinations and subcombinations of the various device characteristics and the various embodiments of the inventive compounds included therein, as disclosed herein.

[0250] In some embodiments, the first emissive region is configured to emit a light having a peak wavelength λ_{max1} ; the second emissive region is configured to emit a light having a peak wavelength λ_{max2} . In some embodiments, the difference between the peak wavelengths λ_{max1} and λ_{max2} is at least 4 nm but within the same color. For example, a light blue and a deep blue light as described above. In some embodiments, a first emissive region is configured to emit a light having a peak wavelength λ_{max1} in one region of the visible spectrum of 400-500 nm, 500-600 nm, 600-700 nm; and a second emissive region is configured to emit light having a peak wavelength λ_{max2} in one of the remaining regions of the visible spectrum of 400-500 nm, 500-600 nm, 600-700 nm. In some embodiments, the first emissive region comprises a first number of emissive layers that are deposited one over the other if more than one; and the second emissive region comprises a second number of emissive layers that is deposited one over the other if more than one; and the first number is different from the second number. In some embodiments, both the first emissive region and the second emissive region comprise a phosphorescent materials, which may be the same or different. In some embodiments, the first emissive region comprises a phosphorescent material, while the second emissive region comprises a fluorescent material. In some embodiments, both the first emissive region and the second emissive region comprise a fluorescent materials, which may be the same or different.

[0251] In some embodiments, the at least one pixel of the OLED or emissive regions includes a total of N subpixels; wherein the N subpixels comprises the first subpixel and the second subpixel; wherein each of the N subpixels comprises an emissive region; wherein the total number of the emissive regions within the at least one pixel is equal to or less than N-1. In some embodiments, the second emissive region is exactly the same as the first emissive region; and each subpixel of the at least one pixel comprises the same one emissive region as the first emissive region. In some embodiments, the full-color pixel arrangements can have a plurality of pixels comprising a first pixel region and a second pixel region; wherein at least one display characteristic in the first pixel region is different from the corresponding display characteristic of the second pixel region, and wherein the at least one display characteristic is selected from the group consisting of resolution, cavity mode, color, outcoupling, and color filter.

[0252] In some embodiments, the OLED is a stacked OLED comprising one or more charge generation layers (CGLs). In some embodiments, the OLED comprises a first electrode, a first emissive region disposed over the first electrode, a first CGL disposed over the first emissive region, a second emissive region disposed over the first CGL, and a second electrode disposed over the second emissive region. In some embodiments, the first and/or the second emissive regions can have the various device characteristics as described above for the pixelated device. In some embodiments, the stacked OLED is configured to emit white color. In some embodiments, one or more of the emissive regions in a pixelated or in a stacked OLED comprises a sensitizer and an acceptor with the various sensitizing device characteristics and the various embodiments of the inventive compounds disclosed herein. For example, the first emissive region is comprised in a sensitizing device, while the second emissive region is not

comprised in a sensitizing device; in some instances, both the first and the second emissive regions are comprised in sensitizing devices.

[0253] In some embodiments, the OLED can emit light having at least 1%, 5%, 10, 30%, 50%, 70%, 80%, 90%, 95%, 99%, or 100% from the plasmonic mode. In some embodiments, at least one of the anode, the cathode, or a new layer disposed over the organic emissive layer functions as an enhancement layer. The enhancement layer comprises a plasmonic material exhibiting surface plasmon resonance that non-radiatively couples to the emitter material and transfers excited state energy from the emitter material to non-radiative mode of surface plasmon polariton. In some embodiments, the enhancement layer is provided no more than a threshold distance away from the organic emissive layer, wherein the emitter material has a total non-radiative decay rate constant and a total radiative decay rate constant due to the presence of the enhancement layer. A threshold distance is where the total non-radiative decay rate constant is equal to the total radiative decay rate constant. Another threshold distance is the distance at which the total radiative decay rate constant divided by the sum of the total non-radiative decay rate constant and total radiative decay rate constant is equal to the photoluminescent yield of the emissive material without the enhancement layer present.

[0254] In some embodiments, the OLED further comprises an outcoupling layer. In some embodiments, the outcoupling layer is disposed over the enhancement layer on a side opposite the organic emissive layer. The outcoupling layer scatters the energy from the surface plasmon polaritons. In some embodiments this energy is scattered as photons to free space. In other embodiments, the energy is scattered from the surface plasmon mode into other modes of the device such as but not limited to the organic waveguide mode, the substrate mode, or another waveguiding mode. In some embodiments, one or more intervening layer can be disposed between the enhancement layer and the outcoupling layer. The examples for intervening layer(s) can be dielectric materials, including organic, inorganic, perovskites, oxides, and may include stacks and/or mixtures of these materials.

[0255] The enhancement layer modifies the effective properties of the medium in which the emitter material resides resulting in any or all of the following: a decreased rate of emission, a modification of emission line-shape, a change in emission intensity with angle, a change in the stability of the emitter material, a change in the efficiency of the OLED, and a reduced efficiency roll-off of the OLED device. Placement of the enhancement layer on the cathode side, anode side, or on both sides, or the enhancement layer itself being as the CGL, results in OLED devices which take advantage of any of the above-mentioned effects. In addition to the specific functional layers mentioned herein and illustrated in the various OLED examples shown in the figures, the OLEDs according to the present disclosure may include any of the other functional layers often found in OLEDs.

[0256] In some embodiments, the enhancement layer can be comprised of plasmonic materials, optically active metamaterials, or hyperbolic metamaterials. In some embodiments, the plasmonic material includes at least one metal. In such embodiments the metal may include at least one of Ag, Al, Au, Ir, Pt, Ni, Cu, W, Ta, Fe, Cr, Mg, Ga, Rh, Ti, Ru, Pd, In, Bi, or Ca, alloys or mixtures of these materials, and stacks of these materials. In some embodiments, the

enhancement layer is provided as a planar layer. In other embodiments, the enhancement layer has wavelength-sized features that are arranged periodically, quasi-periodically, or randomly, or sub-wavelength-sized features that are arranged periodically, quasi-periodically, or randomly.

[0257] In some embodiments, the outcoupling layer has wavelength-sized or sub-wavelength sized features that are arranged periodically, quasi-periodically, or randomly. In some embodiments, the outcoupling layer may be composed of a plurality of nanoparticles. In some embodiments, the outcoupling layer is composed of a plurality of nanoparticles disposed over a material. In these embodiments the outcoupling layer may be tunable by at least one of: varying a size of the plurality of nanoparticles, varying a shape of the plurality of nanoparticles, changing a material of the plurality of nanoparticles, adjusting a thickness of the material, changing the refractive index of the material, adding an additional layer disposed on the plurality of nanoparticles, varying a thickness of the enhancement layer, or varying the material of the enhancement layer. The plurality of nanoparticles of the device may be formed from at least one of metal, dielectric material, semiconductor materials, an alloy of metal, a mixture of dielectric materials, a stack or layering of one or more materials, and/or a core of one type of material and that is coated with a shell of a different type of material. In some embodiments, the outcoupling layer is composed of at least metal nanoparticles wherein the metal is selected from the group consisting of Ag, Al, Au, Ir, Pt, Ni, Cu, W, Ta, Fe, Cr, Mg, Ga, Rh, Ti, Ru, Pd, In, Bi, and Ca, alloys or mixtures of these materials, and stacks of these materials. In some embodiments the outcoupling layer is formed by lithography.

[0258] In some embodiments of plasmonic device, the emitter, and/or host compounds used in the emissive layer has a vertical dipole ratio (VDR) of 0.33 or more. In some such embodiments, the emitter, and/or host compounds have a VDR of 0.40, 0.50, 0.60, 0.70, or more.

[0259] In yet another aspect, the present disclosure also provides a consumer product comprising an organic light-emitting device (OLED) having an anode; a cathode; and an organic layer disposed between the anode and the cathode, wherein the organic layer may comprise a compound or a formulation of the compound as disclosed in the above compounds section of the present disclosure.

[0260] In some embodiments, the consumer product comprises an OLED having an anode; a cathode; and an organic layer disposed between the anode and the cathode, wherein the organic layer may comprise a compound having a first ligand L_A having a structure comprising Formula I as described herein.

[0261] Generally, an OLED comprises at least one organic layer disposed between and electrically connected to an anode and a cathode. When a current is applied, the anode injects holes and the cathode injects electrons into the organic layer(s). The injected holes and electrons each migrate toward the oppositely charged electrode. When an electron and hole localize on the same molecule, and an "exciton," which is a localized electron-hole pair having an excited energy state, is formed. Light is emitted when the exciton relaxes via a photoemissive mechanism. In some cases, the exciton may be localized as an excimer or an exciplex. Non-radiative mechanisms, such as thermal relaxation, may also occur, but are generally considered undesirable.

[0262] FIG. 1 shows an organic light emitting device 100. The figures are not necessarily drawn to scale. Device 100 may include a substrate 110, an anode 115, a hole injection layer (HIL) 120, a hole transport layer (HTL) 125, an electron blocking layer (EBL) 130, an emissive layer (EML) 135, a hole blocking layer (HBL) 140, an electron transport layer (ETL) 145, an electron injection layer (EIL) 150, a protective layer 155, a cathode 160, and a barrier layer 170. Cathode 160 is a compound cathode having a first conductive layer 162 and a second conductive layer 164. Device 100 may be fabricated by depositing the layers described, in order. The properties and functions of these various layers, as well as example materials, are described in more detail in U.S. Pat. No. 7,279,704 at cols. 6-10, which are incorporated by reference.

[0263] More examples for each of these layers are available. For example, a flexible and transparent substrate-anode combination is disclosed in U.S. Pat. No. 5,844,363, which is incorporated by reference in its entirety. An example of a p-doped hole transport layer is m-MTDATA doped with F₄-TCNQ at a molar ratio of 50:1, as disclosed in U.S. Patent Application Publication No. 2003/0230980, which is incorporated by reference in its entirety. Examples of emissive and host materials are disclosed in U.S. Pat. No. 6,303,238 to Thompson et al., which is incorporated by reference in its entirety. An example of an n-doped electron transport layer is BPhen doped with Li at a molar ratio of 1:1, as disclosed in U.S. Patent Application Publication No. 2003/0230980, which is incorporated by reference in its entirety. U.S. Pat. Nos. 5,703,436 and 5,707,745, which are incorporated by reference in their entireties, disclose examples of cathodes including compound cathodes having a thin layer of metal such as Mg:Ag with an overlying transparent, electrically-conductive, sputter-deposited ITO layer. The theory and use of blocking layers is described in more detail in U.S. Pat. No. 6,097,147 and U.S. Patent Application Publication No. 2003/0230980, which are incorporated by reference in their entireties. Examples of injection layers are provided in U.S. Patent Application Publication No. 2004/0174116, which is incorporated by reference in its entirety. A description of protective layers may be found in U.S. Patent Application Publication No. 2004/0174116, which is incorporated by reference in its entirety.

[0264] FIG. 2 shows an inverted OLED 200. The device includes a substrate 210, a cathode 215, an emissive layer 220, a hole transport layer 225, and an anode 230. Device 200 may be fabricated by depositing the layers described, in order. Because the most common OLED configuration has a cathode disposed over the anode, and device 200 has cathode 215 disposed under anode 230, device 200 may be referred to as an "inverted" OLED. Materials similar to those described with respect to device 100 may be used in the corresponding layers of device 200. FIG. 2 provides one example of how some layers may be omitted from the structure of device 100.

[0265] The simple layered structure illustrated in FIGS. 1 and 2 is provided by way of non-limiting example, and it is understood that embodiments of the present disclosure may be used in connection with a wide variety of other structures. The specific materials and structures described are exemplary in nature, and other materials and structures may be used. Functional OLEDs may be achieved by combining the various layers described in different ways, or layers may be omitted entirely, based on design, performance, and cost

factors. Other layers not specifically described may also be included. Materials other than those specifically described may be used. Although many of the examples provided herein describe various layers as comprising a single material, it is understood that combinations of materials, such as a mixture of host and dopant, or more generally a mixture, may be used. Also, the layers may have various sublayers. The names given to the various layers herein are not intended to be strictly limiting. For example, in device 200, hole transport layer 225 transports holes and injects holes into emissive layer 220, and may be described as a hole transport layer or a hole injection layer. In one embodiment, an OLED may be described as having an "organic layer" disposed between a cathode and an anode. This organic layer may comprise a single layer, or may further comprise multiple layers of different organic materials as described, for example, with respect to FIGS. 1 and 2.

[0266] Structures and materials not specifically described may also be used, such as OLEDs comprised of polymeric materials (PLEDs) such as disclosed in U.S. Pat. No. 5,247,190 to Friend et al., which is incorporated by reference in its entirety. By way of further example, OLEDs having a single organic layer may be used. OLEDs may be stacked, for example as described in U.S. Pat. No. 5,707,745 to Forrest et al, which is incorporated by reference in its entirety. The OLED structure may deviate from the simple layered structure illustrated in FIGS. 1 and 2. For example, the substrate may include an angled reflective surface to improve out-coupling, such as a mesa structure as described in U.S. Pat. No. 6,091,195 to Forrest et al., and/or a pit structure as described in U.S. Pat. No. 5,834,893 to Bulovic et al., which are incorporated by reference in their entireties.

[0267] Unless otherwise specified, any of the layers of the various embodiments may be deposited by any suitable method. For the organic layers, preferred methods include thermal evaporation, ink-jet, such as described in U.S. Pat. Nos. 6,013,982 and 6,087,196, which are incorporated by reference in their entireties, organic vapor phase deposition (OVPD), such as described in U.S. Pat. No. 6,337,102 to Forrest et al., which is incorporated by reference in its entirety, and deposition by organic vapor jet printing (OVJP), also referred to as organic vapor jet deposition (OVJD), such as described in U.S. Pat. No. 7,431,968, which is incorporated by reference in its entirety. Other suitable deposition methods include spin coating and other solution based processes. Solution based processes are preferably carried out in nitrogen or an inert atmosphere. For the other layers, preferred methods include thermal evaporation, sputtering, chemical vapor deposition, atomic layer deposition, and electron beam deposition. Preferred patterning methods include deposition through a mask, photolithography, and cold welding such as described in U.S. Pat. Nos. 6,294,398 and 6,468,819, which are incorporated by reference in their entireties, and patterning associated with some of the deposition methods such as ink-jet and organic vapor jet printing (OVJP). Other methods may also be used. The materials to be deposited may be modified to make them compatible with a particular deposition method. For example, substituents such as alkyl and aryl groups, branched or unbranched, and preferably containing at least 3 carbons, may be used in small molecules to enhance their ability to undergo solution processing. Substituents having 20 carbons or more may be used, and 3-20 carbons are a preferred range. Materials with asymmetric structures may have better solution processabil-

ity than those having symmetric structures, because asymmetric materials may have a lower tendency to recrystallize. Dendrimer substituents may be used to enhance the ability of small molecules to undergo solution processing.

[0268] Devices fabricated in accordance with embodiments of the present disclosure may further optionally comprise a barrier layer. One purpose of the barrier layer is to protect the electrodes and organic layers from damaging exposure to harmful species in the environment including moisture, vapor and/or gases, etc. The barrier layer may be deposited over, under or next to a substrate, an electrode, or over any other parts of a device including an edge. The barrier layer may comprise a single layer, or multiple layers. The barrier layer may be formed by various known chemical vapor deposition techniques and may include compositions having a single phase as well as compositions having multiple phases. Any suitable material or combination of materials may be used for the barrier layer. The barrier layer may incorporate an inorganic or an organic compound or both. The preferred barrier layer comprises a plurality of alternative layers of polymeric material and non-polymeric material; organic material and inorganic material; or a mixture of a polymeric material and a non-polymeric material as one example described in U.S. Pat. No. 7,968,146, PCT Pat. Application Nos. PCT/US2007/023098 and PCT/US2009/042829, which are herein incorporated by reference in their entireties.

[0269] Devices fabricated in accordance with embodiments of the present disclosure can be incorporated into a wide variety of electronic component modules (or units) that can be incorporated into a variety of electronic products or intermediate components. Examples of such electronic products or intermediate components include display screens, lighting devices such as discrete light source devices or lighting panels, etc. that can be utilized by the end-user product manufacturers. Such electronic component modules can optionally include the driving electronics and/or power source(s). Devices fabricated in accordance with embodiments of the present disclosure can be incorporated into a wide variety of consumer products that have one or more of the electronic component modules (or units) incorporated therein. A consumer product comprising an OLED that includes the compound of the present disclosure in the organic layer in the OLED is disclosed. Such consumer products would include any kind of products that include one or more light source(s) and/or one or more of some type of visual displays. Some examples of such consumer products include flat panel displays, curved displays, computer monitors, medical monitors, televisions, billboards, lights for interior or exterior illumination and/or signaling, heads-up displays, fully or partially transparent displays, flexible displays, rollable displays, foldable displays, stretchable displays, laser printers, telephones, mobile phones, tablets, phablets, personal digital assistants (PDAs), wearable devices, laptop computers, digital cameras, camcorders, viewfinders, micro-displays (displays that are less than 2 inches diagonal), 3-D displays, virtual reality or augmented reality displays, vehicles, video walls comprising multiple displays tiled together, theater or stadium screen, a light therapy device, and a sign. Various control mechanisms may be used to control devices fabricated in accordance with the present disclosure, including passive matrix and active matrix. Many of the devices are intended for use in a temperature range comfortable to humans, such as 18

degrees C. to 30 degrees C., and more preferably at room temperature (20-25° C.), but could be used outside this temperature range, for example, from -40 degree C. to +80° C.

[0270] More details on OLEDs, and the definitions described above, can be found in U.S. Pat. No. 7,279,704, which is incorporated herein by reference in its entirety.

[0271] The materials and structures described herein may have applications in devices other than OLEDs. For example, other optoelectronic devices such as organic solar cells and organic photodetectors may employ the materials and structures. More generally, organic devices, such as organic transistors, may employ the materials and structures.

[0272] In some embodiments, the OLED has one or more characteristics selected from the group consisting of being flexible, being rollable, being foldable, being stretchable, and being curved. In some embodiments, the OLED is transparent or semi-transparent. In some embodiments, the OLED further comprises a layer comprising carbon nanotubes. In some embodiments, the OLED further comprises one or more quantum dots. Such quantum dots can be in the emissive layer, or in other functional layers, such as a down conversion layer.

[0273] In some embodiments, the OLED comprises a RGB pixel arrangement or white plus color filter pixel arrangement. In some embodiments, the OLED is a mobile device, a handheld device, or a wearable device. In some embodiments, the OLED is a display panel having less than 10 inch diagonal or 50 square inch area. In some embodiments, the OLED is a display panel having at least 10 inch diagonal or 50 square inch area. In some embodiments, the OLED is a lighting panel.

D. Other Materials Used in the OLED

[0274] The materials described herein are as various examples useful for a particular layer in an OLED. They may also be used in combination with a wide variety of other materials present in the device. For example, emissive dopants disclosed herein may be used by themselves in the EML, or in conjunction with a wide variety of other emitters, hosts, transport layers, blocking layers, injection layers, electrodes and other layers that may be present. The materials described or referred to below are non-limiting examples of materials that may be useful in combination with the compounds and the devices disclosed herein, and one of skill in the art can readily consult the literature to identify other materials that may be useful in combination.

a) Conductivity Dopants:

[0275] A charge transport layer can be doped with conductivity dopants to substantially alter its density of charge carriers, which will in turn alter its conductivity. The conductivity is increased by generating charge carriers in the matrix material, and depending on the type of dopant, a change in the Fermi level of the semiconductor may also be achieved. Hole-transporting layer can be doped by p-type conductivity dopants and n-type conductivity dopants are used in the electron-transporting layer.


[0276] In some embodiments, conductivity dopants comprises at least one chemical moiety selected from the group consisting of cyano, fluorinated aryl or heteroaryl, fluorinated alkyl or cycloalkyl, alkylene, heteroaryl, amide, ben-

zodithiophene, and highly conjugated heteroaryl groups extended by non-ring double bonds.

b) HIL/HTL:

[0277] A hole injecting/transporting material to be used in the present disclosure is not particularly limited, and any compound may be used as long as the compound is typically used as a hole injecting/transporting material. Examples of the material include, but are not limited to: a phthalocyanine or porphyrin derivative; an aromatic amine derivative; an indolocarbazole derivative; a polymer containing fluorohydrocarbon; a polymer with conductivity dopants; a conducting polymer, such as PEDOT/PSS; a self-assembly monomer derived from compounds such as phosphonic acid and silane derivatives; a metal oxide derivative, such as MoO_x; a p-type semiconducting organic compound, such as 1,4,5, 8,9,12-Hexaaazatriphenylenehexacarbonitrile; a metal complex, and a cross-linkable compounds.


[0278] Examples of aromatic amine derivatives used in HIL or HTL include, but not limit to the following general structures:



[0279] Each of Ar¹ to Ar⁹ is selected from the group consisting of aromatic hydrocarbon cyclic compounds such as benzene, biphenyl, triphenyl, triphenylene, naphthalene, anthracene, phenalene, phenanthrene, fluorene, pyrene, chrysene, perylene, and azulene; the group consisting of aromatic heterocyclic compounds such as dibenzothiophene, dibenzofuran, dibenzoselenophene, furan, thiophene, benzofuran, benzothiophene, benzoselenophene, carbazole, indolocarbazole, pyridylindole, pyrrolodipyridine, pyrazole, imidazole, triazole, oxazole, thiazole, oxadiazole, oxatriazole, dioxazole, thiadiazole, pyridine, pyridazine, pyrimidine, pyrazine, triazine, oxazine, oxathiazine, oxadiazine, indole, benzimidazole, indazole, indoxazine, benzoxazole, benzisoxazole, benzothiazole, quinoline, isoquinoline, cinnoline, quinazoline, quinoxaline, naphthyridine,


phthalazine, pteridine, xanthene, acridine, phenazine, phenothiazine, phenoxazine, benzofuropyridine, furodipyridine, benzothienopyridine, thienodipyridine, benzosenophenopyridine, and selenophenodipyridine; and the group consisting of 2 to 10 cyclic structural units which are groups of the same type or different types selected from the aromatic hydrocarbon cyclic group and the aromatic heterocyclic group and are bonded to each other directly or via at least one of oxygen atom, nitrogen atom, sulfur atom, silicon atom, phosphorus atom, boron atom, chain structural unit and the aliphatic cyclic group. Each of Ar¹ to Ar⁹ may be unsubstituted or may be substituted by a general substituent as described above, any two substituents can be joined or fused into a ring.

[0280] In some embodiments, each Ar¹ to Ar⁹ independently comprises a moiety selected from the group consisting of:



wherein k is an integer from 1 to 20; X¹⁰¹ to X¹⁰⁸ is C or N; Z¹⁰¹ is C, N, O, or S.

[0281] Examples of metal complexes used in HIL or HTL include, but are not limited to the following general formula:



wherein Met is a metal, which can have an atomic weight greater than 40; (Y¹⁰¹-Y¹⁰²) is a bidentate ligand, the coordinating atoms of Y¹⁰¹ and Y¹⁰² are independently selected from C, N, O, P, and S; L¹⁰¹ is another ligand; k' is an integer value from 1 to the maximum number of ligands that may be attached to the metal; and k'+k'' is the maximum number of ligands that may be attached to the metal.

[0282] In some embodiments, (Y¹⁰¹-Y¹⁰²) is a 2-phenylpyridine or 2-phenylimidazole derivative. In some embodiments, (Y¹⁰¹-Y¹⁰²) is a carbene ligand. In some embodiments, Met is selected from Ir, Pt, Pd, Os, Cu, and

Zn. In some embodiments, the metal complex has a smallest oxidation potential in solution vs. Fe⁺/Fe couple less than about 0.6 V.

[0283] In some embodiments, the HIL/HTL material is selected from the group consisting of phthalocyanine and porphyrin compounds, starburst triarylaminies, CF_x fluorohydrocarbon polymer, conducting polymers (e.g., PEDOT: PSS, polyaniline, polythiophene), phosphonic acid and sliane SAMs, triarylamine or polythiophene polymers with conductivity dopants, Organic compounds with conductive inorganic compounds (such as molybdenum and tungsten oxides), n-type semiconducting organic complexes, metal organometallic complexes, cross-linkable compounds, polythiophene based polymers and copolymers, triarylamines, triarylamine with spirofluorene core, arylamine carbazole compounds, triarylamine with (di)benzothiophene/(di)benzofuran, indolocarbazoles, isoindole compounds, and metal carbene complexes.


c) EBL:

[0284] An electron blocking layer (EBL) may be used to reduce the number of electrons and/or excitons that leave the emissive layer. The presence of such a blocking layer in a device may result in substantially higher efficiencies, and/or longer lifetime, as compared to a similar device lacking a blocking layer. Also, a blocking layer may be used to confine emission to a desired region of an OLED. In some embodiments, the EBL material has a higher LUMO (closer to the vacuum level) and/or higher triplet energy than one or more emitters closest to the EBL interface. In some embodiments, the compound used in EBL contains at least one carbazole group and/or at least one arylamine group. In some embodiments the HOMO level of the compound used in the EBL is shallower than the HOMO level of one or more of the hosts in the EML. In some embodiments, the compound used in EBL contains the same molecule or the same functional groups used as one of the hosts described herein.

d) Hosts:


[0285] The light emitting layer of the organic EL device of the present disclosure preferably contains at least a light emitting material as the dopant, and a host material. Examples of the host material are not particularly limited, and any metal complexes or organic compounds may be used as long as the host won't fully quench the emission of the dopant.

[0286] Examples of metal complexes used as host are preferred to have the following general formula:



wherein Met is a metal; (Y¹⁰³-Y¹⁰⁴) is a bidentate ligand, the coordinating atoms of Y¹⁰³ and Y¹⁰⁴ are independently selected from C, N, O, P, and S; L¹⁰¹ is another ligand; k' is an integer value from 1 to the maximum number of ligands that may be attached to the metal; and k'+k'' is the maximum number of ligands that may be attached to the metal.

[0287] In some embodiments, the metal complexes are:




wherein (O—N) is a bidentate ligand, having metal coordinated to atoms O and N.


[0288] In some embodiments, Met is selected from Ir and Pt. In a further embodiments, ($\text{Y}^{103}\text{-Y}^{104}$) is a carbene ligand.

[0289] In some embodiments, the host compound contains at least one of the following groups selected from the group consisting of aromatic hydrocarbon cyclic compounds such as benzene, biphenyl, triphenyl, triphenylene, tetraphenylene, naphthalene, anthracene, phenalene, phenanthrene, fluorene, pyrene, chrysene, perylene, and azulene; the group consisting of aromatic heterocyclic compounds such as dibenzothiophene, dibenzofuran, dibenzoselenophene, furan, thiophene, benzofuran, benzothiophene, benzoselenophene, carbazole, indolocarbazole, pyridylindole, pyrrolodipyridine, pyrazole, imidazole, triazole, oxazole, thiazole, oxadiazole, oxatriazole, dioxazole, thiadiazole, pyridine, pyridazine, pyrimidine, pyrazine, triazine, oxazine, oxathiazine, oxadiazine, indole, benzimidazole, indazole, indoxazine, benzoxazazole, benzisoxazole, benzothiazazole, quinoline, isoquinoline, cinnoline, quinazoline, quinoxaline, naphthyridine, phthalazine, pteridine, xanthene, acridine, phenazine, phenothiazine, phenoxazine, aza-dibenzothiophene, aza-dibenzofuran, aza-dibenzoselenophene, aza-carbazole, aza-indolocarbazole, aza-triphenylene, aza-tetraphenylene, 5λ2-benzo[d]benzo[4,5]imidazo[3,2-a]imidazole, 5,9-dioxa-13b-boranaphtho[3,2,1-de]anthracene; and the group consisting of 2 to 10 cyclic structural units which are groups of the same type or different types selected from the aromatic hydrocarbon cyclic group and the aromatic heterocyclic group and are bonded to each other directly or via at least one of oxygen atom, nitrogen atom, sulfur atom, silicon atom, phosphorus atom, boron atom, chain structural unit and the aliphatic cyclic group. Each option within each group may be unsubstituted or may be substituted by the general substituents as described herein or may be further fused.

[0290] In some embodiments, the host compound comprises at least one of the moieties selected from the group consisting of:



-continued



wherein k is an integer from 0 to 20 or 1 to 20. X^{101} to X^{108} are independently selected from C or N. Z^{101} and Z^{102} are independently selected from C, N, O, or S.

[0291] In some embodiments, the host material is selected from the group consisting of arylcarbazoles, metal 8-hydroxyquinolates, (e.g., alq3, balq), metal phenoxybenzothiazole compounds, conjugated oligomers and polymers (e.g., polyfluorene), aromatic fused rings, zinc complexes, chrysene based compounds, aryltriphenylene compounds, poly-fused heteroaryl compounds, donor acceptor type molecules, dibenzofuran/dibenzothiophene compounds, polymers (e.g., pkv), spirofluorene compounds, spirofluorene-carbazole compounds, indolocabazoles, 5-member ring electron deficient heterocycles (e.g., triazole, oxadiazole), tetraphenylene complexes, metal phenoxypyridine compounds, metal coordination complexes (e.g., Zn, Al with N^N ligands), dibenzothiophene/dibenzofuran-carbazole compounds, silicon/germanium aryl compounds, aryl benzoyl esters, carbazole linked by non-conjugated groups, aza-carbazole/dibenzofuran/dibenzothiophene compounds, and high triplet metal organometallic complexes (e.g., metal-carbene complexes).

e) Emitter Materials in EML:

[0292] One or more emitter materials may be used in conjunction with the compound or device of the present disclosure. The emitter material can be emissive or non-emissive in the current device as described herein. Examples of the emitter materials are not particularly limited, and any compounds may be used as long as the compounds are capable of producing emissions in a regular OLED device. Examples of suitable emitter materials include, but are not limited to, compounds which are capable of producing emissions via phosphorescence, non-delayed fluorescence, delayed fluorescence, especially the thermally activated delayed fluorescence, i.e., TADF (also referred to as E-type delayed fluorescence), triplet-triplet annihilation, or combinations of these processes.

[0293] In some embodiments, the emitter material has the formula of M(L¹)_x(L²)_y(L³)_z,

[0294] wherein L¹, L², and L³ can be the same or different;

[0295] wherein x is 1, 2, or 3;







[0296] wherein y is 0, 1, or 2;

[0297] wherein z is 0, 1, or 2;


[0298] wherein x+y+z is the oxidation state of the metal M;

[0299] wherein L¹ is selected from the group consisting of the structures of LIGAND LIST:








-continued








-continued




-continued





wherein each L² and L³ are independently selected from the group consisting of



and the structures of LIGAND LIST; wherein:

[0300] M is selected from the group consisting of Ir, Rh, Re, Ru, Os, Pt, Pd, Zn, Au, Ag, and Cu;

[0301] T is selected from the group consisting of B, Al, Ga, and In;

[0302] K¹ is a direct bond or is selected from the group consisting of NR_e, PR_e, O, S, and Se;

[0303] each Y¹ to Y¹⁵ are independently selected from the group consisting of carbon and nitrogen;










[0304] Y' is selected from the group consisting of BR_e , NR_e , PR_e , O, S, Se, C=O, S=O, SO_2 , CR_eR_f , SiR_eR_f , and GeR_eR_f ;

[0305] each R_a , R_b , R_c , and R_d can independently represent from mono to the maximum possible number of substitutions, or no substitution;


[0306] each R_{a1} , R_{b1} , R_{c1} , R_{d1} , R_a , R_b , R_c , R_d , R_e , and R_f is independently a hydrogen or a substituent selected from the group consisting of the general substituents as defined herein; and

wherein any two substituents can be fused or joined to form a ring or form a multidentate ligand.








[0307] In some embodiments, the emitter material is selected from the group consisting of the following Dopant Group 1:




-continued












-continued




-continued











-continued




-continued



-continued





[0308] wherein


[0309] each of X^{96} to X^{99} is independently C or N;

[0310] each Y^{100} is independently selected from the group consisting of a NR", O, S, and Se;


[0311] each of R^{10a}, R^{20a}, R^{30a}, R^{40a}, and R^{50a} independently represents mono substitution, up to the maximum substitutions, or no substitution;

[0312] each of R, R', R'', R^{10a}, R^{11a}, R^{12a}, R^{13a}, R^{20a}, R^{30a}, R^{40a}, R^{50a}, R^{60a}, R⁷⁰, R⁹⁷, R⁹⁸, and R⁹⁹ is independently a hydrogen or a substituent selected from the group consisting of the general substituents as defined herein; any two substituents can be joined or fused to form a ring.


[0313] In some embodiments, the emitter material is selected from the group consisting of the following Dopant Group 2:












-continued




-continued




-continued















-continued












-continued




-continued











-continued




-continued










-continued




-continued












-continued





-continued



-continued





wherein:

[0314] each Y¹⁰⁰ is independently selected from the group consisting of a NRⁿ, O, S, and Se;

[0315] L is independently selected from the group consisting of a direct bond, BRⁿ, BRⁿR^m, NRⁿ, PRⁿ, O, S, Se, C=O, C=S, C=Se, C=NRⁿ, C=CRⁿ, S=O, SO₂, CRⁿ, CRⁿR^m, SiRⁿR^m, GeRⁿR^m, alkyl, cycloalkyl, aryl, heteroaryl, and combinations thereof;

[0316] X¹⁰⁰ and X²⁰⁰ for each occurrence is selected from the group consisting of O, S, Se, NRⁿ, and CRⁿR^m;


[0317] each R^A, R^B, R^C, R^D, R^E, and R^F independently represents mono-, up to the maximum substitutions, or no substitutions;

each of R, R^I, R^K, R^L, R^M, R^N, R^P, R^Q, R^R, R^S, R^T, R^U, R^V, and R^W is independently a hydrogen or a substituent selected from the group consisting of the general substituents as defined herein; any two substituents can be joined or fused to form a ring;







[0318] In some embodiments of the above Dopant Groups 1 and 2, each unsubstituted aromatic carbon atom can be replaced with N to form an aza-ring. In some embodiments, the maximum number of N atom in one ring is 1 or 2. In some embodiments of the above Dopant Groups 2, Pt atom in each formula can be replaced by Pd atom.

[0319] In some embodiments of the OLED, the delayed fluorescence material comprises at least one donor group and at least one acceptor group. In some embodiments, the delayed fluorescence material is a metal complex. In some embodiments, the delayed fluorescence material is a non-metal complex. In some embodiments, the delayed fluorescence material is a Zn, Cu, Ag, or Au complex.







[0320] In some embodiments of the OLED, the delayed fluorescence material has the formula of M(L⁵)(L⁶), wherein M is Cu, Ag, or Au, L⁵ and L⁶ are different, and L⁵ and L⁶ are independently selected from the group consisting of:



-continued















-continued




wherein A¹-A⁹ are each independently selected from C or N; each R^P, R^Q, and R^U independently represents mono-, up to the maximum substitutions, or no substitutions; wherein each R^P, R^P, R^U, R^{SA}, R^{SB}, R^{RA}, R^{RB}, R^{RC}, RRD, R^{RE}, and R^{RF} is independently a hydrogen or a substituent selected from the group consisting of the general substituents as defined herein; any two substituents can be joined or fused to form a ring.

[0321] In some embodiments of the OLED, the delayed fluorescence material comprises at least one of the donor moieties selected from the group consisting of:

-continued



, and





wherein Y^T , Y^U , Y^V and Y^W are each independently selected from the group consisting of B, C, Si, Ge, N, P, O, S, Se, C=O, S=O, and SO₂.



[0322] In some of the above embodiments, any carbon ring atoms up to maximum of a total number of three, together with their substituents, in each phenyl ring of any of above structures can be replaced with N.

[0323] In some embodiments, the delayed fluorescence material comprises at least one of the acceptor moieties selected from the group consisting of nitrile, isonitrile, borane, fluoride, pyridine, pyrimidine, pyrazine, triazine, aza-carbazole, aza-dibenzothiophene, aza-dibenzofuran, aza-dibenzoselenophene, aza-triphenylene, imidazole, pyrazole, oxazole, thiazole, isoxazole, isothiazole, triazole, thiadiazole, and oxadiazole. In some embodiments, the acceptor moieties and the donor moieties as described herein can be connected directly, through a conjugated linker, or a non-conjugated linker, such as a sp^3 carbon or silicon atom.











[0324] In some embodiments, the fluorescent material comprises at least one of the chemical moieties selected from the group consisting of:




-continued












-continued




-continued



-continued





[0325] In some of the above embodiments, any carbon ring atoms up to maximum of a total number of three,


together with their substituents, in each phenyl ring of any of above structures can be replaced with N.

f) HBL:

[0326] A hole blocking layer (HBL) may be used to reduce the number of holes and/or excitons that leave the emissive layer. The presence of such a blocking layer in a device may result in substantially higher efficiencies and/or longer lifetime as compared to a similar device lacking a blocking layer. Also, a blocking layer may be used to confine emission to a desired region of an OLED. In some embodiments, the HBL material has a lower HOMO (further away from the vacuum level) and/or higher triplet energy than one or more of the emitters closest to the HBL interface.

[0327] In some embodiments, a compound used in the HBL contains the same molecule or the same functional groups used as host described above.

[0328] In some embodiments, a compound used in the HBL comprises at least one of the following moieties selected from the group consisting of:




wherein k is an integer from 1 to 20; L^{101} is another ligand, k' is an integer from 1 to 3.

g) ETL:


[0329] Electron transport layer (ETL) may include a material capable of transporting electrons. Electron transport layer may be intrinsic (undoped), or doped. Doping may be used to enhance conductivity. Examples of the ETL material are not particularly limited, and any metal complexes or organic compounds may be used as long as they are typically used to transport electrons.

[0330] In some embodiments, compound used in ETL comprises at least one of the following moieties in the molecule:



and fullerenes; wherein k is an integer from 1 to 20, X^{101} to X^{108} is selected from C or N; Z^{101} is selected from the group consisting of C, N, O, and S.

[0331] In some embodiments, the metal complexes used in ETL contains, but not limit to the following general formula:



wherein (O—N) or (N—N) is a bidentate ligand, having metal coordinated to atoms O, N or N, N; L^{101} is another ligand; k' is an integer value from 1 to the maximum number of ligands that may be attached to the metal.

[0332] In some embodiments, the ETL material is selected from the group consisting of anthracene-benzimidazole compounds, aza triphenylene derivatives, anthracene-benzothiazole compounds, metal 8-hydroxyquinolates, metal hydroxybenzoquinolates, bathocuprine compounds, 5-member ring electron deficient heterocycles (e.g., triazole, oxadiazole, imidazole, benzimidazole), silole compounds, arylborane compounds, fluorinated aromatic compounds, fullerene (e.g., C₆₀), triazine complexes, and Zn (N⁺N) complexes.

h) Charge Generation Layer (CGL)

[0333] In tandem or stacked OLEDs, the CGL plays an essential role in the performance, which is composed of an n-doped layer and a p-doped layer for injection of electrons and holes, respectively. Electrons and holes are supplied from the CGL and electrodes. The consumed electrons and holes in the CGL are refilled by the electrons and holes


injected from the cathode and anode, respectively; then, the bipolar currents reach a steady state gradually. Typical CGL materials include n and p conductivity dopants used in the transport layers.

[0334] In any compounds disclosed herein, the hydrogen atoms can be partially or fully deuterated. The minimum amount of hydrogen of the compound being deuterated is selected from the group consisting of 30%, 40%, 50%, 60%, 70%, 80%, 90%, 95%, 99%, and 100%. As used herein, percent deuteration has its ordinary meaning and includes the percent of all possible hydrogen and deuterium atoms that are replaced by deuterium atoms. In some embodiments, the deuterium atoms are attached to an aromatic ring. In some embodiments, the deuterium atoms are attached to a saturated carbon atom, such as an alkyl or cycloalkyl carbon atom. In some other embodiments, the deuterium atoms are attached to a heteroatom, such as Si. or Ge atom.

[0335] It is understood that the various embodiments described herein are by way of example only and are not intended to limit the scope of the invention. For example, many of the materials and structures described herein may be substituted with other materials and structures without deviating from the spirit of the invention. The present invention as claimed may therefore include variations from the particular examples and preferred embodiments described herein, as will be apparent to one of skill in the art. It is understood that various theories as to why the invention works are not intended to be limiting.


E. Experimental Data

Synthesis of Materials




Synthesis of 6-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)-3-cyano-4-d-dibenzo[b,d]furan

[0336] XPhos-Pd-G2 (1.2 g, 1.6 mmol) was added to a solution of potassium acetate (11.6 g, 118.1 mmol), 4,4',4'',5,5,5',5'-octamethyl-2,2'-bi(1,3,2-dioxaborolane) (15.0 g, 59.0 mmol), and 6-chloro-3-cyano-4-d-dibenzofuran (9.0 g, 39.4 mmol) in 1,4-dioxane (260 mL) in a flask. The flask was heated to 100°C. for 2 hours. Aqueous workup and concentration yielded 12.0 g of product. The deuterated starting material was synthesized from 6-chlorodibenzofuran-3-carbonitrile using standard deuteration conditions.




Synthesis of 4-(4,4-dimethylcyclohexyl-1-d)-5-(methyl-d₃)-2-(7-cyano-6-d-dibenzo[b,d]furan-4-yl)pyridine

[0337] 6-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)-3-cyano-4-d-dibenzo[b,d]furan (12.0 g, 37.5 mmol), potassium carbonate (15.5 g, 112.4 mmol), and 2-chloro-4-(4,4-dimethylcyclohexyl-1-d)-5-(methyl-d₃)pyridine (9.1 g, 37.5 mmol) were dissolved in 1,4-dioxane (351 mL) and water (117 mL). The mixture was sparged with nitrogen for 15 minutes, then tetrakis(triphenylphosphine)palladium (1.7 g, 1.5 mmol) was added. The flask was heated to 87° C. for 3 hours. After cooling to ambient temperature, the resulting mixture was subjected to aqueous workup. Purification by flash chromatography eluting with 50% ethyl acetate in hexanes was followed by precipitation in a mixture of dichloromethane and hexanes, which produced 3.5 g of product.



-continued




Synthesis of the Inventive Example

[0338] 2,6-dimethylpyridine (2.4 mL, 20.9 mmol) was added to a solution of [(phen-2-yl-1'-yl)-5-(methyl-d₃)-pyridin-1-yl]₂Ir(MeOH)₂]OTf (5.2 g, 7.0 mmol) and 4-(4,4-dimethylcyclohexyl-1-d)-5-(methyl-d₃)-2-(7-cyano-6-d-dibenzo[b,d]furan-4-yl)pyridine (2.8 g, 7.0 mmol) in ethoxyethanol (139 mL) in a flask. The flask was stirred at 120° C. for 18 hours. After the mixture was cooled and concentrated, the residue was purified by flash chromatography, using toluene to give 2.0 g of product.


Device Example

[0339] All example devices were fabricated by high vacuum (<10⁻⁷ Torr) thermal evaporation. The anode electrode was 800 Å of indium tin oxide (ITO). The cathode consisted of 10 Å of Liq (8-hydroxyquinoline lithium) followed by 1,000 Å of Al. All devices were encapsulated with a glass lid sealed with an epoxy resin in a nitrogen glove box (<1 ppm of H₂O and O₂) immediately after fabrication with a moisture getter incorporated inside the package. The organic stack of the device examples consisted of sequentially, from the ITO Surface: 100 Å of HATCN as the hole injection layer (HIL); 400 Å of HTM as a hole transporting layer (HTL); 50 Å of EBM as an electron blocking layer (EBL); a 400 Å emissive layer containing H-host (H1): E-host (H2) in 6:4 ratio and 5 weight % of green emitter; 50 Å of H2 as an hole blocking layer (HBL); 300 Å of Liq (8-hydroxyquinoline lithium) doped with 35% of ETM as the ETL. The device structure is shown in Table 2. The chemical structures of the device materials are shown below.




HATCN

-continued




HTM


-continued




H2




EBM




ETM



Liq



H1



Inventive example




TABLE 2

Device layer materials and thicknesses		
Layer	Material	Thickness [Å]
Anode	ITO	800
HIL	HATCN	100
HTL	HTM	400
EBL	EBM	50
EML	H1:H2:Emitter 5%	400
HBL	H2	50
ETL	Liq:ETM 35%	300
EIL	Liq	10
Cathode	Al	1,000

[0340] Upon fabrication, the devices were tested to measure EL and JVL. For this purpose, the devices were energized by a 2-channel Keysight B2902A SMU at a current density of 10 mA/cm² and measured by a Photo Research PR735 Spectroradiometer. Radiance (W/str/cm²) from 380 nm to 1080 nm, and total integrated photon count were collected. The devices were then placed under a large area silicon photodiode for JVL sweep. The integrated photon count of the devices at 10 mA/cm² was used to convert the photodiode current to photon count. The voltage was swept from 0 to a voltage equating to 200 mA/cm². The EQE of the devices were calculated using the total integrated photon count. All device results are summarized in Table 3. LE and EQE of inventive example 1 (Device 1) are reported as relative numbers normalized to the results of the Comparative Example (Device 2).

TABLE 3


device results							
1931 CIE							
Device	Emitter			λ max	FWHM	At 10 mA/cm ²	
		x	y	[nm]	[nm]	LE	EQE
Device 1	Inventive Example	0.291	0.661	520	29	1.04	1.07
Device 2	Comparative Example	0.326	0.644	526	37	1.00	1.00

[0341] Table 3 provides a summary of electroluminescence performance of the tested devices. Owing to the addition of the cyclohexyl group of the inventive compound, the Inventive Device (Device 1) exhibited more saturated

green emission at 520 nm, higher LE and EQE. Moreover, Device 1 exhibited narrower emission lineshape with FWHM of 29 nm compared to the Comparative Device (Device 2). The observed superior performance values for Device 1 are above and beyond that could be attributed to experimental error and the observed improvement is significant. The performance improvements observed for Device 1 in the above data were unexpected. All results show the significance of the inventive compounds for applications in OLED.

What is claimed is:

1. A compound of formula $\text{Ir}(\text{L}_A)_x(\text{L}_B)_y(\text{L}_C)_z$, wherein:
x is 1, 2, or 3;
each of y and z is independently 0, 1, or 2;
 $x+y+z=3$;
- L_A has structure comprising Formula I,



X^3 is N or CR³; X^4 is N or CR⁴; X^5 is N or CR⁵; and X^6 and X^7 are each independently C or N;
Z is an electron-withdrawing group;
Y is selected from the group consisting of BR, BRR', NR, PR, P(O)R, O, S, Se, C=O, C=S, C=Se, C=NR', C=CRR', S=O, SO₂, CR, CRR', SiRR', and GeRR';
 R^4 and R^B each independently represents mono to the maximum allowable substitution, or no substitution;
 R , R' , R^3 , R^4 , R^5 , R^6 , and R^B are each independently hydrogen or a substituent selected from the group consisting of deuterium, halogen, alkyl, cycloalkyl, heteroalkyl, heterocycloalkyl, arylalkyl, alkoxy, aryloxy, amino, silyl, germyl, boryl, alkenyl, cycloalkenyl, and combinations thereof;

heteroalkenyl, alkynyl, aryl, heteroaryl, acyl, carboxylic acid, ether, ester, nitrile, isonitrile, sulfanyl, sulfinyl, sulfonyl, phosphino, selenyl, and combinations thereof;

each of R¹ and R² comprises at least one carbon atom and is independently selected from the group consisting of alkyl, cycloalkyl, heteroalkyl, heterocycloalkyl, arylalkyl, alkoxy, aryloxy, amino, silyl, germyl, boryl, alk-enyl, cycloalkenyl, heteroalkenyl, alkynyl, aryl, heteroaryl, acyl, carboxylic acid, ether, ester, nitrile, isonitrile, sulfanyl, sulfinyl, sulfonyl, phosphino, sele-nyl, combinations thereof, partially and fully deuter-ated variations thereof, and partially or fully haloge-nated variations thereof;

Having mentioned these, any two substituents can be joined or fused to form a ring; each of L_B and L_C is independently a bidentate ligand; and if none of X^3 to X^7 are N, then the following conditions apply:

- (1) if Z is CN, and R³, R⁴, R⁵, and each R^B are hydrogen or deuterium, then R² is not methyl, isopropyl, iso-butyl, or neopentyl;
 - (2) if Z is CN and R³ is methyl, then R² is not methyl, isobutyl, or neopentyl;
 - (3) if Z is CN and R³ is phenyl, para-tolyl, or naphthyl, then R² is not methyl;
 - (4) if Z is CN and R³ is para-C₆H₄—SiMe₃, meta-CH₄—CN, carbazole, or an alkyl-substituted carbazole, then R² is not methyl; and
 - (5) if Z is F, then R² is not methyl or isopropyl.

2. The compound of claim 1, wherein R³, R⁴, R⁵, R⁶, and R^B are each independently hydrogen or a substituent selected from the group consisting of deuterium, fluorine, alkyl, cycloalkyl, heteroalkyl, alkoxy, aryloxy, amino, silyl, germyl, boryl, alkenyl, cycloalkenyl, heteroalkenyl, aryl, heteroaryl, nitrile, isonitrile, sulfanyl, and combinations thereof; and


each of R¹ and R² comprises at least one carbon atom and is independently selected from the group consisting of alkyl, cycloalkyl, heteroalkyl, alkoxy, aryloxy, amino, silyl, germyl, boryl, alkenyl, cycloalkenyl, heteroalkenyl, aryl, heteroaryl, nitrile, isonitrile, sulfanyl, combinations thereof, partially and fully deuterated variations thereof, and partially or fully fluorinated variations thereof.

3. The compound of claim 1, wherein the compound has a formula selected from the group consisting of $\text{Ir}(\text{L}_A)_3$, $\text{Ir}(\text{L}_A)(\text{L}_B)_2$, $\text{Ir}(\text{L}_A)_2(\text{L}_B)$, $\text{Ir}(\text{L}_A)_2(\text{L}_C)$, and $\text{Ir}(\text{L}_A)(\text{L}_B)(\text{L}_C)$; and wherein L_A , L_B , and L_C are different from each other.


4. The compound of claim 1, wherein Y is selected from the group consisting of O, S, CRR¹, SiRR¹, NR, and Se; and/or wherein at least one of X³ to X⁷ is N; and/or wherein X³ is CR³, and/or wherein X⁴ is CR⁴, and/or wherein X⁶ is C.

5. The compound of claim 1, wherein Z is an electron-withdrawing group is selected from the group consisting of: F, CF₃, CN, COCH₃, CHO, COCF₃, COOMe, COOCF₃, NO₂, SF₃, SiF₃, PF₄⁻, SF₅, OCF₃, SCF₃, SeCF₃, SOCF₃, SeOCF₃, SO₂F, SO₂CF₃, SeO₂CF₃, OSeO₂CF₃, OCN, SCN, SeCN, NC, +N(R^{k2})₃, (R^{k2})₂CCN, (R^{k2})₂CCF₃, CNC(CF₃)₂, BR^{k3}R^{k2}, substituted or unsubstituted dibenzoborole, 1-substituted carbazole, 1,9-substituted carbazole, substituted or unsubstituted carbazole, substituted or unsubstituted pyridine, substituted or unsubstituted pyrimidine, substituted or unsubstituted pyrazine, substituted or unsubstituted pyridoxine, substituted or unsubstituted triazine, substituted or unsubstituted oxazole, substituted or unsubstituted benzoxazole, substituted or unsubstituted thiazole, substituted or unsubstituted benzothiazole, substituted or unsubstituted

imidazole, substituted or unsubstituted benzimidazole, ketone, carboxylic acid, ester, nitrile, isonitrile, sulfinyl, sulfonyl, partially and fully fluorinated alkyl, partially and fully fluorinated aryl, partially and fully fluorinated heteroaryl, cyano-containing alkyl, cyano-containing aryl, cyano-containing heteroaryl, isocyanate,



-continued



wherein each R^{k1} represents mono to the maximum allowable substitution, or no substitutions;

wherein Y^G is selected from the group consisting of BR_e, NR_e, PR_e, O, S, Se, C=O, S=O, SO₂, CR_eR_f, SiR_eR_f, and GeR_eR_f; and

wherein each of R^k, R^{k2}, R^{k3}, R_e, and R_f is independently a hydrogen, or a substituent selected from the group consisting of deuterium, halogen, alkyl, cycloalkyl, heteroalkyl, heterocycloalkyl, arylalkyl, alkoxy, aryloxy, amino, silyl, germinal, boryl, alkenyl, cycloalkenyl, heteroalkenyl, alkynyl, aryl, heteroaryl, acyl, carboxylic acid, ether, ester, nitrile, isonitrile, sulfanyl, seleanyl, sulfinyl, sulfonyl, phosphino, and combinations thereof.

6. The compound of claim 1, wherein Z is selected from the group consisting of CN, F, substituted or unsubstituted triazine, substituted or unsubstituted pyrimidine, substituted or unsubstituted pyridine, and substituted or unsubstituted benzonitrile.


7. The compound of claim 1, wherein R¹ is selected from alkyl, cycloalkyl, aryl, heteroaryl, silyl, germinal, partially and fully deuterated variations thereof, and combinations thereof; and/or wherein R² is selected from alkyl, cycloalkyl, aryl, heteroaryl, silyl, germinal, partially and fully deuterated variations thereof, and combinations thereof.

8. The compound of claim 1, wherein R³ is selected from alkyl, cycloalkyl, aryl, heteroaryl, silyl, germinal, partially and fully deuterated variations thereof, and combinations thereof; and/or wherein R⁴ is selected from alkyl, cycloalkyl, aryl, heteroaryl, silyl, germinal, partially and fully deuterated variations thereof, and combinations thereof; and/or wherein R⁵ is selected from alkyl, cycloalkyl, aryl, heteroaryl, silyl, germinal, partially and fully deuterated variations thereof, and combinations thereof.










9. The compound of claim 1, wherein at least one R⁴ comprises a substituent selected from the group consisting of alkyl, cycloalkyl, aryl, heteroaryl, and combinations thereof; and/or wherein at least one R^B comprises a substituent selected from the group consisting of alkyl, cycloalkyl, heteroaryl, and combinations thereof.

10. The compound of claim 1, wherein none of X³ to X⁷ are N; and/or wherein Z is CN and R³ is methyl, phenyl, para-tolyl, naphthyl, para-C₆H₄-SiMe₃, meta-C₆H₄-CN, carbazole, or an alkyl-substituted carbazole, then R² is not methyl, isobutyl, or neopentyl.

11. The compound of claim 1, wherein R¹ or R² are each independently selected from the group consisting of



-continued



R15

R17

R18

R19

R20

R21

R22

R23

R24

R25

R26

R27

R28

R29

-continued

R30

R31

R32

R33

R34

R35










R36

R37


R38

R39


R40




-continued




R41




R42




R43




R44




R45



R46




R47




R48


-continued




R49




R50




R51




R52




R53




R54



R55




R56




R57


-continued




R58




R59




R60




R61




R62




R63




R64




R65




R66




R67




R68




-continued




R69




R70




R71




R72




R73




R74



R75




R76




R77


-continued




R78




R79




R80




R81




R82




R83




R84



R85




R86




R87

-continued


R88




R89




R90




R91




R92




R93




R94












R95



R96



-continued



R97

R98

R99

R100

R101

R102

R103

R104

R105

-continued

R106

R107

R108

R109










R110

R111


R112

R113


R114




-continued




R115




R116




R117




R118



R119




R120




R121


-continued




R122




R123




R124



R125




R126




R127


-continued




R128




R129




R130



R131




R132




R133


-continued




R134




R135




R136



R137




R138




R139

-continued




R140


-continued




R146




R141




R142




R147




R143




R148




R144



R149




R145




R150


R151



-continued




R152




R153


-continued




R159




R160




R154




R161




R155




R162




R156



R163




R157




R164

R158




-continued



R165

-continued



R171

R166

R172

R167

R168

P.177


R169

R178


R170

R179


-continued




R181




R182




R183




R184




R185



R186




R187




R188


-continued




R189




R190




R191




R192



R193




R194




R195

-continued


R196




R197




R198




R199




R200




R201




R202




R203




R204




R205




R206



R207



-continued



R208


R209

R210

R211

R212

-continued



R213

R214

R215


R216

R217


R218

R219


-continued




R220




R221




R222




R223



R224




R225




R226

-continued


R227




R228




R229




R230




R231



R232




R233




-continued


R234




R235




R236




R237




R238



R239




R240




-continued


R241




R242




R243




R244




R245



R246




-continued




R247

-continued




R253


R248




R249




R254




R250




R255




R251



R256




R252



R257


-continued

R258




-continued


R263




R259




R264




R265




R260




R266




R261




R267



R262




-continued




R268

-continued




R273


R269




R274




R270




R275




R271




R272



R276




-continued




R277


-continued




R283




R278




R284




R279




R285




R280




R286




R281



R287




R282




R288

-continued




R289


-continued




R294




R290




R295




R291




R296




R292



R297




R293




R298

-continued




R299

-continued




R304

R300




R305


R301




R306




R302




R307




R303



R308




-continued




R309


-continued




R314




R310




R315




R311




R316




R317




R312



R318




R313



R319

-continued



R320

R321

R322

R323

R324

R325

R326

R327

R328

R329

-continued


R330

R331


R332

R333

R334



12. The compound of claim 1, wherein the ligand L_A is selected from the group consisting of:







R335

R336



R337

R338

-continued



-continued



wherein:

each of R^{B1} and R^{B2} independently represents mono to the maximum allowable substitutions, or no substitutions;

each R^{B1} and R^{B2} are each independently hydrogen or a substituent selected from the group consisting of deuterium, halogen, alkyl, cycloalkyl, heteroalkyl, heterocycloalkyl, arylalkyl, alkoxy, aryloxy, amino, silyl, germyl, boryl, alkenyl, cycloalkenyl, heteroalkenyl, alkynyl, aryl, heteroaryl, acyl, carboxylic acid, ether, ester, nitrile, isonitrile, sulfanyl, sulfinyl, sulfonyl, phosphino, selenyl, and combinations thereof; and

any two substituents can be fused or joined to form a ring.

13. The compound of claim 1, wherein the ligand L_A is selected from L_Ai-(R^K)(R^L)(R^M)(R^N), wherein i is an integer from 1 to 37, R^K is selected from the group consisting of R3 to R334, each of R^M and R^N is independently selected from the group consisting of R1 to R334;

when i is an integer from 1 to 3, R^L is selected from the group consisting of R9 to R333;

when i is an integer from 4 to 12, R^L is selected from the group consisting of R9 to R334;

when i is an integer from 13 to 15, R^L is selected from the group consisting of R5 to R334;

when i is from 16 to 24 and 37, R^L is selected from the group consisting of R3 to R334; and

when i is an integer from 25 to 36, R^L is selected from the group consisting of R3 to R333;

wherein each of $L_{A1}(R3)(R9)(R1)(R1)$ to $L_{A37}(R334)(R334)$ (R334) is defined as follows:

L_A	Structure of L_A
$L_{A1}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A1}(R3)(R9)(R1)(R1)$ to $L_{A1}(R334)(R333)(R334)$ (R334) have the structure	
$L_{A2}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A2}(R3)(R9)(R1)(R1)$ to $L_{A2}(R334)(R333)(R334)$ (R334) have the structure	
$L_{A3}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A3}(R3)(R9)(R1)(R1)$ to $L_{A3}(R334)(R333)(R334)$ (R334) have the structure	
$L_{A4}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A4}(R3)(R9)(R1)(R1)$ to $L_{A4}(R334)(R334)(R334)$ (R334) have the structure	

-continued

L_A	Structure of L_A
$L_{A5}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A5}(R3)(R9)(R1)(R1)$ to $L_{A5}(R334)(R334)(R334)$ (R334) have the structure	
$L_{A6}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A6}(R3)(R9)(R1)(R1)$ to $L_{A6}(R334)(R334)(R334)$ (R334) have the structure	
$L_{A7}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A7}(R3)(R9)(R1)(R1)$ to $L_{A7}(R334)(R334)(R334)$ (R334) have the structure	
$L_{A8}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A8}(R3)(R9)(R1)(R1)$ to $L_{A8}(R334)(R334)(R334)$ (R334) have the structure	





-continued

L_A	Structure of L_A
$L_{A9}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A9}(R3)(R9)(R1)(R1)$ to $L_{A9}(R334)(R334)(R334)$ (R334) have the structure	
$L_{A10}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A10}(R3)(R9)(R1)(R1)$ to $L_{A10}(R334)(R334)(R334)$ (R334) have the structure	
$L_{A11}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A11}(R3)(R9)(R1)(R1)$ to $L_{A11}(R334)(R334)(R334)$ (R334) have the structure	
$L_{A12}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A12}(R3)(R9)(R1)(R1)$ to $L_{A12}(R334)(R334)(R334)$ (R334) have the structure	





-continued

L_A	Structure of L_A
$L_{A13}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A13}(R3)(R5)(R1)(R1)$ to $L_{A13}(R334)(R334)(R334)$ (R334) have the structure	
$L_{A14}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A14}(R3)(R5)(R1)(R1)$ to $L_{A14}(R334)(R334)(R334)$ (R334) have the structure	
$L_{A15}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A15}(R3)(R5)(R1)(R1)$ to $L_{A15}(R334)(R334)(R334)$ (R334) have the structure	
$L_{A16}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A16}(R3)(R5)(R1)(R1)$ to $L_{A16}(R334)(R334)(R334)$ (R334) have the structure	

-continued

L_A	Structure of L_A
$L_{A17}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A17}(R3)(R3)(R1)(R1)$ to $L_{A17}(R334)(R334)(R334)$ (R334) have the structure	
$L_{A18}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A18}(R3)(R3)(R1)(R1)$ to $L_{A18}(R334)(R334)(R334)$ (R334) have the structure	
$L_{A19}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A19}(R3)(R3)(R1)(R1)$ to $L_{A19}(R334)(R334)(R334)$ (R334) have the structure	
$L_{A20}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A20}(R3)(R3)(R1)(R1)$ to $L_{A20}(R334)(R334)(R334)$ (R334) have the structure	

-continued

L_A	Structure of L_A
$L_{A21}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A21}(R3)(R3)(R1)(R1)$ to $L_{A21}(R334)(R334)(R334)$ (R334) have the structure	
$L_{A22}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A22}(R3)(R3)(R1)(R1)$ to $L_{A22}(R334)(R334)(R334)$ (R334) have the structure	
$L_{A23}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A23}(R3)(R3)(R1)(R1)$ to $L_{A23}(R334)(R334)(R334)$ (R334) have the structure	
$L_{A24}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A24}(R3)(R3)(R1)(R1)$ to $L_{A24}(R334)(R334)(R334)$ (R334) have the structure	

-continued

L_A	Structure of L_A
$L_{A25}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A25}(R3)(R5)(R1)(R1)$ to $L_{A25}(R334)(R333)(R334)$ (R334) have the structure	
$L_{A26}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A26}(R3)(R5)(R1)(R1)$ to $L_{A26}(R334)(R333)(R334)$ (R334) have the structure	
$L_{A27}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A27}(R3)(R5)(R1)(R1)$ to $L_{A27}(R334)(R333)(R334)$ (R334) have the structure	
$L_{A28}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A28}(R3)(R5)(R1)(R1)$ to $L_{A28}(R334)(R333)(R334)$ (R334) have the structure	

-continued

L_A	Structure of L_A
$L_{A29}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A29}(R3)(R5)(R1)(R1)$ to $L_{A29}(R334)(R333)(R334)$ (R334) have the structure	
$L_{A30}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A30}(R3)(R5)(R1)(R1)$ to $L_{A30}(R334)(R333)(R334)$ (R334) have the structure	
$L_{A31}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A31}(R3)(R5)(R1)(R1)$ to $L_{A31}(R334)(R333)(R334)$ (R334) have the structure	
$L_{A32}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A32}(R3)(R5)(R1)(R1)$ to $L_{A32}(R334)(R333)(R334)$ (R334) have the structure	

-continued

L_A	Structure of L_A
$L_{A33}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A33}(R3)(R5)(R1)(R1)$ to $L_{A33}(R334)(R333)(R334)$ $(R334)$ have the structure	

-continued


L_A	Structure of L_A
$L_{A37}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A37}(R3)(R3)(R1)(R1)$ to $L_{A37}(R334)(R334)(R334)$ $(R334)$ have the structure	

wherein R1 to R334 have the following structures:


$L_{A34}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A34}(R3)(R5)(R1)(R1)$ to $L_{A34}(R334)(R333)(R334)$ $(R334)$ have the structure	
$L_{A35}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A35}(R3)(R5)(R1)(R1)$ to $L_{A35}(R334)(R333)(R334)$ $(R334)$ have the structure	
$L_{A36}(R^K)(R^L)(R^M)(R^N)$, wherein $L_{A36}(R3)(R5)(R1)(R1)$ to $L_{A36}(R334)(R333)(R334)$ $(R334)$ have the structure	

R1	
R2	
R3	
R4	
R5	
R6	
R7	
R8	
R9	
R10	
R11	


-continued



R12



R13



R14

CN,

F,

CF3,



R15



R16



R17



R18



R19



R20



R21



R22



R23



R24




R25




R26


-continued




R27



R28




R29




R30




R31




R32




R33




R34




R35



R36




R37




R38


-continued




R39




R40




R41




R42




R43



R44




R45




R46

-continued


R47




R48




R49




R50




R51




R52




R53




R54




-continued




R75




R76




R77




R78




R79




R80




R81



R82




R83




R84

-continued


R85




R86




R87




R88




R89




R90




R91




R92




-continued




R93




R94




R95




R96




R97




R98




R99



R100




R101




R102

-continued


R103




R104




R105




R106




R107




R108




R109





R110




-continued




R111




R113




R114




R115



R116




R117




R118


-continued




R119




R120




R121



R122




R123




R124


-continued




R125




R126




R127




R128



R129




R130




R131

-continued


R132




R133




R134




R135









R136



R137




-continued




-continued


R144




R145




R146




R147




R148




R149




-continued




R150




R151




R152




R153



R154




R155




R156


-continued




R157




R158




R159




R160



R161




R162




R163


-continued




R164




R165




R166



R167




R168




R169

-continued


R170




R171




R172




R173




R174




R175




R176




R177




R178




R179




-continued




R180




R181




R182




R183




R184



R185




R186




R187


-continued




R188




R189




R190




R191



R192




R193




R194

-continued




R195


-continued




R201




R196




R202




R197




R203




R198




R199



R204




R200




R205

-continued




R206

-continued




R211


R212




R207




R208




R213




R214




R209




R210




R215



R216




-continued




R217


-continued




R223




R218




R224




R219




R225




R220




R226




R221





R227



R222




R228




R229

-continued




R230


-continued




R237




R231




R232




R233



R234




R235




R236


R238




R239




R240




R241




R242




-continued




R243




R244




R245



R246




R247




R248


-continued




R249




R250




R251



R252




R253




R254

-continued




R255


-continued




R260




R256




R261




R257




R262




R258



R263




R259




R264

-continued




R265


-continued




R270




R266




R271




R267




R272




R268



R273




R269




R274

-continued




R275


-continued




R280




R276




R281




R277




R282




R278



R283




R279




R285


-continued




R286




R287




R288



R289




R290




R291


-continued




R292




R293



R294




R295




R296

-continued




R297


-continued




R302




R298




R303




R299




R304




R300




R305



R301




R306




R307

-continued




R308


-continued




R313




R309




R314




R310




R315




R311




R316



R312




R317




R318


-continued




R319




R320




R321




R322




R323




R324



R325




R326




R327


-continued




R328




R329




R330




R331



R332




R333




R334

14. The compound of claim 1, wherein L_B and L_C are each independently selected from the group consisting of:



R324


R325









R326


R327


-continued



-continued







wherein:

T is selected from the group consisting of B, Al, Ga, and In;

K^{1'} is selected from the group consisting of a single bond, O, S, NR_e, PR_e, BR_e, CR_eR_f, and SiR_eR_f;

each of Y¹ to Y¹³ is independently selected from the group consisting of C and N;

Y' is selected from the group consisting of BR_e, BR_eR_f, NR_e, PR_e, P(O)R_e, O, S, Se, C=O, C=S, C=Se, C=NR_e, C=CR_eR_f, S=O, SO₂, CR_eR_f, SiR_eR_f, and GeR_eR_f.

R_e and R_f can be fused or joined to form a ring;

each R_a, R_b, R_c, and R_d independently represents from mono to the maximum allowed number of substitutions, or no substitution;

each of R_{a1}, R_{b1}, R_{c1}, R_{d1}, R_a, R_b, R_c, R_d, R_e, and R_f is independently a hydrogen or a substituent selected from the group consisting of deuterium, halide, alkyl, cycloalkyl, heteroalkyl, arylalkyl, alkoxy, aryloxy, amino, silyl, germyl, boryl, alkenyl, cycloalkenyl, heteroalkenyl, alkynyl, aryl, heteroaryl, acyl, carbonyl, carboxylic acid, ester, nitrile, isonitrile, sulfanyl, seleanyl, sulfinyl, sulfonyl, phosphino, and combinations thereof; and

any two substituents of R_{a1}, R_{b1}, R_{c1}, R_{d1}, R_a, R_b, R_c, and R_d can be fused or joined to form a ring or form a multidentate ligand.


15. The compound of claim 1, wherein the compound has formula Ir(L_A)₃, formula Ir(L_A)(L_{Bk})₂, formula Ir(L_A)₂(L_{Bk}), formula Ir(L_A)₂(L_{Cj-D}), or formula Ir(L_A)₂(L_{Cj-H}),

wherein L_A is according to Formula I;


wherein k is an integer from 1 to 541, and each L_{Bk} has the structures defined as follows:

-continued


L_{B2}




L_{B3}




L_{B4}



L_{B5}




L_{B6}




L_{B7}











L_{B1}




-continued

 L_{B8} 










-continued

 L_{B14}  L_{B9}  L_{B15}  L_{B10}  L_{B16}  L_{B11}  L_{B17}  L_{B12}  L_{B18}  L_{B13} 


-continued

 L_{B19} 









-continued

 L_{B24}  L_{B20}  L_{B25}  L_{B21}  L_{B26}  L_{B22}  L_{B27}  L_{B23}  L_{B28} 


-continued

L_{B29}









-continued

L_{B34}L_{B30}L_{B35}L_{B31}L_{B36}L_{B32}L_{B37}L_{B33}


-continued

L_B38








-continued

L_B43L_B39L_B44L_B40L_B45L_B41L_B42L_B46


-continued

L_{B47}








-continued

L_{B51}L_{B48}L_{B52}L_{B49}L_{B53}L_{B50}L_{B54}


-continued

L_B55









-continued

L_B59L_B56L_B60L_B57L_B61L_B58L_B62


-continued

L_{B63}









-continued

L_{B67}L_{B64}L_{B68}L_{B65}L_{B69}L_{B66}L_{B70}L_{B71}


-continued

L_{B72}








-continued

L_{B77}L_{B73}L_{B74}L_{B75}L_{B76}L_{B78}L_{B79}L_{B80}


-continued

 L_{B81} 








-continued

 L_{B85}  L_{B82}  L_{B86}  L_{B83}  L_{B87}  L_{B84}  L_{B88} 


-continued

 L_{B89} 









-continued

 L_{B93}  L_{B90}  L_{B94}  L_{B91}  L_{B95}  L_{B92}  L_{B96} 


-continued

L_{B97}


-continued

L_{B101}L_{B98}L_{B102}L_{B99}L_{B103}L_{B100}L_{B104}L_{B105}

-continued



L_B106




L_{B111}

L_B107





L_{B112}

L_B108




L_{R113}


L_{B109}








L_R110








L_{B114}




-continued

L_B115L_B116L_B117L_B118L_B119

-continued


L_B120L_B121L_B122L_B123L_B124

-continued




L_B125

-continued




L_{B130}

L_B126




L_{B131}

L_B127




L_{B132}

L_B128




L_B133

L_B129




L_B134

-continued



L_B135

-continued



L_B139

The chemical structure shows a pyridine ring substituted at the 2-position with a 4-cyano-phenyl group (-C₆H₄CN) and at the 4-position with a 3,5-bis(trimethylsilyl)phenyl group (-C₆H₂(CH₃)₃Si₂).

L_B136

L_B140

L_B137


L₄R143

L_R138










The chemical structure shows a central pyridine ring substituted at the 2 and 6 positions with 4-tert-butylphenyl groups. The 4 position of one phenyl group is further substituted with a fluorine atom.

L_R143






-continued

L_{B144}






-continued

L_{B149}L_{B145}L_{B150}L_{B146}L_{B151}L_{B147}L_{B152}L_{B148}L_{B153}


-continued

L_B154L_B155L_B156L_B157L_B158


-continued

L_B159L_B160L_B161L_B162L_B163

-continued




L_B164




L_B169

L_B165




L_B170

L_B166




L_B171

L_B167




J.B172









L_B168




-continued

 L_{B174} 








-continued

 L_{B179}  L_{B175}  L_{B180}  L_{B176}  L_{B181}  L_{B177}  L_{B182}  L_{B178} 


-continued

 L_{B183} 








-continued

 L_{B187}  L_{B184}  L_{B188}  L_{B185}  L_{B189}  L_{B186}  L_{B190} 


-continued

 L_{B191} 









-continued

 L_{B195}  L_{B192}  L_{B196}  L_{B193}  L_{B197}  L_{B194}  L_{B198} 






-continued

L_B199





-continued

L_B203L_B200L_B204L_B201L_B205L_B202L_B206L_B207


-continued

L_{B208}L_{B209}L_{B210}L_{B211}L_{B212}

-continued


L_{B213}L_{B214}L_{B215}L_{B216}

-continued




L_{B217}

-continued




L_{B221}

L_{B218}




L_{B222}

L_{B219}




L_B223

L_{B220}










L_{R224}


-continued

L_B225








-continued

L_B229L_B226L_B230L_B227L_B231L_B228L_B232


-continued

L_{B233}








-continued

L_{B237}L_{B234}L_{B238}L_{B235}L_{B239}L_{B236}L_{B240}


-continued

L_B241

-continued


L_B245L_B242L_B246L_B243L_B247L_B244L_B248

-continued




L_{B249}

-continued




L_{B253}

L_{B250}




L_{R254}

L_{B25}1




L_{B255}


L_{B252}









L_{B256}




-continued

L_{B257}








-continued

L_{B261}L_{B258}L_{B262}L_{B263}L_{B259}L_{B264}L_{B260}








-continued

 L_{B265} 





-continued

 L_{B269}  L_{B266}  L_{B267}  L_{B271}  L_{B268}  L_{B272} 




-continued

 L_{B273}  L_{B274}  L_{B275}  L_{B276}  L_{B277}  L_{B278}  L_{B279} 


-continued

 L_{B280}  L_{B281}  L_{B282}  L_{B283} 






-continued

 L_{B284}  L_{B285}  L_{B286} 


-continued

 L_{B287} 








-continued

 L_{B290}  L_{B291}  L_{B292}  L_{B289}  L_{B293} 


-continued

 L_{B294} 

-continued


 L_{B298}  L_{B295}  L_{B299}  L_{B296}  L_{B300}  L_{B297}  L_{B301} 

-continued



L_{B302}

-continued



L_{B306}

L_{B303}


L_{B304}

1








L_B307

L_B308


-continued

L_B309








-continued

L_B313L_B310L_B314L_B311L_B315L_B312L_B316


-continued

L_{B317}

-continued


L_{B321}L_{B318}L_{B322}L_{B319}L_{B320}L_{B323}L_{B324}

-continued




L_{B325}

-continued




L_B329

L_{B326}




L_{B330}

L_B327




L_B331


Lp328










L_{B332}




-continued

L_{B333}








-continued

L_{B337}L_{B334}L_{B338}L_{B335}L_{B339}L_{B336}L_{B340}


-continued

L_B341







-continued

L_B345L_B342L_B346L_B343L_B347L_B344L_B348






-continued

L_B349






-continued

L_B353L_B350L_B350L_B351L_B351L_B352L_B352L_B354L_B355L_B356


-continued

 L_{B357}  L_{B358}  L_{B359}  L_{B360}  L_{B361}









-continued

 L_{B362}  L_{B363}  L_{B364}  L_{B365}  L_{B366}


-continued

 L_{B367} 








-continued

 L_{B372}  L_{B368}  L_{B373}  L_{B369}  L_{B374}  L_{B370}  L_{B375}  L_{B371} 


-continued

L_B376








-continued

L_B380L_B377L_B381L_B378L_B382L_B379L_B383


-continued

L_B384








-continued

L_B388L_B385L_B389L_B386L_B390L_B387L_B391


-continued

L_B392








-continued

L_B396L_B393L_B397L_B394L_B398L_B395L_B399


-continued

 L_{B400} 








-continued

 L_{B404}  L_{B401}  L_{B405}  L_{B402}  L_{B406}  L_{B403}  L_{B407}


-continued

 L_{B408} 








-continued

 L_{B412}  L_{B409}  L_{B413}  L_{B410}  L_{B414}  L_{B411}  L_{B415} 


-continued

L_{B416}








-continued

L_{B420}L_{B417}L_{B421}L_{B418}L_{B422}L_{B419}L_{B423}


-continued

 L_{B424} 







-continued

 L_{B428}  L_{B425}  L_{B429}  L_{B426}  L_{B430}  L_{B427}  L_{B431} 


-continued

L_{B432}








-continued

L_{B436}L_{B433}L_{B437}L_{B434}L_{B438}L_{B435}L_{B439}


-continued

L_{B440}








-continued

L_{B444}L_{B441}L_{B445}L_{B442}L_{B446}L_{B443}L_{B447}


-continued

L_{B448}








-continued

L_{B452}L_{B449}L_{B453}L_{B450}L_{B454}L_{B451}L_{B455}


-continued

L_B457









-continued

L_B461L_B458L_B462L_B459L_B463L_B460L_B464






-continued

L_B465






-continued

L_B469L_B466L_B470L_B467L_B471L_B468L_B472L_B473






-continued

L_{B474}L_{B475}L_{B476}L_{B477}L_{B478}





-continued

L_{B479}L_{B480}L_{B481}L_{B482}L_{B483}


-continued

L_{B484}L_{B485}L_{B486}L_{B487}L_{B488}








-continued

L_{B489}L_{B490}L_{B491}L_{B492}


-continued

L_B493








-continued

L_B497L_B494L_B498L_B495L_B499L_B496L_B500


-continued

 L_{B501} 








-continued

 L_{B505}  L_{B506}  L_{B507}  L_{B503}  L_{B504}  L_{B508}  L_{B509} 


-continued

 L_{B510} 






-continued

 L_{B515}  L_{B516}  L_{B517}  L_{B518}  L_{B519}  L_{B513}  L_{B514} 






-continued

 L_{B520} 


-continued

 L_{B525}  L_{B521}  L_{B522}  L_{B523}  L_{B524}  L_{B520}








-continued

 L_{B525}  L_{B526}  L_{B527}  L_{B528}  L_{B529} 


-continued

L_{B530}




-continued

L_{B534}L_{B531}L_{B535}L_{B532}L_{B536}L_{B533}L_{B537}



-continued

L_{B538}

-continued

L_{B541}L_{B539}wherein each L_{Cj-I} has a structure based on formulaL_{B540}

and

each L_{Cj-II} has a structure based on formulawherein for each L_{Cj} In L_{Cj-I} and L_{Cj-II}, R²⁰¹ and R²⁰² are defined as follows:

L _{Cj}	R ^{D1}	R ^{D2}	L _{Cj}	R ^{D1}	R ^{D3}	L _{Cj}	R ^{D17}	R ^{D40}	L _{Cj}	R ^{D143}	R ^{D120}
L _{C1}	R ^{D1}	R ^{D1}	L _{C193}	R ^{D1}	R ^{D3}	L _{C385}	R ^{D17}	R ^{D40}	L _{C577}	R ^{D143}	R ^{D133}
L _{C2}	R ^{D2}	R ^{D2}	L _{C194}	R ^{D1}	R ^{D4}	L _{C386}	R ^{D17}	R ^{D41}	L _{C578}	R ^{D143}	R ^{D134}
L _{C3}	R ^{D3}	R ^{D3}	L _{C195}	R ^{D1}	R ^{D5}	L _{C387}	R ^{D17}	R ^{D42}	L _{C579}	R ^{D143}	R ^{D134}
L _{C4}	R ^{D4}	R ^{D4}	L _{C196}	R ^{D1}	R ^{D9}	L _{C388}	R ^{D17}	R ^{D43}	L _{C580}	R ^{D143}	R ^{D135}
L _{C5}	R ^{D5}	R ^{D5}	L _{C197}	R ^{D1}	R ^{D10}	L _{C389}	R ^{D17}	R ^{D48}	L _{C581}	R ^{D143}	R ^{D136}
L _{C6}	R ^{D6}	R ^{D6}	L _{C198}	R ^{D1}	R ^{D17}	L _{C390}	R ^{D17}	R ^{D49}	L _{C582}	R ^{D143}	R ^{D144}
L _{C7}	R ^{D7}	R ^{D7}	L _{C199}	R ^{D1}	R ^{D18}	L _{C391}	R ^{D17}	R ^{D50}	L _{C583}	R ^{D143}	R ^{D145}
L _{C8}	R ^{D8}	R ^{D8}	L _{C200}	R ^{D1}	R ^{D20}	L _{C392}	R ^{D17}	R ^{D54}	L _{C584}	R ^{D143}	R ^{D146}
L _{C9}	R ^{D9}	R ^{D9}	L _{C201}	R ^{D1}	R ^{D22}	L _{C393}	R ^{D17}	R ^{D55}	L _{C585}	R ^{D143}	R ^{D147}
L _{C10}	R ^{D10}	R ^{D10}	L _{C202}	R ^{D1}	R ^{D37}	L _{C394}	R ^{D17}	R ^{D58}	L _{C586}	R ^{D143}	R ^{D149}
L _{C11}	R ^{D11}	R ^{D11}	L _{C203}	R ^{D1}	R ^{D40}	L _{C395}	R ^{D17}	R ^{D59}	L _{C587}	R ^{D143}	R ^{D151}
L _{C12}	R ^{D12}	R ^{D12}	L _{C204}	R ^{D1}	R ^{D41}	L _{C396}	R ^{D17}	R ^{D78}	L _{C588}	R ^{D143}	R ^{D154}
L _{C13}	R ^{D13}	R ^{D13}	L _{C205}	R ^{D1}	R ^{D42}	L _{C397}	R ^{D17}	R ^{D79}	L _{C589}	R ^{D143}	R ^{D155}
L _{C14}	R ^{D14}	R ^{D14}	L _{C206}	R ^{D1}	R ^{D43}	L _{C398}	R ^{D17}	R ^{D81}	L _{C590}	R ^{D143}	R ^{D161}
L _{C15}	R ^{D15}	R ^{D15}	L _{C207}	R ^{D1}	R ^{D48}	L _{C399}	R ^{D17}	R ^{D87}	L _{C591}	R ^{D143}	R ^{D175}

-continued

L_{Cj}	R^{201}	R^{202}	L_{Cj}	R^{201}	R^{202}	L_{Cj}	R^{201}	R^{202}	L_{Cj}	R^{201}	R^{202}
L_{C16}	R^{D16}	R^{D16}	L_{C208}	R^{D1}	R^{D49}	L_{C400}	R^{D17}	R^{D88}	L_{C592}	R^{D144}	R^{D3}
L_{C17}	R^{D17}	R^{D17}	L_{C209}	R^{D1}	R^{D50}	L_{C401}	R^{D17}	R^{D89}	L_{C593}	R^{D144}	R^{D5}
L_{C18}	R^{D18}	R^{D18}	L_{C210}	R^{D1}	R^{D54}	L_{C402}	R^{D17}	R^{D93}	L_{C594}	R^{D144}	R^{D17}
L_{C19}	R^{D19}	R^{D19}	L_{C211}	R^{D1}	R^{D55}	L_{C403}	R^{D17}	R^{D116}	L_{C595}	R^{D144}	R^{D18}
L_{C20}	R^{D20}	R^{D20}	L_{C212}	R^{D1}	R^{D58}	L_{C404}	R^{D17}	R^{D117}	L_{C596}	R^{D144}	R^{D20}
L_{C21}	R^{D21}	R^{D21}	L_{C213}	R^{D1}	R^{D59}	L_{C405}	R^{D17}	R^{D118}	L_{C597}	R^{D144}	R^{D22}
L_{C22}	R^{D22}	R^{D22}	L_{C214}	R^{D1}	R^{D78}	L_{C406}	R^{D17}	R^{D119}	L_{C598}	R^{D144}	R^{D37}
L_{C23}	R^{D23}	R^{D23}	L_{C215}	R^{D1}	R^{D79}	L_{C407}	R^{D17}	R^{D120}	L_{C599}	R^{D144}	R^{D40}
L_{C24}	R^{D24}	R^{D24}	L_{C216}	R^{D1}	R^{D81}	L_{C408}	R^{D17}	R^{D133}	L_{C600}	R^{D144}	R^{D41}
L_{C25}	R^{D25}	R^{D25}	L_{C217}	R^{D1}	R^{D87}	L_{C409}	R^{D17}	R^{D134}	L_{C601}	R^{D144}	R^{D42}
L_{C26}	R^{D26}	R^{D26}	L_{C218}	R^{D1}	R^{D88}	L_{C410}	R^{D17}	R^{D135}	L_{C602}	R^{D144}	R^{D43}
L_{C27}	R^{D27}	R^{D27}	L_{C219}	R^{D1}	R^{D89}	L_{C411}	R^{D17}	R^{D136}	L_{C603}	R^{D144}	R^{D48}
L_{C28}	R^{D28}	R^{D28}	L_{C220}	R^{D1}	R^{D93}	L_{C412}	R^{D17}	R^{D143}	L_{C604}	R^{D144}	R^{D49}
L_{C29}	R^{D29}	R^{D29}	L_{C221}	R^{D1}	R^{D116}	L_{C413}	R^{D17}	R^{D144}	L_{C605}	R^{D144}	R^{D54}
L_{C30}	R^{D30}	R^{D30}	L_{C222}	R^{D1}	R^{D117}	L_{C414}	R^{D17}	R^{D145}	L_{C606}	R^{D144}	R^{D58}
L_{C31}	R^{D31}	R^{D31}	L_{C223}	R^{D1}	R^{D118}	L_{C415}	R^{D17}	R^{D146}	L_{C607}	R^{D144}	R^{D59}
L_{C32}	R^{D32}	R^{D32}	L_{C224}	R^{D1}	R^{D119}	L_{C416}	R^{D17}	R^{D147}	L_{C608}	R^{D144}	R^{D78}
L_{C33}	R^{D33}	R^{D33}	L_{C225}	R^{D1}	R^{D120}	L_{C417}	R^{D17}	R^{D149}	L_{C609}	R^{D144}	R^{D79}
L_{C34}	R^{D34}	R^{D34}	L_{C226}	R^{D1}	R^{D133}	L_{C418}	R^{D17}	R^{D151}	L_{C610}	R^{D144}	R^{D81}
L_{C35}	R^{D35}	R^{D35}	L_{C227}	R^{D1}	R^{D134}	L_{C419}	R^{D17}	R^{D154}	L_{C611}	R^{D144}	R^{D87}
L_{C36}	R^{D36}	R^{D36}	L_{C228}	R^{D1}	R^{D135}	L_{C420}	R^{D17}	R^{D155}	L_{C612}	R^{D144}	R^{D88}
L_{C37}	R^{D37}	R^{D37}	L_{C229}	R^{D1}	R^{D136}	L_{C421}	R^{D17}	R^{D161}	L_{C613}	R^{D144}	R^{D89}
L_{C38}	R^{D38}	R^{D38}	L_{C230}	R^{D1}	R^{D143}	L_{C422}	R^{D17}	R^{D175}	L_{C614}	R^{D144}	R^{D93}
L_{C39}	R^{D39}	R^{D39}	L_{C231}	R^{D1}	R^{D144}	L_{C423}	R^{D50}	R^{D3}	L_{C615}	R^{D144}	R^{D116}
L_{C40}	R^{D40}	R^{D40}	L_{C232}	R^{D1}	R^{D145}	L_{C424}	R^{D50}	R^{D5}	L_{C616}	R^{D144}	R^{D117}
L_{C41}	R^{D41}	R^{D41}	L_{C233}	R^{D1}	R^{D146}	L_{C425}	R^{D50}	R^{D18}	L_{C617}	R^{D144}	R^{D118}
L_{C42}	R^{D42}	R^{D42}	L_{C234}	R^{D1}	R^{D147}	L_{C426}	R^{D50}	R^{D20}	L_{C618}	R^{D144}	R^{D119}
L_{C43}	R^{D43}	R^{D43}	L_{C235}	R^{D1}	R^{D149}	L_{C427}	R^{D50}	R^{D22}	L_{C619}	R^{D144}	R^{D120}
L_{C44}	R^{D44}	R^{D44}	L_{C236}	R^{D1}	R^{D151}	L_{C428}	R^{D50}	R^{D37}	L_{C620}	R^{D144}	R^{D133}
L_{C45}	R^{D45}	R^{D45}	L_{C237}	R^{D1}	R^{D154}	L_{C429}	R^{D50}	R^{D40}	L_{C621}	R^{D144}	R^{D134}
L_{C46}	R^{D46}	R^{D46}	L_{C238}	R^{D1}	R^{D155}	L_{C430}	R^{D50}	R^{D41}	L_{C622}	R^{D144}	R^{D135}
L_{C47}	R^{D47}	R^{D47}	L_{C239}	R^{D1}	R^{D161}	L_{C431}	R^{D50}	R^{D42}	L_{C623}	R^{D144}	R^{D136}
L_{C48}	R^{D48}	R^{D48}	L_{C240}	R^{D1}	R^{D175}	L_{C432}	R^{D50}	R^{D43}	L_{C624}	R^{D144}	R^{D145}
L_{C49}	R^{D49}	R^{D49}	L_{C241}	R^{D4}	R^{D3}	L_{C433}	R^{D50}	R^{D48}	L_{C625}	R^{D144}	R^{D146}
L_{C50}	R^{D50}	R^{D50}	L_{C242}	R^{D4}	R^{D5}	L_{C434}	R^{D50}	R^{D49}	L_{C626}	R^{D144}	R^{D147}
L_{C51}	R^{D51}	R^{D51}	L_{C243}	R^{D4}	R^{D9}	L_{C435}	R^{D50}	R^{D54}	L_{C627}	R^{D144}	R^{D149}
L_{C52}	R^{D52}	R^{D52}	L_{C244}	R^{D4}	R^{D10}	L_{C436}	R^{D50}	R^{D55}	L_{C628}	R^{D144}	R^{D151}
L_{C53}	R^{D53}	R^{D53}	L_{C245}	R^{D4}	R^{D17}	L_{C437}	R^{D50}	R^{D58}	L_{C629}	R^{D144}	R^{D154}
L_{C54}	R^{D54}	R^{D54}	L_{C246}	R^{D4}	R^{D18}	L_{C438}	R^{D50}	R^{D59}	L_{C630}	R^{D144}	R^{D155}
L_{C55}	R^{D55}	R^{D55}	L_{C247}	R^{D4}	R^{D20}	L_{C439}	R^{D50}	R^{D78}	L_{C631}	R^{D144}	R^{D161}
L_{C56}	R^{D56}	R^{D56}	L_{C248}	R^{D4}	R^{D22}	L_{C440}	R^{D50}	R^{D79}	L_{C632}	R^{D144}	R^{D175}
L_{C57}	R^{D57}	R^{D57}	L_{C249}	R^{D4}	R^{D37}	L_{C441}	R^{D50}	R^{D81}	L_{C633}	R^{D145}	R^{D3}
L_{C58}	R^{D58}	R^{D58}	L_{C250}	R^{D4}	R^{D40}	L_{C442}	R^{D50}	R^{D87}	L_{C634}	R^{D145}	R^{D5}
L_{C59}	R^{D59}	R^{D59}	L_{C251}	R^{D4}	R^{D41}	L_{C443}	R^{D50}	R^{D88}	L_{C635}	R^{D145}	R^{D17}
L_{C60}	R^{D60}	R^{D60}	L_{C252}	R^{D4}	R^{D42}	L_{C444}	R^{D50}	R^{D89}	L_{C636}	R^{D145}	R^{D18}
L_{C61}	R^{D61}	R^{D61}	L_{C253}	R^{D4}	R^{D43}	L_{C445}	R^{D50}	R^{D93}	L_{C637}	R^{D145}	R^{D20}
L_{C62}	R^{D62}	R^{D62}	L_{C254}	R^{D4}	R^{D48}	L_{C446}	R^{D50}	R^{D116}	L_{C638}	R^{D145}	R^{D22}
L_{C63}	R^{D63}	R^{D63}	L_{C255}	R^{D4}	R^{D49}	L_{C447}	R^{D50}	R^{D117}	L_{C639}	R^{D145}	R^{D37}
L_{C64}	R^{D64}	R^{D64}	L_{C256}	R^{D4}	R^{D50}	L_{C448}	R^{D50}	R^{D118}	L_{C640}	R^{D145}	R^{D40}
L_{C65}	R^{D65}	R^{D65}	L_{C257}	R^{D4}	R^{D54}	L_{C449}	R^{D50}	R^{D119}	L_{C641}	R^{D145}	R^{D41}
L_{C66}	R^{D66}	R^{D66}	L_{C258}	R^{D4}	R^{D55}	L_{C450}	R^{D50}	R^{D120}	L_{C642}	R^{D145}	R^{D42}
L_{C67}	R^{D67}	R^{D67}	L_{C259}	R^{D4}	R^{D58}	L_{C451}	R^{D50}	R^{D133}	L_{C643}	R^{D145}	R^{D43}
L_{C68}	R^{D68}	R^{D68}	L_{C260}	R^{D4}	R^{D59}	L_{C452}	R^{D50}	R^{D134}	L_{C644}	R^{D145}	R^{D48}
L_{C69}	R^{D69}	R^{D69}	L_{C261}	R^{D4}	R^{D78}	L_{C453}	R^{D50}	R^{D135}	L_{C645}	R^{D145}	R^{D49}
L_{C70}	R^{D70}	R^{D70}	L_{C262}	R^{D4}	R^{D79}	L_{C454}	R^{D50}	R^{D136}	L_{C646}	R^{D145}	R^{D54}
L_{C71}	R^{D71}	R^{D71}	L_{C263}	R^{D4}	R^{D81}	L_{C455}	R^{D50}	R^{D143}	L_{C647}	R^{D145}	R^{D58}
L_{C72}	R^{D72}	R^{D72}	L_{C264}	R^{D4}	R^{D87}	L_{C456}	R^{D50}	R^{D144}	L_{C648}	R^{D145}	R^{D59}
L_{C73}	R^{D73}	R^{D73}	L_{C265}	R^{D4}	R^{D88}	L_{C457}	R^{D50}	R^{D145}	L_{C649}	R^{D145}	R^{D78}
L_{C74}	R^{D74}	R^{D74}	L_{C266}	R^{D4}	R^{D89}	L_{C458}	R^{D50}	R^{D146}	L_{C650}	R^{D145}	R^{D79}
L_{C75}	R^{D75}	R^{D75}	L_{C267}	R^{D4}	R^{D93}	L_{C459}	R^{D50}	R^{D147}	L_{C651}	R^{D145}	R^{D81}
L_{C76}	R^{D76}	R^{D76}	L_{C268}	R^{D4}	R^{D116}	L_{C460}	R^{D50}	R^{D149}	L_{C652}	R^{D145}	R^{D87}
L_{C77}	R^{D77}	R^{D77}	L_{C269}	R^{D4}	R^{D117}	L_{C461}	R^{D50}	R^{D151}	L_{C653}	R^{D145}	R^{D88}
L_{C78}	R^{D78}	R^{D78}	L_{C270}	R^{D4}	R^{D118}	L_{C462}	R^{D50}	R^{D154}	L_{C654}	R^{D145}	R^{D89}
L_{C79}	R^{D79}	R^{D79}	L_{C271}	R^{D4}	R^{D119}	L_{C463}	R^{D50}	R^{D155}	L_{C655}	R^{D145}	R^{D93}
L_{C80}	R^{D80}	R^{D80}	L_{C272}	R^{D4}	R^{D120}	L_{C464}	R^{D50}	R^{D161}	L_{C656}	R^{D145}	R^{D116}
L_{C81}	R^{D81}	<math									

-continued

L_{Cj}	R^{201}	R^{202}	L_{Cj}	R^{201}	R^{202}	L_{Cj}	R^{201}	R^{202}	L_{Cj}	R^{201}	R^{202}
L_{C90}	R^{D90}	R^{D90}	L_{C282}	R^{D4}	R^{D149}	L_{C474}	R^{D55}	R^{D42}	L_{C666}	R^{D145}	R^{D147}
L_{C91}	R^{D91}	R^{D91}	L_{C283}	R^{D4}	R^{D151}	L_{C475}	R^{D55}	R^{D43}	L_{C667}	R^{D145}	R^{D149}
L_{C92}	R^{D92}	R^{D92}	L_{C284}	R^{D4}	R^{D154}	L_{C476}	R^{D55}	R^{D48}	L_{C668}	R^{D145}	R^{D151}
L_{C93}	R^{D93}	R^{D93}	L_{C285}	R^{D4}	R^{D155}	L_{C477}	R^{D55}	R^{D49}	L_{C669}	R^{D145}	R^{D154}
L_{C94}	R^{D94}	R^{D94}	L_{C286}	R^{D4}	R^{D161}	L_{C478}	R^{D55}	R^{D54}	L_{C670}	R^{D145}	R^{D155}
L_{C95}	R^{D95}	R^{D95}	L_{C287}	R^{D4}	R^{D175}	L_{C479}	R^{D55}	R^{D58}	L_{C671}	R^{D145}	R^{D161}
L_{C96}	R^{D96}	R^{D96}	L_{C288}	R^{D9}	R^{D3}	L_{C480}	R^{D55}	R^{D59}	L_{C672}	R^{D145}	R^{D175}
L_{C97}	R^{D97}	R^{D97}	L_{C289}	R^{D9}	R^{D5}	L_{C481}	R^{D55}	R^{D78}	L_{C673}	R^{D146}	R^{D3}
L_{C98}	R^{D98}	R^{D98}	L_{C290}	R^{D9}	R^{D10}	L_{C482}	R^{D55}	R^{D79}	L_{C674}	R^{D146}	R^{D5}
L_{C99}	R^{D99}	R^{D99}	L_{C291}	R^{D9}	R^{D17}	L_{C483}	R^{D55}	R^{D81}	L_{C675}	R^{D146}	R^{D17}
L_{C100}	R^{D100}	R^{D100}	L_{C292}	R^{D9}	R^{D18}	L_{C484}	R^{D55}	R^{D87}	L_{C676}	R^{D146}	R^{D18}
L_{C101}	R^{D101}	R^{D101}	L_{C293}	R^{D9}	R^{D20}	L_{C485}	R^{D55}	R^{D88}	L_{C677}	R^{D146}	R^{D20}
L_{C102}	R^{D102}	R^{D102}	L_{C294}	R^{D9}	R^{D22}	L_{C486}	R^{D55}	R^{D89}	L_{C678}	R^{D146}	R^{D22}
L_{C103}	R^{D103}	R^{D103}	L_{C295}	R^{D9}	R^{D37}	L_{C487}	R^{D55}	R^{D93}	L_{C679}	R^{D146}	R^{D37}
L_{C104}	R^{D104}	R^{D104}	L_{C296}	R^{D9}	R^{D40}	L_{C488}	R^{D55}	R^{D116}	L_{C680}	R^{D146}	R^{D40}
L_{C105}	R^{D105}	R^{D105}	L_{C297}	R^{D9}	R^{D41}	L_{C489}	R^{D55}	R^{D117}	L_{C681}	R^{D146}	R^{D41}
L_{C106}	R^{D106}	R^{D106}	L_{C298}	R^{D9}	R^{D42}	L_{C490}	R^{D55}	R^{D118}	L_{C682}	R^{D146}	R^{D42}
L_{C107}	R^{D107}	R^{D107}	L_{C299}	R^{D9}	R^{D43}	L_{C491}	R^{D55}	R^{D119}	L_{C683}	R^{D146}	R^{D43}
L_{C108}	R^{D108}	R^{D108}	L_{C300}	R^{D9}	R^{D48}	L_{C492}	R^{D55}	R^{D120}	L_{C684}	R^{D146}	R^{D48}
L_{C109}	R^{D109}	R^{D109}	L_{C301}	R^{D9}	R^{D49}	L_{C493}	R^{D55}	R^{D133}	L_{C685}	R^{D146}	R^{D49}
L_{C110}	R^{D110}	R^{D110}	L_{C302}	R^{D9}	R^{D50}	L_{C494}	R^{D55}	R^{D134}	L_{C686}	R^{D146}	R^{D54}
L_{C111}	R^{D111}	R^{D111}	L_{C303}	R^{D9}	R^{D54}	L_{C495}	R^{D55}	R^{D135}	L_{C687}	R^{D146}	R^{D58}
L_{C112}	R^{D112}	R^{D112}	L_{C304}	R^{D9}	R^{D55}	L_{C496}	R^{D55}	R^{D136}	L_{C688}	R^{D146}	R^{D59}
L_{C113}	R^{D113}	R^{D113}	L_{C305}	R^{D9}	R^{D58}	L_{C497}	R^{D55}	R^{D143}	L_{C689}	R^{D146}	R^{D78}
L_{C114}	R^{D114}	R^{D114}	L_{C306}	R^{D9}	R^{D59}	L_{C498}	R^{D55}	R^{D144}	L_{C690}	R^{D146}	R^{D79}
L_{C115}	R^{D115}	R^{D115}	L_{C307}	R^{D9}	R^{D78}	L_{C499}	R^{D55}	R^{D145}	L_{C691}	R^{D146}	R^{D81}
L_{C116}	R^{D116}	R^{D116}	L_{C308}	R^{D9}	R^{D79}	L_{C500}	R^{D55}	R^{D146}	L_{C692}	R^{D146}	R^{D87}
L_{C117}	R^{D117}	R^{D117}	L_{C309}	R^{D9}	R^{D81}	L_{C501}	R^{D55}	R^{D147}	L_{C693}	R^{D146}	R^{D88}
L_{C118}	R^{D118}	R^{D118}	L_{C310}	R^{D9}	R^{D87}	L_{C502}	R^{D55}	R^{D149}	L_{C694}	R^{D146}	R^{D89}
L_{C119}	R^{D119}	R^{D119}	L_{C311}	R^{D9}	R^{D88}	L_{C503}	R^{D55}	R^{D151}	L_{C695}	R^{D146}	R^{D93}
L_{C120}	R^{D120}	R^{D120}	L_{C312}	R^{D9}	R^{D89}	L_{C504}	R^{D55}	R^{D154}	L_{C696}	R^{D146}	R^{D117}
L_{C121}	R^{D121}	R^{D121}	L_{C313}	R^{D9}	R^{D93}	L_{C505}	R^{D55}	R^{D155}	L_{C697}	R^{D146}	R^{D118}
L_{C122}	R^{D122}	R^{D122}	L_{C314}	R^{D9}	R^{D116}	L_{C506}	R^{D55}	R^{D161}	L_{C698}	R^{D146}	R^{D119}
L_{C123}	R^{D123}	R^{D123}	L_{C315}	R^{D9}	R^{D117}	L_{C507}	R^{D55}	R^{D175}	L_{C699}	R^{D146}	R^{D120}
L_{C124}	R^{D124}	R^{D124}	L_{C316}	R^{D9}	R^{D118}	L_{C508}	R^{D116}	R^{D3}	L_{C700}	R^{D146}	R^{D133}
L_{C125}	R^{D125}	R^{D125}	L_{C317}	R^{D9}	R^{D119}	L_{C509}	R^{D116}	R^{D5}	L_{C701}	R^{D146}	R^{D134}
L_{C126}	R^{D126}	R^{D126}	L_{C318}	R^{D9}	R^{D120}	L_{C510}	R^{D116}	R^{D17}	L_{C702}	R^{D146}	R^{D135}
L_{C127}	R^{D127}	R^{D127}	L_{C319}	R^{D9}	R^{D133}	L_{C511}	R^{D116}	R^{D18}	L_{C703}	R^{D146}	R^{D136}
L_{C128}	R^{D128}	R^{D128}	L_{C320}	R^{D9}	R^{D134}	L_{C512}	R^{D116}	R^{D20}	L_{C704}	R^{D146}	R^{D146}
L_{C129}	R^{D129}	R^{D129}	L_{C321}	R^{D9}	R^{D135}	L_{C513}	R^{D116}	R^{D22}	L_{C705}	R^{D146}	R^{D147}
L_{C130}	R^{D130}	R^{D130}	L_{C322}	R^{D9}	R^{D136}	L_{C514}	R^{D116}	R^{D37}	L_{C706}	R^{D146}	R^{D149}
L_{C131}	R^{D131}	R^{D131}	L_{C323}	R^{D9}	R^{D143}	L_{C515}	R^{D116}	R^{D40}	L_{C707}	R^{D146}	R^{D151}
L_{C132}	R^{D132}	R^{D132}	L_{C324}	R^{D9}	R^{D144}	L_{C516}	R^{D116}	R^{D41}	L_{C708}	R^{D146}	R^{D154}
L_{C133}	R^{D133}	R^{D133}	L_{C325}	R^{D9}	R^{D145}	L_{C517}	R^{D116}	R^{D42}	L_{C709}	R^{D146}	R^{D155}
L_{C134}	R^{D134}	R^{D134}	L_{C326}	R^{D9}	R^{D146}	L_{C518}	R^{D116}	R^{D43}	L_{C710}	R^{D146}	R^{D161}
L_{C135}	R^{D135}	R^{D135}	L_{C327}	R^{D9}	R^{D147}	L_{C519}	R^{D116}	R^{D48}	L_{C711}	R^{D146}	R^{D175}
L_{C136}	R^{D136}	R^{D136}	L_{C328}	R^{D9}	R^{D149}	L_{C520}	R^{D116}	R^{D49}	L_{C712}	R^{D146}	R^{D3}
L_{C137}	R^{D137}	R^{D137}	L_{C329}	R^{D9}	R^{D151}	L_{C521}	R^{D116}	R^{D54}	L_{C713}	R^{D146}	R^{D5}
L_{C138}	R^{D138}	R^{D138}	L_{C330}	R^{D9}	R^{D154}	L_{C522}	R^{D116}	R^{D58}	L_{C714}	R^{D146}	R^{D3}
L_{C139}	R^{D139}	R^{D139}	L_{C331}	R^{D9}	R^{D155}	L_{C523}	R^{D116}	R^{D59}	L_{C715}	R^{D146}	R^{D18}
L_{C140}	R^{D140}	R^{D140}	L_{C332}	R^{D9}	R^{D161}	L_{C524}	R^{D116}	R^{D78}	L_{C716}	R^{D146}	R^{D20}
L_{C141}	R^{D141}	R^{D141}	L_{C333}	R^{D9}	R^{D175}	L_{C525}	R^{D116}	R^{D79}	L_{C717}	R^{D146}	R^{D22}
L_{C142}	R^{D142}	R^{D142}	L_{C334}	R^{D10}	R^{D3}	L_{C526}	R^{D116}	R^{D81}	L_{C718}	R^{D146}	R^{D37}
L_{C143}	R^{D143}	R^{D143}	L_{C335}	R^{D10}	R^{D5}	L_{C527}	R^{D116}	R^{D87}	L_{C719}	R^{D146}	R^{D40}
L_{C144}	R^{D144}	R^{D144}	L_{C336}	R^{D10}	R^{D17}	L_{C528}	R^{D116}	R^{D88}	L_{C720}	R^{D146}	R^{D41}
L_{C145}	R^{D145}	R^{D145}	L_{C337}	R^{D10}	R^{D18}	L_{C529}	R^{D116}	R^{D89}	L_{C721}	R^{D146}	R^{D42}
L_{C146}	R^{D146}	R^{D146}	L_{C338}	R^{D10}	R^{D20}	L_{C530}	R^{D116}	R^{D93}	L_{C722}	R^{D146}	R^{D43}
L_{C147}	R^{D147}	R^{D147}	L_{C339}	R^{D10}	R^{D22}	L_{C531}	R^{D116}	R^{D117}	L_{C723}	R^{D146}	R^{D48}
L_{C148}	R^{D148}	R^{D148}	L_{C340}	R^{D10}	R^{D37}	L_{C532}	R^{D116}	R^{D118}	L_{C724}	R^{D146}	R^{D49}
L_{C149}	R^{D149}	R^{D149}	L_{C341}	R^{D10}	R^{D40}	L_{C532}	R^{D116}	R^{D119}	L_{C725}	R^{D146}	R^{D54}
L_{C150}	R^{D150}	R^{D150}	L_{C342}	R^{D10}	R^{D41}	L_{C534}	R^{D116}	R^{D120}	L_{C726}	R^{D146}	R^{D58}
L_{C151}	R^{D151}	R^{D151}	L_{C343}	R^{D10}	R^{D42}	L_{C535}	R^{D116}	R^{D133}	L_{C727}	R^{D146}	R^{D59}
L_{C152}	R^{D152}	R^{D152}	L_{C344}	R^{D10}	R^{D43}	L_{C536}	R^{D116}	R^{D134}	L_{C728}	R^{D146}	R^{D78}
L_{C153}	R^{D153}	R^{D153}	L_{C345}	R^{D10}	R^{D48}	L_{C537}	R^{D116}	R^{D135}	L_{C729}	R^{D146}	R^{D79}

-continued

L_{Cj}	R^{201}	R^{202}	L_{Cj}	R^{201}	R^{202}	L_{Cj}	R^{201}	R^{202}	L_{Cj}	R^{201}	R^{202}
L_{C164}	R^{D164}	R^{D164}	L_{C356}	R^{D10}	R^{D88}	L_{C548}	R^{D116}	R^{D161}	L_{C740}	R^{D133}	R^{D134}
L_{C165}	R^{D165}	R^{D165}	L_{C357}	R^{D10}	R^{D89}	L_{C549}	R^{D116}	R^{D175}	L_{C741}	R^{D133}	R^{D135}
L_{C166}	R^{D166}	R^{D166}	L_{C358}	R^{D10}	R^{D93}	L_{C550}	R^{D143}	R^{D3}	L_{C742}	R^{D133}	R^{D136}
L_{C167}	R^{D167}	R^{D167}	L_{C359}	R^{D10}	R^{D116}	L_{C551}	R^{D143}	R^{D5}	L_{C743}	R^{D133}	R^{D146}
L_{C168}	R^{D168}	R^{D168}	L_{C360}	R^{D10}	R^{D117}	L_{C552}	R^{D143}	R^{D17}	L_{C744}	R^{D133}	R^{D147}
L_{C169}	R^{D169}	R^{D169}	L_{C361}	R^{D10}	R^{D118}	L_{C553}	R^{D143}	R^{D18}	L_{C745}	R^{D133}	R^{D149}
L_{C170}	R^{D170}	R^{D170}	L_{C362}	R^{D10}	R^{D119}	L_{C554}	R^{D143}	R^{D20}	L_{C746}	R^{D133}	R^{D151}
L_{C171}	R^{D171}	R^{D171}	L_{C363}	R^{D10}	R^{D120}	L_{C555}	R^{D143}	R^{D22}	L_{C747}	R^{D133}	R^{D154}
L_{C172}	R^{D172}	R^{D172}	L_{C364}	R^{D10}	R^{D133}	L_{C556}	R^{D143}	R^{D37}	L_{C748}	R^{D133}	R^{D155}
L_{C173}	R^{D173}	R^{D173}	L_{C365}	R^{D10}	R^{D134}	L_{C557}	R^{D143}	R^{D40}	L_{C749}	R^{D133}	R^{D161}
L_{C174}	R^{D174}	R^{D174}	L_{C366}	R^{D10}	R^{D135}	L_{C558}	R^{D143}	R^{D41}	L_{C750}	R^{D133}	R^{D175}
L_{C175}	R^{D175}	R^{D175}	L_{C367}	R^{D10}	R^{D136}	L_{C559}	R^{D143}	R^{D42}	L_{C751}	R^{D175}	R^{D3}
L_{C176}	R^{D176}	R^{D176}	L_{C368}	R^{D10}	R^{D143}	L_{C560}	R^{D143}	R^{D43}	L_{C752}	R^{D175}	R^{D5}
L_{C177}	R^{D177}	R^{D177}	L_{C369}	R^{D10}	R^{D144}	L_{C561}	R^{D143}	R^{D48}	L_{C753}	R^{D175}	R^{D18}
L_{C178}	R^{D178}	R^{D178}	L_{C370}	R^{D10}	R^{D145}	L_{C562}	R^{D143}	R^{D49}	L_{C754}	R^{D175}	R^{D20}
L_{C179}	R^{D179}	R^{D179}	L_{C371}	R^{D10}	R^{D146}	L_{C563}	R^{D143}	R^{D54}	L_{C755}	R^{D175}	R^{D22}
L_{C180}	R^{D180}	R^{D180}	L_{C372}	R^{D10}	R^{D147}	L_{C564}	R^{D143}	R^{D58}	L_{C756}	R^{D175}	R^{D37}
L_{C181}	R^{D181}	R^{D181}	L_{C373}	R^{D10}	R^{D149}	L_{C565}	R^{D143}	R^{D59}	L_{C757}	R^{D175}	R^{D40}
L_{C182}	R^{D182}	R^{D182}	L_{C374}	R^{D10}	R^{D151}	L_{C566}	R^{D143}	R^{D78}	L_{C758}	R^{D175}	R^{D41}
L_{C183}	R^{D183}	R^{D183}	L_{C375}	R^{D10}	R^{D154}	L_{C567}	R^{D143}	R^{D79}	L_{C759}	R^{D175}	R^{D42}
L_{C184}	R^{D184}	R^{D184}	L_{C376}	R^{D10}	R^{D155}	L_{C568}	R^{D143}	R^{D81}	L_{C760}	R^{D175}	R^{D43}
L_{C185}	R^{D185}	R^{D185}	L_{C377}	R^{D10}	R^{D161}	L_{C569}	R^{D143}	R^{D87}	L_{C761}	R^{D175}	R^{D48}
L_{C186}	R^{D186}	R^{D186}	L_{C378}	R^{D10}	R^{D175}	L_{C570}	R^{D143}	R^{D88}	L_{C762}	R^{D175}	R^{D49}
L_{C187}	R^{D187}	R^{D187}	L_{C379}	R^{D17}	R^{D3}	L_{C571}	R^{D143}	R^{D89}	L_{C763}	R^{D175}	R^{D54}
L_{C188}	R^{D188}	R^{D188}	L_{C380}	R^{D17}	R^{D5}	L_{C572}	R^{D143}	R^{D93}	L_{C764}	R^{D175}	R^{D58}
L_{C189}	R^{D189}	R^{D189}	L_{C381}	R^{D17}	R^{D18}	L_{C573}	R^{D143}	R^{D116}	L_{C765}	R^{D175}	R^{D59}
L_{C190}	R^{D190}	R^{D190}	L_{C382}	R^{D17}	R^{D20}	L_{C574}	R^{D143}	R^{D117}	L_{C766}	R^{D175}	R^{D78}
L_{C191}	R^{D191}	R^{D191}	L_{C383}	R^{D17}	R^{D22}	L_{C575}	R^{D143}	R^{D118}	L_{C767}	R^{D175}	R^{D79}
L_{C192}	R^{D192}	R^{D192}	L_{C384}	R^{D17}	R^{D37}	L_{C576}	R^{D143}	R^{D119}	L_{C768}	R^{D175}	R^{D81}
L_{C193}	R^{D193}	R^{D193}	L_{C377}	R^{D1}	R^{D193}	L_{C985}	R^{D4}	R^{D193}	L_{C1093}	R^{D9}	R^{D193}
L_{C194}	R^{D194}	R^{D194}	L_{C378}	R^{D1}	R^{D194}	L_{C986}	R^{D4}	R^{D194}	L_{C1094}	R^{D9}	R^{D194}
L_{C195}	R^{D195}	R^{D195}	L_{C379}	R^{D1}	R^{D195}	L_{C987}	R^{D4}	R^{D195}	L_{C1095}	R^{D9}	R^{D195}
L_{C196}	R^{D196}	R^{D196}	L_{C380}	R^{D1}	R^{D196}	L_{C988}	R^{D4}	R^{D196}	L_{C1096}	R^{D9}	R^{D196}
L_{C197}	R^{D197}	R^{D197}	L_{C381}	R^{D1}	R^{D197}	L_{C989}	R^{D4}	R^{D197}	L_{C1097}	R^{D9}	R^{D197}
L_{C198}	R^{D198}	R^{D198}	L_{C382}	R^{D1}	R^{D198}	L_{C990}	R^{D4}	R^{D198}	L_{C1098}	R^{D9}	R^{D198}
L_{C199}	R^{D199}	R^{D199}	L_{C383}	R^{D1}	R^{D199}	L_{C991}	R^{D4}	R^{D199}	L_{C1099}	R^{D9}	R^{D199}
L_{C200}	R^{D200}	R^{D200}	L_{C384}	R^{D1}	R^{D200}	L_{C992}	R^{D4}	R^{D200}	L_{C1100}	R^{D9}	R^{D200}
L_{C201}	R^{D201}	R^{D201}	L_{C385}	R^{D1}	R^{D201}	L_{C993}	R^{D4}	R^{D201}	L_{C1101}	R^{D9}	R^{D201}
L_{C202}	R^{D202}	R^{D202}	L_{C386}	R^{D1}	R^{D202}	L_{C994}	R^{D4}	R^{D202}	L_{C1102}	R^{D9}	R^{D202}
L_{C203}	R^{D203}	R^{D203}	L_{C387}	R^{D1}	R^{D203}	L_{C995}	R^{D4}	R^{D203}	L_{C1103}	R^{D9}	R^{D203}
L_{C204}	R^{D204}	R^{D204}	L_{C388}	R^{D1}	R^{D204}	L_{C996}	R^{D4}	R^{D204}	L_{C1104}	R^{D9}	R^{D204}
L_{C205}	R^{D205}	R^{D205}	L_{C389}	R^{D1}	R^{D205}	L_{C997}	R^{D4}	R^{D205}	L_{C1105}	R^{D9}	R^{D205}
L_{C206}	R^{D206}	R^{D206}	L_{C390}	R^{D1}	R^{D206}	L_{C998}	R^{D4}	R^{D206}	L_{C1106}	R^{D9}	R^{D206}
L_{C207}	R^{D207}	R^{D207}	L_{C391}	R^{D1}	R^{D207}	L_{C999}	R^{D4}	R^{D207}	L_{C1107}	R^{D9}	R^{D207}
L_{C208}	R^{D208}	R^{D208}	L_{C392}	R^{D1}	R^{D208}	L_{C1000}	R^{D4}	R^{D208}	L_{C1108}	R^{D9}	R^{D208}
L_{C209}	R^{D209}	R^{D209}	L_{C393}	R^{D1}	R^{D209}	L_{C1001}	R^{D4}	R^{D209}	L_{C1109}	R^{D9}	R^{D209}
L_{C210}	R^{D210}	R^{D210}	L_{C394}	R^{D1}	R^{D210}	L_{C1002}	R^{D4}	R^{D210}	L_{C1110}	R^{D9}	R^{D210}
L_{C211}	R^{D211}	R^{D211}	L_{C395}	R^{D1}	R^{D211}	L_{C1003}	R^{D4}	R^{D211}	L_{C1111}	R^{D9}	R^{D211}
L_{C212}	R^{D212}	R^{D212}	L_{C396}	R^{D1}	R^{D212}	L_{C1004}	R^{D4}	R^{D212}	L_{C1112}	R^{D9}	R^{D212}
L_{C213}	R^{D213}	R^{D213}	L_{C397}	R^{D1}	R^{D213}	L_{C1005}	R^{D4}	R^{D213}	L_{C1113}	R^{D9}	R^{D213}
L_{C214}	R^{D214}	R^{D214}	L_{C398}	R^{D1}	R^{D214}	L_{C1006}	R^{D4}	R^{D214}	L_{C1114}	R^{D9}	R^{D214}
L_{C215}	R^{D215}	R^{D215}	L_{C399}	R^{D1}	R^{D215}	L_{C1007}	R^{D4}	R^{D215}	L_{C1115}	R^{D9}	R^{D215}
L_{C216}	R^{D216}	R^{D216}	L_{C400}	R^{D1}	R^{D216}	L_{C1008}	R^{D4}	R^{D216}	L_{C1116}	R^{D9}	R^{D216}
L_{C217}	R^{D217}	R^{D217}	L_{C401}	R^{D1}	R^{D217}	L_{C1009}	R^{D4}	R^{D217}	L_{C1117}	R^{D9}	R^{D217}
L_{C218}	R^{D218}	R^{D218}	L_{C402}	R^{D1}	R^{D218}	L_{C1010}	R^{D4}	R^{D218}	L_{C1118}	R^{D9}	R^{D218}
L_{C219}	R^{D219}	R^{D219}	L_{C403}	R^{D1}	R^{D219}	L_{C1011}	R^{D4}	R^{D219}	L_{C1119}	R^{D9}	R^{D219}
L_{C220}	R^{D220}	R^{D220}	L_{C404}	R^{D1}	R^{D220}	L_{C1012}	R^{D4}	R^{D220}	L_{C1120}	R^{D9}	R^{D220}
L_{C221}	R^{D221}	R^{D221}	L_{C405}	R^{D1}	R^{D221}	L_{C1013}	R^{D4}	R^{D221}	L_{C1121}	R^{D9}	R^{D221}
L_{C222}	R^{D222}	R^{D222}	L_{C406}	R^{D1}	R^{D222}	L_{C1014}	R^{D4}	R^{D222}	L_{C1122}	R^{D9}	R^{D222}
L_{C223}	R^{D223}	R^{D223}	L_{C407}	R^{D1}	R^{D223}	L_{C1015}	R^{D4}	R^{D223}	L_{C1123}	R^{D9}	R^{D223}
L_{C224}	R^{D224}	R^{D224}	L_{C408}	R^{D1}	R^{D224}	L_{C1016}	R^{D4}	R^{D224}	L_{C1124}	R^{D9}	R^{D224}
L_{C225}	R^{D225}	R^{D225}	L_{C409}	R^{D1}	R^{D225}	L_{C1017}	R^{D4}	R^{D225}	L_{C1125}	R^{D9}	R^{D225}
L_{C226}	R^{D226}	R^{D226}	L_{C410}	R^{D1}	R^{D226}	L_{C1018}	R^{D4}	R^{D226}	L_{C1126}	R^{D9}	R^{D226}
L_{C227}	R^{D227}	R^{D227}	L_{C411}	R^{D1}	R^{D227}	L_{C1019}					


-continued

-continued













L_{Cj}	R^{D1}	R^{D2}	L_{Cj}	R^{D1}	R^{D2}	L_{Cj}	R^{D1}	R^{D2}	L_{Cj}	R^{D1}	R^{D2}
L_{C1212}	R^{D10}	R^{D204}	L_{C1266}	R^{D55}	R^{D204}	L_{C1320}	R^{D37}	R^{D204}	L_{C1374}	R^{D143}	R^{D204}
L_{C1213}	R^{D10}	R^{D205}	L_{C1267}	R^{D55}	R^{D205}	L_{C1321}	R^{D37}	R^{D205}	L_{C1375}	R^{D143}	R^{D205}
L_{C1214}	R^{D10}	R^{D206}	L_{C1268}	R^{D55}	R^{D206}	L_{C1322}	R^{D37}	R^{D206}	L_{C1376}	R^{D143}	R^{D206}
L_{C1215}	R^{D10}	R^{D207}	L_{C1269}	R^{D55}	R^{D207}	L_{C1323}	R^{D37}	R^{D207}	L_{C1377}	R^{D143}	R^{D207}
L_{C1216}	R^{D10}	R^{D208}	L_{C1270}	R^{D55}	R^{D208}	L_{C1324}	R^{D37}	R^{D208}	L_{C1378}	R^{D143}	R^{D208}
L_{C1217}	R^{D10}	R^{D209}	L_{C1271}	R^{D55}	R^{D209}	L_{C1325}	R^{D37}	R^{D209}	L_{C1379}	R^{D143}	R^{D209}
L_{C1218}	R^{D10}	R^{D210}	L_{C1272}	R^{D55}	R^{D210}	L_{C1326}	R^{D37}	R^{D210}	L_{C1380}	R^{D143}	R^{D210}
L_{C1219}	R^{D10}	R^{D211}	L_{C1273}	R^{D55}	R^{D211}	L_{C1327}	R^{D37}	R^{D211}	L_{C1381}	R^{D143}	R^{D211}
L_{C1220}	R^{D10}	R^{D212}	L_{C1274}	R^{D55}	R^{D212}	L_{C1328}	R^{D37}	R^{D212}	L_{C1382}	R^{D143}	R^{D212}
L_{C1221}	R^{D10}	R^{D213}	L_{C1275}	R^{D55}	R^{D213}	L_{C1329}	R^{D37}	R^{D213}	L_{C1383}	R^{D143}	R^{D213}
L_{C1222}	R^{D10}	R^{D214}	L_{C1276}	R^{D55}	R^{D214}	L_{C1330}	R^{D37}	R^{D214}	L_{C1384}	R^{D143}	R^{D214}
L_{C1223}	R^{D10}	R^{D215}	L_{C1277}	R^{D55}	R^{D215}	L_{C1331}	R^{D37}	R^{D215}	L_{C1385}	R^{D143}	R^{D215}
L_{C1224}	R^{D10}	R^{D216}	L_{C1278}	R^{D55}	R^{D216}	L_{C1332}	R^{D37}	R^{D216}	L_{C1386}	R^{D143}	R^{D216}
L_{C1225}	R^{D10}	R^{D217}	L_{C1279}	R^{D55}	R^{D217}	L_{C1333}	R^{D37}	R^{D217}	L_{C1387}	R^{D143}	R^{D217}
L_{C1226}	R^{D10}	R^{D218}	L_{C1280}	R^{D55}	R^{D218}	L_{C1334}	R^{D37}	R^{D218}	L_{C1388}	R^{D143}	R^{D218}
L_{C1227}	R^{D10}	R^{D219}	L_{C1281}	R^{D55}	R^{D219}	L_{C1335}	R^{D37}	R^{D219}	L_{C1389}	R^{D143}	R^{D219}
L_{C1228}	R^{D10}	R^{D220}	L_{C1282}	R^{D55}	R^{D220}	L_{C1336}	R^{D37}	R^{D220}	L_{C1390}	R^{D143}	R^{D220}
L_{C1229}	R^{D10}	R^{D221}	L_{C1283}	R^{D55}	R^{D221}	L_{C1337}	R^{D37}	R^{D221}	L_{C1391}	R^{D143}	R^{D221}
L_{C1230}	R^{D10}	R^{D222}	L_{C1284}	R^{D55}	R^{D222}	L_{C1338}	R^{D37}	R^{D222}	L_{C1392}	R^{D143}	R^{D222}
L_{C1231}	R^{D10}	R^{D223}	L_{C1285}	R^{D55}	R^{D223}	L_{C1339}	R^{D37}	R^{D223}	L_{C1393}	R^{D143}	R^{D223}
L_{C1232}	R^{D10}	R^{D224}	L_{C1286}	R^{D55}	R^{D224}	L_{C1340}	R^{D37}	R^{D224}	L_{C1394}	R^{D143}	R^{D224}
L_{C1233}	R^{D10}	R^{D225}	L_{C1287}	R^{D55}	R^{D225}	L_{C1341}	R^{D37}	R^{D225}	L_{C1395}	R^{D143}	R^{D225}
L_{C1234}	R^{D10}	R^{D226}	L_{C1288}	R^{D55}	R^{D226}	L_{C1342}	R^{D37}	R^{D226}	L_{C1396}	R^{D143}	R^{D226}
L_{C1235}	R^{D10}	R^{D227}	L_{C1289}	R^{D55}	R^{D227}	L_{C1343}	R^{D37}	R^{D227}	L_{C1397}	R^{D143}	R^{D227}
L_{C1236}	R^{D10}	R^{D228}	L_{C1290}	R^{D55}	R^{D228}	L_{C1344}	R^{D37}	R^{D228}	L_{C1398}	R^{D143}	R^{D228}
L_{C1237}	R^{D10}	R^{D229}	L_{C1291}	R^{D55}	R^{D229}	L_{C1345}	R^{D37}	R^{D229}	L_{C1399}	R^{D143}	R^{D229}
L_{C1238}	R^{D10}	R^{D230}	L_{C1292}	R^{D55}	R^{D230}	L_{C1346}	R^{D37}	R^{D230}	L_{C1400}	R^{D143}	R^{D230}
L_{C1239}	R^{D10}	R^{D231}	L_{C1293}	R^{D55}	R^{D231}	L_{C1347}	R^{D37}	R^{D231}	L_{C1401}	R^{D143}	R^{D231}
L_{C1240}	R^{D10}	R^{D232}	L_{C1294}	R^{D55}	R^{D232}	L_{C1348}	R^{D37}	R^{D232}	L_{C1402}	R^{D143}	R^{D232}
L_{C1241}	R^{D10}	R^{D233}	L_{C1295}	R^{D55}	R^{D233}	L_{C1349}	R^{D37}	R^{D233}	L_{C1403}	R^{D143}	R^{D233}
L_{C1242}	R^{D10}	R^{D234}	L_{C1296}	R^{D55}	R^{D234}	L_{C1350}	R^{D37}	R^{D234}	L_{C1404}	R^{D143}	R^{D234}
L_{C1243}	R^{D10}	R^{D235}	L_{C1297}	R^{D55}	R^{D235}	L_{C1351}	R^{D37}	R^{D235}	L_{C1405}	R^{D143}	R^{D235}
L_{C1244}	R^{D10}	R^{D236}	L_{C1298}	R^{D55}	R^{D236}	L_{C1352}	R^{D37}	R^{D236}	L_{C1406}	R^{D143}	R^{D236}
L_{C1245}	R^{D10}	R^{D237}	L_{C1299}	R^{D55}	R^{D237}	L_{C1353}	R^{D37}	R^{D237}	L_{C1407}	R^{D143}	R^{D237}
L_{C1246}	R^{D10}	R^{D238}	L_{C1300}	R^{D55}	R^{D238}	L_{C1354}	R^{D37}	R^{D238}	L_{C1408}	R^{D143}	R^{D238}
L_{C1247}	R^{D10}	R^{D239}	L_{C1301}	R^{D55}	R^{D239}	L_{C1355}	R^{D37}	R^{D239}	L_{C1409}	R^{D143}	R^{D239}
L_{C1248}	R^{D10}	R^{D240}	L_{C1302}	R^{D55}	R^{D240}	L_{C1356}	R^{D37}	R^{D240}	L_{C1410}	R^{D143}	R^{D240}
L_{C1249}	R^{D10}	R^{D241}	L_{C1303}	R^{D55}	R^{D241}	L_{C1357}	R^{D37}	R^{D241}	L_{C1411}	R^{D143}	R^{D241}
L_{C1250}	R^{D10}	R^{D242}	L_{C1304}	R^{D55}	R^{D242}	L_{C1358}	R^{D37}	R^{D242}	L_{C1412}	R^{D143}	R^{D242}
L_{C1251}	R^{D10}	R^{D243}	L_{C1305}	R^{D55}	R^{D243}	L_{C1359}	R^{D37}	R^{D243}	L_{C1413}	R^{D143}	R^{D243}
L_{C1252}	R^{D10}	R^{D244}	L_{C1306}	R^{D55}	R^{D244}	L_{C1360}	R^{D37}	R^{D244}	L_{C1414}	R^{D143}	R^{D244}
L_{C1253}	R^{D10}	R^{D245}	L_{C1307}	R^{D55}	R^{D245}	L_{C1361}	R^{D37}	R^{D245}	L_{C1415}	R^{D143}	R^{D245}
L_{C1254}	R^{D10}	R^{D246}	L_{C1308}	R^{D55}	R^{D246}	L_{C1362}	R^{D37}	R^{D246}	L_{C1416}	R^{D143}	R^{D246}

wherein R^{D1} to R^{D246} have the structures defined as follows:









-continued














-continued

 R^{D12}  R^{D13}  R^{D14}  R^{D15}  R^{D16}  R^{D17}  R^{D18}  R^{D19}  R^{D20}  R^{D21}  R^{D22}  R^{D23}  R^{D24}  R^{D25}  R^{D26}











-continued

 R^{D27}  R^{D28}  R^{D29}  R^{D30}  R^{D31}  R^{D32}  R^{D33}  R^{D34}  R^{D35}  R^{D36}  R^{D37}  R^{D38}  R^{D39}













-continued

 R^{D64}  R^{D65}  R^{D66}  R^{D67}  R^{D68}  R^{D69}  R^{D70}  R^{D71}  R^{D72}  R^{D73}  R^{D74}  R^{D75}  R^{D76}










-continued

 R^{D77}  R^{D78}  R^{D79}  R^{D80}  R^{D81}  R^{D82}  R^{D83}  R^{D84}  R^{D85}  R^{D86}  R^{D87} 










-continued











-continued

 R^{D100} 









-continued

 R^{D110}  R^{D111}  R^{D112}  R^{D113}  R^{D114}  R^{D115}  R^{D116}  R^{D117}  R^{D118}  R^{D119}














-continued

 R^{D120}  R^{D121}  R^{D122}  R^{D123}  R^{D124}  R^{D125}  R^{D126}  R^{D127}  R^{D128}


-continued



-continued

 R^{D138}  R^{D139}  R^{D140}  R^{D141}  R^{D142}  R^{D143}  R^{D144}  R^{D145}  R^{D146}  R^{D147}  R^{D148}  R^{D149}  R^{D150}  R^{D151}  R^{D152} 


-continued

 R^{D153}

-continued

 R^{D154}


-continued

 R^{D155}


-continued

 R^{D156}


-continued

 R^{D157}


-continued

 R^{D158}


-continued

 R^{D159}

-continued

 R^{D160}


-continued

 R^{D161}

-continued

 R^{D162}


-continued

 R^{D163}

-continued

 R^{D164}













-continued

 R^{D165}












-continued

 R^{D166}









-continued

 R^{D167}  R^{D168}  R^{D169}  R^{D170}  R^{D171}  R^{D172}  R^{D173}  R^{D174}  R^{D175}  R^{D176}  R^{D177}  R^{D178} 











-continued











-continued














-continued

 R^{D201}  R^{D202}  R^{D203}  R^{D204}  R^{D205}  R^{D206}  R^{D207}  R^{D208}  R^{D209}  R^{D210}










-continued

 R^{D211}  R^{D212}  R^{D213}  R^{D214}  R^{D215}  R^{D216}  R^{D217}  R^{D218}  R^{D219}


-continued



-continued


 R^{D231}  R^{D232}  R^{D233}  R^{D234}  R^{D235}  R^{D236}  R^{D237}  R^{D238}  R^{D239} 

-continued





R<sup>D240</sup>

-continued





R<sup>D243</sup>

R<sup>D241</sup>




R<sup>D244</sup>

R<sup>D242</sup>





R<sup>D245</sup>




R<sup>D246</sup>


16. The compound of claim 1, wherein the compound is selected from the group consisting of:







-continued







-continued







-continued







-continued







-continued







-continued







-continued






-continued






-continued







-continued







-continued







-continued







-continued







-continued







-continued






-continued






-continued






-continued




-continued






-continued







-continued






-continued






-continued





-continued




-continued



-continued




, and

**17.** An organic light emitting device (OLED) comprising:


an anode;

a cathode; and









an organic layer disposed between the anode and the cathode, wherein the organic layer comprises a compound according to claim 1.

18. The OLED of claim 17, wherein the organic layer further comprises a host, wherein the host is selected from the group consisting of:





-continued







-continued




-continued











-continued




-continued




-continued




-continued




-continued













-continued




-continued








-continued







-continued




-continued



-continued





wherein:

each of J₁ to J₆ is independently C or N;
 L' is a direct bond or an organic linker;
 each Y^{AA}, Y^{BB}, Y^{CC} and Y^{DD} is independently selected from the group consisting of absent a bond, direct bond, O, S, Se, CRR', SIRR', GeRR', NR, BR, BRR';
 each of R^{A'}, R^{B'}, R^{C'}, R^{D'}, R^{E'}, R^{F'}, and R^{G'} independently represents mono, up to the maximum substitutions, or no substitutions;

each R, R', R^{A'}, R^{B'}, R^{C'}, R^{D'}, R^{E'}, R^{F'}, and R^{G'} is independently a hydrogen or a substituent selected from the group consisting of deuterium, halogen, alkyl, cycloalkyl, heteroalkyl, heterocycloalkyl, arylalkyl, alkoxy, aryloxy, amino, silyl, germyl, boryl, alkenyl, cycloalkenyl, heteroalkenyl, alkynyl, aryl, heteroaryl, acyl, carboxylic acid, ether, ester, nitrile, isonitrile, sulfanyl, selenyl, sulfinyl, sulfonyl, phosphino, and combinations thereof;

any two substituents can be joined or fused to form a ring; and

where possible, each unsubstituted aromatic carbon atom is optionally replaced with N to form an aza-substituted ring.

19. The OLED of claim 17, wherein the compound is a sensitizer, and the OLED further comprises an acceptor selected from the group consisting of a fluorescent emitter, a delayed fluorescence emitter, and combination thereof.

20. A consumer product comprising an organic light-emitting device comprising:

an anode;

a cathode; and

an organic layer disposed between the anode and the cathode, wherein the organic layer comprises a compound according to claim 1.

* * * * *