

# US Patent & Trademark Office

## Patent Public Search | Text View

---

United States Patent Application Publication

20250252864

Kind Code

A1

Publication Date

August 07, 2025

Inventor(s)

Barth; Kim Alan et al.

---

### **SYSTEMS AND METHODS FOR DELIVERING VEHICLE-SPECIFIC EDUCATIONAL CONTENT FOR A CRITICAL EVENT**

---

#### **Abstract**

Systems and methods are disclosure for using sensors to deliver educational content to vehicle users during critical events. One method comprises: receiving, by a first computing device having at least one processor and from a user device of a vehicle user via a wireless data connection, a notification of a critical event for a vehicle of the vehicle user and a vehicle identification of the vehicle; receiving, from the user device via the first wireless data connection, user input soliciting educational content to remedy the critical event; determining, based on the received user input, a first set of search parameters; for each of the search parameters in the first set of search parameters, selecting educational content for a first list of educational content from a second list of educational content; and displaying, on the user device, the first list of educational content based on the first set of search parameters.

---

**Inventors:** Barth; Kim Alan (Northbrook, IL), Stroh; Robert (Northbrook, IL)

**Applicant:** Allstate Insurance Company (Northbrook, IL)

**Family ID:** 74568416

**Appl. No.:** 19/050279

**Filed:** February 11, 2025

#### **Related U.S. Application Data**

parent US continuation 18230878 20230807 parent-grant-document US 12236802 child US 19050279

parent US continuation 17543217 20211206 parent-grant-document US 11763689 child US 18230878

parent US continuation 16541443 20190815 parent-grant-document US 11195425 child US 17543217

---

## Publication Classification

**Int. Cl.:** **G09B5/02** (20060101); **G06F3/0482** (20130101); **G06F40/216** (20200101);  
**G06Q30/0251** (20230101); **G07C5/00** (20060101); **H04L67/12** (20220101)

**U.S. Cl.:**

**CPC** **G09B5/02** (20130101); **G06F3/0482** (20130101); **G06F40/216** (20200101);  
**G06Q30/0271** (20130101); **G07C5/008** (20130101); **H04L67/12** (20130101);

---

## Background/Summary

CROSS-REFERENCE TO RELATED APPLICATIONS [0001] The present application is a continuation of and claims the benefit of priority to U.S. Non-Provisional application Ser. No. 18/230,878, entitled “Systems And Methods For Delivering Vehicle-Specific Educational Content For A Critical Event” and filed on Aug. 7, 2023, which is a continuation of and claims the benefit of priority to U.S. Non-Provisional application Ser. No. 17/543,217, entitled “Systems And Methods For Delivering Vehicle-Specific Educational Content For A Critical Event” and filed on Dec. 6, 2021, which is a continuation of and claims the benefit of priority to U.S. Non-Provisional application Ser. No. 16/541,443, entitled “Systems And Methods For Delivering Vehicle-Specific Educational Content For A Critical Event” and filed on Aug. 15, 2019. Each of these applications is incorporated by reference in its entirety herein.

### TECHNICAL FIELD

[0002] Aspects of the disclosure generally relate to sensors and the analysis of vehicular conditions obtained from sensors. In particular, various aspects of the disclosure include a framework for delivering vehicle-specific educational content for a critical event.

### BACKGROUND

[0003] Vehicle users may often face vehicle breakdowns, vehicle maintenance issues, and other critical events that may need a vehicle repair or roadside assistance. Often, vehicle users are uninformed about vehicle repair, or inexperienced to perform self-diagnosis or treatment of a vehicle during a critical event. Furthermore, roadside assistance may be costly and inefficient, or unavailable in certain locations and times. When there is roadside assistance, a vehicle mechanic or repair personnel may not necessarily understand how to diagnose or repair a specific type of vehicle and may need vehicle-specific information to assist in the vehicle's recovery.

[0004] There is thus a desire for a system, method, and computer readable medium for delivering educational content that is specific to a vehicle during critical events. Furthermore, there is a need for a system to more precisely match relevant educational content based on input delivered manually or automatically from vehicle systems.

### SUMMARY

[0005] The following presents a simplified summary in order to provide a basic understanding of some aspects of the disclosure. The summary is not an extensive overview of the disclosure. It is neither intended to identify key or critical elements of the disclosure nor to delineate the scope of the disclosure. The following summary merely presents some concepts of the disclosure in a simplified form as a prelude to the description below.

[0006] Aspects of the disclosure relate to methods, computer-readable media, and apparatuses for delivering vehicle-specific educational content for a critical event.

[0007] One method may comprise: receiving, by a first computing device having at least one processor and from a user device of a vehicle user via a wireless data connection, a notification of a

critical event for a vehicle of the vehicle user and a vehicle identification of the vehicle; receiving, by the first computing device and from the user device via the first wireless data connection, user input soliciting educational content to remedy the critical event; determining, by the first computing device and based on the received user input, a first set of search parameters, wherein a search parameter alters the selection of educational content by the first computing device; for each of the search parameters in the first set of search parameters, altering a selection of educational content into a first list of educational content from a second list of educational content; and displaying, on the user device by the first computing device, the first list of educational content based on the first set of search parameters.

[0008] The method may further comprise: receiving, by the computing device, vehicle-specific information based on the vehicle identification; determining, by the computing device and based on the received vehicle-specific information, an additional set of search parameters; for each of the search parameters in the first set of search parameters, further altering the selection of educational content into the first list of educational content from the second list of educational content; and displaying, on the user device by the first computing device, the first list of educational content based on the first set and the additional set of search parameters.

[0009] In accordance with other embodiments of the present disclosure, a system comprises: one or more processors; and memory storing computer-executable instructions that, when executed by the one or more processors, cause the system to: receive, from a user device of a vehicle user via a wireless data connection, a notification of a critical event for a vehicle of the vehicle user and a vehicle identification of the vehicle; receive, from the user device via the first wireless data connection, user input soliciting educational content associated with the critical event; determine, based on the received user input, a first set of search parameters; for each of the search parameters in the first set of search parameters, select educational content for a first list of educational content from a second list of educational content, wherein the first list of educational content is a subset of the second list of educational content; and display, on the user device, the first list of educational content based on the first set of search parameters.

[0010] In accordance with further aspects of the present disclosure, non-transitory computer readable media are disclosed for storing a program causing a computing device having at least one processor to execute a method. One method may comprise: receiving, from a user device of a vehicle user via a wireless data connection, a notification of a critical event for a vehicle of the vehicle user and a vehicle identification of the vehicle; receiving, from the user device via the first wireless data connection, user input soliciting educational content associated with the critical event; determining, based on the received user input, a first set of search parameters; for each of the search parameters in the first set of search parameters, selecting educational content for a first list of educational content from a second list of educational content, wherein the first list of educational content is a subset of the second list of educational content; and displaying, on the user device, the first list of educational content based on the first set of search parameters.

[0011] Other features and advantages of the disclosure will be apparent from the additional description provided herein.

---

## Description

### BRIEF DESCRIPTION OF THE DRAWINGS

[0012] A more complete understanding of the present invention and the advantages thereof may be acquired by referring to the following description in consideration of the accompanying drawings, in which like reference numbers indicate like features, and wherein:

[0013] FIG. 1 illustrates a network environment and computing systems that may be used to implement aspects of the disclosure.

[0014] FIG. 2 is a diagram of an educational content determination system, according to one or more aspects of the disclosure.

[0015] FIG. 3 illustrates a flow diagram of an example method of delivering vehicle-specific educational content for a critical event, according to one or more aspects of the disclosure.

[0016] FIG. 4 illustrates a flow diagram of an example method of determining educational content using a machine learning based classifier, according to one or more aspects of the disclosure.

#### DETAILED DESCRIPTION

[0017] In the following description of the various embodiments, reference is made to the accompanying drawings, which form a part hereof, and in which is shown by way of illustration, various embodiments of the disclosure that may be practiced. It is to be understood that other embodiments may be utilized.

[0018] As will be appreciated by one of skill in the art upon reading the following disclosure, various aspects described herein may be embodied as a method, a computer system, or a computer program product. Accordingly, those aspects may take the form of an entirely hardware embodiment, an entirely software embodiment or an embodiment combining software and hardware aspects. Furthermore, such aspects may take the form of a computer program product stored by one or more computer-readable storage media having computer-readable program code, or instructions, embodied in or on the storage media. Any suitable computer readable storage media may be utilized, including hard disks, CD-ROMs, optical storage devices, magnetic storage devices, and/or any combination thereof. In addition, various signals representing data or events as described herein may be transferred between a source and a destination in the form of electromagnetic waves traveling through signal-conducting media such as metal wires, optical fibers, and/or wireless transmission media (e.g., air and/or space).

[0019] An educational content may impart information aimed to assist a vehicle user in overcoming a critical event. A critical event may refer to a vehicle breakdown, malfunction, maintenance issue, or any other event that may involve a repair or attendance. The educational content may be in one or more multimedia forms (e.g., audios, videos, images, documents, guides, presentations, or a combination thereof).

[0020] FIG. 1 illustrates a block diagram of a computing device, server, or system **101** in communication system **100** that may be used according to one or more illustrative embodiments of the disclosure. For example, a computing device, server, or system (e.g., “educational content system,” “educational content device,” “computing system,” “computing device,” etc.) may receive notifications from a user device (e.g., of a vehicle user) of critical events and requests soliciting educational content to help the vehicle user overcome the critical event. Furthermore, the educational content can determine appropriate educational content and/or search filters for determining appropriate educational content based on received user input, and vehicle-specific information received from a user device, a vehicle system, and/or other external systems.

[0021] The computing device **101** may have a processor **103** for controlling overall operation of the computing device **101** and its associated components, including RAM **105**, ROM **107**, input/output module **109**, and memory **115**. The computing device **101**, along with one or more additional devices (e.g., terminals **141**, **151**, **161**) may correspond to any of multiple systems or devices. For example, wireless computing devices **151** (e.g., user devices, vehicle user devices) may be configured as described herein for sending requests for, and receiving, educational content, and providing user input pertaining to the requests for educational content. In one or more aspects, the wireless computing devices **151** could be configured to receive and send data obtained from sensors within (e.g., camera, infrared sensor, gyroscope, etc.). Terminal devices may further include computing systems of vehicles **161** (e.g., telematics servers, vehicle on board diagnostics (OBD) servers, etc.), configured as described herein for receiving vehicle data gathered from sensors in vehicles **161** and presenting the data to relevant parties, including educational content system **101**. Terminal devices may further include computing systems of third parties **141**. For example,

computing systems of vehicle manufacturers and/or dealers **141** may be able to provide vehicle-specific information that the educational content system **101** may use to determine appropriate educational content and/or search filters for educational content to be delivered to the vehicle user. Alternatively or additionally, computing systems from vehicle manufacturers and/or dealers **141** may periodically update or add on to a repository of educational content present in the educational content system **101**.

[0022] Input/Output (I/O) **109** may include, for example, a microphone, keypad, touch screen, and/or stylus through which a user of the computing device **101** may provide input, and may also include one or more of a speaker for providing audio output and a video display device for providing textual, audiovisual and/or graphical output. In some embodiments, computing device **101** may itself be a user device used by a user to initiate a request for educational content to assist the user during a critical event, whereby input/output (I/O) **109** may be used to enter relevant information (e.g., user input for a computing device **101** that is a user device **151**), or send or view relevant educational content (e.g., for a user device **151** or educational content system **101**, respectively). In such embodiments, the user device may be equipped with various sensors described herein (e.g., camera, infrared sensor, gyroscope, etc.) to obtain any further information the educational content system **101** may need to determine relevant educational content.

Alternatively or additionally, this user device **101** may have in-built hardware designed to perform various methods described in the present disclosure, and may be carried by the user.

[0023] Software may be stored within memory **115** and/or storage to provide instructions to processor **103** for enabling device **101** to perform various functions. For example, memory **115** may store a repository or a substantially complete list of educational content **120A**. This repository or list **120A** may be periodically updated via communications with external systems (e.g., computing systems of vehicle manufacturers and/or dealers **141**, educational content providers, etc.). For example, updates to the repository or list **120A** may be completed with the partnership of the vehicle manufacturer based on their recommendations and procedures. Alternatively or additionally, memory **115** may store search parameters or filters (e.g., search filter(s) **120B**) that categorize or otherwise organize the repository or list of educational content **120A**. Search filter(s) **120B** may also be periodically updated based on the updating of the list or repository **120A**.

[0024] Furthermore, memory **115** may store software used by the device **101**, such as an operating system **117**, any application programs **119** (e.g., machine learning algorithms), and an associated internal database **121**. Processor **103** and its associated components may allow the educational content system **101** to execute a series of computer-readable instructions to receive a request from a wireless computing device **141** of a user for educational content, establish connections with sensors found in terminals **141**, **151**, **161**, obtain vehicle-specific data (including but not limited to, quantifiable data, image data, video data, sound data, and/or movement data) from sensors that can determine conditions of one or more vehicle features, perform an analysis based on received user input and data, and determine relevant educational content or search parameters for educational content.

[0025] The educational content system **101** may operate in a networked environment **100** supporting connections to one or more remote computers, such as terminals **141**, **151**, and **161**. The terminals **141**, **151**, and **161** may be personal computers, servers (e.g., web servers, database servers), or mobile communication devices (e.g., vehicle telematics devices, on-board vehicle computers, mobile phones, portable computing devices, and the like), and may include some or all of the elements described above with respect to the educational content system **101**. The network connections depicted in FIG. 1 include a local area network (LAN) **125** and a wide area network (WAN) **129**, and a wireless telecommunications network **133**, but may also include other networks. When used in a LAN networking environment, the educational content system **101** may be connected to the LAN **125** through a network interface or adapter **123**. When used in a WAN networking environment, the computing system **101** may include a modem **127** or other means for

establishing communications over the WAN **129**, such as network **131** (e.g., the Internet). When used in a wireless telecommunications network **133**, the computing system **101** may include one or more transceivers, digital signal processors, and additional circuitry and software for communicating with wireless computing devices **151** (e.g., mobile phones, user devices of vehicle users, etc.) and vehicle systems **141** (e.g., telematics devices, on board diagnostic systems, global positioning systems (GPS), etc.) via one or more network devices **135** (e.g., base transceiver stations) in the wireless network **133**.

[0026] It will be appreciated that the network connections shown are illustrative and other means of establishing a communications link between the computers may be used. The existence of any of various network protocols such as TCP/IP, Ethernet, FTP, HTTP and the like, and of various wireless communication technologies such as GSM, CDMA, WiFi, and WiMAX, LTE, is presumed, and the various computing devices described herein may be configured to communicate using any of these network protocols or technologies. In some embodiments, for example, where the computing device **101** is of a user device **151**, the network connections may facilitate a connection and communication with a vehicle **161** using short range communication technologies **137** (e.g., Bluetooth, NFC, etc. **137**)

[0027] Additionally, one or more application programs **119** used by the educational content server/system **101** may include computer executable instructions (e.g., machine learning based algorithms) for: receiving a notification or request for educational content from a wireless computing device **151** of a user; establishing connections with sensors found in terminals **141**, **151**, **161**; receiving vehicle conditions data (including but not limited to, quantifiable data, image data, video data, sound data, and/or movement data) from sensors in the vehicle user device **151** or vehicle **161**; receiving vehicle-specific information from vehicle manufacturers and/or dealers **141**; predicting relevant educational content or search parameters based on user input, vehicle-specific information and vehicle conditions data; and performing other related functions as described herein. For example, machine learning algorithms may be trained to predict an appropriate educational content, based on a quantifiable set of vehicle conditions data and user input pertaining to a critical event, based on a repository of data of past vehicle user's selection of educational content for past critical events.

[0028] As used herein, vehicle-specific information may include, but is not limited to, identifying information of a vehicle ("vehicle identification") (e.g., vehicle identification number (VIN), descriptive identification (e.g., make, model, class, year of manufacture, color, etc.), automobile nameplate, etc.); distinguishing features, longevity, and physical measurements pertaining to a make, model, class, or year of manufacture of a vehicle; driving history; repair and maintenance history; and vehicle conditions. For example, vehicle-specific information may include the type of transmission (e.g., automatic versus manual), category of vehicle (e.g., minivan, sedan, convertible, etc.), vehicle maintenance history, vehicle accident history, safety/feature malfunction related vehicle recalls announced by the manufacturer, ownership and type of use history (e.g., in a ridesharing system), structural fixtures, etc.

[0029] Vehicle conditions data may be a subset of vehicle-specific information, and may refer to a measurement of functional performance, health, durability, aging, structural condition, aesthetic appeal, or wear for a specific vehicle feature or aspect. It is contemplated that various methods presented herein overcome subjective human assessment of a condition by relying directly on sensors to measure conditions. Vehicle features may include a vehicle's exterior, interior, mechanical, software, or hardware, which may be prone to aging, rust, damages, errors, etc. Thus, vehicle features may include, e.g., tires, mileage, any part of the vehicle's body (exterior and interior), engine performance, oil filter, any machinery of the vehicle, safety features, car seats, vehicle entertainment system, lighting, autopilot performance, etc.

[0030] In some arrangements, factors that are not vehicle-specific may also be considered in the determination of appropriate educational content or the generation of search parameters for

educational content.

[0031] As discussed below, the data transferred to and from various devices (“dispatch data”) in system **100** may include secure and sensitive data, such as confidential vehicle operation data, insurance policy data, vehicle profile data, and confidential user data from drivers and passengers in vehicles. Therefore, it may be desirable to protect transmissions of such data by using secure network protocols and encryption, and also to protect the integrity of the data when stored on the various devices within a system, such as personal mobile devices, vehicle-based devices, insurance servers, roadside assistance servers, client portal servers, external data source servers, or other computing devices in the system **100**, by using the security and integration layer **160** to authenticate users and restrict access to unknown or unauthorized users. In various implementations, security and integration layer **160** may provide, for example, a file-based integration scheme or a service-based integration scheme for transmitting data between the various devices in system **100**. Data may be transmitted through the security and integration layer **160**, using various network communication protocols. Secure data transmission protocols and/or encryption may be used in file transfers to protect the integrity of the data, for example, File Transfer Protocol (FTP), Secure File Transfer Protocol (SFTP), and/or Pretty Good Privacy (PGP) encryption.

[0032] FIG. **2** is a diagram of an educational content determination system **200**, according to one or more aspects of the disclosure. Each component shown in FIG. **2** may be implemented in hardware, software, or a combination of the two. Additionally, each component may include a computing device (or system) having some or all of the structural components described above for computing device **101**.

[0033] The educational content determination system **200** shown in FIG. **2** includes a vehicle **200A**, such as an automobile, motorcycle, recreational vehicle, boat, or other vehicle for which its user (“vehicle user”) solicits educational content, or notifies that the vehicle has undergone a critical event. A critical event may refer to a vehicle breakdown, malfunction, maintenance issue, or any other event that may involve a repair or attendance. The conditions of various features of the vehicle may be measured via sensors on user device **200B** and/or vehicle **200A**. The vehicle **200A** may include vehicle conditions sensors **202** capable of detecting and recording various conditions at the vehicle and operational parameters of the vehicle. For example, vehicle conditions sensors **202** may detect and store data corresponding to the vehicle's speed, distances driven, rates of acceleration or braking, and specific instances of sudden acceleration, braking, and swerving. Sensors **202** may also detect and store data received from the vehicle's internal systems, such as impact to the body of the vehicle, air bag deployment, headlights usage, brake light operation, door opening and closing, door locking and unlocking, cruise control usage, hazard lights usage, windshield wiper usage, horn usage, turn signal usage, seat belt usage, phone and radio usage within the vehicle, maintenance performed on the vehicle, and other data collected by the vehicle's computer systems.

[0034] Additionally, sensors **202** may detect and store the vehicle's external features and driving conditions, for example, the vehicle's front, side, and rear body exterior, the vehicle's windshield conditions, the vehicle's wiper conditions, external temperature, rain, snow, light levels, and sun position for driver visibility. Sensors **202** may also detect and store data relating to moving violations and the observance of traffic signals and signs by the vehicle **200A**. Additionally, sensors **202** may detect and store data relating to the vehicle's mechanical features and that provide further indications of maintenance of the vehicle **200A**. The data gathered from these sensors may include, for example, the engine status, oil level, engine coolant temperature, odometer reading, the level of fuel in the fuel tank, engine revolutions per minute (RPMs), and/or tire pressure.

[0035] The vehicle **200A** also may include one or more cameras and proximity sensors **206** capable of recording additional conditions inside or outside of the vehicle **200A**. Internal cameras **206** may detect conditions such as the number of the passengers that typically ride the vehicle **200A**, and

conditions of the interior features of the vehicle (e.g., habitability, dashboard wear, seat wear). External cameras and proximity sensors **206** may detect other nearby vehicles, traffic levels, road conditions, traffic obstructions, animals, cyclists, pedestrians, and other conditions that may factor into identifying or determining relevant educational content.

[0036] Sensors **202** and **206** may store data within the vehicle **200A** (e.g., telematics device **208**), and/or may transmit the data to one or more external computer systems (e.g., vehicle manufacturer and/or dealer computing system **2000**, educational content determination server **200D**, etc.). As shown in FIG. **2**, the vehicle conditions sensors **202**, and the cameras and proximity sensors **206**, may be configured to transmit data externally via a telematics device **208**. In other examples, one or more of the vehicle conditions sensors **202** and/or the cameras and proximity sensors **206** may be configured to transmit data directly without using a telematics device **208**. For example, telematics device **208** may be configured to receive and transmit data from vehicle conditions sensors **202**, while one or more cameras and proximity sensors **206** may be configured to directly transmit data to the educational content determination server **200D** or the vehicle manufacturer and/or dealer computing system **2000** without using the telematics device **208**. Thus, telematics device **208** may be optional in certain embodiments where one or more sensors or cameras **202** and **206** within the vehicle **200A** may be configured to independently capture, store, and transmit vehicle conditions and driving data.

[0037] Telematics device **208** may be a computing device containing many or all of the hardware/software components as the computing device **101** depicted in FIG. **1**. As discussed above, the telematics device **208** may receive data pertaining to a vehicle's conditions from vehicle conditions sensors **202**, and cameras **206**, and may transmit the data to one or more external computer systems (e.g., a vehicle manufacturer and/or dealer computer system **2000** and/or educational content determination system **200D**) over a wireless transmission network. Telematics device **208** also may be configured to detect or determine additional types of data relating to real-time driving and the condition of the vehicle **200A**. In certain embodiments, the telematics device **208** may contain or may be integral with one or more of the vehicle conditions sensors **202** and proximity sensors and cameras **206** discussed above, and/or with one or more additional sensors discussed below. Nevertheless, a vehicle **200A** does not necessarily have to include a telematics device **208**. Furthermore, telematics data collected by the telematics device **208** may be sent to the vehicle manufacturer and/or dealer computer system **2000**. The educational content determination server **200D** may receive educational content from the vehicle manufacturer and/or dealer computer system **2000**, which may be updated or customized based on the telematics data received by the vehicle manufacturer and/or dealer computer system **2000**.

[0038] The telematics device **208** also may collect information regarding the vehicle's location, driver's route choice, whether the driver follows a given route, a percentage of miles that a vehicle is driven in autonomous mode verses manual mode if applicable, and a classification or type of trip (e.g. commute, errand, new route, etc.) via a global positioning system (GPS) **204**. Information regarding routes traversed by the vehicle (e.g., gained from sensors in GPS **204**) may provide information on why the conditions for one or more vehicle features are the way they are. Furthermore, GPS **204** may provide geographical information that may be helpful in the delivery of relevant content. For example, GPS data may be used by the educational content determination server **200D** for dispatching relevant educational content, determine an estimated time of arrival (ETA) and/or an actual time of arrival (ATA) for a roadside service provider vehicle, or to locate a vehicle for customer visibility. As a further example, if the vehicle is parked or driving around a mountainous area, an educational content involving braking may be catered towards braking in hilly terrains. Thus, information supplied by GPS **204** may be useful to determine relevant educational content or to generate search parameters to determine relevant educational content.

[0039] The telematics device **208** also may store vehicle-specific information, for example, the make, model, trim (or sub-model), year, and/or engine specifications. The vehicle type may be



programmed into the telematics device **208** by a user or customer, determined by accessing a remote computer system, such as manufacturer and/or dealership computer systems **2000**, or may be determined from the vehicle itself.

[0040] Vehicle manufacturer and/or dealer computer system **2000** may be a computing device separate from the vehicle **200A**, containing some or all of the hardware/software components as the computing device **101** depicted in FIG. **1**. The vehicle manufacturer and/or dealer computer system **2000** may be configured to receive and store vehicle-specific information of vehicles manufactured by or sold by a vehicle manufacturer and/or dealer. Thus, a vehicle manufacturer such as TOYOTA would be expected to have a computer system storing vehicle-specific information for its fleet of vehicles, by vehicle type, class, model, and year of manufacture, etc. The vehicle-specific information may be stored in a vehicle database **218**. It is envisioned that at least some vehicle manufacturers and/or dealers may publish or possess educational content for users of its vehicles. For example, TOYOTA may publish vehicle manuals, responses to frequently asked questions (FAQs), multimedia content, and the like, to inform its vehicle users for how to handle the vehicle in various critical events. Educational content, which a vehicle manufacturer and/or dealer may publish or possess, may be organized, e.g., in an educational content repository **220**, in multiple arrangements. As shown in FIG. **2**, in at least some arrangements, educational content may be make-specific (e.g., make-specific educational content **224**), where the educational content is specifically catered for vehicles manufactured or made by a specified manufacturer (e.g., TOYOTA). In some aspects, a category of make-specific educational content may be vehicle-specific educational content **226**, where the educational content is specifically for a type, class, model, and/or year of manufacture. Vehicle-specific educational content **226** for a vehicle may be obtained using a VIN of the vehicle. Also or additionally, educational content may be categorized based on the breakdown or critical event (e.g., critical event-specific educational content **222**). Critical event-specific educational content **222** may include, for example, instructions on how to drive through snowy roads, how to operate your car when there is a brake failure, how to jump start a vehicle, how to properly tow a vehicle (e.g., via “hook-up” points to secure the vehicle to the tow truck), etc. In such examples, a weather related incident (e.g., snow) or vehicle breakdown (e.g., a brake failure) could be causes for the critical event. Although make-specific educational content **224** and vehicle-specific educational content **226** are shown to be categories within critical event-specific educational content, this does not need to be so, as some educational content may be useful to vehicle users even when there are no critical events (e.g., how to take care of your car better). In one embodiment, the vehicle manufacturer and/or dealer computer system **2000** may act as a management system for vehicle systems (e.g., telematics devices).

[0041] User device **200B** may be a computing device separate from the vehicle **200A** and the vehicle manufacturer and/or dealer computer system **2000**. User device **200B** (alternatively referred to as “mobile device”) may include a mobile phone (e.g., smartphone), personal computer, tablet computer, laptop, or the like, which may include at least some of the features described herein. The user device **200B** may be configured to send notifications of a critical event, or requests for educational content that may pertain to the critical event. The user device **200B**, via its sensors may also receive and store the vehicle conditions data discussed above from vehicle **200A**. Furthermore, the user device may be able to form wired and/or wireless data connections with other computing systems and devices, such as the educational content determination server **200D**, described further below, via the internet **131** or telecommunications network, **133** and **135**. The user device **200B** may include various sensors configured to collect and transmit data related to conditions of various vehicle features. For example, the user device may include an in-built or accessible camera **210** that may generate image, sound, and/or video data. Other sensors within the user device may include a gyrometer or accelerometer **216** to measure acceleration and/or rotation of the vehicle. Other types of sensors may also be downloaded as applications **214**. The user device **200B** may also store user-specific identifying information, e.g., as part of user profile **212**, which can be accessed by the

educational content determination server **200D**. In some aspects, the user profile **212** may indicate and/or identify the user's vehicle. For example, the educational content determination server **200D** may use the user profile **212**, when it receives a notification of a critical event or a request for educational content, to identify the vehicle of the vehicle user. The user device may also run programs or applications **214** on a user interface. One application or program may enable a user of a vehicle or a roadside assistance provider to use the systems and methods described herein to receive educational content that is specific to the vehicle during critical events. The application or program may be provided to the user device or hosted by educational content determination server **200D** (e.g., via application programs interface **119**). Through a user interface of the application or program **214**, the vehicle user or a roadside assistance provider may be able to send notifications, requests, user input, or vehicle-specific information, and receive and view educational content. In one embodiment, the user device may include one or more subcomponents of computing system **101**. There may be a plurality of user devices **200B**, e.g., for various roadside assistance service providers (e.g., tow drivers) as well as for the users of vehicles that run into a critical event.

[0042] The system **200** also may include a remote, local, or connected server or computing system for determining educational content based on user input and vehicle-specific information ("educational content determination server") **200D**, containing some or all of the hardware/software components as the computing device **101** depicted in FIG. **1**. The educational content determination server **200D** may include hardware, software, and network components to receive user input, vehicle-specific information (including vehicle conditions data), vehicle identification information from the various components shown in FIG. **2**, e.g., vehicle(s) **200A**, user device(s) **200B**, vehicle manufacturer and/or dealer **2000**, and/or from external sources. The educational content determination server **200D**, the vehicle manufacturer and/or dealer computer system **2000**, and the user device **200B** may be implemented as a single server/system, or may be separate servers/systems. In some examples, the educational content determination server **200D** may be a central server configured to receive user input, vehicle-specific information, and vehicle conditions data from a plurality of remotely located computer systems **200A**, **200B**, or **2000**.

[0043] As shown in FIG. **2**, educational content determination server **200D** may include an educational content database **234**; a database, memory, or repository to store vehicle-specific information (e.g., vehicle database **235**); a database, memory, or repository of past user input, received vehicle-specific information, and user selection of educational content (e.g., user input and selection repository **236**); a search filter engine **228**; an input/output module **230**; an image processor **232A**; a natural language processor (NLP) **232B**; an update interface **238**; and an application program, plug-in, or tool that trains and applies machine learning (ML) algorithms to better predict search parameters and educational content based on user input, vehicle-specific information, etc. (e.g., ML tool **240**).

[0044] One or more of the search filter engine **228**, input/output module **230**, image processor **232A**, NLP **232B**, update interface **238**, and ML tool **240** may be implemented in hardware and/or software configured to perform a set of specific functions within the educational content determination server **200D**. For example, the input/output module **230** may receive notifications from a user device **200B** or vehicle **200A** regarding a critical event, requests for educational content and other user input from user device **200B**, and vehicle-specific information from vehicle systems **200A**, user device **200B**, vehicle manufacturer and/or dealer computer system **2000**, and third parties. The input/output module **230** may also be used to output educational content, establish connections, and/or send requests for information and other input respectively to the various components described above. In some aspects, the input/output module **230** may include a communications module for transmitting or converting signals so that they are delivered to the described components in the appropriate networking means.

[0045] The image processor **232A** and NLP **232B** may be used to receive image or natural language input, respectively, from user device **200B**, vehicle system **200A**, vehicle manufacturer and/or

dealer computer system **2000**, etc. For example, a vehicle user, on a user interface of user device **200B** running an application for delivering educational content, may enter a user input in natural language—"Help! My car is stuck in the snow!" The NLP may process the natural language input so that the educational content determination server **200D** may receive signals that it understands. Thus, in the example input, the NLP may detect a weather related critical event (e.g., car stuck in the snow). The user profile **212** of user device **200B** may be used to identify the vehicle which is stuck in the snow. The NLP may include a memory, and may support common natural language processing tasks, such as tokenization, sentence segmentation, part-of-speech tagging, named entity extraction, chunking, parsing, and coreference resolution.

[0046] Likewise, image processor **232A** may be used to process the visual input so that the educational content determination server **200D** may receive signals that it understands. For example, the image processor **232A** may receive images captured by a camera (e.g., on vehicle **200A** or user device **200B**), refine the images, compare to reference images (e.g., received from vehicle manufacturer and/or dealer computing system **2000** or other third parties (e.g., government, bluebook listings, etc.)), render any analysis (e.g., whether a vehicle condition has worsened, whether there is a mismatch in the images, or whether there is an issue of a specific aspect or feature of a vehicle), and output the results.

[0047] It is contemplated that other types of processors (e.g., speech and audio signal processors) may also be used, as applicable, to convert user input, vehicle conditions data, and the like, into executable signals for the educational content determination server to use to determine relevant educational content and/or search parameters for educational content.

[0048] The search filter engine **228** may collectively receive the processed inputs from the input output module **230**, e.g., via the image processor **232A** and NLP **232B**, and query the educational content database **234** for relevant educational content. The query may be performed by using the received processed input to determine appropriate search parameters, and using the search parameters to locate educational content associated with the search parameters, and compiling a list. Method **300**, as depicted in FIG. **3** describes some implementations of this process in further detail.

[0049] In some aspects, the user input and selection repository **236** may record inputs or processed inputs, as they are received, as well as one or more of the educational content delivered to the user device or the educational content selected or deemed to be most relevant by the user (e.g., as indicated from the user device **200B**). The repository **236** may be used as training data to determine patterns or determine machine learning algorithms to better predict relevant educational content. As will be described in method **400**, which is depicted in FIG. **4**, the ML tool **240** may train machine learning algorithms using feature vectors comprising of processed inputs (e.g., vehicle conditions, user input indicating an issue with a vehicle feature or vehicle aspect), and associate the feature vectors with the educational content that the user eventually selected, eventually viewed and/or eventually approved. In some aspects, the ML tool **240** may also be used to determine the search parameters most relevant to obtaining the educational content eventually selected, or deemed most relevant, to the user. Nevertheless, it is contemplated that a vehicle user or service provider may not necessarily have to select among a plurality of educational content for a relevant educational content. In some aspects, the determination of a relevant educational content may be more straightforward. For example, a vehicle user or tow driver may simply request towing instructions from the educational content determination server **200D** for a vehicle identified by its vehicle-specific identifying information. The educational content determination server **200D** may then provide a link to an education content available within a content library. The educational content may pertain to how to tow a vehicle of the particular year, make, and model of the vehicle specified by the vehicle-specific identifying information. The link can be automatically attached to a dispatch for a tow driver to review, prior to servicing the vehicle.

[0050] The educational content database **234** may store a list of educational content. As described

above, educational content may impart information aimed to assist a vehicle user in overcoming a critical event. A critical event may refer to a vehicle breakdown, malfunction, maintenance issue, or any other event that may involve a repair or attendance. The educational content may include a variety of multimedia (e.g., audios, videos, images, documents, guides, presentations, or a combination thereof). The educational content database **234** may categorize educational contents in multiple ways. In one aspect, the educational contents may be categorized as shown for the educational content repository **220** (e.g., critical event-specific educational content **222**, make-specific educational content **224**, vehicle-specific educational content **226**). Each educational content may have a tag, metadata, or other linking mechanism that associates the educational content with one or more search filters or search parameters. A search filter or search parameter may associate an educational content with a vehicle user's needs, e.g., by detecting recognizable terms from the processed inputs. Thus, in the exemplary natural language input of "Help! My car is stuck in the snow!" search filters may include, e.g., weather-related events, snow, vehicle immobility, hazardous roads, etc.

[0051] The update interface **238** may be used to communicate with external systems to periodically update (e.g., add, delete, edit, change, etc.) the educational contents stored in the educational contents database **234**, and the vehicle profiles and vehicle-specific information stored in the vehicle database **235**. For example, the update interface **238** may add any new educational contents published by vehicle manufacturers and/or dealers into the educational contents database **234** or replace any outdated educational contents. Thus, the educational contents database **234** may be a content library that can be periodically re-formatted to reflect updated educational content based on updates received from the computing system of a vehicle manufacturer and/or dealer.

[0052] FIG. **3** illustrates a flow diagram of an example method **300** of delivering vehicle-specific educational content for a critical event, according to one or more aspects of the disclosure. One or more steps of method **300** may be performed by various components of the educational content determination server **200D**.

[0053] Referring to FIG. **3**, step **302** may include receiving an input of a critical event and/or a request for educational content from a user device **200B** of a vehicle user. The input may be sent via a user interface of an application **214** on the user device **200B**, and may be delivered across a wireless network. The application **214** may be hosted by the educational content determination server **200D**, and may enable a user to communicate with the educational content determination server to perform methods described herein for educational content delivery. For example, a vehicle user may type "Help! My car is stuck in snow!", or may select a critical event (e.g., weather-related road conditions) from a list of critical events. As described above, an educational content may impart information aimed to assist a vehicle user in overcoming a critical event. The educational content may also assist a roadside service provider (e.g., tow truck driver) on how to help the vehicle user. A critical event may refer to a vehicle breakdown, malfunction, maintenance issue, or any other event that may involve a repair or attendance. The educational content may be in one or more multimedia forms (e.g., audios, videos, portable document format (PDF), images, documents, guides, presentations, or a combination thereof).

[0054] In some aspects, the notification may be received from vehicle systems **200A**, for example, from a button or other in built functionality to send emergency notifications while inside a vehicle.

[0055] Based on the received notification, the educational content determination server **200D** may determine the vehicle of the vehicle user. In one aspect, the educational content determination server **200D** may rely on stored data linking known user device to identifiable vehicles owned or used by the users or the user devices. In other aspects, the application **214** of the user device **200B** may prompt the vehicle user to enter vehicle identification details ("register vehicle"). Thus, at step **304**, the educational content determination server may determine whether it can identify the vehicle of the vehicle user based on the communication received in step **302**. If not, the user may be prompted to register the vehicle by sending vehicle identification information to the educational

content determination server **200D**.

[0056] Using the vehicle identification, the educational content determination server **200D** may retrieve vehicle-specific information (e.g., as in step **308**). As described above, vehicle-specific information may include a vehicle's distinguishing features, longevity, and physical measurements pertaining to a make, model, class, or year of manufacture of a vehicle; driving history; repair and maintenance history; and vehicle conditions for one or more features or aspects of the vehicle. For example, the educational content determination server **200D** may obtain information on the original conditions of a specific vehicle feature or aspect pertaining to the critical event (e.g., original condition of the vehicle's front tire). The vehicle-specific information may be retrieved from memory (e.g., vehicle database **235**) or from an external source (e.g., vehicle manufacturer and/or dealer computer system **2000**).

[0057] At step **310**, the educational content determination server **200D** may process the received inputs from step **302** and **308**. For example, where a notification of a critical event by a vehicle user was in natural language, NLP **232B** may parse the natural language input to detect recognizable terms that can be used to determine search parameters. Furthermore, an image processor may be used to refine any images entered by the vehicle user in the original input, e.g., in step **302**.

[0058] In some aspects, the educational content determination server **200D** may determine that it needs more information to provide relevant educational content. Also or alternatively, the educational content determination server **200D** may leverage existing connections with systems capable of delivering information that may be used by the educational content determination server **200D** to provide the relevant educational content. Thus, step **312** may include determining whether the educational content determination server **200D** has a connection (or can establish a connection) with the telematics system of the vehicle. If so, the educational content determination server **200D** may receive vehicle conditions data gathered by vehicle sensor(s), GPS, and other on-board diagnostics tools, via the telematics system **208**. The type of vehicle conditions data received or requested to be received may depend on the nature of the critical event or received user input. For example, if the vehicle user had indicated the vehicle is stuck in snow (e.g., in step **302**), the educational content determination server **200D** may receive data obtained by sensors measuring tire performance, e.g., to see how stuck the vehicle is. At step **316**, the educational content determination server **200D** may also receive geographical and/or temporal info (e.g., via GPS). Thus, in the example described above, the educational content determination server **200D** may determine the location of the vehicle that is stuck in snow, e.g., to gauge incoming traffic, so that an appropriate educational content is delivered that does not compromise the vehicle user's safety.

[0059] Furthermore, to gain more information to determine relevant educational content, or to leverage connections with the systems that could provide more information, step **320** may include prompting the vehicle user to send more vehicle-specific data. In some aspects, step **320** may be based on a determination of whether there is sufficient input regarding the critical event and sufficient vehicle-specific information to deliver relevant educational content (e.g., step **318**—"more info needed?"). The type of vehicle-specific information to be requested to be sent may depend on the nature of the critical event or received user input. A user may be asked to send further identifying information of the vehicle, and the user may enter the requested identifying information on a user interface of user device **200B**. However, a user may be asked to provide data regarding vehicle conditions of a pertinent vehicle feature or aspect that may be the subject of the critical event. Data regarding a vehicle condition may be obtained using sensors in the user device **200B**. For example, a user may be asked to take a photo of the vehicle's tires if the user had previously notified the educational content determination server of being stuck in the snow. Thus, at step **322**, vehicle-specific information (e.g., vehicle conditions data) may be received. Like step **310** the received information may be processed, e.g., by NLP or an image processor, to identify recognizable terms.

[0060] At step **324**, the educational content determination server **200D** may determine appropriate

search parameters based on the received or processed inputs from steps **302**, **308**, **310**, **314**, **316**, and **322**. In some aspects, relations between various combinations of recognizable inputs and the search parameters that provide relevant educational content can be learned, e.g., via machine learning algorithms. Method **400**, as described in FIG. **4** describes at least some implementations for the training and application of machine learning to determine relevant educational content based on a set of inputs comprising vehicle-specific information and user input indicating a critical condition.

[0061] As described above, each educational content may include a tag, metadata, or other linkage mechanism that associates the educational content with one or more search parameters. A search parameter may indicate that an educational content pertains to at least an aspect of a vehicle user's needs. The search parameters may be based on common and/or recognizable terms from processed user inputs and vehicle-specific information.

[0062] Each input may yield a set of search parameters that may be used to refine search results for relevant educational content from the educational content database **234**. Thus, an initial user input notifying a critical event ("Help! My car is stuck in the snow!") may yield an initial set of search parameters (e.g., weather-related road conditions, snow, vehicle immobility). Furthermore, search parameters may pertain to roadside assistance events, e.g., towing procedures, jump start procedures, lock smith processes, etc. The initial set of search parameters may be used to generate an initial list of relevant educational content from a master list (e.g., the educational content database **234**). The initial set of search parameters may be used to filter the educational content database so that only those educational content with the desired tags, metadata, or linkage mechanisms showing the search parameters are included in the initial list. However, with each new input (e.g., received vehicle-specific information, new user input further describing the critical condition, etc.), additional sets of search parameters may be generated. For example, if the vehicle user is prompted to deliver vehicle conditions data regarding the vehicle's tire, and the educational content determination server **200D** deems the tire to be of a poor quality, a search parameter of "tires" may also be added to the set of search parameters. Also or alternatively, a new set of search parameters may be formed, by combining the recent search parameters with the initial set of search parameters from the first user input. As each search parameter has the potential to alter the educational content selected from the educational content database **234**, the list of relevant educational content may be affected by the number and types of search parameters used.

[0063] There may be scenarios where the educational content determination server **200D** may determine that there is not a threshold quantity of educational content, or that an educational content may not be found locally in the educational content database **234** (e.g., as in step **326**). In some aspects, if relevant educational content cannot be found locally, whether due to insufficient search parameters, or insufficient input, the educational content determination server may outsource the request for educational content, with the received inputs and vehicle-specific information, to an external source (e.g., vehicle manufacturer and/or dealer computer systems **2000**) (e.g., as in step **332**). In other aspects, if relevant educational content cannot be found locally, no educational content would be delivered by the educational content determination server.

[0064] If a threshold quantity of educational content can be retrieved from the educational content database **234** based on the search parameters, the educational content determination server **200D** may display the list of the relevant educational content on an application **214** of the user device **200B**. The application **214** may enable the user to select from, or alter, list of relevant educational content (e.g., as in step **330**). For example, a user can enter new input, which may cause the educational content determination server to form new search parameters, and thereby yield new educational content to the list. In some aspects, educational content can be liked or disliked by the user. Furthermore, educational content may be recommended to the user based on the user's selection or viewership of another educational content.

[0065] Thus, educational content can come in a variety of forms (e.g., step-by-step guides, audio,

video, visuals, etc.) and may be based on a vehicle and/or a critical event. Educational content can be stored for a plurality of vehicle types, e.g., a 2019 Ferrari GTC4LUSSO, a 2019 Maserati Levante, and a 2018 BMW X3. The educational content determination server may receive educational content pertaining to the 2019 Ferrari GTC4LUSSO from a Ferrari manufacturer and/or dealer, e.g., electronically from the computing system of the Ferrari manufacturer and/or dealer. After the educational content is received, the educational content determination server may update its educational content database.

[0066] For example, educational content for a 2019 Ferrari GTC4LUSSO may include a step-by-step visual guide on how to tow such a vehicle. A first slide of the guide may depict a tow pin on the vehicle, with a caption, e.g., “Tow pin is located in the tool kit in the trunk. Tow pin receptacle is located in the driver's side frame rail/Install tow pin and ensure it is tight so it become one with the frame rail.” A second slide may depict a catch and lead strap attached to the vehicle, with a caption, e.g., “Good Practice: Add catch and lead strap.” A third slide may depict an override procedure with a caption, e.g., “Gear box tool located in the tool kit. Remove the rubber plug top side of tool kit to access the override tunnel. Insert the gear box override tool and turn to release gear box.” A fourth slide may depict an emergency brake release with a caption, e.g., “The Emergency Brake release tool is located in the tool kit. Insert the tool and turn clockwise approx. 50 times to completely release parking brake.” Educational content on how to tow the 2019 Ferrari GTC4LUSSO may also include a video to lead the viewer through the above-described steps for towing.

[0067] Likewise, educational content for the 2019 Maserati Levante may include a step by step guide on how to jump start the vehicle. For example, an example guide may comprise of the following steps: step one—pull hood release; step two—move yellow lever to left to unlock hood; step three—remote jump points located on the passenger side; and step four—perform a proper hook up by connecting a positive cable, connecting the negative cable when removing cables, making sure to remove the negative cable before removing the positive cable. Images and/or videos may be accompanied with the steps to better teach the educational content.

[0068] Likewise, educational content for the 2018 BMW X3 may include a step by step guide on how to tow the vehicle. The educational content may suggest that a “flatbed tow” may be an approved method for towing BMW vehicles, and that an “8 Point Tie Down” may be a preferred method for flatbed transport. A first slide of the guide may depict a tow pin location on the vehicle, with a caption “Tow pin is located in the trunk on the driver side compartment. Remove panel to locate the two pin in the tray.” A second slide may depict an attachment point on the vehicle with the caption “Tow pin receptacle is located on the passenger frame rail—remove tow pin cover and store inside the vehicle. Thread tow pin tight so that it becomes one with the frame rail.” A third slide may depict an installed lead strap and catch strap, with the caption “Good Practice—Install Lead Strap & catch strap to reduce damage exposure to the front of the vehicle.” A fourth slide may depict a vehicle's hood interior with the caption “No Power Situation—If the vehicle does not have the power to shift into neutral apply a jumper box for 3-15 minutes to power the shifter. If you are unable to power the shifter you will need to skate the vehicle.” Images and/or videos may be accompanied with the steps to better teach the educational content.

[0069] Also or alternatively, relevant educational content may be determined based on data obtained from sensors of the vehicle.

[0070] FIG. 4 illustrates a flow diagram of an example method of determining educational content using machine learning, according to one or more aspects of the disclosure. The method depicted in FIG. 4 may include a training method **400A** for training one or more machine learning algorithms based on, e.g.: vehicle-specific information (e.g., measurement of vehicle conditions); user input identifying and describing a critical condition; and the educational content eventually selected and/or viewed by the user. The method depicted in FIG. 4 may also include a production method **400B** for using the trained machine learning algorithm to determine or predict relevant educational

content. In one embodiment, based on the tags or metadata of the relevant educational content that indicates search parameters, the trained machine learning algorithm can also be used to determine relevant search parameters. Methods **400A** and **400B** may be performed by the ML tool **240** of the educational content determination server **200D**. Alternatively, the training method (e.g., **400A**) may be performed by an external server or computing system (e.g., an AI-based firm or research organization). In such implementations, the trained machine learning algorithm may be retrieved by the educational content determination server **200D** to predict or determine relevant educational content via method **400B**.

[0071] Thus, step **402** may include acquiring, for each of a plurality of vehicle users that have (in the past) selected (or otherwise approved) educational content for a critical event, a training data set for the machine learning algorithm to be trained. The training data set may include, but is not limited to: (1) vehicle-specific information (2) user input indicative of a critical event; and (3) the educational content selected and/or approved by the vehicle user.

[0072] As described above, vehicle-specific information may include, but is not limited to, identifying information of a vehicle (“vehicle identification”), including descriptive identification (e.g., make, model, class, year of manufacture, color, automobile nameplate, etc.); distinguishing features, longevity, and physical measurements pertaining to a make, model, class, or year of manufacture of a vehicle; driving history; repair and maintenance history; and vehicle conditions. Vehicle conditions data may include measurements of performance, health, durability, aging, aesthetic appeal, or wear for a specific vehicle feature or aspect. Thus, vehicle conditions data may measure the conditions of a vehicle's exterior, interior, mechanical, software, or hardware, which may be prone to aging, rust, damages, errors, etc. For example, vehicle conditions data may include, e.g., tires, mileage, any part of the vehicle's body (exterior and interior), engine performance, oil filter, any machinery of the vehicle, safety features, car seats, vehicle entertainment system, lighting, autopilot performance, etc. In some implementations, the vehicle conditions data may be obtained by establishing a connection with the telematics system or server of the vehicle.

[0073] User input indicative of a critical event (e.g., as received in step **302** of method **300**) may be used to identify and/or classify the critical event, or to determine the severity of the critical event. Each critical event or category of critical event may make some vehicle-specific information more relevant than others. For example, a critical event of a brake failure may make the conditions of the vehicle's brakes more relevant than others. Thus, vehicle-specific information of data obtained from brake sensors in the vehicle may be given more importance than irrelevant vehicle-specific information, such as the color of the vehicle. The ML tool **240** may appropriately assign feature weights to the vehicle-specific information in amounts based on the critical event and severity of the critical event determined from the user input.

[0074] Step **404** may involve creating feature vectors for each of the plurality of vehicle users that had selected or otherwise approved an educational content for a critical event in the past. The feature vector may include, for example: (1) vehicle specific information; and (2) user input indicative of the critical event. Each of these features may be quantified, classified (e.g., into binary groups) and/or expressed as mathematical functions. The feature vectors may be associated with the vehicle-specific educational content approved and/or selected by the user in the past (e.g., as in step **406**).

[0075] Step **408** may include training a machine learning algorithm using the associated feature vectors. The resulting machine learning algorithm would be one that can forecast a date of service for a service type and a vehicle type based on (a) the vehicle conditions data, and (b) the vehicle driving data, during a date of request. The training of the machine learning algorithm involves supervised learning between a domain (e.g., the feature vectors) and a range (e.g., the duration of time between the points and the date of the service rendered). Examples of machine learning algorithms may include, but are not limited to multi-layer perceptron, neural networks, support



vector machines, linear regression, logistic regression, decision tree learning, or a combination thereof.

[0076] The training method **400A** may then save the results of the machine learning algorithm, including feature weights, in a memory (e.g., ML tool **240**) of the educational content determination server **200D**. Alternatively or additionally, an external computing system or server (e.g., a research lab) may save the trained machine learning algorithm, which can be retrieved to be used by the educational content determination server **200D** for production method **400B**. The stored feature weights may define the extent to which various user input and vehicle-specific information predict an educational content that is selected and approved by the vehicle user.

[0077] Production method **400B** may be based on a request or command to determine relevant educational content based on a reported critical event. The request or command may be brought to the ML tool **240** accompanied by processed user inputs and vehicle-specific information from the input/output module **230** via the image processor **232A** and NLP **232B**.

[0078] Thus, at step **410**, the ML tool **240** may receive (1) vehicle-specific information, and (2) user input indicative of a critical event. As was described above, vehicle-specific information (e.g., vehicle conditions data) may be obtained from sensors in the vehicle systems or user device. As was described above, the sensors from which vehicle conditions data are obtained may be the ones that are most relevant to the critical event for which educational content is being sought. Thus, for a vehicle being stuck in the snow, data may be obtained for sensors measuring the health of tires, outside temperature, engine temperature, and pressure.

[0079] User input indicative of the critical event may be determined, e.g., from a natural language input received from the user device **200B** of the vehicle user. Step **412** may involve forming a feature vector of the received inputs and vehicle-specific information. Each of these features may be quantified, classified (e.g., into binary groups) and/or expressed as mathematical functions, as was done in the training phase **400A**.

[0080] After identifying a trained machine learning algorithm, e.g., from training phase **400A**, the educational content determination server **200B** may input the created feature vector into the identified trained machine learning algorithm (e.g., as in step **414**). Based on the training in method **400A**, the trained machine learning algorithm may output relevant educational content(s) based on a vehicle user's input indicating a critical event and received vehicle-specific information (e.g., as in step **416**).

[0081] While the aspects described herein have been discussed with respect to specific examples including various modes of carrying out aspects of the disclosure, those skilled in the art will appreciate that there are numerous variations and permutations of the above described systems and techniques that fall within the spirit and scope of the invention.

## Claims

1. A method comprising: receiving, by computing device having at least one processor via a data connection, vehicle conditions data obtained from one or more sensors, the vehicle conditions data associated with a vehicle feature; determining, by the computing device, one or more search parameters using the vehicle conditions data; retrieving a list of educational content associated with the vehicle feature using the one or more search parameters; and generating output data, the output data indicating the list of educational content.
2. The method of claim 1, wherein the vehicle conditions data includes at least one of quantifiable data, image data, video data, sound data, or movement data.
3. The method of claim 1, wherein the one or more sensors include at least one of a telematics device a camera, a global positioning system, an accelerometer, a proximity sensor, a gyroscope, or an infrared sensor.
4. The method of claim 1, wherein the vehicle feature includes at least one of tires, mileage, a body

- of a vehicle, an interior of the vehicle, engine performance, an oil filter, machinery of the vehicle, a safety feature, a car seat, a vehicle entertainment system, lighting, or autopilot performance.
- 5.** The method of claim 1, wherein the educational content includes at least one of audio, video, an image, a document, a guide, or a presentation.
- 6.** The method of claim 1, wherein the output data includes a user interface.
- 7.** The method of claim 1, wherein the one or more sensors is associated with at least one of a mobile computing device or a vehicle.
- 8.** A system comprising: one or more processors; a communication interface that communicates via a data connection; and memory storing computer-executable instructions that, when executed by the one or more processors, cause the system to: receive via the data connection, vehicle conditions data obtained from at least one sensor, the vehicle conditions data associated with a vehicle feature; determine one or more search parameters using the vehicle conditions data; retrieve a list of educational content associated with the vehicle feature using the one or more search parameters; and generate output data indicating the list of educational content.
- 9.** The system of claim 8, wherein the vehicle conditions data includes at least one of quantifiable data, image data, video data, sound data, or movement data.
- 10.** The system of claim 8, wherein the at least one sensor includes at least one of a telematics device a camera, a global positioning system, an accelerometer, a proximity sensor, a gyroscope, or an infrared sensor.
- 11.** The system of claim 8, wherein the vehicle feature includes at least one of tires, mileage, a body of a vehicle, an interior of the vehicle, engine performance, an oil filter, machinery of the vehicle, a safety feature, a car seat, a vehicle entertainment system, lighting, or autopilot performance.
- 12.** The system of claim 8, wherein the educational content includes at least one of audio, video, an image, a document, a guide, or a presentation.
- 13.** The system of claim 8, wherein the output data includes a user interface.
- 14.** The system of claim 8, wherein the at least one sensor is associated with at least one of a mobile computing device or a vehicle.
- 15.** A non-transitory, computer-readable storage medium, having embodied thereon a program executable by a processor to perform a method comprising: receiving vehicle conditions data obtained from at least one sensor, the vehicle conditions data associated with a vehicle feature; determining at least one search parameter using the vehicle conditions data; retrieving a list of educational content associated with the vehicle feature using the at least one search parameter; and generating output data indicating the list of educational content.
- 16.** The non-transitory, computer-readable storage medium of claim 15, the vehicle conditions data includes at least one of quantifiable data, image data, video data, sound data, or movement data.
- 17.** The non-transitory, computer-readable storage medium of claim 15, wherein the at least one sensor includes at least one of a telematics device a camera, a global positioning system, an accelerometer, a proximity sensor, a gyroscope, or an infrared sensor.
- 18.** The non-transitory, computer-readable storage medium of claim 15, wherein the vehicle feature includes at least one of tires, mileage, a body of a vehicle, an interior of the vehicle, engine performance, an oil filter, machinery of the vehicle, a safety feature, a car seat, a vehicle entertainment system, lighting, or autopilot performance.
- 19.** The non-transitory, computer-readable storage medium of claim 15, wherein the educational content includes at least one of audio, video, an image, a document, a guide, or a presentation.
- 20.** The non-transitory, computer-readable storage medium of claim 15, wherein the output data includes a user interface.
-