



(12) **United States Patent**
Stephenson

(10) **Patent No.:** **US 12,386,880 B2**
(45) **Date of Patent:** ***Aug. 12, 2025**

(54) **SOCIAL MEDIA QUEUE ACROSS MULTIPLE STREAMING MEDIA SERVICES**

(71) Applicant: **Sonos, Inc.**, Santa Barbara, CA (US)

(72) Inventor: **Margot Stephenson**, Los Angeles, CA (US)

(73) Assignee: **Sonos, Inc.**, Goleta, CA (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

This patent is subject to a terminal disclaimer.

(21) Appl. No.: **18/403,175**

(22) Filed: **Jan. 3, 2024**

(65) **Prior Publication Data**

US 2024/0411801 A1 Dec. 12, 2024

Related U.S. Application Data

(63) Continuation of application No. 17/536,408, filed on Nov. 29, 2021, now Pat. No. 11,899,708, which is a (Continued)

(51) **Int. Cl.**
H04L 65/60 (2022.01)
G06F 16/438 (2019.01)
(Continued)

(52) **U.S. Cl.**
CPC **G06F 16/4387** (2019.01); **G06F 16/686** (2019.01); **G06Q 50/01** (2013.01);
(Continued)

(58) **Field of Classification Search**
CPC H04L 51/52; H04L 65/60; H04L 67/1046; H04L 67/1059; G06F 16/4387; G06F 16/686; G06Q 50/01
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,296,278 A 10/1981 Cullison et al.
4,816,989 A 3/1989 Finn et al.
(Continued)

FOREIGN PATENT DOCUMENTS

CN 1818901 A 8/2006
CN 101410773 A 4/2009
(Continued)

OTHER PUBLICATIONS

U.S. Appl. No. 60/490,768, filed Jul. 28, 2003, entitled "Method for synchronizing audio playback between multiple networked devices," 13 pages.

(Continued)


Primary Examiner — Viet D Vu

(74) *Attorney, Agent, or Firm* — Akerman LLP

(57) **ABSTRACT**

A system that facilitates sharing of multimedia content includes a user interface, network circuitry; and one or more processors. The processors perform operations that include displaying, via the user interface, a list of one or more media playback devices available to be added to a social networking group. A selection of first and second media playback devices to be associated with a particular social networking group is received via the user interface. The first media playback device is associated with a first playback queue that specifies a first set of media items associated with first media content that can be streamed from a first streaming service to the first media playback device. An indication to the social networking system that specifies the selection of the first and second media playback devices to be associated with the group is communicated via the network circuitry. In response, the social networking system communicates second media content items associated with the first media content items to a second playback queue associated with the second media playback device. The second playback

(Continued)



items facilitate streaming of second media content associated with the first media content from a second streaming service to the second media playback device.

20 Claims, 10 Drawing Sheets

Related U.S. Application Data

continuation of application No. 16/952,217, filed on Nov. 19, 2020, now Pat. No. 11,190,564, which is a continuation of application No. 14/297,193, filed on Jun. 5, 2014, now abandoned.

(51) Int. Cl.

G06F 16/68 (2019.01)

G06Q 50/00 (2012.01)

H04L 51/52 (2022.01)

H04L 67/104 (2022.01)

(52) U.S. Cl.

CPC **H04L 51/52** (2022.05); **H04L 65/60** (2013.01); **H04L 67/1046** (2013.01); **H04L 67/1059** (2013.01)

(56) References Cited

U.S. PATENT DOCUMENTS

5,182,552 A 1/1993 Paynting
5,239,458 A 8/1993 Suzuki
5,299,266 A 3/1994 Lumsden
5,406,634 A 4/1995 Anderson et al.
5,440,644 A 8/1995 Farinelli et al.
5,467,342 A 11/1995 Logston et al.
5,491,839 A 2/1996 Schotz
5,553,222 A 9/1996 Milne et al.
5,563,946 A 10/1996 Cooper et al.
5,668,884 A 9/1997 Clair, Jr. et al.
5,673,323 A 9/1997 Schotz et al.
5,751,819 A 5/1998 Dorrough
5,761,320 A 6/1998 Farinelli et al.
5,774,666 A 6/1998 Portuesi
5,808,662 A 9/1998 Kinney et al.
5,815,689 A 9/1998 Shaw et al.
5,856,827 A 1/1999 Sudo
5,867,691 A 2/1999 Shiraishi
5,875,354 A 2/1999 Charlton et al.
5,887,143 A 3/1999 Saito et al.
5,923,902 A 7/1999 Inagaki
5,946,343 A 8/1999 Schotz et al.
5,956,088 A 9/1999 Shen et al.
6,002,862 A 12/1999 Takaika
6,009,457 A 12/1999 Moller
6,026,150 A 2/2000 Frank et al.
6,031,818 A 2/2000 Lo et al.
6,032,202 A 2/2000 Lea et al.
6,108,686 A 8/2000 Williams, Jr.
6,128,318 A 10/2000 Sato
6,157,957 A 12/2000 Berthaud
6,175,872 B1 1/2001 Neumann et al.
6,181,316 B1 1/2001 Little et al.
6,185,737 B1 2/2001 Northcutt et al.
6,195,436 B1 2/2001 Scibora et al.
6,199,169 B1 3/2001 Voth
6,255,961 B1 7/2001 Van Ryzin et al.
6,256,554 B1 7/2001 DiLorenzo
6,308,207 B1 10/2001 Tseng et al.
6,324,586 B1 11/2001 Johnson
6,332,147 B1 12/2001 Moran et al.
6,349,339 B1 2/2002 Williams
6,351,821 B1 2/2002 Voth
6,404,811 B1 6/2002 Cvetko et al.
6,430,353 B1 8/2002 Honda et al.

6,469,633 B1 10/2002 Wachter
6,487,296 B1 11/2002 Allen et al.
6,522,886 B1 2/2003 Youngs et al.
6,526,325 B1 2/2003 Sussman et al.
6,587,127 B1 7/2003 Leeke et al.
6,594,691 B1 7/2003 McCollum et al.
6,598,172 B1 7/2003 Vandeusen et al.
6,611,537 B1 8/2003 Edens et al.
6,631,410 B1 10/2003 Kowalski et al.
6,674,803 B1 1/2004 Kesselring
6,728,531 B1 4/2004 Lee et al.
6,732,155 B2 5/2004 Meek
6,757,517 B2 6/2004 Chang
6,778,869 B2 8/2004 Champion
6,826,283 B1 11/2004 Wheeler et al.
6,836,788 B2 12/2004 Kim et al.
6,898,642 B2 5/2005 Chafle et al.
6,912,610 B2 6/2005 Spencer
6,920,373 B2 7/2005 Xi et al.
6,934,766 B1 8/2005 Russell
6,985,694 B1 1/2006 De Bonet et al.
7,007,106 B1 2/2006 Flood et al.
7,017,118 B1 3/2006 Carroll
7,020,048 B2 3/2006 McComas
7,020,791 B1 3/2006 Aweya et al.
7,043,651 B2 5/2006 Aweya et al.
7,047,308 B2 5/2006 Deshpande
7,113,833 B1 9/2006 Brown et al.
7,113,999 B2 9/2006 Pestoni et al.
7,115,017 B1 10/2006 Laursen et al.
7,117,451 B2 10/2006 Sjelken
7,124,125 B2 10/2006 Cook et al.
7,130,608 B2 10/2006 Hollstrom et al.
7,130,616 B2 10/2006 Janik
7,143,141 B1 11/2006 Morgan et al.
7,143,939 B2 12/2006 Henzerling
7,162,315 B2 1/2007 Gilbert
7,185,090 B2 2/2007 Kowalski et al.
7,187,947 B1 3/2007 White et al.
7,206,367 B1 4/2007 Moore
7,209,795 B2 4/2007 Sullivan et al.
7,218,708 B2 5/2007 Berezowski et al.
7,236,739 B2 6/2007 Chang
7,236,773 B2 6/2007 Thomas
7,281,034 B1 10/2007 Eyal
7,293,060 B2 11/2007 Komsa
7,295,548 B2 11/2007 Blank et al.
7,302,468 B2 11/2007 Wijeratne
7,312,785 B2 12/2007 Tsuk et al.
7,324,857 B2 1/2008 Goddard
7,333,519 B2 2/2008 Sullivan et al.
7,358,960 B2 4/2008 Mak
7,372,846 B2 5/2008 Zwack
7,391,791 B2 6/2008 Balassanian et al.
7,392,102 B2 6/2008 Sullivan et al.
7,483,538 B2 1/2009 McCarty et al.
7,483,958 B1 1/2009 Elabbady et al.
7,496,623 B2 2/2009 Szeto et al.
7,496,633 B2 2/2009 Szeto et al.
7,571,014 B1 8/2009 Lambourne et al.
7,574,274 B2 8/2009 Holmes
7,599,685 B2 10/2009 Goldberg et al.
7,630,501 B2 12/2009 Blank et al.
7,643,894 B2 1/2010 Braithwaite et al.
7,657,224 B2 2/2010 Goldberg et al.
7,657,644 B1 2/2010 Zheng
7,657,910 B1 2/2010 McAulay et al.
7,668,990 B2 2/2010 Krzyzanowski et al.
7,669,219 B2 2/2010 Scott, III et al.
7,675,943 B2 3/2010 Mosig et al.
7,676,142 B1 3/2010 Hung
7,702,279 B2 4/2010 Ko et al.
7,720,096 B2 5/2010 Klemets
7,725,533 B2 5/2010 Szeto et al.
7,725,551 B2 5/2010 Szeto et al.
7,739,271 B2 6/2010 Cook et al.
7,742,740 B2 6/2010 Goldberg et al.
7,788,138 B2 8/2010 Viehmann et al.
7,805,682 B1 9/2010 Lambourne

(56)

References Cited

U.S. PATENT DOCUMENTS

7,835,689 B2	11/2010	Goldberg et al.	10,275,135 B2	4/2019	Coburn, IV et al.
7,853,341 B2	12/2010	McCarty et al.	10,296,884 B2	5/2019	Lang et al.
7,865,137 B2	1/2011	Goldberg et al.	10,313,761 B2	6/2019	Alsina et al.
7,885,622 B2	2/2011	Krampf et al.	10,469,897 B2	11/2019	Reimann et al.
7,916,877 B2	3/2011	Goldberg et al.	2001/0009604 A1	7/2001	Ando et al.
7,917,082 B2	3/2011	Goldberg et al.	2001/0022823 A1	9/2001	Renaud
7,921,369 B2	4/2011	Bill	2001/0032188 A1	10/2001	Miyabe et al.
7,934,239 B1	4/2011	Dagman	2001/0042107 A1	11/2001	Palm
7,987,294 B2	7/2011	Bryce et al.	2002/0002039 A1	1/2002	Qureshey et al.
7,996,566 B1	8/2011	Sylvain et al.	2002/0002562 A1	1/2002	Moran et al.
8,014,423 B2	9/2011	Thaler et al.	2002/0003548 A1	1/2002	Krusche et al.
8,023,663 B2	9/2011	Goldberg	2002/0022453 A1	2/2002	Balog et al.
8,028,038 B2	9/2011	Weel	2002/0026442 A1	2/2002	Lipscomb et al.
8,028,323 B2	9/2011	Weel	2002/0034374 A1	3/2002	Barton
8,045,952 B2	10/2011	Qureshey et al.	2002/0042844 A1	4/2002	Chiazzese
8,050,652 B2	11/2011	Qureshey et al.	2002/0049843 A1	4/2002	Barone et al.
8,074,253 B1	12/2011	Nathan	2002/0054134 A1	5/2002	Kelts et al.
8,086,752 B2	12/2011	Millington et al.	2002/0056117 A1	5/2002	Hasegawa et al.
8,103,009 B2	1/2012	McCarty et al.	2002/0065926 A1	5/2002	Hackney et al.
8,112,032 B2	2/2012	Ko et al.	2002/0072816 A1	6/2002	Shdema et al.
8,131,390 B2	3/2012	Braithwaite et al.	2002/0073228 A1	6/2002	Cognet et al.
8,169,938 B2	5/2012	Duchscher et al.	2002/0090914 A1	7/2002	Kang et al.
8,200,602 B2	6/2012	Farrelly	2002/0093478 A1	7/2002	Yeh
8,214,873 B2	7/2012	Weel	2002/0109710 A1	8/2002	Holtz et al.
8,230,099 B2	7/2012	Weel	2002/0112244 A1	8/2002	Liou et al.
8,234,395 B2	7/2012	Millington	2002/0116476 A1	8/2002	Eyal et al.
8,271,115 B2	9/2012	Yoshida	2002/0124097 A1	9/2002	Isely et al.
8,290,603 B1	10/2012	Lambourne	2002/0129156 A1	9/2002	Yoshikawa
8,315,555 B2	11/2012	Ko et al.	2002/0143998 A1	10/2002	Rajagopal et al.
8,370,678 B2	2/2013	Millington et al.	2002/0163361 A1	11/2002	Parkin
8,423,659 B2	4/2013	Millington	2002/0165921 A1	11/2002	Sapieyevski
8,483,853 B1	7/2013	Lambourne	2002/0178191 A1	11/2002	Sielken
8,521,316 B2	8/2013	Louboutin	2002/0188762 A1	12/2002	Tomassetti et al.
8,588,949 B2	11/2013	Lambourne et al.	2003/0002609 A1	1/2003	Faller et al.
8,613,385 B1	12/2013	Hulet et al.	2003/0020763 A1	1/2003	Mayer et al.
8,666,826 B2	3/2014	Narayanan et al.	2003/0023741 A1	1/2003	Tomassetti et al.
8,775,546 B2	7/2014	Millington	2003/0035444 A1	2/2003	Zwack
8,826,135 B1	9/2014	Durham et al.	2003/0041173 A1	2/2003	Hoyle
8,843,500 B2	9/2014	Nogues et al.	2003/0041174 A1	2/2003	Wen et al.
8,892,648 B1	11/2014	Durham et al.	2003/0043924 A1	3/2003	Haddad et al.
8,910,265 B2	12/2014	Lang et al.	2003/0066094 A1	4/2003	Van Der Schaar et al.
8,942,252 B2	1/2015	Balassanian et al.	2003/0088875 A1	5/2003	Gay et al.
8,990,701 B2	3/2015	Olofsson	2003/0099212 A1	5/2003	Anjum et al.
9,015,588 B2	4/2015	Cassidy	2003/0099221 A1	5/2003	Rhee
9,052,810 B2	6/2015	Reimann et al.	2003/0105820 A1	6/2003	Haims et al.
9,137,564 B2	9/2015	Reimann	2003/0126211 A1	7/2003	Anttila et al.
9,165,255 B1	10/2015	Shetty et al.	2003/0157951 A1	8/2003	Hasty, Jr.
9,229,938 B1	1/2016	Jaini et al.	2003/0195964 A1	10/2003	Mane
9,246,866 B1	1/2016	Sanders	2003/0198257 A1	10/2003	Sullivan et al.
9,247,363 B2	1/2016	Triplett et al.	2003/0210796 A1	11/2003	McCarty et al.
9,286,384 B2	3/2016	Kuper et al.	2003/0220973 A1	11/2003	Zhu et al.
9,344,292 B2	5/2016	Griffiths et al.	2003/0231871 A1	12/2003	Ushimaru
9,374,607 B2	6/2016	Bates et al.	2003/0235304 A1	12/2003	Evans et al.
9,411,809 B1	8/2016	Sabbavarapu et al.	2004/0001484 A1	1/2004	Ozguner
9,478,247 B2	10/2016	Chen et al.	2004/0001591 A1	1/2004	Mani et al.
9,489,383 B2	11/2016	Hyman et al.	2004/0008852 A1	1/2004	Also et al.
9,510,055 B2	11/2016	Kuper et al.	2004/0010727 A1	1/2004	Fujinami
9,524,338 B2	12/2016	Van Der Heide et al.	2004/0015252 A1	1/2004	Aiso et al.
9,654,821 B2	5/2017	Coburn, IV et al.	2004/0024478 A1	2/2004	Hans et al.
9,665,339 B2	5/2017	Reimann et al.	2004/0024925 A1	2/2004	Cypher et al.
9,674,587 B2	6/2017	Triplett et al.	2004/0025185 A1	2/2004	Goci et al.
9,680,960 B2	6/2017	Chen et al.	2004/0027166 A1	2/2004	Mangum et al.
9,696,874 B2	7/2017	Kulick et al.	2004/0032348 A1	2/2004	Lai et al.
9,703,521 B2	7/2017	Kumar et al.	2004/0066736 A1	4/2004	Kroeger
9,715,500 B2	7/2017	Cue et al.	2004/0075767 A1	4/2004	Neuman et al.
9,727,219 B2	8/2017	Kumar et al.	2004/0078383 A1	4/2004	Mercer et al.
9,735,978 B2	8/2017	Kumar et al.	2004/0078812 A1	4/2004	Calvert
9,756,092 B2	9/2017	Zhang et al.	2004/0088328 A1	5/2004	Cook et al.
9,892,118 B2	2/2018	Kumar et al.	2004/0131192 A1	7/2004	Metcalf
9,942,335 B2	4/2018	Schneider et al.	2004/0170383 A1	9/2004	Mazur
9,977,561 B2	5/2018	Bates et al.	2004/0203378 A1	10/2004	Powers
10,032,233 B2	7/2018	Papakipos et al.	2004/0215611 A1	10/2004	Jawa et al.
10,129,599 B2	11/2018	Van Der Heide	2004/0249965 A1	12/2004	Huggins et al.
10,157,033 B2	12/2018	Millington	2004/0249982 A1	12/2004	Arnold et al.
10,268,352 B2	4/2019	Coburn, IV et al.	2004/0252400 A1	12/2004	Blank et al.
			2004/0261040 A1	12/2004	Radcliffe et al.
			2005/0010691 A1	1/2005	Oyadomari et al.
			2005/0013394 A1	1/2005	Rausch et al.
			2005/0021590 A1	1/2005	Debique et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

2005/0047605 A1	3/2005	Lee et al.	2009/0076917 A1	3/2009	Jablokov et al.
2005/0055716 A1	3/2005	Louie et al.	2009/0083117 A1	3/2009	Svensdsen et al.
2005/0058149 A1	3/2005	Howe	2009/0133069 A1	5/2009	Conness et al.
2005/0081213 A1	4/2005	Suzuoki et al.	2009/0150806 A1	6/2009	Evje et al.
2005/0108320 A1	5/2005	Lord et al.	2009/0157905 A1	6/2009	Davis
2005/0114538 A1	5/2005	Rose	2009/0175429 A1	7/2009	Cohen et al.
2005/0125357 A1	6/2005	Saadat et al.	2009/0179867 A1	7/2009	Shim et al.
2005/0155072 A1	7/2005	Kaczowka et al.	2009/0187939 A1	7/2009	LaJoie
2005/0166157 A1	7/2005	Ollis et al.	2009/0216855 A1	8/2009	Lang et al.
2005/0166258 A1	7/2005	Vasilevsky et al.	2009/0222115 A1	9/2009	Malcolm et al.
2005/0177643 A1	8/2005	Xu	2009/0228919 A1	9/2009	Zott et al.
2005/0181348 A1	8/2005	Carey et al.	2009/0249222 A1	10/2009	Schmidt et al.
2005/0195205 A1	9/2005	Abrams	2009/0265426 A1	10/2009	Svensdsen et al.
2005/0201254 A1	9/2005	Looney et al.	2009/0307062 A1	12/2009	Lutnick et al.
2005/0234875 A1	10/2005	Auerbach et al.	2009/0313369 A1	12/2009	Wormington et al.
2005/0281255 A1	12/2005	Davies et al.	2010/0010648 A1	1/2010	Bull et al.
2005/0283820 A1	12/2005	Richards et al.	2010/0017366 A1	1/2010	Robertson et al.
2005/0288805 A1	12/2005	Moore et al.	2010/0017714 A1	1/2010	Agarwal et al.
2005/0289224 A1	12/2005	Deslippe et al.	2010/0023578 A1	1/2010	Brant et al.
2006/0095516 A1	5/2006	Wijeratne	2010/0031366 A1	2/2010	Knight et al.
2006/0107237 A1	5/2006	Kim	2010/0036950 A1	2/2010	Bae et al.
2006/0119497 A1	6/2006	Miller et al.	2010/0049835 A1	2/2010	Ko et al.
2006/0143236 A1	6/2006	Wu	2010/0054275 A1	3/2010	Noonan et al.
2006/0168340 A1	7/2006	Heller et al.	2010/0070490 A1	3/2010	Amidon et al.
2006/0195462 A1	8/2006	Rogers	2010/0082731 A1	4/2010	Haughey et al.
2006/0195479 A1	8/2006	Spiegelman et al.	2010/0094728 A1	4/2010	Denning et al.
2006/0195480 A1	8/2006	Spiegelman et al.	2010/0094834 A1	4/2010	Svensdsen
2006/0248557 A1	11/2006	Stark et al.	2010/0095332 A1	4/2010	Gran et al.
2006/0253436 A1	11/2006	Cook et al.	2010/0114979 A1*	5/2010	Petersen G06F 16/4387 707/E17.032
2006/0253782 A1	11/2006	Stark et al.	2010/0131567 A1	5/2010	Dorogusker et al.
2006/0294074 A1	12/2006	Chang	2010/0162324 A1	6/2010	Mehta et al.
2007/0033402 A1	2/2007	Williams et al.	2010/0185671 A1	7/2010	Burba et al.
2007/0038999 A1	2/2007	Millington	2010/0205222 A1	8/2010	Gajdos et al.
2007/0043847 A1	2/2007	Carter et al.	2010/0228740 A1	9/2010	Cannistraro et al.
2007/0048713 A1	3/2007	Plastina et al.	2010/0235520 A1	9/2010	Attanasio et al.
2007/0049256 A1	3/2007	Wassingbo	2010/0262909 A1	10/2010	Hsieh
2007/0054680 A1	3/2007	Mo et al.	2010/0284389 A1	11/2010	Ramsay et al.
2007/0088747 A1	4/2007	Cheng et al.	2010/0299391 A1	11/2010	Demarta et al.
2007/0136778 A1	6/2007	Birger et al.	2010/0299639 A1	11/2010	Ramsay et al.
2007/0142022 A1	6/2007	Madonna et al.	2010/0318917 A1	12/2010	Holladay et al.
2007/0142944 A1	6/2007	Goldberg et al.	2010/0325218 A1	12/2010	Castro et al.
2007/0143493 A1	6/2007	Mullig et al.	2010/0332326 A1	12/2010	Ishai
2007/0156883 A1	7/2007	Thompson et al.	2011/0004330 A1	1/2011	Rothkopf et al.
2007/0169115 A1	7/2007	Ko et al.	2011/0041080 A1	2/2011	Fleischman et al.
2007/0180137 A1	8/2007	Rajapakse	2011/0066941 A1	3/2011	Chipchase et al.
2007/0214182 A1	9/2007	Rosenberg	2011/0066943 A1	3/2011	Brillon et al.
2007/0224937 A1	9/2007	Jung et al.	2011/0087842 A1	4/2011	Lu et al.
2007/0250194 A1	10/2007	Rhoads et al.	2011/0119706 A1	5/2011	Scott et al.
2007/0271232 A1	11/2007	Mattox et al.	2011/0154173 A1	6/2011	Herlein
2007/0271388 A1	11/2007	Bowra et al.	2011/0196888 A1	8/2011	Hanson et al.
2007/0288470 A1	12/2007	Kauniskangas et al.	2011/0202430 A1	8/2011	Narayanan et al.
2007/0294131 A1	12/2007	Roman et al.	2011/0202842 A1	8/2011	Weatherly et al.
2007/0299778 A1	12/2007	Haveson et al.	2011/0211534 A1	9/2011	Schmidt et al.
2008/0005690 A1	1/2008	Van Vugt	2011/0225417 A1	9/2011	Maharajh et al.
2008/0016465 A1	1/2008	Foxenland	2011/0238755 A1	9/2011	Khan et al.
2008/0022320 A1	1/2008	Ver Steeg	2011/0246383 A1	10/2011	Gibson et al.
2008/0052371 A1	2/2008	Partovi et al.	2011/0264732 A1	10/2011	Robbin et al.
2008/0059510 A1	3/2008	Cardamore et al.	2011/0314388 A1	12/2011	Wheatley
2008/0077261 A1	3/2008	Baudino et al.	2012/0029671 A1	2/2012	Millington et al.
2008/0086368 A1	4/2008	Bauman et al.	2012/0030366 A1	2/2012	Collart et al.
2008/0086379 A1	4/2008	Dion et al.	2012/0054278 A1	3/2012	Taleb et al.
2008/0091771 A1	4/2008	Allen et al.	2012/0059495 A1	3/2012	Weiss et al.
2008/0109529 A1	5/2008	Story	2012/0060046 A1	3/2012	Millington
2008/0120429 A1	5/2008	Millington et al.	2012/0071996 A1	3/2012	Svensdsen
2008/0144861 A1	6/2008	Melanson et al.	2012/0096526 A1	4/2012	Brahmanapalli et al.
2008/0152165 A1	6/2008	Zacchi	2012/0112986 A1	5/2012	McCoy et al.
2008/0154959 A1	6/2008	Dunko	2012/0117168 A1	5/2012	Sugiyama et al.
2008/0194276 A1	8/2008	Lin et al.	2012/0117185 A1	5/2012	Cassidy
2008/0301280 A1	12/2008	Chasen et al.	2012/0117586 A1	5/2012	McCoy et al.
2008/0319833 A1	12/2008	Svensdsen	2012/0124176 A1	5/2012	Curtis et al.
2009/0005893 A1	1/2009	Sugii et al.	2012/0129446 A1	5/2012	Ko et al.
2009/0031336 A1	1/2009	Chavez et al.	2012/0151320 A1	6/2012	McClements, IV
2009/0041423 A1	2/2009	Weber et al.	2012/0158531 A1	6/2012	Dion et al.
2009/0063414 A1	3/2009	White et al.	2012/0159393 A1	6/2012	Sethi et al.
2009/0076881 A1	3/2009	Svensdsen	2012/0206623 A1	8/2012	Nakama
			2012/0210205 A1	8/2012	Sherwood et al.
			2012/0210377 A1	8/2012	Wong et al.
			2012/0216296 A1	8/2012	Kidron

(56)

References Cited

U.S. PATENT DOCUMENTS

2012/0221951	A1	8/2012	Kidron	2014/0337959	A1	11/2014	Garmark et al.
2012/0233067	A1	9/2012	Matthew et al.	2014/0341528	A1	11/2014	Mahate et al.
2012/0233639	A1	9/2012	Zott et al.	2014/0359680	A1	12/2014	Shivadas et al.
2012/0263318	A1	10/2012	Millington et al.	2015/0039620	A1	2/2015	Ning
2012/0272156	A1	10/2012	Kerger et al.	2015/0046458	A1	2/2015	Hu
2012/0284423	A1	11/2012	Weel et al.	2015/0066892	A1	3/2015	Astore
2012/0290653	A1	11/2012	Sharkey	2015/0067054	A1	3/2015	Yoo et al.
2012/0311635	A1	12/2012	Mushkatblat et al.	2015/0067871	A1	3/2015	Commons et al.
2012/0315884	A1	12/2012	Forutanpour et al.	2015/0074534	A1	3/2015	Didomenico et al.
2012/0331386	A1	12/2012	Hicken et al.	2015/0095680	A1	4/2015	Gossain et al.
2013/0007617	A1	1/2013	MacKenzie et al.	2015/0113058	A1	4/2015	Zhang et al.
2013/0024880	A1	1/2013	Moloney-Egnatios et al.	2015/0121220	A1	4/2015	Lee et al.
2013/0031162	A1	1/2013	Willis et al.	2015/0128162	A1	5/2015	Ionescu et al.
2013/0061296	A1	3/2013	Reddy et al.	2015/0185599	A1	7/2015	Mullins
2013/0070093	A1	3/2013	Rivera et al.	2015/0186110	A1	7/2015	Kannan
2013/0073584	A1	3/2013	Kuper et al.	2015/0220498	A1	8/2015	Munoz et al.
2013/0073979	A1	3/2013	Shepherd et al.	2015/0242597	A1	8/2015	Danciu
2013/0080599	A1	3/2013	Ko et al.	2015/0278357	A1	10/2015	Wang
2013/0080955	A1	3/2013	Reimann et al.	2015/0286360	A1	10/2015	Wachter
2013/0081110	A1	3/2013	McGowan	2015/0331940	A1	11/2015	Manning
2013/0128038	A1	5/2013	Cok et al.	2016/0063011	A1	3/2016	Wehbi et al.
2013/0129232	A1	5/2013	Cok et al.	2016/0077710	A1	3/2016	Lewis et al.
2013/0130729	A1	5/2013	Cok et al.	2016/0082348	A1	3/2016	Kehoe et al.
2013/0159858	A1	6/2013	Joffray et al.	2016/0147501	A1	5/2016	Gilbert
2013/0166649	A1	6/2013	Atzmon et al.	2016/0180248	A1	6/2016	Regan
2013/0173531	A1	7/2013	Rinearson et al.	2016/0253145	A1	9/2016	Lee et al.
2013/0173794	A1	7/2013	Agerbak et al.	2017/0093943	A1	3/2017	Alsina et al.
2013/0174204	A1	7/2013	Coburn, IV et al.	2017/0161119	A1	6/2017	Boyle et al.
2013/0191454	A1	7/2013	Oliver et al.	2017/0169522	A1	6/2017	Hyman et al.
2013/0198633	A1	8/2013	Hyman	2017/0236512	A1	8/2017	Williams et al.
2013/0205243	A1	8/2013	Rivera et al.				
2013/0221951	A1	8/2013	Anderson et al.				
2013/0246522	A1	9/2013	Bilinski et al.				
2013/0254663	A1	9/2013	Bates et al.				
2013/0275611	A1	10/2013	Somekh et al.				
2013/0297686	A1	11/2013	Bilinski et al.				
2013/0310316	A1	11/2013	Hellstrom et al.				
2013/0317936	A1	11/2013	Hughes				
2013/0339397	A1	12/2013	Herasymchuk				
2013/0339589	A1	12/2013	Qawami et al.				
2013/0343567	A1	12/2013	Triplett et al.				
2013/0346859	A1	12/2013	Bates et al.				
2014/0006483	A1	1/2014	Garmark et al.				
2014/0006947	A1	1/2014	Garmark et al.				
2014/0025688	A1	1/2014	Andler et al.				
2014/0047074	A1	2/2014	Chung et al.				
2014/0052770	A1	2/2014	Gran et al.				
2014/0059431	A1	2/2014	Svendsen et al.				
2014/0067828	A1	3/2014	Archibong et al.				
2014/0067998	A1	3/2014	Garcia et al.				
2014/0075308	A1	3/2014	Sanders et al.				
2014/0075316	A1	3/2014	Li				
2014/0081796	A1	3/2014	Cohen				
2014/0093219	A1	4/2014	Trivedi				
2014/0108528	A1	4/2014	Papakipos et al.				
2014/0108929	A1	4/2014	Garmark et al.				
2014/0108946	A1*	4/2014	Olofsson				
			G06F 3/0482				
			715/739				
2014/0115061	A1	4/2014	Reddy et al.				
2014/0122590	A1	5/2014	Svendsen				
2014/0146982	A1	5/2014	Pelosi				
2014/0157300	A1	6/2014	Childs et al.				
2014/0188911	A1	7/2014	Skeen et al.				
2014/0201197	A1	7/2014	Kumar et al.				
2014/0201632	A1	7/2014	Kunigita et al.				
2014/0204076	A1	7/2014	Kuper et al.				
2014/0208205	A1	7/2014	Bartholomew				
2014/0222830	A1	8/2014	Ringer et al.				
2014/0223099	A1	8/2014	Kidron				
2014/0237361	A1	8/2014	Martin et al.				
2014/0244863	A1	8/2014	Bradley et al.				
2014/0282755	A1	9/2014	Alsina et al.				
2014/0310058	A1	10/2014	Aral et al.				
2014/0310779	A1	10/2014	Lof et al.				
2014/0330951	A1	11/2014	Sukoff et al.				

FOREIGN PATENT DOCUMENTS

CN	101427316	A	5/2009
CN	101714156	A	5/2010
CN	101910992	A	12/2010
CN	102450032	A	5/2012
CN	102656898	A	9/2012
CN	102947827	A	2/2013
CN	104126309	A	10/2014
EP	0251584	A2	1/1988
EP	0672985	A1	9/1995
EP	1111527	A2	6/2001
EP	1389853	A1	2/2004
JP	2004354721	A	12/2004
JP	2007520808	A	7/2007
JP	2009540638	A	11/2009
JP	2010141748	A	6/2010
JP	2011128957		6/2011
JP	2011223124	A	11/2011
KR	20010090215		10/2001
KR	20050051785		6/2005
KR	1020070040592		4/2007
KR	20070048922		5/2007
KR	100890993		3/2009
KR	20100060498	A	6/2010
KR	20100071724		6/2010
KR	20100134164		12/2010
KR	20110064635		6/2011
KR	20130083012	A	7/2013
WO	199525313		9/1995
WO	199961985		12/1999
WO	200147248		6/2001
WO	200153994		7/2001
WO	02052540	A1	7/2002
WO	2002052540		7/2002
WO	2003093950	A2	11/2003
WO	2005013047	A2	2/2005
WO	2005079071	A1	8/2005
WO	2007023120	A1	3/2007
WO	2010018429	A1	2/2010
WO	2011100264	A3	11/2011
WO	2011157891	A1	12/2011
WO	2012050927	A2	4/2012
WO	2012056326	A2	5/2012
WO	2012106269		8/2012
WO	2012170205	A1	12/2012
WO	2013139239	A1	9/2013

(56)

References Cited

FOREIGN PATENT DOCUMENTS

WO	2014004181	1/2014
WO	2014116693 A1	7/2014
WO	2014145746	9/2014

OTHER PUBLICATIONS

U.S. Appl. No. 60/825,407, filed Sep. 12, 2006, entitled "Controlling and manipulating groupings in a multi-zone music or media system," 82 pages.

UPnP; "Universal Plug and Play Device Architecture," Jun. 8, 2000; version 1.0; Microsoft Corporation; pp. 1-54.

U.S. Appl. No. 12/070,933, filed Feb. 22, 2008. "System, Method, and Computer Program for Remotely Managing a Digital Device" Inventor: Jonathan Lang, et al.

U.S. Appl. No. 13/533,105, filed Jun. 26, 2012. "Systems, Methods, Apparatus, and Articles of Manufacture to Provide a Crowd-Sourced Playlist with Guess Access" Inventor: Paul Bates, et al.

U.S. Appl. No. 13/533,785, filed Jun. 26, 2012. "Networked Music Playback Including Remote Discovery and Add to Queue" Inventor: Mark Triplett, et al.

U.S. Appl. No. 13/748,357, filed Jan. 23, 2013. "System and Method for a Media Experience Social Interface" Inventor: Ron Kuper, et al.

U.S. Appl. No. 13/871,785, filed Apr. 26, 2013. "Systems, Methods, Apparatus, and Articles of Manufacture to Provide Guest Access" Inventor: Paul Bates, et al.

U.S. Appl. No. 13/871,795, filed Jun. 20, 2013. "Systems, Methods, Apparatus, and Articles of Manufacture to Provide Guest Access" Inventor: Paul Bates, et al.

U.S. Appl. No. 14/173,253, filed Feb. 5, 2014. "Remote Creation of a Playback Queue for a Future Event" Inventor: Jaime Munoz, et al. Van Buskirk, Eliot, "Music Needs 'Connective Tissue' and Facebook Wants to Build It," E <http://evolver.fm/2011/09/01/music-needs-connective-tissue-and-facebook-wants-to-build-it>, 2011, 6 pages. Yamaha DME 32 manual; copyright 2001.

Yamaha DME 64 Owner's Manual; copyright 2004, 80 pages.

Yamaha DME Designer 3.0 Owner's Manual; Copyright 2008, 501 pages.

Yamaha DME Designer 3.5 setup manual guide; copyright 2004, 16 pages.

Yamaha DME Designer 3.5 User Manual; Copyright 2004, 507 pages.

First Action Interview Office Action mailed on Jul. 22, 2016, issued in connection with U.S. Appl. No. 14/495,659, filed Sep. 24, 2014, 8 pages.

First Action Interview Pilot Program Pre-Interview Communication mailed on Oct. 28, 2015, issued in connection with U.S. Appl. No. 14/275,112, filed May 12, 2014, 4 pages.

First Action Interview Pilot Program Pre-Interview Communication mailed on Apr. 3, 2017, issued in connection with U.S. Appl. No. 14/495,590, filed Sep. 24, 2014, 5 pages.

Huang C.M., et al., "A Synchronization Infrastructure for Multicast Multimedia at the Presentation Layer," IEEE Transactions on Consumer Electronics, 1997, pp. 370-380, vol. 43, No. 3.

International Bureau, International Preliminary Report on Patentability mailed Jan. 30, 2014, issued in connection with International Application No. PCT/US2012/047620, filed on Jul. 20, 2012, 7 pages.

International Bureau, International Preliminary Report on Patentability mailed on Apr. 3, 2014, issued in connection with International Application No. PCT/US2012/056467, filed on Sep. 21, 2011, 11 pages.

International Bureau, International Preliminary Report on Patentability, mailed on Aug. 6, 2015, issued in connection with International Application No. PCT/US2014/012534, filed on Jan. 22, 2014, 6 pages.

International Bureau, International Preliminary Report on Patentability mailed on Dec. 15, 2016, issued in connection with International Application No. PCT/US2015/031934, filed on May 21, 2015, 11 pages.

International Bureau, International Preliminary Report on Patentability mailed on Aug. 18, 2016, issued in connection with International Application No. PCT/US2015/014156, filed on Feb. 3, 2015, 10 pages.

International Bureau, International Preliminary Report on Patentability mailed on Sep. 15, 2016, issued in connection with International Application No. PCT/US2015/018850, filed on Mar. 5, 2015, 10 pages.

International Searching Authority, International Preliminary Report on Patentability mailed on Apr. 6, 2017, issued in connection with International Application No. PCT/US2015/051968 filed on Sep. 24, 2015, 10 pages.

International Searching Authority, International Preliminary Report on Patentability mailed on Apr. 6, 2017, issued in connection with International Application No. PCT/US2015/051975 filed on Sep. 24, 2015, 9 pages.

International Searching Authority, International Preliminary Report on Patentability mailed on Apr. 6, 2017, issued in connection with International Application No. PCT/US2015/051983 filed on Sep. 24, 2015, 7 pages.

International Searching Authority, International Preliminary Report on Patentability mailed on Apr. 6, 2017, issued in connection with International Application No. PCT/US2015/051989 filed on Sep. 24, 2015, 7 pages.

International Searching Authority, International Preliminary Report on Patentability mailed on Apr. 6, 2017, issued in connection with International Application No. PCT/US2015/051993 filed on Sep. 24, 2015, 8 pages.

International Searching Authority, International Preliminary Report on Patentability mailed on Feb. 23, 2017, issued in connection with International Application No. PCT/US2015/044218, filed on Aug. 7, 2015, 10 pages.

International Searching Authority, International Search Report and Written Opinion mailed on Nov. 6, 2015, issued in connection with International Application No. PCT/US2015/051993, filed on Sep. 24, 2015, 10 pages.

International Searching Authority, International Search Report and Written Opinion mailed on Dec. 7, 2015, issued in connection with International Application No. PCT/US2015/051968, filed on Sep. 24, 2015, 14 pages.

International Searching Authority, International Search Report and Written Opinion mailed on Dec. 16, 2015, issued in connection with International Application No. PCT/US2015/051989 filed on Sep. 24, 2015, 11 pages.

International Searching Authority, International Search Report and Written Opinion mailed on Dec. 21, 2015, issued in connection with International Application No. PCT/US2015/051983 filed on Sep. 24, 2015, 11 pages.

International Searching Authority, International Search Report and Written Opinion mailed on Nov. 23, 2015, issued in connection with International Application No. PCT/US2015/051975, filed on Sep. 24, 2015, 14 pages.

International Searching Authority, International Search Report and Written Opinion mailed on Apr. 24, 2015, issued in connection with International Application No. PCT/US2015/014156, filed on Feb. 3, 2015, 13 pages.

International Searching Authority, International Search Report and Written Opinion mailed on Aug. 27, 2015, issued in connection with International Application No. PCT/US2015/031934, filed on May 21, 2015, 14 pages.

International Searching Authority, International Search Report and Written Opinion mailed on Nov. 27, 2015, issued in connection with International Application No. PCT/US2015/044218, filed on Aug. 7, 2015, 13 pages.

International Searching Authority, International Search Report and Written Opinion mailed on May 29, 2015, issued in connection with International Application No. PCT/US2015/018850, filed on Mar. 5, 2015, 13 pages.

(56)

References Cited**OTHER PUBLICATIONS**

International Searching Authority, International Search Report mailed May 8, 2014, issued in connection with International Application No. PCT/US2014/012534, filed on Jan. 24, 2014, 3 pages.

International Searching Authority, International Search Report mailed on Dec. 27, 2012, issued in connection with International Application No. PCT/US2012/047620, filed on Jul. 20, 2011, 3 pages.

International Searching Authority, Written Opinion mailed on Dec. 27, 2012, issued in connection with International Application No. PCT/US2012/047620, filed on Jul. 20, 2011, 5 pages.

International Searching Authority, International Search Report and Written Opinion mailed on Feb. 28, 2013, issued in connection with International Application No. PCT/US2012/056467, filed on Sep. 21, 2012, 12 pages.

Ishibashi et al., "A Group Synchronization Mechanism for Live Media in Multicast Communications," IEEE Global Telecommunications Conference, 1997, pp. 746-752, vol. 2.

Ishibashi et al., "A Group Synchronization Mechanism for Stored Media in Multicast Communications," IEEE Information Revolution and Communications, 1997, pp. 692-700, vol. 2.

Japanese Patent Office, Full English Translation of Office Action mailed on Nov. 28, 2017, issued in connection with Japanese Patent Application No. 2016-555529, 2 pages.

Japanese Patent Office, Notice of Rejection mailed on Nov. 8, 2016, issued in connection with Japanese Application No. 2015-555237, 6 pages.

Japanese Patent Office, Office Action mailed on Nov. 28, 2017, issued in connection with Japanese Patent Application No. 2016-555529, 5 pages.

Japanese Patent Office, Office Action mailed on Nov. 7, 2017, issued in connection with Japanese Patent Application No. 2016-550231, 5 pages.

Jo et al., "Synchronized One-to-many Media Streaming with Adaptive Playout Control," Proceedings of SPIE, 2002, pp. 71-82, vol. 4861.

Jones, Stephen, "Dell Digital Audio Receiver: Digital upgrade for your analog stereo," Analog Stereo, Jun. 24, 2000 <http://www.reviewsonline.com/articles/961906864.htm> retrieved Jun. 18, 2014, 2 pages.

Louderback, Jim, "Affordable Audio Receiver Furnishes Homes With MP3," TechTV Vault, Jun. 28, 2000 retrieved Jul. 10, 2014, 2 pages.

Mills David L., "Network Time Protocol (Version 3) Specification, Implementation and Analysis," Network Working Group, Mar. 1992, 7 pages.

Mills, David L., "Precision Synchronization of Computer Network Clocks," ACM SIGCOMM Computer Communication Review, 1994, pp. 28-43, vol. 24, No. 2.

Motorola, "Simplefi, Wireless Digital Audio Receiver, Installation and User Guide," Dec. 31, 2001, 111 pages.

Nilsson, M., "ID3 Tag Version 2," Mar. 26, 1998, 28 pages.

Non-Final Office Action mailed on Nov. 1, 2016, issued in connection with U.S. Appl. No. 14/173,253, filed Feb. 5, 2014, 21 pages.

Non-Final Office Action mailed on Oct. 1, 2015, issued in connection with U.S. Appl. No. 13/748,357, filed Jan. 23, 2013, 18 pages.

Non-Final Office Action mailed on Oct. 3, 2017, issued in connection with U.S. Appl. No. 14/495,633, filed Sep. 24, 2014, 18 pages.

Non-Final Office Action mailed on Apr. 6, 2016, issued in connection with U.S. Appl. No. 14/297,193, filed Jun. 5, 2014, 26 pages.

Non-Final Office Action mailed on May 6, 2015, issued in connection with U.S. Appl. No. 13/748,357, filed Jan. 23, 2013, 17 pages.

Non-Final Office Action mailed on Mar. 1, 2023, issued in connection with U.S. Appl. No. 17/485,901, filed Sep. 27, 2021, 15 pages.

Non-Final Office Action mailed on Jul. 10, 2017, issued in connection with U.S. Appl. No. 14/297,193, filed Jun. 5, 2014, 33 pages.

Non-Final Office Action mailed on Sep. 10, 2015, issued in connection with U.S. Appl. No. 14/197,403, filed Mar. 5, 2014, 16 pages.

Advisory Action mailed on Feb. 1, 2017, issued in connection with U.S. Appl. No. 14/297,193, filed Jun. 5, 2014, 6 pages.

Advisory Action mailed on Feb. 3, 2017, issued in connection with U.S. Appl. No. 14/495,659, filed Sep. 24, 2014, 5 pages.

Advisory Action mailed on Sep. 11, 2019, issued in connection with U.S. Appl. No. 14/495,633, filed Sep. 24, 2014, 3 pages.

Advisory Action mailed on Jul. 12, 2016, issued in connection with U.S. Appl. No. 14/173,253, filed Feb. 5, 2014, 5 pages.

Advisory Action mailed on Mar. 19, 2019, issued in connection with U.S. Appl. No. 15/595,519, filed May 15, 2017, 3 pages.

Advisory Action mailed on Oct. 21, 2019, issued in connection with U.S. Appl. No. 15/664,634, filed Jul. 31, 2017, 4 pages.

Advisory Action mailed on Apr. 22, 2024, issued in connection with U.S. Appl. No. 18/067,720, filed Dec. 18, 2022, 5 pages.

Advisory Action mailed on Aug. 22, 2017, issued in connection with U.S. Appl. No. 14/173,253, filed Feb. 5, 2014, 4 pages.

Advisory Action mailed on Mar. 22, 2024, issued in connection with U.S. Appl. No. 17/101,549, filed Nov. 23, 2020, 5 pages.

Advisory Action mailed on Nov. 25, 2019, issued in connection with U.S. Appl. No. 15/607,267, filed May 26, 2017, 5 pages.

Advisory Action mailed on Oct. 25, 2019, issued in connection with U.S. Appl. No. 15/966,337, filed Apr. 30, 2018, 4 pages.

Advisory Action mailed on Dec. 27, 2022, issued in connection with U.S. Appl. No. 17/536,408, filed Nov. 29, 2021, 5 pages.

Advisory Action mailed on May 29, 2020, issued in connection with U.S. Appl. No. 15/595,519, filed May 15, 2017, 2 pages.

Advisory Action mailed on Mar. 8, 2021, issued in connection with U.S. Appl. No. 14/297,193, filed Jun. 5, 2014, 3 pages.

Advisory Action mailed on Mar. 8, 2024, issued in connection with U.S. Appl. No. 17/485,901, filed Sep. 27, 2021, 4 pages.

Akyildiz et al., "Multimedia Group Synchronization Protocols for Integrated Services Networks," IEEE Journal on Selected Areas in Communications, 1996 pp. 162-173, vol. 14, No. 1.

Anonymous: "Email Parser Tool—customizable email parsing software by ITG," May 17, 2014, [online] Retrieved from the Internet on Nov. 5, 2019: (URL: <https://web.archive.org/web/20140517050139//emailparser.net/>).

AudioTron Quick Start Guide, Version 1.0, Mar. 2001, 24 pages.

AudioTron Reference Manual, Version 3.0, May 2002, 70 pages.

AudioTron Setup Guide, Version 3.0, May 2002, 38 pages.

Benslimane Abderrahim, "A Multimedia Synchronization Protocol for Multicast Groups," Proceedings of the 26th Euromicro Conference, 2000, pp. 456-463, vol. 1.

Biersack et al., "Intra- and Inter-Stream Synchronization for Stored Multimedia Streams," IEEE International Conference on Multimedia Computing and Systems, 1996, pp. 372-381.

Bluetooth. "Specification of the Bluetooth System: The ad hoc SCATTERNET for affordable and highly functional wireless connectivity," Core, Version 1.0 A, Jul. 26, 1999, 1068 pages.

Bluetooth. "Specification of the Bluetooth System: Wireless connections made easy," Core, Version 1.0 B, Dec. 1, 1999, 1076 pages.

Bretl W.E., et al., MPEG2 Tutorial [online], 2000 [retrieved on Jan. 13, 2009] Retrieved from the Internet: (<http://www.bretl.com/mpeghtml/MPEGindex.htm>), pp. 1-23.

Chinese Patent Office, First Office Action and Translation mailed on Feb. 2, 2019, issued in connection with Chinese Application No. 201580011640.5, 12 pages.

Chinese Patent Office, First Office Action and Translation mailed on Aug. 26, 2020, issued in connection with Chinese Application No. 201910608857.4, 17 pages.

Chinese Patent Office, First Office Action mailed on Feb. 27, 2019, issued in connection with Chinese Application No. 201580007534.X, 9 pages.

Chinese Patent Office, First Office Action mailed on Sep. 4, 2017, issued in connection with Chinese Application No. 2014800172148.0, 16 pages.

Chinese Patent Office, Second Office Action mailed on Apr. 11, 2018, issued in connection with Chinese Application No. 201480017214.8, 7 pages.

Chinese Patent Office, Third Office Action mailed on Oct. 18, 2018, issued in connection with Chinese Application No. 2014800172148, 8 pages.

Co-pending U.S. Application No. 202017006972, inventors LIN; Ted M et al., filed on Aug. 31, 2020.

(56)

References Cited**OTHER PUBLICATIONS**

Corrected Notice of Allowability mailed on Jan. 19, 2017, issued in connection with U.S. Appl. No. 14/197,403, filed Mar. 5, 2014, 2 pages.

Dell, Inc. "Dell Digital Audio Receiver: Reference Guide," Jun. 2000, 70 pages.

Dell, Inc. "Start Here," Jun. 2000, 2 pages.

"Denon 2003-2004 Product Catalog," Denon, 2003-2004, 44 pages.
European Patent Office, Decision to Refuse EP Application mailed on Oct. 16, 2018, issued in connection with European Application No. 157758970, 48 pages.

European Patent Office, Decision to Refuse EP Application mailed on Sep. 27, 2018, issued in connection with European Application No. 15781794.1, 54 pages.

European Patent Office, Decision to Refuse mailed on Aug. 2, 2021, issued in connection with European Application No. 15829058.5, 13 pages.

European Patent Office, EP Supplemental Search mailed Dec. 19, 2017, issued in connection with EP Application No. 15829058.5, 12 pages.

European Patent Office, European Extended Search Report mailed on Feb. 5, 2018, issued in connection with EP Application No. 15803430.6, 8 pages.

European Patent Office, European Office Action mailed on Nov. 13, 2019, issued in connection with European Application No. 15829058.5, 8 pages.

European Patent Office, European Office Action mailed on Jan. 2, 2019, issued in connection with European Application No. 15829058.5, 4 pages.

European Patent Office, European Office Action mailed on Aug. 3, 2017, issued in connection with EP Application No. 15781794.1, 6 pages.

European Patent Office, European Supplemental Search Report mailed on Sep. 18, 2017, issued in connection with EP Application No. 15829058.5, 13 pages.

European Patent Office, European Supplemental Search Report mailed on Jan. 27, 2016, issued in connection with European Application No. 14743335.3, 8 pages.

European Patent Office, Examination Report mailed on Feb. 3, 2017, issued in connection with European Patent Application No. 14743335.3, 5 pages.

European Patent Office, Extended European Search Report mailed on Mar. 15, 2017, issued in connection with European Application No. 15758460.8, 9 pages.

European Patent Office, Extended European Search Report mailed on Dec. 23, 2016, issued in connection with European Application No. 15746781.2, 10 pages.

European Patent Office, Notice of Appeal European Patent Application mailed on Mar. 16, 2023, issued in connection with European Application No. 15781794.1, 13 pages.

Non-Final Office Action mailed on Jan. 12, 2017, issued in connection with U.S. Appl. No. 14/275,112, filed May 12, 2014, 25 pages.

Non-Final Office Action mailed on Jan. 12, 2021, issued in connection with U.S. Appl. No. 16/952,217, filed Nov. 19, 2020, 8 pages.

Non-Final Office Action mailed on May 12, 2020, issued in connection with U.S. Appl. No. 16/516,767, filed Jul. 19, 2019, 12 pages.

Non-Final Office Action mailed on Mar. 13, 2020, issued in connection with U.S. Appl. No. 15/664,634, filed Jul. 31, 2017, 20 pages.

Non-Final Office Action mailed on Nov. 13, 2018, issued in connection with U.S. Appl. No. 16/143,301, filed Sep. 26, 2018, 27 pages.

Non-Final Office Action mailed on Jan. 14, 2020, issued in connection with U.S. Appl. No. 15/966,337, filed Apr. 30, 2018, 16 pages.

Non-Final Office Action mailed on Jun. 14, 2017, issued in connection with U.S. Appl. No. 14/495,659, filed Sep. 24, 2014, 15 pages.

Non-Final Office Action mailed on Oct. 14, 2022, issued in connection with U.S. Appl. No. 17/101,549, filed Nov. 23, 2020, 18 pages.

Non-Final Office Action mailed on Feb. 16, 2021, issued in connection with U.S. Appl. No. 16/866,159, filed May 4, 2020, 10 pages.

Non-Final Office Action mailed on Jan. 16, 2019, issued in connection with U.S. Appl. No. 15/664,634, filed Jul. 31, 2017, 17 pages.

Non-Final Office Action mailed on Dec. 17, 2015, issued in connection with U.S. Appl. No. 14/173,253, filed Feb. 5, 2014, 18 pages.

Non-Final Office Action mailed on Jun. 17, 2016, issued in connection with U.S. Appl. No. 14/495,706, filed Sep. 24, 2014, 19 pages.

Non-Final Office Action mailed on May 18, 2016, issued in connection with U.S. Appl. No. 14/197,403, filed Mar. 5, 2014, 21 pages.

Non-Final Office Action mailed on Feb. 19, 2019, issued in connection with U.S. Appl. No. 15/966,337, filed Apr. 30, 2018, 14 pages.

Non-Final Office Action mailed on Mar. 19, 2019, issued in connection with U.S. Appl. No. 15/607,267, filed May 26, 2017, 18 pages.

Non-Final Office Action mailed on Sep. 20, 2021, issued in connection with U.S. Appl. No. 17/131,001, filed Dec. 22, 2020, 14 pages.

Non-Final Office Action mailed on Jun. 21, 2018, issued in connection with U.S. Appl. No. 15/692,090, filed Aug. 31, 2017, 20 pages.

Non-Final Office Action mailed on Jan. 22, 2019, issued in connection with U.S. Appl. No. 16/174,703, filed Oct. 30, 2018, 15 pages.

Non-Final Office Action mailed on Jul. 22, 2022, issued in connection with U.S. Appl. No. 17/536,408, filed Nov. 29, 2021, 9 pages.

Non-Final Office Action mailed on Jan. 23, 2024, issued in connection with U.S. Appl. No. 18/345,031, filed Jun. 30, 2023, 10 pages.

Non-Final Office Action mailed on Mar. 23, 2018, issued in connection with U.S. Appl. No. 15/227,074, filed Aug. 3, 2016, 11 pages.

Non-Final Office Action mailed on Apr. 24, 2024, issued in connection with U.S. Appl. No. 17/485,901, filed Sep. 27, 2021, 19 pages.

Non-Final Office Action mailed on Jan. 24, 2018, issued in connection with U.S. Appl. No. 15/607,267, filed May 26, 2017, 17 pages.

Non-Final Office Action mailed on Sep. 24, 2021, issued in connection with U.S. Appl. No. 17/121,027, filed Dec. 14, 2020, 11 pages.

Non-Final Office Action mailed on Dec. 27, 2018, issued in connection with U.S. Appl. No. 14/297,193, filed Jun. 5, 2014, 37 pages.

Non-Final Office Action mailed on Jul. 27, 2023, issued in connection with U.S. Appl. No. 17/838,827, filed Jun. 13, 2022, 16 pages.

Non-Final Office Action mailed on Oct. 27, 2021, issued in connection with U.S. Appl. No. 16/866,159, filed May 4, 2020, 14 pages.

Non-Final Office Action mailed on Apr. 28, 2020, issued in connection with U.S. Appl. No. 14/297,193, filed Jun. 5, 2014, 34 pages.

Non-Final Office Action mailed on Nov. 28, 2017, issued in connection with U.S. Appl. No. 14/821,513, filed Aug. 7, 2015, 17 pages.

Non-Final Office Action mailed on Sep. 28, 2023, issued in connection with U.S. Appl. No. 17/534,217, filed Nov. 23, 2021, 29 pages.

Non-Final Office Action mailed on Sep. 30, 2020, issued in connection with U.S. Appl. No. 15/595,519, filed May 15, 2017, 18 pages.

(56)

References Cited**OTHER PUBLICATIONS**

Non-Final Office Action mailed on Aug. 31, 2023, issued in connection with U.S. Appl. No. 17/822,851, filed Aug. 29, 2022, 21 pages.

Non-Final Office Action mailed on Jul. 31, 2019, issued in connection with U.S. Appl. No. 15/595,519, filed May 15, 2017, 14 pages.

Non-Final Office Action mailed on Apr. 4, 2019, issued in connection with U.S. Appl. No. 15/612,126, filed Jun. 2, 2017, 9 pages.

Non-Final Office Action mailed on Aug. 4, 2020, issued in connection with U.S. Appl. No. 16/812,638, filed Mar. 9, 2020, 13 pages.

Non-Final Office Action mailed on Dec. 6, 2018, issued in connection with U.S. Appl. No. 14/495,633, filed Sep. 24, 2014, 15 pages.

Non-Final Office Action mailed on Jan. 6, 2023, issued in connection with U.S. Appl. No. 17/822,851, filed Aug. 29, 2022, 18 pages.

Non-Final Office Action mailed on Jun. 6, 2023, issued in connection with U.S. Appl. No. 17/930,917, filed Sep. 9, 2022, 31 pages.

Non-Final Office Action mailed on Jun. 6, 2024, issued in connection with U.S. Appl. No. 18/452,857, filed Aug. 21, 2023, 22 pages.

Non-Final Office Action mailed on May 7, 2021, issued in connection with U.S. Appl. No. 15/664,634, filed Jul. 31, 2017, 22 pages.

Non-Final Office Action mailed on Sep. 7, 2022, issued in connection with U.S. Appl. No. 17/006,972, filed Aug. 31, 2020, 14 pages.

Non-Final Office Action mailed on May 8, 2024, issued in connection with U.S. Appl. No. 17/947,610, filed Sep. 19, 2022, 12 pages.

Non-Final Office Action mailed on May 9, 2024, issued in connection with U.S. Appl. No. 17/822,851, filed Aug. 29, 2022, 23 pages.

North American MPEG-2 Information, "The MPEG-2 Transport Stream," Retrieved from the Internet: URL: <http://www.coolstf.com/mpeg/fts>, 2006, pp. 1-5.

Notice of Allowance mailed Jul. 9, 2021, issued in connection with U.S. Appl. No. 16/952,217, filed Nov. 19, 2020, 8 pages.

Notice of Allowance mailed on May 4, 2016, issued in connection with U.S. Appl. No. 13/748,357, filed Jan. 23, 2013, 11 pages.

Notice of Allowance mailed on Nov. 4, 2022, issued in connection with U.S. Appl. No. 17/569,008, filed Jan. 5, 2022, 8 pages.

Notice of Allowance mailed on Apr. 5, 2023, issued in connection with U.S. Appl. No. 17/528,808, filed Nov. 17, 2021, 11 pages.

Notice of Allowance mailed on Apr. 6, 2017, issued in connection with U.S. Appl. No. 14/197,403, filed Mar. 5, 2014, 5 pages.

Notice of Allowance mailed on Dec. 1, 2023, issued in connection with U.S. Appl. No. 17/838,827, filed Jun. 13, 2022, 10 pages.

Notice of Allowance mailed on Oct. 1, 2021, issued in connection with U.S. Appl. No. 16/846,620, filed Apr. 13, 2020, 11 pages.

Notice of Allowance mailed on Apr. 10, 2020, issued in connection with U.S. Appl. No. 16/188,186, filed Nov. 12, 2018, 10 pages.

Notice of Allowance mailed on Feb. 11, 2019, issued in connection with U.S. Appl. No. 15/692,090, filed Aug. 31, 2017, 8 pages.

Notice of Allowance mailed on Feb. 11, 2019, issued in connection with U.S. Appl. No. 16/143,301, filed Sep. 26, 2018, 15 pages.

Notice of Allowance mailed on May 11, 2022, issued in connection with U.S. Appl. No. 17/340,370, filed Jun. 7, 2021, 12 pages.

Notice of Allowance mailed on Jan. 12, 2017, issued in connection with U.S. Appl. No. 14/495,595, filed Sep. 24, 2014, 5 pages.

Notice of Allowance mailed on Apr. 13, 2022, issued in connection with U.S. Appl. No. 17/131,001, filed Dec. 22, 2020, 8 pages.

Notice of Allowance mailed on Sep. 13, 2023, issued in connection with U.S. Appl. No. 17/930,917, filed Sep. 9, 2022, 11 pages.

Notice of Allowance mailed on Dec. 17, 2019, issued in connection with U.S. Appl. No. 16/174,703, filed Oct. 30, 2018, 11 pages.

Notice of Allowance mailed on Jan. 17, 2020, issued in connection with U.S. Appl. No. 15/612,126, filed Jun. 2, 2017, 5 pages.

Notice of Allowance mailed on Jul. 18, 2018, issued in connection with U.S. Appl. No. 15/227,074, filed Aug. 3, 2016, 8 pages.

Notice of Allowance mailed on Sep. 19, 2017, issued in connection with U.S. Appl. No. 14/455,651, filed Aug. 8, 2014, 12 pages.

Notice of Allowance mailed on Aug. 20, 2020, issued in connection with U.S. Appl. No. 15/607,267, filed May 26, 2017, 8 pages.

Notice of Allowance mailed on Sep. 20, 2021, issued in connection with U.S. Appl. No. 17/129,060, filed Dec. 21, 2020, 9 pages.

Notice of Allowance mailed on Jul. 21, 2020, issued in connection with U.S. Appl. No. 15/966,337, filed Apr. 30, 2018, 11 pages.

Notice of Allowance mailed on Aug. 24, 2017, issued in connection with U.S. Appl. No. 14/495,590, filed Sep. 24, 2014, 10 pages.

Notice of Allowance mailed on Aug. 24, 2020, issued in connection with U.S. Appl. No. 16/516,767, filed Jul. 19, 2019, 9 pages.

Notice of Allowance mailed on Jan. 26, 2017, issued in connection with U.S. Appl. No. 14/495,706, filed Sep. 24, 2014, 8 pages.

Notice of Allowance mailed on Dec. 27, 2017, issued in connection with U.S. Appl. No. 14/495,659, filed Sep. 24, 2014, 6 pages.

Notice of Allowance mailed on Dec. 27, 2019, issued in connection with U.S. Appl. No. 14/495,633, filed Sep. 24, 2014, 7 pages.

Notice of Allowance mailed on Oct. 27, 2021, issued in connection with U.S. Appl. No. 15/664,634, filed Jul. 31, 2017, 7 pages.

Notice of Allowance mailed on Apr. 28, 2020, issued in connection with U.S. Appl. No. 15/612,126, filed Jun. 2, 2017, 5 pages.

Notice of Allowance mailed on Dec. 29, 2016, issued in connection with U.S. Appl. No. 14/197,403, filed Mar. 5, 2014, 5 pages.

Notice of Allowance mailed on Jul. 3, 2023, issued in connection with U.S. Appl. No. 17/006,972, filed Aug. 31, 2020, 6 pages.

Notice of Allowance mailed on Aug. 30, 2018, issued in connection with U.S. Appl. No. 14/821,513, filed Aug. 7, 2015, 10 pages.

Notice of Allowance mailed on Oct. 30, 2021, issued in connection with U.S. Appl. No. 16/458,453, filed Jul. 1, 2019, 7 pages.

Notice of Allowance mailed on May 31, 2017, issued in connection with U.S. Appl. No. 14/495,684, filed Sep. 24, 2014, 5 pages.

Notice of Allowance mailed on Feb. 4, 2023, issued in connection with U.S. Appl. No. 16/812,638, filed Mar. 9, 2020, 7 pages.

Notice of Allowance mailed on Feb. 4, 2022, issued in connection with U.S. Appl. No. 17/121,027, filed Dec. 14, 2020, 9 pages.

Notice of Allowance mailed on May 4, 2023, issued in connection with U.S. Appl. No. 14/495,595, filed Sep. 24, 2014, 5 pages.

Notice of Allowance mailed on May 4, 2022, issued in connection with U.S. Appl. No. 16/866,159, filed May 4, 2020, 8 pages.

Notice of Allowance mailed on Oct. 4, 2023, issued in connection with U.S. Appl. No. 17/536,408, filed Nov. 29, 2021, 7 pages.

Notice of Allowance mailed on Aug. 5, 2019, issued in connection with U.S. Appl. No. 15/612,126, filed Jun. 2, 2017, 5 pages.

Notice of Allowance mailed on Aug. 5, 2020, issued in connection with U.S. Appl. No. 16/188,186, filed Nov. 12, 2018, 11 pages.

Notice of Allowance mailed on May 5, 2021, issued in connection with U.S. Appl. No. 15/595,519, filed May 15, 2017, 7 pages.

Palm, Inc., "Handbook for the Palm VII Handheld," May 2000, 311 pages.

Park et al., "Group Synchronization in MultiCast Media Communications," Proceedings of the 5th Research on Multicast Technology Workshop, 2003, 5 pages.

Polycom Conference Composer User Guide, copyright 2001, 29 pages.

Pre-Brief Conference Decision mailed on Sep. 7, 2018, issued in connection with U.S. Appl. No. 14/297,193, filed Jun. 5, 2014, 2 pages.

Preinterview First Office Action mailed on May 4, 2016, issued in connection with U.S. Appl. No. 14/455,651, filed Aug. 8, 2014, 7 pages.

Preinterview First Office Action mailed on May 4, 2016, issued in connection with U.S. Appl. No. 14/495,659, filed Sep. 24, 2014, 6 pages.

Preinterview First Office Action mailed on May 5, 2016, issued in connection with U.S. Appl. No. 14/495,595, filed Sep. 24, 2014, 6 pages.

Preinterview First Office Action mailed on May 16, 2016, issued in connection with U.S. Appl. No. 14/495,633, filed Sep. 24, 2014, 6 pages.

Preinterview First Office Action mailed on Oct. 19, 2016, issued in connection with U.S. Appl. No. 14/821,513, filed Aug. 7, 2016, 5 pages.

Preinterview First Office Action mailed on May 23, 2016, issued in connection with U.S. Appl. No. 14/495,684, filed Sep. 24, 2014, 6 pages.

Presentations at WinHEC 2000, May 2000, 138 pages.

PRISMIQ, Inc., "PRISMIQ Media Player User Guide," 2003, 44 pages.

(56)

References Cited**OTHER PUBLICATIONS**

Rothermel et al., "An Adaptive Stream Synchronization Protocol," 5th International Workshop on Network and Operating System Support for Digital Audio and Video, 1995, 13 pages.

Schulzrinne H., et al., "RTP: A Transport Protocol for Real-Time Applications, RFC 3550," Network Working Group, 2003, pp. 1-89.

European Patent Office, Office Action mailed on Mar. 2, 2017, issued in connection with European Application No. 15775566.1, 7 pages.

European Patent Office, Office Action mailed on Apr. 4, 2017, issued in connection with European Application No. 15775897.0, 6 pages.

European Patent Office, Office Action mailed on Jan. 13, 2017, issued in connection with European Application No. 15781794.1, 8 pages.

European Patent Office, Office Action mailed on Mar. 13, 2017, issued in connection with European Application No. 15781200.9, 5 pages.

European Patent Office, Summons to Attend Oral Proceedings mailed on Jun. 11, 2019, issued in connection with European Application No. 14743335.3, 10 pages.

European Patent Office, Summons to Attend Oral Proceedings mailed on Nov. 20, 2020, issued in connection with European Application No. 15829058.5, 7 pages.

European Patent Office, Summons to Attend Oral Proceedings mailed on Mar. 27, 2018, issued in connection with European Patent Application No. 15781794.1, 11 pages.

European Patent Office, Summons to Oral Proceedings mailed on Apr. 11, 2022, issued in connection with European Application No. 15781794.1, 2 pages.

Final Office Action mailed on Nov. 2, 2017, issued in connection with U.S. Appl. No. 14/275,112, filed May 12, 2014, 20 pages.

Final Office Action mailed on Oct. 2, 2019, issued in connection with U.S. Appl. No. 14/297,193, filed Jun. 5, 2014, 47 pages.

Final Office Action mailed on Nov. 3, 2016, issued in connection with U.S. Appl. No. 14/495,684, filed Sep. 24, 2014, 16 pages.

Final Office Action mailed on Oct. 3, 2019, issued in connection with U.S. Appl. No. 16/174,703, filed Oct. 30, 2018, 17 pages.

Final Office Action mailed on Apr. 6, 2016, issued in connection with U.S. Appl. No. 14/173,253, filed Feb. 5, 2014, 20 pages.

Final Office Action mailed on Feb. 7, 2017, issued in connection with U.S. Appl. No. 14/455,651, filed Aug. 8, 2014, 22 pages.

Final Office Action mailed on Oct. 7, 2016, issued in connection with U.S. Appl. No. 14/495,595, filed Sep. 24, 2014, 16 pages.

Final Office Action mailed on Nov. 8, 2016, issued in connection with U.S. Appl. No. 14/495,659, filed Sep. 24, 2014, 14 pages.

Final Office Action mailed on Feb. 1, 2024, issued in connection with U.S. Appl. No. 18/067,720, filed Dec. 18, 2022, 25 pages.

Final Office Action mailed on Feb. 10, 2016, issued in connection with U.S. Appl. No. 14/197,403, filed Mar. 5, 2014, 21 pages.

Final Office Action mailed on Feb. 11, 2020, issued in connection with U.S. Appl. No. 15/595,519, filed May 15, 2017, 15 pages.

Final Office Action mailed on Feb. 16, 2017, issued in connection with U.S. Appl. No. 14/495,633, filed Sep. 24, 2014, 15 pages.

Final Office Action mailed on May 16, 2023, issued in connection with U.S. Appl. No. 17/822,851, filed Aug. 29, 2022, 21 pages.

Final Office Action mailed on Sep. 16, 2016, issued in connection with U.S. Appl. No. 14/275,112, filed May 12, 2014, 19 pages.

Final Office Action mailed on Jan. 19, 2018, issued in connection with U.S. Appl. No. 14/297,193, filed Jun. 5, 2014, 32 pages.

Final Office Action mailed on Oct. 19, 2022, issued in connection with U.S. Appl. No. 17/536,408, filed Nov. 29, 2021, 8 pages.

Final Office Action mailed on Jan. 2, 2019, issued in connection with U.S. Appl. No. 15/595,519, filed May 15, 2017, 14 pages.

Final Office Action mailed on Aug. 20, 2019, issued in connection with U.S. Appl. No. 15/607,267, filed May 26, 2017, 19 pages.

Final Office Action mailed on Oct. 20, 2016, issued in connection with U.S. Appl. No. 14/197,403, filed Mar. 5, 2016, 17 pages.

Final Office Action mailed on Dec. 22, 2022, issued in connection with U.S. Appl. No. 17/006,972, filed Aug. 31, 2020, 16 pages.

Final Office Action mailed on Dec. 26, 2023, issued in connection with U.S. Appl. No. 17/822,851, filed Aug. 29, 2022, 22 pages.

Final Office Action mailed on Mar. 28, 2018, issued in connection with U.S. Appl. No. 14/495,633, filed Sep. 24, 2014, 21 pages.

Final Office Action mailed on Oct. 29, 2018, issued in connection with U.S. Appl. No. 15/607,267, filed May 26, 2017, 17 pages.

Final Office Action mailed on Sep. 3, 2020, issued in connection with U.S. Appl. No. 15/664,634, filed Jul. 31, 2017, 24 pages.

Final Office Action mailed on Jun. 30, 2023, issued in connection with U.S. Appl. No. 17/536,408, filed Nov. 29, 2021, 8 pages.

Final Office Action mailed on Sep. 30, 2016, issued in connection with U.S. Appl. No. 14/297,193, filed Jun. 5, 2014, 34 pages.

Final Office Action mailed on Dec. 31, 2020, issued in connection with U.S. Appl. No. 14/297,193, filed Jun. 5, 2014, 26 pages.

Final Office Action mailed on Jul. 31, 2019, issued in connection with U.S. Appl. No. 15/664,634, filed Jul. 31, 2017, 16 pages.

Final Office Action mailed on May 31, 2017, issued in connection with U.S. Appl. No. 14/173,253, filed Feb. 5, 2014, 22 pages.

Final Office Action mailed on May 31, 2017, issued in connection with U.S. Appl. No. 14/821,513, filed Aug. 7, 2015, 16 pages.

Final Office Action mailed on Jul. 5, 2019, issued in connection with U.S. Appl. No. 14/495,633, filed Sep. 24, 2014, 16 pages.

Final Office Action mailed on Jul. 5, 2019, issued in connection with U.S. Appl. No. 15/966,337, filed Apr. 30, 2018, 16 pages.

Final Office Action mailed on Jun. 7, 2021, issued in connection with U.S. Appl. No. 16/866,159, filed May 4, 2020, 14 pages.

Final Office Action mailed on Sep. 8, 2023, issued in connection with U.S. Appl. No. 17/485,901, filed Sep. 27, 2021, 17 pages.

First Action Interview Office Action mailed on Apr. 4, 2016, issued in connection with U.S. Appl. No. 14/275,112, filed May 12, 2014, 8 pages.

First Action Interview Office Action mailed on Jul. 7, 2016, issued in connection with U.S. Appl. No. 14/495,595, filed Sep. 24, 2014, 6 pages.

First Action Interview Office Action mailed on Jul. 11, 2016, issued in connection with U.S. Appl. No. 14/495,684, filed Sep. 24, 2014, 8 pages.

First Action Interview Office Action mailed on Jul. 13, 2016, issued in connection with U.S. Appl. No. 14/455,651, filed Aug. 8, 2014, 10 pages.

First Action Interview Office Action mailed on Oct. 13, 2016, issued in connection with U.S. Appl. No. 14/495,633, filed Sep. 24, 2014, 8 pages.

First Action Interview Office Action mailed on Dec. 14, 2016, issued in connection with U.S. Appl. No. 14/821,513, filed Aug. 7, 2015, 10 pages.

First Action Interview Office Action mailed on Nov. 14, 2019, issued in connection with U.S. Appl. No. 16/188,186, filed Nov. 12, 2018, 14 pages.

First Action Interview Office Action mailed on Jan. 17, 2020, issued in connection with U.S. Appl. No. 16/188,186, filed Nov. 12, 2018, 14 pages.

* cited by examiner




FIGURE 1




FIGURE 2




FIGURE 3




FIGURE 4




FIGURE 5




FIGURE 6




FIGURE 7




FIGURE 8




FIGURE 9




FIGURE 10

1100A

GROUPS (4 groups)	X
GROUP 1 GROUP 2 GROUP 3	
Media Playback System 1 (Jacob)	<input checked="" type="checkbox"/>
Media Playback System 2 (Mason)	<input type="checkbox"/>
Media Playback System 3 (Ethan)	<input type="checkbox"/>
Media Playback System 4 (Mateo)	<input type="checkbox"/>
Clear	Save

1102A

1104A

1106A

1108A

1100B

GROUPS (4 groups)	X
P 1 GROUP 2 GROUP 3 GRO	
Media Playback System 1 (Jacob)	<input checked="" type="checkbox"/>
Media Playback System 2 (Mason)	<input checked="" type="checkbox"/>
Media Playback System 3 (Ethan)	<input checked="" type="checkbox"/>
Media Playback System 4 (Mateo)	<input type="checkbox"/>
Clear	Save

1102B

1104B

1106B

1108B

FIGURE 11A

FIGURE 11B




FIGURE 12A




FIGURE 12B

1

SOCIAL MEDIA QUEUE ACROSS MULTIPLE STREAMING MEDIA SERVICES

CROSS-REFERENCE TO RELATED APPLICATIONS

This application is a continuation of U.S. application Ser. No. 17/536,408 titled “Multimedia Content Distribution System and Method,” filed on Nov. 29, 2021, and issued on Feb. 13, 2024, as U.S. Pat. No. 11,899,708; U.S. application Ser. No. 17/536,408 is a continuation of U.S. application Ser. No. 16/952,217 titled “Multimedia Content Distribution System and Method,” filed on Nov. 19, 2020, and issued on Nov. 30, 2021 as U.S. Pat. No. 11,190,564; which U.S. application Ser. No. 16/952,217 is a continuation of U.S. application Ser. No. 14/297,193 titled “Social Queue,” filed on Jun. 5, 2014, and now abandoned. The entire content of these the Ser. Nos. 17/536,408; 16/952,217; and 14/297,193 applications is incorporated herein by reference.

FIELD OF THE DISCLOSURE

The disclosure is related to consumer goods and, more particularly, to methods, systems, products, features, services, and other elements directed to media playback or some aspect thereof.

BACKGROUND

Options for accessing and listening to digital audio in an out-loud setting were limited until in 2003, when SONOS, Inc. filed for one of its first patent applications, entitled “Method for Synchronizing Audio Playback between Multiple Networked Devices,” and began offering a media playback system for sale in 2005. The Sonos Wireless HiFi System enables people to experience music from many sources via one or more networked playback devices. Through a software control application installed on a smartphone, tablet, or computer, one can play what he or she wants in any room that has a networked playback device. Additionally, using the controller, for example, different songs can be streamed to each room with a playback device, rooms can be grouped together for synchronous playback, or the same song can be heard in all rooms synchronously.

Given the ever growing interest in digital media, there continues to be a need to develop consumer-accessible technologies to further enhance the listening experience.

BRIEF DESCRIPTION OF THE DRAWINGS

Features, aspects, and advantages of the presently disclosed technology may be better understood with regard to the following description, appended claims, and accompanying drawings where:

FIG. 1 shows an example media playback system configuration in which certain embodiments may be practiced;

FIG. 2 shows a functional block diagram of an example playback device;

FIG. 3 shows a functional block diagram of an example control device;

FIG. 4 shows an example controller interface;

FIG. 5 shows a functional block diagram of an example computing device;

FIG. 6 is a simplified representation of an example system for cloud computing;

FIG. 7 shows an example environment in which the present methods may be implemented;

2

FIG. 8 shows an example flow diagram for generating a social queue;

FIG. 9 shows an example flow diagram to facilitate a social queue for use by a group of media playback systems;

FIG. 10 shows a second example flow diagram to facilitate a social queue for use by a group of media playback systems;

FIGS. 11A and 11B show example user interfaces to facilitate group formation;

FIGS. 12A and 12B show example user interfaces to facilitate social queue interaction.

The drawings are for the purpose of illustrating example embodiments, but it is understood that the inventions are not limited to the arrangements and instrumentality shown in the drawings.

DETAILED DESCRIPTION

I. Overview

In some arrangements, a device within a media playback system may generate a playback queue of media items. The media playback system may then perform various operations with respect to the playback queue. For instance, the media playback system may play back media items in the playback queue. Further, input received by the media playback system may modify the playback queue by adding media items to or removing media items from the playback queue. Some such uses of the playback queue might be limited to use by the media playback system itself.

Examples described herein involve a “social” queue of media items for use by a group of two or more media playback systems. Media playback systems in the group may collaboratively interact with the social queue. For instance, each media playback system in the group may contribute media items to the social queue, such that the social queue includes media items contributed from multiple media playback system in the group. Further, each media playback system in the group may play back the media items in the social queue.

In one example, a group of media playback systems may include a first media playback system and a second media playback system. The first media playback system and the second media playback system may be in different locations, such as at a first user’s home or workplace and at a second user’s home or workplace, respectively. The first media playback system may communicate with the second media playback system over a network, such as the Internet. A first control device of the first media playback system may create, access, and modify the social queue. Likewise, a second control device of the second media playback system may create, access, and modify the social queue. Further, the first control device and the second control device may cause playback of media items in the social queue at one or more first playback devices of the first media playback system and one or more second playback devices of the second media playback system, respectively. In this way, the first control device and the second control device may facilitate collaborative interaction to control playback of media items at their respective media playback systems by interaction with the social queue.

As members of a group, the first media playback system and the second media playback system may have certain defined relationships with one another. They may share information, such as media items to add to the social queue or an indication of whether the media system is presently accessing the social queue. Further, they may operate

3

according to one or more group rules. One group rule may require the first media playback system and the second media playback system to have access to one or more of the same audio content sources, to facilitate access by both media playback systems to media playback items in the social queue. Many other examples of information sharing and group rules are possible as well.

In some cases, a cloud service, such as a social networking service, may facilitate group formation and use of the social queue. For instance, a social networking service may provide an interface for selecting media playback systems for grouping. Such selectable media playback systems may be registered to users with whom the particular user of the social networking service has formed connections within the social networking service. For example, the a media playback system registered to a particular user may offer to group with media playback systems of one or more of the user's "friends" on a social networking service. The interface of the social networking service may also provide transport controls for causing playback of the social queue on the media playback system and media selection controls for selecting media items to add to the social queue.

As indicated above, the present application involves a social queue for a group of media playback systems. In one aspect, a method is provided. The method involves receiving, from a first media playback system, a first message indicating a first set of media items and receiving, from a second media playback system, a second message indicating a second set of media items. The method also involves generating a playback queue comprising the first set of media items indicated in the first message and the second set of media items indicated in the second message. The method further involves transmitting, to at least one of the first media playback system and the second media playback system, the generated playback queue.

In another aspect, a device is provided. The device includes a processor, a network interface, a non-transitory computer-readable storage medium, and program logic stored on the non-transitory computer-readable medium and executable by the processor to perform functions. The functions include receiving, from a first media playback system, a first message indicating a first set of media items and receiving, from a second media playback system, a second message indicating a second set of media items. The functions also include generating a playback queue comprising the first set of media items indicated in the first message and the second set of media items indicated in the second message. The functions further include transmitting, to at least one of the first media playback system and the second media playback system, the generated playback queue.

In yet another aspect, a non-transitory computer readable memory is provided. The non-transitory computer readable memory has stored thereon instructions executable by a computing device to cause the computing device to perform functions. The functions include receiving, from a first media playback system, a first message indicating a first set of media items and receiving, from a second media playback system, a second message indicating a second set of media items. The functions also include generating a playback queue comprising the first set of media items indicated in the first message and the second set of media items indicated in the second message. The functions further include transmitting, to at least one of the first media playback system and the second media playback system, the generated playback queue.

4

In another aspect, a method is provided. The method involves receiving, at a computing device associated with a first media playback system, a command to form a group of media playback systems that comprises the first media playback system and at least one other media playback system. The method also involves receiving, at the computing device, an identification of at least one source of audio for playback by the group of media playback systems. The method further involve sending, by the computing device to the at least one other media playback system, a message comprising (i) an indication of the received command to form the group of media playback systems and (ii) an indication of the at least one source of audio for playback by the group of media playback systems.

In yet another aspect, a device is provided. The device includes a processor, a network interface, a non-transitory computer-readable storage medium, and program logic stored on the non-transitory computer-readable medium and executable by the processor to perform functions. The functions include receiving, at a computing device associated with a first media playback system, a command to form a group of media playback systems that comprises the first media playback system and at least one other media playback system. The function also include receiving, at the computing device, an identification of at least one source of audio for playback by the group of media playback systems. The functions further include sending, by the computing device to the at least one other media playback system, a message comprising (i) an indication of the received command to form the group of media playback systems and (ii) an indication of the at least one source of audio for playback by the group of media playback systems.

In another aspect, a non-transitory computer readable memory is provided. The non-transitory computer readable memory has stored thereon instructions executable by a computing device to cause the computing device to perform functions. The functions include receiving, at a computing device associated with a first media playback system, a command to form a group of media playback systems that comprises the first media playback system and at least one other media playback system. The function also include receiving, at the computing device, an identification of at least one source of audio for playback by the group of media playback systems. The functions further include sending, by the computing device to the at least one other media playback system, a message comprising (i) an indication of the received command to form the group of media playback systems and (ii) an indication of the at least one source of audio for playback by the group of media playback systems.

In yet one aspect, a method is provided. The method involves receiving an instruction that causes at least a first media playback system and a second media playback system to form a group of media playback systems. The method also involves receiving, from a third-party service provider, a first message indicating a first set of media items and a second message indicating a second set of media items. The method further involves generating a playback queue comprising the first set of media items indicated in the received first message and the second set of media items indicated in the received second message. The method also involves transmitting, to each media playback system in the group of media playback system, the generated playback queue.

In another aspect, a device is provided. The device includes a processor, a network interface, a non-transitory computer-readable storage medium, and program logic stored on the non-transitory computer-readable medium and executable by the processor to perform functions. The

5

functions include receiving an instruction that causes at least a first media playback system and a second media playback system to form a group of media playback systems. The functions also include receiving, from a third-party service provider, a first message indicating a first set of media items and a second message indicating a second set of media items. The functions further include generating a playback queue comprising the first set of media items indicated in the received first message and the second set of media items indicated in the received second message. The functions also include transmitting, to each media playback system in the group of media playback system, the generated playback queue.

In yet another aspect, a non-transitory computer readable memory is provided. The non-transitory computer readable memory has stored thereon instructions executable by a computing device to cause the computing device to perform functions. The functions include receiving an instruction that causes at least a first media playback system and a second media playback system to form a group of media playback systems. The functions also include receiving, from a third-party service provider, a first message indicating a first set of media items and a second message indicating a second set of media items. The functions further include generating a playback queue comprising the first set of media items indicated in the received first message and the second set of media items indicated in the received second message. The functions also include transmitting, to each media playback system in the group of media playback system, the generated playback queue.

It will be understood by one of ordinary skill in the art that this disclosure includes numerous other embodiments. While some examples described herein may refer to functions performed by given actors such as “users” and/or other entities, it should be understood that this description is for purposes of explanation only. The claims should not be interpreted to require action by any such example actor unless explicitly required by the language of the claims themselves.

II. Example Operating Environment

FIG. 1 shows an example configuration of a media playback system 100 in which one or more embodiments disclosed herein may be practiced or implemented. The media playback system 100 as shown is associated with an example home environment having several rooms and spaces, such as for example, a master bedroom, an office, a dining room, and a living room. As shown in the example of FIG. 1, the media playback system 100 includes playback devices 102-124, control devices 126 and 128, and a wired or wireless network router 130.

Further discussions relating to the different components of the example media playback system 100 and how the different components may interact to provide a user with a media experience may be found in the following sections. While discussions herein may generally refer to the example media playback system 100, technologies described herein are not limited to applications within, among other things, the home environment as shown in FIG. 1. For instance, the technologies described herein may be useful in environments where multi-zone audio may be desired, such as, for example, a commercial setting like a restaurant, mall or airport, a vehicle like a sports utility vehicle (SUV), bus or car, a ship or boat, an airplane, and so on.

a. Example Playback Devices

FIG. 2 shows a functional block diagram of an example playback device 200 that may be configured to be one or

6

more of the playback devices 102-124 of the media playback system 100 of FIG. 1. The playback device 200 may include a processor 202, software components 204, memory 206, audio processing components 208, audio amplifier(s) 210, speaker(s) 212, and a network interface 214 including wireless interface(s) 216 and wired interface(s) 218. In one case, the playback device 200 may not include the speaker(s) 212, but rather a speaker interface for connecting the playback device 200 to external speakers. In another case, the playback device 200 may include neither the speaker(s) 212 nor the audio amplifier(s) 210, but rather an audio interface for connecting the playback device 200 to an external audio amplifier or audio-visual receiver.

In one example, the processor 202 may be a clock-driven computing component configured to process input data according to instructions stored in the memory 206. The memory 206 may be a tangible computer-readable medium configured to store instructions executable by the processor 202. For instance, the memory 206 may be data storage that can be loaded with one or more of the software components 204 executable by the processor 202 to achieve certain functions. In one example, the functions may involve the playback device 200 retrieving audio data from an audio source or another playback device. In another example, the functions may involve the playback device 200 sending audio data to another device or playback device on a network. In yet another example, the functions may involve pairing of the playback device 200 with one or more playback devices to create a multi-channel audio environment.

Certain functions may involve the playback device 200 synchronizing playback of audio content with one or more other playback devices. During synchronous playback, a listener will preferably not be able to perceive time-delay differences between playback of the audio content by the playback device 200 and the one or more other playback devices. U.S. Pat. No. 8,234,395 entitled, “System and method for synchronizing operations among a plurality of independently clocked digital data processing devices,” which is hereby incorporated by reference, provides in more detail some examples for audio playback synchronization among playback devices.

The memory 206 may further be configured to store data associated with the playback device 200, such as one or more zones and/or zone groups the playback device 200 is a part of, audio sources accessible by the playback device 200, or a playback queue that the playback device 200 (or some other playback device) may be associated with. The data may be stored as one or more state variables that are periodically updated and used to describe the state of the playback device 200. The memory 206 may also include the data associated with the state of the other devices of the media system, and shared from time to time among the devices so that one or more of the devices have the most recent data associated with the system. Other embodiments are also possible.

The audio processing components 208 may include one or more digital-to-analog converters (DAC), an audio pre-processing component, an audio enhancement component or a digital signal processor (DSP), and so on. In one embodiment, one or more of the audio processing components 208 may be a subcomponent of the processor 202. In one example, audio content may be processed and/or intentionally altered by the audio processing components 208 to produce audio signals. The produced audio signals may then be provided to the audio amplifier(s) 210 for amplification and playback through speaker(s) 212. Particularly, the audio

amplifier(s) **210** may include devices configured to amplify audio signals to a level for driving one or more of the speakers **212**. The speaker(s) **212** may include an individual transducer (e.g., a “driver”) or a complete speaker system involving an enclosure with one or more drivers. A particular driver of the speaker(s) **212** may include, for example, a subwoofer (e.g., for low frequencies), a mid-range driver (e.g., for middle frequencies), and/or a tweeter (e.g., for high frequencies). In some cases, each transducer in the one or more speakers **212** may be driven by an individual corresponding audio amplifier of the audio amplifier(s) **210**. In addition to producing analog signals for playback by the playback device **200**, the audio processing components **208** may be configured to process audio content to be sent to one or more other playback devices for playback.

Audio content to be processed and/or played back by the playback device **200** may be received from an external source, such as via an audio line-in input connection (e.g., an auto-detecting 3.5 mm audio line-in connection) or the network interface **214**.

The network interface **214** may be configured to facilitate a data flow between the playback device **200** and one or more other devices on a data network. As such, the playback device **200** may be configured to receive audio content over the data network from one or more other playback devices in communication with the playback device **200**, network devices within a local area network, or audio content sources over a wide area network such as the Internet. In one example, the audio content and other signals transmitted and received by the playback device **200** may be transmitted in the form of digital packet data containing an Internet Protocol (IP)-based source address and IP-based destination addresses. In such a case, the network interface **214** may be configured to parse the digital packet data such that the data destined for the playback device **200** is properly received and processed by the playback device **200**.

As shown, the network interface **214** may include wireless interface(s) **216** and wired interface(s) **218**. The wireless interface(s) **216** may provide network interface functions for the playback device **200** to wirelessly communicate with other devices (e.g., other playback device(s), speaker(s), receiver(s), network device(s), control device(s) within a data network the playback device **200** is associated with) in accordance with a communication protocol (e.g., any wireless standard including IEEE 802.11a, 802.11b, 802.11g, 802.11n, 802.11ac, 802.15, 4G mobile communication standard, and so on). The wired interface(s) **218** may provide network interface functions for the playback device **200** to communicate over a wired connection with other devices in accordance with a communication protocol (e.g., IEEE 802.3). While the network interface **214** shown in FIG. 2 includes both wireless interface(s) **216** and wired interface(s) **218**, the network interface **214** may in some embodiments include only wireless interface(s) or only wired interface(s).

In one example, the playback device **200** and one other playback device may be paired to play two separate audio components of audio content. For instance, playback device **200** may be configured to play a left channel audio component, while the other playback device may be configured to play a right channel audio component, thereby producing or enhancing a stereo effect of the audio content. The paired playback devices (also referred to as “bonded playback devices”) may further play audio content in synchrony with other playback devices.

In another example, the playback device **200** may be sonically consolidated with one or more other playback

devices to form a single, consolidated playback device. A consolidated playback device may be configured to process and reproduce sound differently than an unconsolidated playback device or playback devices that are paired, because a consolidated playback device may have additional speaker drivers through which audio content may be rendered. For instance, if the playback device **200** is a playback device designed to render low frequency range audio content (i.e., a subwoofer), the playback device **200** may be consolidated with a playback device designed to render full frequency range audio content. In such a case, the full frequency range playback device, when consolidated with the low frequency playback device **200**, may be configured to render only the mid and high frequency components of audio content, while the low frequency range playback device **200** renders the low frequency component of the audio content. The consolidated playback device may further be paired with a single playback device or yet another consolidated playback device.

By way of illustration, SONOS, Inc. presently offers (or has offered) for sale certain playback devices including a “PLAY:1,” “PLAY:3,” “PLAY:5,” “PLAYBAR,” “CONNECT:AMP,” “CONNECT,” and “SUB.” Any other past, present, and/or future playback devices may additionally or alternatively be used to implement the playback devices of example embodiments disclosed herein. Additionally, it is understood that a playback device is not limited to the example illustrated in FIG. 2 or to the SONOS product offerings. For example, a playback device may include a wired or wireless headphone. In another example, a playback device may include or interact with a docking station for personal mobile media playback devices. In yet another example, a playback device may be integral to another device or component such as a television, a lighting fixture, or some other device for indoor or outdoor use.

b. Example Playback Zone Configurations

Referring back to the media playback system **100** of FIG. 1, the environment may have one or more playback zones, each with one or more playback devices. The media playback system **100** may be established with one or more playback zones, after which one or more zones may be added, or removed to arrive at the example configuration shown in FIG. 1. Each zone may be given a name according to a different room or space such as an office, bathroom, master bedroom, bedroom, kitchen, dining room, living room, and/or balcony. In one case, a single playback zone may include multiple rooms or spaces. In another case, a single room or space may include multiple playback zones.

As shown in FIG. 1, the balcony, dining room, kitchen, bathroom, office, and bedroom zones each have one playback device, while the living room and master bedroom zones each have multiple playback devices. In the living room zone, playback devices **104**, **106**, **108**, and **110** may be configured to play audio content in synchrony as individual playback devices, as one or more bonded playback devices, as one or more consolidated playback devices, or any combination thereof. Similarly, in the case of the master bedroom, playback devices **122** and **124** may be configured to play audio content in synchrony as individual playback devices, as a bonded playback device, or as a consolidated playback device.

In one example, one or more playback zones in the environment of FIG. 1 may each be playing different audio content. For instance, the user may be grilling in the balcony zone and listening to hip hop music being played by the

playback device **102** while another user may be preparing food in the kitchen zone and listening to classical music being played by the playback device **114**. In another example, a playback zone may play the same audio content in synchrony with another playback zone. For instance, the user may be in the office zone where the playback device **118** is playing the same rock music that is being playing by playback device **102** in the balcony zone. In such a case, playback devices **102** and **118** may be playing the rock music in synchrony such that the user may seamlessly (or at least substantially seamlessly) enjoy the audio content that is being played out-loud while moving between different playback zones. Synchronization among playback zones may be achieved in a manner similar to that of synchronization among playback devices, as described in previously referenced U.S. Pat. No. 8,234,395.

As suggested above, the zone configurations of the media playback system **100** may be dynamically modified, and in some embodiments, the media playback system **100** supports numerous configurations. For instance, if a user physically moves one or more playback devices to or from a zone, the media playback system **100** may be reconfigured to accommodate the change(s). For instance, if the user physically moves the playback device **102** from the balcony zone to the office zone, the office zone may now include both the playback device **118** and the playback device **102**. The playback device **102** may be paired or grouped with the office zone and/or renamed if so desired via a control device such as the control devices **126** and **128**. On the other hand, if the one or more playback devices are moved to a particular area in the home environment that is not already a playback zone, a new playback zone may be created for the particular area.

Further, different playback zones of the media playback system **100** may be dynamically combined into zone groups or split up into individual playback zones. For instance, the dining room zone and the kitchen zone **114** may be combined into a zone group for a dinner party such that playback devices **112** and **114** may render audio content in synchrony. On the other hand, the living room zone may be split into a television zone including playback device **104**, and a listening zone including playback devices **106**, **108**, and **110**, if the user wishes to listen to music in the living room space while another user wishes to watch television.

c. Example Control Devices

FIG. **3** shows a functional block diagram of an example control device **300** that may be configured to be one or both of the control devices **126** and **128** of the media playback system **100**. As shown, the control device **300** may include a processor **302**, memory **304**, a network interface **306**, and a user interface **308**. In one example, the control device **300** may be a dedicated controller for the media playback system **100**. In another example, the control device **300** may be a network device on which media playback system controller application software may be installed, such as for example, an iPhone™, iPad™ or any other smart phone, tablet or network device (e.g., a networked computer such as a PC or Mac™).

The processor **302** may be configured to perform functions relevant to facilitating user access, control, and configuration of the media playback system **100**. The memory **304** may be configured to store instructions executable by the processor **302** to perform those functions. The memory **304** may also be configured to store the media playback

system controller application software and other data associated with the media playback system **100** and the user.

In one example, the network interface **306** may be based on an industry standard (e.g., infrared, radio, wired standards including IEEE 802.3, wireless standards including IEEE 802.11a, 802.11b, 802.11g, 802.11n, 802.11ac, 802.15, 4G mobile communication standard, and so on). Control device **300** may communicate with other devices in the media playback system **100** via network interface **306**. In one example, data and information (e.g., such as a state variable) may be communicated between control device **300** and other devices via the network interface **306**. For instance, playback zone and zone group configurations in the media playback system **100** may be received by the control device **300** from a playback device or another network device, or transmitted by the control device **300** to another playback device or network device via the network interface **306**. In some cases, the other network device may be another control device.

Playback device control commands such as volume control and audio playback control may also be communicated from the control device **300** to a playback device via the network interface **306**. As suggested above, changes to configurations of the media playback system **100** may also be performed by a user using the control device **300**. The configuration changes may include adding/removing one or more playback devices to/from a zone, adding/removing one or more zones to/from a zone group, forming a bonded or consolidated player, separating one or more playback devices from a bonded or consolidated player, among others. Accordingly, the control device **300** may sometimes be referred to as a controller, whether the control device **300** is a dedicated controller or a network device on which media playback system controller application software is installed.

The user interface **308** of the control device **300** may be configured to facilitate user access and control of the media playback system **100**, by providing a controller interface such as the controller interface **400** shown in FIG. **4**. The controller interface **400** includes a playback control region **410**, a playback zone region **420**, a playback status region **430**, a playback queue region **440**, and an audio content sources region **450**. The user interface **400** as shown is just one example of a user interface that may be provided on a network device such as the control device **300** of FIG. **3** (and/or the control devices **126** and **128** of FIG. **1**) and accessed by users to control a media playback system such as the media playback system **100**. Other user interfaces of varying formats, styles, and interactive sequences may alternatively be implemented on one or more network devices to provide comparable control access to a media playback system.

The playback control region **410** may include selectable (e.g., by way of touch or by using a cursor) icons to cause playback devices in a selected playback zone or zone group to play or pause, fast forward, rewind, skip to next, skip to previous, enter/exit shuffle mode, enter/exit repeat mode, enter/exit cross fade mode. The playback control region **410** may also include selectable icons to modify equalization settings, and playback volume, among other possibilities.

The playback zone region **420** may include representations of playback zones within the media playback system **100**. In some embodiments, the graphical representations of playback zones may be selectable to bring up additional selectable icons to manage or configure the playback zones in the media playback system, such as a creation of bonded zones, creation of zone groups, separation of zone groups, and renaming of zone groups, among other possibilities.

11

For example, as shown, a “group” icon may be provided within each of the graphical representations of playback zones. The “group” icon provided within a graphical representation of a particular zone may be selectable to bring up options to select one or more other zones in the media playback system to be grouped with the particular zone. Once grouped, playback devices in the zones that have been grouped with the particular zone will be configured to play audio content in synchrony with the playback device(s) in the particular zone. Analogously, a “group” icon may be provided within a graphical representation of a zone group. In this case, the “group” icon may be selectable to bring up options to deselect one or more zones in the zone group to be removed from the zone group. Other interactions and implementations for grouping and ungrouping zones via a user interface such as the user interface 400 are also possible. The representations of playback zones in the playback zone region 420 may be dynamically updated as playback zone or zone group configurations are modified.

The playback status region 430 may include graphical representations of audio content that is presently being played, previously played, or scheduled to play next in the selected playback zone or zone group. The selected playback zone or zone group may be visually distinguished on the user interface, such as within the playback zone region 420 and/or the playback status region 430. The graphical representations may include track title, artist name, album name, album year, track length, and other relevant information that may be useful for the user to know when controlling the media playback system via the user interface 400.

The playback queue region 440 may include graphical representations of audio content in a playback queue associated with the selected playback zone or zone group. In some embodiments, each playback zone or zone group may be associated with a playback queue containing information corresponding to zero or more audio items for playback by the playback zone or zone group. For instance, each audio item in the playback queue may comprise a uniform resource identifier (URI), a uniform resource locator (URL) or some other identifier that may be used by a playback device in the playback zone or zone group to find and/or retrieve the audio item from a local audio content source or a networked audio content source, possibly for playback by the playback device.

In one example, a playlist may be added to a playback queue, in which case information corresponding to each audio item in the playlist may be added to the playback queue. In another example, audio items in a playback queue may be saved as a playlist. In a further example, a playback queue may be empty, or populated but “not in use” when the playback zone or zone group is playing continuously streaming audio content, such as Internet radio that may continue to play until otherwise stopped, rather than discrete audio items that have playback durations. In an alternative embodiment, a playback queue can include Internet radio and/or other streaming audio content items and be “in use” when the playback zone or zone group is playing those items. Other examples are also possible.

When playback zones or zone groups are “grouped” or “ungrouped,” playback queues associated with the affected playback zones or zone groups may be cleared or re-associated. For example, if a first playback zone including a first playback queue is grouped with a second playback zone including a second playback queue, the established zone group may have an associated playback queue that is initially empty, that contains audio items from the first playback queue (such as if the second playback zone was added

12

to the first playback zone), that contains audio items from the second playback queue (such as if the first playback zone was added to the second playback zone), or a combination of audio items from both the first and second playback queues. Subsequently, if the established zone group is ungrouped, the resulting first playback zone may be re-associated with the previous first playback queue, or be associated with a new playback queue that is empty or contains audio items from the playback queue associated with the established zone group before the established zone group was ungrouped. Similarly, the resulting second playback zone may be re-associated with the previous second playback queue, or be associated with a new playback queue that is empty, or contains audio items from the playback queue associated with the established zone group before the established zone group was ungrouped. Other examples are also possible.

Referring back to the user interface 400 of FIG. 4, the graphical representations of audio content in the playback queue region 440 may include track titles, artist names, track lengths, and other relevant information associated with the audio content in the playback queue. In one example, graphical representations of audio content may be selectable to bring up additional selectable icons to manage and/or manipulate the playback queue and/or audio content represented in the playback queue. For instance, a represented audio content may be removed from the playback queue, moved to a different position within the playback queue, or selected to be played immediately, or after any currently playing audio content, among other possibilities. A playback queue associated with a playback zone or zone group may be stored in a memory on one or more playback devices in the playback zone or zone group, on a playback device that is not in the playback zone or zone group, and/or some other designated device.

The audio content sources region 450 may include graphical representations of selectable audio content sources from which audio content may be retrieved and played by the selected playback zone or zone group. Discussions pertaining to audio content sources may be found in the following section.

d. Example Audio Content Sources

As indicated previously, one or more playback devices in a zone or zone group may be configured to retrieve for playback audio content (e.g., according to a corresponding URI or URL for the audio content) from a variety of available audio content sources. In one example, audio content may be retrieved by a playback device directly from a corresponding audio content source (e.g., a line-in connection). In another example, audio content may be provided to a playback device over a network via one or more other playback devices or network devices.

Example audio content sources may include a memory of one or more playback devices in a media playback system such as the media playback system 100 of FIG. 1, local music libraries on one or more network devices (such as a control device, a network-enabled personal computer, or a networked-attached storage (NAS), for example), streaming audio services providing audio content via the Internet (e.g., the cloud), or audio sources connected to the media playback system via a line-in input connection on a playback device or network device, among other possibilities.

In some embodiments, audio content sources may be regularly added or removed from a media playback system such as the media playback system 100 of FIG. 1. In one

example, an indexing of audio items may be performed whenever one or more audio content sources are added, removed or updated. Indexing of audio items may involve scanning for identifiable audio items in all folders/directory shared over a network accessible by playback devices in the media playback system, and generating or updating an audio content database containing metadata (e.g., title, artist, album, track length, among others) and other associated information, such as a URI or URL for each identifiable audio item found. Other examples for managing and maintaining audio content sources may also be possible.

e. Example Cloud Computing Functions

Various references are made herein to “cloud computing” The term “cloud computing” is used to refer to services delivered using distributed computing over a network, such as the Internet. A non-exhaustive list of services delivered via the cloud include electronic mail (e.g., Gmail® or Hotmail®), social networking (e.g., Facebook®, LinkedIn®, or Twitter®), file hosting (e.g., Dropbox®), and streaming audio (e.g., Spotify®, Pandora®, or BeatsAudio®). Other cloud services are certainly offered as well.

Cloud service providers may offer one or more interfaces for accessing their service over a network. For instance, some cloud services may be accessed by visiting a web site using a web browser. Other cloud services are accessed by executing a particular application specific to the cloud service on a computing device. Some cloud services may offer an application programming interface (API) to facilitate access to the service by a third-party web site or application. In many cases, a user who has access to a given cloud service can access the service from any computing device that is connected to the network, provided that the computing device has a supported interface to the cloud service.

In one instance, accessing a cloud service may involve accessing, with a first computing device (i.e., a client), a second computing device (i.e., a server). Example client devices may include playback device 200 of FIG. 2, or control device 300 of FIG. 3, among other possible devices. One or more programs or applications (i.e., instructions) may execute on the server to perform computing tasks supported by the cloud service. The client may send various commands to the server to instruct the server to perform the computing tasks supported by the cloud service.

FIG. 5 illustrates an example computing device 500 that may provide a cloud service to one or more users. Example computing device 500 includes at least one processor 502, memory 504, and a network interface 506. The memory 504 may contain instructions executable by the processor 502 to perform computing tasks supported by a cloud service. The computing device 500 may communicate with other computing devices via the network interface 506.

In aggregate, the provision of a cloud service may involve multiple instances of computing device 500. Each instance of computing device 500 may provide the cloud service to one or more users. Cloud service providers may scale the number of instances of computing device 500 involved in providing the cloud service based on user demand.

FIG. 6 illustrates an example cloud 600. The example cloud 600 may include any number of computing devices which are interconnected via one or more networks. For instance, cloud 600 may include one or more instances of computing device 500. As shown in FIG. 6, media playback systems 610 and 620 are connected to cloud 600. In par-

ticular, media playback system 610 includes playback devices 612 and 614 and control device 616, each having a respective connection to cloud 600. Likewise, media playback system 620 includes playback devices 622 and 624 and control device 626, each having a respective connection to cloud 600.

Using the cloud 600, media playback systems 610 and 620 may access various cloud services. For example, a cloud service provider may provide one or more first-party services 602. In one instance, a manufacturer of media playback systems 610 and 620 may provide the one or more first-party services 602 to media playback systems 610 and 620. The one or more first-party services 602 may support various features of the media playback systems 610 and 620. Alternatively, another cloud service provider may provide the one or more first-party services 602 to media playback systems 610 and 620 under the direction of the manufacturer of media playback systems 610 and 620.

Media playback systems 610 and 620 may also access one or more streaming audio services 604. As noted above, streaming audio services may provide audio content to media playback systems. Several example streaming audio services that are currently available include Spotify®, Pandora®, BeatsAudio®, Rdio®, Google Play Music All Access®, Sony Music Unlimited®, iTunes Radio®, Xbox Music®, and TuneIn Radio®. Other streaming audio services certainly exist, and other streaming audio services may be offered in the future.

Media playback systems 610 and 620 may also access one or more social network services 606. Social network services are often characterized at least in part by various links between users of the service. Such links are referred to by different names, such as “friends”, “connections”, “followers”, or “favorites,” among other examples. Users may create such links for various reasons. For instance, in some cases, the users may have a relationship outside of the social network (e.g., co-workers, relatives, or college friends). In other cases, two users may have similar interests (e.g., fans of a particular band or genre) or belong to a certain group and then form a link in the social network because they share these similar interests.

Social network services may provide access to various other cloud services. For instance, a social network service may provide an interface for accessing a streaming audio service. Such an interface may include transport controls controlling play back with respect to the streaming audio service. Further, such an interface could include media content controls for selecting media items provided by the streaming audio service for play back.

The above discussions relating to playback devices, controller devices, playback zone configurations, media content sources, and cloud computing provide only some examples of operating environments within which functions and methods described below may be implemented. Other operating environments and configurations of media playback systems, playback devices, and network devices not explicitly described herein may also be applicable and suitable for implementation of the functions and methods.

III. Example Social Queue for a Group of Media Playback Systems

As discussed above, embodiments described herein may involve a “social” queue for use by two or more media playback systems that are grouped together. For instance, two or more media playback systems may form a group of

15

media playback systems. Then, the two or more grouped media playback systems may interact with a social queue.

Example entities that may carry out one or more of the functions described herein include, without limitation, a playback device (e.g., playback device **200**), a control device (e.g., control device **300**), or any suitable computing device (e.g., computing device **500**). Accordingly, while in describing various functions, reference is made to a media playback system performing those various functions, it will be understood that each of these functions could be performed by any suitable component of a media playback system or by any suitable computing device that is connected to the media playback system.

a. Example Group of Media Playback Systems

In one example, a first media playback system may form a group with one or more other media playback systems, including at least a second media playback system. As members of the group, the first media playback system and the second media playback system may have a defined relationship with one another. For instance, the first media playback system and the second media playback system may have permission to exchange certain information with one another, or otherwise communicate. Further, the defined relationship may involve the first media playback system and the second media playback system acting accordingly to certain group rules.

FIG. **7** is an example environment in which example embodiments may be implemented. FIG. **7** represents an office environment **700** having offices **710**, **720**, and **730**, a reception area **740** and a conference room **750**. Office **710** has therein a first media playback system that includes playback devices **712** and **714** and control devices **716** and **718**. Office **730** has a second media playback system that includes playback devices **732** and **736** and control device **736**.

The first media playback system and the second media playback system may belong to a first user that is assigned to office **710** and a second user that is assigned to office **730**, respectively. From time to time, such as while working in their respective assigned offices, the first and second users may play back media items, such as audio tracks, on the first media playback system and the second media playback system, respectively. Further, the first and second users may have a variety of social and/or professional relationships. For instance, they may be co-workers, and they may also share similar tastes in music. Because of this shared taste in music, the first and second users may desire to share or mutually engage in a common listening experience. Accordingly, the first and second users may desire to group the first media playback system and the second media playback system to share a social queue. While the first and second user are described by way of example to aid in comprehension of the present invention, the first user, second user, and the relationships between them are not aspects of the present invention.

The first media playback system may initiate group formation with the second media playback system. For instance, the first media playback system may send to the second media playback system a first message that invites the second media playback system to group with the first media playback system. The second media playback system may then accept the invitation to form a group in a second message to the first media playback system. Or, the second media playback system may reject the invitation by not

16

sending a second message or by indicating that the invitation is rejected in the second message.

Alternatively, the first media playback system may send to the second media playback system a first message that instructs the second media playback system to group with the first media playback system. In some cases, the second media playback system may have prior authorization to form a group in response to receiving a message that instructs or invites group formation. For example, the second media playback system may receive user input indicating authorization to form groups. The authorization may be limited to certain designated media playback systems.

The first media playback system and the second media playback system may exchange messages over a network using respective network interfaces, such as network interface **214** of playback device **200** or network interface **306** of control device **300**. The network may be a local area network or a wide area network. In office environment **700**, the network may be a local area network. However, the first media playback system and the second media playback system could also be located in different houses that are connected using a wide area network (e.g., the Internet).

The first media playback system and the second media playback system may exchange messages via a computing device, such as computing device **500** of FIG. **5**. In some examples, the computing device may be one of multiple computing devices that provide a cloud service, such as first-party service **602** of FIG. **6**. The computing device may connect to the first media playback system and the second media playback via respective connections over a wide area network, such as the Internet. For instance, media playback system **610** and **620** may connect to a computing device that provides a cloud service of cloud **600** using a network of cloud **600**.

To facilitate message exchange between the first media playback system and the second media playback system, the computing device may maintain or have access to data indicating the configurations of the media playback systems. For each media playback system, the configuration data may include network addressing information, such as the IP address(es) of the media playback system. The configuration data may also include user information, such as the user profiles of one or more users that have registered with the media playback system. Further, the configuration data may include information indicating groups that the media playback system has joined.

To aid in forming the group of media playback systems, the first media playback system may also maintain or have access to data indicating media playback systems that are available to group with the first media playback system. Before forming a group, such as during a setup procedure, a media playback system may receive user registration information. The user registration information may include information that identifies one or more users of the first media playback system (e.g., a name and an email address). For instance, the first user and the second user may provide user registration information to the first media playback system and the second media playback system, respectively.

Based on such information, the second media playback device may indicate availability to group. For instance, the second media playback system may receive user input that indicates an email address (e.g., the email address of the first user) and willingness to group with a media playback system with which that email address is registered (e.g., the first media playback system). Based on that received user input, the second media playback system may send to the first

media playback system an indication that the second media playback system is available to group.

In some cases, the first media playback system may receive such availability data over a network from a computing device, such as computing device **500** of FIG. **5**. Further, in some examples, the computing device may have access to the user registration information for multiple users of media playback systems. The computing device may receive a message from the second media playback system that indicates willingness to group with a particular user (i.e., a particular user having certain registered user information). The computing device may then use look-up the particular user to determine the media playback system with which the particular user is registered. After identifying the media playback system registered to the particular user (e.g., the first media playback system), the computing device may send a message to the first media playback system that indicates that the second media playback system is available to group with the first media playback system.

In some cases, a social networking service (e.g., social network service **606** of FIG. **6**) may facilitate “discovery” of media playback systems that are available to group with the first media playback system. As noted above, social network services are often characterized at least in part by links between users of the service, such as “friends”, “connections”, “followers”, or “favorites,” among other examples. The second user of the second media playback system may subscribe to a social networking service in which two subscribers that have formed a link within the social networking service are known as “friends.” Through use of the social networking service, the second user of the second media playback system may form “friend” links with one or more other subscribers to the social networking service. Some social networking service provide application programming interfaces (APIs) or other means to access information that subscribers to the social networking service have opted to share with third-parties. For instance, an API may provide access to data indicating the friends of a given subscriber to a social networking service.

Among the user’s “friends” in the social networking service, the user of the second media playback service may designate a given friend (e.g., the first user) with whom the user of the second media playback system is willing to group media playback systems. A computing device, such as controller device **300** of FIG. **3**, or computing device **500** of FIG. **5**, may receive an indication of such user input designating the friend. The computing device may then access data that correlates subscribers to the social networking service to media playback system with which they have registered. The computing device may look-up the friend within the data to determine which media playback system, if any, that the friend is registered with. The computing device may determine that the friend is registered with the first media playback system and then send to the first media playback system a message indicating availability to group.

Before forming the group, the first media playback system may display an indication of media playback systems that are available to group. For instance, a control device of the first media playback system may display on a user interface a list of media playback systems available to group. The first media playback system may then receive user input selecting one or more of the available media playback systems (e.g., the second media playback system). In response, the first media playback systems may send messages to the selected media playback systems inviting group formation.

FIG. **11A** is an example user interface **1100A** of a control device, such as control device **718** of FIG. **7**, that may be

configured to facilitate grouping of media playback systems. The user interface **1100A** includes an information region **1102A**, a group selection region **1104A**, a media playback system selection region **1106A**, and a control region **1108A**. The user interface **1100A** as shown is just one example of a user interface that may be provided on a control device and accessed by users to control a media playback system such as the media playback system **100**. Other user interfaces of varying formats, styles, and interactive sequences may alternatively be implemented on one or more control devices to provide comparable control access to a media playback system.

The information region **1102A** may include an indication that the user interface is presently configured for group modification. Further the information region **1102A** may include an indication of a number of presently configured groups on the control device (e.g., four groups). The information region **1102A** may include other information as well.

The group selection region **1104A** may include selectable (e.g., by way of touch or by using a cursor) icons to select different groups for creation or modification. The group selection region **1104A** may distinguish between groups using labels or other identifiers. For example, a given selectable icon may comprise a group label. The group selection region **1104A** may distinguish between a currently selected group and other groups configured on the control device. For instance, the label of the currently selected group may appear in bold text, among many other examples. In FIG. **11A**, Group **1** is shown as currently selected.

The media playback system selection region **1106A** may include indications of media playback systems that are available to group. In FIG. **1106**, media playback systems **1**, **2**, **3**, and **4** are indicted as available to group. The media playback systems may be indicated by reference to a user registered to the media playback system (e.g., Jacob, Mason, Ethan, or Mateo, as shown). In addition, the media playback system selection region **1106A** may indicate the media playback systems in the currently selected group. The media playback system selection region **1106A** may indicate the media playback systems currently in a group may further include selectable icons to select different media playback systems with which to form a group. In FIG. **11A**, Media Playback System **1** is shown as currently selected for inclusion in Group **1**.

The control region **1108A** may include selectable icons to control the group configuration. For instance, the control region may include a “Save” icon to commit changes made in the media playback system selection region **1106A**. In some cases, user input selecting such an icon may cause the control device to send a message to the second media playback system.

User interface **1100B** in FIG. **11B** is another instance of user interface **1100A**. The user interface **1100B** includes an information region **1102B**, a group selection region **1104B**, a media playback system selection region **1106B**, and a control region **1108B**. In the group selection region **1104B**, Group **2** is shown as currently selected. Further, in the media playback system selection region **1106B**, Media Playback Systems **1**, **2**, and **3** are shown as currently selected for inclusion in Group **2**.

Within examples, the first media playback system may have access to data indicating a “friend” list of the first media playback system. The friend list may indicate, as “friends,” media playback systems that have indicated availability to group to the first media playback system, such as via a social networking service. In some examples, the media playback systems indicated in the friends list may

have given prior authorization to group. A device, such as the control device **300** of FIG. **3** or the computing device **500** of FIG. **5**, may maintain such a “friend” list for the first media playback system. The friend list may facilitate group formation. For instance, a control device of the first media playback system may display on a user interface an indication of the friend list. The first media playback system may then receive user input selecting a “friend” (e.g., the second media playback system) and subsequently form a group with the friend. Then, the first media playback system may receive user input selecting a second “friend” (e.g., a third media playback system) and then form a group that includes the first, second, and third media playback systems. Alternatively, at some point thereafter, the first media playback system may leave the group with the second media playback system and form a group with the third media playback system. Other groups are certainly possible as well.

After forming the group, the first media playback system may display an indication of the group. For instance, a control device of the first media playback system may display on a user interface the indication of the group. The indication of the group may depict the group in a variety of ways. For instance, the indication may be a group name. Alternatively, the group may be indicated by reference to one or more users that are registered with each media playback system in the group.

The first message and the second message may be responsive to user input received by the first media playback system and the second media playback system, respectively. For instance, the first media playback system may receive user input that instructs the first media playback system to invite the second media playback system to form a group. After receiving the first message, the second media playback system may display an indication of the invitation from the first media playback system. The second media playback system may then receive user input indicating acceptance or rejection of the invitation to form the group, and then, in the second message, respond to the user input accordingly.

As noted above, media playback systems in a group may adhere to certain group rules. The group rules may facilitate compatibility with certain features. For instance, an example group rule may suggest that all media playback systems within the group have access to a particular audio source, such as a particular streaming audio service. This rule may support features that may necessitate the media playback systems in the group having access to media items provided by the streaming audio service. For instance, all of the members of a group may attempt to play back an audio track from the streaming audio service.

In some cases, during group formation, a determination may be made whether the media playback systems in the group adhere to the group rules. In one embodiment, the first media playback system may make such a determination. For instance, in a first message that invites a second media playback system to form a group, the first media playback system may ask for a response from the second media playback system that indicates adherence by the second media playback system with one or more group rules. The second media playback system may then include such a response in a second message (which may also indicate acceptance of the invitation to form the group). After receiving the second message, the first media playback system may determine whether the second media playback system adheres to the group rules based on the response in the second message.

Alternatively, the second media playback system may make available configuration data to media playback systems with which it has indicated availability to form a group.

The configuration data may indicate parameters on which group rules may be based. For example, the configuration data may indicate that the second media playback system has access to a particular streaming audio service. Then, based on such configuration data, the first media playback system may determine whether the second media playback system adheres to the group rules.

In other cases, a computing system, such as the computing system **500** of FIG. **5**, may determine whether the second media playback system adheres to the group rules. As noted above, in some cases, the first media playback system and the second media playback system may exchange messages involved in group formation via a computing device. This computing device (or a similar computing device connected to that computing device via a network) may maintain or have access to the configuration data of the second media playback system noted above. Based on this configuration data, the computing device may determine whether the second media playback system adheres to the group rules. After determining that the second media playback system adheres to the group rules, the computing system may send a message to the first media playback system that indicates that the first media playback system adheres to the group rules. After receiving such a message, the first media playback system may then form a group with the second media playback system.

b. Example Method for Generating a Social Queue

As noted above, two or more media playback systems in a group may share access to a social queue. Media playback systems within the group may interact with the social queue in various ways. For instance, a given media playback system within the group may create a social queue, modify the social queue, or playback media items within the social queue.

Method **800** shown in FIG. **8** presents an embodiment of a method that can be implemented within an operating environment involving, for example, the media playback system **100** of FIG. **1**, one or more of the playback device **200** of FIG. **2**, and one or more of the control device **300** of FIG. **3**. Method **800** may include one or more operations, functions, or actions as illustrated by one or more of blocks **802-806**. Although the blocks are illustrated in sequential order, these blocks may also be performed in parallel, and/or in a different order than those described herein. Also, the various blocks may be combined into fewer blocks, divided into additional blocks, and/or removed based upon the desired implementation.

i. Receiving (1) a First Message Indicating a First Set of Media Items, and (2) A Second Message Indicating a Second Set of Media Items.

At block **802**, the method involves receiving a first message indicating a first set of media items and a second message indicating a second set of media items. For instance, computing device **500** may receive the first message and the second message via network interface **506**. Computing device **500** may provide a cloud service that facilitates carrying out the present method to generate a social queue. For instance, first-party service **602** of cloud **600** may include a computing device **500** that receives the first message and the second message. Alternatively, a component of media playback system may receive the first message and the second message via a network interface, such as network interface **214** of playback device **200** or network interface **306** of control device **300**.

21

Computing device **500** may receive the first message from a first media playback system and the second message from a second media playback system. Within examples, computing device **500** may receive the first message from a controller device or a playback device. For instance, network interface **506** may connect over a network (e.g., the Internet) with respective network interfaces of devices of the first media playback system and the second media playback system. In one example, referring back to FIG. 7, computing device **500** may receive the first message and the second message from the first media playback system in office **710** and the second media playback system in office **730**, respectively.

Alternatively, computing device **500** may receive the first message from a computing device associated with the first media playback system. For instance, the computing device **500** may receive the first message from the first user's smartphone or personal computer. The association may be a particular link between the computing device and the first media playback system that establishes that messages from the computing device may specify a first set of media items on behalf of the first media playback system. For instance, the computing device may have a memory with instructions stored thereon such that the computing device may be a control device of the first media playback system. While the computing device need not necessarily control the first media playback system at all times, the computing device, by reason of linking with the first media playback system as a control device of the first media playback system, may specify the first set of media items.

In some cases, before sending the first message and the second message, the first media playback system and the second media playback system may form a group or indicate availability to form a group with one another. For example, before receiving the first message and the second message, the computing device **500** may receive a third message indicating that the first media playback system and the second media playback system shall form a group of media playback systems. After receiving the third message, the computing device **500** may cause the first media playback system and the second media playback system to form the group of media playback systems. Within examples, the first media playback system, the second media playback system, and or a third party service (e.g., social networking service **606** of FIG. 6) may send the third message. For instance, the first media playback system may send a message inviting the second media playback system to group. Alternatively, the third party service may send a message indicating two media playback systems to group.

The first set of media items may take a variety of different forms. The media items may include, for example, any of the example audio content noted above. The first set of media items may be media items that are currently queued for playback on the first media playback system. As noted above, playback queue region **440** of controller interface **400** shown in FIG. 4 may include graphical representations of audio items in a queue of a media playback system. In other cases, the first set of media items may be media items in a queue that has been saved for later playback on the first media playback system. Yet, in other cases, the first set of items may be a playlist. In still other cases, the first set of media playback items may include any media items designated for inclusion in the social queue. For instance, the first media playback system may receive user input via a controller interface, such as controller interface **400** of FIG. 4. The user input may designate certain media items for inclusion in the social queue. The second set of media items

22

may, for example, represent any of the above examples with respect to the second media playback system. Other examples are certainly possible as well.

As noted above, the first user (of the first media playback system) and the second user (of the second media playback system) may share certain music interests, such as hip-hop. The first user and the second user may desire to enjoy their mutual interest in hip-hop by sharing media items via a social queue. In one example, the first user may designate on a controller interface of control device **718** a playlist some of her favorite hip-hop tracks. The first media playback system may then send an indication of these designated hip-hop tracks as a first set of media items in a first message to computing device **500**. The second user may then designate on a controller interface of control device **736** tracks from a new hip-hop album. The first media playback system may then send an indication of these designated tracks from the new hip-hop album as a second set of media items in a second message to computing device **500**.

ii. Generating a Playback Queue

At block **804**, the method involves generating a playback queue comprising the first set of media items indicated in the first message and the second set of media items indicated in the second message. In particular, the generated playback queue may be a "social queue" that includes media items received from both the first media playback system and the second media playback system.

The computing device may generate the playback queue with the first set of media items and the second set of media items in different orders. For instance, the generated playback queue may list media items in the order that they are received by the computing device **500**. Alternatively, the generated playback queue may list media items in random order.

In some cases, the first media playback system may have access to different audio content sources than the first media playback system. For instance, the first media playback system may have access to a first streaming audio service which provides 20 million streaming audio tracks. The second media playback system may have access to a second streaming audio service which provides access to 15 million streaming audio tracks. Typically, access is gained to a streaming audio service by registering with the audio service (i.e., providing user information to the audio service to create a user profile). Some audio services may also require payment of a subscription fee before accessing the streaming audio service. The first streaming audio service may provide many of the same audio tracks as the second streaming audio service, but, in some cases, the first streaming audio service may provide some audio tracks that are not available with the second streaming audio service. Similarly, the second streaming audio service may provide some audio tracks that are not available with the first streaming audio service.

In one instance, the first set of media items may include one or more audio tracks from the first audio service. For instance, a given media item in the first set of media items may have a particular media item identifier to access the one or more audio tracks using the first streaming service. The first message may specify the media item identifier for each media item in the first set. A media item identifier may be a string or a number that distinguishes the audio track. In some cases, the media item identifier may be a URI or URL.

Since, as noted above, the second media playback system has access to the first streaming media service and not the second streaming media service, the second media playback system may be unable to playback the one or more audio tracks using the first audio service. However, the second

media playback system may have access to the one or more audio tracks via the second streaming audio service. Therefore, the computing device **500** may cross-link the media item identifier of the first streaming service to a media item identifier of the second streaming audio service. For a given media item, cross-linking may involve searching the second media service provider for the media item and then determining the media item identifier of the media item in the second streaming audio service. To find the media item, the computing device may search the second audio service by title, artist, album, or by any suitable identifying information. To facilitate searching, each media item may have metadata embedded in the media item or associated with the media file. The metadata may specify various information about the file, such as the title, the artist, or the album, among other information. After cross-linking the media item between the first streaming audio service and the second streaming audio service, the social queue may include, for a given media item, a media item identifier of the first streaming audio service and a media item identifier of the second streaming audio service.

In other cases, before adding a given media playback item to the generated playback queue, the computing device **500** may determine whether the media playback systems in the group have access to the media playback item. For instance, the computing device **500** may determine that the first media playback system has access to the given media item using a given service (e.g., the first streaming media service or the second streaming media service). And the computing device **500** may determine that the second media playback system has access to the given media item using the given service. Then, based at least in part on the determinations, the computing device may add the given media item to the playback queue.

iii. Transmitting the Generated Playback Queue

At block **806**, the method involves transmitting, to at least one of the first media playback system and the second media playback system, the generated playback queue. For instance, computing device **500** may transmit the generated playback queue to the first playback device in office **710** and the second playback device in office **730**. In some cases, the computing device **500** may transmit the generated playback queue after receive a request for the generated playback queue (e.g., a request to play back media items in the generated playback queue).

In some cases, before transmitting the generated playback queue, computing device **500** may determine that at least one of the first media playback system and the second media playback system is in the group of media playback systems. The computing device **500** may then transmit the generated playback queue to each media playback system in the group of media playback systems.

The social queue (i.e., the generated playback queue) may cause playback of the media items in the social queue in a variety of different ways. In one example, the social queue may cause the first media playback system to playback the media items in the social queue as a radio-type channel in which the first media playback system can playback the media items, but is not necessarily able to control the order of playback. In other examples, the social queue may cause playback of the media items in round-robin order or in random order (i.e., shuffled), such as accordingly to a shuffling algorithm. In yet other examples, the first media playback system may receive user input that selects one or more particular media items from the social queue to playback. Further examples are possible as well.

Media playback systems may modify the generated playback queue (i.e., the social queue). For instance, after generating the playback queue, the computing device **500** may, receive, from the first media playback system, a command to modify the playback queue. The received command may indicate one or more media items. The command may instruct the computing device **500** to add the one or more media items indicated by the received command to the generated playback queue. Or the command may instruct the computing device **500** to remove the one or more media items indicated by the received command from the generated playback queue. Alternatively, the command may instruct the computing device **500** to order or re-order the one or more media items indicated by the received command within the generated playback queue. After modifying the social queue, the computing device **500** may transmit, to the first media playback system and/or the second media playback system, the modified playback queue. This transmission may update the social queue to reflect the modification.

In some cases, the computing device **500** may carry out the received command to modify the playback queue, but, in other cases, the computing device **500** may decline to carry out the received command. Before carrying out the received command, the computing device **500** may determine that the received command obeys one or more group rules or queue rules. Group rules may apply to any social queue created by the group while queue rules may apply to a particular queue. Such group rules or queue rules may facilitate social aspects of the social queue. For instance, one rule may suggest that a command may not add or remove more than ten media items from the social queue per hour. This rule may facilitate more equal control of the social queue (e.g., adding and removing media items) by the first user and the second user. Another rule may suggest that the computing device send a message indicating the modification to the social queue to the first media playback system and the second media playback system.

A given group of media playback systems may have multiple social queues. Media playback systems within the group may select among the social queues. For instance, one social queue may be labeled "Opera." Users of media playback systems may tend to designate tracks in the opera genre in the "Opera" social queue. In some cases, the "Opera" social queue may have a queue rule that requires media items in the "Opera" queue to be audio tracks in the opera genre. For instance, before adding an item to the generated queue, the computing system may determine that the media item is in the opera genre. In some case, the computing system may base such a determination upon the media item's metadata, which may specify the genre of the media item, among other information. Other social queues may be labeled for other genres. Other social queues may be based on artist, album, date, or any other conceivable rationale for grouping. In some cases, the media items may have no apparent relationship to one another.

FIG. **12A** is an example user interface **1200A** of a control device, such as control device **718** of FIG. **7**, that may be configured to facilitate various interactions with a social queue, such as playback or modification. The user interface **1200A** includes an information region **1202A**, a queue selection region **1204A**, a social queue region **1206A**, and a control region **1208A**. The user interface **1200A** as shown is just one example of a user interface that may be provided on a control device accessed by users to control a media playback system such as the media playback system **100**. Other user interfaces of varying formats, styles, and interactive sequences may alternatively be implemented on one

or more control devices to provide comparable control access to a media playback system.

The information region **1202A** may include an indication of a currently selected group. In FIG. **12A**, Group **1** is shown as currently selected. Further the information region **1202A** may include an indication of a number of presently configured social queues (e.g., three social queues). The information region **1202A** may include other information as well.

The queue selection region **1204A** may include selectable (e.g., by way of touch or by using a cursor) icons to select different queues for playback, creation, or modification. The queue selection region **1204A** may distinguish between groups using labels or other identifiers. For example, a given selectable icon may comprise a queue label. The queue selection region **1204A** may distinguish between a currently selected queue and other queues configured on the control device. For instance, the label of the currently selected queue may appear in bold text, among many other examples. In FIG. **12A**, Queue **1** is shown as currently selected.

The social queue region **1206A** may include indications (e.g., graphical representations) of media items that are in the currently selected social queue. The graphical representations of media items in the social queue region **1206A** may include track titles, artist names, track lengths, and other relevant information associated with the media items in the social queue. In one example, graphical representations of media items may be selectable to bring up additional selectable icons to manage and/or manipulate the social queue and/or media items represented in the social queue. For instance, a represented media item may be removed from the playback queue, moved to a different position within the playback queue, or selected to be played immediately, or after any currently playing audio content, among other possibilities.

The control region **1208A** may include selectable icons to control the social queue configuration. For instance, the control region may include a "Save" icon to commit changes made in the social queue region **1206A**. In some cases, user input selecting such an icon may cause the control device to send a message to a media playback system.

User interface **1200B** in FIG. **12B** is another instance of user interface **1200A**. The user interface **1200B** includes an information region **1202B**, a queue selection region **1204B**, a social queue region **1206B**, and a control region **1208B**. In the queue selection region **1104B**, Queue **2** is shown as currently selected.

A media playback system may join multiple groups each having multiple social queues. In aggregate, from the perspective of the user, each queue may represent different "buckets" of media items. One bucket may be the "Opera" social queue noted above. Another bucket may represent a social queue belonging to a group that includes media playback systems registered to the user's friends in a particular social network. A third bucket may represent another social queue belonging to a group that includes media playback systems registered to a subset of a user's friends in another social network (e.g., friends from college). Many combinations are possible.

In some cases, a generated queue may include a set of media items from a source that is not the first media playback system or the second media playback system. For instance, computing device **500** may receive an additional set of media items from a third media playback system. In some cases, the third media playback system may add the additional set of media items to the generated playback queue. In other cases, the third media playback system may generate a second playback queue that comprises at least the

additional set of media items. Then, the third media playback system may update the social queue and/or provide the second queue to the group. For example, the third media playback system may transmit the generated second playback queue to the first media playback system and/or the second media playback system.

Alternatively, computing device **500** may receive an additional set of media items from a computing device, such as another instance of computing device **500**. The second instance of computing device **500** may provide a cloud service, such as a file hosting service or a social networking service, among other examples. For example, as part of a social networking service, the second instance of computing device **500** may provide various features. As one example, the social network service may provide an interface for displaying the social queue. The media playback system may have previously registered with the social networking service, such that the media playback system and the social networking service share certain information. For instance, registration may involve registering a user account associated with a media playback system with a user profile of the social networking service. The social networking service may then recognize the user profile as being associated with a certain media playback system. Further, the social networking system may recognize "friend" connections of the user profile. The social networking system may also recognize groups formed by the certain media playback system with media playback systems registered to other user profiles of the social networking service. Further, the social networking service may provide an interface that indicates such user profiles, media playback systems, and the groups to which the user profiles belong. As noted above, such an interface may be provided via a web browser or via a specialized application for the cloud service, among other examples.

The interface may also display an indication of the social queue, or the media items in the social queue. The indication of the social queue may indicate the media items in the social queue in various ways. For example, the interface may display an indication of which media items in the social queue were selected via the social networking service. The interface may display an indication of which user of the social networking service added particular media items to the social queue. Many examples are possible.

The interface may also display controls for selecting the additional set of media items from audio content sources available to media playback system registered to the user. In some cases the interface may display controls for selecting media tracks to include in a social queue for use by a group. An indication of selected media items may appear on the interface provided by the social network. Further, the social networking service may update its interface to indicate the selected media items in the social queue. Also, many social networking services also have messaging systems. An example social networking service may send, via a message system, messages that indicate that a particular social queue has been updated with an additional set of media items. Recipients of such a message may include users who have grouped their media playback systems together to use the particular social queue.

Those having skill in the art will appreciate that numerous other arrangements are possible in addition to the examples provided above. For example, a device of a media playback system, such a control device, or a playback device, may carry out one or more of the functions described above alone or in combination with another device.

27

c. Example Method to Facilitate a Social Queue of a Group of Media Playback Systems

In one example, a control device of a media playback system may facilitate grouping media playback systems into a group having a social queue. However, one having skill in the art will appreciate that any suitable computing device may facilitate such features.

Method **900** shown in FIG. **9** presents an embodiment of a method that can be implemented within an operating environment involving, for example, the media playback system **100** of FIG. **1**, one or more of the playback device **200** of FIG. **2**, one or more of the control device **300** of FIG. **3**, and one or more of computing device **500** of FIG. **5**. Method **900** may include one or more operations, functions, or actions as illustrated by one or more of blocks **902-906**. Although the blocks are illustrated in sequential order, these blocks may also be performed in parallel, and/or in a different order than those described herein. Also, the various blocks may be combined into fewer blocks, divided into additional blocks, and/or removed based upon the desired implementation.

i. Receiving a Command to Form a Group of Media Playback Systems.

At block **902**, the method involves receiving, at a computing device associated with a first media playback system, a command to form a group of media playback systems that comprises the first media playback system and at least one other media playback system. The computing device associated with a first media playback device may be a control device, such as control device **300**. Alternatively, the computing device may be any computing device having a processor, memory, and a network interface.

As noted above, in FIG. **7**, a first media playback system in office **710** includes control devices **716** and **718** (as well as playback devices **712** and **714**). Also, control devices **716** and **718** may be instances of control device **300** of FIG. **3**. In one example, control device **716** may receive via a controller interface (e.g., controller interface **1100A** or **1100B**) user input that indicates a command to form a group of media playback systems. The command may indicate the second media system in office **730**, which includes playback devices **732** and **734**, and also control device **736**. The command may also indicate one or more media playback systems in addition to the second media playback system.

In some cases, before receiving the command to form the group of media playback systems, control device **716** may display a list of media playback systems available for grouping. Control device may display such a list on a user interface, such as user interface **1100A** or **1100B**. As noted above, to aid in forming the group of media playback systems, the first media playback system may maintain or have access to data indicating media playback systems that are available to group with the first media playback system. Control device **716** may access such data from a memory, such as memory **304**, or request and then receive such data over a network interface, such as network interface **306**. After displaying the list of available media playback systems, control device **716** may receive user input indicating a selection of one or more of the media playback systems displayed in the list of media playback systems available for grouping. In one example, control device **716** may receive user input representing a selection of the second media playback system in office **730**.

ii. Receiving an Identification of at Least One Source of Audio for Playback by the Group of Media Playback Systems.

28

At block **904**, the method involves receiving, at the computing device, an identification of at least one source of audio for playback by the group of media playback systems. For instance, control device **300** may receive an identification of at least one source of audio for playback by the group of media playback systems.

Referring back to FIG. **7**, in one example, control device **716** may receive via a controller interface user input that indicates an identification of at least one source of audio for playback by the group of media playback systems. Before receiving the identification, control device **716** may display available sources of audio. For example, control device **716** may display available sources of audio in an audio content sources region **450** of a controller interface **400**. Control device **716** may then receive user input indicating a selection of at least one source of audio.

Available sources of audio may include, without limitation, a queue of the first media playback system, an auxiliary input (i.e., line-in) input, an internet radio channel, a playlist of locally available media items, or a playlist of media items available from a streaming media service. The queue of the first media playback system may be a queue of media items currently queued for playback, or it may be a saved queue of media playback items. Other examples of audio sources are possible as well.

In some cases, the at least one source of audio for playback may include at least a first audio source and a second audio source. In such an instance, the control device **716** may send an instruction to the second media playback system to select the second audio source. The control device may then receive user input that indicates a selection of the first audio source. And the control device **716** may receive a message from the second media playback system that indicates a second audio source.

iii. Sending a Message Comprising (i) an Indication of the Received Command to Form the Group of Media Playback Systems and (ii) an Indication of the at Least One Source of Audio for Playback by the Group of Media Playback Systems.

At block **906**, the method involves sending, by the computing device to the at least one other media playback system, a message comprising (i) an indication of the received command to form the group of media playback systems and (ii) an indication of the at least one source of audio for playback by the group of media playback systems.

The message comprising the indication of the received command to form the group of media playback systems may cause the media playback system(s) receiving the message to form a group with the first media playback system. In one example, control device **716** may send message(s) inviting the at least one other media playback system to group. Control device **300** may then receive message(s) from the at least one other media playback system that acknowledges the indication of the command to form the group of media playback systems. Such acknowledgement may indicate to the control device **300** willingness to form the group. In some cases, control device **716** may cause the first media playback to form the group in response to the indication of the command to form the group. In other case, control device **716** may form the group in response to receiving the acknowledgement. The first media playback system and the second media playback system may then form a group.

The indication of the at least one source of audio for playback by the group of media playback systems may be a social queue, or it may list media items to include in a social queue, among other examples. After receiving the indica-

tion, a media playback system may play back the at least one source of audio, or otherwise interact with it.

In some cases, the first media playback system and the second media playback system may have access to the same media items via different audio sources. For example, the first media playback system may have access to a first media service provider and the second media player may have access to a second media service provider. In such a circumstance, the control device may cross-link the media items between the two different audio sources. The indication of the at least one source of audio for playback may include a media item identifier for each audio source. Then, the first media playback system and the second media playback system may play back the same media items from a first audio source and a second audio source, respectively.

In one example, the first audio source and the second audio source may be a playback queue of the first media playback system and a playback queue of the second media playback system respectively. The playback queue of the first media playback system may indicate a first set of media items. A given media item of the playback queue of the first media playback system may be associated with a respective media item identifier of the first media service provider (e.g., a first streaming audio service). At the same time, the playback queue of second first media playback system may indicate a second set of media items. A given media item of the playback queue of the second media playback system may be associated with a respective media item identifier of the second media service provider (e.g., a second streaming audio service).

Given these two audio sources, control device **716** may associate the respective media item identifier of the first media service provider with a respective media item identifier of the second media service provider. Control device **716** may then send to the second media playback system an indication of the playback queue of the first media playback system. The indication may include at least the respective media item identifier of the second media service provider. After receiving the indication, the second media playback system may play back the media items in the playback queue of the first media playback system by accessing the media items at the second media service provider using the respective media item identifiers of the media items at the second media service provider.

d. Second Example Method to Facilitate a Social Queue of a Group of Media Playback Systems

In another example, a computing device providing a cloud service, such as a social networking service, may facilitate grouping media playback systems into a group having a social queue. However, one having skill in the art will appreciate that any suitable computing device may facilitate such features.

Method **1000** shown in FIG. **10** presents an embodiment of a method that can be implemented within an operating environment involving, for example, the media playback system **100** of FIG. **1**, one or more of the playback device **200** of FIG. **2**, one or more of the control device **300** of FIG. **3**, and one or more of computing device **500** of FIG. **5**. Method **900** may include one or more operations, functions, or actions as illustrated by one or more of blocks **902-906**. Although the blocks are illustrated in sequential order, these blocks may also be performed in parallel, and/or in a different order than those described herein. Also, the various

blocks may be combined into fewer blocks, divided into additional blocks, and/or removed based upon the desired implementation.

i. Receiving an Instruction that Causes at Least a First Media Playback System and a Second Media Playback System to Form a Group of Media Playback Systems.

At block **1002**, the method involves receiving an instruction that causes at least a first media playback system and a second media playback system to form a group of media playback systems. A computing device, such as computing device **500** of FIG. **5** may receive the instruction over a network interface, such as network interface **506**.

In some cases, a first computing device may receive the instruction that causes group formation from a second computing device involved in providing a cloud service. For instance, the second computing device may host a webpage that provides a user interface for selecting media playback systems to group. Alternatively, the second computing device may provide a “back-end” to a “front-end” that provides a user interface for selecting media playback systems to group. The “front-end” may be an application on a mobile device or a web site, among other examples. The “back-end” may receive indications of user input on the front-end that selects media playback systems to group. The “back-end” may then send the instruction that causes group formation to a first computing device.

In other cases, the first computing device may receive the instruction that causes group formation from a control device of a media playback system (e.g., the first media playback system). The control device may receive user input selecting one or more media playback systems to group (including, for example, the second media playback system). The control device may then send the instruction to group to the first computing device.

ii. Receiving a First Message Indicating a First Set of Media Items and a Second Message Indicating a Second Set of Media Items.

At block **1004**, the method involves receiving, from a third-party service provider, a first message indicating a first set of media items and a second message indicating a second set of media items. For instance, computing device **500** may receive the first message and the second message via network interface **506**.

Computing device **500** may receive the first message from a first media playback system and the second message from a second media playback system. Within examples, computing device **500** may receive the first message from a controller device or a playback device. For instance, network interface **506** may connect over a network (e.g., the Internet) with respective network interfaces of devices of the first media playback system and the second media playback system. In one example, referring back to FIG. **7**, computing device **500** may receive the first message and the second message from the first media playback system in office **710** and the second media playback system in office **730**, respectively.

Alternatively, computing device **500** may receive the first message from a computing device associated with the first media playback system. For instance, the computing device **500** may receive the first message from the first user’s smartphone or personal computer. The association may be a particular link between the computing device and the first media playback system that establishes that messages from the computing device may specify a first set of media items on behalf of the first media playback system. For instance, the computing device may have a memory with instructions

31

stored thereon such that the computing device may be a control device of the first media playback system.

The first set of media items may take a variety of different forms. The media items may include, for example, any of the example audio content noted above. The first set of media items may be media items that are currently queued for playback on the first media playback system. As noted above, playback queue region 440 of controller interface 400 shown in FIG. 4 may include graphical representations of audio items in a queue of a media playback system. In other cases, the first set of media items may be media items in a queue that has been saved for later playback on the first media playback system. Yet, in other cases, the first set of items may be a playlist. In still other cases, the first set of media playback items may include any media items designated for inclusion in the social queue. For instance, the first media playback system may receive user input via a controller interface, such as controller interface 400 of FIG. 4. The user input may designate certain media items for inclusion in the social queue. The second set of media items may, for example, represent any of the above examples with respect to the second media playback system. Other examples are certainly possible as well.

iii. Generating A Playback Queue.

At block 1006, the method involves generating a playback queue comprising the first set of media items indicated in the received first message and the second set of media items indicated in the received second message. In particular, the generated playback queue may be a "social queue" that includes media items received from both the first media playback system and the second media playback system.

iv. Transmitting the Generated Playback Queue.

At block 1008, the method involves transmitting, to each media playback system in the group of media playback system, the generated playback queue. For instance, computing device 500 may transmit the generated playback queue to the first playback device in office 710 and the second playback device in office 730. In some cases, the computing device 500 may transmit the generated playback queue after receive a request for the generated playback queue (e.g., a request to playback media items in the generated playback queue).

In some cases, before transmitting the generated playback queue, computing device 500 may determine that at least one of the first media playback system and the second media playback system is in the group of media playback systems. The computing device 500 may then transmit the generated playback queue to each media playback system in the group of media playback systems.

In addition, for the methods 800, 900, and 1000 and other processes and methods disclosed herein, the flowcharts shows functionality and operation of one possible implementation of present embodiments. In this regard, each block may represent a module, a segment, or a portion of program code, which includes one or more instructions executable by a processor for implementing specific logical functions or steps in the process. The program code may be stored on any type of computer readable medium, for example, such as a storage device including a disk or hard drive. The computer readable medium may include non-transitory computer readable medium, for example, such as computer-readable media that stores data for short periods of time like register memory, processor cache and Random Access Memory (RAM). The computer readable medium may also include non-transitory media, such as secondary or persistent long term storage, like read only memory (ROM), optical or magnetic disks, compact-disc read only memory

32

(CD-ROM), for example. The computer readable media may also be any other volatile or non-volatile storage systems. The computer readable medium may be considered a computer readable storage medium, for example, or a tangible storage device. In addition, for the method 500 and other processes and methods disclosed herein, each block in FIG. 5 may represent circuitry that is wired to perform the specific logical functions in the process.

IV. Conclusion

The description above discloses, among other things, various example systems, methods, apparatus, and articles of manufacture including, among other components, firmware and/or software executed on hardware. It is understood that such examples are merely illustrative and should not be considered as limiting. For example, it is contemplated that any or all of the firmware, hardware, and/or software aspects or components can be embodied exclusively in hardware, exclusively in software, exclusively in firmware, or in any combination of hardware, software, and/or firmware. Accordingly, the examples provided are not the only way(s) to implement such systems, methods, apparatus, and/or articles of manufacture.

As indicated above, the present application involves a social queue for a group of media playback systems. In one aspect, a method is provided. The method involves receiving, from a first media playback system, a first message indicating a first set of media items and receiving, from a second media playback system, a second message indicating a second set of media items. The method also involves generating a playback queue comprising the first set of media items indicated in the first message and the second set of media items indicated in the second message. The method further involves transmitting, to at least one of the first media playback system and the second media playback system, the generated playback queue.

In another aspect, a device is provided. The device includes a processor, a network interface, a non-transitory computer-readable storage medium, and program logic stored on the non-transitory computer-readable medium and executable by the processor to perform functions. The functions include receiving, from a first media playback system, a first message indicating a first set of media items and receiving, from a second media playback system, a second message indicating a second set of media items. The functions also include generating a playback queue comprising the first set of media items indicated in the first message and the second set of media items indicated in the second message. The functions further include transmitting, to at least one of the first media playback system and the second media playback system, the generated playback queue.

In yet another aspect, a non-transitory computer readable memory is provided. The non-transitory computer readable memory has stored thereon instructions executable by a computing device to cause the computing device to perform functions. The functions include receiving, from a first media playback system, a first message indicating a first set of media items and receiving, from a second media playback system, a second message indicating a second set of media items. The functions also include generating a playback queue comprising the first set of media items indicated in the first message and the second set of media items indicated in the second message. The functions further include transmit-

ting, to at least one of the first media playback system and the second media playback system, the generated playback queue.

In another aspect, a method is provided. The method involves receiving, at a computing device associated with a first media playback system, a command to form a group of media playback systems that comprises the first media playback system and at least one other media playback system. The method also involves receiving, at the computing device, an identification of at least one source of audio for playback by the group of media playback systems. The method further involve sending, by the computing device to the at least one other media playback system, a message comprising (i) an indication of the received command to form the group of media playback systems and (ii) an indication of the at least one source of audio for playback by the group of media playback systems.

In yet another aspect, a device is provided. The device includes a processor, a network interface, a non-transitory computer-readable storage medium, and program logic stored on the non-transitory computer-readable medium and executable by the processor to perform functions. The functions include receiving, at a computing device associated with a first media playback system, a command to form a group of media playback systems that comprises the first media playback system and at least one other media playback system. The function also include receiving, at the computing device, an identification of at least one source of audio for playback by the group of media playback systems. The functions further include sending, by the computing device to the at least one other media playback system, a message comprising (i) an indication of the received command to form the group of media playback systems and (ii) an indication of the at least one source of audio for playback by the group of media playback systems.

In another aspect, a non-transitory computer readable memory is provided. The non-transitory computer readable memory has stored thereon instructions executable by a computing device to cause the computing device to perform functions. The functions include receiving, at a computing device associated with a first media playback system, a command to form a group of media playback systems that comprises the first media playback system and at least one other media playback system. The function also include receiving, at the computing device, an identification of at least one source of audio for playback by the group of media playback systems. The functions further include sending, by the computing device to the at least one other media playback system, a message comprising (i) an indication of the received command to form the group of media playback systems and (ii) an indication of the at least one source of audio for playback by the group of media playback systems.

In yet one aspect, a method is provided. The method involves receiving an instruction that causes at least a first media playback system and a second media playback system to form a group of media playback systems. The method also involves receiving, from a third-party service provider, a first message indicating a first set of media items and a second message indicating a second set of media items. The method further involves generating a playback queue comprising the first set of media items indicated in the received first message and the second set of media items indicated in the received second message. The method also involves transmitting, to each media playback system in the group of media playback system, the generated playback queue.

In another aspect, a device is provided. The device includes a processor, a network interface, a non-transitory

computer-readable storage medium, and program logic stored on the non-transitory computer-readable medium and executable by the processor to perform functions. The functions include receiving an instruction that causes at least a first media playback system and a second media playback system to form a group of media playback systems. The functions also include receiving, from a third-party service provider, a first message indicating a first set of media items and a second message indicating a second set of media items. The functions further include generating a playback queue comprising the first set of media items indicated in the received first message and the second set of media items indicated in the received second message. The functions also include transmitting, to each media playback system in the group of media playback system, the generated playback queue.

In yet another aspect, a non-transitory computer readable memory is provided. The non-transitory computer readable memory has stored thereon instructions executable by a computing device to cause the computing device to perform functions. The functions include receiving an instruction that causes at least a first media playback system and a second media playback system to form a group of media playback systems. The functions also include receiving, from a third-party service provider, a first message indicating a first set of media items and a second message indicating a second set of media items. The functions further include generating a playback queue comprising the first set of media items indicated in the received first message and the second set of media items indicated in the received second message. The functions also include transmitting, to each media playback system in the group of media playback system, the generated playback queue.

Additionally, references herein to “embodiment” means that a particular feature, structure, or characteristic described in connection with the embodiment can be included in at least one example embodiment of an invention. The appearances of this phrase in various places in the specification are not necessarily all referring to the same embodiment, nor are separate or alternative embodiments mutually exclusive of other embodiments. As such, the embodiments described herein, explicitly and implicitly understood by one skilled in the art, can be combined with other embodiments.

The specification is presented largely in terms of illustrative environments, systems, procedures, steps, logic blocks, processing, and other symbolic representations that directly or indirectly resemble the operations of data processing devices coupled to networks. These process descriptions and representations are typically used by those skilled in the art to most effectively convey the substance of their work to others skilled in the art. Numerous specific details are set forth to provide a thorough understanding of the present disclosure. However, it is understood to those skilled in the art that certain embodiments of the present disclosure can be practiced without certain, specific details. In other instances, well known methods, procedures, components, and circuitry have not been described in detail to avoid unnecessarily obscuring aspects of the embodiments. Accordingly, the scope of the present disclosure is defined by the appended claims rather than the forgoing description of embodiments.

When any of the appended claims are read to cover a purely software and/or firmware implementation, at least one of the elements in at least one example is hereby expressly defined to include a tangible, non-transitory medium such as a memory, DVD, CD, Blu-ray, and so on, storing the software and/or firmware.

35

The invention claimed is:

1. A first computing system comprising:

at least one processor; and

at least one non-transitory computer-readable medium comprising program instructions that are executable by the at least one processor such that the first computing system is configured to:

receive, from a second computing system, a selection of a first media playback device and a second media playback device to be associated with a social group, wherein the first media playback device has access to a first streaming service and does not have access to a second streaming service, wherein the second media playback device has access to the second streaming service and does not have access to the first streaming service;

generate a social playback queue for a plurality of media items, wherein each media item in the plurality of media items is available for streaming from both the first streaming service and the second streaming service, and wherein the social playback queue comprises, for each of the plurality of media items, a first streaming service media identifier for the respective media item and a second streaming service media identifier for the respective media item; and

transmit the social playback queue to the first media playback device and the second media playback device, wherein each of the first streaming service media identifiers is useable by the first media playback device to stream the respective media item from the first streaming service, wherein each of the second streaming service media identifiers is useable by the second media playback device to stream the respective media item from the second streaming service.

2. The first computing system of claim 1, further comprising program instructions that are executable by the at least one processor such that the first computing system is configured to transmit a list of one or more media playback devices to the second computing system via a network interface of the first computing system, wherein the list indicates one or more media playback devices available to be added to the social group with an indication next to each of the one or more media playback devices in the list to indicate whether that media playback device belongs to the social group, and wherein the second computing system is configured to display the list via a user interface of the second computing system.

3. The first computing system of claim 1, wherein the first computing system is implemented by a social networking service operating on a cloud computing platform.

4. The first computing system of claim 1, wherein the first media playback device has access to the first streaming service as a result of a registration with the first streaming service, wherein the second media playback device has access to the second streaming service as a result of a registration with the second streaming service.

5. The first computing system of claim 1, further comprising program instructions that are executable by the at least one processor such that the first computing system is configured to transmit the social playback queue to the second computing system for display via a user interface of the second computing system.

6. The first computing system of claim 1, wherein the program instructions that are executable by the at least one processor such that the first computing system is configured to generate the social playback queue for the plurality of media items that are available for streaming on both the first

36

streaming service and the second streaming service, comprise program instructions that are executable by the at least one processor such that first computing system is configured to:

receive a first message from the first media playback device, wherein the first message specifies a first set of one or more media items;

receive a second message from the second media playback device, wherein the second message specifies a second set of one or more media items;

for each of the first set of one or more media items and the second set of one or more media items:

determine that a respective media item is available for streaming on both the first streaming service and the second streaming service;

following the determination that the respective media item is available for streaming on both the first streaming service and the second streaming service, add the respective media item to the social playback queue.

7. The first computing system of claim 1, wherein each of the plurality of media items comprises audio content.

8. Tangible, non-transitory, computer-readable media storing instructions executable by one or more processors to cause a first computing system to perform operations comprising:

receiving, from a second computing system, a selection of a first media playback device and a second media playback device to be associated with a social group, wherein the first media playback device has access to a first streaming service and does not have access to a second streaming service, wherein the second media playback device has access to the second streaming service and does not have access to the first streaming service;

generating a social playback queue for a plurality of media items, wherein each media item in the plurality of media items is available for streaming from both the first streaming service and the second streaming service, and wherein the social playback queue comprises, for each of the plurality of media items, a first streaming service media identifier for the respective media item and a second streaming service media identifier for the respective media item; and

transmitting the social playback queue to the first media playback device and the second media playback device, wherein each of the first streaming service media identifiers is useable by the first media playback device to stream the respective media item from the first streaming service, wherein each of the second streaming service media identifiers is useable by the second media playback device to stream the respective media item from the second streaming service.

9. The tangible, non-transitory, computer-readable media of claim 8, the operations further comprising transmitting a list of one or more media playback devices to the second computing system via a network interface of the first computing system, wherein the list indicates one or more media playback devices available to be added to the social group with an indication next to each of the one or more media playback devices in the list to indicate whether that media playback device belongs to the social group, and wherein the second computing system is configured to display the list via a user interface of the second computing system.

37

10. The tangible, non-transitory, computer-readable media of claim 8, wherein the first computing system is implemented by a social networking service operating on a cloud computing platform.

11. The tangible, non-transitory, computer-readable media of claim 8, wherein the first media playback device has access to the first streaming service as a result of a registration with the first streaming service, wherein the second media playback device has access to the second streaming service as a result of a registration with the second streaming service.

12. The tangible, non-transitory, computer-readable media of claim 8, the operations further comprising transmitting the social playback queue to the second computing system for display via a user interface of the second computing system.

13. The tangible, non-transitory, computer-readable media of claim 8, wherein generating the social playback queue for the plurality of media items that are available for streaming on both the first streaming service and the second streaming service, comprises:

receiving a first message from the first media playback device, wherein the first message specifies a first set of one or more media items;

receiving a second message from the second media playback device, wherein the second message specifies a second set of one or more media items;

for each of the first set of one or more media items and the second set of one or more media items:

determining that a respective media item is available for streaming on both the first streaming service and the second streaming service;

following the determination that the respective media item is available for streaming on both the first streaming service and the second streaming service, adding the respective media item to the social playback queue.

14. The tangible, non-transitory, computer-readable media of claim 8, wherein each of the plurality of media items comprises audio content.

15. A method performed by a first computing system, comprising:

receiving, from a second computing system, a selection of a first media playback device and a second media playback device to be associated with a social group, wherein the first media playback device has access to a first streaming service and does not have access to a second streaming service, wherein the second media playback device has access to the second streaming service and does not have access to the first streaming service;

generating a social playback queue for a plurality of media items, wherein each media item in the plurality of media items is available for streaming on both the first streaming service and the second streaming service, and wherein the social playback queue comprises, for each of the plurality of media items, a first stream-

38

ing service media identifier for the respective media item and a second streaming service media identifier for the respective media item; and

transmitting the social playback queue to the first media playback device and the second media playback device, wherein each of the first streaming service media identifiers is useable by the first media playback device to stream the respective media item from the first streaming service, wherein each of the second streaming service media identifiers is useable by the second media playback device to stream the respective media item from the second streaming service.

16. The method of claim 15, further comprising transmitting a list of one or more media playback devices to the second computing system via a network interface of the first computing system, wherein the list indicates one or more media playback devices available to be added to the social group with an indication next to each of the one or more media playback devices in the list to indicate whether that media playback device belongs to the social group, and wherein the second computing system is configured to display the list via a user interface of the second computing system.

17. The method of claim 15, wherein the first computing system is implemented by a social networking service operating on a cloud computing platform.

18. The method of claim 15, wherein the first media playback device has access to the first streaming service as a result of a registration with the first streaming service, wherein the second media playback device has access to the second streaming service as a result of a registration with the second streaming service.

19. The method of claim 15, further comprising transmitting the social playback queue to the second computing system for display via a user interface of the second computing system.

20. The method of claim 15, wherein generating the social playback queue for the plurality of media items that are available for streaming on both the first streaming service and the second streaming service, comprises:

receiving a first message from the first media playback device, wherein the first message specifies a first set of one or more media items;

receiving a second message from the second media playback device, wherein the second message specifies a second set of one or more media items;

for each of the first set of one or more media items and the second set of one or more media items:

determining that a respective media item is available for streaming on both the first streaming service and the second streaming service;

following the determination that the respective media item is available for streaming on both the first streaming service and the second streaming service, adding the respective media item to the social playback queue.

* * * * *