



US012383247B2

(12) **United States Patent**
Gianotti et al.

(10) **Patent No.:** **US 12,383,247 B2**

(45) **Date of Patent:** **Aug. 12, 2025**

(54) **CLOSURE DEVICES AND METHODS**

(71) Applicant: **Abbott Vascular, Inc.**, Santa Clara, CA (US)

(72) Inventors: **Marc G. Gianotti**, Wiesendangen (CH);
Aaron M. Fortson, Fremont, CA (US)

(73) Assignee: **Abbott Vascular, Inc.**, Santa Clara, CA (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 112 days.

(21) Appl. No.: **17/880,968**

(22) Filed: **Aug. 4, 2022**

(65) **Prior Publication Data**

US 2022/0370057 A1 Nov. 24, 2022

Related U.S. Application Data

(60) Continuation of application No. 16/737,604, filed on Jan. 8, 2020, now Pat. No. 11,439,378, which is a (Continued)

(51) **Int. Cl.**

A61B 17/00 (2006.01)

A61B 17/04 (2006.01)

(52) **U.S. Cl.**

CPC **A61B 17/0057** (2013.01); **A61B 17/04** (2013.01); **A61B 17/0401** (2013.01); (Continued)

(58) **Field of Classification Search**

CPC . A61B 17/0057; A61B 17/04; A61B 17/0401; A61B 17/0469; A61B 17/0482; (Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

287,046 A 10/1883 Norton

438,400 A 10/1890 Brennen

(Continued)

FOREIGN PATENT DOCUMENTS

AU 2003297432 A1 7/2004

CA 233960 A 9/1923

(Continued)

OTHER PUBLICATIONS

U.S. Appl. No. 11/508,656, filed Aug. 30, 2010, Office Action.

(Continued)

Primary Examiner — Julian W Woo


(74) *Attorney, Agent, or Firm* — Workman Nydegger

(57)

ABSTRACT

A method for closing a puncture in tissue that includes advancing a guide member into proximity with the tissue, the guide member having a needle guide, positioning a distal end of the guide member with the needle guide toward the tissue to present an opening of the needle guide toward the tissue the needle guide cooperating with a suture securing device that is slidably coupled to the guide member and a suture attached to the suture securing device, deploying the suture securing device, the suture securing device comprising a body with an anchor point for the suture and features that allow the suture securing device to pierce the tissue and resist retraction through the tissue, and establishing tension in the suture to move the suture securing device toward another suture securing device to thereby close the puncture in the tissue.

19 Claims, 18 Drawing Sheets



Related U.S. Application Data

continuation of application No. 15/344,978, filed on Nov. 7, 2016, now Pat. No. 10,537,313, which is a division of application No. 13/112,618, filed on May 20, 2011, now Pat. No. 9,486,191, which is a continuation-in-part of application No. 12/684,470, filed on Jan. 8, 2010, now Pat. No. 9,414,820.

- (60) Provisional application No. 61/143,751, filed on Jan. 9, 2009.

(52) **U.S. Cl.**

CPC *A61B 17/0469* (2013.01);
A61B 2017/00619 (2013.01); *A61B*
2017/00623 (2013.01); *A61B 2017/00659*
(2013.01); *A61B 2017/00663* (2013.01); *A61B*
2017/00867 (2013.01); *A61B 2017/0409*
(2013.01); *A61B 2017/0437* (2013.01); *A61B*
2017/0464 (2013.01); *A61B 2017/0472*
(2013.01); *A61B 17/0482* (2013.01); *A61B*
17/0483 (2013.01); *A61B 17/0487* (2013.01)

(58) **Field of Classification Search**

CPC *A61B 17/0483*; *A61B 17/0487*; *A61B*
2017/00619; *A61B 2017/00623*; *A61B*
2017/00659; *A61B 2017/00663*; *A61B*
2017/0409

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

556,082 A 3/1896 Boeddinghaus
1,088,393 A 2/1914 Backus
1,123,290 A 1/1915 Von Herff
1,242,139 A 10/1917 Callahan
1,331,401 A 2/1920 Summers
1,426,111 A 8/1922 Sacker
1,480,935 A 1/1924 Gleason
1,516,990 A 11/1924 Silverman
1,596,004 A 8/1926 De Bengoa
1,647,958 A 11/1927 Ciarlante
1,847,347 A 3/1932 Maisto
1,852,098 A 4/1932 Anderson
1,880,569 A 10/1932 Weis
2,075,508 A 3/1937 Davidson
2,087,074 A 7/1937 Tucker
2,108,206 A 2/1938 Mecker
2,210,061 A 8/1940 Caminez
2,254,620 A 9/1941 Miller
2,316,297 A 4/1943 Southerland et al.
2,371,978 A 3/1945 Perham
2,453,227 A 11/1948 Janes
2,583,625 A 1/1952 Bergan
2,610,631 A 9/1952 Calicchio
2,684,070 A 7/1954 Kelsey
2,755,699 A 7/1956 Forster
2,756,748 A 7/1956 Ferguson
2,910,067 A 10/1959 White
2,944,311 A 7/1960 Schneckenberger
2,951,482 A 9/1960 Sullivan
2,969,887 A 1/1961 Darmstadt et al.
3,014,483 A 12/1961 Frank
3,015,403 A 1/1962 Fuller
3,029,754 A 4/1962 Doyle
3,113,379 A 12/1963 Frank
3,120,230 A 2/1964 Skold
3,142,878 A 8/1964 Santora
3,209,754 A 10/1965 Brown
3,209,784 A 10/1965 Schwartz
3,348,595 A 10/1967 Stevens, Jr.
3,357,070 A 12/1967 Solon
3,482,428 A 12/1969 Kapitanov et al.

3,494,533 A 2/1970 Green et al.
3,494,553 A 2/1970 Nelson
3,495,586 A 2/1970 Regenbogen
3,510,923 A 5/1970 Blake
3,513,848 A 5/1970 Winston et al.
3,517,128 A 6/1970 Hines
3,523,351 A 8/1970 Filia
3,525,340 A 8/1970 Gilbert
3,557,794 A 1/1971 Van Patten
3,586,002 A 6/1971 Wood
3,604,425 A 9/1971 Le Roy
3,618,447 A 11/1971 Goins
3,664,345 A 5/1972 Dabbs et al.
3,677,243 A 7/1972 Nerz
3,682,180 A 8/1972 McFarlane
3,732,719 A 5/1973 Pallotta
3,750,650 A 8/1973 Rutters
3,753,438 A 8/1973 Wood et al.
3,757,629 A 9/1973 Schneider
3,799,172 A 3/1974 Szpur
3,805,337 A 4/1974 Branstetter
3,814,104 A 6/1974 Irnich et al.
3,823,719 A 7/1974 Cummings
3,828,791 A 8/1974 Santos
3,831,608 A 8/1974 Kletschka et al.
3,856,016 A 12/1974 Davis
3,874,388 A 4/1975 King et al.
3,908,662 A 9/1975 Razgulov et al.
3,926,194 A 12/1975 Greenberg et al.
3,931,821 A 1/1976 Kletschka et al.
3,939,820 A 2/1976 Grayzel
3,944,114 A 3/1976 Coppens
3,960,147 A 6/1976 Murray
3,976,079 A 8/1976 Samuels et al.
3,985,138 A 10/1976 Jarvik
4,007,743 A 2/1977 Blake
4,011,872 A 3/1977 Komiya
4,014,492 A 3/1977 Rothfuss
4,018,228 A 4/1977 Goosen
4,046,150 A 9/1977 Schwartz et al.
4,047,533 A 9/1977 Perciaccante et al.
4,064,881 A 12/1977 Meredith
4,112,944 A 9/1978 Williams
4,153,321 A 5/1979 Pombrol
4,162,673 A 7/1979 Patel
4,169,476 A 10/1979 Hiltbrandt
4,189,808 A 2/1980 Brown
4,192,315 A 3/1980 Hilzinger et al.
4,201,215 A 5/1980 Crossett et al.
4,204,541 A 5/1980 Kapitanov
4,207,870 A 6/1980 Eldridge
4,214,587 A 7/1980 Sakura, Jr.
4,215,699 A 8/1980 Patel
4,217,902 A 8/1980 March
4,267,995 A 5/1981 McMillan
4,273,129 A 6/1981 Boebel
4,274,415 A 6/1981 Kanamoto et al.
4,278,091 A 7/1981 Borzone
4,287,489 A 9/1981 Pinkham
4,291,698 A 9/1981 Fuchs et al.
4,317,445 A 3/1982 Robinson
4,317,451 A 3/1982 Cerwin et al.
4,318,401 A 3/1982 Zimmerman
4,327,485 A 5/1982 Rix
4,345,606 A 8/1982 Littleford
4,359,052 A 11/1982 Staub
4,368,736 A 1/1983 Kaster
4,387,489 A 6/1983 Dudek
4,396,139 A 8/1983 Hall et al.
4,400,879 A 8/1983 Hildreth
4,407,286 A 10/1983 Noiles et al.
4,411,654 A 10/1983 Boarini et al.
4,412,832 A 11/1983 Kling et al.
4,428,376 A 1/1984 Mericle
4,440,170 A 4/1984 Golden et al.
4,449,531 A 5/1984 Cerwin et al.
4,475,544 A 10/1984 Reis
4,480,356 A 11/1984 Martin
4,485,816 A 12/1984 Krumme

(56)

References Cited

U.S. PATENT DOCUMENTS

4,501,276 A	2/1985	Lombardi	5,026,390 A	6/1991	Brown
RE31,855 E	3/1985	Osborne et al.	5,030,226 A	7/1991	Green et al.
4,505,273 A	3/1985	Braun et al.	5,032,127 A	7/1991	Frazee et al.
4,505,274 A	3/1985	Speelman	5,035,692 A	7/1991	Lyon et al.
4,523,591 A	6/1985	Kaplan et al.	5,041,129 A	8/1991	Hayhurst et al.
4,523,695 A	6/1985	Braun et al.	5,042,707 A	8/1991	Taheri
4,525,157 A	6/1985	Vaillancourt	5,047,047 A	9/1991	Yoon
4,526,174 A	7/1985	Froehlich	5,053,008 A	10/1991	Bajaj
4,570,633 A	2/1986	Golden	5,059,201 A	10/1991	Asnis
4,577,635 A	3/1986	Meredith	5,061,274 A	10/1991	Kensey
4,586,503 A	5/1986	Kirsch et al.	5,061,283 A	10/1991	Silvestrini
4,592,498 A	6/1986	Braun et al.	5,071,430 A	12/1991	De et al.
4,595,559 A	6/1986	Planchamp	5,074,871 A	12/1991	Groshong
4,596,559 A	6/1986	Fleischhacker	5,078,731 A	1/1992	Hayhurst
4,607,638 A	8/1986	Crainich	5,092,941 A	3/1992	Miura
4,610,251 A	9/1986	Kumar	5,100,418 A	3/1992	Yoon et al.
4,610,252 A	9/1986	Catalano	5,100,422 A	3/1992	Berguer et al.
4,635,634 A	1/1987	Santos	5,108,420 A	4/1992	Marks
4,635,637 A	1/1987	Schreiber	5,108,421 A	4/1992	Fowler
4,644,956 A	2/1987	Morgenstern	5,114,032 A	5/1992	Laidlaw
4,651,737 A	3/1987	Deniega	5,114,065 A	5/1992	Storace
4,664,305 A	5/1987	Blake et al.	5,116,349 A	5/1992	Aranyi
4,665,906 A	5/1987	Jervis	5,122,122 A	6/1992	Allgood
4,667,675 A	5/1987	Davis	5,122,156 A	6/1992	Granger et al.
4,683,895 A	8/1987	Pohndorf	5,131,379 A	7/1992	Sewell, Jr.
4,687,469 A	8/1987	Osyypka	5,141,520 A	8/1992	Goble et al.
4,693,249 A	9/1987	Schenck et al.	5,147,381 A	9/1992	Heimerl et al.
4,697,312 A	10/1987	Freyer	5,156,609 A	10/1992	Nakao et al.
4,719,917 A	1/1988	Barrows et al.	5,158,566 A	10/1992	Pianetti
4,724,840 A	2/1988	McVay et al.	5,160,339 A	11/1992	Chen et al.
4,738,658 A	4/1988	Magro et al.	5,163,343 A	11/1992	Gish
4,744,364 A	5/1988	Kensey	5,167,634 A	12/1992	Corrigan et al.
4,747,407 A	5/1988	Liu et al.	5,167,643 A	12/1992	Lynn
4,750,492 A	6/1988	Jacobs	5,171,249 A	12/1992	Stefanchik et al.
4,759,364 A	7/1988	Boebel	5,171,250 A	12/1992	Yoon
4,771,782 A	9/1988	Millar	5,171,251 A	12/1992	Bregen et al.
4,772,266 A	9/1988	Groshong	5,171,259 A	12/1992	Inoue
4,773,421 A	9/1988	Davis	5,176,648 A	1/1993	Holmes et al.
4,777,950 A	10/1988	Kees, Jr.	5,176,682 A	1/1993	Chow
4,789,090 A	12/1988	Blake, III	5,176,691 A	1/1993	Pierce
4,813,586 A	3/1989	Seifert	5,192,287 A	3/1993	Fournier et al.
4,823,794 A	4/1989	Pierce	5,192,288 A	3/1993	Thompson et al.
4,830,002 A	5/1989	Semm	5,192,300 A	3/1993	Fowler
4,832,688 A	5/1989	Sagae et al.	5,192,301 A	3/1993	Kamiya et al.
4,836,204 A	6/1989	Landymore et al.	5,192,302 A	3/1993	Kensey et al.
4,852,568 A	8/1989	Kensey	5,192,602 A	3/1993	Spencer et al.
4,860,746 A	8/1989	Yoon	5,193,533 A	3/1993	Body et al.
4,865,026 A	9/1989	Barrett	5,197,971 A	3/1993	Bonutti
4,866,818 A	9/1989	Thompson	5,203,787 A	4/1993	Noblitt et al.
4,874,122 A	10/1989	Froehlich et al.	5,207,697 A	5/1993	Carusillo et al.
4,878,915 A	11/1989	Brantigan	5,209,756 A	5/1993	Seedhom et al.
4,885,003 A	12/1989	Hillstead	5,211,651 A	5/1993	Reger et al.
4,886,067 A	12/1989	Palermo	5,217,024 A	6/1993	Dorsey et al.
4,887,601 A	12/1989	Richards	5,217,471 A	6/1993	Burkhart
4,890,612 A	1/1990	Kensey	5,219,359 A	6/1993	McQuilkin et al.
4,902,508 A	2/1990	Badylak et al.	5,222,971 A	6/1993	Willard et al.
4,917,087 A	4/1990	Walsh et al.	5,222,974 A	6/1993	Kensey et al.
4,917,089 A	4/1990	Sideris	5,224,945 A	7/1993	Pannek
4,929,240 A	5/1990	Kirsch et al.	5,226,908 A	7/1993	Yoon
4,934,364 A	6/1990	Green	5,234,449 A	8/1993	Bruker et al.
4,950,258 A	8/1990	Kawai et al.	5,236,435 A	8/1993	Sewell, Jr.
4,957,499 A	9/1990	Lipatov et al.	5,236,445 A	8/1993	Hayhurst et al.
4,961,729 A	10/1990	Vaillancourt	5,237,996 A	8/1993	Waldman et al.
4,967,949 A	11/1990	Sandhaus	5,242,456 A	9/1993	Nash et al.
4,976,721 A	12/1990	Blasnik et al.	5,242,457 A	9/1993	Akopov et al.
4,983,176 A	1/1991	Cushman et al.	5,242,459 A	9/1993	Buelna
4,997,436 A	3/1991	Oberlander	5,243,857 A	9/1993	Janota
4,997,439 A	3/1991	Chen	5,246,156 A	9/1993	Rothfuss et al.
4,997,736 A	3/1991	Kawamura et al.	5,246,443 A	9/1993	Mai
5,002,562 A	3/1991	Oberlander	5,250,058 A	10/1993	Miller et al.
5,007,921 A	4/1991	Brown	5,254,105 A	10/1993	Haaga
5,009,663 A	4/1991	Broome	5,255,679 A	10/1993	Imran
5,011,487 A	4/1991	Shichman	5,258,015 A	11/1993	Li et al.
5,015,247 A	5/1991	Michelson	5,269,792 A	12/1993	Kloeckl et al.
5,021,059 A	6/1991	Kensey et al.	5,275,610 A	1/1994	Eberbach
			5,275,616 A	1/1994	Fowler
			5,281,422 A	1/1994	Badylak et al.
			5,282,808 A	2/1994	Kovac et al.
			5,282,827 A	2/1994	Kensey et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

5,282,832	A	2/1994	Toso et al.	5,464,413	A	11/1995	Siska et al.
5,284,488	A	2/1994	Sideris	5,464,416	A	11/1995	Steckel
5,289,963	A	3/1994	McGarry et al.	5,466,241	A	11/1995	Leroy et al.
5,290,243	A	3/1994	Chodorow et al.	5,470,010	A	11/1995	Rothfuss et al.
5,290,310	A	3/1994	Makower et al.	5,471,982	A	12/1995	Edwards et al.
5,292,309	A	3/1994	Van et al.	5,474,557	A	12/1995	Mai
5,292,332	A	3/1994	Lee	5,474,569	A	12/1995	Zinreich et al.
5,300,046	A	4/1994	Scarfone et al.	5,474,572	A	12/1995	Hayhurst
5,304,183	A	4/1994	Gourlay et al.	5,476,505	A	12/1995	Limon
5,304,184	A	4/1994	Hathaway et al.	5,478,352	A	12/1995	Fowler
5,304,204	A	4/1994	Bregen	5,478,353	A	12/1995	Yoon
5,306,254	A	4/1994	Nash et al.	5,478,354	A	12/1995	Tovey et al.
5,306,280	A	4/1994	Bregen et al.	5,478,853	A	12/1995	Regnier et al.
5,309,927	A	5/1994	Welch	5,484,420	A	1/1996	Russo
5,318,542	A	6/1994	Hirsch et al.	5,486,195	A	1/1996	Myers et al.
5,320,639	A	6/1994	Rudnick	5,492,119	A	2/1996	Abrams
5,322,694	A	6/1994	Sixsmith	5,496,332	A	3/1996	Sierra et al.
5,327,908	A	7/1994	Gerry	5,497,933	A	3/1996	DeFonzo et al.
5,328,472	A	7/1994	Steinke et al.	5,501,698	A	3/1996	Roth et al.
5,330,442	A	7/1994	Green et al.	5,507,744	A	4/1996	Tay et al.
5,330,445	A	7/1994	Haaga	5,507,755	A	4/1996	Gresl et al.
5,330,503	A	7/1994	Yoon	5,510,115	A	4/1996	Breillatt et al.
5,334,216	A	8/1994	Vidal et al.	5,514,159	A	5/1996	Matula et al.
5,334,217	A	8/1994	Das	5,521,184	A	5/1996	Zimmermann
5,335,680	A	8/1994	Moore	5,522,840	A	6/1996	Krajicek
5,340,360	A	8/1994	Stefanchik	5,527,322	A	6/1996	Klein et al.
5,342,393	A	8/1994	Stack	5,536,251	A	7/1996	Evard et al.
5,344,439	A	9/1994	Otten	5,536,267	A	7/1996	Edwards et al.
5,350,399	A	9/1994	Erlebacher et al.	5,540,712	A	7/1996	Kleshinski et al.
5,352,229	A	10/1994	Goble et al.	5,540,716	A	7/1996	Hlavacek
5,354,279	A	10/1994	Berthold	5,543,520	A	8/1996	Zimmermann
5,364,406	A	11/1994	Sewell, Jr.	5,544,802	A	8/1996	Crainich
5,364,408	A	11/1994	Gordon	5,545,178	A	8/1996	Kensley et al.
5,366,458	A	11/1994	Korthoff et al.	5,547,474	A	8/1996	Kloeckl et al.
5,366,479	A	11/1994	McGarry et al.	5,560,532	A	10/1996	Defonzo et al.
5,376,101	A	12/1994	Green et al.	5,562,684	A	10/1996	Kammerer
5,383,860	A	1/1995	Lau	5,571,120	A	11/1996	Yoon
5,383,896	A	1/1995	Gershony et al.	5,573,540	A	11/1996	Yoon
5,383,897	A	1/1995	Wholey	5,573,784	A	11/1996	Badylak et al.
5,383,905	A	1/1995	Golds et al.	5,575,771	A	11/1996	Walinsky
RE34,866	E	2/1995	Kensley et al.	5,582,616	A	12/1996	Bolduc et al.
5,391,173	A	2/1995	Wilk	5,584,879	A	12/1996	Reimold et al.
5,391,174	A	2/1995	Weston	5,591,205	A	1/1997	Fowler
5,392,978	A	2/1995	Velez et al.	5,593,412	A	1/1997	Martinez et al.
5,395,030	A	3/1995	Kuramoto et al.	5,593,422	A	1/1997	Muijs et al.
5,397,355	A	3/1995	Marin et al.	5,593,425	A	1/1997	Bonutti et al.
5,403,330	A	4/1995	Tuason	5,601,602	A	2/1997	Fowler
5,403,331	A	4/1995	Chesterfield et al.	5,609,597	A	3/1997	Lehrer
5,404,621	A	4/1995	Heinke	5,611,986	A	3/1997	Datta et al.
5,409,499	A	4/1995	Yi	5,613,974	A	3/1997	Andreas et al.
5,411,520	A	5/1995	Nash et al.	5,613,975	A	3/1997	Christy
5,413,571	A	5/1995	Katsaros et al.	5,618,291	A	4/1997	Thompson et al.
5,413,584	A	5/1995	Schulze	5,618,306	A	4/1997	Roth et al.
5,416,584	A	5/1995	Kay	5,620,452	A	4/1997	Yoon
5,417,699	A	5/1995	Klein et al.	5,620,461	A	4/1997	Muijs et al.
5,419,765	A	5/1995	Weldon et al.	5,626,614	A	5/1997	Hart
5,419,777	A	5/1995	Hoffling	5,630,824	A	5/1997	Hart
5,421,832	A	6/1995	Lefebvre	5,634,936	A	6/1997	Linden et al.
5,423,857	A	6/1995	Rosenman et al.	5,643,318	A	7/1997	Tsukernik et al.
5,425,489	A	6/1995	Shichman et al.	5,645,553	A	7/1997	Kolesa et al.
5,425,740	A	6/1995	Hutchinson, Jr.	5,645,565	A	7/1997	Rudd et al.
5,431,639	A	7/1995	Shaw	5,645,566	A	7/1997	Brenneman et al.
5,431,667	A	7/1995	Thompson et al.	5,645,567	A	7/1997	Crainich
5,433,721	A	7/1995	Hooven et al.	5,647,372	A	7/1997	Tovey et al.
5,437,631	A	8/1995	Janzen	5,649,959	A	7/1997	Hannam et al.
5,439,479	A	8/1995	Shichman et al.	D383,539	S	9/1997	Croley et al.
5,443,477	A	8/1995	Marin et al.	5,669,917	A	9/1997	Sauer et al.
5,443,481	A	8/1995	Lee	5,669,935	A	9/1997	Rosenman et al.
5,445,167	A	8/1995	Yoon et al.	5,672,174	A	9/1997	Gough et al.
5,449,359	A	9/1995	Groiso	5,674,231	A	10/1997	Green et al.
5,451,235	A	9/1995	Lock et al.	5,674,244	A	10/1997	Mathys
5,454,413	A	10/1995	Morelli	5,676,689	A	10/1997	Kensley et al.
5,456,400	A	10/1995	Shichman et al.	5,676,974	A	10/1997	Valdes et al.
5,462,558	A	10/1995	Kolesa et al.	5,678,572	A	10/1997	Shaw et al.
5,462,561	A	10/1995	Voda	5,681,280	A	10/1997	Rusk et al.
				5,681,334	A	10/1997	Evans et al.
				5,681,351	A	10/1997	Jamiolkowski et al.
				5,683,405	A	11/1997	Yacoubian et al.
				5,690,674	A	11/1997	Diaz

(56)

References Cited

U.S. PATENT DOCUMENTS

5,693,061	A	12/1997	Pierce et al.	5,846,254	A	12/1998	Schulze et al.
5,695,504	A	12/1997	Gifford et al.	5,853,421	A	12/1998	Leschinsky et al.
5,695,505	A	12/1997	Yoon	5,853,422	A	12/1998	Huebsch et al.
5,695,524	A	12/1997	Kelley et al.	5,855,312	A	1/1999	Toledano
5,697,943	A	12/1997	Sauer et al.	5,855,576	A	1/1999	Leveen et al.
5,700,270	A	12/1997	Peyser et al.	5,857,999	A	1/1999	Quick et al.
5,700,273	A	12/1997	Buelna et al.	5,858,082	A	1/1999	Cruz et al.
5,709,224	A	1/1998	Behl et al.	5,860,991	A	1/1999	Klein et al.
5,709,708	A	1/1998	Thal	5,861,003	A	1/1999	Latson et al.
5,713,899	A	2/1998	Marnay et al.	5,861,005	A	1/1999	Kontos
5,715,987	A	2/1998	Kelley et al.	5,865,791	A	2/1999	Whayne et al.
5,716,375	A	2/1998	Fowler	5,868,755	A	2/1999	Kanner et al.
5,720,755	A	2/1998	Dakov	5,868,762	A	2/1999	Cragg et al.
5,720,765	A	2/1998	Thal	5,868,763	A	2/1999	Spence et al.
5,725,498	A	3/1998	Janzen et al.	5,871,474	A	2/1999	Hermann et al.
5,725,552	A	3/1998	Kotula et al.	5,871,490	A	2/1999	Schulze et al.
5,725,554	A	3/1998	Simon et al.	5,871,501	A	2/1999	Leschinsky et al.
5,725,556	A	3/1998	Moser et al.	5,871,525	A	2/1999	Edwards et al.
5,728,109	A	3/1998	Schulze et al.	5,873,876	A	2/1999	Christy
5,728,110	A	3/1998	Vidal et al.	5,873,891	A	2/1999	Sohn
5,728,114	A	3/1998	Evans et al.	5,879,366	A	3/1999	Shaw et al.
5,728,116	A	3/1998	Rosenman	5,891,088	A	4/1999	Thompson et al.
5,728,122	A	3/1998	Leschinsky et al.	5,893,592	A	4/1999	Schulze et al.
5,728,132	A	3/1998	Van et al.	5,897,487	A	4/1999	Ouchi
5,728,133	A	3/1998	Kontos	5,902,310	A	5/1999	Foerster et al.
5,728,143	A	3/1998	Gough et al.	5,904,696	A	5/1999	Rosenman
5,732,872	A	3/1998	Bolduc et al.	5,904,697	A	5/1999	Gifford et al.
5,735,736	A	4/1998	Volk	5,904,703	A	5/1999	Gilson
5,735,873	A	4/1998	MacLean	5,906,631	A	5/1999	Imran
5,735,875	A	4/1998	Bonutti et al.	5,907,893	A	6/1999	Zadno-Azizi et al.
5,735,877	A	4/1998	Pagedas	5,908,149	A	6/1999	Welch et al.
5,746,753	A	5/1998	Sullivan et al.	5,910,155	A	6/1999	Ratcliff et al.
5,749,826	A	5/1998	Faulkner	5,919,207	A	7/1999	Taheri
5,749,898	A	5/1998	Schulze et al.	5,919,208	A	7/1999	Valenti
5,752,966	A	5/1998	Chang	5,922,009	A	7/1999	Epstein et al.
5,755,726	A	5/1998	Pratt et al.	5,928,208	A	7/1999	Chu et al.
5,755,727	A	5/1998	Kontos	5,928,231	A	7/1999	Klein et al.
5,755,778	A	5/1998	Kleshinski	5,928,251	A	7/1999	Aranyi et al.
5,759,189	A	6/1998	Ferragamo et al.	5,928,260	A	7/1999	Chin et al.
5,762,872	A	6/1998	Buehler et al.	5,935,147	A	8/1999	Kensley et al.
5,766,217	A	6/1998	Christy	5,938,667	A	8/1999	Peyser et al.
5,766,246	A	6/1998	Mulhauser et al.	5,941,890	A	8/1999	Voegelé et al.
5,769,862	A	6/1998	Kammerer et al.	5,947,999	A	9/1999	Groiso
5,769,870	A	6/1998	Salahieh et al.	5,948,001	A	9/1999	Larsen
5,776,147	A	7/1998	Dolendo	5,951,518	A	9/1999	Licata et al.
5,776,150	A	7/1998	Nolan et al.	5,951,547	A	9/1999	Gough et al.
5,779,707	A	7/1998	Bertholet et al.	5,951,575	A	9/1999	Bolduc et al.
5,780,807	A	7/1998	Saunders	5,951,576	A	9/1999	Wakabayashi
5,782,844	A	7/1998	Yoon et al.	5,951,589	A	9/1999	Epstein et al.
5,782,860	A	7/1998	Epstein et al.	5,954,732	A	9/1999	Hart et al.
5,782,861	A	7/1998	Cragg et al.	5,957,900	A	9/1999	Ouchi
5,782,864	A	7/1998	Lizardi	5,957,936	A	9/1999	Yoon et al.
5,795,958	A	8/1998	Rao et al.	5,957,938	A	9/1999	Zhu et al.
5,797,928	A	8/1998	Kogasaka	5,957,940	A	9/1999	Tanner et al.
5,797,929	A	8/1998	Andreas et al.	5,964,782	A	10/1999	Lafontaine et al.
5,797,931	A	8/1998	Bito et al.	5,972,023	A	10/1999	Tanner et al.
5,797,933	A	8/1998	Snow et al.	5,976,159	A	11/1999	Bolduc et al.
5,797,958	A	8/1998	Yoon	5,976,161	A	11/1999	Kirsch et al.
5,797,960	A	8/1998	Stevens et al.	5,976,174	A	11/1999	Ruiz
5,810,776	A	9/1998	Bacich et al.	5,980,517	A	11/1999	Gough
5,810,846	A	9/1998	Virnich et al.	5,984,934	A	11/1999	Ashby et al.
5,810,851	A	9/1998	Yoon	5,984,948	A	11/1999	Hasson
5,810,877	A	9/1998	Roth et al.	5,984,949	A	11/1999	Levin
5,814,069	A	9/1998	Schulze et al.	5,993,466	A	11/1999	Yoon
5,817,113	A	10/1998	Gifford et al.	5,993,468	A	11/1999	Rygaard
5,820,631	A	10/1998	Nobles	5,993,476	A	11/1999	Groiso
5,823,189	A	10/1998	Kordis	6,001,110	A	12/1999	Adams
5,827,298	A	10/1998	Hart et al.	6,004,341	A	12/1999	Zhu et al.
5,830,125	A	11/1998	Scribner et al.	6,007,563	A	12/1999	Nash et al.
5,830,217	A	11/1998	Ryan	6,007,574	A	12/1999	Pulnev et al.
5,830,221	A	11/1998	Stein et al.	6,009,877	A	1/2000	Edwards
5,833,698	A	11/1998	Hinchliffe et al.	6,010,517	A	1/2000	Baccaro
5,843,164	A	12/1998	Frantzen et al.	6,013,084	A	1/2000	Ken et al.
5,843,167	A	12/1998	Dwyer et al.	6,015,815	A	1/2000	Mollison
5,845,657	A	12/1998	Carberry et al.	6,019,779	A	2/2000	Thorud et al.
				6,022,372	A	2/2000	Kontos
				6,024,747	A	2/2000	Kontos
				6,024,750	A	2/2000	Mastri et al.
				6,024,756	A	2/2000	Huebsch et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

6,024,758 A	2/2000	Thal	6,206,895 B1	3/2001	Levinson
6,030,364 A	2/2000	Durgin et al.	6,206,913 B1	3/2001	Yencho et al.
6,030,413 A	2/2000	Lazarus	6,206,931 B1	3/2001	Cook et al.
6,033,427 A	3/2000	Lee	6,210,407 B1	4/2001	Webster
6,036,703 A	3/2000	Evans et al.	6,210,418 B1	4/2001	Storz et al.
6,036,720 A	3/2000	Abrams et al.	6,217,554 B1	4/2001	Green
6,045,570 A	4/2000	Epstein et al.	6,220,248 B1	4/2001	Voegelé et al.
6,048,358 A	4/2000	Barak	6,221,084 B1	4/2001	Fleenor
6,056,688 A	5/2000	Benderev et al.	6,221,102 B1	4/2001	Baker et al.
6,056,744 A	5/2000	Edwards	6,231,561 B1	5/2001	Frazier et al.
6,056,768 A	5/2000	Cates et al.	6,231,592 B1	5/2001	Bonutti et al.
6,056,769 A	5/2000	Epstein et al.	6,238,705 B1	5/2001	Liu et al.
6,056,770 A	5/2000	Epstein et al.	6,241,740 B1	6/2001	Davis et al.
6,059,800 A	5/2000	Hart et al.	6,245,079 B1	6/2001	Nobles et al.
6,059,825 A	5/2000	Hobbs et al.	6,248,124 B1	6/2001	Pedros et al.
6,063,085 A	5/2000	Tay et al.	6,254,615 B1	7/2001	Bolduc et al.
6,063,114 A	5/2000	Nash et al.	6,254,617 B1	7/2001	Spence et al.
6,066,160 A	5/2000	Colvin et al.	6,254,642 B1	7/2001	Taylor
6,068,603 A	5/2000	Suzuki	6,258,115 B1	7/2001	Dubrul
6,071,300 A	6/2000	Brenneman et al.	6,267,773 B1	7/2001	Gadberry et al.
6,074,395 A	6/2000	Trott et al.	6,273,903 B1	8/2001	Wilk
6,074,409 A	6/2000	Goldfarb	6,276,704 B1	8/2001	Suiter
6,077,281 A	6/2000	Das	6,277,140 B2	8/2001	Ginn et al.
6,077,291 A	6/2000	Das	6,280,460 B1	8/2001	Bolduc et al.
6,080,182 A	6/2000	Shaw et al.	6,287,322 B1	9/2001	Zhu et al.
6,080,183 A	6/2000	Tsugita et al.	6,287,335 B1	9/2001	Drasler et al.
6,083,242 A	7/2000	Cook	6,290,674 B1	9/2001	Roue et al.
6,086,608 A	7/2000	Ek et al.	6,296,657 B1	10/2001	Brucker
6,090,130 A	7/2000	Nash et al.	6,302,870 B1	10/2001	Jacobsen et al.
6,092,561 A	7/2000	Schmid	6,302,898 B1	10/2001	Edwards et al.
6,095,155 A	8/2000	Criscuolo	6,305,891 B1	10/2001	Burlingame
6,099,553 A	8/2000	Hart et al.	6,306,081 B1	10/2001	Ishikawa et al.
6,102,271 A	8/2000	Longo et al.	6,309,416 B1	10/2001	Swanson et al.
6,105,217 A	8/2000	Caradine et al.	6,319,258 B1	11/2001	McAllen et al.
6,106,545 A	8/2000	Egan	6,322,580 B1	11/2001	Kanner
6,110,184 A	8/2000	Weadock	6,328,727 B1	12/2001	Frazier et al.
6,113,610 A	9/2000	Poncet	6,329,386 B1	12/2001	Mollison
6,113,611 A	9/2000	Allen et al.	6,334,865 B1	1/2002	Redmond et al.
6,113,612 A	9/2000	Swanson et al.	6,348,064 B1	2/2002	Kanner
6,117,125 A	9/2000	Rothbarth et al.	6,355,052 B1	3/2002	Neuss et al.
6,117,144 A	9/2000	Nobles et al.	6,355,061 B1	3/2002	Quiachon et al.
6,117,148 A	9/2000	Ravo et al.	6,358,258 B1	3/2002	Arcia et al.
6,117,157 A	9/2000	Tekulve	6,375,671 B1	4/2002	Kobayashi et al.
6,117,159 A	9/2000	Huebsch et al.	D457,958 S	5/2002	Dycus et al.
6,120,513 A	9/2000	Bailey et al.	6,383,208 B1	5/2002	Sancoff et al.
6,120,524 A	9/2000	Taheri	6,391,048 B1	5/2002	Ginn et al.
6,126,675 A	10/2000	Shchervinsky et al.	6,395,015 B1	5/2002	Borst et al.
6,126,677 A	10/2000	Ganaja et al.	6,397,110 B1	5/2002	Kuzma
6,136,010 A	10/2000	Modesitt et al.	6,398,752 B1	6/2002	Sweezer et al.
6,143,004 A	11/2000	Davis et al.	6,402,765 B1	6/2002	Monassevitch et al.
6,143,017 A	11/2000	Thal	6,409,739 B1	6/2002	Nobles et al.
6,146,385 A	11/2000	Torrie et al.	6,419,669 B1	7/2002	Frazier et al.
6,149,660 A	11/2000	Laufer et al.	6,421,899 B1	7/2002	Zitnay
6,149,667 A	11/2000	Hovland et al.	6,423,054 B1	7/2002	Ouchi
6,152,144 A	11/2000	Lesh et al.	6,425,911 B1	7/2002	Akerfeldt et al.
6,152,934 A	11/2000	Harper et al.	6,428,472 B1	8/2002	Haas
6,152,936 A	11/2000	Christy et al.	6,428,548 B1	8/2002	Durgin et al.
6,152,937 A	11/2000	Peterson et al.	6,443,158 B1	9/2002	LaFontaine et al.
6,159,234 A	12/2000	Bonutti et al.	6,443,963 B1	9/2002	Baldwin et al.
6,161,263 A	12/2000	Anderson	6,447,540 B1	9/2002	Fontaine et al.
6,165,204 A	12/2000	Levinson et al.	6,450,391 B1	9/2002	Kayan et al.
6,171,277 B1	1/2001	Ponzi	6,455,053 B1	9/2002	Okada et al.
6,171,329 B1	1/2001	Shaw et al.	6,458,130 B1	10/2002	Frazier et al.
6,174,322 B1	1/2001	Schneidt	6,461,327 B1	10/2002	Addis et al.
6,174,324 B1	1/2001	Egan et al.	6,461,364 B1	10/2002	Ginn et al.
6,179,849 B1	1/2001	Yencho et al.	6,461,366 B1	10/2002	Seguin
6,179,860 B1	1/2001	Fulton et al.	6,482,224 B1	11/2002	Michler et al.
6,183,775 B1	2/2001	Ventouras	6,485,504 B1	11/2002	Johnson et al.
6,193,708 B1	2/2001	Ken et al.	6,488,692 B1	12/2002	Spence et al.
6,193,734 B1	2/2001	Bolduc et al.	6,494,848 B1	12/2002	Sommercorn et al.
6,197,042 B1	3/2001	Ginn et al.	6,500,115 B2	12/2002	Krattiger et al.
6,198,974 B1	3/2001	Webster, Jr.	6,505,210 B1	1/2003	Frey et al.
6,200,329 B1	3/2001	Fung et al.	6,506,210 B1	1/2003	Kanner
6,200,330 B1	3/2001	Benderev et al.	6,508,828 B1	1/2003	Akerfeldt et al.
6,203,565 B1	3/2001	Bonutti et al.	6,514,280 B1	2/2003	Gilson
			6,517,498 B1	2/2003	Burbank et al.
			6,517,555 B1	2/2003	Caro
			6,517,569 B2	2/2003	Mikus et al.
			6,527,737 B2	3/2003	Kaneshige

(56)

References Cited

U.S. PATENT DOCUMENTS

6,533,762 B2	3/2003	Kanner et al.	6,790,218 B2	9/2004	Jayaraman
6,533,812 B2	3/2003	Swanson et al.	6,790,220 B2	9/2004	Morris et al.
6,537,288 B2	3/2003	Vargas et al.	6,837,893 B2	1/2005	Miller
6,544,230 B1	4/2003	Flaherty et al.	6,837,906 B2	1/2005	Ginn
6,547,806 B1	4/2003	Ding	6,846,319 B2	1/2005	Ginn et al.
6,551,319 B2	4/2003	Lieberman	6,849,078 B2	2/2005	Durgin et al.
6,558,349 B1	5/2003	Kirkman	6,860,895 B1	3/2005	Akerfeldt et al.
6,569,159 B1	5/2003	Edwards et al.	6,890,343 B2	5/2005	Ginn et al.
6,569,173 B1	5/2003	Blatter et al.	6,896,687 B2	5/2005	Dakov
6,569,185 B2	5/2003	Ungs	6,896,692 B2	5/2005	Ginn et al.
6,572,629 B2	6/2003	Kalloo et al.	6,904,647 B2	6/2005	Byers, Jr.
6,578,585 B1	6/2003	Stachowski et al.	6,913,607 B2	7/2005	Ainsworth et al.
6,582,452 B2	6/2003	Coleman et al.	6,926,723 B1	8/2005	Mulhauser et al.
6,582,482 B2	6/2003	Gillman et al.	6,926,731 B2	8/2005	Coleman et al.
6,596,012 B2	7/2003	Akerfeldt et al.	6,929,634 B2	8/2005	Dorros et al.
6,596,013 B2	7/2003	Yang et al.	6,942,641 B2	9/2005	Seddon
6,599,303 B1	7/2003	Peterson et al.	6,942,674 B2	9/2005	Belef et al.
6,599,311 B1	7/2003	Biggs et al.	6,942,691 B1	9/2005	Chuter
6,602,263 B1	8/2003	Swanson et al.	6,964,668 B2	11/2005	Modesitt et al.
6,610,072 B1	8/2003	Christy et al.	6,969,391 B1	11/2005	Gazzani
6,613,059 B2	9/2003	Schaller et al.	6,969,397 B2	11/2005	Ginn
6,613,060 B2	9/2003	Adams et al.	6,984,238 B2	1/2006	Gifford et al.
6,616,686 B2	9/2003	Coleman et al.	6,989,003 B2	1/2006	Wing et al.
6,620,165 B2	9/2003	Wellisz	6,989,016 B2	1/2006	Tallarida et al.
6,623,509 B2	9/2003	Ginn	7,001,398 B2	2/2006	Carley et al.
6,623,510 B2	9/2003	Carley et al.	7,001,400 B1	2/2006	Modesitt et al.
6,626,918 B1	9/2003	Ginn et al.	7,008,435 B2	3/2006	Cummins
6,626,919 B1	9/2003	Swanstrom	7,008,439 B1	3/2006	Janzen et al.
6,626,920 B2	9/2003	Whayne	7,025,776 B1	4/2006	Houser et al.
6,626,930 B1	9/2003	Allen et al.	7,033,379 B2	4/2006	Peterson
6,632,197 B2	10/2003	Lyon	7,048,747 B2	5/2006	Arcia et al.
6,632,238 B2	10/2003	Ginn et al.	7,060,084 B1	6/2006	Loshakove et al.
6,634,537 B2	10/2003	Chen	7,063,711 B1	6/2006	Loshakove et al.
6,645,205 B2	11/2003	Ginn	7,074,232 B2	7/2006	Kanner et al.
6,645,225 B1	11/2003	Atkinson	7,076,305 B2	7/2006	Imran et al.
6,645,255 B2	11/2003	Sanduja et al.	7,083,635 B2	8/2006	Ginn
6,652,538 B2	11/2003	Kayan et al.	7,087,064 B1	8/2006	Hyde
6,652,556 B1	11/2003	Vantassel et al.	7,087,088 B2	8/2006	Berg et al.
6,663,633 B1	12/2003	Pierson, III	7,094,245 B2	8/2006	Adams et al.
6,663,655 B2	12/2003	Ginn et al.	7,108,709 B2	9/2006	Cummins
6,665,906 B2	12/2003	Li	7,108,710 B2	9/2006	Anderson
6,669,714 B2	12/2003	Coleman et al.	7,111,768 B2	9/2006	Cummins et al.
6,673,083 B1	1/2004	Kayan et al.	7,112,225 B2	9/2006	Ginn
6,676,665 B2	1/2004	Foley et al.	7,122,002 B2	10/2006	Okada
6,676,671 B2	1/2004	Robertson et al.	7,144,411 B2	12/2006	Ginn et al.
6,676,685 B2	1/2004	Pedros et al.	7,147,646 B2	12/2006	Dana et al.
6,679,894 B2	1/2004	Damarati	7,163,551 B2	1/2007	Anthony et al.
6,679,904 B2	1/2004	Gleeson et al.	7,169,158 B2	1/2007	Sniffin et al.
6,685,707 B2	2/2004	Roman et al.	7,169,164 B2	1/2007	Borillo et al.
6,689,147 B1	2/2004	Koster, Jr.	7,175,646 B2	2/2007	Brenneman et al.
6,695,867 B2	2/2004	Ginn et al.	7,211,101 B2	5/2007	Carley et al.
6,699,256 B1	3/2004	Logan et al.	7,220,268 B2	5/2007	Blatter
6,702,826 B2	3/2004	Liddicoat et al.	7,229,452 B2	6/2007	Kayan
6,712,836 B1	3/2004	Berg et al.	7,261,716 B2	8/2007	Strobel et al.
6,712,837 B2	3/2004	Akerfeldt et al.	7,270,672 B1	9/2007	Singer
6,719,777 B2	4/2004	Ginn et al.	7,306,614 B2	12/2007	Weller et al.
6,726,704 B1	4/2004	Loshakove et al.	7,311,720 B2	12/2007	Mueller et al.
6,736,822 B2	5/2004	McClellan et al.	7,316,704 B2	1/2008	Bagaoisan et al.
6,743,195 B2	6/2004	Zucker	7,316,706 B2	1/2008	Bloom et al.
6,743,243 B1	6/2004	Roy et al.	7,322,995 B2	1/2008	Buckman et al.
6,743,259 B2	6/2004	Ginn	7,326,230 B2	2/2008	Ravikumar
6,745,079 B2	6/2004	King	7,331,979 B2	2/2008	Khosravi et al.
6,746,457 B2	6/2004	Dana et al.	7,335,220 B2	2/2008	Khosravi et al.
6,746,472 B2	6/2004	Frazier et al.	D566,272 S	4/2008	Walburg et al.
6,749,621 B2	6/2004	Pantages et al.	7,361,178 B2	4/2008	Hearn et al.
6,749,622 B2	6/2004	McGuckin et al.	7,361,183 B2	4/2008	Ginn
6,752,813 B2	6/2004	Goldfarb et al.	7,361,185 B2	4/2008	O'Malley et al.
6,755,842 B2	6/2004	Kanner et al.	7,393,363 B2	7/2008	Ginn
6,758,855 B2	7/2004	Fulton et al.	7,396,359 B1	7/2008	Derowe et al.
6,767,356 B2	7/2004	Kanner et al.	7,431,727 B2	10/2008	Cole et al.
6,776,784 B2	8/2004	Ginn	7,431,729 B2	10/2008	Chanduszeko
6,776,785 B1	8/2004	Yencho et al.	7,445,596 B2	11/2008	Kucklick et al.
6,780,185 B2	8/2004	Frei et al.	7,449,011 B2	11/2008	Wenchell et al.
6,780,197 B2	8/2004	Roe et al.	7,452,327 B2	11/2008	Durgin et al.
6,786,915 B2	9/2004	Akerfeldt et al.	7,462,188 B2	12/2008	McIntosh
			7,465,286 B2	12/2008	Patterson et al.
			7,507,200 B2	3/2009	Okada
			7,533,790 B1	5/2009	Knodel et al.
			7,556,632 B2	7/2009	Zadno

(56)

References Cited

U.S. PATENT DOCUMENTS

7,582,103 B2	9/2009	Young et al.	8,597,325 B2	12/2013	Ginn
7,582,104 B2	9/2009	Corcoran et al.	8,603,116 B2	12/2013	Roorda
7,597,706 B2	10/2009	Kanner et al.	8,603,136 B2	12/2013	Ginn
7,618,427 B2	11/2009	Ortiz et al.	8,617,184 B2	12/2013	Oepen
7,622,628 B2	11/2009	Bergin et al.	8,657,852 B2	2/2014	Roorda et al.
7,632,287 B2	12/2009	Baker et al.	8,672,953 B2	3/2014	Reyes et al.
7,645,285 B2	1/2010	Cosgrove et al.	8,690,910 B2	4/2014	Carley et al.
D611,144 S	3/2010	Reynolds et al.	8,728,119 B2	5/2014	Cummins
7,678,135 B2	3/2010	Maahs et al.	8,758,396 B2	6/2014	Ginn et al.
7,727,249 B2	6/2010	Rahmani	8,758,398 B2	6/2014	Carley
7,731,655 B2	6/2010	Smith et al.	8,758,399 B2	6/2014	Fortson et al.
7,749,249 B2	7/2010	Gelbart et al.	8,758,400 B2	6/2014	Ginn et al.
7,780,696 B2	8/2010	Daniel et al.	8,784,447 B2	7/2014	Coleman et al.
7,799,042 B2	9/2010	Williamson et al.	8,808,310 B2	8/2014	Jones et al.
7,806,904 B2	10/2010	Carley et al.	8,820,602 B2	9/2014	Walberg et al.
7,819,895 B2	10/2010	Ginn et al.	8,821,534 B2	9/2014	Voss
7,824,419 B2	11/2010	Boraiah	8,834,494 B2	9/2014	Schorr et al.
7,841,502 B2	11/2010	Walberg et al.	8,858,594 B2	10/2014	Clark
7,842,068 B2	11/2010	Ginn	8,893,947 B2	11/2014	Reynolds et al.
7,850,709 B2	12/2010	Cummins et al.	8,905,937 B2	12/2014	Ellingwood et al.
7,850,797 B2	12/2010	Carley et al.	8,926,633 B2	1/2015	Carly
7,854,810 B2	12/2010	Carley et al.	8,926,656 B2	1/2015	Palermo et al.
7,857,828 B2	12/2010	Jabba et al.	8,956,388 B2	2/2015	Ginn et al.
7,867,249 B2	1/2011	Palermo et al.	8,992,549 B2	3/2015	Bennett, III
7,875,054 B2	1/2011	LaFontaine	9,050,068 B2	6/2015	Walberg et al.
7,879,071 B2	2/2011	Carley et al.	9,050,087 B2	6/2015	Ginn et al.
7,887,555 B2	2/2011	Carley et al.	9,060,769 B2	6/2015	Coleman et al.
7,887,563 B2	2/2011	Cummins	9,089,311 B2	7/2015	Fortson et al.
7,901,428 B2	3/2011	Ginn et al.	9,089,674 B2	7/2015	Ginn et al.
7,905,900 B2	3/2011	Palermo et al.	9,149,276 B2	10/2015	Voss
7,918,873 B2	4/2011	Cummins	9,173,644 B2	11/2015	Voss
7,931,669 B2	4/2011	Ginn et al.	9,241,696 B2	1/2016	Mehl
7,931,671 B2	4/2011	Tenerz	9,271,707 B2	3/2016	Palermo et al.
7,967,842 B2	6/2011	Bakos	9,282,965 B2	3/2016	Kokish
8,007,512 B2	8/2011	Ginn et al.	9,295,469 B2	3/2016	Cummins et al.
8,038,688 B2	10/2011	Modesitt et al.	9,314,230 B2	4/2016	Roorda et al.
8,048,108 B2 *	11/2011	Sibbitt, Jr. A61B 17/0643 606/213	9,320,522 B2	4/2016	Carley et al.
8,083,768 B2	12/2011	Ginn et al.	9,332,976 B2	5/2016	Yribarren
8,103,327 B2	1/2012	Harlev et al.	9,345,460 B2	5/2016	Houser et al.
8,105,352 B2	1/2012	Egneloev	9,364,209 B2	6/2016	Voss
8,128,644 B2	3/2012	Carley et al.	9,398,914 B2	7/2016	Ellingwood et al.
8,172,749 B2	5/2012	Melsheimer	9,402,625 B2	8/2016	Coleman et al.
8,182,497 B2	5/2012	Carley et al.	9,414,820 B2	8/2016	Voss et al.
8,192,459 B2	6/2012	Cummins et al.	9,414,824 B2	8/2016	Fortson et al.
8,202,283 B2	6/2012	Carley et al.	9,486,191 B2	11/2016	Gianotti et al.
8,202,293 B2	6/2012	Ellingwood et al.	9,498,196 B2	11/2016	Pantages et al.
8,202,294 B2	6/2012	Jabba et al.	9,554,786 B2	1/2017	Carley et al.
8,211,122 B2	7/2012	Mcintosh	9,579,091 B2	2/2017	Ginn et al.
8,216,260 B2	7/2012	Lam et al.	9,585,646 B2	3/2017	Carley et al.
8,226,666 B2	7/2012	Zarbatany et al.	9,585,647 B2	3/2017	Clark
8,226,681 B2	7/2012	Clark et al.	9,962,144 B2	5/2018	Ellingwood
8,236,026 B2	8/2012	Carley et al.	9,980,728 B2	5/2018	Cummins et al.
8,257,390 B2	9/2012	Carley et al.	10,085,753 B2	10/2018	Walberg et al.
8,303,624 B2	11/2012	Fortson	10,111,664 B2	10/2018	Ginn et al.
8,313,497 B2	11/2012	Walberg et al.	10,201,340 B2	2/2019	Pantages et al.
8,323,312 B2	12/2012	Clark	10,245,013 B2	4/2019	Carley et al.
8,398,656 B2	3/2013	Palermo et al.	11,399,815 B2	8/2022	Yassinzadeh et al.
8,398,676 B2	3/2013	Roorda et al.	11,439,378 B2 *	9/2022	Gianotti A61B 17/04
8,403,929 B2	3/2013	Weissaupt et al.	2001/0021855 A1	9/2001	Levinson
8,409,228 B2	4/2013	Blatter et al.	2001/0031973 A1	10/2001	Nobles et al.
8,469,995 B2	6/2013	Cummins et al.	2001/0044639 A1	11/2001	Levinson
8,475,468 B2	7/2013	Leckrone et al.	2001/0046518 A1	11/2001	Sawhney
8,486,092 B2	7/2013	Carley et al.	2001/0047180 A1	11/2001	Grudem et al.
8,486,108 B2	7/2013	Carley et al.	2002/0022822 A1	2/2002	Cragg et al.
8,491,609 B2	7/2013	Stone	2002/0026215 A1	2/2002	Redmond et al.
8,518,057 B2	8/2013	Walberg et al.	2002/0026216 A1	2/2002	Grimes
8,529,587 B2	9/2013	Ellingwood et al.	2002/0029050 A1	3/2002	Gifford et al.
8,556,930 B2	10/2013	Ellingwood	2002/0038127 A1	3/2002	Blatter et al.
8,562,630 B2	10/2013	Campbell	2002/0049427 A1	4/2002	Wiener et al.
8,574,244 B2	11/2013	Reynolds	2002/0049453 A1	4/2002	Nobles et al.
8,579,932 B2	11/2013	Pantages et al.	2002/0056460 A1	5/2002	Boyd et al.
8,579,933 B2	11/2013	Chen et al.	2002/0058960 A1	5/2002	Hudson et al.
8,585,836 B2	11/2013	Carley et al.	2002/0062104 A1	5/2002	Ashby et al.
8,590,760 B2	11/2013	Cummins et al.	2002/0095164 A1	7/2002	Andreas et al.
			2002/0095181 A1	7/2002	Beyar
			2002/0099389 A1	7/2002	Michler et al.
			2002/0106409 A1	8/2002	Sawhney et al.
			2002/0151963 A1	10/2002	Brown et al.
			2002/0169475 A1	11/2002	Gainor et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

2002/0183786	A1	12/2002	Girton	2005/0203552	A1	9/2005	Laufer et al.
2002/0183787	A1	12/2002	Wahr et al.	2005/0222614	A1	10/2005	Ginn et al.
2002/0188275	A1	12/2002	McGuckin	2005/0228405	A1	10/2005	Maryyama et al.
2002/0198589	A1	12/2002	Leong	2005/0228443	A1	10/2005	Yassinzadeh
2003/0004543	A1	1/2003	Gleeson et al.	2005/0245876	A1	11/2005	Khosravi et al.
2003/0009180	A1	1/2003	Hinchliffe et al.	2005/0251202	A1	11/2005	Ewers et al.
2003/0018358	A1	1/2003	Saadat	2005/0256532	A1	11/2005	Nayak et al.
2003/0023248	A1	1/2003	Parodi	2005/0267495	A1	12/2005	Ginn et al.
2003/0033006	A1	2/2003	Phillips et al.	2005/0267524	A1	12/2005	Chanduszeko
2003/0060846	A1	3/2003	Egnelov et al.	2005/0273136	A1	12/2005	Belef et al.
2003/0065358	A1	4/2003	Freckler et al.	2005/0273137	A1	12/2005	Ginn
2003/0083679	A1	5/2003	Grudem et al.	2005/0283188	A1	12/2005	Loshakove et al.
2003/0088269	A1	5/2003	Ashby	2006/0034930	A1	2/2006	Khosravi et al.
2003/0093108	A1	5/2003	Avellanet et al.	2006/0047313	A1	3/2006	Khanna et al.
2003/0097140	A1	5/2003	Kanner	2006/0058844	A1	3/2006	White et al.
2003/0109890	A1	6/2003	Kanner et al.	2006/0064115	A1	3/2006	Allen et al.
2003/0125766	A1	7/2003	Ding	2006/0069397	A1	3/2006	Nobles et al.
2003/0139819	A1	7/2003	Beer et al.	2006/0089635	A1	4/2006	Young et al.
2003/0144695	A1	7/2003	McGuckin et al.	2006/0095029	A1	5/2006	Young et al.
2003/0167063	A1	9/2003	Kerr	2006/0100664	A1	5/2006	Pai et al.
2003/0195504	A1	10/2003	Tallarida et al.	2006/0106418	A1	5/2006	Seibold et al.
2003/0208211	A1	11/2003	Kortenbach	2006/0142784	A1	6/2006	Kontos
2003/0233095	A1	12/2003	Urbanski et al.	2006/0162509	A1	7/2006	Wang
2004/0002763	A1	1/2004	Phillips et al.	2006/0190014	A1	8/2006	Ginn et al.
2004/0009205	A1	1/2004	Sawhney	2006/0190036	A1	8/2006	Wendel et al.
2004/0044350	A1	3/2004	Martin et al.	2006/0190037	A1	8/2006	Ginn et al.
2004/0049224	A1	3/2004	Buehlmann et al.	2006/0195125	A1	8/2006	Sakakine et al.
2004/0059376	A1	3/2004	Breuniger	2006/0217744	A1	9/2006	Bender et al.
2004/0068273	A1	4/2004	Fariss et al.	2006/0229553	A1	10/2006	Hammack et al.
2004/0078053	A1	4/2004	Berg et al.	2006/0253037	A1	11/2006	Ginn et al.
2004/0087985	A1	5/2004	Loshakove et al.	2006/0253072	A1	11/2006	Pai et al.
2004/0092962	A1	5/2004	Thornton et al.	2006/0259049	A1	11/2006	Harada et al.
2004/0092964	A1	5/2004	Modesitt et al.	2006/0265012	A1	11/2006	Anderson
2004/0092968	A1	5/2004	Caro et al.	2006/0287673	A1	12/2006	Brett et al.
2004/0092973	A1	5/2004	Chanduszeko et al.	2006/0293698	A1	12/2006	Douk
2004/0093024	A1	5/2004	Lousararian et al.	2007/0005093	A1	1/2007	Cox
2004/0093027	A1	5/2004	Fabisiak et al.	2007/0010851	A1	1/2007	Chanduszeko et al.
2004/0097978	A1	5/2004	Modesitt et al.	2007/0027476	A1	2/2007	Harris et al.
2004/0106980	A1	6/2004	Solovay et al.	2007/0027525	A1	2/2007	Ben-Muvhar
2004/0127940	A1	7/2004	Ginn et al.	2007/0049668	A1	3/2007	Garner
2004/0143261	A1	7/2004	Hartley et al.	2007/0049967	A1	3/2007	Sibbitt et al.
2004/0143290	A1	7/2004	Brightbill	2007/0049968	A1	3/2007	Sibbitt et al.
2004/0143291	A1	7/2004	Corcoran et al.	2007/0049970	A1	3/2007	Belef et al.
2004/0147957	A1	7/2004	Pierson	2007/0060858	A1	3/2007	Sogard et al.
2004/0158287	A1	8/2004	Cragg et al.	2007/0060895	A1	3/2007	Sibbitt et al.
2004/0158309	A1	8/2004	Wachter et al.	2007/0060950	A1	3/2007	Khosravi et al.
2004/0167511	A1	8/2004	Buehlmann et al.	2007/0060951	A1	3/2007	Shannon
2004/0191277	A1	9/2004	Sawhney et al.	2007/0073337	A1	3/2007	Abbott et al.
2004/0215232	A1	10/2004	Belhe et al.	2007/0078302	A1	4/2007	Ortiz et al.
2004/0225301	A1	11/2004	Roop et al.	2007/0083230	A1	4/2007	Javois
2004/0243216	A1	12/2004	Gregorich	2007/0083231	A1	4/2007	Lee
2004/0249412	A1	12/2004	Snow et al.	2007/0093869	A1	4/2007	Bloom et al.
2004/0254591	A1	12/2004	Kanner et al.	2007/0112304	A1	5/2007	Voss
2004/0267193	A1	12/2004	Bagaoisan et al.	2007/0112365	A1	5/2007	Hilal et al.
2004/0267308	A1	12/2004	Bagaoisan et al.	2007/0112385	A1	5/2007	Conlon
2005/0033326	A1	2/2005	Briganti et al.	2007/0123816	A1	5/2007	Zhu et al.
2005/0038460	A1	2/2005	Jayaraman	2007/0123817	A1	5/2007	Khosravi et al.
2005/0038500	A1	2/2005	Boylan et al.	2007/0123936	A1	5/2007	Goldin et al.
2005/0059982	A1	3/2005	Zung et al.	2007/0149996	A1	6/2007	Coughlin
2005/0075654	A1	4/2005	Kelleher	2007/0167981	A1	7/2007	Opolski et al.
2005/0075665	A1	4/2005	Brenzel et al.	2007/0172430	A1	7/2007	Brito et al.
2005/0085851	A1	4/2005	Fiehler et al.	2007/0179527	A1	8/2007	Eskuri et al.
2005/0085854	A1	4/2005	Ginn	2007/0185529	A1	8/2007	Coleman et al.
2005/0085855	A1	4/2005	Forsberg	2007/0185530	A1	8/2007	Chin-Chen et al.
2005/0119695	A1	6/2005	Carley et al.	2007/0203506	A1	8/2007	Sibbitt et al.
2005/0121042	A1	6/2005	Belhe et al.	2007/0203507	A1	8/2007	McLaughlin et al.
2005/0148818	A1	7/2005	Mesallum	2007/0208376	A1	9/2007	Meng
2005/0149066	A1	7/2005	Stafford	2007/0213747	A1	9/2007	Monassevitch et al.
2005/0149117	A1	7/2005	Khosravi et al.	2007/0225755	A1	9/2007	Preinitz et al.
2005/0152949	A1	7/2005	Hotchkiss et al.	2007/0225756	A1	9/2007	Preinitz et al.
2005/0154401	A1	7/2005	Weldon et al.	2007/0225757	A1	9/2007	Preinitz et al.
2005/0165357	A1	7/2005	McGuckin et al.	2007/0225758	A1	9/2007	Preinitz et al.
2005/0169974	A1	8/2005	Tenerz et al.	2007/0239209	A1	10/2007	Fallman
2005/0177189	A1	8/2005	Ginn et al.	2007/0265658	A1	11/2007	Nelson et al.
2005/0187564	A1	8/2005	Jayaraman	2007/0275036	A1	11/2007	Green et al.
				2007/0276488	A1	11/2007	Wachter et al.
				2007/0282373	A1	12/2007	Ashby et al.
				2008/0009794	A1	1/2008	Bagaoisan et al.
				2008/0033459	A1	2/2008	Shafi et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

2008/0045979 A1 2/2008 Ma
 2008/0058839 A1 3/2008 Nobles et al.
 2008/0065151 A1 3/2008 Ginn
 2008/0082123 A1 4/2008 Forsberg et al.
 2008/0086075 A1 4/2008 Isik et al.
 2008/0091235 A1 4/2008 Sirota
 2008/0093414 A1 4/2008 Bender et al.
 2008/0097509 A1 4/2008 Beyar et al.
 2008/0114378 A1 5/2008 Matsushita
 2008/0114395 A1 5/2008 Mathisen et al.
 2008/0177288 A1 7/2008 Carlson
 2008/0208225 A1 8/2008 Seibold et al.
 2008/0215089 A1 9/2008 Williams et al.
 2008/0215090 A1 9/2008 Gonzales et al.
 2008/0243148 A1 10/2008 Mikkaichi et al.
 2008/0243182 A1 10/2008 Bates et al.
 2008/0249504 A1 10/2008 Lattouf et al.
 2008/0262541 A1 10/2008 Sater et al.
 2008/0269801 A1 10/2008 Coleman et al.
 2008/0287967 A1 11/2008 Andreas et al.
 2008/0287988 A1 11/2008 Smith et al.
 2008/0294001 A1 11/2008 Surti
 2008/0300628 A1 12/2008 Ellingwood
 2008/0312667 A1 12/2008 Drasler et al.
 2008/0312686 A1 12/2008 Ellingwood
 2008/0312740 A1 12/2008 Wachter et al.
 2009/0054912 A1 2/2009 Heanue et al.
 2009/0062846 A1 3/2009 Ken
 2009/0105728 A1 4/2009 Noda et al.
 2009/0112306 A1 4/2009 Bonsignore et al.
 2009/0132031 A1 5/2009 Cook et al.
 2009/0137900 A1 5/2009 Bonner et al.
 2009/0157101 A1 6/2009 Reyes et al.
 2009/0171388 A1 7/2009 Dave et al.
 2009/0187215 A1 7/2009 Mackiewicz et al.
 2009/0216267 A1 8/2009 Willard et al.
 2009/0221960 A1 9/2009 Albrecht et al.
 2009/0227938 A1 9/2009 Fasching et al.
 2009/0230168 A1 9/2009 Coleman et al.
 2009/0254119 A1 10/2009 Sibbitt et al.
 2009/0259233 A1 10/2009 Bogart et al.
 2009/0281555 A1 11/2009 Stone
 2009/0312789 A1 12/2009 Kassab et al.
 2010/0042118 A1 2/2010 Garrison et al.
 2010/0042144 A1 2/2010 Bennett
 2010/0114119 A1 5/2010 Mclawhorn et al.
 2010/0130965 A1 5/2010 Sibbitt et al.
 2010/0179567 A1 7/2010 Voss et al.
 2010/0179589 A1 7/2010 Roorda et al.
 2010/0185216 A1 7/2010 Garrison et al.
 2010/0185234 A1 7/2010 Fortson et al.
 2010/0249828 A1 9/2010 Mavani et al.
 2010/0262166 A1 10/2010 Boraiah et al.
 2011/0054492 A1 3/2011 Clark
 2011/0066163 A1 3/2011 Cho et al.
 2011/0082495 A1 4/2011 Ruiz
 2011/0137340 A1 6/2011 Cummins
 2011/0178548 A1 7/2011 Tenerz
 2011/0190793 A1 8/2011 Nobles et al.
 2011/0218568 A1 9/2011 Voss
 2011/0270282 A1 11/2011 Lemke
 2012/0101520 A1 4/2012 Ginn et al.
 2012/0245623 A1 9/2012 Kariniemi et al.
 2013/0053792 A1 2/2013 Fischell et al.
 2013/0165956 A1 6/2013 Sherts et al.
 2013/0178872 A1 7/2013 Shriver
 2013/0310853 A1 11/2013 Zaugg et al.
 2014/0039549 A1 2/2014 Belsky et al.
 2014/0081318 A1 3/2014 Houser et al.
 2015/0080914 A1 3/2015 Roundy et al.
 2015/0190071 A1 7/2015 Ellingwood et al.
 2016/0000417 A1 1/2016 Voss
 2016/0120546 A1 5/2016 Roundy et al.
 2016/0151057 A1 6/2016 Voss
 2016/0213357 A1 7/2016 Mehl

2017/0020496 A1 1/2017 Yribarren
 2017/0020517 A1 1/2017 Coleman et al.
 2018/0256166 A1 9/2018 Cummins et al.
 2018/0325506 A1 11/2018 Ellingwood
 2019/0117205 A1 4/2019 Kokish
 2019/0117207 A1 4/2019 Carley et al.
 2019/0350569 A1 11/2019 Palermo et al.
 2020/0138423 A1 5/2020 Voss
 2020/0138424 A1 5/2020 Gianotti et al.

FOREIGN PATENT DOCUMENTS

CA 2339060 A1 2/2000
 DE 19711288 A1 10/1998
 DE 29723736 U1 2/1999
 DE 19859952 A1 2/2000
 DE 102006056283 A1 6/2008
 EP 0386361 A1 9/1990
 EP 0534696 A1 3/1993
 EP 0621032 A1 10/1994
 EP 0744237 A1 11/1996
 EP 0756851 A2 2/1997
 EP 0774237 A2 5/1997
 EP 0858776 A2 8/1998
 EP 0941697 A1 9/1999
 EP 1867287 A2 12/2007
 FR 2443238 A1 7/1980
 FR 2715290 A1 7/1995
 FR 2722975 A1 2/1996
 FR 2768324 A1 3/1999
 GB 1358466 A 7/1974
 GB 2075144 A 11/1981
 GB 2397240 A 7/2004
 IE 58-181006 U 12/1983
 IE 2000/0722 10/2001
 IE 2000/0724 10/2001
 IE 2001/0547 7/2002
 IE 2001/0815 7/2002
 IE 2001/0748 8/2002
 IE 2001/0749 8/2002
 IE 2002/0452 12/2002
 IE 2002/0664 2/2003
 IE 2002/0665 2/2003
 IE 2002/0451 7/2003
 IE 2002/0552 7/2003
 IE 2003/0424 12/2003
 IE 2003/0490 1/2004
 IE 2004/0368 11/2005
 IE 2005/0342 11/2005
 JP 01-274750 A 11/1989
 JP 01-275750 A 11/1989
 JP 09-218875 A 8/1997
 JP 11-500642 A 1/1999
 JP 2000-102546 A 4/2000
 NL 9302140 A 7/1995
 PL 171425 B1 4/1997
 RU 2086192 C1 8/1997
 SU 0197801 6/1967
 SU 0495067 A1 12/1975
 SU 0912155 A1 3/1982
 SU 1243708 A1 7/1986
 SU 1324650 A1 7/1987
 SU 1405828 A1 6/1988
 SU 1456109 A1 2/1989
 SU 1560133 A1 4/1990
 WO 95/21573 A1 8/1995
 WO 96/24291 A1 8/1996
 WO 97/00046 A1 1/1997
 WO 97/07741 A1 3/1997
 WO 97/20505 A1 6/1997
 WO 97/27897 A1 8/1997
 WO 97/28745 A1 8/1997
 WO 98/06346 A1 2/1998
 WO 98/06448 A1 2/1998
 WO 98/16161 A1 4/1998
 WO 98/17179 A1 4/1998
 WO 98/18389 A1 5/1998
 WO 98/24374 A1 6/1998
 WO 98/25508 A2 6/1998

(56)

References Cited

FOREIGN PATENT DOCUMENTS

WO	98/58591	A1	12/1998
WO	99/21491	A1	5/1999
WO	99/40849	A1	8/1999
WO	99/60941	A1	12/1999
WO	99/62408	A1	12/1999
WO	99/62415	A1	12/1999
WO	00/06029	A1	2/2000
WO	00/07505	A1	2/2000
WO	00/07640	A2	2/2000
WO	00/27311	A1	5/2000
WO	00/27313	A2	5/2000
WO	00/56223	A1	9/2000
WO	00/56227	A1	9/2000
WO	00/56228	A1	9/2000
WO	00/71032	A2	11/2000
WO	01/21058	A2	3/2001
WO	01/35832	A2	5/2001
WO	01/47594	A1	7/2001
WO	01/49186	A2	7/2001
WO	01/91628	A2	12/2001
WO	02/19915	A1	3/2002
WO	02/19920	A1	3/2002
WO	02/19922	A1	3/2002
WO	02/19924	A1	3/2002
WO	02/28286	A1	4/2002
WO	02/38055	A2	5/2002
WO	02/45593	A2	6/2002
WO	02/45594	A2	6/2002
WO	02/62234	A2	8/2002
WO	02/98302	A1	12/2002
WO	03/13363	A1	2/2003
WO	03/13364	A1	2/2003
WO	03/47434	A1	6/2003
WO	03/71955	A2	9/2003
WO	03/71956	A2	9/2003
WO	03/71957	A2	9/2003
WO	03/94748	A1	11/2003
WO	2003/101310	A1	12/2003
WO	2004/004578	A1	1/2004
WO	2004/012602	A2	2/2004
WO	2004/060169	A2	7/2004
WO	2004/069054	A2	8/2004
WO	2005/000126	A2	1/2005
WO	2005/006990	A2	1/2005
WO	2005/041782	A2	5/2005
WO	2005/063129	A2	7/2005
WO	2005/082256	A1	9/2005
WO	2005/092204	A2	10/2005
WO	2005/110240	A1	11/2005
WO	2005/112782	A1	12/2005
WO	2005/115251	A1	12/2005
WO	2005/115521	A1	12/2005
WO	2006/000514	A1	1/2006
WO	2006/026116	A1	3/2006
WO	2006/052611	A1	5/2006
WO	2006/052612	A1	5/2006
WO	2006/078578	A2	7/2006
WO	2006/083889	A1	8/2006
WO	2006/115901	A1	11/2006
WO	2006/115904	A2	11/2006
WO	2006/118877	A2	11/2006
WO	2007/005585	A2	1/2007
WO	2007/025014	A2	3/2007
WO	2007/025017	A2	3/2007
WO	2007/025018	A2	3/2007
WO	2007/025019	A2	3/2007
WO	2007/081836	A1	7/2007
WO	2007/088069	A1	8/2007
WO	2008/031102	A1	3/2008
WO	2008/036384	A2	3/2008
WO	2008/074027	A1	6/2008
WO	2008/150915	A1	12/2008
WO	2009/079091	A1	6/2009
WO	2010/031050	A1	3/2010
WO	2010/062693	A2	6/2010

WO	2010/081101	A2	7/2010
WO	2010/081102	A2	7/2010
WO	2010/081103	A1	7/2010
WO	2010/081106	A1	7/2010
ZA	200100527		1/2001
ZA	200100528		1/2001

OTHER PUBLICATIONS

U.S. Appl. No. 11/508,656, mail date Mar. 25, 2010, Office Action.
 U.S. Appl. No. 11/508,662, mail date Apr. 14, 2010, Office Action.
 U.S. Appl. No. 11/508,662, filed Oct. 26, 2010, Office Action.
 U.S. Appl. No. 11/891,358, filed Apr. 26, 2010, Office Action.
 U.S. Appl. No. 12/684,470, filed Jan. 21, 2016, Office Action.
 U.S. Appl. No. 12/684,470, filed Jun. 4, 2014, Office Action.
 U.S. Appl. No. 12/684,470, Mail Date Aug. 26, 2015, Office Action.
 U.S. Appl. No. 13/052,634, filed Apr. 22, 2013, Office Action.
 U.S. Appl. No. 13/052,634, filed Feb. 8, 2013, Office Action.
 U.S. Appl. No. 13/052,634, filed Nov. 8, 2013, Office Action.
 U.S. Appl. No. 13/308,227, filed Dec. 2, 2013, Interview Summary.
 U.S. Appl. No. 13/615,547, filed Apr. 12, 2013, Notice of Allowance.
 U.S. Appl. No. 29/230,479, Notices of Allowance, Mail Date Aug. 24, 2006.
 U.S. Application filed Apr. 30, 2008, by Ginn et al., U.S. Appl. No. 12/113,092.
 U.S. Application filed Jan. 31, 2011, by Carley et al., U.S. Appl. No. 13/017,636.
 U.S. Patent Application filed Apr. 18, 2016, by Roorda et al., U.S. Appl. No. 15/131,786.
 U.S. Provisional Application filed Apr. 20, 2006, by Jones et al., U.S. Appl. No. 60/793,444.
 U.S. Provisional Application filed Aug. 24, 2005, by Sibbitt Jr. et al., U.S. Appl. No. 60/711,279.
 U.S. Provisional Application filed Dec. 19, 2007, by Mackiewicz et al., U.S. Appl. No. 61/015,144.
 U.S. Provisional Application filed Dec. 22, 2008, by Clark, U.S. Appl. No. 61/139,995.
 U.S. Provisional Application filed Dec. 30, 2008, by Clark, U.S. Appl. No. 61/141,597.
 U.S. Provisional Application filed Jan. 9, 2009, by Mehl et al., U.S. Appl. No. 61/143,748.
 U.S. Provisional Application filed Jan. 9, 2009, by Voss et al., U.S. Appl. No. 61/143,751.
 U.S. Provisional Application filed Jan. 16, 2009, by Fortson, et al., U.S. Appl. No. 61/145,468.
 U.S. Provisional Application filed Jul. 1, 2005, by Pantages et al., U.S. Appl. No. 60/696,069.
 U.S. Provisional Application filed Jun. 24, 2005, by Carly, U.S. Appl. No. 60/693,531.
 U.S. Provisional Application filed Jun. 25, 2007, by Ellingwood et al., U.S. Appl. No. 60/946,042.
 U.S. Provisional Application filed Jun. 25, 2007, by Ellingwood, U.S. Appl. No. 60/946,026.
 U.S. Provisional Application filed Jun. 25, 2007, by Voss et al., U.S. Appl. No. 60/946,030.
 U.S. Provisional Application filed May 25, 2001 by Ginn., U.S. Appl. No. 09/866,551.
 U.S. Provisional Application filed Oct. 14, 2005, by Sibbitt Jr. et al., U.S. Appl. No. 60/726,985.
 U.S. Provisional Application filed Oct. 30, 2008, by Mehl et al., U.S. Appl. No. 61/109,822.
 U.S. Provisional Application filed Sep. 15, 2008, by Sibbitt Jr. et al., U.S. Appl. No. 61/097,072.
 Ut Aker et al., Immediate arterial hemostasis after cardiac catheterization: initial experience with a new puncture closure device, Cathet Cardiovasc Diagn, Mar. 1994, pp. 228-232, vol. 33—No. 3, Missouri Baptist Medical Center, St. Louis.
 Watelet et al., Percutaneous repair of aortic aneurysms: a prospective study of suture-mediated closure devices, European journal of vascular and endovascular surgery, vol. 32, No. 3, 2006, p. 261-265.
 Wei Qu et al., An absorbable pinned-ring device for microvascular anastomosis of vein grafts: Experimental studies, Microsurgery

(56)

References Cited**OTHER PUBLICATIONS**

1999, Mar. 1999, pp. 128-134, vol. 19—No. 3, Department of Orthopaedic Surgery, Hiroshima University School of Medicine, Hiroshima, Japan.

William G. Kussmaul III MD, et al., Rapid arterial hemostasis and decreased access site complications after cardiac catheterization and angioplasty: Results of a randomized trial of a novel hemostatic device, *Journal of the American College of Cardiology*, Jun. 1995, pp. 1685-1692, vol. 25—No. 7.

Office Action received for U.S. Appl. No. 14/077,007, filed Jan. 29, 2016.

Office Action received for U.S. Appl. No. 14/077,007, filed Jul. 27, 2015.

Office Action received for U.S. Appl. No. 14/246,926, filed Aug. 5, 2015.

Office Action received for U.S. Appl. No. 14/246,926, filed Jun. 15, 2016.

Office Action received for U.S. Appl. No. 14/246,926, filed Nov. 23, 2015.

Office Action received for U.S. Appl. No. 14/246,973, filed Aug. 3, 2015.

Office Action received for U.S. Appl. No. 14/246,973, filed Jul. 7, 2016.

Office Action received for U.S. Appl. No. 14/246,973, filed Nov. 24, 2015.

Office Action received for U.S. Appl. No. 14/312,339, filed Aug. 28, 2017.

Office Action received for U.S. Appl. No. 14/312,339, filed Dec. 28, 2017.

Office Action received for U.S. Appl. No. 14/312,339, filed Jan. 22, 2016.

Office Action received for U.S. Appl. No. 14/312,339, filed Jan. 31, 2017.

Office Action received for U.S. Appl. No. 14/312,339, filed May 3, 2016.

Office Action received for U.S. Appl. No. 14/312,339, filed May 23, 2017.

Office Action received for U.S. Appl. No. 14/323,753, mailed on Nov. 3, 2015.

Office Action received for U.S. Appl. No. 14/466,576, mailed on Jul. 8, 2015.

Office Action received for U.S. Appl. No. 14/539,830, filed Jan. 29, 2016.

Office Action received for U.S. Appl. No. 14/539,830, filed Jul. 26, 2016.

Office Action received for U.S. Appl. No. 14/732,977, filed Sep. 26, 2017.

Office Action received for U.S. Appl. No. 14/839,658, filed May 30, 2017.

Office Action received for U.S. Appl. No. 14/839,658, filed Sep. 19, 2017.

Office Action received for U.S. Appl. No. 14/855,080, filed Apr. 2, 2018.

Office Action received for U.S. Appl. No. 14/855,080, filed Apr. 15, 2019.

Office Action received for U.S. Appl. No. 14/855,080, filed Sep. 21, 2018.

Office Action received for U.S. Appl. No. 14/928,950, filed Mar. 30, 2018.

Office Action received for U.S. Appl. No. 14/928,950, filed Sep. 26, 2017.

Office Action received for U.S. Appl. No. 15/056,281, filed Feb. 5, 2018.

Office Action received for U.S. Appl. No. 15/056,281, filed Jan. 14, 2019.

Office Action received for U.S. Appl. No. 15/056,281, filed Jun. 13, 2018.

Office Action received for U.S. Appl. No. 15/056,281, filed Sep. 19, 2018.

Office Action received for U.S. Appl. No. 15/069,230, filed Aug. 7, 2018.

Office Action received for U.S. Appl. No. 15/069,230, filed Feb. 15, 2018.

Office Action received for U.S. Appl. No. 15/069,230, filed Mar. 19, 2019.

Office Action received for U.S. Appl. No. 15/142,106, filed Feb. 13, 2019.

Office Action received for U.S. Appl. No. 15/142,106, filed Sep. 7, 2018.

Office Action received for U.S. Appl. No. 15/142,106, mailed on Jun. 13, 2019.

Office Action received for U.S. Appl. No. 15/149,784, mailed on May 11, 2017.

Office Action received for U.S. Appl. No. 15/222,397, mailed on Jan. 23, 2017.

Office Action received for U.S. Appl. No. 15/344,978, filed Dec. 10, 2018.

Office Action received for U.S. Appl. No. 15/356,028, filed Aug. 29, 2018.

Office Action received for U.S. Appl. No. 15/356,028, filed Feb. 22, 2018.

Office Action received for U.S. Appl. No. 15/419,335, filed Aug. 13, 2018.

Office Action received for U.S. Appl. No. 15/946,071, mailed on Mar. 25, 2020.

Office Action received for U.S. Appl. No. 15/976,425, mailed on Jun. 22, 2020.

Office Action received for U.S. Appl. No. 15/976,425, mailed on Mar. 6, 2020.

Office Action received for U.S. Appl. No. 29/296,370, mailed on Aug. 18, 2008.

Office Action received for U.S. Pat. No. 6,632,238, mailed on Feb. 26, 2003.

Office Action received for U.S. Appl. No. 10/240,183, mailed on Dec. 17, 2004.

Office Action received for U.S. Appl. No. 10/682,459, mailed on Oct. 12, 2010.

Advisory Action received for U.S. Appl. No. 09/732,178, mailed on Jun. 10, 2003.

Advisory Action received for U.S. Appl. No. 12/106,928, filed Mar. 25, 2014.

Advisory Action received for U.S. Appl. No. 12/961,331, mailed on Sep. 20, 2013.

Advisory Action received for U.S. Appl. No. 15/056,281, filed Aug. 27, 2018.

Advisory Action received for U.S. Appl. No. 15/069,230, mailed on Oct. 22, 2018.

Amir Loshakove, et al., "Vascular Closure Device", PCT Publication No. WO 00/56223, Sep. 28, 2000.

Carpenter et al, Midterm results of the multicenter trial of the Powerlink bifurcated system for endovascular aortic aneurysm repair, *Journal of Vascular Surgery*, vol. 40, No. 5, Nov. 2004, p. 849-859.e5.

Database WPI; Section PQ, Week 200120; Derwent Publications Ltd., London GB; AN 2001-203165; XP002199926 & ZA 200 100 528 A (Anthony T), Feb. 28, 2001 (Feb. 28, 2001) abstract.

Deepak Mital et al, Renal Transplantation Without Sutures Using The Vascular Clipping System For Renal Artery and Vein Anastomosis—A New Technique, *Transplantation Issue*, Oct. 1996, pp. 1171-1173, vol. 62—No. 8, Section of Transplantation Surgery, Department of General Surgery, Rush-Presbyterian/St. Luke's Medical Center, Chicago, IL.

DL Wessel et al, Outpatient closure of the patent ductus arteriosus, *Circulation*, May 1988, pp. 1068-1071, vol. 77—No. 5, Department of Anesthesia, Children's Hospital, Boston, MA.

E Pikoulis et al, Arterial reconstruction with vascular clips is safe and quicker than sutured repair, *Cardiovascular Surgery*, Dec. 1998, pp. 573-578(6), vol. 6—No. 6, Department of Surgery, Uniformed Services University of the Health Sciences, Bethesda, MD.

Eisenack et al, Percutaneous Endovascular Aortic Aneurysm Repair: A Prospective Evaluation of Safety, Efficiency, and Risk Factors, *Journal of Endovascular Ther.*, 2009, vol. 16, p. 708-713.

(56)

References Cited**OTHER PUBLICATIONS**

Examiner's Amendment received for U.S. Appl. No. 10/435,104, mailed on Jan. 3, 2006.

G Gershony et al, Novel vascular sealing device for closure of percutaneous vascular access sites, *Cathet. Cardiovasc. Diagn.*, Jan. 1998, pp. 82-88, vol. 45.

Greenhalgh et al, Endovascular versus open repair of abdominal aortic aneurysm, *The New England journal of medicine*, vol. 362, No. 20, 2010, p. 1863-1871.

Grossman, W., *Cardiac Catheterization and Angiography*, 3rd Ed., Lea & Febiger, Philadelphia, pp. 1-49, 52-247. 1986.

H De Swart et al, A new hemostatic puncture closure device for the immediate sealing of arterial puncture sites, *American journal of cardiology*, Aug. 1993, pp. 445-449, vol. 72—No. 5, Department of Cardiology, Academic Hospital Maastricht, The Netherlands.

Hand tool for forming telephone connections—comprises pliers with reciprocally driven ram crimping clip around conductors against anvil, Derwent-ACC-No. 1978-B8090A. (Jan. 10, 1978).

Harriht M. Hasson M.D., *Laparoscopic Cannula Cone with Means for Cannula Stabilization and Wound Closure*, *The Journal of the American Association of Gynecologic Laparoscopists*, May 1998, pp. 183-185, vol. 5—No. 2, Division of Obstetrics and Gynecology, University of Chicago, Chicago, IL.

Howell et al, Percutaneous Repair of Abdominal Aortic Aneurysms Using the aneuRx Stent Graft and the Percutaneous Vascular Surgery Device, *Catheterization and cardiovascular interventions*, vol. 55, No. 3, 2002, p. 281-287.

<https://www.thefreedictionary.com/flex>, retrieved Sep. 2, 2018, definition of the term flex.

<https://www.thefreedictionary.com/integral>, retrieved Aug. 20, 2018, definition of the term integral.

Inlet Medical Inc. Brochure, pp. 1-2, referencing Om Elashry et al., Comparative clinical study of port-closure techniques following laparoscopy surgery, Department of Surgery, Mallickrodt Institute of Radiography, *J Am Coll Surg.*, Oct. 1996, pp. 335-344, vol. 183—No. 4.

Interview Summary received for U.S. Appl. No. 12/724,304, filed Mar. 13, 2012.

Interview Summary received for U.S. Appl. No. 14/928,950, mailed on Jun. 4, 2018.

Interview Summary received for U.S. Appl. No. 15/069,230, filed May 1, 2019.

Interview Summary received for U.S. Appl. No. 15/419,335, filed Oct. 1, 2018.

J. Findlay et al, Carotid Arteriotomy Closure Using a Vascular Clip System, *Neurosurgery*, Mar. 1998, pp. 550-554, vol. 42—No. 3, Division of Neurosurgery, University of Alberta, Edmonton, Canada.

Jean-Baptiste et al., Percutaneous closure devices for endovascular repair of infrarenal abdominal aortic aneurysms: a prospective, non-randomized comparative study, *European Journal of Vascular and Endovascular Surgery*, vol. 35, No. 4, 2008, p. 422-428.

Jeremy L Gilbert PhD, *Wound Closure Biomaterials and Devices*, Shock., Mar. 1999, p. 226, vol. 11—No. 3, Institution Northwestern University (editorial review).

Jochen T. Cremer, MD, et al., Different approaches for minimally invasive closure of atrial septal defects, *Ann. Thorac. Surg.*, Nov. 1998, pp. 1648-1652, vol. 67, a Division of Thoracic and Cardiovascular Surgery, Surgical Center, Hannover Medical School. Hannover, Germany.

K Narayanan et al., Simultaneous primary closure of four fasciotomy wounds in a single setting using the Sure-Closure device, *Injury*, Jul. 1996, pp. 449-451, vol. 27—No. 6, Department of Surgery, Mercy Hospital of Pittsburgh, PA.

Krajcer and Gregoric, Totally percutaneous aortic aneurysm repair: methods and outcomes using the fully integrated IntuiTrak endovascular system, *The Journal of cardiovascular surgery*, vol. 51, No. 4, 2010, p. 493-501.

Lederle et al, Outcomes following endovascular vs open repair of abdominal aortic aneurysm: a randomized trial, *Jama*, vol. 302, No. 14, 2009, p. 1535-1542.

Lee et al, Total percutaneous access for endovascular aortic aneurysm repair ("Preclose" technique), *Journal of vascular surgery*, vol. 45, No. 6, 2007, p. 1095-1101.

Malkawi et al, Percutaneous access for endovascular aneurysm repair: a systematic review, *European Journal of Vascular and Endovascular Surgery*, vol. 39, No. 6, 2010, p. 676-682.

Marshall, AC. & Lock, J.E.; "Structural and compliant anatomy of the patent foramen ovale in patients undergoing transcatheter closure", *Am. Heart Journ.*, 140(2):303-307, Aug. 2000.

McCarthy, et al., "Tension (Stay) Suture Bridge", *J. of International College of Surgeons*, 34(5), pp. 613-614 (Nov. 1960).

MD Gonze et al, Complications associated with percutaneous closure devices, Conference: Annual Meeting of the Society for Clinical Vascular Surgery, *The American journal of surgery*, Mar. 1999, pp. 209-211, vol. 178, No. 3, Department of Surgery, Section of Vascular Surgery, Ochsner Medical Institutions, New Orleans, LA.

MD Hellinger et al, Effective peritoneal and fascial closure of abdominal trocar sites utilizing the Endo-Judge, *J Laparoendosc Surg.*, Oct. 1996, pp. 329-332, vol. 6—No. 5, Orlando Regional Medical Center, FL.

Michael Gianturco, A Play on Catheterization, *Forbes*, Dec. 1996, p. 146, vol. 158—No. 15.

Morasch et al., Percutaneous repair of abdominal aortic aneurysm, *Journal of vascular surgery*, vol. 40, No. 1, 2004, p. 12-16.

Nakamura, S. et al., Techniques for Palmaz-Schatz Stent Deployment in Lesions With a Large Side Branch, *Catherization and Cardiovascular Diagnosis*, 34: 353-361, 1995.

Notice of Allowance received for U.S. Appl. No. 09/478,179, mailed on Nov. 6, 2000.

Notice of Allowance received for U.S. Appl. No. 09/546,998, mailed on May 6, 2002.

Notice of Allowance received for U.S. Appl. No. 09/610,238, mailed on Feb. 11, 2002.

Notice of Allowance received for U.S. Appl. No. 09/610,238, mailed on Mar. 26, 2001.

Notice of Allowance received for U.S. Appl. No. 09/680,837, mailed on Jun. 16, 2003.

Notice of Allowance received for U.S. Appl. No. 09/732,178, mailed on Nov. 17, 2003.

Notice of Allowance received for U.S. Appl. No. 09/732,835, mailed on Mar. 17, 2004.

Thomas P. Baum RPA-C et al, Delayed Primary Closure Using Silastic Vessel and Skin Staples: Description of Technique and Case Reports, *Annals of Plastic and Reconstructive Surgery*, Albert Einstein College of Medicine and Montefiore Medical Center, Bronx, NY, Mar. 1999.

Thomas P. Baum RPA-C et al, Delayed Primary Closure Using Silastic Vessel Loops and Skin Staples: Description of the Technique and Case Reports, *Annals of Plastic Surgery*, Mar. 1999, pp. 337-340, vol. 42—No. 3, Institution Department of Plastic and Reconstructive Surgery, Albert Einstein College of Medicine and Montefiore Medical Center, Bronx, NY.

Tomoaki Hinohara, Percutaneous vascular surgery (Prostar® Plus and Techstar® for femoral artery site closure), *Interventional Cardiology Newsletter*, May-Jul. 1997, pp. 19-22, pp. 24-28, vol. 5—No. 3-4.

Torsello et al, Endovascular suture versus cutdown for endovascular aneurysm repair: a prospective randomized pilot study, *Journal of vascular surgery*, vol. 38, No. 1, 2003, p. 78-82.

Traul et al., Percutaneous endovascular repair of infrarenal abdominal aortic aneurysms: a feasibility study, *Journal of vascular surgery*, vol. 32, No. 4, 2000, p. 770-776.

[Turn-macmillandictionary.com/dictionary.american/turn](http://turn-macmillandictionary.com/dictionary.american/turn).

U.S. Appl. filed Dec. 30, 2008, Clark., U.S. Appl. No. 61/481,377.

U.S. Appl. filed Jan. 21, 2011, Von Oepen et al., U.S. Appl. No. 13/011,850.

U.S. Appl. filed Jul. 1, 2005, Pantages et al., U.S. Appl. No. 60/696,096.

U.S. Appl. filed Jul. 5, 2000, Kerievsky., U.S. Appl. No. 09/610,128.

U.S. Appl. filed Jun. 18, 2012, Carley et al., U.S. Appl. No. 13/525,718.

(56)

References Cited

OTHER PUBLICATIONS

Office Action received for U.S. Appl. No. 10/240,183, mailed on Jul. 27, 2004.
Office Action received for U.S. Appl. No. 10/264,306, mailed on Aug. 13, 2009.
Office Action received for U.S. Appl. No. 10/264,306, mailed on Feb. 9, 2005.
Office Action received for U.S. Appl. No. 10/264,306, mailed on Feb. 26, 2009.
Office Action received for U.S. Appl. No. 10/264,306, mailed on Jan. 27, 2010.
Office Action received for U.S. Appl. No. 10/264,306, mailed on Jun. 15, 2010.
Office Action received for U.S. Appl. No. 10/264,306, mailed on Jun. 27, 2008.
Office Action received for U.S. Appl. No. 10/264,306, mailed on Oct. 4, 2005.
Office Action received for U.S. Appl. No. 10/335,075, mailed on Apr. 21, 2006.
Office Action received for U.S. Appl. No. 10/335,075, mailed on Aug. 10, 2005.
Office Action received for U.S. Appl. No. 10/335,075, mailed on Dec. 19, 2005.
Office Action received for U.S. Appl. No. 10/356,214, mailed on Apr. 29, 2009.
Office Action received for U.S. Appl. No. 10/356,214, mailed on Aug. 23, 2006.
Office Action received for U.S. Appl. No. 10/356,214, mailed on Feb. 13, 2007.
Office Action received for U.S. Appl. No. 10/356,214, mailed on Mar. 6, 2008.
Office Action received for U.S. Appl. No. 10/356,214, mailed on Nov. 4, 2008.
Office Action received for U.S. Appl. No. 10/356,214, mailed on Nov. 30, 2005.
Office Action received for U.S. Appl. No. 10/356,214, mailed on Sep. 12, 2007.
Office Action received for U.S. Appl. No. 10/435,104, mailed on Jun. 2, 2010.
Office Action received for U.S. Appl. No. 10/435,104, mailed on Jun. 10, 2004.
Office Action received for U.S. Appl. No. 10/435,104, mailed on May 16, 2006.
Office Action received for U.S. Appl. No. 10/455,768, mailed on Nov. 16, 2004.
Office Action received for U.S. Appl. No. 10/486,067, mailed on Jan. 10, 2006.
Office Action received for U.S. Appl. No. 10/486,070, mailed on Apr. 20, 2005.
Office Action received for U.S. Appl. No. 10/486,070, mailed on Aug. 10, 2005.
Office Action received for U.S. Appl. No. 10/517,004, mailed on Aug. 13, 2007.
Office Action received for U.S. Appl. No. 10/517,004, mailed on Jan. 30, 2008.
Office Action received for U.S. Appl. No. 10/519,778, mailed on Feb. 23, 2006.
Office Action received for U.S. Appl. No. 10/541,083, mailed on May 5, 2008.
Office Action received for U.S. Appl. No. 10/541,083, mailed on Oct. 16, 2007.
Office Action received for U.S. Appl. No. 10/541,083, mailed on Oct. 31, 2007.
Office Action received for U.S. Appl. No. 10/616,832, mailed on Jan. 22, 2008.
Office Action received for U.S. Appl. No. 10/616,832, mailed on Jul. 21, 2009.
Office Action received for U.S. Appl. No. 10/616,832, mailed on Jun. 30, 2006.

Office Action received for U.S. Appl. No. 10/616,832, mailed on May 29, 2007.
Office Action received for U.S. Appl. No. 10/616,832, mailed on Oct. 20, 2006.
Office Action received for U.S. Appl. No. 10/616,832, mailed on Sep. 17, 2008.
Office Action received for U.S. Appl. No. 10/617,090, mailed on Mar. 22, 2005.
Office Action received for U.S. Appl. No. 10/638,115, mailed on Feb. 7, 2008.
Office Action received for U.S. Appl. No. 10/638,115, mailed on Jan. 31, 2007.
Office Action received for U.S. Appl. No. 10/638,115, mailed on Oct. 29, 2008.
Office Action received for U.S. Appl. No. 10/638,115, mailed on Sep. 18, 2007.
Office Action received for U.S. Appl. No. 10/667,144, mailed on Dec. 5, 2007.
Office Action received for U.S. Appl. No. 10/667,144, mailed on Jun. 6, 2011.
Office Action received for U.S. Appl. No. 10/667,144, mailed on Jun. 22, 2010.
Office Action received for U.S. Appl. No. 10/667,144, mailed on Mar. 24, 2009.
Office Action received for U.S. Appl. No. 10/667,144, mailed on May 2, 2007.
Office Action received for U.S. Appl. No. 10/667,144, mailed on May 12, 2008.
Office Action received for U.S. Appl. No. 10/667,144, mailed on Nov. 19, 2007.
Office Action received for U.S. Appl. No. 10/667,144, mailed on Nov. 23, 2009.
Office Action received for U.S. Appl. No. 10/667,144, mailed on Sep. 19, 2006.
Office Action received for U.S. Appl. No. 10/669,313, mailed on Oct. 31, 2005.
Office Action received for U.S. Appl. No. 10/682,459, mailed on Apr. 2, 2008.
Office Action received for U.S. Appl. No. 10/682,459, mailed on Apr. 28, 2010.
Office Action received for U.S. Appl. No. 10/682,459, mailed on Dec. 4, 2008.
Office Action received for U.S. Appl. No. 10/682,459, mailed on Dec. 23, 2009.
Office Action received for U.S. Appl. No. 10/682,459, mailed on Jun. 10, 2009.
Office Action received for U.S. Appl. No. 10/786,444, mailed on Apr. 17, 2007.
Office Action received for U.S. Appl. No. 10/786,444, mailed on Aug. 31, 2007.
Office Action received for U.S. Appl. No. 10/786,444, mailed on Jan. 14, 2010.
Office Action received for U.S. Appl. No. 10/786,444, mailed on Jun. 18, 2009.
Office Action received for U.S. Appl. No. 10/786,444, mailed on Oct. 17, 2008.
Office Action received for U.S. Appl. No. 10/786,444, mailed on Oct. 30, 2006.
Office Action received for U.S. Appl. No. 10/787,073, mailed on Aug. 13, 2009.
Office Action received for U.S. Appl. No. 10/787,073, mailed on Feb. 22, 2008.
Office Action received for U.S. Appl. No. 10/787,073, mailed on Nov. 12, 2008.
Office Action received for U.S. Appl. No. 10/787,073, mailed on Nov. 30, 2006.
Office Action received for U.S. Appl. No. 10/787,073, mailed on Sep. 5, 2007.
Office Action received for U.S. Appl. No. 10/908,721, filed Jan. 25, 2008.
Office Action received for U.S. Appl. No. 10/908,721, mailed on Aug. 10, 2007.

(56)

References Cited

OTHER PUBLICATIONS

Office Action received for U.S. Appl. No. 10/908,721, mailed on Feb. 2, 2010.
Office Action received for U.S. Appl. No. 10/908,721, mailed on Jun. 23, 2009.
Office Action received for U.S. Appl. No. 10/908,721, mailed on Nov. 25, 2008.
Office Action received for U.S. Appl. No. 10/908,721, mailed on Oct. 19, 2006.
Office Action received for U.S. Appl. No. 11/048,503, mailed on Jun. 26, 2009.
Office Action received for U.S. Appl. No. 11/048,503, mailed on Mar. 13, 2009.
Office Action received for U.S. Appl. No. 11/113,549, mailed on Apr. 16, 2008.
Office Action received for U.S. Appl. No. 11/113,549, mailed on Feb. 6, 2007.
Office Action received for U.S. Appl. No. 11/113,549, mailed on Jan. 4, 2011.
Office Action received for U.S. Appl. No. 11/113,549, mailed on Jul. 6, 2010.
Office Action received for U.S. Appl. No. 11/113,549, mailed on Jul. 21, 2009.
Office Action received for U.S. Appl. No. 11/113,549, mailed on May 30, 2007.
Office Action received for U.S. Appl. No. 11/113,549, mailed on Nov. 9, 2007.
Office Action received for U.S. Appl. No. 11/152,562, mailed on Feb. 13, 2009.
Office Action received for U.S. Appl. No. 11/152,562, mailed on Jul. 6, 2009.
Office Action received for U.S. Appl. No. 11/152,562, mailed on Mar. 31, 2010.
Office Action received for U.S. Appl. No. 11/152,562, mailed on May 13, 2008.
Office Action received for U.S. Appl. No. 11/198,811, filed Apr. 6, 2009.
Office Action received for U.S. Appl. No. 11/198,811, mailed on Aug. 26, 2008.
Office Action received for U.S. Appl. No. 11/198,811, mailed on Sep. 22, 2009.
Office Action received for U.S. Appl. No. 11/344,793, filed Jan. 22, 2009.
Office Action received for U.S. Appl. No. 11/344,868, filed Mar. 25, 2009.
Office Action received for U.S. Appl. No. 11/344,891, filed Apr. 29, 2008.
Office Action received for U.S. Appl. No. 11/344,891, filed Dec. 8, 2008.
Office Action received for U.S. Appl. No. 11/344,891, mailed on Feb. 26, 2009.
Office Action received for U.S. Appl. No. 11/344,891, mailed on May 7, 2010.
Office Action received for U.S. Appl. No. 11/344,891, mailed on Oct. 7, 2009.
Office Action received for U.S. Appl. No. 11/390,586, mailed on Jul. 6, 2010.
Office Action received for U.S. Appl. No. 11/390,586, mailed on Jun. 24, 2009.
Office Action received for U.S. Appl. No. 12/122,603, mailed on Nov. 20, 2013.
Office Action received for U.S. Appl. No. 12/122,603, mailed on Sep. 23, 2011.
Office Action received for U.S. Appl. No. 12/135,858, filed Feb. 16, 2012.
Office Action received for U.S. Appl. No. 12/135,858, filed Jul. 13, 2011.
Office Action received for U.S. Appl. No. 12/143,020, mailed on Aug. 31, 2011.

Office Action received for U.S. Appl. No. 12/143,020, mailed on May 11, 2011.
Office Action received for U.S. Appl. No. 12/338,977, filed Jun. 19, 2013.
Office Action received for U.S. Appl. No. 12/338,977, filed Nov. 28, 2012.
Office Action received for U.S. Appl. No. 12/338,977, mailed on Jan. 19, 2012.
Office Action received for U.S. Appl. No. 12/338,977, mailed on Jul. 11, 2012.
Office Action received for U.S. Appl. No. 12/365,397, mailed on Sep. 13, 2010.
Office Action received for U.S. Appl. No. 12/393,877, filed Dec. 13, 2011.
Office Action received for U.S. Appl. No. 12/393,877, filed May 21, 2012.
Office Action received for U.S. Appl. No. 12/393,877, mailed on Sep. 29, 2011.
Office Action received for U.S. Appl. No. 12/402,398, mailed on Jan. 24, 2011.
Office Action received for U.S. Appl. No. 12/402,398, mailed on Mar. 9, 2010.
Office Action received for U.S. Appl. No. 12/402,398, mailed on May 20, 2010.
Office Action received for U.S. Appl. No. 12/402,398, mailed on Sep. 20, 2012.
Office Action received for U.S. Appl. No. 12/403,256, mailed on Dec. 16, 2009.
Office Action received for U.S. Appl. No. 12/403,256, mailed on Mar. 30, 2010.
Office Action received for U.S. Appl. No. 12/403,277, filed Nov. 5, 2012.
Office Action received for U.S. Appl. No. 12/403,277, mailed on Apr. 3, 2012.
Office Action received for U.S. Appl. No. 12/403,277, mailed on Aug. 15, 2014.
Office Action received for U.S. Appl. No. 12/403,277, mailed on Jan. 27, 2014.
Office Action received for U.S. Appl. No. 12/403,277, mailed on Jul. 8, 2010.
Office Action received for U.S. Appl. No. 12/403,277, mailed on Mar. 31, 2011.
Office Action received for U.S. Appl. No. 12/403,277, mailed on Oct. 12, 2010.
Office Action received for U.S. Appl. No. 12/481,377, filed Jan. 3, 2012.
Office Action received for U.S. Appl. No. 12/481,377, mailed on Apr. 28, 2011.
Office Action received for U.S. Appl. No. 12/481,377, mailed on Jun. 21, 2011.
Office Action received for U.S. Appl. No. 12/548,274, filed Aug. 14, 2014.
Office Action received for U.S. Appl. No. 12/548,274, filed Sep. 10, 2012.
Office Action received for U.S. Appl. No. 12/548,274, mailed on Dec. 28, 2011.
Office Action received for U.S. Appl. No. 12/548,274, mailed on Mar. 2, 2012.
Office Action received for U.S. Appl. No. 12/608,769, filed Feb. 10, 2012.
Office Action received for U.S. Appl. No. 12/608,769, mailed on Aug. 22, 2012.
Office Action received for U.S. Appl. No. 12/608,773, filed Jul. 17, 2014.
Office Action received for U.S. Appl. No. 12/608,773, filed Jul. 20, 2012.
Office Action received for U.S. Appl. No. 12/608,773, filed Jun. 7, 2012.
Office Action received for U.S. Appl. No. 12/608,773, filed Mar. 12, 2015.
Office Action received for U.S. Appl. No. 12/608,773, mailed on Jan. 7, 2013.

(56)

References Cited

OTHER PUBLICATIONS

Office Action received for U.S. Appl. No. 12/642,319, filed Aug. 28, 2012.
Office Action received for U.S. Appl. No. 12/642,319, filed Feb. 27, 2012.
Office Action received for U.S. Appl. No. 12/642,319, mailed on Dec. 16, 2013.
Office Action received for U.S. Appl. No. 12/684,400, filed Feb. 13, 2012.
Office Action received for U.S. Appl. No. 12/684,400, filed Feb. 23, 2015.
Office Action received for U.S. Appl. No. 12/684,400, filed May 9, 2012.
Office Action received for U.S. Appl. No. 12/684,400, filed Oct. 16, 2012.
Office Action received for U.S. Appl. No. 12/684,470, filed Aug. 26, 2015.
Office Action received for U.S. Appl. No. 12/684,470, filed Aug. 30, 2012.
Notice of Allowance received for U.S. Appl. No. 09/764,813, mailed on Jun. 4, 2001.
Notice of Allowance received for U.S. Appl. No. 09/933,299, mailed on Jun. 16, 2003.
Notice of Allowance received for U.S. Appl. No. 09/948,813, mailed on Jan. 31, 2003.
Notice of Allowance received for U.S. Appl. No. 09/949,398, mailed on Jul. 28, 2003.
Notice of Allowance received for U.S. Appl. No. 09/949,438, mailed on Apr. 21, 2003.
Notice of Allowance received for U.S. Appl. No. 10/006,400, mailed on Apr. 27, 2010.
Notice of Allowance received for U.S. Appl. No. 10/006,400, mailed on Aug. 2, 2010.
Notice of Allowance received for U.S. Appl. No. 10/006,400, mailed on Jan. 13, 2010.
Notice of Allowance received for U.S. Appl. No. 10/006,400, mailed on Jul. 9, 2009.
Notice of Allowance received for U.S. Appl. No. 10/081,717, mailed on Sep. 29, 2003.
Notice of Allowance received for U.S. Appl. No. 10/081,723, mailed on May 13, 2005.
Notice of Allowance received for U.S. Appl. No. 10/081,725, mailed on Feb. 9, 2004.
Notice of Allowance received for U.S. Appl. No. 10/081,726, mailed on Apr. 11, 2003.
Notice of Allowance received for U.S. Appl. No. 10/081,726, mailed on Jun. 9, 2003.
Notice of Allowance received for U.S. Appl. No. 10/147,774, mailed on Apr. 18, 2007.
Notice of Allowance received for U.S. Appl. No. 10/147,774, mailed on Dec. 2, 2010.
Notice of Allowance received for U.S. Appl. No. 10/147,774, mailed on Sep. 27, 2007.
Notice of Allowance received for U.S. Appl. No. 10/240,183, mailed on Mar. 9, 2005.
Notice of Allowance received for U.S. Appl. No. 10/264,306, mailed on Feb. 4, 2008.
Notice of Allowance received for U.S. Appl. No. 10/264,306, mailed on Jul. 2, 2007.
Notice of Allowance received for U.S. Appl. No. 10/264,306, mailed on May 10, 2006.
Notice of Allowance received for U.S. Appl. No. 10/264,306, mailed on Oct. 29, 2010.
Notice of Allowance received for U.S. Appl. No. 10/335,075, mailed on Dec. 27, 2006.
Notice of Allowance received for U.S. Appl. No. 10/356,214, mailed on Jan. 13, 2010.
Notice of Allowance received for U.S. Appl. No. 10/356,214, mailed on May 13, 2010.

Notice of Allowance received for U.S. Appl. No. 10/356,214, mailed on Sep. 3, 2010.
Notice of Allowance received for U.S. Appl. No. 10/435,104, mailed on Apr. 4, 2008.
Notice of Allowance received for U.S. Appl. No. 10/435,104, mailed on Aug. 2, 2007.
Notice of Allowance received for U.S. Appl. No. 10/435,104, mailed on Dec. 22, 2008.
Notice of Allowance received for U.S. Appl. No. 10/435,104, mailed on Dec. 28, 2006.
Notice of Allowance received for U.S. Appl. No. 10/435,104, mailed on Jan. 20, 2010.
Notice of Allowance received for U.S. Appl. No. 10/435,104, mailed on Jul. 10, 2007.
Notice of Allowance received for U.S. Appl. No. 10/435,104, mailed on Jul. 23, 2009.
Notice of Allowance received for U.S. Appl. No. 10/435,104, mailed on Nov. 14, 2007.
Notice of Allowance received for U.S. Appl. No. 10/435,104, mailed on Oct. 5, 2010.
Notice of Allowance received for U.S. Appl. No. 10/435,104, mailed on Oct. 26, 2007.
Notice of Allowance received for U.S. Appl. No. 10/435,104, mailed on Sep. 21, 2004.
Notice of Allowance received for U.S. Appl. No. 10/435,104, mailed on Sep. 26, 2008.
Notice of Allowance received for U.S. Appl. No. 10/455,768, mailed on Apr. 6, 2005.
Notice of Allowance received for U.S. Appl. No. 10/486,067, mailed on Sep. 20, 2006.
Notice of Allowance received for U.S. Appl. No. 10/486,070, mailed on Oct. 18, 2005.
Notice of Allowance received for U.S. Appl. No. 10/517,004, mailed on Apr. 23, 2010.
Notice of Allowance received for U.S. Appl. No. 10/517,004, mailed on Aug. 3, 2010.
Notice of Allowance received for U.S. Appl. No. 10/517,004, mailed on Aug. 13, 2008.
Notice of Allowance received for U.S. Appl. No. 10/517,004, mailed on Feb. 10, 2009.
Notice of Allowance received for U.S. Appl. No. 10/517,004, mailed on Jan. 11, 2010.
Notice of Allowance received for U.S. Appl. No. 10/517,004, mailed on Jun. 26, 2009.
Notice of Allowance received for U.S. Appl. No. 10/517,004, mailed on Mar. 24, 2009.
Notice of Allowance received for U.S. Appl. No. 10/519,778, mailed on May 31, 2006.
Notice of Allowance received for U.S. Appl. No. 10/541,083, mailed on Apr. 16, 2009.
Notice of Allowance received for U.S. Appl. No. 10/541,083, mailed on Aug. 17, 2010.
Notice of Allowance received for U.S. Appl. No. 10/541,083, mailed on Dec. 29, 2008.
Notice of Allowance received for U.S. Appl. No. 10/541,083, mailed on Feb. 5, 2010.
Notice of Allowance received for U.S. Appl. No. 10/541,083, mailed on May 10, 2010.
Notice of Allowance received for U.S. Appl. No. 10/541,083, mailed on Sep. 19, 2008.
Notice of Allowance received for U.S. Appl. No. 10/541,083, mailed on Sep. 30, 2009.
Notice of Allowance received for U.S. Appl. No. 10/616,832, mailed on Jan. 11, 2010.
Notice of Allowance received for U.S. Appl. No. 10/616,832, mailed on May 12, 2010.
Notice of Allowance received for U.S. Appl. No. 10/616,832, mailed on Sep. 20, 2010.
Notice of Allowance received for U.S. Appl. No. 10/617,090, mailed on Jul. 6, 2005.
Notice of Allowance received for U.S. Appl. No. 10/617,090, mailed on Oct. 5, 2005.

(56)

References Cited

OTHER PUBLICATIONS

Notice of Allowance received for U.S. Appl. No. 10/638,115, mailed on Apr. 2, 2010.
Notice of Allowance received for U.S. Appl. No. 10/638,115, mailed on Aug. 13, 2010.
Notice of Allowance received for U.S. Appl. No. 10/638,115, mailed on Dec. 1, 2009.
Notice of Allowance received for U.S. Appl. No. 10/638,115, mailed on May 7, 2009.
Notice of Allowance received for U.S. Appl. No. 10/667,144, mailed on Oct. 28, 2011.
Notice of Allowance received for U.S. Appl. No. 10/669,313, mailed on Jan. 11, 2006.
Notice of Allowance received for U.S. Appl. No. 10/669,313, mailed on Jun. 28, 2006.
Notice of Allowance received for U.S. Appl. No. 10/682,459, mailed on Apr. 1, 2011.
Notice of Allowance received for U.S. Appl. No. 10/786,444, mailed on Jul. 11, 2013.
Notice of Allowance received for U.S. Appl. No. 10/787,073, mailed on Aug. 25, 2010.
Notice of Allowance received for U.S. Appl. No. 10/787,073, mailed on Feb. 17, 2010.
Notice of Allowance received for U.S. Appl. No. 10/908,721, filed Jul. 18, 2013.
Notice of Allowance received for U.S. Appl. No. 11/048,503, filed Jan. 11, 2010.
Notice of Allowance received for U.S. Appl. No. 11/048,503, filed Jul. 30, 2010.
Notice of Allowance received for U.S. Appl. No. 11/048,503, mailed on Apr. 26, 2010.
Notice of Allowance received for U.S. Appl. No. 11/113,549, mailed on Mar. 14, 2014.
Notice of Allowance received for U.S. Appl. No. 11/152,562, mailed on Sep. 16, 2010.
Notice of Allowance received for U.S. Appl. No. 11/198,811, filed Jun. 29, 2010.
Notice of Allowance received for U.S. Appl. No. 11/344,891, filed Jan. 22, 2013.
Notice of Allowance received for U.S. Appl. No. 11/390,586, filed May 3, 2012.
Notice of Allowance received for U.S. Appl. No. 11/396,141, mailed on Nov. 4, 2013.
Notice of Allowance received for U.S. Appl. No. 11/396,731, filed Jul. 9, 2015.
Notice of Allowance received for U.S. Appl. No. 11/406,203, filed Jan. 29, 2008.
Notice of Allowance received for U.S. Appl. No. 11/406,203, filed Jun. 18, 2010.
Notice of Allowance received for U.S. Appl. No. 11/406,203, filed May 23, 2008.
Notice of Allowance received for U.S. Appl. No. 11/406,203, mailed on Sep. 22, 2008.
Notice of Allowance received for U.S. Appl. No. 11/411,925, mailed on Feb. 5, 2014.
Notice of Allowance received for U.S. Appl. No. 11/427,297, filed Jun. 26, 2012.
Notice of Allowance received for U.S. Appl. No. 11/427,309, filed Jun. 7, 2013.
Notice of Allowance received for U.S. Appl. No. 11/455,993, filed Aug. 11, 2014.
Notice of Allowance received for U.S. Appl. No. 11/532,325, filed Jan. 16, 2015.
Notice of Allowance received for U.S. Appl. No. 11/674,930, filed Apr. 3, 2014.
Notice of Allowance received for U.S. Appl. No. 11/675,462, filed Dec. 22, 2011.
Notice of Allowance received for U.S. Appl. No. 11/744,089, filed Aug. 8, 2013.

Notice of Allowance received for U.S. Appl. No. 11/767,818, filed Feb. 3, 2012.
Notice of Allowance received for U.S. Appl. No. 11/852,190, filed Feb. 12, 2014.
Notice of Allowance received for U.S. Appl. No. 11/958,295, filed Jun. 13, 2014.
Notice of Allowance received for U.S. Appl. No. 11/959,334, filed Apr. 14, 2010.
Notice of Allowance received for U.S. Appl. No. 11/959,334, filed Jan. 12, 2010.
Office Action received for U.S. Appl. No. 13/026,989, filed Aug. 23, 2013.
Office Action received for U.S. Appl. No. 13/026,989, filed Jun. 8, 2012.
Office Action received for U.S. Appl. No. 13/026,989, mailed on Sep. 16, 2011.
Office Action received for U.S. Appl. No. 13/028,041, filed Feb. 26, 2013.
Office Action Received for U.S. Appl. No. 13/028,041, mailed on Jan. 4, 2013.
Office Action received for U.S. Appl. No. 13/030,922, filed Dec. 18, 2012.
Office Action received for U.S. Appl. No. 13/030,922, filed Jan. 31, 2013.
Office Action received for U.S. Appl. No. 13/030,922, filed Jul. 18, 2013.
Office Action received for U.S. Appl. No. 13/039,087, mailed on Jul. 17, 2012.
Office Action received for U.S. Appl. No. 13/112,618, filed Jan. 29, 2016.
Office Action received for U.S. Appl. No. 13/112,618, mailed on Dec. 15, 2014.
Office Action received for U.S. Appl. No. 13/112,618, mailed on Jun. 7, 2013.
Office Action received for U.S. Appl. No. 13/112,618, mailed on Mar. 29, 2013.
Office Action received for U.S. Appl. No. 13/112,618, mailed on May 18, 2015.
Office Action received for U.S. Appl. No. 13/112,618, mailed on Nov. 20, 2013.
Office Action received for U.S. Appl. No. 13/112,631, mailed on Apr. 15, 2015.
Office Action received for U.S. Appl. No. 13/112,631, mailed on Dec. 2, 2013.
Office Action received for U.S. Appl. No. 13/112,631, mailed on Jun. 26, 2013.
Office Action received for U.S. Appl. No. 13/112,631, mailed on Mar. 29, 2013.
Office Action received for U.S. Appl. No. 13/112,631, mailed on Nov. 20, 2014.
Office Action received for U.S. Appl. No. 13/153,594, filed Jan. 29, 2013.
Office Action received for U.S. Appl. No. 13/153,594, filed May 29, 2013.
Office Action received for U.S. Appl. No. 13/222,899, filed Aug. 5, 2015.
Office Action received for U.S. Appl. No. 13/222,899, filed Jan. 10, 2014.
Office Action received for U.S. Appl. No. 13/222,899, mailed on Apr. 1, 2015.
Office Action received for U.S. Appl. No. 13/222,899, mailed on Jul. 31, 2014.
Office Action received for U.S. Appl. No. 13/308,227, filed Jul. 14, 2015.
Office Action received for U.S. Appl. No. 13/308,227, mailed on Apr. 10, 2013.
Office Action received for U.S. Appl. No. 13/308,227, mailed on Sep. 11, 2013.
Office Action received for U.S. Appl. No. 13/490,143, filed on Jan. 4, 2013.
Office Action received for U.S. Appl. No. 13/525,839, filed Apr. 1, 2013.

(56)

References Cited**OTHER PUBLICATIONS**

Office Action received for U.S. Appl. No. 13/615,547, filed Jan. 18, 2013.

Office Action received for U.S. Appl. No. 13/725,589, filed Sep. 17, 2015.

Office Action received for U.S. Appl. No. 13/791,829, filed May 29, 2013.

Office Action received for U.S. Appl. No. 13/791,846, mailed on Jun. 4, 2015.

Office Action received for U.S. Appl. No. 13/837,801, filed Feb. 9, 2017.

Office Action received for U.S. Appl. No. 13/837,801, filed Jul. 6, 2017.

Office Action received for U.S. Appl. No. 13/837,801, filed Jun. 9, 2016.

Office Action received for U.S. Appl. No. 13/837,801, mailed on Dec. 16, 2015.

Office Action received for U.S. Appl. No. 13/898,202, mailed on Aug. 21, 2014.

Office Action received for U.S. Appl. No. 13/898,202, mailed on Jan. 3, 2014.

Office Action received for U.S. Appl. No. 13/908,796, filed Jul. 21, 2015.

Office Action received for U.S. Appl. No. 14/017,039, mailed on Jan. 23, 2015.

Office Action received for U.S. Appl. No. 14/017,039, mailed on Jun. 10, 2015.

Office Action received for U.S. Appl. No. 14/017,039, mailed on Oct. 27, 2015.

Office Action received for U.S. Appl. No. 14/023,428, filed Dec. 20, 2016.

Office Action received for U.S. Appl. No. 14/023,428, filed Feb. 9, 2016.

Office Action received for U.S. Appl. No. 14/023,428, filed Jul. 18, 2017.

Office Action received for U.S. Appl. No. 14/023,428, filed Jul. 27, 2015.

Office Action received for U.S. Appl. No. 14/023,428, filed Jun. 13, 2016.

Notice of Allowance received for U.S. Appl. No. 14/246,973, filed Nov. 9, 2016.

Notice of Allowance received for U.S. Appl. No. 14/312,339, mailed on Jul. 19, 2018.

Notice of Allowance received for U.S. Appl. No. 14/323,753, filed Apr. 15, 2016.

Notice of Allowance received for U.S. Appl. No. 14/466,576, filed Dec. 15, 2015.

Notice of Allowance received for U.S. Appl. No. 14/539,830, filed Nov. 18, 2016.

Notice of Allowance received for U.S. Appl. No. 14/732,977, filed May 29, 2018.

Notice of Allowance received for U.S. Appl. No. 14/839,658, filed Feb. 28, 2018.

Notice of Allowance received for U.S. Appl. No. 15/056,281, filed Apr. 17, 2019.

Notice of Allowance received for U.S. Appl. No. 15/069,230, filed Jun. 19, 2019.

Notice of Allowance received for U.S. Appl. No. 15/142,106, mailed on Sep. 25, 2019.

Notice of Allowance received for U.S. Appl. No. 15/344,978, mailed on Sep. 25, 2019.

Notice of Allowance received for U.S. Appl. No. 15/356,028, filed Nov. 20, 2018.

Notice of Allowance received for U.S. Appl. No. 15/419,335, filed Nov. 30, 2018.

Notice of Allowance received for U.S. Appl. No. 29/296,370, mailed on Apr. 1, 2009.

Notice of Allowance received for U.S. Appl. No. 29/296,370, mailed on Dec. 2, 2008.

Notice of Allowance received for U.S. Appl. No. 10/147,774, mailed on Feb. 4, 2008.

Notice of Allowance received for U.S. Appl. No. 11/532,576, mailed on Oct. 13, 2010.

Notice of Allowance received for U.S. Appl. No. 13/615,547, mailed on Apr. 12, 2013.

Office Action received for U.S. Appl. No. 09/610,238, mailed on Sep. 5, 2001.

Office Action received for U.S. Appl. No. 09/680,837, mailed on Jul. 9, 2002.

Office Action received for U.S. Appl. No. 09/680,837, mailed on Mar. 25, 2003.

Office Action received for U.S. Appl. No. 09/680,837, mailed on Nov. 6, 2002.

Office Action received for U.S. Appl. No. 09/732,178, mailed on Aug. 1, 2002.

Office Action received for U.S. Appl. No. 09/732,178, mailed on Dec. 24, 2002.

Office Action received for U.S. Appl. No. 09/732,178, mailed on Jul. 3, 2003.

Office Action received for U.S. Appl. No. 09/732,835, mailed on Feb. 9, 2004.

Office Action received for U.S. Appl. No. 09/732,835, mailed on Sep. 11, 2003.

Office Action received for U.S. Appl. No. 09/764,813, mailed on Mar. 26, 2001.

Office Action received for U.S. Appl. No. 09/933,299, mailed on Feb. 26, 2003.

Office Action received for U.S. Appl. No. 09/949,398, mailed on Mar. 4, 2003.

Office Action received for U.S. Appl. No. 09/949,438, mailed on Dec. 17, 2002.

Office Action received for U.S. Appl. No. 10/006,400, mailed on Apr. 2, 2008.

Office Action received for U.S. Appl. No. 10/006,400, mailed on Apr. 11, 2005.

Office Action received for U.S. Appl. No. 10/006,400, mailed on Apr. 19, 2007.

Office Action received for U.S. Appl. No. 10/006,400, mailed on Aug. 27, 2004.

Office Action received for U.S. Appl. No. 10/006,400, mailed on Feb. 23, 2005.

Office Action received for U.S. Appl. No. 10/006,400, mailed on Jan. 2, 2009.

Office Action received for U.S. Appl. No. 10/006,400, mailed on Jul. 27, 2005.

Office Action received for U.S. Appl. No. 10/006,400, mailed on Mar. 6, 2006.

Office Action received for U.S. Appl. No. 10/006,400, mailed on May 24, 2006.

Office Action received for U.S. Appl. No. 10/006,400, mailed on Oct. 26, 2006.

Office Action received for U.S. Appl. No. 10/081,723, mailed on Sep. 29, 2004.

Office Action received for U.S. Appl. No. 10/081,725, mailed on Apr. 13, 2004.

Office Action received for U.S. Appl. No. 10/147,774, mailed on Jun. 8, 2010.

Office Action received for U.S. Appl. No. 10/147,774, mailed on Jun. 30, 2008.

Office Action received for U.S. Appl. No. 10/147,774, mailed on Mar. 18, 2009.

Office Action received for U.S. Appl. No. 10/147,774, mailed on May 4, 2005.

Office Action received for U.S. Appl. No. 10/147,774, mailed on Nov. 4, 2004.

Office Action received for U.S. Appl. No. 10/147,774, mailed on Oct. 18, 2005.

Office Action received for U.S. Appl. No. 10/147,774, mailed on Oct. 26, 2009.

Office Action received for U.S. Appl. No. 11/757,108, mailed on Nov. 25, 2009.

(56)

References Cited

OTHER PUBLICATIONS

Office Action received for U.S. Appl. No. 11/767,818, mailed on Dec. 24, 2009.

Office Action received for U.S. Appl. No. 11/767,818, mailed on Feb. 16, 2011.

Office Action received for U.S. Appl. No. 11/767,818, mailed on Mar. 22, 2010.

Office Action received for U.S. Appl. No. 11/767,818, mailed on Sep. 30, 2010.

Office Action received for U.S. Appl. No. 11/852,190, filed Apr. 24, 2013.

Office Action received for U.S. Appl. No. 11/852,190, mailed on Jun. 24, 2010.

Office Action received for U.S. Appl. No. 11/852,190, mailed on Mar. 2, 2011.

Office Action received for U.S. Appl. No. 11/852,190, mailed on Nov. 1, 2010.

Office Action received for U.S. Appl. No. 11/852,190, mailed on Nov. 26, 2013.

Office Action received for U.S. Appl. No. 11/958,281, filed Oct. 8, 2010.

Office Action received for U.S. Appl. No. 11/958,281, filed Sep. 2, 2010.

Office Action received for U.S. Appl. No. 11/958,281, mailed on Mar. 10, 2011.

Office Action received for U.S. Appl. No. 11/958,295, mailed on Aug. 27, 2009.

Office Action received for U.S. Appl. No. 11/958,295, mailed on May 25, 2010.

Office Action received for U.S. Appl. No. 11/959,334, filed Aug. 19, 2009.

Office Action received for U.S. Appl. No. 12/106,928, filed Jan. 23, 2009.

Office Action received for U.S. Appl. No. 12/106,928, filed Oct. 25, 2010.

Office Action received for U.S. Appl. No. 12/106,928, mailed on Dec. 2, 2013.

Office Action received for U.S. Appl. No. 12/106,928, mailed on Jun. 28, 2013.

Office Action received for U.S. Appl. No. 12/106,928, mailed on May 10, 2010.

Office Action received for U.S. Appl. No. 12/106,928, mailed on Oct. 5, 2009.

Office Action received for U.S. Appl. No. 12/106,937, mailed on Jan. 22, 2014.

Office Action received for U.S. Appl. No. 12/106,937, mailed on Jun. 28, 2013.

Office Action received for U.S. Appl. No. 12/106,937, mailed on Mar. 30, 2009.

Office Action received for U.S. Appl. No. 12/106,937, mailed on Nov. 18, 2009.

Office Action received for U.S. Appl. No. 12/113,851, mailed on Apr. 27, 2010.

Office Action received for U.S. Appl. No. 12/113,851, mailed on Apr. 27, 2011.

Office Action received for U.S. Appl. No. 12/113,851, mailed on Aug. 21, 2014.

Office Action received for U.S. Appl. No. 12/113,851, mailed on Dec. 16, 2010.

Office Action received for U.S. Appl. No. 12/113,851, mailed on Jun. 24, 2010.

Office Action received for U.S. Appl. No. 12/113,851, mailed on Mar. 17, 2014.

Office Action received for U.S. Appl. No. 12/113,851, mailed on Mar. 29, 2012.

Office Action received for U.S. Appl. No. 12/114,031, filed May 11, 2011.

Office Action received for U.S. Appl. No. 12/114,031, mailed on Aug. 2, 2011.

Office Action received for U.S. Appl. No. 12/114,031, mailed on Mar. 6, 2012.

Office Action received for U.S. Appl. No. 12/114,031, mailed on Mar. 10, 2014.

Office Action received for U.S. Appl. No. 12/114,031, mailed on Nov. 22, 2010.

Office Action received for U.S. Appl. No. 12/114,031, mailed on Oct. 5, 2010.

Office Action received for U.S. Appl. No. 12/114,091, mailed on Apr. 5, 2012.

Office Action received for U.S. Appl. No. 12/114,091, mailed on Dec. 17, 2010.

Office Action received for U.S. Appl. No. 12/114,091, mailed on Feb. 12, 2015.

Office Action received for U.S. Appl. No. 12/114,091, mailed on Jul. 7, 2011.

Office Action received for U.S. Appl. No. 12/114,091, mailed on Jul. 23, 2015.

Office Action received for U.S. Appl. No. 12/114,091, mailed on Nov. 8, 2012.

Office Action received for U.S. Appl. No. 12/114,091, mailed on Oct. 27, 2010.

Office Action received for U.S. Appl. No. 12/122,603, filed Apr. 22, 2011.

Office Action received for U.S. Appl. No. 12/122,603, filed Apr. 30, 2014.

Office Action received for U.S. Appl. No. 12/122,603, mailed on Apr. 9, 2015.

Office Action received for U.S. Appl. No. 12/122,603, mailed on Mar. 3, 2011.

Office Action received for U.S. Appl. No. 11/396,141, filed Apr. 30, 2013.

Office Action received for U.S. Appl. No. 11/396,141, mailed on Aug. 26, 2009.

Office Action received for U.S. Appl. No. 11/396,141, mailed on May 4, 2010.

Office Action received for U.S. Appl. No. 11/396,141, mailed on May 22, 2009.

Office Action received for U.S. Appl. No. 11/396,731, filed Feb. 12, 2015.

Office Action received for U.S. Appl. No. 11/396,731, filed Feb. 13, 2009.

Office Action received for U.S. Appl. No. 11/396,731, filed Jun. 29, 2010.

Office Action received for U.S. Appl. No. 11/396,731, filed Mar. 22, 2011.

Office Action received for U.S. Appl. No. 11/396,731, mailed on May 22, 2009.

Office Action received for U.S. Appl. No. 11/396,731, mailed on Sep. 1, 2011.

Office Action received for U.S. Appl. No. 11/406,203, mailed on Mar. 3, 2009.

Office Action received for U.S. Appl. No. 11/406,203, mailed on May 14, 2007.

Office Action received for U.S. Appl. No. 11/406,203, mailed on Sep. 16, 2009.

Office Action received for U.S. Appl. No. 11/411,925, filed Feb. 5, 2008.

Office Action received for U.S. Appl. No. 11/411,925, mailed on Jan. 12, 2009.

Office Action received for U.S. Appl. No. 11/411,925, mailed on Jun. 6, 2007.

Office Action received for U.S. Appl. No. 11/411,925, mailed on Oct. 1, 2013.

Office Action received for U.S. Appl. No. 11/411,925, mailed on Sep. 10, 2009.

Office Action received for U.S. Appl. No. 11/427,297, mailed on Jan. 30, 2009.

Office Action received for U.S. Appl. No. 11/427,297, mailed on Mar. 21, 2011.

Office Action received for U.S. Appl. No. 11/427,297, mailed on Sep. 15, 2009.

(56)

References Cited**OTHER PUBLICATIONS**

Office Action received for U.S. Appl. No. 11/427,309, mailed on Apr. 20, 2009.

Office Action received for U.S. Appl. No. 11/427,309, mailed on Apr. 26, 2010.

Office Action received for U.S. Appl. No. 11/427,309, mailed on Jan. 2, 2009.

Office Action received for U.S. Appl. No. 11/427,309, mailed on May 28, 2008.

Office Action received for U.S. Appl. No. 11/427,309, mailed on Nov. 6, 2009.

Office Action received for U.S. Appl. No. 11/427,309, mailed on Nov. 15, 2010.

Office Action received for U.S. Appl. No. 11/455,993, filed Dec. 16, 2009.

Office Action received for U.S. Appl. No. 11/455,993, mailed on Feb. 17, 2009.

Office Action received for U.S. Appl. No. 11/455,993, mailed on Jan. 29, 2014.

Office Action received for U.S. Appl. No. 11/508,715, mailed on Apr. 26, 2010.

Office Action received for U.S. Appl. No. 11/508,715, mailed on Jan. 6, 2010.

Office Action received for U.S. Appl. No. 11/508,715, mailed on Oct. 18, 2010.

Office Action received for U.S. Appl. No. 11/532,325, filed Jul. 17, 2013.

Office Action received for U.S. Appl. No. 11/532,325, mailed on Dec. 2, 2013.

Office Action received for U.S. Appl. No. 11/532,325, mailed on Feb. 23, 2009.

Office Action received for U.S. Appl. No. 11/532,325, mailed on Jan. 5, 2010.

Office Action received for U.S. Appl. No. 11/532,325, mailed on Jun. 17, 2009.

Office Action received for U.S. Appl. No. 11/532,576, mailed on Apr. 23, 2010.

Office Action received for U.S. Appl. No. 11/532,576, mailed on Mar. 1, 2010.

Office Action received for U.S. Appl. No. 11/674,930, filed Jan. 8, 2010.

Office Action received for U.S. Appl. No. 11/674,930, mailed on Jan. 8, 2010.

Office Action received for U.S. Appl. No. 11/674,930, mailed on Jun. 4, 2009.

Office Action received for U.S. Appl. No. 11/675,462, filed Aug. 3, 2011.

Office Action received for U.S. Appl. No. 11/675,462, filed Aug. 31, 2010.

Office Action received for U.S. Appl. No. 11/675,462, filed Dec. 10, 2009.

Office Action received for U.S. Appl. No. 11/744,089, filed Apr. 15, 2013.

Office Action received for U.S. Appl. No. 11/744,089, filed Aug. 8, 2012.

Office Action received for U.S. Appl. No. 11/744,089, filed Aug. 14, 2009.

Office Action received for U.S. Appl. No. 11/744,089, mailed on Nov. 26, 2008.

Notice of Allowance received for U.S. Appl. No. 11/959,334, filed Jul. 23, 2010.

Notice of Allowance received for U.S. Appl. No. 12/106,928, mailed on Oct. 3, 2014.

Notice of Allowance received for U.S. Appl. No. 12/106,937, filed Mar. 5, 2015.

Notice of Allowance received for U.S. Appl. No. 12/113,851, filed Feb. 20, 2015.

Notice of Allowance received for U.S. Appl. No. 12/114,091, mailed on Apr. 6, 2016.

Notice of Allowance received for U.S. Appl. No. 12/122,603, filed Sep. 23, 2015.

Notice of Allowance received for U.S. Appl. No. 12/143,020, mailed on Feb. 23, 2012.

Notice of Allowance received for U.S. Appl. No. 12/393,877, filed Aug. 4, 2014.

Notice of Allowance received for U.S. Appl. No. 12/402,398, filed Mar. 13, 2013.

Notice of Allowance received for U.S. Appl. No. 12/403,256, mailed on Aug. 19, 2010.

Notice of Allowance received for U.S. Appl. No. 12/481,377, mailed on Aug. 10, 2012.

Notice of Allowance received for U.S. Appl. No. 12/608,769, filed Nov. 5, 2012.

Notice of Allowance received for U.S. Appl. No. 12/608,773, filed Sep. 17, 2015.

Notice of Allowance received for U.S. Appl. No. 12/642,319, filed May 27, 2014.

Notice of Allowance received for U.S. Appl. No. 12/684,400, filed Jul. 28, 2015.

Notice of Allowance received for U.S. Appl. No. 12/684,470, filed Apr. 22, 2016.

Notice of Allowance received for U.S. Appl. No. 12/684,562, filed Feb. 17, 2015.

Notice of Allowance received for U.S. Appl. No. 12/724,304, filed Jul. 11, 2012.

Notice of Allowance received for U.S. Appl. No. 12/848,642, filed Feb. 3, 2014.

Notice of Allowance received for U.S. Appl. No. 12/850,242, filed Aug. 6, 2013.

Notice of Allowance received for U.S. Appl. No. 12/897,358, filed Jan. 12, 2012.

Notice of Allowance received for U.S. Appl. No. 12/897,358, filed Mar. 5, 2012.

Notice of Allowance received for U.S. Appl. No. 12/941,809, mailed on Feb. 3, 2014.

Notice of Allowance received for U.S. Appl. No. 12/945,646, filed Feb. 21, 2012.

Notice of Allowance received for U.S. Appl. No. 12/950,628, filed Apr. 25, 2014.

Notice of Allowance received for U.S. Appl. No. 12/955,859, filed Aug. 1, 2013.

Notice of Allowance received for U.S. Appl. No. 12/961,331, filed Apr. 25, 2014.

Notice of Allowance received for U.S. Appl. No. 12/966,923, mailed on Feb. 3, 2012.

Notice of Allowance received for U.S. Appl. No. 12/973,204, filed Mar. 7, 2012.

Notice of Allowance received for U.S. Appl. No. 12/987,792, filed Aug. 25, 2014.

Notice of Allowance received for U.S. Appl. No. 13/028,041, filed Aug. 21, 2013.

Notice of Allowance received for U.S. Appl. No. 13/030,922, filed Jan. 8, 2014.

Notice of Allowance received for U.S. Appl. No. 13/039,087, mailed on Nov. 6, 2012.

Notice of Allowance received for U.S. Appl. No. 13/111,371, filed Jun. 6, 2013.

Notice of Allowance received for U.S. Appl. No. 13/112,618, filed Jul. 6, 2016.

Notice of Allowance received for U.S. Appl. No. 13/153,594, filed Oct. 16, 2013.

Notice of Allowance received for U.S. Appl. No. 13/222,899, filed Jan. 7, 2016.

Notice of Allowance received for U.S. Appl. No. 13/308,227, filed Feb. 1, 2016.

Notice of Allowance received for U.S. Appl. No. 13/488,233, filed Feb. 5, 2013.

Notice of Allowance received for U.S. Appl. No. 13/490,143, filed Apr. 29, 2013.

Notice of Allowance received for U.S. Appl. No. 13/525,839, filed Jul. 15, 2013.

(56)

References Cited**OTHER PUBLICATIONS**

Notice of Allowance received for U.S. Appl. No. 13/725,589, mailed on Mar. 18, 2016.

Notice of Allowance received for U.S. Appl. No. 13/791,829, mailed on Oct. 8, 2013.

Notice of Allowance received for U.S. Appl. No. 13/791,846, filed Oct. 27, 2015.

Notice of Allowance received for U.S. Appl. No. 13/898,202, mailed on Feb. 10, 2015.

Notice of Allowance received for U.S. Appl. No. 13/908,796, filed Nov. 6, 2015.

Notice of Allowance received for U.S. Appl. No. 14/017,039, filed Apr. 4, 2016.

Notice of Allowance received for U.S. Appl. No. 14/023,428, filed Jan. 4, 2018.

Notice of Allowance received for U.S. Appl. No. 14/077,007, filed Aug. 12, 2016.

Notice of Allowance received for U.S. Appl. No. 14/246,926, filed Oct. 3, 2016.

Office Action received for U.S. Appl. No. 12/684,470, filed Dec. 20, 2011.

Office Action received for U.S. Appl. No. 12/684,470, mailed on Jan. 21, 2016.

Office Action received for U.S. Appl. No. 12/684,470, mailed on Jun. 4, 2014.

Office Action received for U.S. Appl. No. 12/684,470, mailed on Mar. 23, 2012.

Office Action received for U.S. Appl. No. 12/684,470, mailed on Nov. 14, 2014.

Office Action received for U.S. Appl. No. 12/684,542, filed Dec. 1, 2014.

Office Action received for U.S. Appl. No. 12/684,542, filed Jun. 18, 2014.

Office Action received for U.S. Appl. No. 12/684,542, mailed on Apr. 16, 2012.

Office Action received for U.S. Appl. No. 12/684,542, mailed on Jan. 30, 2012.

Office Action received for U.S. Appl. No. 12/684,542, mailed on Sep. 13, 2012.

Office Action received for U.S. Appl. No. 12/684,562, filed Dec. 28, 2011.

Office Action received for U.S. Appl. No. 12/684,562, filed Feb. 16, 2012.

Office Action received for U.S. Appl. No. 12/684,562, mailed on Aug. 21, 2012.

Office Action received for U.S. Appl. No. 12/684,562, mailed on Sep. 10, 2014.

Office Action received for U.S. Appl. No. 12/684,569, filed Apr. 23, 2014.

Office Action received for U.S. Appl. No. 12/684,569, filed Dec. 20, 2011.

Office Action received for U.S. Appl. No. 12/684,569, filed Jan. 27, 2012.

Office Action received for U.S. Appl. No. 12/684,569, filed Jul. 30, 2012.

Office Action received for U.S. Appl. No. 12/688,065, filed Apr. 26, 2012.

Office Action received for U.S. Appl. No. 12/688,065, filed Mar. 13, 2012.

Office Action received for U.S. Appl. No. 12/688,065, filed Oct. 12, 2012.

Office Action received for U.S. Appl. No. 12/688,065, filed Oct. 18, 2013.

Office Action received for U.S. Appl. No. 12/688,065, mailed on Apr. 8, 2014.

Office Action received for U.S. Appl. No. 12/724,304, filed Feb. 10, 2012.

Office Action received for U.S. Appl. No. 12/848,642, filed Apr. 26, 2013.

Office Action received for U.S. Appl. No. 12/848,642, filed Nov. 9, 2012.

Office Action received for U.S. Appl. No. 12/848,642, filed Sep. 20, 2012.

Office Action received for U.S. Appl. No. 12/850,242, mailed on Apr. 18, 2013.

Office Action received for U.S. Appl. No. 12/850,242, mailed on Aug. 6, 2012.

Office Action received for U.S. Appl. No. 12/850,242, mailed on Oct. 17, 2012.

Office Action received for U.S. Appl. No. 12/897,358, filed Aug. 22, 2011.

Office Action received for U.S. Appl. No. 12/941,809, mailed on Dec. 13, 2011.

Office Action received for U.S. Appl. No. 12/941,809, mailed on Jan. 30, 2012.

Office Action received for U.S. Appl. No. 12/941,809, mailed on Jul. 3, 2013.

Office Action received for U.S. Appl. No. 12/941,809, mailed on Jun. 1, 2012.

Office Action received for U.S. Appl. No. 12/941,809, mailed on Nov. 8, 2013.

Office Action received for U.S. Appl. No. 12/945,646, filed Jul. 6, 2011.

Office Action received for U.S. Appl. No. 12/945,646, mailed on Jan. 20, 2011.

Office Action received for U.S. Appl. No. 12/945,646, mailed on Oct. 26, 2011.

Office Action received for U.S. Appl. No. 12/955,859, filed Dec. 15, 2011.

Office Action received for U.S. Appl. No. 12/955,859, filed Jul. 21, 2011.

Office Action received for U.S. Appl. No. 12/955,859, filed May 26, 2011.

Office Action received for U.S. Appl. No. 12/955,859, mailed on Aug. 6, 2012.

Office Action received for U.S. Appl. No. 12/961,331, filed Feb. 1, 2013.

Office Action received for U.S. Appl. No. 12/961,331, filed Jul. 3, 2013.

Office Action received for U.S. Appl. No. 12/961,331, mailed on Dec. 4, 2012.

Office Action received for U.S. Appl. No. 12/987,792, filed Jun. 11, 2014.

Office Action received for U.S. Appl. No. 12/987,792, filed Mar. 13, 2012.

Office Action received for U.S. Appl. No. 12/987,792, filed Sep. 17, 2012.

Office Action received for U.S. Appl. No. 12/987,792, mailed on Jan. 21, 2014.

Office Action received for U.S. Appl. No. 11/396,141, mailed on Aug. 21, 2013.

Office Action received for U.S. Appl. No. 11/427,297, mailed on Sep. 15, 2010.

Office Action received for U.S. Appl. No. 13/111,371, mailed on Oct. 12, 2012.

OM Elashry et al, Comparative clinical study of port-closure techniques following laparoscopic surgery, Department of Surgery, Mallickrodt Institute of Radiography, J Am Coll Surg., Oct. 1996, pp. 335-344, vol. 183—No. 4.

P M N Werker, et al, Review of facilitated approaches to vascular anastomosis surgery towards minimally invasive coronary artery bypass grafting, Conference: Utrecht MICABG Workshop 2, The Annals of thoracic surgery, Apr. 1996, pp. 122-127, vol. 63—No. 6, Department of Plastic, Reconstructive and Hand surgery, University Hospital Utrecht Netherlands Departments of Cardiology and Cardiopulmonary Surgery, Heart Lung Institute, Utrecht Netherlands.; Utrecht University Hospital Utrecht Netherlands.

PCT patent application No. PCT/US2006/024334, Written Opinion mailed Jan. 16, 2007.

PCT Publication No. WO 00/56223 entitled "Vascular Closure Device", Sep. 28, 2000.

(56)

References Cited**OTHER PUBLICATIONS**

Peter Rhee MD et al, Use of Titanium Vascular Staples in Trauma, *Journal of Trauma-Injury Infection & Critical Care*, Dec. 1998, pp. 1097-1099, vol. 45—No. 6, Institution from the Department of Surgery, Washington Hospital Center, Washington DC, and Uniformed Services University of the Health Sciences, Bethesda, Maryland.

ProstarXL—Percutaneous Vascular Surgical Device, www.archive.org, Jun. 1998, Original Publisher: <http://prostar.com>, may also be found at <http://web.archive.org/web/19980630040429/www.perclose.com/html/prstrxl.html>.

Rachel et al., Percutaneous endovascular abdominal aortic aneurysm repair, *Annals of vascular surgery*, vol. 16, No. 1, 2002, p. 43-49.

Restriction Requirement received for U.S. Appl. No. 10/638,115, mailed on Sep. 22, 2006.

Sa Beyer-Enke et al, Immediate sealing of arterial puncture site following femoropopliteal angioplasty: A prospective randomized trial, *Cardiovascular And Interventional Radiology* 1996, Nov.-Dec. 1996, pp. 406-410, vol. 19—No. 6, Gen Hosp North, Dept Dianost & Intervent Radial, Nurnberg, Germany (Reprint).

Scott Hensley, Closing Wounds. New Devices seal arterial punctures in double time, *Modern Healthcare (United States)*, Mar. 23, 2008, p. 48.

Serruys, PW et al., A Comparision Of Balloon-Expandable-Stent Implantaion With Balloon Angioplast in Patients With Coronary Artery Disease, *New England Journal of Medicine*, 331:489-495, 1994.

Sigmund Silber et al, A novel vascular device for closure of percutaneous arterial access sites, *The American Journal of Cardiology*, Apr. 1999, pp. 1248-1252, vol. 83—No. 8.

Simonetta Blengino et al., A Randomized Study of the 8 French Hemostatic Puncture Closure Device vs Manual Compression After Coronary Interventions, *Journal of the American College of Cardiology*, Feb. 1995, p. 262A, vol. 25.—No. 2, Supplement 1.

Starnes et al, Totally percutaneous aortic aneurysm repair: experience and prudence, *Journal of vascular surgery*, vol. 43, No. 2, 2006, p. 270-276.

Stretch Comb by Scunci, retrieved via internet at www.scunci.com/productdetail by examiner on Oct. 9, 2007, publication date unavailable.

Swee Lian Tan, MD, PhD, Fags, Explanation of Infected Hemostatic Puncture Closure Devices—A Case Report, *Vascular and Endovascular Surgery*, 1999, pp. 507-510, vol. 33—No. 5, Parkland Medical Center, Derry, New Hampshire.

Sy Nakada et al., Comparison of newer laparoscopic port closure techniques in the porcine model, *J Endourol*, Oct. 1995, pp. 397-401, vol. 9—No. 5, Department of Surgery/Urology, University of Wisconsin Medical School, Madison.

Taber's Cyclopedic Medical Dictionary, 18.sup.th Ed. 1997, pp. 747 and 1420.

Teh et al., Use of the percutaneous vascular surgery device for closure of femoral access sites during endovascular aneurysm repair: lessons from our experience, *European Journal of Vascular and Endovascular Surgery*, vol. 22, No. 5, 2001, p. 418-423.

U.S. Appl. filed May 3, 2007., U.S. Appl. No. 11/744,049.

U.S. Appl. filed Oct. 4, 2010, Carley., U.S. Appl. No. 12/987,358.

U.S. Appl. No. 10/027,681, filed Jul. 8, 2009, Office Action.

U.S. Appl. No. 10/081,725, Mail Date Feb. 9, 2004, Notice of Allowance.

U.S. Appl. No. 10/240,183, filed Aug. 11, 2006, Response to 312 Amendment.

U.S. Appl. No. 10/264,306, mailed May 26, 2005, Office Action.

U.S. Appl. No. 10/305,923, mail date Mar. 3, 2005, Notice Of Allowance.

U.S. Appl. No. 10/305,923, mail date Nov. 1, 2004, Office Action.

U.S. Appl. No. 10/356,214, filed Apr. 29, 2009, Office Action.

U.S. Appl. No. 10/787,073, filed Nov. 30, 2006, Office Action.

U.S. Appl. No. 11/316,775, filed Aug. 6, 2008, Office Action.

U.S. Appl. No. 11/461,323, filed Jul. 27, 2009, Office Action.

U.S. Appl. No. 11/461,323, Mail Date Apr. 25, 2008, Office Action.

U.S. Appl. No. 11/461,323, mail date Apr. 5, 2010, Notice Of Allowance.

U.S. Appl. No. 11/461,323, mail date May 2, 2007, Office Action.

U.S. Appl. No. 11/461,323, mailed Nov. 6, 2008, Office Action.

U.S. Appl. No. 11/461,323, mailed Oct. 29, 2007, Office Action.

* cited by examiner




Fig. 1A






Fig. 1B






Fig. 2A




Fig. 2B




Fig. 2C




Fig. 3A




Fig. 3B




Fig. 3C




Fig. 3D




Fig. 3E




Fig. 4




Fig. 5A






Fig. 5B






Fig. 7A




Fig. 7B




Fig. 8A




Fig. 8B




Fig. 8C




Fig. 8D




Fig. 9A




Fig. 9B




Fig. 9C






Fig. 10A



CLOSURE DEVICES AND METHODS**CROSS-REFERENCE TO RELATED APPLICATIONS**

This application is a continuation of U.S. patent application Ser. No. 16/737,604, titled CLOSURE DEVICES AND METHODS, filed Jan. 8, 2020, which is a continuation of U.S. patent application Ser. No. 15/344,978, titled CLOSURE DEVICES AND METHODS, filed Nov. 7, 2016, now U.S. Pat. No. 10,537,313, which is a divisional of U.S. patent application Ser. No. 13/112,618, titled CLOSURE DEVICES AND METHODS, filed May 20, 2011, now U.S. Pat. No. 9,486,191, which is a continuation-in-part of U.S. patent application Ser. No. 12/684,470, titled CLOSURE DEVICES, SYSTEMS, AND METHODS, filed Jan. 8, 2010, now U.S. Pat. No. 9,414,820, which claims the benefit of U.S. Provisional Application No. 61/143,751, titled VESSEL CLOSURE DEVICES AND METHODS, filed Jan. 9, 2009, which are incorporated herein by reference in their entireties.

BACKGROUND**1. Technical Field**

The present disclosure relates generally to medical devices and their methods of use. In particular, the present disclosure relates to vessel closure devices and corresponding methods of use.

2. The Technology

Catheterization and interventional procedures, such as angioplasty or stenting, generally are performed by inserting a hollow needle through a patient's skin and tissue into the vascular system. A guidewire may be advanced through the needle and into the patient's blood vessel accessed by the needle. The needle is then removed, enabling an introducer sheath to be advanced over the guidewire into the vessel, e.g., in conjunction with or subsequent to a dilator.

A catheter or other device may then be advanced through a lumen of the introducer sheath and over the guidewire into a position for performing a medical procedure. Thus, the introducer sheath may facilitate introducing various devices into the vessel, while minimizing trauma to the vessel wall and/or minimizing blood loss during a procedure.

Upon completing the procedure, the devices and introducer sheath are removed, leaving a puncture site in the vessel wall. Traditionally, external pressure would be applied to the puncture site until clotting and wound sealing occur; however, the patient must remain bedridden for a substantial period after clotting to ensure closure of the wound. This procedure may also be time consuming and expensive, requiring as much as an hour of a physician's or nurse's time. It is also uncomfortable for the patient and requires that the patient remain immobilized in the operating room, catheter lab, or holding area. In addition, a risk of hematoma exists from bleeding before hemostasis occurs. Although some closure systems may be available, they provide limited control and flexibility to the operator, which may lead to improper or undesirable closure of the puncture site.

BRIEF SUMMARY

The present invention provides a vessel closure device that is both manageable and versatile. A vessel closure

device is provided that may include a guide member and one or more needle guides disposed at least partially within the guide member. The needle guides may be configured to move between a first position wherein the needle guides are substantially straightened at least partially within the guide member and a second position wherein the needle guides at least partially extend radially and distally away from the guide member. The vessel closure device may further include an angle adjustment member movably attached to the guide member. The angle adjustment member may be configured to move between a first position and a second position wherein the angle adjustment member can selectively deflect the needle guides radially toward the guide member when the needle guides are in the second position.

A vessel closure device is provided that may include a guide member and one or more needle guides moveably connected to the guide member. The needle guides may be configured to move between a first position wherein the needle guides are adjacent to the guide member and a second position wherein the needle guides at least partially extend distally away and radially outward from the guide member at a first angle. The vessel closure device may further include an angle adjustment member slidably attached to the guide member. The angle adjustment member may be configured to selectively reduce the first angle of the needle guides in the second position by selectively urging the needle guides toward the guide member.

A suture securing device is provided that may include an elongated body having a proximal end, a distal end, and an inner cavity. The elongated body may further include a first opening in the proximal end that is in communication with the inner cavity. The elongated body may further include a cutout extending distally from the first opening. The cutout may include tissue-engaging elements. The elongated body may be attached to a suture. The elongated body may be moveable between a first position wherein the elongated body is substantially parallel with a longitudinal axis of the suture and a second position wherein the elongated body is substantially non-parallel with the longitudinal axis of the suture and at least a portion of the suture is received within the cutout such that the elongated body can resist proximal movement against a distal surface of a vessel wall.

A suture securing device is provided that may include a body having a proximal end, a distal end, and an inner cavity. The body may further include a first opening in the proximal end and a second opening in the distal end, both in communication with the inner cavity. The body may further include elongated slots extending distally from the proximal end. The slots may define projections therebetween that have a fixed end connected to the body and a free end. The body may be attached to a suture extending through the inner cavity. The projections may be moveable between a first configuration wherein the projections are substantially parallel with a longitudinal axis of the body and a second configuration wherein the projections extend radially outwardly from the body such that the body can resist proximal movement against a distal surface of a vessel wall.

A vessel closure system is provided that may include a plurality of needle carriers having a distal end and a proximal end. The system may also include a plurality of detachable needles configured to resist proximal movement when deployed through a vessel wall. At least one of the detachable needles may be detachably coupled to the distal end of one of the needle carriers. The system may also include at least one suture secured to each of the detachable needles. A guide member can have a plurality of first lumens extending distally from a proximal end toward a distal end of the guide

3

member. Each of the first lumens can be sized to receive one of the needle carriers and one of the detachable needles coupled to the needle carrier. The first lumens can also be configured to direct the needle carrier and the detachable needle radially outward and distally away from the guide member. The system may also include an outer housing that has a second lumen defined between a distal end and a proximal end of the outer housing. The second lumen can be configured to receive at least a portion of the guide member. The distal end of the outer housing may also include a tapered tip portion. The tapered tip portion can be configured to move between a first configuration and a second configuration. An anchor member can also be configured to be at least partially disposed within the second lumen. The anchor member can comprise an anchor portion and an elongate portion. The anchor member can be disposed in the inner lumen in an initial configuration and move to an expanded configuration once positioned distally from the distal end of the outer housing. Finally, the system may include an expandable plug positioned between the guide member and the anchor member.

A method of closing a puncture in a vessel wall is provided that may include advancing a guide member into proximity with a puncture in a vessel wall, the guide member having openings near a distal end a plurality of needle guides disposed within. A distal end of an angle adjustment member, slidably coupled to the guide member, may then be positioned distal to the openings of the guide member. The needle guides and sutures and suture securing devices disposed within the needle guides may then be deployed distally and radially away from the guide member. The angle adjustment member may then deflect the needle guides toward a longitudinal axis of the guide member. The deflected needle guides and suture securing devices may then be advanced through the vessel wall. Thereafter, the needle guides may be retracted into the guide member to release the suture securing devices. Tension may then be established in the sutures to move the suture securing devices toward each other to thereby close the puncture.

These and other advantages and features of the present disclosure will become more fully apparent from the following description and appended claims, or may be learned by the practice of the disclosure as set forth hereinafter.

BRIEF DESCRIPTION OF THE DRAWINGS

To further clarify at least some of the advantages and features of the present disclosure, a more particular description of the disclosure will be rendered by reference to specific embodiments thereof which are illustrated in the appended drawings. It is appreciated that these drawings depict only illustrated embodiments of the disclosure and are therefore not to be considered limiting of its scope. The disclosure will be described and explained with additional specificity and detail through the use of the accompanying drawings in which:

FIG. 1A illustrates a side view of a closure device according to one example;

FIG. 1B illustrates an exploded view of the closure device of FIG. 1A;

FIG. 1C illustrates a cross-sectional view of the guide member and associated first plunger of FIG. 1B taken along section 1C-1C of FIG. 1B;

FIG. 1D illustrates a cross-sectional view of the closure device shown in FIG. 1A taken along section 1D-1D of FIG. 1A;

4

FIG. 2A illustrates a closure device in a pre-deployed state according to one example;

FIG. 2B illustrates the closure device of FIG. 2A in an intermediate state according to one example;

FIG. 2C illustrates the closure device of FIGS. 2A-2B in a deployed state;

FIG. 3A illustrates steps for closing a puncture in a vessel wall in which a closure device is in a pre-deployed state and in proximity to an arteriotomy according to one example;

FIG. 3B illustrates steps for closing a puncture in a vessel wall in which the closure device of FIG. 3A is located relative to a vessel wall;

FIG. 3C illustrates steps for closing a puncture in a vessel wall in which detachable needles are deployed through the vessel wall;

FIG. 3D illustrates a more detailed view of engagement between a detachable needle and the vessel wall of FIG. 3A;

FIG. 3E illustrates steps for closing a puncture in a vessel wall in which the sutures and needles are secured in place to close the puncture in the vessel wall;

FIG. 4 illustrates a detachable needle according to one example;

FIG. 5A illustrates a distal portion of a closure device according to one example;

FIG. 5B illustrates the closure device shown in FIG. 5A in a deployed state;

FIG. 6A illustrates a cross-sectional view of the closure device shown in FIG. 5A located relative to a vessel wall in a pre-deployed state;

FIG. 6B illustrates a cross-sectional view of the closure device shown in FIG. 5A located relative to a vessel wall in a semi-deployed state;

FIG. 7A illustrates a side view of a closure device according to one example;

FIG. 7B illustrates a perspective view of needle guides removed from the closure device shown in FIG. 7A;

FIG. 8A illustrates a cross-section view of the closure device taken along section 6-6 of FIG. 7A with the needle guides in a pre-deployed state and an angle adjustment member in a retracted position;

FIG. 8B illustrates the closure device shown in FIG. 8A with the needle guides deployed from the closure device and the angle adjustment member in the retracted position;

FIG. 8C illustrates the closure device shown in FIG. 8A with the needle guides deployed from the closure device and the angle adjustment member in an extended position;

FIG. 8D illustrates the closure device shown in FIG. 8A with the needle guides deployed from the vessel closure device and the angle adjustment member in an intermediate position;

FIG. 9A shows a perspective view of a suture securing device according to one example;

FIG. 9B shows the suture securing device shown in FIG. 9A deployed through a vessel wall in a low-profile configuration within a needle guide;

FIG. 9C shows the suture securing device shown in FIG. 9B released from the needle guide in an expanded configuration.

FIG. 10A shows a perspective view of a suture securing device according to one example;

FIG. 10B shows the suture securing device shown in FIG. 10A deployed through a vessel wall in a collapsed configuration within a needle guide; and

FIG. 10C shows the suture securing device shown in FIG. 10B released from the needle guide in an expanded configuration.

It should be noted that the figures are not drawn to scale and that elements of similar structures or functions are generally represented by like reference numerals for illustrative purposes throughout the figures. It also should be noted that the figures are only intended to facilitate the description of example configurations of the present disclosure.

DETAILED DESCRIPTION

The present disclosure relates to devices and methods for closing an opening in a body lumen. In one example embodiment, a closure device of the present disclosure may allow an operator to quickly and efficiently close a body lumen opening or puncture in a vessel wall while simultaneously providing the operator with a greater measure of control and flexibility in positioning and anchoring the closure device than previously available. For example, the closure device may allow an operator to achieve a more intimate securement of a suture securing device in the tissue surrounding a body lumen opening. In a further embodiment, the closure device may be compatible with a wider range of body lumen wall thicknesses, thereby taking into account the possibility of calcifications or scar tissue in the lumen wall. In yet a further embodiment, the closure device may be compatible with varying sizes of body lumen openings.

FIG. 1A illustrates a side view of a closure device 10 according to one example. The closure device 10 may include a handle 100, an outer housing 110, a first plunger 120 coupled to a guide member 130, an optional plug 140, a second plunger 150 coupled to a plurality of needle carriers 160A, 160B, a plurality of detachable needles 170A, 170B removably coupled to the needle carriers 160A, 160B respectively, an anchor member 180 and control members 190A, 190B coupled to the anchor member 180.

The anchor member 180 and control members 190A, 190B may cooperate to allow the closure device 10 to be located relative to a puncture in a vessel wall, such as an arteriotomy. Any type of locator having any configuration may be used as desired to position the closure device 10 in proximity to a vessel wall.

In the illustrated example, the control members 190A, 190B can be manipulated to move the anchor member 180 between a pre-deployed state (not shown in FIG. 1A) to the expanded or deployed state shown in FIG. 1A. In particular, the control members 190A, 190B may be coupled to the anchor member 180 and extend proximally from the anchor member 180 through the plug 140, the guide member 130, the first plunger 120, and the second plunger 150. In the illustrated example, manipulation of the control members 190A, 190B may be performed manually, though it will be appreciated that any suitable device and/or method may be used to manipulate the control members 190A, 190B.

As shown in FIG. 1B, the control members 190A, 190B and the anchor member 180 may form a continuous member. In such an example, retracting the control members 190A, 190B may anchor the anchor member 180 against an inner surface of a vessel wall or any other surface against which the anchor member 180 is positioned. In one embodiment, retracting both control members 190A, 190B simultaneously may produce tension or some other force in the anchor member 180 which may increase the resistance of the anchor member 180 to contracting.

For example, the tension of both control members 190A, 190B may be simultaneously transferred to the anchor member 180 thereby creating sufficient tension in the anchor

member 180 to resist movement away from its expanded configuration. In addition, providing an opposing force against a proximal surface of the anchor member 180, such as with a vessel wall, may also assist in creating sufficient tension in the anchor member 180 to resist contraction of the anchor member 180. In a further implementation, the wires of the anchor member 180 may overlap or cross over each other in order to increase resistance.

In at least one example, retracting only one of the control members 190A, 190B, may lessen the tension in the anchor member 180, thereby allowing the anchor member 180 to move from its deployed, expanded configuration to a contracted configuration. As a result, by retracting only one of the control members 190A or 190B, without applying tension to the other control member 190B or 190A or by applying a distal force to the other control member 190B or 190A, the anchor member 180 may contract and be retracted into the outer housing 110.

Referring again to FIG. 1A, the guide member 130 may be configured to house at least a portion of the control members 190A, 190B and to allow axial movement of the control members 190A, 190B relative to the guide member 130. Such a configuration may allow the control members 190A, 190B to be manipulated at a proximal location to control the anchor member 180 at a distal location.

The guide member 130, and thus the control members 190A, 190B that extend therethrough, may be at least partially housed within the outer housing 110 and/or within the handle 100. As previously discussed, the guide member 130 may be coupled to the first plunger 120. Such a configuration may cause actuation of the first plunger 120 to result in axial movement of the guide member 130. In at least one example, axial movement of the first plunger 120 results in similar axial movement of the guide member 130. Such a configuration may allow the first plunger 120 to extend and retract the guide member 130 from the outer housing 110 as desired. While actuation of the first plunger 120 may have been described with reference to axial movement of the first plunger 120 relative to the handle 100, it will be appreciated that actuation of the first plunger 120 may include any type of action that results in desired movement of the guide member 130.

The optional plug 140 may be secured to the distal end of the guide member 130 in such a manner that axial movement of the first plunger 120 also results in a corresponding movement of the plug 140. Such a configuration may thereby allow axial movement of the first plunger 120 to also extend and retract the plug 140 from the outer housing 110 as desired by extending and retracting the guide member 130. Although the guide member 130 and the plug 140 are shown as moving together, it will be appreciated that the plug 140 may also be independently controlled and moved, such as by the use of additional plungers and/or shafts.

In addition to serving as a mandrel to thereby move the plug, the guide member 130 may also be configured to house the needle carriers 160A, 160B and the detachable needles 170A, 170B. More specifically, the guide member 130 may be configured to allow the needle carriers 160A, 160B and the detachable needles 170A, 170B to move between a pre-deployed state (not shown in FIG. 1A) and the deployed state shown in FIG. 1A. In a pre-deployed state (not shown in FIG. 1A), the needle carriers 160A, 160B and/or the detachable needles 170A, 170B are retracted within the guide member 130. In the deployed state shown in FIG. 1A, the detachable needles 170A, 170B and/or the needle carriers 160A, 160B extend radially and/or distally from the guide member 130.

7

The needle carriers **160A**, **160B** are coupled to the second plunger **150** in such a way that actuation of the second plunger **150** causes the needle carriers **160A**, **160B** to move between the pre-deployed and deployed states described above. In at least one example, axial movement of the second plunger **150** relative to the first plunger **120** moves the needle carriers **160A**, **160B** between the pre-deployed and deployed states. While actuation of the second plunger **150** may be provided by axial movement of the second plunger **150** relative to the first plunger **120**, it will be appreciated that actuation of the second plunger **150** may include any type of action that results in desired movement of the needle carriers **160A**, **160B**.

As will be described in more detail, the actions described above allow the closure device **10** to deploy the detachable needles **170A**, **170B** into a vessel wall as part of a method for closing a puncture in the vessel wall. Exemplary structure of each of the components introduced above will first be introduced briefly followed by a discussion of the assembly and interaction of adjacent components. Thereafter, function of an exemplary closure device will be discussed, followed by a discussion of an exemplary method of closing a puncture in a vessel wall.

FIG. 1B illustrates an exploded view of the closure device **10**. As illustrated in FIG. 1B, the handle **100** includes a distal end **100A** and a proximal end **100B**. A guide member receiving lumen **102** extends proximally from the distal end **100A**. A first plunger receiving lumen **104** extends distally from the proximal end **100B** and is in communication with the guide member receiving lumen **102**. In the illustrated example, a shoulder **106** is formed at a transition between the guide member receiving lumen **102** and the first plunger receiving lumen **104**.

The outer housing **110** may be coupled to the distal end **100A** of the handle **100**. In particular, the outer housing **110** may include a distal end **110A** and a proximal end **110B**. A guide member receiving lumen **112** may be formed therein that extends through the distal end **110A** and the proximal end **110B**. The guide member receiving lumen **112** may be configured to allow the guide member **130** to move axially within the outer housing **110** as will be described in more detail hereinafter. In at least one example, the guide member receiving lumen **112** may have approximately the same size as the guide member receiving lumen **102** defined in the handle **102**.

As shown in FIG. 1B, the proximal end **110B** of the outer housing **110A** may be coupled to the distal end **100A** of the handle **100** in such a manner that the guide member receiving lumens **102**, **112** are aligned to thereby form a single lumen that is in communication with the distal end **110A** of the outer housing **110** and the first plunger receiving lumen **104** in the handle **100**. Such a configuration may allow the first plunger **120** to move axially relative to the handle **100** while moving the guide member **130** axially relative to outer housing **110** and the handle **100**.

More specifically, the first plunger **120** may include a distal end **120A** and a proximal end **120B**. The distal end **120A** may be sized to fit within the first plunger receiving lumen **104**. In the example shown, proximal translation of the first plunger **120** relative to the handle **100** may be limited by engagement between the distal end **120A** of the first plunger **120** and the shoulder **106** in the handle **100**.

As previously introduced, the first plunger **120** may be coupled to the guide member **130**. In particular, the distal end **120A** of the first plunger **120** may be coupled to a proximal end **130B** of the guide member **130**. Accordingly, as the first plunger **120** moves proximally relative to the

8

handle **100**, the proximal end **130B** of the guide member **130** also moves proximally relative to the handle **100** as well as to the outer housing **110**. In at least one example, axial movement of the proximal end **130B** of the guide member **130** results in a proportional or similar movement of a distal end **130A**. This may allow an operator to move the first plunger **120** axially to cause the distal end **130A** of the guide member **130** to move between a first position, in which the distal end **130A** is retracted within the distal end **110A** of the outer housing **110**, and various other positions, in which the distal end **130A** extends beyond the distal end **110A** of the outer housing **110** to varying extents. The distal end **130A** of the guide member **130** can be extended distally beyond the distal end **110A** of the outer housing **110** to deploy the plug **140** and/or position the needle carriers **160A**, **160B** for deployment. Deployment of the plug **140** will first be discussed, followed by a discussion of the deployment of the needle carriers **160A**, **160B**.

As previously introduced, the plug **140** may be coupled to the distal end of the guide member **130**. As a result, the plug **140** may be retracted within and extended from the distal end **110A** of the outer housing **110** by axial movement of the first plunger **120**.

In at least one example, the plug **140** may be formed of an expandable material. Suitable materials can include, without limitation, collagen and/or one or more polymers such as PEG. When the plug **140** is moved out of the outer housing **110**, the plug **140** may move toward an expanded state. Similarly, when the plug **140** is retracted back into the outer housing **110**, the plug **140** may be compressed to fit within the outer housing **110**. Accordingly, the distal end **130A** of the guide member **130** can be extended beyond the distal end **110A** of the outer housing **110** to deploy the plug **140** and/or retracted within the outer housing **110** to retrieve the plug **140**.

The distal end **130A** of the guide member **130** can also be extended beyond the distal end **110A** to allow for deployment of the needle carrier **160A**, **160B**. In particular, relative movement between the second plunger **150** and the first plunger **120** may move the needle carriers **160A**, **160B** between retracted and extended positions relative to the guide member **130**. The configuration of the guide member **130** will first be discussed in more detail, followed by a discussion of the interaction of the guide member **130** and the needle carriers **160A**, **160B**.

FIG. 1C illustrates a cross-sectional view of the first plunger **120** and the guide member **130**. As shown in FIG. 1C, the first plunger **120** has a second plunger receiving recess **124** defined therein that extends distally from a proximal end **120B**. The first plunger **120** also has needle carrier lumens **126A**, **126B** defined therein that extend proximally from the distal end **120A** and into communication with the second plunger receiving recess **124**. A shoulder **128** is formed at a junction of the needle carrier lumens **126A**, **126B** and the second plunger receiving recess **124**.

The guide member **130** may also have needle carrier lumens **132A**, **132B** defined therein that extend distally from the proximal end **130B**. In the illustrated example, the needle carrier lumens **132A**, **132B** include parallel or axially aligned portions **134A**, **134B** and curved, angled portions **136A**, **136B** that are in communication with openings **138A**, **138B** in the guide member **130**. The axially aligned portions **134A**, **134B** are aligned with the needle carrier lumens **126A**, **126B** defined in the first plunger **120** to thereby form continuous lumens that extend from near the distal end **130A** of the guide member **130** to the second plunger receiving recess **124** in the first plunger member **120**. The configura-

tion of the guide member 130 can allow the guide member 130 to house the needle carriers 160A, 160B (FIG. 1B) therein prior to deployment and to guide the needle carriers 160A, 160B radially outward and distally away from the guide member 130. An exemplary configuration of the needle carriers 160A, 160B will first be discussed, followed by the interaction between the needle carriers 160A, 160B and the guide member 130 with reference to FIG. 1B.

As shown in FIG. 1B, proximal ends 162A, 162B of the needle carriers 160A, 160B may be coupled to a distal end 150A of the second plunger 150 in such a way that axial movement of the second plunger 150 results in similar movement of the needle carriers 160A, 160B, including distal ends 164A, 164B. As a result, when the second plunger 150 is positioned at least partially within the second plunger receiving lumen 124, the needle carriers 160A, 160B extend through the first plunger 120 by way of the needle carrier lumens 126A, 126B and into the guide member 130 by way of needle carrier lumens 132A, 132B.

The distal ends 164A, 164B of the needle carriers 160A, 160B may be positioned such that axial movement of the second plunger 150 relative to the first plunger 120 moves the needle carriers 160A, 160B between retracted and extended positions relative to the guide member 130. When the needle carriers 160A, 160B are retracted, the distal ends 164A, 164B of the needle carriers 160A, 160B may be positioned proximally and/or radially inward relative to the openings 138A, 138B. When the needle carriers 160A, 160B are extended, the distal ends 164A, 164B extend both radially outward and distally away from the openings 138A, 138B in the guide member 130. Accordingly, the guide member 130 is configured to house the needle carriers 160A, 160B and to guide the needle carriers 160A, 160B between the retracted and extended positions described above.

In at least one example, guide member 130 can be used to initially position the anchor member 180. Further, the guide member 130 may be configured to house the control members 190A, 190B in addition to the needle carriers 160A, 160B. FIG. 1D illustrates a cross-sectional view of the closure device 10 taken along section 1D-1D of FIG. 1A. As shown in FIG. 1D, the control member lumens 139A, 139B may be defined in the guide member 130 to pass through the guide member 130. The control member lumens 139A, 139B may be positioned at any location and orientation desired. FIG. 1D also illustrates that the needle carriers 160A, 160B may have suture lumens 166A, 166B defined therein. The suture lumens 166A, 166B may house sutures (not shown), which may be coupled to the detachable needles 170A, 170B (FIG. 1B). As will be discussed in more detail below, the closure device 10 may be configured to deploy the detachable needles 170A, 170B (FIG. 1B) through a vessel wall as part of a method for closing a puncture in a vessel wall. The function of the closure device 10 will first be described in isolation, followed by a discussion of the method for closing a puncture in a vessel wall using the closure device.

FIGS. 2A-2C are cross-sectional views of the closure device 10 at various positions taken along section 2-2 of FIG. 1A. In particular, FIG. 2C is a cross-section view of the closure device 10 in the deployed state shown in FIG. 1A while FIGS. 2A and 2B show the closure device in a pre-deployed state and a location state according to one example. For ease of reference, various components will be described in which one component is being moved toward a second component. It will be appreciated that a second member can also be moved toward the first member or some

combination of movement of the two can also be used to accomplish the same function.

As shown in FIG. 2A, while in a pre-deployed state the first plunger 120 is drawn proximally from the handle 100 to thereby position the distal end 130A of the guide member 130 as well as the plug 140 within the outer housing 110. While the plug 140 is thus positioned within the outer housing 110, the plug 140 may be compressed (FIG. 1B). Further, the second plunger 150 may be positioned proximally from the first plunger 120 to thereby position the distal ends 160A, 160B of the needle carriers 160A, 160B within the guide member 130. As also shown in FIG. 2A, the control members 190A, 190B may be manipulated and positioned to move the anchor member 180 to a pre-deployed position within the outer housing 110.

The closure device 10 may be moved from the pre-deployed state shown in FIG. 2A to the locator state shown in FIG. 2B by manipulating the control members 190A, 190B and moving the first plunger 120 toward the handle 100. In at least one example the second plunger 150 may move with the first plunger 120 as the first plunger 120 moves toward the handle 100. Such a configuration may allow the second plunger 150 to deploy the needle carriers 160A, 160B separately from movement of the first plunger 120.

As shown in FIG. 2B, as the first plunger 120 moves toward the handle 100, the anchor member 180, the plug 140 and/or the distal end 130A of the guide member 130 move distally from the distal end of the outer housing 110. The anchor member 180 may then be manipulated by the control members 190A, 190B to move to the deployed state shown in FIG. 2B.

More specifically, the anchor member 180 may be configured to move from an initial, contracted configuration within the outer housing 110 to a deployed, expanded configuration once deployed from the outer housing 110. To facilitate movement from an initial, contracted configuration to a deployed, expanded configuration, the anchor member 180 may include one or more superelastic or shape memory materials such as shape memory alloys.

For example, the anchor member 180 may be heat set in a deployed, expanded configuration. The anchor member 180 may then be elastically deformed into an initial, contracted configuration contracted and disposed within the outer housing 110. In its initial, contracted configuration shown in FIG. 2A, the anchor member 180 may store sufficient energy to return to its deployed, expanded configuration once released from the outer housing 110 shown in FIG. 2B.

Retracting the handle 100 in a proximal direction may position and/or anchor the anchor member 180 against a distal or inner surface of a vessel wall. In a further embodiment, further retracting the plunger member 130 in a proximal direction may retract the anchor member 180 from the vessel and/or into the outer housing 110.

Once the anchor member 180 is at a desired position, the first plunger 120 can be moved toward the handle 100 while holding the control members 190A, 190B stationary to thereby advance the plug 140 toward the anchor member 180. The plug 140, which may have expanded from the compressed state described above upon exiting the outer housing 110, can thus be positioned relative to the anchor member 180. Such a configuration can allow the closure device 10 to engage a proximal or outer surface of the vessel's walls of varying thicknesses as the plug 140 can be advanced until it engages a vessel wall since the anchor member 180 is positioned on an opposing side of the vessel

11

wall. Such a configuration can also place the distal end 130A of the guide member 130 in position to deploy the needle carriers 160A, 160B.

As shown in FIG. 2C, the needle carriers 160A, 160B can be deployed by moving the second plunger 150 toward the first plunger 120. As the second plunger 150 moves toward the first plunger 120, the needle carriers 160A, 160B, and the distal ends 164A, 164B in particular, move the detachable needles 170A, 170B distally and radially away from the distal end 130A of the guide member 130. Such a configuration can allow the detachable needles 170A, 170B to be moved into engagement with a vessel wall, as part of an exemplary method for closing a puncture in a vessel wall, which will now be discussed in more detail with reference to FIG. 3A-3D.

FIG. 3A illustrates first steps of a method for closing a puncture 300 in a vessel wall 310. For ease of reference, only the distal portion of the closure device 10 is shown and described. It will be appreciated that the distal components can be manipulated by proximal components in a similar manner as described above with reference to FIGS. 1A-2C.

Referring now to FIG. 3A, the method can begin by positioning a distal end 110A of the outer housing 110 in proximity with the puncture 300 while the closure device 10 is in a pre-deployed state. With the distal end 110A of the outer housing 110 in proximity with the puncture 300, the anchor member 180 can be passed through the puncture 300 and moved to the deployed, expanded position as shown in FIG. 3B.

As shown in FIG. 3C, the anchor member 180 can then be drawn proximally into engagement with an inner surface or posterior side 310A of the vessel wall 310 adjacent the puncture 300 and the distal end 130A of the guide member 130 can be urged distally toward the outer surface or anterior side 310B of the vessel wall 310, thereby positioning the vessel wall 310 adjacent the puncture 300 between the plug 140 and the anchor member 180. With the vessel wall 310 positioned between the anchor member 180 and the plug 140, the vessel wall 310 can be described as being located by the closure device 10 since the position of vessel wall 310 is established as being between the plug 140 and the anchor member 180. In at least one example, the expanded plug 140 can cover the puncture 300 while pressure between the plug 140 and the anchor member can provide sufficient contact between the plug 140 and the vessel wall 310 to limit the flow of fluid from the puncture 300.

As also shown in FIG. 3C, when the guide member 130 is in position with respect to the vessel wall 310, the distal end 130A of the guide member 130 can be positioned distally of the distal end 110A of the outer housing 110 to thereby expose the openings 138A, 138B (FIG. 1C) from within the outer housing 110. With the openings 138A, 138B (FIG. 1C) thus exposed, the needle carriers 160A, 160B and detachable needles 170A, 170B can be moved distally beyond and radially outward from the distal end 130A of the guide member 130 to move the detachable needles 170A, 170B at least partially through the vessel wall 310 on opposing sides of the puncture 300. As shown, the anchor member 180 in the expanded state can extend beyond the position of the detachable needles 170A, 170B in the vessel wall 310. Such a configuration can improve the ability of the anchor member 180 to support user pullback by increasing the area over which the anchor member 180 engages the inner surface of the vessel wall 300. In addition, the loop-type configuration of the anchor member 180 in the expanded state can allow the anchor member 180 to locate the vessel wall 310 without substantial interference from the

12

detachable needles 170A, 170B. While the anchor member 180 in the expanded state is shown extending beyond the position of the detachable needle 170A, 170B, any size and/or configuration of the anchor member 180 that is suitable to support user pullback against the vessel wall 310 is possible. In one embodiment, the anchor member 180 in the expanded state can extend between the position of the detachable needles 170A, 170B and the sides of the puncture 300. In other embodiments, the anchor member 180 in the expanded state can extend considerably beyond the position of the detachable needles 170A, 170B.

FIG. 3D shows the detachable needle 170A in more detail. While a single detachable needle 170A is shown in FIG. 3D, it will be appreciated that the discussion of the detachable needle 170A can be equally applicable to the detachable needle 170B (FIG. 3C) as well as any number of other detachable needles. As shown in FIG. 3D, the detachable needle 170A may include features that allow it to readily pierce the vessel wall 310 while resisting retraction therefrom. In particular, the detachable needle 170A includes a generally conical body 172 having a tip 174 and a base 176. The detachable needle 170A may also include a shaft 178 coupled to the base 178.

In at least one example, the shaft 178 is configured to have a suture 320 coupled thereto. The shaft 178 can be further configured to be positioned within the suture lumen 166A to provide a slip fit between the needle carrier 160A and the shaft 178. The shaft 178 may also have a narrower aspect than the base 176. Such a configuration allows the needle carrier 160A to exert a distally acting force on the detachable needle 170A by way of the base 176. Such a distally acting force can cause the tip 174 to pierce the vessel wall 310 while the width of the base 176 anchors the detachable needle 170A to the vessel wall 310 and resists proximal retraction.

Referring again to FIG. 3C, once the detachable needles 170A, 170B are anchored in the vessel wall 310, the needle carriers 160A, 160B can be drawn proximally into the guide member 130. The engagement between the detachable needles 170A, 170B and the vessel wall 310 can be sufficient to detach the detachable needles 170A, 170B from the needle carriers 160A, 160B as the needle carriers 160A, 160B are withdrawn.

After the needle carriers 160A, 160B are drawn into the guide member 130, one of the control members 190A, 190B can be moved in one direction more than the other of the control members 190A, 190B to move the anchor member 180 into a contracted or collapsed state. The guide member 130, the plug 140, and the control member 180 can then be drawn into the outer housing 110. Thereafter, the closure device 10 can be withdrawn, leaving the detachable needles 170A, 170B engaged in the vessel wall 310 with the sutures 320 extending proximally from the detachable needles 170A, 170B as shown in FIG. 3E.

As also shown in FIG. 3E, a constrictor 330 can be passed over the sutures 320. The constrictor 330 can have a smaller diameter than the distance between the detachable needles 170A, 170B. As a result, moving the constrictor 330 over the sutures 320 while maintaining tension on the sutures 320 can act to draw the detachable needles 170A, 170B toward each other, thereby pulling the puncture 300 closed, as shown in FIG. 3E.

Once the puncture 300 is sufficiently closed, the constrictor 330 can be secured to maintain tension in the sutures 320 between the detachable needles 170A, 170B and the constrictor 330. For example, in one embodiment the constrictor 330 can be an annular member that can be crimped to

13

maintain the tension in the sutures **320**. While an annular member can be used, it will be appreciated that any constrictor can be used to establish tension in the sutures **170A**, **170B**. It will also be appreciated that any suitable means may also be used to maintain the tension in the sutures **170A**, **170B**. Thereafter, the sutures **170A**, **170B** can be trimmed as desired using any appropriate method and/or device.

Accordingly, as shown in FIGS. 1A-3E, the closure device **10** can be configured to deploy detachable needles **170A**, **170B** in a vessel wall **310**. A constrictor **330** can then be used to establish tension in suture extending away from the detachable needles **170A**, **170B** to thereby close the puncture **300** in the vessel wall **310**. In the illustrated example, two needle carriers **160A**, **160B** and detachable needles **170A**, **170B** have been described. It will be appreciated that in other examples, any number of needle carriers and detachable needles can be used, include four or more needle carriers and detachable needles.

In the example shown above, the detachable needles included a conical shape in which the sutures are anchored in a vessel wall by engagement with a proximal portion of the detachable needle. FIG. 4 illustrates one configuration for a detachable needle **340**. The detachable needle **340** can have a body **350** having a tapered point **360**. A suture **320** can be positioned in a manner that causes the detachable needle **340** to rotate when tension is applied to the suture **320** to thereby cause a lateral portion of the detachable needle **340** to engage a vessel wall to thereby anchor the detachable needle **340** thereto. For example, the suture **320** can be offset either radially from a center axis **370** of the detachable needle **340** and/or distally from a proximal end **380** of the body **350**.

FIGS. 5A-6B illustrate a vessel closure device **40** according to one example. The closure device **40** may be similar in many respects to the closure device **10** previously described above in FIGS. 1A-4, wherein certain features will not be described in relation to this configuration wherein those components may function in the manner as described above and are hereby incorporated into this additional configuration described below. As shown in FIG. 5A, the closure device **40** may include an outer sheath **410** having a distal end with a tapered tip portion **420**. The tapered tip portion **420** may be formed of a polymer or any other suitable biocompatible material. The tapered tip portion **420** may be coupled to the outer sheath **410** or may be integrally formed on the outer sheath **410**. In one embodiment, the tapered tip portion **420** may include slits radially spaced about the tapered tip portion **420** and extending proximally from a distal end of the tapered tip portion **420**. The slits **430** may define intermediate portions of the tapered tip portion **420**, each intermediate portion having a free end and a fixed end. The slits **430** may be elongated, triangular, diamond shaped, oval, or any other configuration and/or shape suitable to define the intermediate portions of the tapered tip portion **420**. As shown in FIG. 5B, the slits **430** may allow the intermediate portions of the tapered tip portion **420** to expand or open up as a guide member **490**, a plug **440**, an anchor member **480**, or needle guides **460A**, **460B** and detachable needles **470A**, **470B** are advanced from within the outer sheath **410**. Such a configuration can help protect the guide member **490**, the plug **440**, the anchor member **480**, the needle guides **460A**, **460B** and the detachable needles **470A**, **470B**, and/or the access tract. For example, the tapered tip portion **420** may help protect the access tract from damage that may be caused by the guide member **490**, the plug **440**, the anchor member **480**, the needle guides **460A**, **460B** and the detachable needles **470A**, **470B** by

14

enclosing them within the outer sheath **410** up until immediately adjacent a puncture **300**. In addition, enclosing the same components within the outer sheath **410** up until immediately adjacent the puncture may help protect and improve the implementation of the guide member **490**, the plug **440**, the anchor member **480**, the needle guides **460A**, **460B** and the detachable needles **470A**, **470B** by limiting interference from the access tract and/or other biological materials. Moreover, the conical shape of the tapered tip portion **420** can help ease advancement of the outer sheath **410** through the access tract.

FIGS. 6A and 6B illustrate the tapered tip portion **420** in a first configuration and an expanded or open configuration over a puncture in a vessel wall **310**. As shown in FIG. 6A, the distal portion of the outer sheath **410** may be advanced through the access tract and the tapered tip portion **420** may be positioned slightly within the puncture **300**. With the tapered tip portion **420** positioned in the puncture **300**, the anchor member **480** can be passed directly into the puncture **300**. The anchor member **480** can then be moved to a deployed expanded position as shown in FIG. 6B. The guide member **490** and plug **440** can then be urged through the tapered tip portion **420** and distally toward an outer surface of a vessel wall **310**. As shown in FIG. 6B, urging the guide member **490** and the plug **440** through the tapered tip portion **420** can rotate the intermediate portions of the tapered tip portion **420** about pivot points **495** which in turn can cause the tapered tip portion **420** to expand or open up. In other embodiments, the intermediate portions of the tapered tip portion **420** can be flexed outward by the plug **440** and/or the guide member **490** to cause the tapered tip portion to expand or open up. In one embodiment, once the plug **440** and the anchor member **480** are positioned on opposite sides of the vessel wall **310**, the outer housing **410** may be retracted distally a predetermined distance to allow for deployment of the needle guides **460A**, **460B** and the detachable needles **470A**, **470B** from the guide member **490**.

Accordingly, as shown in FIGS. 5A-6B, the tapered tip portion **420** of the closure device may be configured to ease the advancement of the closure device **40** through an access tract; aid in the protection of the access tract, the closure device **40** and components thereof; and improve implementation of the closure device's components within the access tract.

Embodiments of the anchor, detachable needles and the like may include a material made from any of a variety of known suitable biocompatible materials, such as a biocompatible shape memory material (SMM). For example, the SMM may be shaped in a manner that allows for a delivery orientation while within the tube set, but may automatically retain the memory shape of the detachable needles once deployed into the tissue to close the opening. SMMs have a shape memory effect in which they may be made to remember a particular shape. Once a shape has been remembered, the SMM may be bent out of shape or deformed and then returned to its original shape by unloading from strain or heating. Typically, SMMs may be shape memory alloys (SMA) comprised of metal alloys, or shape memory plastics (SMP) comprised of polymers. The materials may also be referred to as being superelastic.

Usually, an SMA may have an initial shape that may then be configured into a memory shape by heating the SMA and conforming the SMA into the desired memory shape. After the SMA is cooled, the desired memory shape may be retained. This allows for the SMA to be bent, straightened, twisted, compacted, and placed into various contortions by the application of requisite forces; however, after the forces

15

are released, the SMA may be capable of returning to the memory shape. The main types of SMAs are as follows: copper-zinc-aluminum; copper-aluminum-nickel; nickel-titanium (NiTi) alloys known as nitinol; nickel-titanium platinum; nickel-titanium palladium; and cobalt-chromium-nickel alloys or cobalt-chromium-nickel-molybdenum alloys known as elgiloy alloys. The temperatures at which the SMA changes its crystallographic structure are characteristic of the alloy, and may be tuned by varying the elemental ratios or by the conditions of manufacture. This may be used to tune the detachable needles so that it reverts to the memory shape to close the arteriotomy when deployed at body temperature and when being released from the tube set.

For example, the primary material of an anchor, detachable needles, and/or ring may be of a NiTi alloy that forms superelastic nitinol. In the present case, nitinol materials may be trained to remember a certain shape, retained within the tube set, and then deployed from the tube set so that the tines penetrate the tissue as it returns to its trained shape and closes the opening. Also, additional materials may be added to the nitinol depending on the desired characteristic. The alloy may be utilized having linear elastic properties or non-linear elastic properties.

An SMP is a shape-shifting plastic that may be fashioned into a detachable needles in accordance with the present disclosure. Also, it may be beneficial to include at least one layer of an SMA and at least one layer of an SMP to form a multilayered body; however, any appropriate combination of materials may be used to form a multilayered device. When an SMP encounters a temperature above the lowest melting point of the individual polymers, the blend makes a transition to a rubbery state. The elastic modulus may change more than two orders of magnitude across the transition temperature (T_{tr}). As such, an SMP may be formed into a desired shape of an endoprosthesis by heating it above the T_{tr} , fixing the SMP into the new shape, and cooling the material below T_{tr} . The SMP may then be arranged into a temporary shape by force and then resume the memory shape once the force has been released. Examples of SMPs include, but are not limited to, biodegradable polymers, such as oligo(ϵ -caprolactone)diol, oligo(p -dioxanone)diol, and non-biodegradable polymers such as, polynorborene, polyisoprene, styrene butadiene, polyurethane-based materials, vinyl acetate-polyester-based compounds, and others yet to be determined. As such, any SMP may be used in accordance with the present disclosure.

An anchor, detachable needles, ring and the like may have at least one layer made of an SMM or suitable superelastic material and other suitable layers may be compressed or restrained in its delivery configuration within the garage tube or inner lumen, and then deployed into the tissue so that it transforms to the trained shape. For example, a detachable needles transitions to close the opening in the body lumen while an anchor may expand to anchor the closure device.

Also, the anchor, detachable needles, ring, or other aspects or components of the closure device may be comprised of a variety of known suitable deformable materials, including stainless steel, silver, platinum, tantalum, palladium, nickel, titanium, nitinol, nitinol having tertiary materials (U.S. 2005/0038500, which is incorporated herein by reference, in its entirety), niobium-tantalum alloy optionally doped with a tertiary material (U.S. 2004/0158309, 2007/0276488, and 2008/0312740, which are each incorporated herein by reference, in their entireties) cobalt-chromium alloys, or other known biocompatible materials. Such biocompatible materials may include a suitable biocompatible

16

polymer in addition to or in place of a suitable metal. The polymeric detachable needles may include biodegradable or bioabsorbable materials, which may be either plastically deformable or capable of being set in the deployed configuration.

In one embodiment, the detachable needles, anchor, and/or ring may be made from a superelastic alloy such as nickel-titanium or nitinol, and includes a ternary element selected from the group of chemical elements consisting of iridium, platinum, gold, rhenium, tungsten, palladium, rhodium, tantalum, silver, ruthenium, or hafnium. The added ternary element improves the radiopacity of the nitinol detachable needles. The nitinol detachable needles has improved radiopacity yet retains its superelastic and shape memory behavior and further maintains a thin body thickness for high flexibility.

In one embodiment, the anchor, detachable needles, and/or ring may be made at least in part of a high strength, low modulus metal alloy comprising Niobium, Tantalum, and at least one element selected from the group consisting of Zirconium, Tungsten, and Molybdenum.

In further embodiments, the detachable needles, anchor, and/or ring may be made from or be coated with a biocompatible polymer. Examples of such biocompatible polymeric materials may include hydrophilic polymer, hydrophobic polymer biodegradable polymers, bioabsorbable polymers, and monomers thereof. Examples of such polymers may include nylons, poly(α -hydroxy esters), polylactic acids, polylactides, poly-L-lactide, poly-DL-lactide, poly-L-lactide-co-DL-lactide, polyglycolic acids, polyglycolide, polylactic-co-glycolic acids, polyglycolide-co-lactide, polyglycolide-co-DL-lactide, polyglycolide-co-L-lactide, polyanhydrides, polyanhydride-co-imides, polyesters, polyorthoesters, polycaprolactones, polyesters, polyanhydrides, polyphosphazenes, polyester amides, polyester urethanes, polycarbonates, polytrimethylene carbonates, polyglycolide-co-trimethylene carbonates, poly(PBA-carbonates), polyfumarates, polypropylene fumarate, poly(p -dioxanone), polyhydroxyalkanoates, polyamino acids, poly-L-tyrosines, poly(β -hydroxybutyrate), polyhydroxybutyrate-hydroxyvaleric acids, polyethylenes, polypropylenes, polyaliphatics, polyvinylalcohols, polyvinylacetates, hydrophobic/hydrophilic copolymers, alkylvinylalcohol copolymers, ethylenevinylalcohol copolymers (EVAL), propylenevinylalcohol copolymers, polyvinylpyrrolidone (PVP), combinations thereof, polymers having monomers thereof, or the like.

In yet a further embodiment, a closure device **50** may include needle guides that can be deployed from the closure device **50** at varying angles. The closure device **50** may be similar in many respects to the closure devices **10** and **40** previously described above in FIGS. 1A-6B, wherein certain features will not be described in relation to this configuration wherein those components may function in the manner as described above and are hereby incorporated into this additional configuration described below.

FIG. 7A shows a side view of the closure device **50**. As shown, the closure device **50** may include a guide member **520**, needle guides **510A**, **510B** deployable from the guide member **520**, a needle guide activation handle **620** coupled to the needle guides **510A**, **510B**, and an angle adjustment member **630** movably attached to the guide member **520**. FIG. 7B shows the needle guides **510A**, **510B** removed from the closure device **50**. While features of a single needle guide **510A** are discussed, it will be appreciated that any discussion of the features of the needle guide **510A** can be equally applicable to the features of the needle guide **510B** as well as any number of other needle guides.

The needle guides **510A**, **510B** may comprise a substantially flexible or semi-rigid body **530** having a proximal portion **540** and a distal portion **550**. The proximal portions **540** are substantially parallel to or axially aligned with one another, whereas the distal portions **550** of the needle guides **510A**, **510B** may be angled or curved to extend laterally outward from the proximal portions **540**. In one embodiment, the distal portions **550** of the needle guides **510A**, **510B** may be self-biased to extend laterally outward from the proximal portions **540**. In another embodiment, the needle guides **510A**, **510B** may have a memory shape where the distal portions **550** extend laterally outward from the proximal portions **540**. The needle guides **510A**, **510B** can be configured such that the needle guides **510A**, **510B** can be forcibly straightened but return to their curved or angled shape upon release from external forces.

As discussed in more detail below, the design of the needle guides **510A**, **510B** allows the angle adjustment member **630** to be configured to adjust a deployment angle " α " of the needle guides **510A**, **510B**. The deployment angle " α " is defined as the greatest acute angle between the needle guides **510A**, **510B** and a longitudinal axis of the guide member **520**. In one configuration, the deployment angle " α " is in a range between about 20 degrees and about 60 degrees, while in another configuration the deployment angle " α " is between about 30 degrees and 50 degrees. One skilled in the art will understand that the deployment angle " α " can range between any puncture angle commonly used to suture an body lumen opening. Adjusting the deployment angle " α " allows the closure device **50** to be used on body lumen openings of varying sizes.

It will be understood by those skilled in the art that various other configurations of the needle guides **510A**, **510B** are possible. For example, although the needle guides **510A**, **510B** have at least an angled or curved portion **545**, the body **530** of the needle guides **510A**, **510B** being entirely curved or substantially angled is possible. Moreover, the needle guides **510A**, **510B** may include a substantially rigid portion, a flexible portion and/or a semi-rigid portion. The needle guides **510A**, **510B** may be comprised of a biocompatible material such as one or more polymers, elastomers, plastics, metals, composites, other similar materials, or any combination thereof. The needle guides **510A**, **510B** may also include one or more superelastic or shape memory materials such as shape memory alloys. The needle guides **510A**, **510B** may have a cross-sectional configuration that is rectangular, circular, elliptical, triangular, uniform, varying, substantially solid, substantially hollow, or any other cross-sectional configuration suitable for deployment through a vessel wall (not shown in FIG. 7A). In one embodiment, the needle guides **510A**, **510B** may be configured to hold a suture (not shown) and/or a suture securing device (not shown). For example, the needle guides **510A**, **510B** can include a suture lumen **560** defined between the proximal portion **540** and the distal portion **550**. The suture lumens **560** can be sized, shaped and/or configured to hold the suture and/or the suture securing device. Further, although two needle guides **510A**, **510B** are shown, one needle guide or a plurality of needle guides is possible. The needle guides **510A**, **510B** can also be configured to form a penetration path through a vessel wall **570** immediately surrounding a body lumen opening. As shown, the distal portion **550** of the needle guides **510A**, **510B** may include a penetrator tip **580**. In another embodiment, the needle guides **510A**, **510B** may include a detachable penetrator tip disposed on the distal portion **550**. In a further example, the penetrator tip **580** may

comprise one or more sharpened edges on the distal portion **550** of the needle guides **510A**, **510B**.

As illustrated in FIG. 7A, the needle guides **510A**, **510B** can extend longitudinally along the length of the guide member **520** toward openings **610A**, **610B** near the distal end **670** of the guide member **520** (as shown by hidden lines in FIG. 7A). While the needle guides **510A**, **510B** are shown disposed within the guide member **520**, the needle guides **510A**, **510B** disposed on the guide member **520** are possible. For example, the needle guides **510A**, **510B** may be positioned in between the outer surface of the guide member **520** and the inner surface of the angle adjustment member **630** in longitudinal grooves (not shown) formed on the outer surface of the guide member **520**.

The needle guide activation plunger or handle **620** can be coupled to the needle guides **510A**, **510B** such that movement of the needle guide activation handle **620** can deploy the needle guides **510A**, **510B** through openings **610A**, **610B** and distally of the guide member **520**. While a needle activation plunger or handle is shown, any number of mechanisms can deploy the needle guides **510A**, **510B** distally of the guide member **520** such as a release button, a trigger, an actuator, or other mechanisms capable of deploying the needle guides **510A**, **510B**.

The angle adjustment member **630** may include a proximal end **640** and a distal end **650** and concentrically surround the guide member **520**. The angle adjustment member **630** can be configured to support the needle guide activation handle **620** and move relative to the length of the guide member **520**. In another embodiment, the guide member **520** may move relative to the angle adjustment member **630**. The angle adjustment member **630** may be further configured so that the angle adjustment member **630** can adjust the deployment angle " α " of the needle guides **510A**, **510B**. While the angle adjustment member **630** is shown as a sheath, the angle adjustment member **630** may comprise elongate members moveably attached to opposing sides of the guide member **520**, or an annular member moveably attached to the guide member **520** having one or more deflector rods aligned with the openings **610A**, **610B**, or any other configuration suitable to adjust the deployment angle " α " of the needle guides **510A**.

FIGS. 8A-8D are cross-sectional views of the closure device **50** taken at various positions along section 6-6 of FIG. 7A to illustrate adjustment of the deployment angle " α " by the angle adjustment member **630**. As shown in FIG. 8A, while in a pre-deployed state the needle guides **510A**, **510B** may be positioned within the guide member **520**. Again, while the needle guides **510A**, **510B** are shown disposed within the guide member **520**, needle guides **510A**, **510B** disposed on the guide member **520** are possible. As shown, the guide member **520** may include a plurality of lumens **660A**, **660B** extending distally toward the openings **610A**, **610B** of the guide member **520**. The lumens **660A**, **660B** may be sized to receive at least one of the needle guides **510A**, **510B**. The lumens **660A**, **660B** may extend parallel to the longitudinal axis of the guide member **520**. The needle guides **510A**, **510B** may be forcibly straightened within the lumens **660A**, **660B**. This facilitates low-profile storage of the needle guides **510A**, **510B** and the closure device **10** generally. Moreover, storage of the needle guides **510A**, **510B** within the lumens **660A**, **660B** can help prevent contamination of the needle guides **510A**, **510B**.

The openings **610A**, **610B** may be aligned along the longitudinal axis of the guide member **520** and be in fluid communication with the lumens **660A**, **660B**. As shown, the openings **610A**, **610B** may be located near a distal end **670**

19

of the guide member 520. Although the openings 610A, 610B in the guide member 520 are shown parallel to the longitudinal axis of the guide member 520, the openings 610A, 610B can be oriented at any desirable angle relative to the guide member 520. For example, the openings 610A, 610B may be oriented substantially non-parallel to the longitudinal axis of the guide member 520 such that the openings 610A, 610B direct the needle guides 510A, 510B radially away from the guide member 520. Moreover, while the openings 610A, 610B are shown formed on the end of the guide member 520, the openings 610A, 610B may be formed on the sidewalls of the guide member 520. The needle guides 510A, 510B can be advanced through the openings 610A, 610B by manipulation of the needle guide activation handle 620 (not shown).

FIG. 8B shows the needle guides 510A, 510B deployed from the guide member 520 with the angle adjustment member 630 in a retracted position. As shown, the angle adjustment member 630 can be advanced along and relative to the guide member 520 such that the distal end 650 of the angle adjustment member 630 is positioned proximal to the openings 610A, 610B in the guide member 520. Consequently, the needle guides 510A, 510B may form a penetration path through the vessel wall 570 without being biased toward the longitudinal axis of the guide member 520 by the angle adjustment member 630. With the angle adjustment member 630 in the retracted position, the primary deployment angle " α " of the needle guides 510A, 510B may be approximately 60 degrees relative to the longitudinal axis of the guide member 520, as determined primarily by the configuration of the needle guides 510A, 510B. The primary deployment angle " α " minimizes the deployment depth, thereby minimizing the possibility of overshooting the vessel. Moreover, the primary deployment angle " α " maximizes the radial span of the needle guides 510A, 510B, thereby maximizing the size of the body lumen opening the needle guides 510A, 510B can close.

FIG. 8C shows the needle guides 510A, 510B deployed from the guide member 520 with the angle adjustment member 630 positioned in an extended position. As shown, the angle adjustment member 630 can be advanced along and relative to the guide member 520 until the distal end 650 of the angle adjustment member 630 is distal of the openings 610A, 610B. The angle adjustment member 630 may be substantially aligned or proximal to the distal end 670 of the guide member 520. In the extended position, the angle adjustment member 630 may deflect the needle guides 510A, 510B toward the deployment angle " α " of approximately 20 degrees relative to the guide member 520. With the angle adjustment member 630 in the extended position, the needle guides 510A, 510B can close a smaller body lumen opening.

FIG. 8D shows the needle guides 510A, 510B deployed from the guide member 520 with the angle adjustment member 630 positioned in an intermediate position. The intermediate position is defined between the retracted position and the extended position. In the intermediate position, the angle adjustment member 630 may be advanced along and relative to the guide member 520 such that the distal end 650 of the angle adjustment member 630 is positioned distal to the openings 610A, 610B but proximal to the position of the angle adjustment member 630 in the extended position. With the angle adjustment member 630 in the intermediate position, the angle adjustment member 630 may deflect the needle guides 510A, 510B toward the deployment angle " α " between about 20 degrees and about 60 degrees. Distal movement of the angle adjustment member 630 beyond the

20

openings 610A, 610B will reduce the deployment angle " α " toward about 20 degrees until the angle adjustment member 630 reaches the extended position. Proximal movement of the angle adjustment member 630 beyond the openings 610A, 610B will increase the deployment angle " α " toward about 60 degrees until the angle adjustment member 630 reaches the retracted position. Thus, a user can adjust the deployment angle of the needle guides 510A, 510B anywhere between about 20 degrees and about 60 degrees by moving the angle adjustment member 630 between the retracted position and the extended position.

In another embodiment, the closure device 10, closure device 40, or closure device 50 may employ an articulating suture securing device having a low-profile configuration and an expanded configuration. FIG. 9A shows a perspective view of a suture securing device 705 according to one example. As shown, the suture securing device 705 may comprise a tubular body 710, a cutout 730 formed in the tubular body 710, and a suture 740 attached to the tubular body 710.

The tubular body 710 may be elongated and have a proximal end 715, an intermediate portion 720, and a distal end 725. The tubular body 710 can include a first opening 735 at the proximal end 715 for receiving an end of the suture 740. The suture 740 may extend into the interior of the tubular body 710 along its length. The suture 740 may exit the tubular body 710 through a second opening 745 located near the distal end 725. While the suture 740 is shown exiting the tubular body through the second opening 745 located near the distal end 725, the suture 740 may exit the tubular body 710 at any number of locations. For example, a second opening may be located near the intermediate portion 720 of the tubular body 710 such that the suture may exit the tubular body 710 near the intermediate portion 720. In another example, a third opening (not shown) may be located between the intermediate portion 720 and the distal end 725 such that the suture 740 may exit through the third opening.

The tubular body 710 may be crimped, as shown at 780, about the suture 740 to mechanically affix the suture 740 to the suture securing device 705. In other embodiments, the tubular body 710 can be crimped in a plurality of locations. In addition and or instead to mechanical crimping, the suture 740 may be bonded to the suture securing device 705 using an adhesive, heat, fasteners, knots or the like. The tubular body 710 may also include a swaged portion 750 adjacent the second opening 745 to help retain the suture 740 in the tubular body 710. The tubular body 710 may include any number of rigid or semi-rigid materials. For example, the tubular body 710 may include one or more polymers, elastomers, plastics, metals, composites, other similar materials, or combinations thereof. The tubular body 710 may also include one or more superelastic or shape memory materials such as shape memory alloys.

The cutout 730 may extend distally from the proximal end 715 of the tubular body 120. In other embodiments, more than one cutout 730 is possible. While the cutout 730 is shown having being u-shaped, a rectangular, triangular, elliptical, oval, or any other suitable shape is possible. The cutout 730 may include a plurality of tissue-engaging elements 755 extending along each side of the cutout 730. In other embodiments, the tissue-engaging elements 755 may also be formed on other portions of the tubular body 710. For example, the tissue-engaging elements 755 may be formed over the entire outer surface of the tubular body. In a further example, the tissue-engaging elements 755 may be formed between the proximal end 715 and the intermediate portion

720 of the tubular body 710. In yet a further example, the tissue-engaging elements 755 may be formed between the proximal end 715 and the distal end 725 on the same surface as the cutout 730. In other embodiments, the cutout 730 may include one or more tissue-engaging elements.

The tissue-engaging elements 755 extend from opposing sides of the cutout 730 and may comprise teeth, serrations, tilted trapezoidal bodies, or any other shape or configuration suitable to increase friction when engaged against a vessel wall. It will be apparent to one skilled in the art that a variety of tissue-engaging element configurations may be possible. For example, the tissue-engaging elements 755 may have tapered bodies. The tissue-engaging elements 755 may have generally circular disc-shaped bodies. The tissue-engaging elements 755 may have setaceous bodies. The tissue-engaging elements 755 may have hook shaped bodies. The tissue-engaging elements 755 may have tine shaped bodies. The tissue-engaging elements 755 may comprise notches formed in the tubular body 710. The orientation of the tissue-engaging elements 755 may also vary. For example, the tissue-engaging elements 755 may be angled toward or away from the cutout 730. The tissue-engaging elements 755 may be curved inwardly or outwardly relative to the cutout 730. The tissue-engaging elements 755 may alternate between extending inward and outward from the cutout 730.

In another embodiment, at least a portion of the suture 740 may include friction producing structures 760. The friction producing structures 760 may include a plurality of annular vanes formed in the outer surface of the suture 740. In another embodiment, the friction producing structures 760 may include raised helically formed or threaded portions on or in the suture 740. In another embodiment, the friction producing structures 760 may include one or more annular grooves formed in the suture 740. In another embodiment, the friction producing structures 760 may be formed on a substantially rigid portion of the suture 740. In a further embodiment, the friction producing structures 760 may be non-uniformly distributed on the suture 740. In yet a further embodiment, the friction producing structures 760 may include a plurality of raised portions and a plurality of recessed portions.

FIGS. 9B and 9C show the suture securing device 705 in a low-profile configuration (FIG. 9B) and an expanded configuration (FIG. 9C). As shown in FIG. 9B, the suture securing device 705 may have a low-profile configuration in which the tubular body 710 is substantially aligned along the axis of the suture 740. The low-profile configuration shown in FIG. 9B facilitates storage and delivery of the suture securing device 705. For example, a needle guide 765 may hold the suture securing device 705 and the suture 740 as the needle guide 765 forms a penetration path through the vessel wall 770 immediately adjacent a body lumen opening. In another embodiment, the suture securing device 705 can be configured to penetrate the vessel wall 770 rather than the needle guide 765. For example, the suture securing device 705 can be disposed on the needle guide 765 with a penetrator tip (not shown) attached to the distal end 725 of the suture securing device 705.

As shown in FIG. 9C, the suture securing device 705 may have an expanded configuration. In one embodiment, the needle guide 765 may be retracted depositing or releasing the suture securing device 705 distally of the vessel wall 770. The tubular body 710 may then rotate relative to the suture 740 such that the suture 740 is received within the cutout 730 and the tubular body 710 is positioned substantially non-parallel to the suture 740 and substantially parallel to the vessel wall 770. In another embodiment, the tubular

body 710 may include more than one cutout configured to receive the suture 740 such that the tubular body 710 may rotate relative to the suture 740 in a plurality of directions. For example, the tubular body 710 may include a second cutout (not shown) formed opposing the cutout 730 such that the tubular body 710 may rotate clockwise or counterclockwise about the suture 740. In a further embodiment, the cutout 730 may include a receptacle (not shown) configured to fix the orientation of the suture 740 relative to the tubular body 710 once the suture securing device 705 moves into the expanded configuration. In yet a further embodiment, the cutout 730 may include a locking clip (not shown) to fix the orientation of the suture 740 relative to the tubular body 710 once the suture securing device 705 moves into the expanded configuration. In yet a further embodiment, the cutout 730 may include a catch member (not shown) to fix the orientation of the suture 740 relative to the tubular body 710 once the suture securing device 705 moves into the expanded configuration.

Reference is now made to FIGS. 10A-10C which illustrates an additional example suture securing device 805. The suture securing device 805 may be similar in many respects to the suture securing device 705 previously described above in FIGS. 9A-9C. To the extent features or components of this configuration function in a manner similar to that as described above, such disclosure is hereby incorporated into the following additional configuration. Like structures and/or components are given like reference numerals. Additionally, the suture securing device 805 may incorporate at least one component of the suture securing device 705 described in FIGS. 9A-9C.

As shown in FIG. 10A, the suture securing device 805 may include a tubular body 810 having a proximal end 815, a mid-point 820, and a distal end 825. The tubular body 810 can include a first opening 835 at the proximal end 815 for receiving an end of a suture 840. The suture 840 may extend distally within the tubular body 810 along its length. The suture 840 can also exit the tubular body 810 through a second opening 845 located near the distal end 825. As shown, the tubular body 810 may be crimped 880 about the suture 840 near the distal end 825 to mechanically affix the suture 840 to the suture securing device 805. In other embodiments, the tubular body 810 can be crimped in a plurality of locations. In addition and or instead to mechanical crimping, the suture 840 may be bonded to the suture securing device 805 using an adhesive, heat, fasteners, knots or the like. The tubular body 810 may also include a swaged portion 850 adjacent the second opening 845 to help retain the suture 840 in the tubular body 710.

The tubular body 810 may include a plurality of elongated slots 897 radially spaced about the tubular body, and extending distally from the proximal end 815. The slots 897 may define a plurality of projections 875 therebetween. In one embodiment, each projection 875 may have a wire, strip-like, or ribbon like shape with a fixed end 885 and a free end 890. The projections 875 of the tubular body 810 may be formed by one of more strips of material. In one embodiment, the projections 875 may include notches 895 formed near the free end 890. The notches 895 may be sized, shaped, and configured to help anchor the projections 875 against a vessel wall 870. In another embodiment, the projections 875 may include tissue-engaging elements formed near the free end 890. For example, the projections 875 may include one or more teeth shaped elements, tines, and/or barbs that are oriented to engage the vessel wall 870. The free end 890 of the projections 875 may also be forked such that the free end 890 can penetrate the vessel wall 870.

23

In one embodiment, the tubular body **810** may have four projections **875**. In another embodiment, the tubular body **810** may have six projections **875**. In a further embodiment, the projections **875** may be spaced evenly about the tubular body **810**. In a further embodiment, the projections **875** may form a shape similar to an 'x'. In yet further embodiment, the tubular body **810** may have multiple layers of projections **875**. For example, the tubular body **810** may include a first set of projections **875a** and a second set of projections **875b**. Each set may include any number of projections **875** desired for a particular application. In further embodiments, each projection **875** may have any shape, size, or configuration desired for a particular application.

As shown in FIG. **10B**, the suture securing device **805** may have a collapsed configuration in which the projections **875** are substantially parallel with a longitudinal axis of the tubular body **810**. The collapsed configuration shown in FIG. **10B** may facilitate storage and delivery of the suture securing device **805**. A needle carrier **865** may hold the suture securing device **805** in the collapsed configuration as the needle carrier **865** forms a penetration path through the vessel wall **870** immediately adjacent a body lumen opening. In another embodiment, the suture securing device **805** can be configured to penetrate the vessel wall **870** rather than the needle guide **865**. For example, the suture securing device **805** can be disposed on the needle guide **865** with a penetrator tip (not shown) attached to the distal end **825** of the suture securing device **805**.

As shown in FIG. **10C**, the suture securing device **805** may have an expanded configuration. In one embodiment, the needle guide **865** may be retracted from the penetration path depositing or releasing the suture securing device **805** distally of the vessel wall **870**. The projections **875** may then move to the expanded configuration wherein the projections **875** are substantially non-parallel with the longitudinal axis of the tubular body **810**. In one embodiment, the projections **875** may include one or more elastic or shape memory materials, such as spring steel, nitinol, and/or other shape memory alloys, and may be heat set to have a memory shape. For example, the projections **875** may be heat set in their expanded configuration. As a result, when the suture securing device **805** is deployed, it may superelastically move to an expanded configuration. A user may apply a force to the suture securing device **805** to deform the projections **875** away from their memory shape and move the suture securing device **805** into a collapsed configuration, as shown in FIG. **10B**. Alternatively, the projections **875** may be resiliently biased towards the expanded configuration. As a result, when the suture securing device **805** is released from an external force such as the needle guide **865**, the projections **875** may move to their expanded configuration. In another embodiment, the projections **875** may be pivotally connected to the tubular body **810**. In a further embodiment, the projections **875** may be pivotally connected to the proximal end **815** of the tubular body **810**. When the suture securing device **805** is stored within the needle guide **865**, the projections **875** may be rotated to the collapsed configuration. As shown, when the suture securing device **810** is deployed from the needle guide **865**, the projections **875** can rotate to the expanded configuration.

The present disclosure may be embodied in other specific forms without departing from its spirit or essential characteristics. The described embodiments are to be considered in all respects only as illustrative and not restrictive. The scope of the disclosure is, therefore, indicated by the appended claims rather than by the foregoing description. All changes

24

which come within the meaning and range of equivalency of the claims are to be embraced within their scope.

What is claimed is:

1. A method for closing a puncture in tissue, the method comprising:

advancing a guide member into proximity with the tissue, the guide member having a guide for a suture securing device;

positioning a distal end of the guide member in contact with tissue adjacent to the puncture with the guide toward the tissue to present an opening of the guide toward a proximal side of the tissue, the guide cooperating with the suture securing device that is slidably coupled to the guide member and a suture attached to the suture securing device;

deploying the suture securing device through the tissue with the opening toward the proximal side of the tissue, the suture securing device comprising a body with an anchor point for the suture and features that allow the suture securing device to pierce the tissue and resist retraction through the tissue, the suture being attached to the body, the features comprising a plurality of projections configured to extend laterally beyond a deployment location of the suture securing device in the tissue, the plurality of projections being disposed circumferentially about a longitudinal axis of the body, the body having a proximal end, a distal end, and an inner cavity, a notch being formed at the proximal end of each projection of the plurality of projections, the notch being sized and shaped to aid with anchoring the projections into the tissue; and

establishing tension in the suture to move the suture securing device toward another suture securing device to thereby close the puncture in the tissue.

2. The method of claim 1, wherein the guide is deployed distally from the guide member and advanced through the tissue by moving an activation handle relative to the guide member.

3. The method of claim 1, wherein each projection of the plurality of projections comprises a forked proximal end.

4. The method of claim 1, wherein each of the plurality of projections comprising one or more teeth-shaped elements, tines or barbs.

5. The method of claim 1, further comprising moving the body between a first position wherein the body is substantially parallel with a longitudinal axis of the suture and a second position where the plurality of projections extend laterally to be substantially non-parallel with the longitudinal axis of the suture and at least a portion of the suture.

6. The method of claim 1, further comprising engaging the plurality of projections against the tissue.

7. The method of claim 1, wherein the suture securing device comprises a tapered body.

8. A method for closing a puncture in tissue, the method comprising:

advancing a guide member into proximity with a puncture in tissue;

positioning a distal end of a guide in contact with tissue adjacent to the puncture and toward the tissue to present an opening of the guide toward a proximal side of the tissue, the guide cooperating with an anchor;

deploying the anchor through the tissue with the opening toward the proximal side of the tissue, the anchor comprising a body with an anchor point for a suture and features that allow the anchor to pierce the tissue and resist retraction through the tissue, the anchor point being at a location proximal an intermediate location of

25

the anchor, the suture being attached to the body, the features comprising a plurality of tissue-engaging elements that are configured to extend laterally beyond a deployment location of the anchor in the tissue, the plurality of tissue-engaging elements being disposed circumferentially about a longitudinal axis of the body with a projection of the plurality of tissue-engaging elements comprising a fixed end and a free end, the body having a proximal end, a distal end, and an inner cavity, and a notch being formed at the proximal end of each tissue-engaging element of the plurality of tissue-engaging elements, the notch being sized and shaped to aid with anchoring the tissue-engaging element into the tissue; and

moving the anchor toward a longitudinal axis of the guide member to close the puncture in the tissue.

9. The method of claim 8, further comprising actuating a handle relative to the guide member to deploy the guide distally.

10. The method of claim 8, further comprising advancing the anchor through the guide member to the deployment location.

11. The method of claim 10, further comprising expanding the anchor to laterally extend beyond the deployment location.

12. The method of claim 8, further comprising positioning a plug against the tissue.

13. The method of claim 8, wherein the anchor comprises a conical body.

14. A method for closing a puncture in tissue, the method comprising:

advancing a distal end of a guide member into contact with tissue adjacent to the puncture to position openings near the distal end of the guide member into proximity with a proximal side of the tissue and a puncture in tissue;

deploying a plurality of anchors through the tissue with the openings toward the proximal side of the tissue, each of the plurality of anchors comprising a body with

26

an anchor point for a suture and features that allow the anchors to pierce the tissue and resist retraction through the tissue, the anchor point being at a location proximal an intermediate location of the anchor, the suture being attached to the body, the features comprising a plurality of tissue-engaging elements that are configured to extend laterally beyond a deployment location of the anchor in the tissue, the plurality of tissue-engaging elements being disposed circumferentially about a longitudinal axis of the body with each tissue-engaging element of the plurality of tissue-engaging elements comprising a fixed end and a free end, the fixed end being integral with a distal portion of the anchor, the body having a proximal end, a distal end, and an inner cavity, a notch being formed at the proximal end of each tissue-engaging element of the plurality of tissue-engaging elements, the notch being sized and shaped to aid with anchoring the tissue-engaging element into the tissue; and

moving the plurality of anchors toward the longitudinal axis of the guide member to close the puncture in the tissue.

15. The method of claim 14, further comprising actuating a handle relative to the guide member to deploy the plurality of anchors.

16. The method of claim 14, further comprising advancing a locator through the guide member to the deployment location.

17. The method of claim 16, further comprising expanding the locator to laterally extend beyond the deployment location.

18. The method of claim 14, further comprising positioning a plug against the tissue.

19. The method of claim 14, wherein the anchor comprises a conical body.

* * * * *