

US Patent & Trademark Office

Patent Public Search | Text View

United States Patent	12387259
Kind Code	B2
Date of Patent	August 12, 2025
Inventor(s)	Bailey; Bryan T.

Merchant issued payment vehicles linked to preexisting financial accounts

Abstract

Systems and methods are provided for linking a customer's preexisting financial account to a merchant issued payment vehicle. If an account number associated with the preexisting financial account changes, the linking of the merchant issued payment vehicle is updated with an updated account number.

Inventors:	Bailey; Bryan T. (Florence, KY)
Applicant:	Worldpay, LLC (Symmes Township, OH)
Family ID:	1000008749305
Assignee:	Worldpay, LLC (Symmes Township, OH)
Appl. No.:	18/336354
Filed:	June 16, 2023

Prior Publication Data

Document Identifier	Publication Date
US 20230334562 A1	Oct. 19, 2023

Related U.S. Application Data

continuation parent-doc US 17149177 20210114 US 11720957 child-doc US 18336354
continuation parent-doc US 16552563 20190827 US 10922750 20210216 child-doc US 17149177
continuation parent-doc US 15891611 20180208 US 10438283 20191008 child-doc US 16552563
continuation parent-doc US 14609542 20150130 US 9922371 20180320 child-doc US 15891611

Publication Classification

Int. Cl.: G06Q20/38 (20120101); G06Q20/22 (20120101); G06Q20/40 (20120101);
G06Q30/0226 (20230101); G06Q40/02 (20230101)

U.S. Cl.:

CPC G06Q40/02 (20130101); G06Q20/227 (20130101); G06Q20/387 (20130101);
G06Q20/4012 (20130101); G06Q30/0226 (20130101);

Field of Classification Search

CPC: G06Q (40/02); G06Q (20/227); G06Q (20/387); G06Q (20/4012); G06Q (30/0226)

References Cited

U.S. PATENT DOCUMENTS

Patent No.	Issued Date	Patentee Name	U.S. Cl.	CPC
2002/0062249	12/2001	Iannacci	705/14.1	G06Q 30/06
2005/0149394	12/2004	Postrel	N/A	N/A
2006/0208065	12/2005	Mendelovich et al.	N/A	N/A
2009/0307060	12/2008	Merz et al.	N/A	N/A
2010/0174644	12/2009	Rosano	705/40	G06Q 20/14

Primary Examiner: Franklin; Jamara A

Attorney, Agent or Firm: Bookoff McAndrews, PLLC

Background/Summary

CROSS-REFERENCE TO RELATED APPLICATION(S) (1) This patent application is a continuation of and claims the benefit of priority to U.S. application Ser. No. 17/149,177, filed on Jan. 14, 2021, which is a continuation of U.S. application Ser. No. 16/552,563, filed on Aug. 27, 2019, now U.S. Pat. No. 10,922,750, which is a continuation of U.S. application Ser. No. 15/891,611, filed on Feb. 8, 2018, now U.S. Pat. No. 10,438,283, which is a continuation of U.S. application Ser. No. 14/609,542, filed on Jan. 30, 2015, now U.S. Pat. No. 9,922,371, the entireties of which are incorporated herein by reference.

TECHNICAL FIELD

(1) The systems and methods described below relate generally to the field of merchant issued payment vehicles. More particularly, the systems and methods relate to the field of linking a merchant issued payment vehicle to a preexisting financial account.

BACKGROUND

(2) Merchants can issue their own payment vehicles to customers as a means for payment with the merchant. These types of payment vehicles are typically only accepted for payment with the merchant and are linked to either 1) a dedicated financial account (e.g., a credit account) that is established during issuance of the payment vehicle to the customer or 2) a financial account that is settled through an Automated Clearing House (ACH) payment network (e.g., a decoupled debit card). In the first instance, these types of payments vehicle can be issued to the customer once a line of credit is established with the merchant, a third party issuer financial institution, or any of a variety of other suitable entities. In the second instance, these types of payment vehicles can be a

decoupled debit card that is linked to the customer's checking account and for which purchase transactions are settled over the ACH network.

SUMMARY

(3) In an embodiment, the present disclosure is directed, in part, to a computer-implemented method. The computer-implement method comprises receiving an enrollment communication from a merchant computing device, the enrollment communication comprising a payment vehicle account number, wherein the payment vehicle account number is associated with a preexisting financial account, and wherein the merchant computing device is associated with a merchant and subsequent to receiving the enrollment communication from the merchant computing device, linking a merchant issued payment vehicle to the payment vehicle account number, wherein the merchant issued payment vehicle is associated with a merchant issued payment vehicle account number. The payment vehicle account number is different from the merchant issued payment vehicle account number. The method further comprises, subsequent to linking the merchant issued payment vehicle to the payment vehicle account number, changing the linked payment vehicle account number to an updated payment vehicle account number.

(4) In one embodiment, the present disclosure is directed, in part, to a merchant issued payment vehicle system. The system comprises a merchant issued payment vehicle and a payment processor. The merchant issued payment vehicle has a unique identification number encoded on it. The unique identification number is linked to an account number associated with an account, the account being associated with a PIN-based payment vehicle and a customer loyalty program of a merchant. The payment processor is configured to receive an authorization request from a merchant computing device when the merchant issued payment vehicle is introduced to the merchant computing device, wherein the authorization request comprises the unique identification number and a requested fund amount, and when sufficient funds are available in the account, cause an amount of available funds in the account associated with the PIN-based payment vehicle to be decreased by the requested fund amount. The payment processor is further configured to, when insufficient funds are available, provide a nonsufficient funds message to the merchant computing device.

(5) In one embodiment, the present disclosure is directed, in part, to a method. The method comprises activating a merchant issued payment vehicle associated with a merchant, wherein activating the merchant issued payment vehicle. Activating the merchant issued payment vehicle comprises receiving at a payment processor in communication with a merchant computing device of the merchant, an account number of a PIN-based payment vehicle of a customer, linking a unique account number of the merchant issued payment vehicle to the account number of the PIN-based payment vehicle of a customer, and linking the unique account number of the merchant issued payment vehicle to a customer loyalty account of the merchant.

Description

BRIEF DESCRIPTION OF THE DRAWINGS

(1) It is believed that certain embodiments will be better understood from the following description taken in conjunction with the accompanying drawings, in which like references indicate similar elements and in which:

(2) FIG. 1 depicts a system according to one embodiment which includes a merchant that sells products and/or services and various entities within a payment ecosystem.

(3) FIG. 2 schematically depicts one example of communication among various entities of the system of FIG. 1 for linking a merchant issued payment vehicle to a customer's preexisting financial account.

(4) FIG. 3 schematically depicts another example of communication among various entities of the system of FIG. 1 for linking a merchant issued payment vehicle to a customer's preexisting

financial account.

(5) FIG. 4 schematically depicts an example of communication among various entities of the system of FIG. 1 for linking a customer's loyalty rewards account to a merchant issued payment vehicle.

(6) FIG. 5 depicts an example computing device.

DETAILED DESCRIPTION

(7) Various non-limiting embodiments of the present disclosure will now be described to provide an overall understanding of the principles of the structure, function, and use of systems and methods disclosed herein for providing a merchant issued payment vehicle and to linking a customer's preexisting financial account to the merchant issued payment vehicle. One or more examples of these non-limiting embodiments are illustrated in the selected examples disclosed and described in detail with reference made to FIGS. 1-5 in the accompanying drawings. Those of ordinary skill in the art will understand that systems and methods specifically described herein and illustrated in the accompanying drawings are non-limiting embodiments. The features illustrated or described in connection with one non-limiting embodiment may be combined with the features of other non-limiting embodiments. Such modifications and variations are intended to be included within the scope of the present disclosure.

(8) The systems, apparatuses, devices, and methods disclosed herein are described in detail by way of examples and with reference to the figures. The examples discussed herein are examples only and are provided to assist in the explanation of the apparatuses, devices, systems and methods described herein. None of the features or components shown in the drawings or discussed below should be taken as mandatory for any specific implementation of any of these the apparatuses, devices, systems or methods unless specifically designated as mandatory. For ease of reading and clarity, certain components, modules, or methods may be described solely in connection with a specific figure. In this disclosure, any identification of specific techniques, arrangements, etc. are either related to a specific example presented or are merely a general description of such a technique, arrangement, etc. Identifications of specific details or examples are not intended to be, and should not be, construed as mandatory or limiting unless specifically designated as such. Any failure to specifically describe a combination or sub-combination of components should not be understood as an indication that any combination or sub-combination is not possible. It will be appreciated that modifications to disclosed and described examples, arrangements, configurations, components, elements, apparatuses, devices, systems, methods, etc. can be made and may be desired for a specific application. Also, for any methods described, regardless of whether the method is described in conjunction with a flow diagram, it should be understood that unless otherwise specified or required by context, any explicit or implicit ordering of steps performed in the execution of a method does not imply that those steps must be performed in the order presented but instead may be performed in a different order or in parallel.

(9) Reference throughout the specification to "various embodiments," "some embodiments," "one embodiment," "some example embodiments," "one example embodiment," or "an embodiment" means that a particular feature, structure, or characteristic described in connection with any embodiment is included in at least one embodiment. Thus, appearances of the phrases "in various embodiments," "in some embodiments," "in one embodiment," "some example embodiments," "one example embodiment, or "in an embodiment" in places throughout the specification are not necessarily all referring to the same embodiment. Furthermore, the particular features, structures or characteristics may be combined in any suitable manner in one or more embodiments.

(10) Throughout this disclosure, references to components or modules generally refer to items that logically can be grouped together to perform a function or group of related functions. Like reference numerals are generally intended to refer to the same or similar components. Components and modules can be implemented in software, hardware, or a combination of software and hardware. The term "software" is used expansively to include not only executable code, for

example machine-executable or machine-interpretable instructions, but also data structures, data stores and computing instructions stored in any suitable electronic format, including firmware, and embedded software. The terms “information” and “data” are used expansively and includes a wide variety of electronic information, including executable code; content such as text, video data, and audio data, among others; and various codes or flags. The terms “information,” “data,” and “content” are sometimes used interchangeably when permitted by context. It should be noted that although for clarity and to aid in understanding some examples discussed herein might describe specific features or functions as part of a specific component or module, or as occurring at a specific layer of a computing device (for example, a hardware layer, operating system layer, or application layer), those features or functions may be implemented as part of a different component or module or operated at a different layer of a communication protocol stack. Those of ordinary skill in the art will recognize that the systems, apparatuses, devices, and methods described herein can be applied to, or easily modified for use with, other types of equipment, can use other arrangements of computing systems such as client-server distributed systems, and can use other protocols, or operate at other layers in communication protocol stacks, than are described.

(11) For simplicity, the description that follows will be provided by reference to a “payment vehicle,” which generally refers to any type of financial alternative to currency. As is to be clear to those skilled in the art, no aspect of the present disclosure is specifically limited to a specific type of payment vehicle. Therefore, it is intended that the following description encompasses the use of the present disclosure with many other forms of financial alternatives to currency, including credit cards, debit cards, smart cards, single-use cards, pre-paid cards, electronic currency (such as might be provided through a cellular telephone or personal digital assistant), and the like. Payment vehicles can be traditional plastic transaction cards, titanium-containing, or other metal-containing, transaction cards, clear and/or translucent transaction cards, foldable or otherwise unconventionally-sized transaction cards, radio-frequency enabled transaction cards, or other types of transaction cards, such as credit, charge, debit, pre-paid or stored-value cards, or any other like financial transaction instrument. A payment vehicle can also have electronic functionality provided by a network of electronic circuitry that is printed or otherwise incorporated onto or within the payment vehicle (and typically referred to as a “smart card”), or be a fob having a transponder and an RFID reader.

(12) FIG. 1 depicts a block diagram of an example payment system **10**. In the example payment system **10**, a payment vehicle **12** (e.g., a debit card) can be issued to an account holder **13** by an issuer financial institution **14**. The issuer financial institution **14** can be any of a variety of financial institutions that is capable of issuing a payment vehicle to an account holder. The payment vehicle **12** can be used to pay a merchant **16** for a payment vehicle transaction at a merchant computing system **18**.

(13) The merchant computing system **18** can include any device that facilitates receipt of a payment vehicle for payment of a purchase, such as for example, a point of sale (POS) device **18a** (e.g., a terminal or a web interface) a customer service device **18b**, and a payment vehicle terminal **18c**. When a transaction is initiated at the merchant computing system **18**, the merchant computing system can send transaction data **19** for the payment vehicle transaction to an acquirer processor **22** that processes payment vehicle transactions for the merchant **16**. The transaction data **19** can include an authorization request **20** that comprises identifying information from the payment vehicle **12**, such as a BIN number, an expiration date, and a first and last name of the account holder, for example. The authorization request **20** can also include identifying information from the purchase such as an amount and identifying information from the merchant computing system **18** and/or the merchant **16**, for example. A payment processing computing system **24** at the acquirer processor **22** can receive the authorization request **20**. The payment processing computing system **24** can translate the authorization request **20**, if necessary, and can provide the authorization request **20** to a payment network **26**. The payment network **26** can be, for example, a network of a credit

card associations affiliated with the payment vehicle **26**. Non-limiting examples of credit card associations include VISA, MASTERCARD, DISCOVER, and AMERICAN EXPRESS. The authorization request **20** can then be provided to a payment processing computing system **28** at an issuer processor **30**. In response to receiving the authorization request, the payment processing computing system **28** can provide the authorization request **20** to the issuer financial institution **14**. Using information from the authorization request **20**, the issuer financial institution **14** can associate the payment vehicle transaction with an account **31** of the account holder **13** held by the issuer financial institution **14**. The issuer financial institution **14** can then send an authorization response **32** which can either approve or deny the transaction. The authorization response **32** can be provided to the payment processing computing system **28** at the issuer processor **30** and then provided to the payment network **26**. The authorization response **32** can then be provided to the payment processing computing system **24** at the acquirer processor **22**. Upon receiving the authorization response **32**, the payment processing computing system **24** can send either an approval message or a denial message to the merchant computing system **18** to complete the payment vehicle transaction. If the payment vehicle transaction is approved, it can be posted to the account holder's account **31** and reconciled later with the account holder **13** and the merchant **16**.

(14) As illustrated in FIG. **1**, the account holder **13** can be a member of a customer loyalty program **36** of the merchant **16**. The customer loyalty program **36** can be hosted by the merchant **18** or a third party. The account holder **13** can be issued a loyalty card **38** that is associated with a customer loyalty account number **40**. The customer loyalty account number **40** can be unique to the account holder **13**. When the account holder **13** engages in a financial interaction with the merchant **16** and presents the loyalty card **38** to the merchant computing device **18**, the account holder's activity with the merchant **16** (e.g., purchases, returns, redemption of coupons) can be logged at the customer loyalty program **36** according to the account holder's customer loyalty account number **40**. Using the data gathered from the account holder **13**, the merchant **16** can provide incentives to the account holder **13** such as reward programs and targeted marketing.

(15) As illustrated in FIG. **1** a merchant issued (MI) payment vehicle **42** can be issued to the account holder **13**. The MI payment vehicle **42** can be merchant-specific such that it can only be accepted for financial transactions with the merchant **16**. As will be described in further detail below, the MI payment vehicle **42** can be linked to a preexisting financial account of the account holder **13**. The term "preexisting financial account" as used herein can be understood to mean any financial account (e.g., credit account, checking account, prepaid card account) for which access to funds is available prior to issuance of the MI payment vehicle and for which transactions at a merchant are not settled to the merchant through an Automated Clearing House (ACH) payment network.

(16) It is noted that payment vehicles conventionally issued by, or otherwise affiliated with, a particular merchant are typically linked to either 1) a dedicated financial account (e.g., a credit account) that is established at the time the payment vehicle is issued or 2) a financial account that is settled through a non-Automated Clearing House (ACH) payment network (e.g., a decoupled debit card). In the first instance, the payment vehicle can be issued to a qualifying customer only after a line of credit is established with the merchant, a third party issuer financial institution, or any of a variety of other suitable entities. In the second instance, the payment vehicle can be referred to as a decoupled debit card, as it is linked to the customer's checking account, typically through a bank account number and a routing number. Purchase transactions involving the decoupled debit card are settled over the ACH network, much like how a check is processed. It should be appreciated that utilizing the ACH network for such transactions can be undesirable to some merchants as the ACH network does not provide the ability to check for a non-sufficient funds (NSF) condition prior to authorization of a transaction. Additionally, account holders may undesirably incur processing fees and/or penalty fees if an NSF condition exists at the time of settlement.

(17) In accordance with certain embodiments, systems, apparatus, and methods are provided for

linking a customer's preexisting financial account to an MI payment vehicle. In one embodiment, the acquirer processor **22** can facilitate linking of the customer's preexisting financial account to the MI payment vehicle **42**. As illustrated in FIG. 2, when the account holder **13** wishes to obtain an MI payment vehicle with the merchant **16**, the merchant computer device **18** can first obtain the account holder's payment vehicle account number **44** (e.g., BIN number or other identifying information) from a preexisting payment vehicle (e.g., **12**). The preexisting payment vehicle can be a PIN-based payment vehicle, such as a debit card or a gift card, for example, a stored card, a credit card, or any of a variety of other suitable payment vehicles that are already associated with a preexisting financial account. It will be appreciated that the merchant computer device **18** can obtain the payment vehicle account number **44** in a similar manner as a card-present transaction (e.g., by swiping the payment vehicle **12** or physically entering the payment vehicle account number **44** via a keyboard at any of the POS device **18a**, the customer service device **18b**, and the terminal **18c**) or as a non-card present transaction (e.g., online or via telephone). The merchant computer device **18** can then provide an enrollment communication **46** to the acquirer processor **22** that comprises payment vehicle data **47**. The payment vehicle data **47** can include the payment vehicle account number **44** as well as other information for the payment vehicle. For example, if the payment vehicle is a PIN-based payment vehicle, such as a debit card or a gift card, the payment vehicle data **47** can include the payment vehicle account number **44** and the PIN number for the payment vehicle. The PIN number can be entered by the account holder **13** into a keypad associated with the merchant computing system **18** after the payment vehicle account number **44** has been obtained.

(18) Upon receipt of the enrollment communication **46**, the acquirer processor **22** can send a request communication **50** to the merchant computing system **18** requesting an MI payment vehicle account number **52** of the MI payment vehicle **42**. The merchant computing device **18** can then obtain the MI payment vehicle account number **52** of the MI payment vehicle **42** and can provide the MI payment vehicle account number **52** in another enrollment communication **54** to the acquirer processor **22**. The MI payment vehicle account number **52** can be unique to the account holder **13** and can be different from the payment vehicle account number **44**. Once the acquirer processor **22** receives both enrollment communications **46**, **54**, the acquirer processor **22** can link the payment vehicle data **47** to the MI payment vehicle account number **52** in an account number database **48**. The acquirer processor **22** can then transmit a confirmation communication **56** to the merchant computing system **18** to indicate that the MI payment vehicle **42** has been successfully linked to the payment vehicle account number **44**. Once the merchant computing system **18** receives the confirmation communication **56**, the merchant **16** can issue the MI payment vehicle **42** to the account holder **13** for use with the merchant **16**.

(19) It will be appreciated that the MI payment vehicle account number **52** can be generated in any of a variety of suitable manners. In one embodiment, the acquirer processor **22**, or other suitable third party entity, can facilitate creation of blank (e.g., non-issued) MI payment vehicles each having a unique MI payment vehicle account number. Each MI payment vehicle account number can be physically embossed or printed on one of the cards and/or encoded onto a magnetic stripe and/or RFID chip. The blank MI payment vehicles can then be provided in bulk to the merchant **16** for eventual issuance to account holders. When a customer wishes to obtain an MI payment vehicle with the merchant **16**, the merchant **16** can select one of the blank cards for the customer. Once the customer has provided a valid account number for a preexisting financial account to the merchant computing system **18**, the merchant **16** can input the MI payment vehicle account number of the blank card into the merchant computing system **18** (e.g., by swiping the blank card or manually entering the MI payment vehicle account number at one of the POS device **18a**, the customer service device **18b**, or the terminal **18c**) and the merchant computing system **18** can provide the MI payment vehicle account number to the acquirer processor **22** for linking to the customer's preexisting financial account. Once the MI payment vehicle account number is linked to the

customer's preexisting financial account, the MI payment vehicle can be used for financial transactions with the merchant **16**.

(20) In another embodiment, the acquirer processor **22**, or other suitable third party entity, can supply the merchant computing system **18** with a plurality of unique MI payment vehicle account numbers. When a customer provides a valid account number for a preexisting financial account to the merchant computing system **18**, the merchant computing system **18** can select one of the MI account numbers for the customer and can provide the MI payment vehicle account number to the acquirer processor **22** for linking to the customer's preexisting financial account. Once the MI payment vehicle account number is linked to the customer's preexisting financial account, the merchant **16** can issue a temporary MI payment vehicle to the customer. The acquirer processor, or other suitable third party, can then issue a permanent MI payment vehicle (e.g. an embossed card) to the customer at a later date. In yet another embodiment, when a customer provides a valid account number for a preexisting financial account to the merchant computing system **18**, the merchant computing system **18** can generate a unique MI account number and can provide the MI payment vehicle account number to the acquirer processor **22** for linking to the customer's preexisting financial account. Once the MI payment vehicle account number is linked to the customer's preexisting financial account, the merchant **16** can issue a temporary MI payment vehicle to the customer. The acquirer processor **22**, or other suitable third party, can then issue a permanent MI payment vehicle (e.g. a card) to the customer at a later date.

(21) In yet another embodiment, the acquirer processor, or other suitable third party can issue the MI payment vehicle account number to the customer upon receiving the preexisting financial information from the merchant computing system **18**. An example of such an embodiment is illustrated in FIG. **3** and is similar in many respects to the system shown in FIG. **2**. For example, a merchant computing system **118** and an acquirer processor **122** are shown. However, since the acquirer processor **122** can issue an MI payment vehicle account number **152** instead of receiving from the merchant computing system **118**, the messaging between the merchant computing system **118** and the acquirer processor **122** can be streamlined. For example, when an enrollment communication **146** is provided to the acquirer processor **122**, the payment processing computing system **124** of the acquirer processor **122** can link payment vehicle information **147** to an MI payment vehicle account number **152** which can already be stored in an account number database **148**, or at least be generated upon receiving the enrollment communication **146**. The payment vehicle data **147** can include the payment vehicle account number **144**, as well as other information for the payment vehicle. The acquirer processor can then transmit a confirmation communication **156** with the MI payment vehicle account number **152** to the merchant computing system **118**. Upon receiving the MI payment vehicle account number **152**, the merchant computing system **118** can issue a temporary MI payment vehicle to the account holder. The acquirer processor **122**, or other suitable third party, can then issue a permanent MI payment vehicle (e.g. a card) to the account holder at a later date. In some embodiments, the MI payment vehicle **142** can additionally or alternatively be provided in an electronic format so that the account holder can access the MI payment vehicle via a mobile computing device.

(22) Referring again to FIGS. **1** and **2**, once the MI payment vehicle **42** has been linked to a payment vehicle account number **44**, the MI payment vehicle **42** can be used to facilitate a payment transaction at the merchant **16** in lieu of presenting the payment vehicle **12**. When the MI payment vehicle **42** is used to pay the merchant **16** for a payment vehicle transaction at the merchant computing system **18**, the transaction data **19** received by the acquirer processor **22** can include the MI payment vehicle account number **52** and a request for funds in the amount of the transaction. If the preexisting financial account is a PIN-based account, the transaction data **19** can include the PIN number entered by the account holder **13** that is associated with the preexisting financial account linked to the MI payment vehicle **42**. The acquirer processor **22** can then determine the payment vehicle account number **44** that is linked to MI payment vehicle account number **52** in the

account number database **48**. Using the payment vehicle account number **44** linked to the MI payment vehicle account number **52**, the acquirer processor **22** can determine whether there are sufficient funds in the preexisting financial account based upon the request for funds from the transaction data. The acquirer processor **22** can then send an approval or denial message to the merchant **18** depending upon whether there are sufficient funds or not.

(23) It will be appreciated that the manner in which the acquirer processor **22** determines whether sufficient funds are available can depend upon the type of preexisting financial account that is linked to the MI payment vehicle **42**. For example, if the preexisting financial account is a credit-type account or a debit account, the acquirer processor **22** can send an authorization request that includes the payment vehicle account number **44**, the request for funds, and a PIN (if necessary) through the payment network **26** and to the issuer processor **30**. If the preexisting financial account is a stored value payment vehicle, such as a gift card or prepaid card, for example, the acquirer processor **22** can send an authorization request that includes the payment vehicle account number **44**, the request for funds, and a PIN (if necessary) to the issuer of the stored value payment vehicle. In some embodiments, the acquirer processor **22** can be the issuer of the stored value gift card associated with the MI payment vehicle account number **52**. In these instances, the acquirer processor **22** can compare the request for funds against the ledger maintained at the acquirer processor **22** for the stored value payment vehicle and can send either an approval message or a denial message to the merchant computing system **18** based upon the funds available.

(24) It will be appreciated that, after the payment vehicle account number **44** has been successfully linked to the MI payment vehicle **42**, the payment vehicle account number **44** might become invalid, such as, for example, when an updated payment vehicle is issued to the account holder **13** (e.g., due to theft of the payment vehicle). When the payment vehicle account number **44** becomes invalid in this manner, the acquirer processor **22** can obtain the updated payment vehicle account number from the issuer of the payment vehicle. In some embodiments, account updating services of various card associations, such as VISA and MASTER CARD, can be utilized by the acquirer processor **22** to facilitate the updating of the account information. Upon obtaining an update, the acquirer processor **22** can link the updated payment vehicle account number to the MI payment vehicle **42** in the account number database **48**. The integrity of the MI payment vehicle **42** can accordingly be seamlessly preserved without input from the account holder **13** or the merchant **16** and the without issuing a new MI payment vehicle. In one embodiment, the issuer of the payment vehicle can send the updated payment vehicle account number to the acquirer processor **22** such that MI payment vehicle **42** can be automatically linked to the updated payment vehicle account number. In another embodiment, the acquirer processor **22** can request the updated payment vehicle account number from the issuer upon determining that the authorization request was denied by the issuer for having an invalid account number.

(25) In one embodiment, as illustrated in FIG. **4**, the customer loyalty account number **40** can be linked to the MI payment vehicle **42** in lieu of or in addition to the loyalty card **38**. Linking of the customer loyalty account number **40** to the MI payment vehicle **42** can be same as, or similar to in many respects, linking of the payment vehicle account number **44** to the MI payment vehicle **42** described above. For example, when the account holder **13** wishes to link the customer loyalty account number **40** to the MI payment vehicle **42**, the customer's customer loyalty account number **40** can be entered into the merchant computing device **18** and transmitted to the acquirer processor **22** in an enrollment communication **58**. The acquirer processor **22** can store the customer loyalty account number **40** in the account number database **48** and can send a request **50** for the MI payment vehicle account number **52**. The MI payment vehicle account number **52** can be entered into the merchant computing device **18** and transmitted to the acquirer processor **22** in an enrollment communication **62**. Once the acquirer processor **22** receives both enrollment communications **58**, **62**, the customer loyalty account number **40** can be linked to the MI payment vehicle account number **52** in the account number database **48**. The acquirer processor **22** can then

transmit a confirmation communication **64** to the merchant computing system **18** to indicate that the MI payment vehicle **42** has been successfully linked to the customer's customer loyalty account number **40**.

(26) When the MI payment vehicle **42** is used to pay the merchant **16**, the transaction data (e.g., **19** in FIG. 1) received by the acquirer processor **22** can include the MI payment vehicle account number **52**. Using the MI payment vehicle account number **52**, the acquirer processor **22** can then determine the customer loyalty account number **40** that is linked to MI payment vehicle account number **52**. The acquirer processor **22** can then provide transaction data for the purchase to the customer loyalty program **36** for the customer's customer loyalty account number **40**. In one embodiment, the transaction data can comprise stock keeping unit (SKU) data of the items purchased from the merchant **16**. In such an embodiment, the SKU data can be provided to the customer loyalty program **36** for the customer to facilitate tracking of the specific items purchased by the customer in the customer's customer loyalty account.

(27) If the customer's customer loyalty account number **40** becomes invalid, such as when the customer loyalty program **36** issues a new account number to the customer, the acquirer processor **22** can receive an updated customer loyalty account number from the customer loyalty program **36** and can link the updated customer loyalty account number to the MI payment vehicle account number **52**. As a result, the integrity of the MI payment vehicle **42** can be preserved without requiring input from the account holder **13** regarding the updated customer loyalty account number.

(28) Although the acquirer processor **22** is described above as linking a customer's preexisting financial account to an MI payment vehicle, the process can be performed by one or more of a merchant, an acquirer processor, an issuer process, an issuing financial institution, or other types of third party entities within a payment ecosystem.

(29) The processes described above can be performed on or between one or more computing devices **600**. Referring now to FIG. 4, an example computing device **600** is presented. A computing device **600** can be a server, a computing device that is integrated with other systems or subsystems, a mobile computing device, a cloud-based computing capability, and so forth. The computing device **600** can be any suitable computing device as would be understood in the art, including without limitation, a custom chip, an embedded processing device, a tablet computing device, a merchant computing system **18**, a payment processing computer system **24**, a payment processing computer system **28**, a personal data assistant (PDA), a desktop, a laptop, a microcomputer, a minicomputer, a server, a mainframe, or any other suitable programmable device. In various embodiments disclosed herein, a single component can be replaced by multiple components and multiple components can be replaced by a single component to perform a given function or functions. Except where such substitution would not be operative, such substitution is within the intended scope of the embodiments.

(30) The computing device **600** includes a processor **602** that can be any suitable type of processing unit, for example a general purpose central processing unit (CPU), a reduced instruction set computer (RISC), a processor that has a pipeline or multiple processing capability including having multiple cores, a complex instruction set computer (CISC), a digital signal processor (DSP), an application specific integrated circuits (ASIC), a programmable logic devices (PLD), and a field programmable gate array (FPGA), among others. The computing resources can also include distributed computing devices, cloud computing resources, and virtual computing resources in general.

(31) The computing device **600** also includes one or more memories **606**, for example read only memory (ROM), random access memory (RAM), cache memory associated with the processor **602**, or other memories such as dynamic RAM (DRAM), static ram (SRAM), programmable ROM (PROM), electrically erasable PROM (EEPROM), flash memory, a removable memory card or disk, a solid state drive, and so forth. The computing device **600** also includes storage media such as a storage device that can be configured to have multiple modules, such as magnetic disk drives,

floppy drives, tape drives, hard drives, optical drives and media, magneto-optical drives and media, compact disk drives, Compact Disk Read Only Memory (CD-ROM), Compact Disk Recordable (CD-R), Compact Disk Rewriteable (CD-RW), a suitable type of Digital Versatile Disk (DVD) or BluRay disk, and so forth. Storage media such as flash drives, solid state hard drives, redundant array of individual disks (RAID), virtual drives, networked drives and other memory means including storage media on the processor **602**, or memories **606** are also contemplated as storage devices. It can be appreciated that such memory can be internal or external with respect to operation of the disclosed embodiments. It can be appreciated that certain portions of the processes described herein can be performed using instructions stored on a computer-readable medium or media that direct a computer system to perform the process steps. Non-transitory computer-readable media, as used herein, comprises all computer-readable media except for transitory, propagating signals.

(32) Network and communication interfaces **612** can be configured to transmit to, or receive data from, other computing devices **600** across a network **614**. The network and communication interfaces **612** can be an Ethernet interface, a radio interface, a Universal Serial Bus (USB) interface, or any other suitable communications interface and can include receivers, transmitter, and transceivers. For purposes of clarity, a transceiver can be referred to as a receiver or a transmitter when referring to only the input or only the output functionality of the transceiver. Example communication interfaces **612** can include wired data transmission links such as Ethernet and TCP/IP. The communication interfaces **612** can include wireless protocols for interfacing with private or public networks **614**. For example, the network and communication interfaces **612** and protocols can include interfaces for communicating with private wireless networks such as a WiFi network, one of the IEEE 802.11x family of networks, or another suitable wireless network. The network and communication interfaces **612** can include interfaces and protocols for communicating with public wireless networks **612**, using for example wireless protocols used by cellular network providers, including Code Division Multiple Access (CDMA) and Global System for Mobile Communications (GSM). A computing device **600** can use network and communication interfaces **612** to communicate with hardware modules such as a database or data store, or one or more servers or other networked computing resources. Data can be encrypted or protected from unauthorized access.

(33) In various configurations, the computing device **600** can include a system bus **616** for interconnecting the various components of the computing device **600**, or the computing device **600** can be integrated into one or more chips such as programmable logic device or application specific integrated circuit (ASIC). The system bus **616** can include a memory controller, a local bus, or a peripheral bus for supporting input and output devices **604**, and communication interfaces **612**. Example input and output devices **604** include keyboards, keypads, gesture or graphical input devices, motion input devices, touchscreen interfaces, one or more displays, audio units, voice recognition units, vibratory devices, computer mice, and any other suitable user interface.

(34) The processor **602** and memory **606** can include nonvolatile memory for storing computer-readable instructions, data, data structures, program modules, code, microcode, and other software components for storing the computer-readable instructions in non-transitory computer-readable mediums in connection with the other hardware components for carrying out the methodologies described herein. Software components can include source code, compiled code, interpreted code, executable code, static code, dynamic code, encrypted code, or any other suitable type of code or computer instructions implemented using any suitable high-level, low-level, object-oriented, visual, compiled, or interpreted programming language.

(35) These and other embodiments of the systems and methods can be used as would be recognized by those skilled in the art. The above descriptions of various systems and methods are intended to illustrate specific examples and describe certain ways of making and using the systems disclosed and described here. These descriptions are neither intended to be nor should be taken as an

exhaustive list of the possible ways in which these systems can be made and used. A number of modifications, including substitutions of systems between or among examples and variations among combinations can be made. Those modifications and variations should be apparent to those of ordinary skill in this area after having read this disclosure.

Claims

1. A method comprising: linking, by one or more processors of a computing system of an acquirer processor, a payment vehicle account number associated with a preexisting financial account to a merchant issued payment vehicle account number of a merchant issued payment vehicle that is only accepted for payment at a specific merchant; obtaining an updated payment vehicle account number associated with the preexisting financial account; and linking the updated payment vehicle account number with the merchant issued payment vehicle account number.
2. The method of claim 1, further comprising: transmitting, by the one or more processors of the computing system of an acquirer processor, a communication to a merchant computing device of a merchant associated with the merchant issued payment vehicle account number indicating that the updated payment vehicle account number is linked to the merchant issued payment vehicle account number.
3. The method of claim 1, further comprising: receiving, by the one or more processors of the computing system of an acquirer processor, transaction data associated with the merchant issued payment vehicle account number; determining, by the one or more processors of the computing system of an acquirer processor, the updated payment vehicle account number linked to the merchant issued payment vehicle account number; and providing, by the one or more processors of the computing system of an acquirer processor, the transaction data to a customer loyalty program associated with the merchant issued payment vehicle account number.
4. The method of claim 3, further comprising: storing, by the one or more processors of the computing system of an acquirer processor the transaction data; and providing, by the one or more processors of the computing system of an acquirer processor, the transaction data to a customer associated with the merchant issued payment vehicle account number.
5. The method of claim 1, further comprising: obtaining, by the one or more processors of the computing system of an acquirer processor, the updated payment vehicle account number from an issuer of a payment vehicle associated with the updated payment vehicle account number.
6. The method of claim 1, further comprising: determining, by the one or more processors of the computing system of an acquirer processor, that an authorization request was denied by an issuer of the payment vehicle account number; and requesting, by the one or more processors of the computing system of an acquirer processor, the updated payment vehicle account number from the issuer based on determining that the authorization request was denied by the issuer.
7. The method of claim 1, wherein the linking the updated payment vehicle account number with the merchant issued payment vehicle account number comprises linking, by the one or more processors of the computing system of an acquirer processor, the updated payment vehicle account number with the merchant issued payment vehicle account number in a database of an acquirer processor by a payment processing computing system of the acquirer processor.
8. A device comprising: a memory configured to store instructions; and one or more processors configured to execute the instructions to perform operations comprising: linking a payment vehicle account number associated with a preexisting financial account to a merchant issued payment vehicle account number of a merchant issued payment vehicle that is only accepted for payment at a specific merchant; obtaining an updated payment vehicle account number associated with the preexisting financial account; and linking the updated payment vehicle account number with the merchant issued payment vehicle account number.
9. The device of claim 8, wherein the operations further comprise: transmitting a communication to

a merchant computing device of a merchant associated with the merchant issued payment vehicle account number indicating that the updated payment vehicle account number is linked to the merchant issued payment vehicle account number.

10. The device of claim 8, wherein the operations further comprise: receiving transaction data associated with the merchant issued payment vehicle account number; determining the updated payment vehicle account number linked to the merchant issued payment vehicle account number; and providing the transaction data to a customer loyalty program associated with the merchant issued payment vehicle account number.

11. The device of claim 10, wherein the operations further comprise: storing the transaction data; and providing the transaction data to a customer associated with the merchant issued payment vehicle account number.

12. The device of claim 8, wherein the operations further comprise: obtaining the updated payment vehicle account number from an issuer of a payment vehicle associated with the updated payment vehicle account number.

13. The device of claim 8, wherein the operations further comprise: determining that an authorization request was denied by an issuer of the payment vehicle account number; and requesting the updated payment vehicle account number from the issuer based on determining that the authorization request was denied by the issuer.

14. The device of claim 8, wherein the linking the updated payment vehicle account number with the merchant issued payment vehicle account number comprises linking the updated payment vehicle account number with the merchant issued payment vehicle account number in a database of an acquirer processor by a payment processing computing system of the acquirer processor.

15. A non-transitory computer-readable medium storing instructions that, when executed by one or more processors, cause the one or more processors to perform operations comprising: linking a payment vehicle account number associated with a preexisting financial account to a merchant issued payment vehicle account number of a merchant issued payment vehicle that is only accepted for payment at a specific merchant; obtaining an updated payment vehicle account number associated with the preexisting financial account; and linking the updated payment vehicle account number with the merchant issued payment vehicle account number.

16. The non-transitory computer-readable medium of claim 15, wherein the operations further comprise: transmitting a communication to a merchant computing device of a merchant associated with the merchant issued payment vehicle account number indicating that the updated payment vehicle account number is linked to the merchant issued payment vehicle account number.

17. The non-transitory computer-readable medium of claim 15, wherein the operations further comprise: receiving transaction data associated with the merchant issued payment vehicle account number; determining the updated payment vehicle account number linked to the merchant issued payment vehicle account number; and providing the transaction data to a customer loyalty program associated with the merchant issued payment vehicle account number.

18. The non-transitory computer-readable medium of claim 17, wherein the operations further comprise: storing the transaction data; and providing the transaction data to a customer associated with the merchant issued payment vehicle account number.

19. The non-transitory computer-readable medium of claim 15, wherein the operations further comprise: obtaining the updated payment vehicle account number from an issuer of a payment vehicle associated with the updated payment vehicle account number.

20. The non-transitory computer-readable medium of claim 15, wherein the operations further comprise: determining that an authorization request was denied by an issuer of the payment vehicle account number; and requesting the updated payment vehicle account number from the issuer based on determining that the authorization request was denied by the issuer.
