

US012385928B2

(12) United States Patent Lui et al.

(54) AMYLOID PRECURSOR PROTEIN AS A DIAGNOSTIC MARKER FOR BILIARY ATRESIA

(71) Applicant: Versitech Limited, Hong Kong (CN)

(72) Inventors: Chi Hang Lui, Hong Kong (CN);
Rosana Ottakandathil Babu, Hong
Kong (CN); Paul Kwong Hang Tam,

Hong Kong (CN)

(73) Assignee: Versitech Limited, Hong Kong (CN)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35

U.S.C. 154(b) by 975 days.

(21) Appl. No.: 17/418,732

(22) PCT Filed: Jan. 13, 2020

(86) PCT No.: PCT/CN2020/071742

§ 371 (c)(1),

(2) Date: Jun. 25, 2021

(87) PCT Pub. No.: **WO2020/156128**

PCT Pub. Date: Aug. 6, 2020

(65) Prior Publication Data

US 2022/0065871 A1 Mar. 3, 2022

Related U.S. Application Data

- (60) Provisional application No. 62/798,229, filed on Jan. 29, 2019.
- (51) Int. Cl. *G01N 33/68* (2006.01) *C12Q 1/6883* (2018.01)
- (52) **U.S. Cl.** CPC *G01N 33/6893* (2013.01); *C12Q 1/6883* (2013.01); *G01N 2333/705* (2013.01)

(10) Patent No.: US 12,385,928 B2

(45) **Date of Patent:** Aug. 12, 2025

(58) Field of Classification Search

CPC G01N 33/6893; G01N 2333/705; G01N 2333/4709; G01N 2800/085; C12Q 1/6883; C12Q 2600/158

See application file for complete search history.

(56) References Cited

FOREIGN PATENT DOCUMENTS

CN	104774914 A	7/2015
CN	107904303 A	4/2018
CN	108267585 A	7/2018

OTHER PUBLICATIONS

International Search Report in PCT/CN2020/071742, mailed Apr. 13, 2020, 5 pages.

Borroni et al., "Predicting cognitive decline in Alzheimer disease: Role of platelet amyloid precursor protein," Alzheimer Disease & Associated Disorders. Jan. 1, 2004;18(1):32-4.

Ning et al., "Research Advances of Blood Biomarkers for Biliary Atresia," Chin J Pedaitr Surg, vol. 38, No. 11, Nov. 30, 2017, pp. 869-873.

Padovani et al., "Amyloid precursor protein in platelets: a peripheral marker for the diagnosis of sporadic AD," Neurology. Dec. 26, 2001;57(12):2243-8.

Xu et al., β -amyloid Precusor Protein Exporession Level in Peripheral Platelets in Patients With Parkinson's Disease and Dementia, Chinese general Practice, vol. 18, No. 21, Jul. 31, 2015, pp. 2507-2510.

Primary Examiner — Iqbal H Chowdhury (74) Attorney, Agent, or Firm — Kilpatrick Townsend & Stockton LLP


(57) ABSTRACT

Provided are novel diagnostic and prognostic methods for biliary atresia using amyloid precursor protein.

15 Claims, 2 Drawing Sheets

Specification includes a Sequence Listing.

Figure 1 PCA plot for liver biopsies RNA-seq analysis






Figure 2

AMYLOID PRECURSOR PROTEIN AS A DIAGNOSTIC MARKER FOR BILIARY ATRESIA

SEQUENCE LISTING

A Sequence Listing conforming to the rules of for Application filed prior to Jul. 1, 2022 is hereby incorporated by reference. Said Sequence Listing has been filed as an electronic document via the USPTO patent electronic filing system in ASCII formatted text. The electronic document, created on May 17, 2025 is entitled "104525-1253597-000310US_ST25", and is 82,065 bytes in size.

BACKGROUND

Biliary atresia is a disease of the liver and bile ducts that occurs in infants. Typically, symptoms of biliary atresia appear or develop about two to eight weeks after birth. Cells within the liver produce bile, a digestive liquid that helps digest fat. It also carries waste products from the liver to the intestines for excretion. This network of channels and ducts in which bile is produced, digests fat, and eventually moves to intestines is called the biliary system. Under the normal physiological conditions, the biliary system allows the bile to drain from the liver into the intestines. When a baby has biliary atresia, however, bile flow from the liver to the gallbladder is blocked. This causes the bile to be trapped inside the liver, which can quickly cause damage and scarring of the liver cells, resulting in liver cirrhosis and 30 eventually liver failure.

While the exact cause of biliary atresia is yet to be fully illustrated, it is believed that some infants develop biliary atresia due to their bile ducts not formed properly during pregnancy. For most other children with biliary atresia, their 35 bile ducts may be damaged by the body's immune system in response to a viral infection acquired after birth. Although biliary atresia is a rare disease, it affects the Asian population at a notably higher rate than other ethnicities. Diagnosis of biliary atresia relies on blood tests, ultrasound of the abdo- 40 men, liver biopsy, as well as diagnostic surgery (which may include an operative cholangiogram). Once diagnosed, biliary atresia is treated by Kasai procedure or hepatoportoenterostomy. With a 65-85% success rate routinely achieved by this procedure, failure still can result in a small percentage 45 of infants, who will then likely require a liver transplant for long term survival. Because of this life-threatening potential of biliary atresia, there exists an urgent need for new and more reliable methods for the early diagnosis of infants suspected of having biliary atresia and for risk assessment 50 among those who have undergone Kasai operation. This invention fulfills this and other related needs.

SUMMARY OF THE INVENTION

The present inventors observed increased expression of amyloid precursor protein in the liver tissue of an infant who is at risk of developing biliary atresia or is suffering from biliary atresia and has a poor outcome of biliary atresia treatment by Kasai operation. This discovery thus allows 60 new methods to be devised for use in the diagnosis or prognosis of biliary atresia.

In the first aspect, the present invention provides a method for diagnosing or assessing the risk of biliary atresia (BA) in an infant by detecting in a liver sample taken from the infant 65 the level of amyloid precursor protein (APP). The method includes these steps: (i) determining the expression level of

2

APP in a liver sample taken from the infant; (ii) detecting an increase in the APP expression level in comparison to a standard control level; and (iii) determining the infant as having BA or at an increased risk of developing biliary atresia.

In some embodiments, the APP expression level is APP mRNA level or protein level. In some embodiments, step (i) comprises a reverse transcription polymerase chain reaction (RT-PCR) or an immunoassay. In some embodiments, the liver sample is a liver biopsy. In some embodiments, the method further includes after step (iii) a step of performing at least one additional diagnostic test for BA to confirm the diagnosis. In some embodiments, the method may further include after step (iii) a step of treating the infant with Kasai procedure.

In the second aspect, the present invention provides a method for assessing the likelihood of poor outcome (e.g., ineffective Kasai procedure) in an infant after the infant has been diagnosed with BA and has received Kasai operation. The method includes these steps: (i) determining the expression level of APP in a liver sample taken from the infant; (ii) detecting an increase in the APP expression level in comparison to a standard control level; and (iii) determining that the Kasai procedure is likely a failure.

In some embodiments, the APP expression level is APP mRNA level or protein level. In some embodiments, step (i) comprises a reverse transcription polymerase chain reaction (RT-PCR) or an immunoassay. In some embodiments, the liver sample is a liver biopsy. In some embodiments, the method further includes after step (iii) a step of performing at least one additional diagnostic test for BA to confirm the prognosis-if the additional test for BA indicates presence of BA, one may conclude the treatment has likely failed. In some embodiments, the method may further include after step (iii) a step of providing the infant with further treatment such as liver transplant.

In a third aspect, the present invention provides a kit for diagnosing BA, assessing risk of developing BA, or prognosing unsuccessful Kasai procedure in an infant. The kit comprises a first container containing at least one reagent for detecting the mRNA or protein level of APP and a second container containing a standard control sample having an average level of APP expression in healthy liver tissue.

In some embodiments, the APP expression level is APP mRNA level or APP protein level. In some embodiments, the first container contains one or more reagents for an RT-PCR. In some embodiments, the first container contains one or more reagents for an immunoassay. In some embodiments, one or more reagents contained in the first container include a set of primers for PCR. In some embodiments, one or more reagents contained in the first container include an antibody against APP. In some embodiments, the kit further includes user instructions for using the kit.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1. Principal component analysis of control and BA liver.

FIG. 2. Expression of APP in BA bile ducts. Sections of livers of biliary atresia (A) and normal controls (B; Hepatoblastoma) were immuno-fluorescent stained for APP (red) and CK19 (green; bile duct marker). Photos of liver sections of six BA patients (BA1 to BA6) and two HB patients (HB1 and HB2) were shown for comparison. Regions highlighted were enlarged and shown on the right.

DEFINITIONS

As used herein, an "amyloid precursor protein (APP)" refers to a membrane protein encoded by a gene located on

chromosome 21 (in human). A highly conserved protein found in many species, there are several known isoforms of human APP due to alternative splicing, ranging in length from 639 to 770 amino acids, with certain isoforms preferentially expressed in neurons. An integral membrane protein 5 expressed in many tissues and concentrated in the synapses of neurons, APP has been implicated as a regulator of synapse formation, neural plasticity, and iron export, although its precise functions are yet to be fully understood. The term "amyloid precursor protein" or "APP" is used herein to broadly encompass any isoforms of the protein such as naturally occurring homologues or orthologues or mutants, including proteins or peptides derived from the full-length APP such as peptides generated by its proteolysis, for instance, beta amyloid (Aβ), a polypeptide contain- 15 ing about 37 to about 49 amino acid residues, whose amyloid fibrillar form is the primary component of amyloid plaques found in the brains of Alzheimer's disease patients. Preferably, an APP is specifically recognized by an antibody that specifically recognizes the full-length APP, e.g., a 20 polypeptide encoded by any one of the polynucleotide sequences set forth in Table 3.

Biliary atresia (BA) is a disease of blocked biliary system in the liver and bile ducts that typically occurs in infants in the age range of 2 weeks to 2 months. Symptoms of biliary 25 atresia include jaundice, dark urine, acholic stools (claycolored stools), weight loss and irritability. The preferred treatment method for BA is the Kasai procedure or operation, a surgical bypass procedure that allows bile to drain from the liver thus avoiding permanent damage to the liver. As used herein, a subject suffering from BA is an infant (for examples, aged about 1 week or about 2 weeks or about 3 weeks to about 1 month or about 2 months or about 3 months) who has been diagnosed with BA but is yet to receive the Kasai operation, or who has been diagnosed with BA, received the Kasai operation, yet still has symptoms relevant to the disease despite having received the Kasai operation.

In this disclosure the term "biological sample" or "sample" includes sections of tissues such as biopsy and 40 autopsy samples, and frozen sections taken for histologic purposes, or processed forms of any of such samples. Biological samples include blood and blood fractions or products (e.g., serum, plasma, platelets, red blood cells, and the like), sputum or saliva, lymph and tongue tissue, oral 45 swab, cultured cells, e.g., primary cultures, explants, transformed cells, stool, urine, and biopsy taken from a preselected organ or tissue (such as liver cells or hepatic tissue sample) as well as cells or tissue derived from biopsy. A biological sample is typically obtained from a eukaryotic 50 organism, which may be a mammal, may be a primate and may be a human subject.

The term "nucleic acid" or "polynucleotide" refers to deoxyribonucleotides or ribonucleotides and polymers thereof in either single- or double-stranded form. Unless 55 specifically limited, the term encompasses nucleic acids containing known analogues of natural nucleotides which have similar binding properties as the reference nucleic acid and are metabolized in a manner similar to naturally occurring nucleotides. Unless otherwise indicated, a particular onucleic acid sequence also implicitly encompasses conservatively modified variants thereof (e.g., degenerate codon substitutions) and complementary sequences as well as the sequence explicitly indicated. Specifically, degenerate codon substitutions may be achieved by generating 65 sequences in which the third position of one or more selected (or all) codons is substituted with mixed-base and/or

4

deoxyinosine residues (Batzer et al., *Nucleic Acid Res.*, 19:5081 (1991); Ohtsuka et al., *J. Biol. Chem.*, 260:2605-2608 (1985); and Cassol et al., (1992); Rossolini et al., *Mol. Cell. Probes*, 8:91-98 (1994)). The terms nucleic acid and polynucleotide are used interchangeably with gene, cDNA, and mRNA encoded by a gene.

The terms "polypeptide," "peptide," and "protein" are used interchangeably herein to refer to a polymer of amino acid residues. The terms apply to amino acid polymers in which one or more amino acid residue is an artificial chemical mimetic of a corresponding naturally occurring amino acid, as well as to naturally occurring amino acid polymers and non-naturally occurring amino acid polymers. As used herein, the terms encompass amino acid chains of any length, including full length proteins (i.e., antigens), wherein the amino acid residues are linked by covalent peptide bonds.

The term "amino acid" refers to naturally occurring and synthetic amino acids, as well as amino acid analogs and amino acid mimetics that function in a manner similar to the naturally occurring amino acids. Naturally occurring amino acids are those encoded by the genetic code, as well as those amino acids that are later modified, e.g., hydroxyproline, γ-carboxyglutamate, and O-phosphoserine. Amino acid analogs refers to compounds that have the same basic chemical structure as a naturally occurring amino acid, i.e., an a carbon that is bound to a hydrogen, a carboxyl group, an amino group, and an R group, e.g., homoserine, norleucine, methionine sulfoxide, methionine methyl sulfonium. Such analogs have modified R groups (e.g., norleucine) or modified peptide backbones, but retain the same basic chemical structure as a naturally occurring amino acid. "Amino acid mimetics" refers to chemical compounds that have a structure that is different from the general chemical structure of an amino acid, but that functions in a manner similar to a naturally occurring amino acid.

Amino acids may be referred to herein by either their commonly known three letter symbols or by the one-letter symbols recommended by the IUPAC-IUB Biochemical Nomenclature Commission. Nucleotides, likewise, may be referred to by their commonly accepted single-letter codes.

A "polynucleotide hybridization method" as used herein refers to a method for detecting the presence and/or quantity of a pre-determined polynucleotide sequence based on its ability to form Watson-Crick base-pairing, under appropriate hybridization conditions, with a polynucleotide probe of a known sequence. Examples of such hybridization methods include Southern blot, Northern blot, and in situ hybridization

"Primers" as used herein refer to oligonucleotides that can be used in an amplification method, such as a polymerase chain reaction (PCR), to amplify a nucleotide sequence based on the polynucleotide sequence corresponding to a gene of interest, e.g., the polynucleotide sequence encoding an APP or a derivative thereof. Typically at least one, possibly two, of the PCR primers for amplification of a polynucleotide sequence is sequence-specific for that polynucleotide sequence. The exact length of the primer will depend upon many factors, including temperature, source of the primer, and the method used. For example, for diagnostic and prognostic applications, depending on the complexity of the target sequence, the oligonucleotide primer typically contains at least 10, or 15, or 20, or 25 or more nucleotides, although it may contain fewer nucleotides or more nucleotides. The factors involved in determining the appropriate length of primer are readily known to one of ordinary skill in the art. The primers used in particular embodiments may

be designed to specifically amplify a coding sequence for an APP or its variant or derivative. Also, the primers may be designed for specifically amplify only one segment of the APP coding sequence for a fragment of APP. In this disclosure the term "primer pair" means a pair of primers that hybridize to opposite strands a target DNA molecule or to regions of the target DNA which flank a nucleotide sequence to be amplified (e.g., encoding an APP for the purpose of detection such as for assessing BA risk or disease prospect, especially after Kasai operation). In this disclosure the term "primer site" means the area of the target DNA or other nucleic acid to which a primer hybridizes.

A "label," "detectable label," or "detectable moiety" is a composition detectable by spectroscopic, photochemical, biochemical, immunochemical, chemical, or other physical means. For example, useful labels include radioactive isotopes, fluorescent dyes, electron-dense reagents, enzymes (e.g., as commonly used in an ELISA), biotin, digoxigenin, or haptens and proteins that can be made detectable, e.g., by incorporating a radioactive component into the peptide or used to detect antibodies specifically reactive with the peptide. Typically a detectable label is attached to a probe or a molecule with defined binding characteristics (e.g., a polypueptide with a known binding specificity or a polynucleotide), so as to allow the presence of the probe (and therefore its binding target, e.g., a coding sequence for an APP or a fragment or variant thereof) to be readily detectable.

The term "treat" or "treating," as used in this application, describes to an act that leads to the elimination, reduction, 30 alleviation, reversal, or prevention or delay of onset or recurrence of any symptom of a relevant condition (e.g., BA). In other words, "treating" a condition encompasses both therapeutic and prophylactic intervention against the condition: for example, upon testing positive to have 35 elevated APP expression either at mRNA or protein level, an infant will be given additional diagnostic tests (such as blood tests, ultrasound of the abdomen, liver biopsy, as well as diagnostic surgery, which may include an operative cholangiogram) and, upon confirmation of the diagnosis of 40 BA, undergoes therapeutic or prophylactic regimen under the supervision of a medical professional including Kasai operation. For an infant who has received treatment for BA by Kasai operation but still has BA symptoms without improvement or even with worsening symptoms, subsequent 45 treatment will likely require liver transplant depending on physicians' decision upon careful monitoring of the infant. Administration of steroids and/or antibiotics may serve as additional/adjuvant treatment post-Kasai operation with an aim to slow down or halt further inflammation.

The term "effective amount" as used herein refers to an amount of a given substance that is sufficient in quantity to produce a desired effect. For example, when an effective amount of a therapeutic agent for treating BA by way of suppressing or eliminating the expression and/or activity of 55 APP especially in an infant's liver is administered to the infant, the symptoms of BA are reduced, reversed, eliminated, prevented, or delayed of the onset in the infant. An amount adequate to accomplish this is defined as the "therapeutically effective dose" when administration takes place 60 after BA symptoms have become detectable, or is defined as the "prophylactically effective dose" when administration takes place before any symptom has arisen. The dosing range varies with the nature of the therapeutic agent being administered and other factors such as the route of admin- 65 istration and the severity of a patient's BA and related condition.

6

The term "subject" or "subject in need of treatment," as used herein, includes individuals who seek medical attention due to risk of, or actual suffering from, biliary atresia. Subjects also include individuals currently undergoing therapy that seek manipulation of the therapeutic regimen. Subjects or individuals in need of treatment include those that demonstrate symptoms of biliary atresia, or those at are at risk of suffering from biliary atresia or its symptoms, or those have been tested positive for amyloid precursor protein expression but may not may not have any known risk and/or may or may not have any potentially relevant symptoms. For example, subjects in need of treatment include individuals with a genetic predisposition or family history for biliary atresia, those that are acutely suffering from relevant symptoms, those that have been exposed to a triggering substance or event, as well as those have received treatment for BA (e.g., Kasai operation) but are continuing to suffer from symptoms of the condition. A subject in need of treatment for BA may be any gender and typically an infant at the age of 3 months or younger, for example, between about 1 week to about 3 months, or between about 2 weeks to about 2 months.

The term "about" when used in reference to a predetermined value denotes a range encompassing $\pm 10\%$ of the value.

DETAILED DESCRIPTION

I. General

The present invention relates to the detection of APP expression in the liver cells or tissue of infants who are suffering from or at risk of suffering from biliary atresia, or who are at risk of suffering from undesirable clinical outcome after receiving the Kasai operation. This invention thus provides methods for diagnosis of biliary atresia and prognosis for clinical outcome post-Kasai operation in infants based on detection of APP expression in a liver sample obtained from infants suspected of suffering from biliary atresia or having undergone the Kasai procedure.

Basic texts disclosing general methods and techniques in the field of recombinant genetics include Sambrook and Russell, *Molecular Cloning, A Laboratory Manual* (3rd ed. 2001); Kriegler, *Gene Transfer and Expression: A Labora*tory Manual (1990); and Ausubel et al., eds., *Current* Protocols in Molecular Biology (1994).

For nucleic acids, sizes are given in either kilobases (kb) or base pairs (bp). These are estimates derived from agarose or acrylamide gel electrophoresis, from sequenced nucleic acids, or from published DNA sequences. For proteins, sizes are given in kilodaltons (kDa) or amino acid residue numbers. Proteins sizes are estimated from gel electrophoresis, from sequenced proteins, from derived amino acid sequences, or from published protein sequences.

Oligonucleotides that are not commercially available can be chemically synthesized, e.g., according to the solid phase phosphoramidite triester method first described by Beaucage & Caruthers, *Tetrahedron Lett.* 22:1859-1862 (1981), using an automated synthesizer, as described in Van Devanter et. al., *Nucleic Acids Res.* 12:6159-6168 (1984). Purification of oligonucleotides is performed using any art-recognized strategy, e.g., native acrylamide gel electrophoresis or anion-exchange HPLC as described in Pearson & Reanier, *J. Chrom.* 255:137-149 (1983).

The polynucleotide sequence encoding a polypeptide of interest, e.g., an amyloid precursor protein or a variant or derivative thereof, and synthetic oligonucleotides can be

verified after cloning or subcloning using, e.g., the chain termination method for sequencing double-stranded templates of Wallace et al., *Gene* 16:21-26 (1981).

II. Acquisition of Samples and Analysis of mRNA

The present invention relates to detecting the expression level of APP, either at the mRNA or protein level, in the liver cells or tissue taken from an infant suspected of suffering from biliary atresia (BA) or an infant who has been diagnosed with BA and has received the Kasai operation, as a means to detect the presence of BA, to assess the risk of developing of BA, and/or to provide prognosis of BA treatment such as the Kasai operation in an infant, so as to allow the correct treatment and/or follow-up strategies after 15 Kasai operation. Thus, the first steps of practicing this invention are to obtain an appropriate sample from a test subject and extract mRNA from the sample.

A. Acquisition and Preparation of Samples

An appropriate sample such as a liver cell or tissue sample 20 obtained from an infant, who may or may not exhibit BA symptoms, to be tested or monitored for BA or treatment outcome using a method of the present invention. Collection of a liver biopsy sample from an individual is performed in accordance with the standard protocol hospitals or clinics 25 generally follow. An appropriate amount of tissue sample, including biopsy samples, is collected and may be stored according to standard procedures prior to further preparation.

B. Extraction of RNA

There are numerous methods for extracting RNA from a biological sample. The general methods of RNA preparation (e.g., described by Sambrook and Russell, *Molecular Cloning: A Laboratory Manual* 3d ed., 2001) can be followed; various commercially available reagents or kits, such as 35 Trizol reagent (Invitrogen, Carlsbad, CA), Oligotex Direct mRNA Kits (Qiagen, Valencia, CA), RNeasy Mini Kits (Qiagen, Hilden, Germany), and PolyATtract® Series 9600TM (Promega, Madison, WI), may also be used to obtain RNA from a liver sample from an infant. Combinations of 40 more than one of these methods may also be used.

It is preferable in some applications that all or most of the contaminating DNA be eliminated from the RNA preparations. Thus, careful handling of the samples, thorough treatment with DNase, and proper negative controls in the 45 amplification and quantification steps should be used.

C. PCR-Based Quantitative Determination of RNA Level

Once RNA is extracted from a biological sample, the amount of RNA derived from a genetic locus of interest, e.g., and encoding for a protein of interest such as APP, may be 50 quantified. The preferred method for determining the RNA level is an amplification-based method, e.g., by PCR.

Prior to the amplification step, a DNA copy (cDNA) of the RNA of interest must be synthesized. This is achieved by reverse transcription, which can be carried out as a separate 55 step, or in a homogeneous reverse transcription-polymerase chain reaction (RT-PCR), a modification of the polymerase chain reaction for amplifying RNA. Methods suitable for PCR amplification of ribonucleic acids are described by Romero and Rotbart in *Diagnostic Molecular Biology:* 60 *Principles and Applications* pp. 401-406; Persing et al., eds., Mayo Foundation, Rochester, MN, 1993; Egger et al., *J. Clin. Microbiol.* 33:1442-1447, 1995; and U.S. Pat. No. 5,075,212.

The general methods of PCR are well known in the art and 65 are thus not described in detail herein. For a review of PCR methods, protocols, and principles in designing primers, see,

8

e.g., Innis, et al., *PCR Protocols: A Guide to Methods and Applications*, Academic Press, Inc. N.Y., 1990. PCR reagents and protocols are also available from commercial vendors, such as Roche Molecular Systems.

PCR is most usually carried out as an automated process with a thermostable enzyme. In this process, the temperature of the reaction mixture is typically cycled through a denaturing region, a primer annealing region, and an extension reaction region automatically. In some protocols, the annealing region and the extension reaction region are merged. Machines specifically adapted for this purpose are commercially available.

Although PCR amplification of the target RNA is typically used in practicing the present invention. One of skill in the art will recognize, however, that amplification of these RNA species in a maternal blood sample may be accomplished by any known method, such as ligase chain reaction (LCR), transcription-mediated amplification, and self-sustained sequence replication or nucleic acid sequence-based amplification (NASBA), each of which provides sufficient amplification. More recently developed branched-DNA technology may also be used to quantitatively determining the amount of RNA markers in maternal blood. For a review of branched-DNA signal amplification for direct quantitation of nucleic acid sequences in clinical samples, see Nolte, Adv. Clin. Chem. 33:201-235, 1998.

C. Other Quantitative Methods

The RNA species of interest (such as the APP mRNA) can also be detected using other standard techniques, wellknown to those of skill in the art. Although the detection step is typically preceded by an amplification step, amplification is not required in the methods of the invention. For instance, the RNA species of interest may be identified by size fractionation (e.g., gel electrophoresis), whether or not proceeded by an amplification step. After running a sample in an agarose or polyacrylamide gel and labeling with ethidium bromide according to well-known techniques (see, e.g., Sambrook and Russell, supra), the presence of a band of the same size as the standard control is an indication of the presence of a target RNA, the amount of which may then be compared to the control based on the intensity of the band. Alternatively, oligonucleotide probes specific to RNA transcribed from a genetic locus, e.g., the APP gene, can be used to detect the presence of such RNA species and indicate the amount of RNA in comparison to the standard control, based on the intensity of signal imparted by the probe.

Sequence-specific probe hybridization is a well-known method of detecting a particular nucleic acid comprising other species of nucleic acids. Under sufficiently stringent hybridization conditions, the probes hybridize specifically only to substantially complementary sequences. The stringency of the hybridization conditions can be relaxed to tolerate varying amounts of sequence mismatch.

A number of hybridization formats are well-known in the art, including but not limited to, solution phase, solid phase, or mixed phase hybridization assays. The following articles provide an overview of the various hybridization assay formats: Singer et al., *Biotechniques* 4:230, 1986; Haase et al., *Methods in Virology*, pp. 189-226, 1984; Wilkinson, *In situ Hybridization*, Wilkinson ed., IRL Press, Oxford University Press, Oxford; and Hames and Higgins eds., *Nucleic Acid Hybridization: A Practical Approach*, IRL Press, 1987.

The hybridization complexes are detected according to well-known techniques and the detection is not a critical aspect of the present invention. Nucleic acid probes capable of specifically hybridizing to a target nucleic acid, i.e., the APP mRNA species or the amplified DNA, can be labeled by

any one of several methods typically used to detect the presence of hybridized nucleic acids. One common method of detection is the use of autoradiography using probes labeled with ³H, ¹²⁵I, ³⁵S, ¹⁴C, or ³²P, or the like. The choice of radioactive isotope depends on research preferences due to ease of synthesis, stability, and half-lives of the selected isotopes. Other labels include compounds (e.g., biotin and digoxigenin), which bind to antiligands or antibodies labeled with fluorophores, chemiluminescent agents, and enzymes. Alternatively, probes can be conjugated directly with labels such as fluorophores, chemiluminescent agents or enzymes. The choice of label depends on sensitivity required, ease of conjugation with the probe, stability requirements, and available instrumentation.

The probes and primers necessary for practicing the 15 present invention can be synthesized and labeled using well known techniques. Oligonucleotides used as probes and primers may be chemically synthesized according to the solid phase phosphoramidite triester method first described by Beaucage and Caruthers, *Tetrahedron Letts.*, 22:1859- 20 1862, 1981, using an automated synthesizer, as described in Needham-VanDevanter et al., *Nucleic Acids Res.* 12:6159-6168, 1984. Purification of oligonucleotides is by either native acrylamide gel electrophoresis or by anion-exchange high performance liquid chromatography (HPLC) as 25 described in Pearson and Regnier, *J. Chrom.*, 255:137-149, 1983.

III. Immunoassays for Detection of Amyloid Precursor Protein

One aspect of this invention provides immunoassays used in the detection of APP in order to determine the expression level of the protein for the purpose of diagnosis and prognosis of BA. Antibodies against APP described herein are 35 useful for carrying out these immunological assays.

A. Production of Antibodies Against APP

Methods for producing polyclonal and monoclonal antibodies that react specifically with an immunogen of interest are known to those of skill in the art (see, e.g., Coligan, 40 *Current Protocols in Immunology Wiley*/Greene, NY, 1991; Harlow and Lane, *Antibodies: A Laboratory Manual* Cold Spring Harbor Press, NY, 1989; Stites et al. (eds.) *Basic and Clinical Immunology* (4th ed.) Lange Medical Publications, Los Altos, CA, and references cited therein; Goding, *Monoclonal Antibodies: Principles and Practice* (2d ed.) Academic Press, New York, NY, 1986; and Kohler and Milstein *Nature* 256:495-497, 1975). Such techniques include antibody preparation by selection of antibodies from libraries of recombinant antibodies in phage or similar vectors (see, 50 Huse et al., *Science* 246:1275-1281, 1989; and Ward et al., *Nature* 341:544-546, 1989).

In order to produce antisera containing antibodies with desired specificity, the polypeptide of interest (e.g., APP) or an antigenic fragment thereof can be used to immunize 55 suitable animals, e.g., mice, rabbits, or primates. A standard adjuvant, such as Freund's adjuvant, can be used in accordance with a standard immunization protocol. Alternatively, a synthetic antigenic peptide derived from that particular polypeptide can be conjugated to a carrier protein and 60 subsequently used as an immunogen.

The animal's immune response to the immunogen preparation is monitored by taking test bleeds and determining the titer of reactivity to the antigen of interest. When appropriately high titers of antibody to the antigen are obtained, 65 blood is collected from the animal and antisera are prepared. Further fractionation of the antisera to enrich antibodies

10

specifically reactive to the antigen and purification of the antibodies can be performed subsequently, see, Harlow and Lane, supra, and the general descriptions of protein purification provided above.

Monoclonal antibodies are obtained using various techniques familiar to those of skill in the art. Typically, spleen cells from an animal immunized with a desired antigen are immortalized, commonly by fusion with a myeloma cell (see, Kohler and Milstein, *Eur. J. Immunol.* 6:511-519, 1976). Alternative methods of immortalization include, e.g., transformation with Epstein Barr Virus, oncogenes, or retroviruses, or other methods well known in the art. Colonies arising from single immortalized cells are screened for production of antibodies of the desired specificity and affinity for the antigen, and the yield of the monoclonal antibodies produced by such cells may be enhanced by various techniques, including injection into the peritoneal cavity of a vertebrate host.

Additionally, monoclonal antibodies may also be recombinantly produced upon identification of nucleic acid sequences encoding an antibody with desired specificity or a binding fragment of such antibody by screening a human B cell cDNA library according to the general protocol outlined by Huse et al., supra. The general principles and methods of recombinant polypeptide production discussed above are applicable for antibody production by recombinant methods.

B. Immunoassays for APP

Once antibodies specific for APP are available, the expression of APP at protein level in a sample, e.g., a liver cell or tissue sample, can be measured by a variety of immunoassay methods providing qualitative and quantitative results to a skilled artisan. For a review of immunological and immunoassay procedures in general see, e.g., 55 Stites, supra; U.S. Pat. Nos. 4,366,241; 4,376,110; 4,517, 288; and 4,837,168.

1. Labeling in Immunoassays

Immunoassays often utilize a labeling agent to specifically bind to and label the binding complex formed by the antibody and the target protein (e.g., APP). The labeling agent may itself be one of the moieties comprising the antibody/target protein complex, or may be a third moiety, such as another antibody, that specifically binds to the antibody/target protein complex. A label may be detectable by spectroscopic, photochemical, biochemical, immunochemical, electrical, optical or chemical means. Examples include, but are not limited to, magnetic beads (e.g., DynabeadsTM), fluorescent dyes (e.g., fluorescein isothiocyanate, Texas red, rhodamine, and the like), radiolabels (e.g., ³H, 125 I, 35 S, 14 C, or 32 P), enzymes (e.g., horse radish peroxidase, alkaline phosphatase, and others commonly used in an ELISA), and colorimetric labels such as colloidal gold or colored glass or plastic (e.g., polystyrene, polypropylene, latex, etc.) beads.

In some cases, the labeling agent is a second antibody bearing a detectable label. Alternatively, the second antibody may lack a label, but it may, in turn, be bound by a labeled third antibody specific to antibodies of the species from which the second antibody is derived. The second antibody can be modified with a detectable moiety, such as biotin, to which a third labeled molecule can specifically bind, such as enzyme-labeled streptavidin.

Other proteins capable of specifically binding immunoglobulin constant regions, such as protein A or protein G, can also be used as the label agents. These proteins are normal constituents of the cell walls of streptococcal bacteria. They exhibit a strong non-immunogenic reactivity with immuno-

globulin constant regions from a variety of species (see, generally, Kronval, et al. *J. Immunol.*, 111:1401-1406 (1973); and Akerstrom, et al., *J. Immunol.*, 135:2589-2542 (1985)).

2. Immunoassay Formats

Immunoassays for detecting a target protein of interest (e.g., APP) from samples may be either competitive or noncompetitive. Noncompetitive immunoassays are assays in which the amount of captured target protein is directly measured. In one preferred "sandwich" assay, for example, 10 the antibody specific for the target protein can be bound directly to a solid substrate where the antibody is immobilized. It then captures the target protein in test samples. The antibody/target protein complex thus immobilized is then bound by a labeling agent, such as a second or third antibody 15 bearing a label, as described above.

In competitive assays, the amount of target protein in a sample is measured indirectly by measuring the amount of an added (exogenous) target protein displaced (or competed away) from an antibody specific for the target protein by the 20 target protein present in the sample. In a typical example of such an assay, the antibody is immobilized and the exogenous target protein is labeled. Since the amount of the exogenous target protein bound to the antibody is inversely proportional to the concentration of the target protein present in the sample, the target protein level in the sample can thus be determined based on the amount of exogenous target protein bound to the antibody and thus immobilized.

In some cases, western blot (immunoblot) analysis is used to detect and quantify the presence of APP in the samples.

The technique generally comprises separating sample proteins by gel electrophoresis on the basis of molecular weight, transferring the separated proteins to a suitable solid support (such as a nitrocellulose filter, a nylon filter, or a derivatized nylon filter) and incubating the samples with the antibodies that specifically bind the target protein. These antibodies may be directly labeled or alternatively may be subsequently detected using labeled antibodies (e.g., labeled sheep antimouse antibodies) that specifically bind to the antibodies against APP.

Other assay formats include liposome immunoassays (LIA), which use liposomes designed to bind specific molecules (e.g., antibodies) and release encapsulated reagents or markers. The released chemicals are then detected according to standard techniques (see, Monroe et al., *Amer. Clin. Prod.* 45 *Rev.*, 5:34-41 (1986)).

For these immunoassays, the patient being tested may be an infant who is at risk of developing BA or may be one who has been diagnosed with BA, has undergone treatment such as Kasai operation, and is now being assessed for likelihood 50 of a desirable outcome of the treatment.

IV. Treatment Options

One practical application of this invention is intended for 55 early detection of BA among infants who are suspected of suffering from the disease or are at increased risk of developing the disease. Once they are tested according to any one of the methods of this invention and are determined as at risk of suffering from or later developing this disease, they can 60 be subject to additional diagnostic tests, such as blood tests, ultrasound of the abdomen, liver biopsy, and diagnostic surgery (which may include an operative cholangiogram) in order to confirm whether they indeed suffer from the disease. Upon confirmation of the diagnosis of BA, they can then 65 undergo appropriate treatment (e.g., the Kasai operation) as prescribed by their attending physician.

12

Another application is intended for predicting the likelihood of success among infants who have been diagnosed with BA and have been given appropriate treatment such as the Kasai operation. As it is known that a minority of all infant BA patients who underwent the operation will fail to properly recover, and the symptoms and damaging effects of BA will continue and even worsen. The claimed method of this invention allows physicians to quickly obtain an assessment of the likelihood of treatment outcome (e.g., shortly after the Kasai procedure such as 1 day, 2 days, 3 days, 4 days, 5 days, 6 days, 7 days, or up to 10 days or 2 weeks post-operation) when the infant may or may not yet to show any signs of persistent or deteriorating BA symptoms: whether it will result in desirable outcome, where the infant patient will fully recover from the disease, or it will result in failure, where the infant patient will require additional treatment, such as another Kasai procedure or even liver transplant.

A further aspect of the present invention is the treatment of BA. Since the expression of APP, both at mRNA level and at protein level, has been found to increase in the liver of infants who suffer from BA, or who are at increased risk of later developing BA while exhibiting no BA symptoms for the time being, or who have been diagnosed with BA and given appropriate treatment such as the Kasai procedure but suffer from undesirable outcome (i.e., failure of treatment to alleviate BA symptoms and damages to liver), one treatment method for BA is to target APP by suppressing its expression (both at mRNA and protein level) and/or activity. For instance, specific inhibitors targeting APP expression and/or activity may be administered to an infant who suffers from BA, or who is at heightened risk of later developing BA, or who has received a diagnosis of BA and received treatment (e.g., the Kasai procedure) but is at risk of suffering from treatment failure. Such specific inhibitors include a broad spectrum of possible compounds of distinct chemical and structural features such as a dominant negative APP mutant or its encoding nucleic acid, a nucleic acid encoding an antisense or miRNA, miniRNA, long non-coding RNA targeting APP, an inactivating anti-APP antibody, small chemicals, peptides, proteins, natural extract compounds from herbs, etc., and they are useful in both prophylactic and therapeutic applications for treating BA. Also, APP expression may be suppressed by genetic manipulation techniques including CRISPR.

V. Establishing Standard Controls

For the application of this invention for the purpose of diagnosing BA or assessing risk of developing BA at a later time, in order to establish a standard control, a group of healthy infants without any liver disorders, especially BA, should first be selected before liver samples are obtained. These infants should be of similar age, which is within the appropriate time frame (for example, aged from about 2 weeks to about 8 weeks) when infants may be tested using the methods of the present invention. The health status of the selected infants should be confirmed by well established, routinely employed methods including but not limited to blood tests and abdominal ultrasound.

The selected group of healthy infants must be of a reasonable size, such that the average amount of APP mRNA and protein found in the liver tissue samples (e.g., liver biopsy) calculated from the group can be reasonably regarded as representative of the normal or average amount among the general population of healthy infants not suffer-

ing from BA and not at heightened risk of developing BA. Preferably, the selected group comprises at least 10 healthy infants

For the application of this invention for the purpose of providing a prognosis of BA treatment (especially the Kasai procedure) outcome among infants who have already been diagnosed with BA and received appropriate treatment such as the Kasai procedure, the same standard control described above may be used. In the alternative, a slightly different standard control can be established: a group of infants who suffered from BA and have undergone the same BA treatment such as Kasai operation and successfully recovered should be selected for collection of liver samples. Similar to the description above, these infants should be of similar age and make up a group of a reasonable size, e.g., at least 10 in 15 the group.

Once an average value is established for the amount of APP mRNA or protein based on the individual values found in the liver tissue of each infant of the selected group, this value is considered a standard control value for APP mRNA ²⁰ or protein. Any liver tissue sample that contains a similar amount of APP mRNA or protein can thus be used as a standard control sample.

VI. Kits

The invention also provides kits for detecting APP mRNA or protein, especially in a liver sample taken from an infant, according to the method of the present invention for the purpose of detecting the presence of BA, assessing the risk 30 of later developing BA, or assessing likelihood of a successful BA treatment (such as the Kasai operation) outcome. The kits typically include a first container that contains a first container containing at least one, possibly more, reagent for detecting expression level of APP and a second container 35 containing a composition having a standard control level of APP expression (or a standard control sample). The one or more reagents in the first container may be used for measuring APP mRNA level, such as oligonucleotide primers useful for RT-PCR and/or oligonucleotide probe(s) for spe-40 cific hybridization with an APP-specific polynucleotide sequence. Other possible reagents may include the necessary enzyme(s) and buffer(s) for performing assays to detect APP mRNA such as RT-PCR or nucleotide hybridization.

For the purpose of determining the APP protein level in a diver sample, the one or more reagents contained in the first container may be those useful for immunoassays capable of specifically detecting and quantifying APP level as a protein, such as ELISA or western blot analysis. One useful reagent is an anti-APP antibody, which may be a polyclonal antibody or a monoclonal antibody capable of specific binding to APP. Further included may be a secondary antibody, for example, an antibody against the anti-APP antibody, preferably conjugated with a detectable label.

In addition, the kit may further include informational 55 material containing instructions for a user on how to use the kit for performing an assay and determining whether increased APP mRNA or protein is present in a patient sample.

EXAMPLES

The following examples are provided by way of illustration only and not by way of limitation. Those of skill in the art will readily recognize a variety of non-critical parameters 65 that could be changed or modified to yield essentially the same or similar results.

14

Example 1: Amyloid Precursor Protein Expression in Biliary Atresia

This study reveals, for the first time, the specific expression of amyloid precursor protein and/or its processed forms in the bile duct of livers in patients suffering from biliary atresia (BA). This discovery allows one to devise new and reliable diagnostic methods for early detection of BA as well as for predicting the therapeutic outcome of BA treatment such as Kasai operation.

Introduction

Biliary atresia (BA [OMIM 210500]) is characterized by progressive fibro-obliterative cholangiopathy (disease of the bile duct) affecting both the intra- and extra-hepatic bile ducts and resulting in obstructive bile flow, cholestasis, and jaundice in neonates. BA occurs in some infants two to six weeks after birth, and symptoms of BA are usually evident between two and six weeks after birth, in that babies with BA develop progressive cholestasis, a condition in which the liver is unable to excrete bilirubin through the bile ducts in the form of bile. Bilirubin builds up inside of liver and begins to accumulate in the blood, causing symptoms including yellowing of the skin, itchiness, poor absorption of nutrients, pale stools, dark urine, and a swollen abdomen.

The differential diagnosis of BA allows for identification of patients suffering from BA as opposed to other disorders such as neonatal cholestasis (NC) like neonatal hepatitis (NH), paucity of interlobular bile ducts (PILBD), progressive familial intrahepatic cholestasis (PFIC), and various metabolic diseases like galactosemia and a-1 antitrypsin deficiency. The most important objective in such cases is to distinguish obstructive cholestasis from non-obstructive causes. The diagnosis of BA, particularly distinguishing it from other causes of liver injury in the neonatal period, is challenging as there is a high degree of overlap in clinical, biochemical, imaging, and histological characteristics of BA and other causes of NC.

Without surgical treatment (Kasai operation) to re-establish the bile drainage from microscopic residual bile ductules within the liver, progressive hepatic fibrosis leads to cirrhosis, portal vein hypertension, liver failure and death by the age of two (1, 2). However, postsurgical complications, including cholangitis (50%) and portal hypertension (>60%), remain a problem (3-7). Furthermore, regardless of drainage after successful surgery, patients will often develop inflammation and sclerosis of the biliary tree, leading to secondary biliary cirrhosis. To these patients and those who failed the surgical intervention, liver transplantation becomes the only treatment option. Indeed, BA has been the most common indication for liver transplantation during childhood for the past 20 years. Due to liver graft scarcity, many patients die before transplantation.

Urgently, there exists a distinct need to address the following problems: first, diagnosis of BA needs to be improved, in particular at early stages of the disease. The optimal age for Kasai operation is 60-75 days; delayed in diagnosis and surgery will lead to poor outcome. In fact, early diagnosis allows the family and surgeon for better planning of disease management. Second, despite the same Kasai operation, the outcome can vary from patient to patient, suggesting the existence of subsets of patient but there are no reliable markers for prognosis to guide stratified treatments for optimal outcomes. Third, regardless of drainage after Kasai operation, patients will often develop bile duct inflammation and sclerosis, leading to secondary biliary cirrhosis. To these patients and those who failed surgery, liver transplantation is the only option. For those BA patients

who are predicted to have poor outcome after Kasai operation may be selected to undergo liver transplantation as the treatment from the start without first undergoing Kasai operation. There is an urgent need to find new and effective therapies that ameliorate BA.

15

Materials and Methods

Liver Tissues

Control liver: "Quasi-normal" human liver tissues were obtained from non-tumour margin of hepatoblastoma (HB). BA liver: Liver biopsies of BA patients taken during Kasai operation or at transplantation. All tissues were obtained during operations with full informed consent from parents or patients, and the study was approved by Hong Kong West Cluster-Hong Kong University Cluster Research Ethics Committee/Institutional Review Board (UW 16-052). Antibodies

Anti-β-Amyloid (4G8; Biolegend) reacts to precursor forms, as well as abnormally processed isoforms of amyloid precursor protein. Anti-CK19 (ab52625; abcam) reacts to human cytokeratin 19.

Liver Biopsies

Wedge biopsies (50×50 mm) were obtained from nonsyndromic BA patients during laparoscopic cholangiography, hepatoblastoma (HB)).

RNA Sequencing of Liver Tissues

Total RNAs were prepared from 30 mg of control livers (HB; n=2) and BA livers (n=4) using RNeasy Mini Kit (Qiagen) following manufacturer's protocol. Reverse transcription, amplification of 50 ng total RNA of each liver samples, and library construction were performed using single cell RNA-seq technology (Smart-seq 2.0) with minor modifications (8). Qualities of the pre-amplified products of normal and BA livers were confirmed to be optimal by Bioanalyzer. Library construction was performed using Nextera XT Kit following manufacturer's protocol. Libraries were pooled and sequenced by pair ends of 100 base pairs (PE100) on illumina HiSeq 2500 System.

Immuno-Fluorescence Staining

Tissues were fixed in 4% paraformaldehyde (w/v) in PBS (phosphate-buffered saline, pH 7.2) for 48 h at 4° C., dehydrated in graded series of alcohol, cleared in xylene before being embedded in paraffin. Sections (8 μm in thickness) were prepared, mounted onto TESPA-coated microscope glass. Sections were dewaxed in xylene, hydrated in a graded series of alcohol and finally in distilled water. Antigen was retrieved by two steps: (i) incubating in 70% Formic acid for 10 minutes and washing in water; (ii) incubating in 10 mM sodium citrate buffer (pH 6.0) at 95°

16

C. for 10 min and washing in water. After blocking in PBS-T (PBS with 0.1% Triton) supplemented with 1% Bovine Serum Albumin for 1 h at room temperature, sections were incubated with anti-β-Amyloid (4G8, 1:200; Biolegend) and anti-CK19 (ab52625, 1:250; abcam) diluted in PBS-T/BSA for overnight at 4° C. After washing in PBS-T, sections were incubated with appropriate fluorescent tagged secondary antibodies in PBS-T/BSA at 37° C. for 1 h. After PBS-T washings, sections were mounted in Dapi-containing antifade mounting fluid. Images were taken with Nikon Eclipse 80i microscope mounted with SPOT RT3 microscope digital camera under fluorescence illumination. Photos were compiled using Adobe Photoshop 7. Results

Transcriptome Analysis of Normal and BA Liver by RNAseq

The RNA-seq reads were first subjected to quality check using FastQC version 0.11.1. Further the adapter contamination and low-quality regions were filtered using Cutadapt version 1.8.3 with the parameter -q=33 and retained only reads with length≥30. The percentage of high quality bases in the filtered raw reads were greater than 90% for all the samples, with the quality score cut-off=20. Subsequently, sequencing reads were filtered for rRNA sequence by aligning to human rRNA sequences using Bowtie 2 (default parameters). The remaining reads were mapped to the reference genome. The transcriptome mapping/alignment and identification of exon-exon splice junctions with the human genome reference (GRCh38, downloaded from Ensembl database) was done by using TopHat version 2.0.10 (default parameters). All the samples had an overall alignment of >80% with human reference. Counting of aligned reads per gene were done using HTSeq version 0.9.1 for further differential expression analysis. The counts for each gene per samples were presented as table in DESeq2 to accurately detect significant differentially expressed genes across the conditions. Visualization was done using R and Bioconductor (FIG. 5c?).

Principal component analysis (PCA) of liver biopsies revealed the following observations:

- Normal liver and BA liver displayed distinctive molecular signatures.
- The two normal liver controls showed differences among themselves, which may indicate the genetic differences between the patients or the tissue stages during isolation.
- Three of the BA livers were clustering very closely to each other while the other patient showed enormous difference, which may indicate progression of disease.

TABLE 1

Pathways involvement of the 1558 differentially expressed genes	
Integrin signalling pathway (P00034)	28
Gonadotropin-releasing hormone receptor pathway (P06664)	25
Inflammation mediated by chemokine and cytokine signaling pathway (P00031)	21
CCKR signaling map (P06959)	20
Wnt signaling pathway (P00057)	17
Angiogenesis (P00005)	12
PDGF signaling pathway (P00047)	12
Apoptosis signaling pathway (P00006)	11
Nicotinic acetylcholine receptor signaling pathway (P00044)	10
Huntington disease (P00029)	9
Alzheimer disease-presenilin pathway (P00004)	8
Heterotrimeric G-protein signaling pathway-Gq alpha and Go alpha mediated pathway	8
(P00027)	
Heterotrimeric G-protein signaling pathway-Gi alpha and Gs alpha mediated pathway	8
(P00026)	
Parkinson disease (P00049)	7

Pathways involvement of the 1558 differentially expressed genes	
Interleukin signaling pathway (P00036)	7
EGF receptor signaling pathway (P00018)	7
T cell activation (P00053) TGF-beta signaling pathway (P00052)	6 6
FGF signaling pathway (P00021)	6
FAS signaling pathway (P00020)	6
Cadherin signaling pathway (P00012)	6
B cell activation (P00010)	6
Axon guidance mediated by Slit/Robo (P00008) Toll receptor signaling pathway (P00054)	5 5
Oxidative stress response (P00046)	5
Muscarinic acetylcholine receptor 1 and 3 signaling pathway (P00042)	5
Insulin/IGF pathway-protein kinase B signaling cascade (P00033)	5
Insulin/IGF pathway-mitogen activated protein kinase kinase/MAP kinase cascade (P00032)	5
Dopamine receptor mediated signaling pathway (P05912)	5
Pyrimidine Metabolism (P02771)	5
Endothelin signaling pathway (P00019)	5
Blood coagulation (P00011) Adrenaline and noradrenaline biosynthesis (P00001)	5 4
De novo purine biosynthesis (P02738)	4
PI3 kinase pathway (P00048)	4
Notch signaling pathway (P00045)	4
Muscarinic acetylcholine receptor 2 and 4 signaling pathway (P00043)	4
Nicotine degradation (P05914) 5-Hydroxytryptamine degredation (P04372)	4 4
Axon guidance mediated by semaphorins (P00007)	3
Alpha adrenergic receptor signaling pathway (P00002)	3
Ubiquitin proteasome pathway (P00060)	3
p53 pathway (P00059)	3
Formyltetrahydroformate biosynthesis (P02743) Plasminogen activating cascade (P00050)	3 3
Synaptic vesicle trafficking (P05734)	3
Metabotropic glutamate receptor group III pathway (P00039)	3
Ionotropic glutamate receptor pathway (P00037)	3
Thyrotropin-releasing hormone receptor signaling pathway (P04394)	3
2-arachidonoylglycerol biosynthesis (P05726) Serine glycine biosynthesis (P02776)	3
Nicotine pharmacodynamics pathway (P06587)	3
Cytoskeletal regulation by Rho GTPase (P00016)	3
Purine metabolism (P02769)	3
5HT2 type receptor mediated signaling pathway (P04374)	3
Axon guidance mediated by netrin (P00009) Pyridoxal-5-phosphate biosynthesis (P02759)	2
Alzheimer disease-amyloid secretase pathway (P00003)	2
Heme biosynthesis (P02746)	2
VEGF signaling pathway (P00056)	2
Tetrahydrofolate biosynthesis (P02742)	2
De novo pyrimidine ribonucleotides biosythesis (P02740)	2 2 2 2 2 2
Androgen/estrogene/progesterone biosynthesis (P02727) JAK/STAT signaling pathway (P00038)	2
Vitamin B6 metabolism (P02787)	2
p53 pathway by glucose deprivation (P04397)	
Hypoxia response via HIF activation (P00030)	2
Vitamin D metabolism and pathway (P04396)	2
Ras Pathway (P04393) Oxytocin receptor mediated signaling pathway (P04391)	2
p38 MAPK pathway (P05918)	2
Hedgehog signaling pathway (P00025)	2 2 2 2
Glycolysis (P00024)	2
General transcription by RNA polymerase I (P00022)	2
Pyruvate metabolism (P02772)	2
Histamine H1 receptor mediated signaling pathway (P04385) Cortocotropin releasing factor receptor signaling pathway (P04380)	2 2
Circadian clock system (P00015)	2
5HT4 type receptor mediated signaling pathway (P04376)	2
5HT3 type receptor mediated signaling pathway (P04375)	2
5HT1 type receptor mediated signaling pathway (P04373)	2
Toll pathway-drosophila (P06217)	1
SCW signaling pathway (P06216) GBB signaling pathway (P06214)	1 1
DPP signaling pathway (P06213)	1
DPP-SCW signaling pathway (P06212)	1
BMP/activin signaling pathway-drosophila (P06211)	1
N-acetylglucosamine metabolism (P02756)	1
Methylmalonyl pathway (P02755) Methionine biosynthesis (P02753)	1 1
Leucine biosynthesis (P02749)	1
(x vm / 12)	•

Pathways involvement of the 1558 differentially expressed genes	
Isoleucine biosynthesis (P02748)	1
mRNA splicing (P00058)	1
Histidine biosynthesis (P02747)	1
Transcription regulation by bZIP transcription factor (P00055)	1
Fructose galactose metabolism (P02744)	1
De novo pyrimidine deoxyribonucleotide biosynthesis (P02739)	1
Metabotropic glutamate receptor group I pathway (P00041)	1
Asparagine and aspartate biosynthesis (P02730)	1
Metabotropic glutamate receptor group Il pathway (P00040)	1
GABA-B receptor Il signaling (P05731)	1
Alanine biosynthesis (P02724)	1
Interferon-gamma signaling pathway (P00035)	1
Adenine and hypoxanthine salvage pathway (P02723)	1
p53 pathway feedback loops 2 (P04398)	1
Valine biosynthesis (P02785)	1
Threonine biosynthesis (P02781)	1
P53 pathway feedback loops 1 (P04392)	1
Bupropion degradation (P05729)	1
Heterotrimeric G-protein signaling pathway-rod outer segment phototransduction	1
(P00028)	
Opioid proopiomelanocortin pathway (P05917)	1
Sulfate assimilation (P02778)	1
Opioid prodynorphin pathway (P05916)	1
Succinate to proprionate conversion (P02777)	1
Opioid proenkephalin pathway (P05915)	1
General transcription regulation (P00023)	1
Salvage pyrimidine ribonucleotides (P02775)	1
Salvage pyrimidine deoxyribonucleotides (P02774)	1
Angiotensin II-stimulated signaling through G proteins and beta-arrestin (P05911)	1
Pyridoxal phosphate salvage pathway (P02770)	1
DNA replication (P00017)	1
Cholesterol biosynthesis (P00014)	1
Beta3 adrenergic receptor signaling pathway (P04379)	1
Beta2 adrenergic receptor signaling pathway (P04378)	1
Beta1 adrenergic receptor signaling pathway (P04377)	1

TABLE 2

List of amyloid pathwa	y genes being differentially expressed		
Gene id	\log_2 Fold Change		
A2M	-1.13		
ADAM9	1.53		
APBB3	0.98		
APH1B	2.06		
APOL1	-1.66		
ATP2A3	1.89		
CAPN1	1.13		
FAS	-1.98		
FSTL1	0.96		
ITPR3	2.22		
LPL	2.74		
MMP19	3.21		
MMP2	2.76		
MMP7	5.75		
NDUFA6	-1.57		
NDUFB1	-0.78		
NDUFB3	-0.75		
NDUFV3	-0.86		
NOTCH3	2.66		
TCF3	1.34		
TTR	-2.11		

Genes Involved in Amyloid Precursor Protein (APP) Metabolism were Differentially Expressed in BA Liver Pathway analysis for differentially expressed genes 65

Pathway analysis for differentially expressed genes (1558) were done using PANTHER (website: www.pantherdb.org/), KEGG Mapper (https://www.genome.jp/kegg/

mapper.html), DAVID (website: david.ncifcrf.gov/) and also from literatures. Among the list of pathways (Table 1), apart from hormonal and metabolic pathways, few disease related pathways were observed. Alzheimer disease presenilin and amyloid secretase pathway genes (10 nos.) were observed from panther pathways. KEGG pathway analysis also revealed few more genes to be involved in amyloid pathway genes from whole liver RNA-seq analysis. There were a total of 21 genes from total differentially expressed genes involved in amyloid pathway. The list of 21 genes along with log 2FoldChange are displayed in Table 2. Among which, MMP7 (Matrilysin, involved in amyloid-presenilin pathway) being the highest upregulated gene (log 2Fold-Change=5.752) among the total (1558) differentially expressed genes.

Expression of APP and its Processed Forms in BA Liver Immuno-fluorescence analysis for APP on liver sections of BA (n=18) and control (HB, n=5; CC, n=13; CS, n=2) patients revealed elevated expression of APP and/or its processed forms in the bile ducts of all the BA livers but not in all the control livers (FIG. 2).

All patents, patent applications, and other publications, including GenBank Accession Numbers or equivalent sequence identification numbers, cited in this application are incorporated by reference in the entirety of their contents for all purposes.

TABLE 3

APP transcrips final

Number of Ensembl_protein_id/ Fasta_Formatted_DNA_sequences_with_cufflinks_variants UniProt_id transcript_ids_and_corres-ponding_Ensembl_ids

1 ENSP00000284981

>TCONS 00180767 ENST00000346798 (SEQ ID NO: 1) GGTACCCACTGATGGTAATGCTGGCCTGCTGGCTGAACC CCAGATTGCCATGTTCTGTGGCAGACTGAACATGCACAT GAATGTCCAGAATGGGAAGTGGGATTCAGATCCATCAGG GACCAAAACCTGCATTGATACCAAGGAAGGCATCCTGCA GTATTGCCAAGAAGTCTACCCTGAACTGCAGATCACCAAT GTGGTAGAAGCCAACCAACCAGTGACCATCCAGAACTGG TGCAAGCGGGGCCGCAAGCAGTGCAAGACCCATCCCCA CTTTGTGATTCCCTACCGCTGCTTAGTTGGTGAGTTTGTA AGTGATGCCCTTCTCGTTCCTGACAAGTGCAAATTCTTAC ACCAGGAGAGGATGGATGTTTGCGAAACTCATCTTCACT GGCACACCGTCGCCAAAGAGACATGCAGTGAGAAGAGTA CCAACTTGCATGACTACGGCATGTTGCTGCCCTGCGGAA TTGACAAGTTCCGAGGGGTAGAGTTTGTGTGTTGCCCAC TGGCTGAAGAAAGTGACAATGTGGATTCTGCTGATGCGG AGGAGGATGACTCGGATGTCTGGTGGGGCGGAGCAGAC ACAGACTATGCAGATGGGAGTGAAGACAAAGTAGTAGAA GTAGCAGAGGAGGAAGAAGTGGCTGAGGTGGAAGAAGA AGAAGCCGATGATGACGAGGACGATGAGGATGGTGATGA GGTAGAGGAAGAGGCTGAGGAACCCTACGAAGAAGCCA CAGAGAGAACCACCAGCATTGCCACCACCACCACCACCA CCACAGAGTCTGTGGAAGAGGTGGTTCGAGAGGTGTGCT CTGAACAAGCCGAGACGGGGCCGTGCCGAGCAATGATC TCCCGCTGGTACTTTGATGTGACTGAAGGGAAGTGTGCC CCATTCTTTTACGGCGGATGTGGCGGCAACCGGAACAAC ${\tt TTTGACACAGAAGAGTACTGCATGGCCGTGTGTGGCAGC}$ $\tt GCCATGTCCCAAAGTTTACTCAAGACTACCCAGGAACCTC$ $\tt TTGCCCGAGATCCTGTTAAACTTCCTACAACAGCAGCCAG$ TACCCCTGATGCCGTTGACAAGTATCTCGAGACACCTGG GGATGAGAATGAACATGCCCATTTCCAGAAAGCCAAAGA ${\tt GAGGCTTGAGGCCAAGCACCGAGAGAGAATGTCCCAGG}$ TCATGAGAGAATGGGAAGAGGCAGAACGTCAAGCAAAGA ACTTGCCTAAAGCTGATAAGAAGGCAGTTATCCAGCATTT CCAGGAGAAAGTGGAATCTTTGGAACAGGAAGCAGCCAA CGAGAGACAGCAGCTGGTGGAGACACACATGGCCAGAG TGGAAGCCATGCTCAATGACCGCCGCCGCCTGGCCCTG GAGAACTACATCACCGCTCTGCAGGCTGTTCCTCCTCGG CCTCGTCACGTGTTCAATATGCTAAAGAAGTATGTCCGCG CAGAACAGAAGGACAGACACCCTAAAGCATTTCG AGCATGTGCGCATGGTGGATCCCAAGAAAGCCGCTCAGA TCCGGTCCCAGGTTATGACACACCTCCGTGTGATTTATGA GCGCATGAATCAGTCTCTCTCTCTCTCTACAACGTGCCT GCAGTGGCCGAGGAGATTCAGGATGAAGTTGATGAGCTG CTTCAGAAAGAGCAAAACTATTCAGATGACGTCTTGGCCA ACATGATTAGTGAACCAAGGATCAGTTACGGAAACGATG CTCTCATGCCATCTTTGACCGAAACGAAAACCACCGTGG AGCTCCTTCCCGTGAATGGAGAGTTCAGCCTGGACGATC TCCAGCCGTGGCATTCTTTTGGGGCTGACTCTGTGCCAG CCAACACAGAAAACGAAGTTGAGCCTGTTGATGCCCGCC CTGCTGCCGACCGAGGACTGACCACTCGACCAGGTTCTG GGTTGACAAATATCAAGACGGAGGAGATCTCTGAAGTGA AGATGGATGCAGAATTCCGACATGACTCAGGATATGAAG TTCATCATCAAAAATTGGTGTTCTTTGCAGAAGATGTGGG TTCAAACAAGGTGCAATCATTGGACTCATGGTGGGCGG TGTTGTCATAGCGACAGTGATCGTCATCACCTTGGTGATG CTGAAGAAGAACAGTACACATCCATTCATCATGGTGTGG TGGAGGTTGACGCCGCTGTCACCCCAGAGGAGCGCCAC CTGTCCAAGATGCAGCAGAACGGCTACGAAAATCCAACC TACAAGTTCTTTGAGCAGATGCAGAACTAGACCCCCGCC ACAGCAGCCTCTGAAGTTGGACAGCAAAACCATTGCTTC ACTACCCATCGGTGTCCATTTATAGAATAATGTGGGAAGA AACAAACCCGTTTTATGATTTACTCATTATCGCCTTTTGAC AGCTGTGCTGTAACACAAGTAGATGCCTGAACTTGAATTA ATCCACACATCAGTAATGTATTCTATCTCTCTTTTACATTTT GGTCTCTATACTACATTATTAATGGGTTTTGTGTACTGTAA AGAATTTAGCTGTATCAAACTAGTGCATGAATAGATTCTCT CCTGATTATTTATCACATAGCCCCTTAGCCAGTTGTATATT ATTCTTGTGGTTTGTGACCCAATTAAGTCCTACTTTACATA TGCTTTAAGAATCGATGGGGGGATGCTTCATGTGAACGTG ATCACTATGCATTTTAAAGTTAAACATTTTTAAGTATTTCA GATGCTTTAGAGAGATTTTTTTTCCATGACTGCATTTTACT ${\tt GTACAGATTGCTGCTTCTGCTATATTTGTGATATAGGAATT}$ AAGAGGATACACACGTTTGTTTCTTCGTGCCTGTTTTATG TGCACACATTAGGCATTGAGACTTCAAGCTTTTCTTTTTT

APP transcrips final

Number of Ensembl_protein_id/ Fasta_Formatted_DNA_sequences_with_cufflinks_variants UniProt_id transcript_ids_and_corres-ponding_Ensembl_ids

2 ENSP00000284981

>TCONS 00180768 ENST00000346798 (SEO ID NO: 2) ATTGAGTGAAGATTAAGACGGAGAAGATGGCGCCTCTGC AGTGCAGCAAAGAAAAGCTGTGTGGAGGCTGCAGCCTAG TGAAATCCACCCACCACTAGGTACCCACTGATGGTAATG CTGGCCTGCTGGCTGAACCCCAGATTGCCATGTTCTGTG GCAGACTGAACATGCACATGAATGTCCAGAATGGGAAGT GGGATTCAGATCCATCAGGGACCAAAACCTGCATTGATA CCAAGGAAGGCATCCTGCAGTATTGCCAAGAAGTCTACC CTGAACTGCAGATCACCAATGTGGTAGAAGCCAACCAAC CAGTGACCATCCAGAACTGGTGCAAGCGGGGCCGCAAG CAGTGCAAGACCCATCCCCACTTTGTGATTCCCTACCGCT GCTTAGTTGGTGAGTTTGTAAGTGATGCCCTTCTCGTTCC TGACAAGTGCAAATTCTTACACCAGGAGAGGATGGATGTT TGCGAAACTCATCTTCACTGGCACACCGTCGCCAAAGAG ACATGCAGTGAGAAGAGTACCAACTTGCATGACTACGGC ATGTTGCTGCCCTGCGGAATTGACAAGTTCCGAGGGGTA GAGTTTGTGTGTTGCCCACTGGCTGAAGAAGTGACAAT $\tt GTGGATTCTGCTGATGCGGAGGAGGATGACTCGGATGTC$ TGGTGGGGCGGAGCAGACACAGACTATGCAGATGGGAG TGAAGACAAAGTAGTAGAAGTAGCAGAGGAGGAAGAAGT GGCTGAGGTGGAAGAAGAAGAAGCCGATGATGACGAGG ACGATGAGGATGATGAGGTAGAGGAAGAGGCTGAG GAACCCTACGAAGAAGCCACAGAGAGAACCACCAGCATT GCCACCACCACCACCACAGAGTCTGTGGAAGAG $\tt GTGGTTCGAGAGGTGTGCTCTGAACAAGCCGAGACGGG$ GCCGTGCCGAGCAATGATCTCCCGCTGGTACTTTGATGT ${\tt GACTGAAGGGAAGTGTGCCCCATTCTTTACGGCGGATG}$ TGGCGGCAACCGGAACAACTTTGACACAGAAGAGTACTG ${\tt CATGGCCGTGTGTGGCAGCGCCATTCCTACAACAGCAGC}$ CAGTACCCCTGATGCCGTTGACAAGTATCTCGAGACACC TGGGGATGAGAATGAACATGCCCATTTCCAGAAAGCCAA ${\tt AGAGAGGCTTGAGGCCAAGCACCGAGAGAGAATGTCCC}$ AGGTCATGAGAGAATGGGAAGAGGCAGAACGTCAAGCAA AGAACTTGCCTAAAGCTGATAAGAAGGCAGTTATCCAGCA TTTCCAGGAGAAGTGGAATCTTTGGAACAGGAAGCAGC CAACGAGAGACAGCAGCTGGTGGAGACACACATGGCCA GAGTGGAAGCCATGCTCAATGACCGCCGCCGCCTGGCC CTGGAGAACTACATCACCGCTCTGCAGGCTGTTCCTCCT CGGCCTCGTCACGTGTTCAATATGCTAAAGAAGTATGTCC GCGCAGAACAGAAGGACAGACACCCTAAAGCATT TCGAGCATGTGCGCATGGTGGATCCCAAGAAAGCCGCTC AGATCCGGTCCCAGGTTATGACACACCTCCGTGTGATTTA TGAGCGCATGAATCAGTCTCTCTCCCTGCTCTACAACGTG CCTGCAGTGGCCGAGGAGATTCAGGATGAAGTTGATGAG CTGCTTCAGAAAGAGCAAAACTATTCAGATGACGTCTTGG CCAACATGATTAGTGAACCAAGGATCAGTTACGGAAACG ATGCTCTCATGCCATCTTTGACCGAAACGAAAACCACCGT GGAGCTCCTTCCCGTGAATGGAGAGTTCAGCCTGGACGA TCTCCAGCCGTGGCATTCTTTTGGGGCTGACTCTGTGCC AGCCAACACAGAAAACGAAGTTGAGCCTGTTGATGCCCG CCCTGCTGCCGACCGAGGACTGACCACTCGACCAGGTTC TGGGTTGACAAATATCAAGACGGAGGAGATCTCTGAAGT GAAGATGGATGCAGAATTCCGACATGACTCAGGATATGA AGTTCATCAAAAAATTGGTGTTCTTTGCAGAAGATGTG GGTTCAAACAAAGGTGCAATCATTGGACTCATGGTGGGC GGTGTTGTCATAGCGACAGTGATCGTCATCACCTTGGTG ATGCTGAAGAAGAAACAGTACACATCCATTCATCATGGTG TGGTGGAGGTTGACGCCGCTGTCACCCCAGAGGAGCGC CACCTGTCCAAGATGCAGCAGAACGGCTACGAAAATCCA ${\tt ACCTACAAGTTCTTTGAGCAGATGCAGAACTAGACCCCC}$ GCCACAGCAGCCTCTGAAGTTGGACAGCAAAACCATTGC ${\tt TTCACTACCCATCGGTGTCCATTTATAGAATAATGTGGGA}$

APP transcrips final

Number of Ensembl_protein_id/ Fasta_Formatted_DNA_sequences_with_cufflinks_variants UniProt_id transcript_ids_and_corres-ponding_Ensembl_ids

AGAAACAAACCCGTTTTATGATTTACTCATTATCGCCTTTT GACAGCTGTGCTGTAACACAAGTAGATGCCTGAACTTGA ATTAATCCACACATCAGTAATGTATTCTATCTCTCTTTACA TTTTGGTCTCTATACTACATTATTAATGGGTTTTGTGTACT GTAAAGAATTTAGCTGTATCAAACTAGTGCATGAATAGAT TCTCTCCTGATTATTTATCACATAGCCCCTTAGCCAGTTGT ATATTATTCTTGTGGTTTGTGACCCAATTAAGTCCTACTTT ACATATGCTTTAAGAATCGATGGGGGATGCTTCATGTGAA CGTGGGAGTTCAGCTGCTTCTCTTTGCCTAAGTATTCCTTT CCTGATCACTATGCATTTTAAAGTTAAACATTTTTAAGTAT TTCAGATGCTTTAGAGAGATTTTTTTTCCATGACTGCATTT TACTGTACAGATTGCTGCTTCTGCTATATTTGTGATATAG GAATTAAGAGGATACACACGTTTGTTTCTTCGTGCCTGTT TTATGTGCACACATTAGGCATTGAGACTTCAAGCTTTTCTT TTTTTGTCCACGTATCTTTGGGTCTTTGATAAAGAAAAGAA AGGGGTGCTCTGCTGGTCTTCAATTACCAAGAATTCTCCA AAACAATTTTCTGCAGGATGATTGTACAGAATCATTGCTTA TGACATGATCGCTTTCTACACTGTATTACATAAATAAATTA AATAAAATAACCCCGGGCAAGACTTTTCTTTGAAGGATGA CTACAGACATTAAATAATCGAAGTAATTTTGGGTGGGGAG AAGAGGCAGATTCAATTTTCTTTAACCAGTCTGAAGTTTC ATTTATGATACAAAAGAAGATGAAAATGGAAGTGGCAATA TAAGGGGATGAGGAAGGCATGCCTGGACAAACCCTTCTT TTAAGATGTGTCTTCAATTTGTATAAAATGGTGTTTTCATG TAAATAAATACATTCTTGGAGGAGCACCATTG

3 ENSP00000284981

>TCONS_00180769 | ENST00000346798 (SEQ ID NO: 3) CGCCGCGCTCGGGCTCCGTCAGTTTCCTCGGCAGCGGT AGGCGAGAGCACGCGGAGGAGCGTGCGCGGGGGCCCC $\tt GGGAGACGGCGGCGGTGGCGGCGGGCAGAGCAAGG$ ACGCGGCGGATCCCACTCGCACAGCAGCGCACTCGGTG CCCCGCGCAGGGTCGCGATGCTGCCCGGTTTGGCACTG CTCCTGCTGGCCGCCTGGACGCTCGGGCGCTGGAGGT CTACCCTGAACTGCAGATCACCAATGTGGTAGAAGCCAA CCAACCAGTGACCATCCAGAACTGGTGCAAGCGGGGCC GCAAGCAGTGCAAGACCCATCCCCACTTTGTGATTCCCT ACCGCTGCTTAGTTGGTGAGTTTGTAAGTGATGCCCTTCT CGTTCCTGACAAGTGCAAATTCTTACACCAGGAGAGGAT GGATGTTTGCGAAACTCATCTTCACTGGCACACCGTCGC CAAAGAGACATGCAGTGAGAAGAGTACCAACTTGCATGA $\tt CTACGGCATGTTGCTGCCCTGCGGAATTGACAAGTTCCG$ AGGGGTAGAGTTTGTGTGTTGCCCACTGGCTGAAGAAAG TGACAATGTGGATTCTGCTGATGCGGAGGAGGATGACTC $\tt GGATGTCTGGTGGGGCGGAGCAGACACAGACTATGCAG$ ATGGGAGTGAAGACAAAGTAGTAGAAGTAGCAGAGGAGG AAGAAGTGGCTGAGGTGGAAGAAGAAGAAGCCGATGATG ACGAGGACGATGAGGATGATGAGGTAGAGGAAGAG GCTGAGGAACCCTACGAAGAAGCCACAGAGAGAACCACC AGCATTGCCACCACCACCACCACCACAGAGTCTGTG GAAGAGGTGGTTCGAGAGGTGTGCTCTGAACAAGCCGA GACGGGGCCGTGCCGAGCAATGATCTCCCGCTGGTACTT TGATGTGACTGAAGGGAAGTGTGCCCCATTCTTTTACGG CGGATGTGGCGGCAACCGGAACAACTTTGACACAGAAGA GTACTGCATGGCCGTGTGTGGCAGCGCCATGTCCCAAAG TTTACTCAAGACTACCCAGGAACCTCTTGCCCGAGATCCT GTTAAACTTCCTACAACAGCAGCCAGTACCCCTGATGCC GTTGACAAGTATCTCGAGACACCTGGGGATGAGAATGAA CATGCCCATTTCCAGAAAGCCAAAGAGAGGCTTGAGGCC AAGCACCGAGAGAATGTCCCAGCCTCGTCACGTGTTC AATATGCTAAAGAAGTATGTCCGCGCAGAACAGAAGGAC AGACAGCACCCTAAAGCATTTCGAGCATGTGCGCATG GTGGATCCCAAGAAAGCCGCTCAGATCCGGTCCCAGGTT ATGACACACCTCCGTGTGATTTATGAGCGCATGAATCAGT CTCTCTCCCTGCTCTACAACGTGCCTGCAGTGGCCGAGG AGATTCAGGATGAAGTTGATGAGCTGCTTCAGAAAGAGC AAAACTATTCAGATGACGTCTTGGCCAACATGATTAGTGA ACCAAGGATCAGTTACGGAAACGATGCTCTCATGCCATCT TTGACCGAAACGAAAACCACCGTGGAGCTCCTTCCCGTG AATGGAGAGTTCAGCCTGGACGATCTCCAGCCGTGGCAT TCTTTTGGGGCTGACTCTGTGCCAGCCAACACAGAAAAC GAAGTTGAGCCTGTTGATGCCCGCCCTGCTGCCGACCGA $\tt GGACTGACCACTCGACCAGGTTCTGGGTTGACAAATATC$ AAGACGGAGGAGATCTCTGAAGTGAAGATGGATGCAGAA TTCCGACATGACTCAGGATATGAAGTTCATCATCAAAAAT

APP transcrips final

Number of Ensembl_protein_id/ Fasta_Formatted_DNA_sequences_with_cufflinks_variants UniProt_id transcript_ids_and_corres-ponding_Ensembl_ids

TGGTGTTCTTTGCAGAAGATGTGGGTTCAAACAAAGGTG CAATCATTGGACTCATGGTGGGCGGTGTTGTCATAGCGA CAGTGATCGTCATCACCTTGGTGATGCTGAAGAAGAAAC AGTACACATCCATTCATCATGGTGTGGTGGAGGTTGACG CCGCTGTCACCCCAGAGGAGCGCCACCTGTCCAAGATG CAGCAGAACGGCTACGAAAATCCAACCTACAAGTTCTTTG AGCAGATGCAGAACTAGACCCCCGCCACAGCAGCCTCTG AAGTTGGACAGCAAAACCATTGCTTCACTACCCATCGGTG TCCATTTATAGAATAATGTGGGAAGAACAAACCCGTTTT ATGATTTACTCATTATCGCCTTTTGACAGCTGTGCTGTAA CACAAGTAGATGCCTGAACTTGAATTAATCCACACATCAG TAATGTATTCTATCTCTTTTACATTTTGGTCTCTATACTAC ATTATTAATGGGTTTTGTGTACTGTAAAGAATTTAGCTGTA ACATAGCCCCTTAGCCAGTTGTATATTATTCTTGTGGTTT GTGACCCAATTAAGTCCTACTTTACATATGCTTTAAGAATC GATGGGGGATGCTTCATGTGAACGTGGGAGTTCAGCTGC TTCTCTTGCCTAAGTATTCCTTTCCTGATCACTATGCATTT TAAAGTTAAACATTTTTAAGTATTTCAGATGCTTTAGAGAG ATTTTTTTCCATGACTGCATTTTACTGTACAGATTGCTGC TTCTGCTATATTTGTGATATAGGAATTAAGAGGATACACA CGTTTGTTTCTTCGTGCCTGTTTTATGTGCACACATTAGG CATTGAGACTTCAAGCTTTTCTTTTTTTTTTCCACGTATCTT TGGGTCTTTGATAAAGAAAAGAATCCCTGTTCATTGTAAG TCTTCAATTACCAAGAATTCTCCAAAACAATTTTCTGCAGG ATGATTGTACAGAATCATTGCTTATGACATGATCGCTTTCT ACACTGTATTACATAAATAAATTAAATAAAATAACCCCGGG CAAGACTTTTCTTTGAAGGATGACTACAGACATTAAATAAT CGAAGTAATTTTGGGTGGGGAGAAGAGGCAGATTCAATT TTCTTTAACCAGTCTGAAGTTTCATTTATGATACAAAAGAA GATGAAAATGGAAGTGGCAATATAAGGGGATGAGGAAGG CATGCCTGGACAAACCCTTCTTTTAAGATGTGTCTTCAAT TTGTATAAAATGGTGTTTTCATGTAAATAAATACATTCTTG GAGGAGCACCATTG

4 ENSP00000284981

>TCONS 00180771 ENST00000346798 (SEQ ID NO: 4) CGCCGCGCTCGGCTCAGTTTCCTCGGCAGCGGT AGGCGAGAGCACGCGGAGGAGCGTGCGCGGGGGCCCC GGGAGACGGCGGCGGTGGCGGCGCGGGCAGAGCAAGG ACGCGGCGGATCCCACTCGCACAGCAGCGCACTCGGTG CCCCGCGCAGGGTCGCGATGCTGCCCGGTTTGGCACTG CTCCTGCTGGCCGCCTGGACGCTCGGGCGCTGGAGGT ACCCACTGATGGTAATGCTGGCCTGCTGGCTGAACCCCA ${\tt GATTGCCATGTTCTGTGGCAGACTGAACATGCACATGAAT}$ GTCCAGAATGGGAAGTGGGATTCAGATCCATCAGGGACC AAAACCTGCATTGATACCAAGGAAGGCATCCTGCAGTATT GCCAAGAAGTCTACCCTGAACTGCAGATCACCAATGTGG TAGAAGCCAACCAGCGTGACCATCCAGAACTGGTGCA AGCGGGGCCGCAAGCAGTGCAAGACCCATCCCCACTTT GTGATTCCCTACCGCTGCTTAGTTGGTGAGTTTGTAAGTG ATGCCCTTCTCGTTCCTGACAAGTGCAAATTCTTACACCA GGAGAGGATGTTTGCGAAACTCATCTTCACTGGCA CACCGTCGCCAAAGAGACATGCAGTGAGAAGAGTACCAA CTTGCATGACTACGGCATGTTGCTGCCCTGCGGAATTGA CAAGTTCCGAGGGGTAGAGTTTGTGTGTTGCCCACTGGC TGAAGAAGTGACAATGTGGATTCTGCTGATGCGGAGGA GGATGACTCGGATGTCTGGTGGGGCGGAGCAGACACAG ACTATGCAGATGGGAGTGAAGACAAAGTAGTAGAAGTAG CAGAGGAGGAAGAAGTGGCTGAGGTGGAAGAAGAAGAA GCCGATGATGACGAGGACGATGAGGATGGTGATGAGGT AGAGGAAGAGCCTGAGGAACCCTACGAAGAAGCCACAG AGAGAACCACCAGCATTGCCACCACCACCACCACCACCA CAGAGTCTGTGGAAGAGGTGGTTCGAGAGGTGTGCTCTG AACAAGCCGAGACGGGGCCGTGCCGAGCAATGATCTCC CGCTGGTACTTTGATGTGACTGAAGGGAAGTGTGCCCCA TTCTTTTACGGCGGATGTGGCGGCAACCGGAACAACTTT GACACAGAAGAGTACTGCATGGCCGTGTGTGGCAGCGC CATTCCTACAACAGCAGCCAGTACCCCTGATGCCGTTGA CAAGTATCTCGAGACACCTGGGGATGAGAATGAACATGC CCATTTCCAGAAAGCCAAAGAGAGGCTTGAGGCCAAGCA CCGAGAGAGAATGTCCCAGGTCATGAGAGAATGGGAAGA GGCAGAACGTCAAGCAAAGAACTTGCCTAAAGCTGATAA GAAGGCAGTTATCCAGCATTTCCAGGAGAAAGTGGAATC TTTGGAACAGGAAGCAGCCAACGAGAGACAGCAGCTGGT

APP transcrips final

Number of Ensembl_protein_id/ Fasta_Formatted_DNA_sequences_with_cufflinks_variants UniProt_id transcript_ids_and_corres-ponding_Ensembl_ids

GGAGACACATGGCCAGAGTGGAAGCCATGCTCAATGA CCGCCGCCTGGCCCTGGAGAACTACATCACCGCTCT ${\tt GCAGGCTGTTCCTCCTCGGCCTCGTCACGTGTTCAATAT}$ GCTAAAGAAGTATGTCCGCGCAGAACAGAAGGACAGACA GCACACCCTAAAGCATTTCGAGCATGTGCGCATGGTGGA TCCCAAGAAAGCCGCTCAGATCCGGTCCCAGGTTATGAC ACACCTCCGTGTGATTTATGAGCGCATGAATCAGTCTCTC TCCCTGCTCTACAACGTGCCTGCAGTGGCCGAGGAGATT CAGGATGAAGTTGATGAGCTGCTTCAGAAAGAGCAAAAC TATTCAGATGACGTCTTGGCCAACATGATTAGTGAACCAA GGATCAGTTACGGAAACGATGCTCTCATGCCATCTTTGAC CGAAACGAAAACCACCGTGGAGCTCCTTCCCGTGAATGG AGAGTTCAGCCTGGACGATCTCCAGCCGTGGCATTCTTT TGGGGCTGACTCTGTGCCAGCCAACACAGAAAACGAAGG TTCTGGGTTGACAAATATCAAGACGGAGGAGATCTCTGAA GTGAAGATGGATGCAGAATTCCGACATGACTCAGGATAT GAAGTTCATCAACAAAATTGGTGTTCTTTGCAGAAGATG TGGGTTCAAACAAAGGTGCAATCATTGGACTCATGGTGG GCGGTGTTGTCATAGCGACAGTGATCGTCATCACCTTGG TGATGCTGAAGAAGAACAGTACACATCCATTCATCATGG TGTGGTGGAGGTTGACGCCGCTGTCACCCCAGAGGAGC GCCACCTGTCCAAGATGCAGCAGAACGGCTACGAAAATC CAACCTACAAGTTCTTTGAGCAGATGCAGAACTAGACCCC CGCCACAGCAGCCTCTGAAGTTGGACAGCAAAACCATTG CTTCACTACCCATCGGTGTCCATTTATAGAATAATGTGGG AAGAAACAAACCCGTTTTATGATTTACTCATTATCGCCTTT TGACAGCTGTGCTGTAACACAAGTAGATGCCTGAACTTGA ATTAATCCACACATCAGTAATGTATTCTATCTCTCTTTACA TTTTGGTCTCTATACTACATTATTAATGGGTTTTGTGTACT GTAAAGAATTTAGCTGTATCAAACTAGTGCATGAATAGAT TCTCTCCTGATTATTTATCACATAGCCCCTTAGCCAGTTGT ATATTATTCTTGTGGTTTGTGACCCAATTAAGTCCTACTTT ACATATGCTTTAAGAATCGATGGGGGATGCTTCATGTGAA CGTGGGAGTTCAGCTGCTTCTCTTTGCCTAAGTATTCCTTT CCTGATCACTATGCATTTTAAAGTTAAACATTTTTAAGTAT TTCAGATGCTTTAGAGAGATTTTTTTTCCATGACTGCATTT TACTGTACAGATTGCTGCTTCTGCTATATTTGTGATATAG GAATTAAGAGGATACACACGTTTGTTTCTTCGTGCCTGTT TTATGTGCACACATTAGGCATTGAGACTTCAAGCTTTTCTT TTTTTGTCCACGTATCTTTGGGTCTTTGATAAAGAAAAGAA TCCCTGTTCATTGTAAGCACTTTTACGGGGGGGGGTGGGG ${\tt AGGGGTGCTCTGCTGGTCTTCAATTACCAAGAATTCTCCA}$ AAACAATTTTCTGCAGGATGATTGTACAGAATCATTGCTTA TGACATGATCGCTTTCTACACTGTATTACATAAATAAATTA AATAAAATAACCCCGGGCAAGACTTTTCTTTGAAGGATGA CTACAGACATTAAATAATCGAAGTAATTTTGGGTGGGGAG ${\tt AAGAGGCAGATTCAATTTTCTTTAACCAGTCTGAAGTTTC}$ ATTTATGATACAAAAGAAGATGAAAATGGAAGTGGCAATA TAAGGGGATGAGGAAGGCATGCCTGGACAAACCCTTCTT TTAAGATGTGTCTTCAATTTGTATAAAATGGTGTTTTCATG TAAATAAATACATTCTTGGAGGAGCACCATTG

ENSP00000284981

>TCONS 00180772 | ENST00000346798 (SEQ ID NO: 5) CGCCGCGCTCGGGCTCCGTCAGTTTCCTCGGCAGCGGT AGGCGAGAGCACGCGGAGGAGCGTGCGCGGGGGCCCC GGGAGACGGCGGCGGTGGCGCGCGCGGCAGAGCAAGG ACGCGGCGGATCCCACTCGCACAGCAGCGCACTCGGTG CCCCGCGCAGGGTCGCGATGCTGCCCGGTTTGGCACTG CTCCTGCTGGCCGCCTGGACGCTCGGGCGCTGGAGGT ACCCACTGATGGTAATGCTGGCCTGCTGGCTGAACCCCA GATTGCCATGTTCTGTGGCAGACTGAACATGCACATGAAT GTCCAGAATGGGAAGTGGGATTCAGATCCATCAGGGACC AAAACCTGCATTGATACCAAGGAAGGCATCCTGCAGTATT GCCAAGAAGTCTACCCTGAACTGCAGATCACCAATGTGG TAGAAGCCAACCAACCAGTGACCATCCAGAACTGGTGCA AGCGGGGCCGCAAGCAGTGCAAGACCCATCCCCACTTT GTGATTCCCTACCGCTGCTTAGTTGGTGAGTTTGTAAGTG ATGCCCTTCTCGTTCCTGACAAGTGCAAATTCTTACACCA GGAGAGGATGGATGTTTGCGAAACTCATCTTCACTGGCA CACCGTCGCCAAAGAGACATGCAGTGAGAAGAGTACCAA CTTGCATGACTACGGCATGTTGCTGCCCTGCGGAATTGA ${\tt CAAGTTCCGAGGGGTAGAGTTTGTGTGTTGCCCACTGGC}$ TGAAGAAAGTGACAATGTGGATTCTGCTGATGCGGAGGA GGATGACTCGGATGTCTGGTGGGGCGGAGCAGACACAG ACTATGCAGATGGGAGTGAAGACAAAGTAGTAGAAGTAG

APP transcrips final

Number of Ensembl_protein_id/ Fasta_Formatted_DNA_sequences_with_cufflinks_variants UniProt_id transcript_ids_and_corres-ponding_Ensembl_ids

CAGAGGAGGAAGAAGTGGCTGAGGTGGAAGAAGAAGAA GCCGATGATGACGAGGACGATGAGGATGGTGATGAGGT AGAGGAAGAGCCTACGAAGAAGCCACAG AGAGAACCACCAGCATTGCCACCACCACCACCACCA CAGAGTCTGTGGAAGAGGTGGTTCGAGAGGTGTGCTCTG AACAAGCCGAGACGGGGCCGTGCCGAGCAATGATCTCC CGCTGGTACTTTGATGTGACTGAAGGGAAGTGTGCCCCA TTCTTTTACGGCGGATGTGGCGGCAACCGGAACAACTTT GACACAGAAGAGTACTGCATGGCCGTGTGTGGCAGCGC CATGTCCCAAAGTTTACTCAAGACTACCCAGGAACCTCTT GCCCGAGATCCTGTTAAACTTCCTACAACAGCAGCCAGT ACCCCTGATGCCGTTGACAAGTATCTCGAGACACCTGGG GATGAGAATGAACATGCCCATTTCCAGAAAGCCAAAGAG AGGCTTGAGGCCAAGCACCGAGAGAAATGTCCCAGGT CATGAGAGAATGGGAAGAGGCAGAACGTCAAGCAAAGAA CTTGCCTAAAGCTGATAAGAAGGCAGTTATCCAGCATTTC CAGGAGAAAGTGGAATCTTTGGAACAGGAAGCAGCCAAC GAGAGACAGCAGCTGGTGGAGACACACATGGCCAGAGT GGAAGCCATGCTCAATGACCGCCGCCGCCTGGCCCTGG AGAACTACATCACCGCTCTGCAGGCTGTTCCTCCTCGGC CTCGTCACGTGTTCAATATGCTAAAGAAGTATGTCCGCGC AGAACAGAAGGACAGACAGCACCCTAAAGCATTTOGA GCATGTGCGCATGGTGGATCCCAAGAAAGCCGCTCAGAT CCGGTCCCAGGTTATGACACACCTCCGTGTGATTTATGA GCGCATGAATCAGTCTCTCTCCCTGCTCTACAACGTGCCT GCAGTGGCCGAGGAGATTCAGGATGAAGTTGATGAGCTG CTTCAGAAAGAGCAAAACTATTCAGATGACGTCTTGGCCA ACATGATTAGTGAACCAAGGATCAGTTACGGAAACGATG CTCTCATGCCATCTTTGACCGAAACGAAAACCACCGTGG AGCTCCTTCCCGTGAATGGAGAGTTCAGCCTGGACGATC TCCAGCCGTGGCATTCTTTTGGGGCTGACTCTGTGCCAG CCAACACAGAAAACGAAGGTTCTGGGTTGACAAATATCAA ${\tt GACGGAGGAGATCTCTGAAGTGAAGATGGATGCAGAATT}$ CCGACATGACTCAGGATATGAAGTTCATCATCAAAAATTG GTGTTCTTTGCAGAAGATGTGGGTTCAAACAAAGGTGCAA TCATTGGACTCATGGTGGGCGGTGTTGTCATAGCGACAG TGATCGTCATCACCTTGGTGATGCTGAAGAAGAAACAGTA CACATCCATTCATCATGGTGTGGTGGAGGTTGACGCCGC TGTCACCCCAGAGGAGCGCCACCTGTCCAAGATGCAGCA GAACGGCTACGAAAATCCAACCTACAAGTTCTTTGAGCAG ATGCAGAACTAGACCCCCGCCACAGCAGCCTCTGAAGTT GGACAGCAAAACCATTGCTTCACTACCCATCGGTGTCCAT TTATAGAATAATGTGGGAAGAAACAAACCCGTTTTATGAT TTACTCATTATCGCCTTTTGACAGCTGTGCTGTAACACAA ${\tt GTAGATGCCTGAACTTGAATTAATCCACACATCAGTAATG}$ TATTCTATCTCTTTTACATTTTGGTCTCTATACTACATTAT TAATGGGTTTTGTGTACTGTAAAGAATTTAGCTGTATCAAA CTAGTGCATGAATAGATTCTCTCCTGATTATTTATCACATA $\tt GCCCCTTAGCCAGTTGTATATTATTCTTGTGGTTTGTGAC$ CCAATTAAGTCCTACTTTACATATGCTTTAAGAATCGATGG GGGATGCTTCATGTGAACGTGGGAGTTCAGCTGCTTCTC TTGCCTAAGTATTCCTTTCCTGATCACTATGCATTTTAAAG TTAAACATTTTTAAGTATTTCAGATGCTTTAGAGAGATTTT TAAATAAAATAACCCCGGGCAAGACTTTTCTTTGAAGGAT GACTACAGACATTAAATAATCGAAGTAATTTTGGGTGGGG AGAAGAGGCAGATTCAATTTTCTTTAACCAGTCTGAAGTT TCATTTATGATACAAAAGAAGATGAAAATGGAAGTGGCAA TATAAGGGGATGAGGAAGGCATGCCTGGACAAACCCTTC TTTTAAGATGTGTCTTCAATTTGTATAAAATGGTGTTTTCA TGTAAATAAATACATTCTTGGAGGAGCACCATTG

ENSP00000284981

APP transcrips final

Number of Ensembl_protein_id/ Fasta_Formatted_DNA_sequences_with_cufflinks_variants UniProt_id transcript_ids_and_corres-ponding_Ensembl_ids

AAACTCATCTTCACTGGCACACCGTCGCCAAAGAGACAT GCAGTGAGAAGAGTACCAACTTGCATGACTACGGCATGT TGCTGCCCTGCGGAATTGACAAGTTCCGAGGGGTAGAGT TTGTGTGTTGCCCACTGGCTGAAGAAGTGACAATGTGG ATTCTGCTGATGCGGAGGAGGATGACTCGGATGTCTGGT GGGGCGGAGCAGACAGACTATGCAGATGGGAGTGAA GACAAAGTAGTAGAAGTAGCAGAGGAGGAAGAAGTGGCT GAGGTGGAAGAAGAAGCCGATGATGACGAGGACGA TGAGGATGGTGATGAGGTAGAGGAAGAGGCTGAGGAAC CCTACGAAGAAGCCACAGAGAGAACCACCAGCATTGCCA CCACCACCACCACCACAGAGTCTGTGGAAGAGGTGG TTCGAGAGGTGTGCTCTGAACAAGCCGAGACGGGGCCG TGCCGAGCAATGATCTCCCGCTGGTACTTTGATGTGACT GAAGGGAAGTGTGCCCCATTCTTTTACGGCGGATGTGGC GGCAACCGGAACAACTTTGACACAGAAGAGTACTGCATG GCCGTGTGTGGCAGCGCCATGTCCCAAAGTTTACTCAAG ACTACCCAGGAACCTCTTGCCCGAGATCCTGTTAAACTTC CTACAACAGCAGCCAGTACCCCTGATGCCGTTGACAAGT ATCTCGAGACACCTGGGGATGAGAATGAACATGCCCATT TCCAGAAAGCCAAAGAGAGGCTTGAGGCCAAGCACCGA GAGAGAATGTCCCAGGTCATGAGAGAATGGGAAGAGGCA GAACGTCAAGCAAAGAACTTGCCTAAAGCTGATAAGAAG GCAGTTATCCAGCATTTCCAGGAGAAAGTGGAATCTTTGG AACAGGAAGCAGCCAACGAGAGACAGCAGCTGGTGGAG ACACACATGGCCAGAGTGGAAGCCATGCTCAATGACCGC CGCCGCCTGGCCCTGGAGAACTACATCACCGCTCTGCAG ${\tt GCTGTTCCTCGGCCTCGTCACGTGTTCAATATGCTAA}$ AGAAGTATGTCCGCGCAGAACAGAAGGACAGACAGCACA CCCTAAAGCATTTCGAGCATGTGCGCATGGTGGATCCCA AGAAAGCCGCTCAGATCCGGTCCCAGGTTATGACACACC TCCGTGTGATTTATGAGCGCATGAATCAGTCTCTCTCCCT GCTCTACAACGTGCCTGCAGTGGCCGAGGAGATTCAGGA TGAAGTTGATGAGCTGCTTCAGAAAGAGCAAAACTATTCA ${\tt GATGACGTCTTGGCCAACATGATTAGTGAACCAAGGATC}$ AGTTACGGAAACGATGCTCTCATGCCATCTTTGACCGAAA CGAAAACCACCGTGGAGCTCCTTCCCGTGAATGGAGAGT TCAGCCTGGACGATCTCCAGCCGTGGCATTCTTTTGGGG CTGACTCTGTGCCAGCCAACACAGAAAACGAAGTTGAGC CTGTTGATGCCCGCCCTGCTGCCGACCGAGGACTGACCA CTCGACCAGGTTCTGGGTTGACAAATATCAAGACGGAGG AGATCTCTGAAGTGAAGATGGATGCAGAATTCCGACATG ACTCAGGATATGAAGTTCATCATCAAAAATTGGTGTTCTTT GCAGAAGATGTGGGTTCAAACAAAGGTGCAATCATTGGA CTCATGGTGGCGGTGTTGTCATAGCGACAGTGATCGTC ATCACCTTGGTGATGCTGAAGAAGAAACAGTACACATCCA TTCATCATGGTGTGGTGGAGGTTGACGCCGCTGTCACCC CAGAGGAGCGCCACCTGTCCAAGATGCAGCAGAACGGC TACGAAAATCCAACCTACAAGTTCTTTGAGCAGATGCAGA ACTAGACCCCGCCACAGCAGCCTCTGAAGTTGGACAGC AAAACCATTGCTTCACTACCCATCGGTGTCCATTTATAGA ATAATGTGGGAAGAAACAAACCCGTTTTATGATTTACTCA TTATCGCCTTTTGACAGCTGTGCTGTAACACAAGTAGATG CCTGAACTTGAATTAATCCACACATCAGTAATGTATTCTAT CTCTCTTTACATTTTGGTCTCTATACTACATTATTAATGGG TTTTGTGTACTGTAAAGAATTTAGCTGTATCAAACTAGTGC ATGAATAGATTCTCTCCTGATTATTTATCACATAGCCCCTT AGCCAGTTGTATATTATTCTTGTGGTTTGTGACCCAATTAA $\tt GTCCTACTTTACATATGCTTTAAGAATCGATGGGGGATGC$ TTCATGTGAACGTGGGAGTTCAGCTGCTTCTCTTGCCTAA GTATTCCTTTCCTGATCACTATGCATTTTAAAGTTAAACAT TTTTAAGTATTTCAGATGCTTTAGAGAGATTTTTTTTCCAT GACTGCATTTTACTGTACAGATTGCTGCTTCTGCTATATTT $\tt GTGATATAGGAATTAAGAGGATACACACGTTTGTTTCTTC$ GTGCCTGTTTTATGTGCACACATTAGGCATTGAGACTTCA AGCTTTTCTTTTTTTGTCCACGTATCTTTGGGTCTTTGATA AAGAAAAGAATCCCTGTTCATTGTAAGCACTTTTACGGGG CGGGTGGGGAGGGTGCTCTGCTGGTCTTCAATTACCAA GAATTCTCCAAAACAATTTTCTGCAGGATGATTGTACAGA ${\tt ATCATTGCTTATGACATGATCGCTTTCTACACTGTATTACA}$ TAAATAAATTAAATAAAATAACCCCGGGCAAGACTTTTCTT TGAAGGATGACTACAGACATTAAATAATCGAAGTAATTTT $\tt GGGTGGGGAGAAGAGGCAGATTCAATTTTCTTTAACCAG$ TCTGAAGTTTCATTTATGATACAAAAGAAGATGAAAATGG AAGTGGCAATATAAGGGGATGAGGAAGGCATGCCTGGAC

APP transcrips final

Number of Ensembl_protein_id/ Fasta_Formatted_DNA_sequences_with_cufflinks_variants UniProt_id transcript_ids_and_corres-ponding_Ensembl_ids

AAACCCTTCTTTTAAGATGTGTCTTCAATTTGTATAAAATG GTGTTTTCATGTAAATAAATACATTCTTGGAGGAGCA

7 ENSP00000345463

>TCONS 00180775 ENST00000348990 (SEQ ID NO: 7) AGTTTCCTCGGCAGCGGTAGGCGAGAGCACGCGGAGGA GCGTGCGCGGGGGCCCCCGGGAGACGGCGGCGGTGGCG GCGCGGCAGAGCAAGGACGCGGCGGATCCCACTCGCA CAGCAGCGCACTCGGTGCCCCGCGCAGGGTCGCGATGC TGCCCGGTTTGGCACTGCTCCTGCTGGCCGCCTGGACG GCTCGGGCGCTGGAGGTACCCACTGATGGTAATGCTGG CCTGCTGGCTGAACCCCAGATTGCCATGTTCTGTGGCAG ACTGAACATGCACATGAATGTCCAGAATGGGAAGTGGGA TTCAGATCCATCAGGGACCAAAACCTGCATTGATACCAAG GAAGGCATCCTGCAGTATTGCCAAGAAGTCTACCCTGAA CTGCAGATCACCAATGTGGTAGAAGCCAACCAACCAGTG ACCATCCAGAACTGGTGCAAGCGGGGCCGCAAGCAGTG CAAGACCCATCCCCACTTTGTGATTCCCTACCGCTGCTTA GTTGGTGAGTTTGTAAGTGATGCCCTTCTCGTTCCTGACA AGTGCAAATTCTTACACCAGGAGAGGATGGATGTTTGCG AAACTCATCTTCACTGGCACACCGTCGCCAAAGAGACAT GCAGTGAGAAGAGTACCAACTTGCATGACTACGGCATGT TGCTGCCCTGCGGAATTGACAAGTTCCGAGGGGTAGAGT TTGTGTGTTGCCCACTGGCTGAAGAAGTGACAATGTGG ATTCTGCTGATGCGGAGGAGGATGACTCGGATGTCTGGT GGGGCGGAGCAGACACAGACTATGCAGATGGGAGTGAA GACAAAGTAGTAGAAGTAGCAGAGGAGGAAGAAGTGGCT $\tt GAGGTGGAAGAAGAAGACCGATGATGACGAGGACGA$ TGAGGATGGTGATGAGGTAGAGGAAGAGGCTGAGGAAC CCTACGAAGAAGCCACAGAGAGAACCACCAGCATTGCCA CCACCACCACCACCACAGAGTCTGTGGAAGAGGTGG TTCGAGTTCCTACAACAGCAGCCAGTACCCCTGATGCCG TTGACAAGTATCTCGAGACACCTGGGGATGAGAATGAAC ATGCCCATTTCCAGAAAGCCAAAGAGAGGCTTGAGGCCA ${\tt AGCACCGAGAGAGAATGTCCCAGGTCATGAGAGAATGGG}$ AAGAGGCAGAACGTCAAGCAAAGAACTTGCCTAAAGCTG ATAAGAAGGCAGTTATCCAGCATTTCCAGGAGAAAGTGG AATCTTTGGAACAGGAAGCAGCCAACGAGAGACAGCAGC TGGTGGAGACACACATGGCCAGAGTGGAAGCCATGCTCA ATGACCGCCGCCTGGCCCTGGAGAACTACATCACC ${\tt GCTCTGCAGGCTGTTCCTCCTCGGCCTCGTCACGTGTTC}$ AATATGCTAAAGAAGTATGTCCGCGCAGAACAGAAGGAC AGACAGCACCCTAAAGCATTTCGAGCATGTGCGCATG GTGGATCCCAAGAAAGCCGCTCAGATCCGGTCCCAGGTT ATGACACCTCCGTGTGATTTATGAGCGCATGAATCAGT $\tt CTCTCTCCCTGCTCTACAACGTGCCTGCAGTGGCCGAGG$ AGATTCAGGATGAAGTTGATGAGCTGCTTCAGAAAGAGC AAAACTATTCAGATGACGTCTTGGCCAACATGATTAGTGA ACCAAGGATCAGTTACGGAAACGATGCTCTCATGCCATCT TTGACCGAAACGAAAACCACCGTGGAGCTCCTTCCCGTG AATGGAGAGTTCAGCCTGGACGATCTCCAGCCGTGGCAT TCTTTTGGGGCTGACTCTGTGCCAGCCAACACAGAAAAC GAAGTTGAGCCTGTTGATGCCCGCCCTGCTGCCGACCGA GGACTGACCACTCGACCAGGTTCTGGGTTGACAAATATC AAGACGGAGGAGATCTCTGAAGTGAAGATGGATGCAGAA TTCCGACATGACTCAGGATATGAAGTTCATCATCAAAAAT TGGTGTTCTTTGCAGAAGATGTGGGTTCAAACAAAGGTG CAATCATTGGACTCATGGTGGGCGGTGTTGTCATAGCGA CAGTGATCGTCATCACCTTGGTGATGCTGAAGAAGAAAC AGTACACATCCATTCATCATGGTGTGGTGGAGGTTGACG CCGCTGTCACCCCAGAGGAGCGCCACCTGTCCAAGATG CAGCAGAACGGCTACGAAAATCCAACCTACAAGTTCTTTG AGCAGATGCAGAACTAGACCCCCGCCACAGCAGCCTCTG AAGTTGGACAGCAAAACCATTGCTTCACTACCCATCGGTG TCCATTTATAGAATAATGTGGGAAGAAACAAACCCGTTTT ATGATTTACTCATTATCGCCTTTTGACAGCTGTGCTGTAA CACAAGTAGATGCCTGAACTTGAATTAATCCACACATCAG TAATGTATTCTATCTCTCTTTTACATTTTGGTCTCTATACTAC ATTATTAATGGGTTTTGTGTACTGTAAAGAATTTAGCTGTA ${\tt ACATAGCCCCTTAGCCAGTTGTATATTATTCTTGTGGTTT}$ $\tt GTGACCCAATTAAGTCCTACTTTACATATGCTTTAAGAATC$ GATGGGGGATGCTTCATGTGAACGTGGGAGTTCAGCTGC TTCTCTTGCCTAAGTATTCCTTTCCTGATCACTATGCATTT TAAAGTTAAACATTTTTAAGTATTTCAGATGCTTTAGAGAG ATTTTTTTCCATGACTGCATTTTACTGTACAGATTGCTGC

APP transcrips final

Number of Ensembl_protein_id/ Fasta_Formatted_DNA_sequences_with_cufflinks_variants UniProt_id transcript_ids_and_corres-ponding_Ensembl_ids

8 ENSP00000346129

>TCONS 00180774 ENST00000354192 (SEO ID NO: 8) GCGAGAGCACGCGGAGGAGCGTGCGCGGGGGCCCCGG GAGACGCCGCGGTGGCGCGCGCGGCAGAGCAAGGAC GCGGCGGATCCCACTCGCACAGCAGCGCACTCGGTGCC CCGCGCAGGGTCGCGATGCTGCCCGGTTTGGCACTGCT CCTGCTGGCCGCCTGGACGGCTCGGGCGCTGGAGGTCT ACCCTGAACTGCAGATCACCAATGTGGTAGAAGCCAACC AACCAGTGACCATCCAGAACTGGTGCAAGCGGGGCCGC AAGCAGTGCAAGACCCATCCCCACTTTGTGATTCCCTACC GCTGCTTAGTTGGTGAGTTTGTAAGTGATGCCCTTCTCGT TCCTGACAAGTGCAAATTCTTACACCAGGAGAGGATGGA TGTTTGCGAAACTCATCTTCACTGGCACACCGTCGCCAAA GAGACATGCAGTGAGAAGAGTACCAACTTGCATGACTAC GGCATGTTGCTGCCCTGCGGAATTGACAAGTTCCGAGGG $\tt GTAGAGTTTGTGTTTGCCCACTGGCTGAAGAAGTGAC$ AATGTGGATTCTGCTGATGCGGAGGAGGATGACTCGGAT $\tt GTCTGGTGGGGGGGAGCAGACACAGACTATGCAGATGG$ GAGTGAAGACAAAGTAGTAGAAGTAGCAGAGGAGGAAGA AGTGGCTGAGGTGGAAGAAGAAGAAGCCGATGATGACG AGGACGATGAGGTGATGAGGTAGAGGAAGAGGCT GAGGAACCCTACGAAGAAGCCACAGAGAGAACCACCAG CATTGCCACCACCACCACCACCACAGAGTCTGTGGA AGAGGTGGTTCGAGTTCCTACAACAGCAGCCAGTACCCC TGATGCCGTTGACAAGTATCTCGAGACACCTGGGGATGA GAATGAACATGCCCATTTCCAGAAAGCCAAAGAGAGGCT TGAGGCCAAGCACCGAGAGAGAATGTCCCAGGTCATGAG AGAATGGGAAGAGCAGAACGTCAAGCAAAGAACTTGCC TAAAGCTGATAAGAAGGCAGTTATCCAGCATTTCCAGGAG ${\tt AAAGTGGAATCTTTGGAACAGGAAGCAGCCAACGAGAGA}$ CAGCAGCTGGTGGAGACACACATGGCCAGAGTGGAAGC CATGCTCAATGACCGCCGCCGCCTGGCCCTGGAGAACTA CATCACCGCTCTGCAGGCTGTTCCTCCTCGGCCTCGTCA CGTGTTCAATATGCTAAAGAAGTATGTCCGCGCAGAACA GAAGGACAGCACACCCTAAAGCATTTCGAGCATGT GCGCATGGTGGATCCCAAGAAAGCCGCTCAGATCCGGTC CCAGGTTATGACACACCTCCGTGTGATTTATGAGCGCAT GAATCAGTCTCTCCCTGCTCTACAACGTGCCTGCAGT GGCCGAGGAGATTCAGGATGAAGTTGATGAGCTGCTTCA GAAAGAGCAAAACTATTCAGATGACGTCTTGGCCAACATG ATTAGTGAACCAAGGATCAGTTACGGAAACGATGCTCTCA TGCCATCTTTGACCGAAACGAAAACCACCGTGGAGCTCC TTCCCGTGAATGGAGAGTTCAGCCTGGACGATCTCCAGC CGTGGCATTCTTTTGGGGCTGACTCTGTGCCAGCCAACA CAGAAAACGAAGTTGAGCCTGTTGATGCCCGCCCTGCTG CCGACCGAGGACTGACCACTCGACCAGGTTCTGGGTTGA CAAATATCAAGACGGAGGAGATCTCTGAAGTGAAGATGG ATGCAGAATTCCGACATGACTCAGGATATGAAGTTCATCA TCAAAAATTGGTGTTCTTTGCAGAAGATGTGGGTTCAAAC AAAGGTGCAATCATTGGACTCATGGTGGGCGGTGTTGTC ATAGCGACAGTGATCGTCATCACCTTGGTGATGCTGAAG AAGAAACAGTACACATCCATTCATCATGGTGTGGTGGAG GTTGACGCCGCTGTCACCCCAGAGGAGCGCCACCTGTC CAAGATGCAGCAGAACGGCTACGAAAATCCAACCTACAA GTTCTTTGAGCAGATGCAGAACTAGACCCCCGCCACAGC ${\tt AGCCTCTGAAGTTGGACAGCAAAACCATTGCTTCACTACC}$ CATCGGTGTCCATTTATAGAATAATGTGGGAAGAAACAAA $\tt CCCGTTTTATGATTTACTCATTATCGCCTTTTGACAGCTGT$ GCTGTAACACAAGTAGATGCCTGAACTTGAATTAATCCAC ACATCAGTAATGTATTCTATCTCTCTTTTACATTTTGGTCTC

APP transcrips final

Number of Ensembl_protein_id/ Fasta_Formatted_DNA_sequences_with_cufflinks_variants UniProt_id transcript_ids_and_corres-ponding_Ensembl_ids

TATACTACATTATTAATGGGTTTTGTGTACTGTAAAGAATT TAGCTGTATCAAACTAGTGCATGAATAGATTCTCTCCTGA TTATTTATCACATAGCCCCTTAGCCAGTTGTATATTATTCT TGTGGTTTGTGACCCAATTAAGTCCTACTTTACATATGCTT TAAGAATCGATGGGGGATGCTTCATGTGAACGTGGGAGT TCAGCTGCTTCTCTTGCCTAAGTATTCCTTTCCTGATCACT ATGCATTTTAAAGTTAAACATTTTTAAGTATTTCAGATGCT TTAGAGAGATTTTTTTTCCATGACTGCATTTTACTGTACAG ATTGCTGCTTCTGCTATATTTGTGATATAGGAATTAAGAG GATACACACGTTTGTTTCTTCGTGCCTGTTTTATGTGCAC ACATTAGGCATTGAGACTTCAAGCTTTTCTTTTTTTTTCCA CGTATCTTTGGGTCTTTGATAAAGAAAAGAATCCCTGTTC TCTGCTGGTCTTCAATTACCAAGAATTCTCCAAAACAATTT TCTGCAGGATGATTGTACAGAATCATTGCTTATGACATGA TCGCTTTCTACACTGTATTACATAAATAAATTAAATAAAAT AACCCCGGGCAAGACTTTTCTTTGAAGGATGACTACAGA CATTAAATAATCGAAGTAATTTTGGGTGGGGAGAAGAGG CAGATTCAATTTTCTTTAACCAGTCTGAAGTTTCATTTATG ATACAAAAGAAGATGAAAATGGAAGTGGCAATATAAGGG GATGAGGAAGGCATGCCTGGACAAACCCTTCTTTTAAGAT GTGTCTTCAATTTGTATAAAATGGTGTTTTCATGTAAATAA ATACATTCTTGGAGGAGCA

9 ENSP00000350578

>TCONS 00180776 ENST00000357903 SEQ ID NO: 9) CGCCGCGCTCGGGCTCCGTCAGTTTCCTCGGCAGCGGT $\tt AGGCGAGAGCACGCGGAGGAGCGTGCGCGGGGGCCCCC$ GGGAGACGGCGGCGGTGGCGCGCGCGGCAGAGCAAGG ${\tt ACGCGGCGGATCCCACTCGCACAGCAGCGCACTCGGTG}$ CCCCGCGCAGGGTCGCGATGCTGCCCGGTTTGGCACTG $\tt CTCCTGCTGGCCGCCTGGACGCTCGGGCGCTGGAGGT$ ACCCACTGATGGTAATGCTGGCCTGCTGGCTGAACCCCA GATTGCCATGTTCTGTGGCAGACTGAACATGCACATGAAT GTCCAGAATGGGAAGTGGGATTCAGATCCATCAGGGACC AAAACCTGCATTGATACCAAGGAAGGCATCCTGCAGTATT GCCAAGAAGTCTACCCTGAACTGCAGATCACCAATGTGG TAGAAGCCAACCAACCAGTGACCATCCAGAACTGGTGCA AGCGGGGCCGCAAGCAGTGCAAGACCCATCCCCACTTT GTGATTCCCTACCGCTGCTTAGTTGGTGAGTTTGTAAGTG ${\tt ATGCCCTTCTCGTTCCTGACAAGTGCAAATTCTTACACCA}$ GGAGAGGATGGATGTTTGCGAAACTCATCTTCACTGGCA CACCGTCGCCAAAGAGACATGCAGTGAGAAGAGTACCAA CTTGCATGACTACGGCATGTTGCTGCCCTGCGGAATTGA CAAGTTCCGAGGGGTAGAGTTTGTGTGTTGCCCACTGGC TGAAGAAAGTGACAATGTGGATTCTGCTGATGCGGAGGA $\tt GGATGACTCGGATGTCTGGTGGGGCGGAGCAGACACAG$ ACTATGCAGATGGGAGTGAAGACAAAGTAGTAGAAGTAG CAGAGGAGGAAGAAGTGGCTGAGGTGGAAGAAGAAGAA GCCGATGATGACGAGGACGATGAGGATGGTGATGAGGT AGAGGAAGAGCCTGAGGAACCCTACGAAGAAGCCACAG AGAGAACCACCAGCATTGCCACCACCACCACCACCA CAGAGTCTGTGGAAGAGGTGGTTCGAGAGGTGTGCTCTG AACAAGCCGAGACGGGGCCGTGCCGAGCAATGATCTCC CGCTGGTACTTTGATGTGACTGAAGGGAAGTGTGCCCCA TTCTTTTACGGCGGATGTGGCGGCAACCGGAACAACTTT GACACAGAAGAGTACTGCATGGCCGTGTGTGGCAGCGC CATTCCTACAACAGCAGCCAGTACCCCTGATGCCGTTGA CAAGTATCTCGAGACACCTGGGGATGAGAATGAACATGC CCATTTCCAGAAAGCCAAAGAGAGGCTTGAGGCCAAGCA CCGAGAGAGAATGTCCCAGGTCATGAGAGAATGGGAAGA GGCAGAACGTCAAGCAAAGAACTTGCCTAAAGCTGATAA GAAGGCAGTTATCCAGCATTTCCAGGAGAAAGTGGAATC TTTGGAACAGGAAGCAGCCAACGAGAGACAGCAGCTGGT GGAGACACACATGGCCAGAGTGGAAGCCATGCTCAATGA CCGCCGCCTGGCCCTGGAGAACTACATCACCGCTCT GCAGGCTGTTCCTCCTCGGCCTCGTCACGTGTTCAATAT GCTAAAGAAGTATGTCCGCGCAGAACAGAAGGACAGACA GCACACCCTAAAGCATTTCGAGCATGTGCGCATGGTGGA TCCCAAGAAGCCGCTCAGATCCGGTCCCAGGTTATGAC ${\tt ACACCTCCGTGTGATTTATGAGCGCATGAATCAGTCTCTC}$ TCCCTGCTCTACAACGTGCCTGCAGTGGCCGAGGAGATT CAGGATGAAGTTGATGAGCTGCTTCAGAAAGAGCAAAAC TATTCAGATGACGTCTTGGCCAACATGATTAGTGAACCAA GGATCAGTTACGGAAACGATGCTCTCATGCCATCTTTGAC CGAAACGAAAACCACCGTGGAGCTCCTTCCCGTGAATGG

APP transcrips final

Number of Ensembl_protein_id/ Fasta_Formatted_DNA_sequences_with_cufflinks_variants UniProt_id transcript_ids_and_corres-ponding_Ensembl_ids

AGAGTTCAGCCTGGACGATCTCCAGCCGTGGCATTCTTT TGGGGCTGACTCTGTGCCAGCCAACACAGAAAACGAAGT TGAGCCTGTTGATGCCCGCCCTGCTGCCGACCGAGGACT GACCACTCGACCAGGTTCTGGGTTGACAAATATCAAGAC GGAGGAGATCTCTGAAGTGAAGATGGATGCAGAATTCCG ACATGACTCAGGATATGAAGTTCATCAAAAAATTGGTG TTCTTTGCAGAAGATGTGGGTTCAAACAAAGGTGCAATCA TTGGACTCATGGTGGGCGGTGTTGTCATAGCGACAGTGA TCGTCATCACCTTGGTGATGCTGAAGAAGAAACAGTACAC ATCCATTCATCATGGTGTGGTGGAGGTTGACGCCGCTGT CACCCCAGAGGAGCGCCACCTGTCCAAGATGCAGCAGA ACGGCTACGAAAATCCAACCTACAAGTTCTTTGAGCAGAT GCAGAACTAGACCCCCGCCACAGCAGCCTCTGAAGTTGG ACAGCAAAACCATTGCTTCACTACCCATCGGTGTCCATTT ATAGAATAATGTGGGAAGAAACAAACCCGTTTTATGATTT ACTCATTATCGCCTTTTGACAGCTGTGCTGTAACACAAGT AGATGCCTGAACTTGAATTAATCCACACATCAGTAATGTA TTCTATCTCTCTTTACATTTTGGTCTCTATACTACATTATTA ATGGGTTTTGTGTACTGTAAAGAATTTAGCTGTATCAAACT AGTGCATGAATAGATTCTCTCCTGATTATTTATCACATAGC CCCTTAGCCAGTTGTATATTATTCTTGTGGTTTGTGACCC AATTAAGTCCTACTTTACATATGCTTTAAGAATCGATGGG GGATGCTTCATGTGAACGTGGGAGTTCAGCTGCTTCTCTT GCCTAAGTATTCCTTTCCTGATCACTATGCATTTTAAAGTT AAACATTTTTAAGTATTTCAGATGCTTTAGAGAGATTTTTT TTCCATGACTGCATTTTACTGTACAGATTGCTGCTTCTGCT ${\tt ATATTTGTGATATAGGAATTAAGAGGATACACACGTTTGTT}$ TCTTCGTGCCTGTTTTATGTGCACACATTAGGCATTGAGA CTTCAAGCTTTTCTTTTTTTGTCCACGTATCTTTGGGTCTT TGATAAAGAAAAGAATCCCTGTTCATTGTAAGCACTTTTAC $\tt GGGGGGGTGGGGAGGGGTGCTCTGCTGGTCTTCAATT$ ACCAAGAATTCTCCAAAACAATTTTCTGCAGGATGATTGT ACAGAATCATTGCTTATGACATGATCGCTTTCTACACTGT ATTACATAAATAAATTAAATAAAATAACCCCGGGCAAGACT TTTCTTTGAAGGATGACTACAGACATTAAATAATCGAAGTA ATTTTGGGTGGGGAGAAGAGGCAGATTCAATTTTCTTTAA CCAGTCTGAAGTTTCATTTATGATACAAAAGAAGATGAAA ATGGAAGTGGCAATATAAGGGGATGAGGAAGGCATGCCT GGACAAACCCTTCTTTTAAGATGTGTCTTCAATTTGTATAA ${\tt AATGGTGTTTTCATGTAAATAAATACATTCTTGGAGGAGC}$

10 ENSP00000350578

>TCONS 00179143 | ENST00000357903 CTTTATCACTTTACTATGCAATTTTTATGACTATGCTTAAG ${\tt GAGAGTAAATTTTTCGAAGTTATTGAGGCAATGGAGAGTC}$ TTTGGAATGAGGATAATTAGGCCTGAGGACACAGAGGAA TCATGAGGAAGAATTCTCCAGTTTCATTCCTTTTTCTGGG TACAGTTTGTTTCTCCTTCTAAGTAAGTTCCTAGATATAGA ATGAATTGGAAAAATGAAACGTGAGGTTTGCTACGTCTA TAACAGTATCACATTTCATTTTTTAAAACTGCCAATGCTTT CAGTGAGGACCAGAAAGTACAGTGAGAAAAAAAATTCCT ${\tt CAAATATTAGTTTTCATGCTCTTGCACGCATTTTTATAAAG}$ GCAAAAGTCATTCTGGTGCCTGTATACAATCTAAAGGCAT AATCTCCTGGAGCCTTCAGTGCTGGTTTTTGGGGTTTTCTG GAGATCAATCCACAGTGTCCCATTTTTTCTGCTGGAGCTC TGAACCCACTAAGAGAGAGCAAGAAGAGATGTAAACCTC TCCTTTGCTTCTGATAAAGCCAAGCCCTTACTAGTCCACA TGATGCTTTCTCTGGGGAGTGAGTCACATACAGGAGACA TGGCTTGTCCAGCTGCGTGCTGGACTGAATTTCAGCTCC AACCTGAACCTTCCAACAGGACAAGGGAGGAGGAGAAT

11 ENSP00000350578

>TCONS_00179153 | ENST00000357903 (SEQ_ID_NO: 11) GTGTGTACCCCTAAACCCAGCTTATTATTTTTTTGACTTTT TGTAGAAACAGGGTCTCCCCATGTTGCCCAGGCTGGTCT TAAACTCCTGGGCTCAAATGATCCTCCTGGCTCAGCCTCC CATAGGGCTAGGATTACAGGTGTGAGCCACCATGCCTGG CCTTTTATACTGTTTATTCCCTTTAGATACAGTTAATGGAC ATTAATAAGCAGTTTATGCCAATCCCTTTTCATAGCTAATA AGAAGTCTTATCTTGGATAAATAAAACCTAGCCACACTAATG CTGCCACACCCAAATAAACTCTCTATGCATCTGAACTTCT TGAGGTTAATAATAATCAC CACTTTGGAAGTGAACACCCAGAATAAACCCACTAGAAATTCACATGGCCAG

APP transcrips final

Number of Ensembl_protein_id/ Fasta_Formatted_DNA_sequences_with_cufflinks_variants UniProt_id transcript_ids_and_corres-ponding_Ensembl_ids

TTTATAGATGGGGACTGGGGGAAGCAGGGAGGATCTCTG
CAATCCAGTAGTTAGGCTCTGCCAGAATGTATTTAGAGTT
GTCTCTAAATACATTCTGAGTCTCTGCTTCATTTTTTTTC
AATGAAAATGACAATGTCTGCTCATCCATGTTCAATGCAA
ATATAACAAGTTTCTAAGAATCCTTATATTTTTGTTATTGCA
TATAAGCATGAGTTTTAAAAACCTCTGAATGTTTAAAGGAT
CACCTGGGGGAATAAGAAAAATGCAGATCTCTGTAAGTC
CTGAGGTAGAGCCCAAGAATCTGTATTTTAACTAGAATTC
CTCTAAATTACTGTGCTCTCACTTGGCCCCAATTACACATTA
GGGACAATGATTTCAGGATGACAATCAGCCTTTTCCATC
CAAGGACTTAAAGCAGCTAAACCGAAGACACCGACAAAT
ACCAGATACTTTTCTCAGTCTCACTGGCTGATGGCACAAAA
GTGCAGAAGTCACCTAAGGGC

12 ENSP00000350578

>TCONS 00179154 | ENST00000357903 (SEO ID NO: 12) CATGAGGAACTCCTTGGGCCTTGACCATTTTTAGCACTTT CACAGTTTCTGATTTTGATCAAGCCACTTAATCACCCAGG ATTCTGAATCTGAAAACCAGGAGGGTTTAATTCCACTTTC ATGTTCCCTTGAGGAGCTGTTGGCAGCAGGATGAAGGCA $\tt GGTCCATACAGAACATGGGAAGGCAGGAAGCCAG$ CTTTTCCTTTCACATCAAAGAGATCTAGAAAGCAAAACCT $\tt GTCTCACATTTGCATACAATATTAGACTTACATATGGATGC$ CATGTCTGTCAAAAGACAGGCTAATTAGGGCATTAGTTTC TTTAATGGTTGCGATTTAGTAATTCACAAATAGTCCCACTT AATTTTCATCCTATACCTAAAGGATCTACTTCACACTTGA AGTTTAAGAAGGCTTCTCCCTTAAGATAGAAAGAAGGCAT TCAAGTATCAAAATACTGGTTTCCTGCCAAAAAAATAAGGG ATGAGAAAAAGCAGACACTTAGCTTATCAATCAAAATGCT GGCAGGGAAAGACTACTGGATTACCAAGTTCATTCCCCT AGCCTGCACTGATTCCTCTTTTTCTCTAAAGTTTCTTATTT TTTCAGTTTTTCTCATGATACTGACATTGCCAACCAGCAG TCTGGAAACTGTTCAGGTTGATTCTTAGCAGAAAATCGAG GGGCTCTCCTGTTACTGTTAATATCCTTAAAACACTTAAAT TTGGTTAGTTTGCTTCAAGCATTCTCAGTATATTACAAAAA ATCAGCTACCCTAATGAACAGGAGGGGACAACAGCAAGG TATATTAGGAGCATCTCCTTCCTTTTTAATCAGAATTATAT TTGGAAGAAGAAAGCGGAGAATGTCTGACATTTTCACTGA TCGTTTAGGCTGATGGCTTAAACCATTTCCACCCAAGTTT CTTACAAGTTAGCATTTCCAGCCAACATTACCTACTGCAA TTTCTCTATAATCTTAAGGGTATTGAGCCCCCAAATGAGA GAGAGAAAAGAGATGTAAACTAAACAGGAGTCAGAGAAG GGGAAACTGAGTCTGTTGCACATCATTTACCCTTTAACAT GATTTTAAAGGTAATAATGCTTATAAAAATATTAGTAGTAG TAAGGGATATCAGGTGACAAGCAGAAGTGCCCCTCTCCA CAGATATGCCAGTGTATCTGTAGAAATACGGTGCTAAAAT TAGAAAAGACTGAACATTTTAATTTATTAGGTAGACCC

13 ENSP00000351796

>TCONS_00180770 | ENST00000358918 (SEQ $\overline{\text{ID}}$ NO: 13) CGCCGCGCTCGGCTCGGCTCGTCAGTTTCCTCGGCAGCGGT AGGCGAGAGCACGCGGAGGAGCGTGCGCGGGGGCCCC GGGAGACGGCGGCGGTGGCGGCGCGGGCAGAGCAAGG ACGCGGCGGATCCCACTCGCACAGCAGCGCACTCGGTG CCCCGCGCAGGGTCGCGATGCTGCCCGGTTTGGCACTG CTCCTGCTGGCCGCCTGGACGCCTCGGGCGCTCGGAGGT ACCCACTGATGGTAATGCTGGCCTGCTGGCTGAACCCCA GATTGCCATGTTCTGTGGCAGACTGAACATGCACATGAAT GTCCAGAATGGGAAGTGGGATTCAGATCCATCAGGGACC AAAACCTGCATTGATACCAAGGAAGGCATCCTGCAGTATT GCCAAGAAGTCTACCCTGAACTGCAGATCACCAATGTGG TAGAAGCCAACCAACCAGTGACCATCCAGAACTGGTGCA AGCGGGGCCGCAAGCAGTGCAAGACCCATCCCCACTTT GTGATTCCCTACCGCTGCTTAGTTGGTGAGTTTGTAAGTG ${\tt ATGCCCTTCTCGTTCCTGACAAGTGCAAATTCTTACACCA}$ GGAGAGGATGGATGTTTGCGAAACTCATCTTCACTGGCA CACCGTCGCCAAAGAGACATGCAGTGAGAAGAGTACCAA $\tt CTTGCATGACTACGGCATGTTGCTGCCCTGCGGAATTGA$ CAAGTTCCGAGGGGTAGAGTTTGTGTGTTGCCCACTGGC TGAAGAAAGTGACAATGTGGATTCTGCTGATGCGGAGGA GGATGACTCGGATGTCTGGTGGGGCGGAGCAGACACAG ACTATGCAGATGGGAGTGAAGACAAAGTAGTAGAAGTAG CAGAGGAGGAAGAAGTGGCTGAGGTGGAAGAAGAAGAA

APP transcrips final

Number of Ensembl_protein_id/ Fasta_Formatted_DNA_sequences_with_cufflinks_variants UniProt_id transcript_ids_and_corres-ponding_Ensembl_ids

GCCGATGATGACGAGGACGATGAGGATGGTGATGAGGT AGAGGAAGAGCCTACGAAGAAGCCACAG AGAGAACCACCAGCATTGCCACCACCACCACCACCA CAGAGTCTGTGGAAGAGGTGGTTCGAGAGGTGTGCTCTG AACAAGCCGAGACGGGGCCGTGCCGAGCAATGATCTCC CGCTGGTACTTTGATGTGACTGAAGGGAAGTGTGCCCCA TTCTTTTACGGCGGATGTGGCGGCAACCGGAACAACTTT GACACAGAAGAGTACTGCATGGCCGTGTGTGGCAGCGC CATGTCCCAAAGTTTACTCAAGACTACCCAGGAACCTCTT GCCCGAGATCCTGTTAAACTTCCTACAACAGCAGCCAGT ACCCCTGATGCCGTTGACAAGTATCTCGAGACACCTGGG GATGAGAATGAACATGCCCATTTCCAGAAAGCCAAAGAG AGGCTTGAGGCCAAGCACCGAGAGAGAATGTCCCAGGT CATGAGAGAATGGGAAGAGGCAGAACGTCAAGCAAAGAA CTTGCCTAAAGCTGATAAGAAGGCAGTTATCCAGCATTTC CAGGAGAAGTGGAATCTTTGGAACAGGAAGCAGCCAAC GAGAGACAGCAGCTGGTGGAGACACACATGGCCAGAGT GGAAGCCATGCTCAATGACCGCCGCCGCCTGGCCCTGG AGAACTACATCACCGCTCTGCAGGCTGTTCCTCCTCGGC CTCGTCACGTGTTCAATATGCTAAAGAAGTATGTCCGCGC AGAACAGAAGGACAGACACCCTAAAGCATTTCGA GCATGTGCGCATGGTGGATCCCAAGAAAGCCGCTCAGAT CCGGTCCCAGGTTATGACACACCTCCGTGTGATTTATGA GCGCATGAATCAGTCTCTCTCCCTGCTCTACAACGTGCCT GCAGTGGCCGAGGAGATTCAGGATGAAGTTGATGAGCTG CTTCAGAAAGAGCAAAACTATTCAGATGACGTCTTGGCCA ${\tt ACATGATTAGTGAACCAAGGATCAGTTACGGAAACGATG}$ CTCTCATGCCATCTTTGACCGAAACGAAAACCACCGTGG AGCTCCTTCCCGTGAATGGAGAGTTCAGCCTGGACGATC TCCAGCCGTGGCATTCTTTTGGGGCTGACTCTGTGCCAG CCAACACAGAAAACGAAGGTTCTGGGTTGACAAATATCAA GACGGAGGAGATCTCTGAAGTGAAGATGGATGCAGAATT CCGACATGACTCAGGATATGAAGTTCATCATCAAAAATTG GTGTTCTTTGCAGAAGATGTGGGTTCAAACAAAGGTGCAA TCATTGGACTCATGGTGGGCGGTGTTGTCATAGCGACAG TGATCGTCATCACCTTGGTGATGCTGAAGAAGAAACAGTA CACATCCATTCATCATGGTGTGGTGGAGGTTGACGCCGC TGTCACCCCAGAGGAGCGCCACCTGTCCAAGATGCAGCA GAACGGCTACGAAAATCCAACCTACAAGTTCTTTGAGCAG ATGCAGAACTAGACCCCCGCCACAGCAGCCTCTGAAGTT GGACAGCAAAACCATTGCTTCACTACCCATCGGTGTCCAT TTATAGAATAATGTGGGAAGAAACAAACCCGTTTTATGAT TTACTCATTATCGCCTTTTGACAGCTGTGCTGTAACACAA GTAGATGCCTGAACTTGAATTAATCCACACATCAGTAATG TATTCTATCTCTCTTTACATTTTGGTCTCTATACTACATTAT TAATGGGTTTTGTGTACTGTAAAGAATTTAGCTGTATCAAA CTAGTGCATGAATAGATTCTCTCCTGATTATTTATCACATA $\tt GCCCCTTAGCCAGTTGTATATTATTCTTGTGGTTTGTGAC$ CCAATTAAGTCCTACTTTACATATGCTTTAAGAATCGATGG GGGATGCTTCATGTGAACGTGGGAGTTCAGCTGCTTCTC TTGCCTAAGTATTCCTTTCCTGATCACTATGCATTTTAAAG TTAAACATTTTTAAGTATTTCAGATGCTTTAGAGAGATTTT TTTTCCATGACTGCATTTTACTGTACAGATTGCTGCTTCTG CTATATTTGTGATATAGGAATTAAGAGGATACACACGTTT GTTTCTTCGTGCCTGTTTTATGTGCACACATTAGGCATTG AGACTTCAAGCTTTTCTTTTTTTTTCCACGTATCTTTGGGT CTTTGATAAAGAAAAGAATCCCTGTTCATTGTAAGCACTTT TACGGGGGGGGGGGGGGGGGGTGCTCTGCTGGTCTTCA ATTACCAAGAATTCTCCAAAACAATTTTCTGCAGGATGATT GTACAGAATCATTGCTTATGACATGATCGCTTTCTACACT GTATTACATAAATAAATTAAATAAAATAACCCCGGGCAAG ACTTTTCTTTGAAGGATGACTACAGACATTAAATAATCGAA GTAATTTTGGGTGGGGAGAAGAGGCAGATTCAATTTTCTT TAACCAGTCTGAAGTTTCATTTATGATACAAAAGAAGATG AAAATGGAAGTGGCAATATAAGGGGATGAGGAAGGCATG CCTGGACAAACCCTTCTTTTAAGATGTGTCTTCAATTTGTA TAAAATGGTGTTTTCATGTAAATAAATACATTCTTGGAGGA GCACCATTG

ENSP00000351796

>TCONS_00180781 | ENST00000358918 (SEQ ID NO: 14) GATCCCACTGCCACAGCAGCACTCGGTGCCCCGGC AGGGTCGCATGCTGCCCGGTTTGGCACTGCTCGTG GCCGCCTGGACGGCTCGGGCGCTGGAGGTACCCACTGA TGGTAATGCTGGCCTGCTGGCTGAACCCCACATTGCCAT

APP transcrips final

Number of Ensembl_protein_id/ Fasta_Formatted_DNA_sequences_with_cufflinks_variants UniProt_id transcript_ids_and_corres-ponding_Ensembl_ids

GTTCTGTGGCAGACTGAACATGCACATGAATGTCCAGAAT GGGAAGTGGGATTCAGATCCATCAGGGACCAAAACCTGC ATTGATACCAAGGAAGGCATCCTGCAGTATTGCCAAGAA GTCTACCCTGAACTGCAGATCACCAATGTGGTAGAAGCC AACCAACCAGTGACCATCCAGAACTGGTGCAAGCGGGGC CGCAAGCAGTGCAAGACCCATCCCCACTTTGTGATTCCC TACCGCTGCTTAGTTGGTGAGTTTGTAAGTGATGCCCTTC TCGTTCCTGACAAGTGCAAATTCTTACACCAGGAGAGGAT GGATGTTTGCGAAACTCATCTTCACTGGCACACCGTCGC CAAAGAGACATGCAGTGAGAAGAGTACCAACTTGCATGA CTACGGCATGTTGCTGCCCTGCGGAATTGACAAGTTCCG AGGGGTAGAGTTTGTGTGTTGCCCACTGGCTGAAGAAAG TGACAATGTGGATTCTGCTGATGCGGAGGAGGATGACTC GGATGTCTGGTGGGGCGGAGCAGACACAGACTATGCAG ATGGGAGTGAAGACAAAGTAGTAGAAGTAGCAGAGGAGG AAGAAGTGGCTGAGGTGGAAGAAGAAGAAGCCGATGATG ACGAGGACGATGAGGATGGTGATGAGGTAGAGGAAGAG GCTGAGGAACCCTACGAAGAAGCCACAGAGAGAACCACC AGCATTGCCACCACCACCACCACCACAGAGTCTGTG GAAGAGGTGGTTCGAGAGGTGTGCTCTGAACAAGCCGA GACGGGGCCGTGCCGAGCAATGATCTCCCGCTGGTACTT TGATGTGACTGAAGGGAAGTGTGCCCCATTCTTTTACGG CGGATGTGGCGCCAACCGGAACAACTTTGACACAGAAGA GTACTGCATGGCCGTGTGTGGCAGCGCCATGTCCCAAAG TTTACTCAAGACTACCCAGGAACCTCTTGCCCGAGATCCT GTTAAACTTCCTACAACAGCAGCCAGTACCCCTGATGCC $\tt GTTGACAAGTATCTCGAGACACCTGGGGATGAGAATGAA$ CATGCCCATTTCCAGAAAGCCAAAGAGAGGCTTGAGGCC ${\tt AAGCACCGAGAGAGAATGTCCCAGGTCATGAGAGAATGG}$ GAAGAGGCAGAACGTCAAGCAAAGAACTTGCCTAAAGCT ${\tt GATAAGAAGGCAGTTATCCAGCATTTCCAGGAGAAAGTG}$ GAATCTTTGGAACAGGAAGCAGCCAACGAGAGACAGCAG CTGGTGGAGACACACATGGCCAGAGTGGAAGCCATGCTC ${\tt AATGACCGCCGCCGCCTGGCCCTGGAGAACTACATCACC}$ GCTCTGCAGGCTGTTCCTCCTCGGCCTCGTCACGTGTTC AATATGCTAAAGAAGTATGTCCGCGCAGAACAGAAGGAC AGACAGCACCCTAAAGCATTTCGAGCATGTGCGCATG GTGGATCCCAAGAAAGCCGCTCAGATCCGGTCCCAGGTT ATGACACACCTCCGTGTGATTTATGAGCGCATGAATCAGT $\tt CTCTCTCCCTGCTCTACAACGTGCCTGCAGTGGCCGAGG$ AGATTCAGGATGAAGTTGATGAGCTGCTTCAGAAAGAGC AAAACTATTCAGATGACGTCTTGGCCAACATGATTAGTGA ACCAAGGATCAGTTACGGAAACGATGCTCTCATGCCATCT TTGACCGAAACGAAAACCACCGTGGAGCTCCTTCCCGTG AATGGAGAGTTCAGCCTGGACGATCTCCAGCCGTGGCAT TCTTTTGGGGCTGACTCTGTGCCAGCCAACACAGAAAAC GAAGGTTCTGGGTTGACAAATATCAAGACGGAGGAGATC TCTGAAGTGAAGATGGATGCAGAATTCCGACATGACTCA GGATATGAAGTTCATCATCAAAAATTGGTGTTCTTTGCAG AAGATGTGGGTTCAAACAAAGGTGCAATCATTGGACTCAT GGTGGGCGGTGTTGTCATAGCGACAGTGATCGTCATCAC CTTGGTGATGCTGAAGAAGAACAGTACACATCCATTCAT CATGGTGTGGAGGTTGACGCCGCTGTCACCCCAGA GGAGCGCCACCTGTCCAAGATGCAGCAGAACGGCTACG AAAATCCAACCTACAAGTTCTTTGAGCAGATGCAGAACTA GACCCCCGCCACAGCAGCCTCTGAAGTTGGACAGCAAAA CCATTGCTTCACTACCCATCGG

ENSP00000352760

15

>TCONS 00180777 | ENST00000359726 (SEO ID NO: 15) GTCGGATGATTCAAGCTCACGGGGACGAGCAGGAGCGC TCTCGACTTTTCTAGAGCCTCAGCGTCCTAGGACTCACCT TTCCCTGATCCTGCACCGTCCCTCTCCTGGCCCCAGACT CTCCCTCCCACTGTTCACGAAGCCCAGGTACCCACTGAT GGTAATGCTGGCCTGCTGGCTGAACCCCAGATTGCCATG TTCTGTGGCAGACTGAACATGCACATGAATGTCCAGAATG GGAAGTGGGATTCAGATCCATCAGGGACCAAAACCTGCA TTGATACCAAGGAAGGCATCCTGCAGTATTGCCAAGAAG TCTACCCTGAACTGCAGATCACCAATGTGGTAGAAGCCA ${\tt ACCAACCAGTGACCATCCAGAACTGGTGCAAGCGGGGC}$ CGCAAGCAGTGCAAGACCCATCCCCACTTTGTGATTCCC TACCGCTGCTTAGTTGGTGAGTTTGTAAGTGATGCCCTTC TCGTTCCTGACAAGTGCAAATTCTTACACCAGGAGAGGAT GGATGTTTGCGAAACTCATCTTCACTGGCACACCGTCGC CAAAGAGACATGCAGTGAGAAGAGTACCAACTTGCATGA

APP transcrips fina

Number of Ensembl_protein_id/ Fasta_Formatted_DNA_sequences with cufflinks variants UniProt id transcript_ids_and_corres-ponding_Ensembl_ids

> CTACGGCATGTTGCTGCCCTGCGGAATTGACAAGTTCCG AGGGGTAGAGTTTGTGTTTGCCCACTGGCTGAAGAAAG TGACAATGTGGATTCTGCTGATGCGGAGGAGGATGACTC GGATGTCTGGTGGGGCGGAGCAGACACAGACTATGCAG ATGGGAGTGAAGACAAAGTAGTAGAAGTAGCAGAGGAGG AAGAAGTGGCTGAGGTGGAAGAAGAAGAAGCCGATGATG ACGAGGACGATGAGGATGATGAGGTAGAGGAAGAG GCTGAGGAACCCTACGAAGAAGCCACAGAGAGAACCACC AGCATTGCCACCACCACCACCACCACAGAGTCTGTG GAAGAGGTGGTTCGAGTTCCTACAACAGCAGCCAGTACC CCTGATGCCGTTGACAAGTATCTCGAGACACCTGGGGAT GAGAATGAACATGCCCATTTCCAGAAAGCCAAAGAGAGG CTTGAGGCCAAGCACCGAGAGAGAATGTCCCAGGTCATG AGAGAATGGGAAGAGCAGAACGTCAAGCAAAGAACTTG CCTAAAGCTGATAAGAAGGCAGTTATCCAGCATTTCCAGG AGAAAGTGGAATCTTTGGAACAGGAAGCAGCCAACGAGA GACAGCAGCTGGTGGAGACACACATGGCCAGAGTGGAA GCCATGCTCAATGACCGCCGCCGCCTGGCCCTGGAGAA CTACATCACCGCTCTGCAGGCTGTTCCTCCTCGGCCTCG TCACGTGTTCAATATGCTAAAGAAGTATGTCCGCGCAGAA CAGAAGGACAGCACACCCTAAAGCATTTCGAGCAT GTGCGCATGGTGGATCCCAAGAAAGCCGCTCAGATCCG GTCCCAGGTTATGACACACCTCCGTGTGATTTATGAGCG CATGAATCAGTCTCTCTCCCTGCTCTACAACGTGCCTGCA GTGGCCGAGGAGATTCAGGATGAAGTTGATGAGCTGCTT CAGAAAGAGCAAAACTATTCAGATGACGTCTTGGCCAACA TGATTAGTGAACCAAGGATCAGTTACGGAAACGATGCTCT CATGCCATCTTTGACCGAAACGAAAACCACCGTGGAGCT CCTTCCCGTGAATGGAGAGTTCAGCCTGGACGATCTCCA GCCGTGGCATTCTTTTGGGGCTGACTCTGTGCCAGCCAA ${\tt CACAGAAAACGAAGTTGAGCCTGTTGATGCCCGCCCTGC}$ TGCCGACCGAGGACTGACCACTCGACCAGGTTCTGGGTT GACAAATATCAAGACGGAGGAGATCTCTGAAGTGAAGAT GGATGCAGAATTCCGACATGACTCAGGATATGAAGTTCAT CATCAAAAATTGGTGTTCTTTGCAGAAGATGTGGGTTCAA ${\tt ACAAAGGTGCAATCATTGGACTCATGGTGGGCGGTGTTG}$ TCATAGCGACAGTGATCGTCATCACCTTGGTGATGCTGAA GAAGAAACAGTACACATCCATTCATCATGGTGTGGTGGA GGTTGACGCCGCTGTCACCCCAGAGGAGCGCCACCTGT CCAAGATGCAGCAGAACGGCTACGAAAATCCAACCTACA AGTTCTTTGAGCAGATGCAGAACTAGACCCCCGCCACAG ${\tt CAGCCTCTGAAGTTGGACAGCAAAACCATTGCTTCACTAC}$ CCATCGGTGTCCATTTATAGAATAATGTGGGAAGAAACAA ACCCGTTTTATGATTTACTCATTATCGCCTTTTGACAGCTG TGCTGTAACACAAGTAGATGCCTGAACTTGAATTAATCCA CACATCAGTAATGTATTCTATCTCTCTTTTACATTTTGGTCT CTATACTACATTATTAATGGGTTTTGTGTACTGTAAAGAAT ${\tt TTAGCTGTATCAAACTAGTGCATGAATAGATTCTCTCCTG}$ ATTATTTATCACATAGCCCCTTAGCCAGTTGTATATTATTC TTGTGGTTTGTGACCCAATTAAGTCCTACTTTACATATGCT TTAAGAATCGATGGGGGATGCTTCATGTGAACGTGGGAG TTCAGCTGCTTCTCTTGCCTAAGTATTCCTTTCCTGATCAC TATGCATTTTAAAGTTAAACATTTTTAAGTATTTCAGATGC TTTAGAGAGATTTTTTTTCCATGACTGCATTTTACTGTACA GATTGCTGCTTCTGCTATATTTGTGATATAGGAATTAAGA GGATACACACGTTTGTTTCTTCGTGCCTGTTTTATGTGCA CACATTAGGCATTGAGACTTCAAGCTTTTCTTTTTTTTTCCC ACGTATCTTTGGGTCTTTGATAAAGAAAAGAATCCCTGTT CTCTGCTGGTCTTCAATTACCAAGAATTCTCCAAAACAATT TTCTGCAGGATGATTGTACAGAATCATTGCTTATGACATG TAACCCCGGGCAAGACTTTTCTTTGAAGGATGACTACAGA CATTAAATAATCGAAGTAATTTTGGGTGGGGAGAAGAGG CAGATTCAATTTTCTTTAACCAGTCTGAAGTTTCATTTATG ATACAAAAGAAGATGAAAATGGAAGTGGCAATATAAGGG GATGAGGAAGGCATGCCTGGACAAACCCTTCTTTTAAGAT GTGTCTTCAATTTGTATAAAATGGTGTTTTCATGTAAATAA ATACATTCTTGGAGGAGC

ENSP00000387483

>TCONS 00180766 | ENST00000440126 (SEO ID NO: 16) AGAGTTCCGGAGGCTTTGGTTGTCCATTGTTAGCTTAGAA GTTGGCGCAGTGTGCGTGTGATCCACGCCTAAATAGCAC AGCCTTGCTGTGCGTGGTAGAAGTTGGGTTAGTGTTGAC

APP transcrips final

Number of Ensembl_protein_id/ Fasta_Formatted_DNA_sequences_with_cufflinks_variants UniProt_id transcript_ids_and_corres-ponding_Ensembl_ids

ATGCTGTTGACTCACCCTCCCGAGGATGGAAGCTCTGGC CTGGGTCAAGTTGTGGTCACTGCAGTTAACAGTTTGTTGA ${\tt TCTCAGGGAGTATTCCACAGTTGCTGATGTAATTGACAAT}$ GATTGGAGCCAGCTCTTCCCCAGATTCAAATGGACCAATT AGAGGACTTGTTGGTTCTGTTTATCAACTATGTACCCACT GATGGTAATGCTGGCCTGCTGGCTGAACCCCAGATTGCC ATGTTCTGTGGCAGACTGAACATGCACATGAATGTCCAGA ATGGGAAGTGGGATTCAGATCCATCAGGGACCAAAACCT GCATTGATACCAAGGAAGGCATCCTGCAGTATTGCCAAG AAGTCTACCCTGAACTGCAGATCACCAATGTGGTAGAAG CCAACCAACCAGTGACCATCCAGAACTGGTGCAAGCGGG GCCGCAAGCAGTGCAAGACCCATCCCCACTTTGTGATTC CCTACCGCTGCTTAGTTGGTGAGTTTGTAAGTGATGCCCT TCTCGTTCCTGACAAGTGCAAATTCTTACACCAGGAGAGG ATGGATGTTTGCGAAACTCATCTTCACTGGCACACCGTCG CCAAAGAGACATGCAGTGAGAAGAGTACCAACTTGCATG ACTACGGCATGTTGCTGCCCTGCGGAATTGACAAGTTCC GAGGGGTAGAGTTTGTGTGTTGCCCACTGGCTGAAGAAA GTGACAATGTGGATTCTGCTGATGCGGAGGAGGATGACT CGGATGTCTGGTGGGGGGGGGGGGGGAGACACAGACTATGCA GATGGGAGTGAAGACAAAGTAGTAGAAGTAGCAGAGGAG GAAGAAGTGGCTGAGGTGGAAGAAGAAGAAGCCGATGAT GACGAGGACGATGAGGATGGTGATGAGGTAGAGGAAGA GGCTGAGGAACCCTACGAAGAAGCCACAGAGAGAACCA CCAGCATTGCCACCACCACCACCACCACCACAGAGTCTG TGGAAGAGGTGGTTCGAGAGGTGTGCTCTGAACAAGCCG ${\tt AGACGGGGCCGTGCCGAGCAATGATCTCCCGCTGGTAC}$ TTTGATGTGACTGAAGGGAAGTGTGCCCCATTCTTTTACG $\tt GCGGATGTGGCGGCAACCGGAACAACTTTGACACAGAAG$ AGTACTGCATGGCCGTGTGTGGCAGCGCCATTCCTACAA CAGCAGCCAGTACCCCTGATGCCGTTGACAAGTATCTCG AGACACCTGGGGATGAGAATGAACATGCCCATTTCCAGA AAGCCAAAGAGAGGCTTGAGGCCAAGCACCGAGAGAGA ATGTCCCAGGTCATGAGAGAATGGGAAGAGGCAGAACGT CAAGCAAAGAACTTGCCTAAAGCTGATAAGAAGGCAGTTA TCCAGCATTTCCAGGAGAAAGTGGAATCTTTGGAACAGG ${\tt AAGCAGCCAACGAGAGACAGCAGCTGGTGGAGACACAC}$ ATGGCCAGAGTGGAAGCCATGCTCAATGACCGCCGCCG CCTGGCCCTGGAGAACTACATCACCGCTCTGCAGGCTGT TCCTCCTCGGCCTCGTCACGTGTTCAATATGCTAAAGAAG TATGTCCGCGCAGAACAGAAGGACAGACAGCACCCTA AAGCATTTCGAGCATGTGCGCATGGTGGATCCCAAGAAA GCCGCTCAGATCCGGTCCCAGGTTATGACACACCTCCGT $\tt GTGATTTATGAGCGCATGAATCAGTCTCTCTCTCTCTCTT$ ${\tt ACAACGTGCCTGCAGTGGCCGAGGAGATTCAGGATGAAG}$ TTGATGAGCTGCTTCAGAAAGAGCAAAACTATTCAGATGA CGTCTTGGCCAACATGATTAGTGAACCAAGGATCAGTTAC CCACCGTGGAGCTCCTTCCCGTGAATGGAGAGTTCAGCC TGGACGATCTCCAGCCGTGGCATTCTTTTGGGGCTGACT CTGTGCCAGCCAACACAGAAAACGAAGTTGAGCCTGTTG ATGCCCGCCCTGCTGCCGACCGAGGACTGACCACTCGA CCAGGTTCTGGGTTGACAAATATCAAGACGGAGGAGATC TCTGAAGTGAAGATGGATGCAGAATTCCGACATGACTCA GGATATGAAGTTCATCATCAAAAATTGGTGTTCTTTGCAG AAGATGTGGGTTCAAACAAAGGTGCAATCATTGGACTCAT GGTGGGCGGTGTTGTCATAGCGACAGTGATCGTCATCAC CTTGGTGATGCTGAAGAAGAACAGTACACATCCATTCAT CATGGTGTGGGGGGTTGACGCCGCTGTCACCCCAGA GGAGCGCCACCTGTCCAAGATGCAGCAGAACGGCTACG AAAATCCAACCTACAAGTTCTTTGAGCAGATGCAGAACTA GACCCCGCCACAGCAGCCTCTGAAGTTGGACAGCAAAA CCATTGCTTCACTACCCATCGGTGTCCATTTATAGAATAA TGTGGGAAGAACAAACCCGTTTTATGATTTACTCATTAT CGCCTTTTGACAGCTGTGCTGTAACACAAGTAGATGCCT GAACTTGAATTAATCCACACATCAGTAATGTATTCTATCTC TCTTTACATTTTGGTCTCTATACTACATTATTAATGGGTTTT GTGTACTGTAAAGAATTTAGCTGTATCAAACTAGTGCATG AATAGATTCTCTCCTGATTATTTATCACATAGCCCCCTTAGC CAGTTGTATATTCTTGTGGTTTGTGACCCAATTAAGTC $\tt CTACTTTACATATGCTTTAAGAATCGATGGGGGATGCTTC$ ATGTGAACGTGGGAGTTCAGCTGCTTCTCTTGCCTAAGTA TTCCTTTCCTGATCACTATGCATTTTAAAGTTAAACATTTTT AAGTATTTCAGATGCTTTAGAGAGATTTTTTTTCCATGACT GCATTTTACTGTACAGATTGCTGCTTCTGCTATATTTGTGA

APP transcrips final

Number of Ensembl_protein_id/ Fasta_Formatted_DNA_sequences_with_cufflinks_variants UniProt_id transcript_ids_and_corres-ponding_Ensembl_ids

17 ENSP00000387483

>TCONS 00180778 | ENST00000440126 (SEO ID NO: 17) AGAGTTCCGGAGGCTTTGGTTGTCCATTGTTAGCTTAGAA GTTGGCGCAGTGTGCGTGTGATCCACGCCTAAATAGCAC ${\tt AGCCTTGCTGTGCGTGGTAGAGTTGGGTTAGTGTTGAC}$ $\tt ATGCTGTTGACTCACCCTCCCGAGGATGGAAGCTCTGGC$ CTGGGTCAAGTTGTGGTCACTGCAGTTAACAGTTTGTTGA TCTCAGGGAGTATTCCACAGTTGCTGATGTAATTGACAAT GATTGGAGCCAGCTCTTCCCCAGATTCAAATGGACCAATT AGAGGACTTGTTGGTTCTGTTTATCAACTATGTACCCACT GATGGTAATGCTGGCCTGCTGGCTGAACCCCAGATTGCC ATGTTCTGTGGCAGACTGAACATGCACATGAATGTCCAGA ATGGGAAGTGGGATTCAGATCCATCAGGGACCAAAACCT GCATTGATACCAAGGAAGGCATCCTGCAGTATTGCCAAG AAGTCTACCCTGAACTGCAGATCACCAATGTGGTAGAAG CCAACCAACCAGTGACCATCCAGAACTGGTGCAAGCGGG GCCGCAAGCAGTGCAAGACCCATCCCCACTTTGTGATTC CCTACCGCTGCTTAGTTGGTGAGTTTGTAAGTGATGCCCT TCTCGTTCCTGACAAGTGCAAATTCTTACACCAGGAGAGG ATGGATGTTTGCGAAACTCATCTTCACTGGCACACCGTCG CCAAAGAGACATGCAGTGAGAAGAGTACCAACTTGCATG ACTACGGCATGTTGCTGCCCTGCGGAATTGACAAGTTCC GAGGGGTAGAGTTTGTGTGTTGCCCACTGGCTGAAGAAA GTGACAATGTGGATTCTGCTGATGCGGAGGAGGATGACT CGGATGTCTGGTGGGGCGGAGCAGACACAGACTATGCA GATGGGAGTGAAGACAAAGTAGTAGAAGTAGCAGAGGAG GAAGAAGTGGCTGAGGTGGAAGAAGAAGAAGCCGATGAT GACGAGGACGATGAGGATGGTGATGAGGTAGAGGAAGA GGCTGAGGAACCCTACGAAGAAGCCACAGAGAGAACCA CCAGCATTGCCACCACCACCACCACCACCACAGAGTCTG TGGAAGAGGTGGTTCGAGAGGTGTGCTCTGAACAAGCCG ${\tt AGACGGGGCCGTGCCGAGCAATGATCTCCCGCTGGTAC}$ TTTGATGTGACTGAAGGGAAGTGTGCCCCATTCTTTTACG $\tt GCGGATGTGGCGGCAACCGGAACAACTTTGACACAGAAG$ AGTACTGCATGGCCGTGTGTGGCAGCGCCATTCCTACAA CAGCAGCCAGTACCCCTGATGCCGTTGACAAGTATCTCG AGACACCTGGGGATGAGAATGAACATGCCCATTTCCAGA AAGCCAAAGAGAGGCTTGAGGCCAAGCACCGAGAGAGA $\tt ATGTCCCAGGTCATGAGAGAATGGGAAGAGGCAGAACGT$ CAAGCAAAGAACTTGCCTAAAGCTGATAAGAAGGCAGTTA TCCAGCATTTCCAGGAGAAAGTGGAATCTTTGGAACAGG AAGCAGCCAACGAGAGACAGCAGCTGGTGGAGACACAC ATGGCCAGAGTGGAAGCCATGCTCAATGACCGCCGCCG CCTGGCCCTGGAGAACTACATCACCGCTCTGCAGGCTGT TCCTCCTCGGCCTCGTCACGTGTTCAATATGCTAAAGAAG TATGTCCGCGCAGAACAGAAGGACAGACAGCACCCTA AAGCATTTCGAGCATGTGCGCATGGTGGATCCCAAGAAA ${\tt GCCGCTCAGATCCGGTCCCAGGTTATGACACACCTCCGT}$ GTGATTTATGAGCGCATGAATCAGTCTCTCTCCCTGCTCT ${\tt ACAACGTGCCTGCAGTGGCCGAGGAGATTCAGGATGAAG}$ TTGATGAGCTGCTTCAGAAAGAGCAAAACTATTCAGATGA CGTCTTGGCCAACATGATTAGTGAACCAAGGATCAGTTAC CCACCGTGGAGCTCCTTCCCGTGAATGGAGAGTTCAGCC TGGACGATCTCCAGCCGTGGCATTCTTTTGGGGCTGACT CTGTGCCAGCCAACACAGAAAACGAAGTTGAGCCTGTTG ATGCCCGCCCTGCTGCCGACCGAGGACTGACCACTCGA CCAGGTTCTGGGTTGACAAATATCAAGACGGAGGAGATC TCTGAAGTGAAGATGGATGCAGAATTCCGACATGACTCA GGATATGAAGTTCATCAACAAAATTGGTGTTCTTTGCAG

APP transcrips final

Number of Ensembl_protein_id/ Fasta_Formatted_DNA_sequences_with_cufflinks_variants UniProt_id transcript_ids_and_corres-ponding_Ensembl_ids

18 ENSP00000396923

>TCONS 00180783 | ENST00000448850 (SEO ID NO: 18) ACTGCAGATCACCAATGTGGTAGAAGCCAACCAACCAGT GACCATCCAGAACTGGTGCAAGCGGGGCCGCAAGCAGT ${\tt GCAAGACCCATCCCCACTTTGTGATTCCCTACCGCTGCTT}$ AGTTGGTGAGTTTGTAAGTGATGCCCTTCTCGTTCCTGAC ${\tt AAGTGCAAATTCTTACACCAGGAGAGGATGGATGTTTGC}$ GAAACTCATCTTCACTGGCACACCGTCGCCAAAGAGACA TGCAGTGAGAAGAGTACCAACTTGCATGACTACGGCATG TTGCTGCCCTGCGGAATTGACAAGTTCCGAGGGGTAGAG TTTGTGTGTTGCCCACTGGCTGAAGAAGTGACAATGTG ${\tt GATTCTGCTGATGCGGAGGAGGATGACTCGGATGTCTGG}$ TGGGGCGGAGCAGACACAGACTATGCAGATGGGAGTGA AGACAAAGTAGTAGAAGTAGCAGAGGAGGAAGAAGTGGC TGAGGTGGAAGAAGAAGCCGATGATGACGAGGACG ATGAGGATGGTGATGAGGTAGAGGAAGAGGCTGAGGAA CCCTACGAAGAAGCCACAGAGAGAACCACCAGCATTGCC ACCACCACCACCACCACAGAGTCTGTGGAAGAGGTG GTTCGAGAGGTGTGCTCTGAACAAGCCGAGACGGGGCC GTGCCGAGCAATGATCTCCCGCTGGTACTTTGATGTGAC TGAAGGGAAGTGTGCCCCATTCTTTTACGGCGGATGTGG CGGCAACCGGAACAACTTTGACACAGAAGAGTACTGCAT GGCCGTGTGTGGCAGCGCCATTCCTACAACAGCAGCCA GTACCCCTGATGCCGTTGACAAGTATCTCGAGACACCTG GGGATGAGAATGAACATGCCCATTTCCAGAAAGCCAAAG AGAGGCTTGAGGCCAAGCACCGAGAGAAATGTCCCAG GTCATGAGAGAATGGGAAGAGGCAGAACGTCAAGCAAAG AACTTGCCTAAAGCTGATAAGAAGGCAGTTATCCAGCATT TCCAGGAGAAGTGGAATCTTTGGAACAGGAAGCAGCCA ACGAGAGACAGCAGCTGGTGGAGACACACATGGCCAGA GTGGAAGCCATGCTCAATGACCGCCGCCGCCTGGCCCT GGAGAACTACATCACCGCTCTGCAGGCTGTTCCTCCTCG ${\tt GCCTCGTCACGTGTTCAATATGCTAAAGAAGTATGTCCGC}$ GCAGAACAGAAGGACAGACACCCTAAAGCATTTC ${\tt GAGCATGTGCGCATGGTGGATCCCAAGAAAGCCGCTCAG}$ ${\tt ATCCGGTCCCAGGTTATGACACACCTCCGTGTGATTTATG}$ AGCGCATGAATCAGTCTCTCTCCCTGCTCTACAACGTGC CTGCAGTGGCCGAGGAGATTCAGGATGAAGTTGGTGCAG TGGCTCATGCCTGTAATTCCAGCATTTTGGGAGGCCAAG GTGGGCAGATGACTTGAGCCCAGAAGTTCAAGACCAGAA TGGGAAACATGGCAAGACCACATTTCTACAAAAAAATTAT CCAGGCATGATAACATCTATTTGTAGTCCCAGCTACTCAG GAGGCTGTGGTGGGAGGATCTCCTGAGCCTGGGGTGGC TGAGGCTGCAGTGAGCCTTGATCACGCCACCTGGGCAAT AGAGCAAGACCCTGTCTCAAAAAAAGGAAGAAAAAGACT ATTATTTCCCCCATTGAATGGTCTTGGCACTATTACACAAA ${\tt ATCAATTGTCCATAGATAATATGGGTTTATTTCTTAATTCT}$ TAGTTCTTTTGATCTGTGTGCCTGTGCTTACTGTAGT ACCACACTGTTTTGATTATTGTAGCTTTGTAGTAAATTTTG

ENSP00000398879

19

APP transcrips final

Number of Ensembl_protein_id/ Fasta_Formatted_DNA_sequences_with_cufflinks_variants UniProt_id transcript_ids_and_corres-ponding_Ensembl_ids

GTAAGTGATGCCCTTCTCGTTCCTGACAAGTGCAAATTCT TACACCAGGAGAGGATGGATGTTTGCGAAACTCATCTTCA $\tt CTGGCACACCGTCGCCAAAGAGACATGCAGTGAGAAGAG$ TACCAACTTGCATGACTACGGCATGTTGCTGCCCTGCGG ${\tt AATTGACAAGTTCCGAGGGGTAGAGTTTGTGTGTTGCCC}$ ACTGGCTGAAGAAAGTGACAATGTGGATTCTGCTGATGC $\tt GGAGGAGGATGACTCGGATGTCTGGTGGGGCGGAGCAG$ ACACAGACTATGCAGATGGGAGTGAAGACAAAGTAGTAG AAGTAGCAGAGGAGGAAGAAGTGGCTGAGGTGGAAGAA GAAGAAGCCGATGATGACGAGGACGATGAGGATGGTGAT GAGGTAGAGGAAGAGGCTGAGGAACCCTACGAAGAAGC CACAGAGAGAACCACCAGCATTGCCACCACCACCACCAC CACCACAGAGTCTGTGGAAGAGGTGGTTCGAGAGGTGTG CTCTGAACAAGCCGAGACGGGGCCGTGCCGAGCAATGA TCTCCCGCTGGTACTTTGATGTGACTGAAGGGAAGTGTG CCCCATTCTTTTACGGCGGATGTGGCGGCAACCGGAACA ACTTTGACACAGAAGAGTACTGCATGGCCGTGTGTGGCA GCGCCATGTCCCAAAGTTTACTCAAGACTACCCAGGAAC CTCTTGCCCGAGATCCTGTTAAACTTCCTACAACAGCAGC CAGTACCCCTGATGCCGTTGACAAGTATCTCGAGACACC TGGGGATGAGAATGAACATGCCCATTTCCAGAAAGCCAA AGAGAGGCTTGAGGCCAAGCACCGAGAGAGAATGTCCC AGGTCATGAGAGAATGGGAAGAGGCAGAACGTCAAGCAA AGAACTTGCCTAAAGCTGATAAGAAGGCAGTTATCCAGCA TTTCCAGGAGAAGTGGAATCTTTGGAACAGGAAGCAGC CAACGAGAGACAGCAGCTGGTGGAGACACACATGGCCA ${\tt GAGTGGAAGCCATGCTCAATGACCGCCGCCTGGCC}$ CTGGAGAACTACATCACCGCTCTGCAGGCTGTTCCTCCT $\tt CGGCCTCGTCACGTGTTCAATATGCTAAAGAAGTATGTCC$ GCGCAGAACAGAAGGACAGACACCCTAAAGCATT TCGAGCATGTGCGCATGGTGGATCCCAAGAAAGCCGCTC AGATCCGGTCCCAGGTTATGACACACCTCCGTGTGATTTA TGAGCGCATGAATCAGTCTCTCTCCCTGCTCTACAACGTG CCTGCAGTGGCCGAGGAGATTCAGGATGAAGTTGATGAG CTGCTTCAGAAAGAGCAAAACTATTCAGATGACGTCTTGG CCAACATGATTAGTGAACCAAGGATCAGTTACGGAAACG ATGCTCTCATGCCATCTTTGACCGAAACGAAAACCACCGT GGAGCTCCTTCCCGTGAATGGAGAGTTCAGCCTGGACGA TCTCCAGCCGTGGCATTCTTTTGGGGCTGACTCTGTGCC AGCCAACACAGAAAACGAAGTTGAGCCTGTTGATGCCCG CCCTGCTGCCGACCGAGGACTGACCACTCGACCAGGTTC TGGGTTGACAAATATCAAGACGGAGGAGATCTCTGAAGT GAAGATGGATGCAGAATTCCGACATGACTCAGGATATGA AGTTCATCAAAAAATTGGTGTTCTTTGCAGAAGATGTG GGTTCAAACAAAGGTGCAATCATTGGACTCATGGTGGGC GGTGTTGTCATAGCGACAGTGATCGTCATCACCTTGGTG ATGCTGAAGAAGAACAGTACACATCCATTCATCATGGTG ${\tt TGGTGGAGGTTGACGCCGCTGTCACCCCAGAGGAGCGC}$ CACCTGTCCAAGATGCAGCAGAACGGCTACGAAAATCCA ACCTACAAGTTCTTTGAGCAGATGCAGAACTAGACCCCC GCCACAGCAGCCTCTGAAGTTGGACAGCAAAACCATTGC TTCACTACCCATCGGTGTCCATTTATAGAATAATGTGGGA AGAAACAAACCCGTTTTATGATTTACTCATTATCGCCTTTT GACAGCTGTGCTGTAACACAAGTAGATGCCTGAACTTGA ATTAATCCACACATCAGTAATGTATTCTATCTCTCTTTACA TTTTGGTCTCTATACTACATTATTAATGGGTTTTGTGTACT GTAAAGAATTTAGCTGTATCAAACTAGTGCATGAATAGAT TCTCTCCTGATTATTTATCACATAGCCCCTTAGCCAGTTGT ATATTATTCT

ENSP00000406539

20

APP transcrips final

Number of Ensembl_protein_id/ Fasta_Formatted_DNA_sequences_with_cufflinks_variants UniProt_id transcript_ids_and_corres-ponding_Ensembl_ids

AACTTGCCTAAAGCTGATAAGAAGGCAGTTATCCAGCATT TCCAGGAGAAAGTGGAATCTTTGGAACAGGAAGCA

>TCONS 00180780 | ENST00000464867

21 Uniprot id: P05067

(SEQ ID NO: 21) ATCCTTGCCAACCTCTCAACCAGGATTTAACTTCTGCTTTT $\tt CCCCCATTTTCAAAAATTATAGCATGTATTTAAAGGCAGC$ AGAAGCCTTACTTTCAGGTTTCCCTTACCCTTTCATTTCTT TTTGTTCAAAATAGGTAGTAATTGAAGTTTTAAATATAGGG TATCATTTTCTTTAAGAGTCATTTATCAATTTTCTTCTAAC TTCAGGCCTAGAAAGAAGTTTTGGGTAGGCTTTGTCTTAC AGTGTTATTATTATGAGTAAAACTAATTGGTTGTCCTGCA TACTTTAATTATGATGTAATACAGGTTCTGGGTTGACAAAT ATCAAGACGGAGGAGATCTCTGAAGTGAAGATGGATGCA GAATTCCGACATGACTCAGGATATGAAGTTCATCAAA AATTGGTGTTCTTTGCAGAAGATGTGGGTTCAAACAAAGG TGCAATCATTGGACTCATGGTGGGCGGTGTTGTCATAGC GACAGTGATCGTCATCACCTTGGTGATGCTGAAGAAGAA ACAGTACACATCCATTCATCATGGTGTGGTGGAGGTTGA CGCCGCTGTCACCCCAGAGGAGCGCCACCTGTCCAAGA TGCAGCAGAACGGCTACGAAAATCCAACCTACAAGTTCTT TGAGCAGATGCAGAACTAGACCCCCGCCACAGCAGCCTC TGAAGTTGGACAGCAAAACCATTGCTTCACTACCCATCGG TGTCCATTTATAGAATAATGTGGGAAGAAACAAACCCGTT TTATGATTTACTCATTATCGCCTTTTGACAGCTGTGCTGTA ACACAAGTAGATGCC

22 Uniprot id: P05067

>TCONS 00180785 | ENST00000491395 (SEQ ID NO: 22) CAGÃCTATGCAGATGGGAGTGAAGACAAAGTAGTAGAAG TAGCAGAGGAGGAAGAAGTGGCTGAGGTGGAAGAAGAA GAAGCCGATGATGACGAGGACGATGAGGATGGTGATGA GGTAGAGGAAGAGCCTACGAAGAAGCCA CAGAGAGAACCACCAGCATTGCCACCACCACCACCA CCACAGAGTCTGTGGAAGAGGTGGTTCGAGAGGTGTGCT CTGAACAAGCCGAGACGGGGCCGTGCCGAGCAATGATC TCCCGCTGGTACTTTGATGTGACTGAAGGGAAGTGTGCC CCATTCTTTTACGGCGGATGTGGCGGCAACCGGAACAAC TTTGACACAGAAGAGTACTGCATGGCCGTGTGTGGCAGC GCCATGTCCCAAAGTTTACTCAAGACTACCCAGGAACCTC TTGCCCGAGATCCTGTTAAACGTACGTTGTCATTCACCTG AGGGAAGGGAGGGAGGATGCTGCTTGGTTCA CATAACTCCAGCATCATCACCTTCTTTGCATGGTTTTGTG TTTCTTGAACACCTGTCTTAGTAAAATGTTTCTTCCCATTA CCTTGCTTGTAATTACATCTGATTTTGCCAGACA

23 Uniprot_id: P05067

>TCONS 00180786 | ENST00000474136 (SEQ ID NO: 23) CGAĞAGCACGCGGAGGAGCGTGCGCGGGGGCCCCGGG AGACGGCGGCGGTGGCGGCGCGGGCAGAGCAAGGACG CGGCGGATCCCACTCGCACAGCAGCGCACTCGGTGCCC CGCGCAGGGTCGCGATGCTGCCCGGTTTGGCACTGCTC CTGCTGGCCGCCTGGACGGCTCGGGCGCTGGAGGTACC CACTGATGGTAATGCTGGCCTGCTGGCTGAACCCCAGAT TGCCATGTTCTGTGGCAGACTGAACATGCACATGAATGTC CAGAATGGGAAGTGGGATTCAGATCCATCAGGGACCAAA ${\tt ACCTGCATTGATACCAAGGAAGGCATCCTGCAGTATTGC}$ CAAGAAGTCTACCCTGAACTGCAGATCACCAATGTGGTA GAAGCCAACCAGTGACCATCCAGAACTGGTGCAAG CGGGGCCGCAAGCAGTGCAAGACCCATCCCCACTTTGTG ATTCCCTACCGCTGCTTAGTTGGTGAGTTTGTAAGTGATG CCCTTCTCGTTCCTGACAAGTGCAAATTCTTACACCAGGA GAGGATGGATGTTTGCGAAACTCATCTTCACTGGCACAC CGTCGCCAAAGAGACATGCAGTGAGAAGAGTACCAACTT GCATGACTACGGCATGTTGCTGCCCTGCGGAATTGACAA $\tt GTTCCGAGGGGTAGAGTTTGTGTTGTCCCACTGGCTGA$ AGAAAGTGACAATGTGGATTCTGCTGATGCGGAGGAGGA TGACTCGGATGTCTGGTGGGGCGGAGCAGACACAGACT ATGCAGATGGGAGTGAAGACAAAGTAGTAGAAGTAGCAG AGGAGGAAGAAGTGGCTGAGGTGGAAGAAGAAGAAGCC GATGATGACGAGGACGATGAGGATGATGAGGTAGA GGAAGAGGCTGAGGAACCCTACGAAGAAGCCACAGAGA GAACCACCAGCATTGCCACCACCACCACCACCACCACAG AGTCTGTGGAAGAGGTGGTTCGAGAGAAGTGGTATAAGG AAGTACATTCTGGCCAGGCACGATGGCTCATGCTGTAAT

APP transcrips fina

Number of Ensembl_protein_id/ Fasta_Formatted_DNA_sequences_with_cufflinks variants UniProt id transcript_ids_and_corres-ponding_Ensembl_ids

> CCCAGCACTTTGGGAGGCCGAGGTGGGTGCATCACCTG AGGTCAGGAGTTTGAGACCAGCCTGGCCAACATGGTGAA ACCCCTCGCTACTAAAAATACAAAAATTAGCCGGGCGTG GTGGCACACCTGTGGTCCCAGCTACTCGGGAGGCTG AAGCAGGAGAATCGCTTGAACCCGGGAGACGGAGGTTG CAGTAAGCCGAGTTCACTCCATTGTACTCTAGCCTGGGT GACAGAGCGAGATTCGTCTCAAAAAAAAAAAAA

24 Uniprot_id: P05067

(SEO ID NO: 24) GTAACATTCTAAAGGTAGTAGGGTCTTGATTGGGTTGCTT AGGCATTAAAAGGCTGTTTAACTTGTCTTGAAGTCTATCTT TCCTTGATGTCTTCTGCGGTAAGAACACTGTGATACAGAT GGAATGACGGGAAGTGGTTTTCCTTTCTTTCAGTTGGTGA GTTTGTAAGTGATGCCCTTCTCGTTCCTGACAAGTGCAAA TTCTTACACCAGGAGAGGATGGATGTTTGCGAAACTCATC TTCACTGGCACACCGTCGCCAAAGAGACATGCAGTGAGA AGAGTACCAACTTGCATGACTACGGCATGTTGCTGCCCT GCGGAATTGACAAGTTCCGAGGGGTAGAGTTTGTGTGTT

>TCONS 00180787 | ENST00000463070

GCCCACTGGCTGAAGAAAGTGACAATGTGGATTCTGCTG ATGCGGAGGAGGATGACTCGGATGTCTGGTGGGGCGGA GCAGACACAGACTATGCAGATGGGAGTGAAGACAAAGTA GTAGAAGTAGCAGAGGAGGAAGAAGTGGCTGAGGTGGA AGAAGAAGAAGCCGATGATGACGAGGACGATGAGGATG

GTGATGAGGTAGAGGAAGAGGCTGAGGAACCC

25 Uniprot_id: P05067 >TCONS_00180788 | ENST00000548570

(SEO ID NO: 25)

ACTGGAGGGCTGAGAAGAGACTGATGGCATTTGTTGTTC TTGACCTTGAAAGAAGAGTTGCAGATTGTTGGAGCAAGG CCAGATGGTAATAGGTTGGAAAGAACAAGTGAGGGGCGT GAGAGTGACAGTCTACAACCCCGTTAAGAAGTTATCTGTG AAAATGCCTCTTCCTGTCTTGATTATAGCCTCCCTCGCAC ATGGCTTTCTGAGTATGTTGGTGAGTTTGTAAGTGATGCC CTTCTCGTTCCTGACAAGTGCAAATTCTTACACCAGGAGA GGATGGATGTTTGCGAAACTCATCTTCACTGGCACACCG TCGCCAAAGAGACATGCAGTGAGAAGAGTACCAACTTGC ATGACT

26 Uniprot id: P05067 >TCONS 00180789 ENST00000462267

(SEQ ID NO: 26) CTGAACATGCACATGAATGTCCAGAATGGGAAGTGGGAT TCAGATCCATCAGGGACCAAAACCTGCATTGATACCAAG GAAGGCATCCTGCAGTATTGCCAAGAAGTCTACCCTGAA CTGCAGATCACCAATGTGGTAGAAGCCAACCAACCAGTG ACCATCCAGAACTGGTGCAAGCGGGGCCGCAAGCAGTG CAAGACCCATCCCCACTTTGTGATTCCCTACCGCTGCTTA GGTGAGCCGGCCGGCCGTGGGGCTGTTGATTGGGG GCCTGGTCTTGAGGGAAGAAAAAGAGGATGCTCCTGTTA GGTCACATACACAGACTTGTTCTTCAGCACATTGCCACTC TGTGTTGTACTGTGTTTTGGACTCTTGCAGTTACATTCTGT GCACTGACCCTATAGGAGCAGTATTTTTGAGTTCCCTGCC TCAGAATGAATTTACCCAGGGTGTATATTGAAATTACAAAT TCCTGGGCCAGTTCCAGGACTCCTGAATGAAAAATGCCT ATAGTAGCGGATCCGGGAATTCTTATTTTACCGTATCGCA TAGATGATTCTCATGAACAGGGGCCTTGTGTGTTTCTTCA CATAGACTTTCTAGAAGAAGAATCTAATGTGAAGCTGCA GCATTTTGTTAATTTCTAAAAAAAAAAAAAAAAAAA

Uniprot id: P05067

>TCONS_00180790 | ENST00000466453

(SEO ID NO: 27)

GGCGCGCCTCTTCCCTGGCAGCTCTGGGGACTCTGGT TTAGTTCCCCTGGGGGCACAGGATGCTGGGGAGGGTCC GAAGGGTCTTTTTTTTAGGGTGCAGATAAAAGGATCGAAT TGAGTGAAGATTAAGACGGAGAAGATGGCGCCTCTGCAG TGCAGCAAAGAAAGCTGTGTGGAGGCTGCAGCCTAGTG AAATCCACCACCACTAGGTACCCACTGATGGTAATGCT GGCCTGCTGGCTGAACCCCAGATTGCCATGTTCTGTGGC AGACTGAACATGCACATGAATGTCCAGAATGGGAAGTGG GATTCAGATCCATCAGGGACCAAAACCTGCATTGATACCA AGGAAGGCATCCTGCAGTATTGC

REFERENCES

- 1. Hartley J L, Davenport M, Kelly D A. Biliary atresia. Lancet. 2009; 374 (9702): 1704-13.
- Performing Kasai portoenterostomy beyond 60 days of life is not necessarily associated with a worse outcome. Journal of pediatric gastroenterology and nutrition. 2010; 51 (5): 631-4.
- 3. Chung P H, Wong K K, Tam P K. Predictors for failure 10 after Kasai operation. Journal of pediatric surgery. 2015; 50 (2): 293-6.
- 4. Ernest van Heurn L W, Saing H, Tam P K. Cholangitis after hepatic portoenterostomy for biliary atresia: a multivariate analysis of risk factors. The Journal of pediatrics. 15 2003; 142 (5): 566-71.

64

- 5. Khong PL, Ooi CG, Saing H, Chan KL, Wong WH, Tam P K, et al. Portal venous velocity in the follow-up of patients with biliary atresia after Kasai portoenterostomy. Journal of pediatric surgery. 2002; 37 (6): 873-6.
- 2. Wong K K, Chung P H, Chan I H, Lan L C, Tam P K. 5 6. van Heurn L W, Saing H, Tam P K. Portoenterostomy for biliary atresia: Long-term survival and prognosis after esophageal variceal bleeding. Journal of pediatric surgery. 2004; 39 (1): 6-9.
 - 7. Wong K K, Fan A H, Lan L C, Lin S C, Tam P K. Effective antibiotic regime for postoperative acute cholangitis in biliary atresia—an evolving scene. Journal of pediatric surgery. 2004; 39 (12): 1800-2.
 - 8. Picelli S, Faridani O R, Bjorklund A K, Winberg G, Sagasser S, Sandberg R. Full-length RNA-seq from single cells using Smart-seq2. Nature protocols. 2014; 9 (1): 171-81.

SEQUENCE LISTING

<160> NUMBER OF SEQ ID NOS: 27 <210> SEQ ID NO 1 <211> LENGTH: 3383 <212> TYPE: DNA <213> ORGANISM: Artificial sequence <220> FEATURE: <223> OTHER INFORMATION: Description of sequence: amyloid precursor protein coding sequence <400> SEQUENCE: 1 ggtacceact gatggtaatg etggeetget ggetgaacce cagattgeea tgttetgtgg 60 cagactgaac atgcacatga atgtccagaa tgggaagtgg gattcagatc catcagggac 120 caaaacctgc attgatacca aggaaggcat cctgcagtat tgccaagaag tctaccctga 180 actgcagatc accaatgtgg tagaagccaa ccaaccagtg accatccaga actggtgcaa 240 gcggggccgc aagcagtgca agacccatcc ccactttgtg attccctacc gctgcttagt 300 tggtgagttt gtaagtgatg coettetegt teetgacaag tgcaaattet tacaccagga 360 gaggatggat gtttgcgaaa ctcatcttca ctggcacacc gtcgccaaag agacatgcag 420 tgagaagagt accaacttgc atgactacgg catgttgctg ccctgcggaa ttgacaagtt ccgaggggta gagtttgtgt gttgcccact ggctgaagaa agtgacaatg tggattctgc tgatgcggag gaggatgact cggatgtctg gtggggcgga gcagacacag actatgcaga 600 tgggagtgaa gacaaagtag tagaagtagc agaggaggaa gaagtggctg aggtggaaga 660 agaagaagcc gatgatgacg aggacgatga ggatggtgat gaggtagagg aagaggctga 720 ggaaccctac gaagaagcca cagagagaac caccagcatt gccaccacca ccaccaccac 780 cacagagtct gtggaagagg tggttcgaga ggtgtgctct gaacaagccg agacggggcc 840 gtgccgagca atgatctccc gctggtactt tgatgtgact gaagggaagt gtgccccatt 900 cttttacggc ggatgtggcg gcaaccggaa caactttgac acagaagagt actgcatggc 960 cqtqtqtqqc aqcqccatqt cccaaaqttt actcaaqact acccaqqaac ctcttqcccq 1020 agateetgtt aaaetteeta caacageage cagtaceeet gatgeegttg acaagtatet 1080 cgagacacct ggggatgaga atgaacatgc ccatttccag aaagccaaag agaggcttga 1140 ggccaagcac cgagagagaa tgtcccaggt catgagagaa tgggaagagg cagaacgtca 1200 aqcaaaqaac ttqcctaaaq ctqataaqaa qqcaqttatc caqcatttcc aqqaqaaaqt 1260 ggaatctttg gaacaggaag cagccaacga gagacagcag ctggtggaga cacacatggc 1320 caqaqtqqaa qccatqctca atqaccqccq ccqcctqqcc ctqqaqaact acatcaccqc 1380

tctgcaggct	gttcctcctc	ggcctcgtca	cgtgttcaat	atgctaaaga	agtatgtccg	1440
cgcagaacag	aaggacagac	agcacaccct	aaagcatttc	gagcatgtgc	gcatggtgga	1500
tcccaagaaa	gccgctcaga	teeggteeea	ggttatgaca	cacctccgtg	tgatttatga	1560
gcgcatgaat	cagtetetet	ccctgctcta	caacgtgcct	gcagtggccg	aggagattca	1620
ggatgaagtt	gatgagctgc	ttcagaaaga	gcaaaactat	tcagatgacg	tcttggccaa	1680
catgattagt	gaaccaagga	tcagttacgg	aaacgatgct	ctcatgccat	ctttgaccga	1740
aacgaaaacc	accgtggagc	teetteeegt	gaatggagag	ttcagcctgg	acgatctcca	1800
gccgtggcat	tcttttgggg	ctgactctgt	gccagccaac	acagaaaacg	aagttgagcc	1860
tgttgatgcc	cgccctgctg	ccgaccgagg	actgaccact	cgaccaggtt	ctgggttgac	1920
aaatatcaag	acggaggaga	tctctgaagt	gaagatggat	gcagaattcc	gacatgactc	1980
aggatatgaa	gttcatcatc	aaaaattggt	gttctttgca	gaagatgtgg	gttcaaacaa	2040
aggtgcaatc	attggactca	tggtgggcgg	tgttgtcata	gcgacagtga	tcgtcatcac	2100
cttggtgatg	ctgaagaaga	aacagtacac	atccattcat	catggtgtgg	tggaggttga	2160
cgccgctgtc	accccagagg	agcgccacct	gtccaagatg	cagcagaacg	gctacgaaaa	2220
tccaacctac	aagttctttg	agcagatgca	gaactagacc	cccgccacag	cagcctctga	2280
agttggacag	caaaaccatt	gcttcactac	ccatcggtgt	ccatttatag	aataatgtgg	2340
gaagaaacaa	acccgtttta	tgatttactc	attatcgcct	tttgacagct	gtgctgtaac	2400
acaagtagat	gcctgaactt	gaattaatcc	acacatcagt	aatgtattct	atctctcttt	2460
acattttggt	ctctatacta	cattattaat	gggttttgtg	tactgtaaag	aatttagctg	2520
tatcaaacta	gtgcatgaat	agattctctc	ctgattattt	atcacatagc	cccttagcca	2580
gttgtatatt	attcttgtgg	tttgtgaccc	aattaagtcc	tactttacat	atgctttaag	2640
aatcgatggg	ggatgcttca	tgtgaacgtg	ggagttcagc	tgcttctctt	gcctaagtat	2700
tcctttcctg	atcactatgc	attttaaagt	taaacatttt	taagtatttc	agatgcttta	2760
gagagatttt	ttttccatga	ctgcatttta	ctgtacagat	tgctgcttct	gctatatttg	2820
tgatatagga	attaagagga	tacacacgtt	tgtttcttcg	tgcctgtttt	atgtgcacac	2880
attaggcatt	gagacttcaa	gcttttcttt	ttttgtccac	gtatctttgg	gtctttgata	2940
aagaaaagaa	tccctgttca	ttgtaagcac	ttttacgggg	cgggtgggga	ggggtgctct	3000
gctggtcttc	aattaccaag	aattctccaa	aacaattttc	tgcaggatga	ttgtacagaa	3060
tcattgctta	tgacatgatc	gctttctaca	ctgtattaca	taaataaatt	aaataaaata	3120
accccgggca	agacttttct	ttgaaggatg	actacagaca	ttaaataatc	gaagtaattt	3180
tgggtgggga	gaagaggcag	attcaatttt	ctttaaccag	tctgaagttt	catttatgat	3240
acaaaagaag	atgaaaatgg	aagtggcaat	ataaggggat	gaggaaggca	tgcctggaca	3300
aacccttctt	ttaagatgtg	tcttcaattt	gtataaaatg	gtgttttcat	gtaaataaat	3360
acattcttgg	aggagcacca	ttg				3383

<210> SEQ ID NO 2 <211> LENGTH: 3423 <212> TYPE: DNA <213> ORGANISM: Artificial sequence

<220> FEATURE:
<223> OTHER INFORMATION: Description of sequence: amyloid precursor
... protein coding sequence

1
1

attgagtgaa	gattaagacg	gagaagatgg	cgcctctgca	gtgcagcaaa	gaaaagctgt	60
gtggaggctg	cagcctagtg	aaatccaccc	accactaggt	acccactgat	ggtaatgctg	120
geetgetgge	tgaaccccag	attgccatgt	tctgtggcag	actgaacatg	cacatgaatg	180
tccagaatgg	gaagtgggat	tcagatccat	cagggaccaa	aacctgcatt	gataccaagg	240
aaggcatcct	gcagtattgc	caagaagtct	accctgaact	gcagatcacc	aatgtggtag	300
aagccaacca	accagtgacc	atccagaact	ggtgcaagcg	gggccgcaag	cagtgcaaga	360
cccatcccca	ctttgtgatt	ccctaccgct	gcttagttgg	tgagtttgta	agtgatgccc	420
ttctcgttcc	tgacaagtgc	aaattcttac	accaggagag	gatggatgtt	tgcgaaactc	480
atcttcactg	gcacaccgtc	gccaaagaga	catgcagtga	gaagagtacc	aacttgcatg	540
actacggcat	gttgctgccc	tgcggaattg	acaagttccg	aggggtagag	tttgtgtgtt	600
gcccactggc	tgaagaaagt	gacaatgtgg	attctgctga	tgcggaggag	gatgactcgg	660
atgtctggtg	gggcggagca	gacacagact	atgcagatgg	gagtgaagac	aaagtagtag	720
aagtagcaga	ggaggaagaa	gtggctgagg	tggaagaaga	agaagccgat	gatgacgagg	780
acgatgagga	tggtgatgag	gtagaggaag	aggctgagga	accctacgaa	gaagccacag	840
agagaaccac	cagcattgcc	accaccacca	ccaccaccac	agagtctgtg	gaagaggtgg	900
ttcgagaggt	gtgctctgaa	caagccgaga	cggggccgtg	ccgagcaatg	atctcccgct	960
ggtactttga	tgtgactgaa	gggaagtgtg	ccccattctt	ttacggcgga	tgtggcggca	1020
accggaacaa	ctttgacaca	gaagagtact	gcatggccgt	gtgtggcagc	gccattccta	1080
caacagcagc	cagtacccct	gatgccgttg	acaagtatct	cgagacacct	ggggatgaga	1140
atgaacatgc	ccatttccag	aaagccaaag	agaggcttga	ggccaagcac	cgagagagaa	1200
tgtcccaggt	catgagagaa	tgggaagagg	cagaacgtca	agcaaagaac	ttgcctaaag	1260
ctgataagaa	ggcagttatc	cagcatttcc	aggagaaagt	ggaatctttg	gaacaggaag	1320
cagccaacga	gagacagcag	ctggtggaga	cacacatggc	cagagtggaa	gccatgctca	1380
atgaccgccg	ccgcctggcc	ctggagaact	acatcaccgc	tetgeagget	gttcctcctc	1440
ggcctcgtca	cgtgttcaat	atgctaaaga	agtatgtccg	cgcagaacag	aaggacagac	1500
agcacaccct	aaagcatttc	gagcatgtgc	gcatggtgga	tcccaagaaa	gccgctcaga	1560
tccggtccca	ggttatgaca	cacctccgtg	tgatttatga	gcgcatgaat	cagtctctct	1620
ccctgctcta	caacgtgcct	gcagtggccg	aggagattca	ggatgaagtt	gatgagctgc	1680
ttcagaaaga	gcaaaactat	tcagatgacg	tettggeeaa	catgattagt	gaaccaagga	1740
tcagttacgg	aaacgatgct	ctcatgccat	ctttgaccga	aacgaaaacc	accgtggagc	1800
teetteeegt	gaatggagag	ttcagcctgg	acgatctcca	gccgtggcat	tcttttgggg	1860
ctgactctgt	gccagccaac	acagaaaacg	aagttgagcc	tgttgatgcc	cgccctgctg	1920
ccgaccgagg	actgaccact	cgaccaggtt	ctgggttgac	aaatatcaag	acggaggaga	1980
tctctgaagt	gaagatggat	gcagaattcc	gacatgactc	aggatatgaa	gttcatcatc	2040
aaaaattggt	gttctttgca	gaagatgtgg	gttcaaacaa	aggtgcaatc	attggactca	2100
tggtgggcgg	tgttgtcata	gcgacagtga	tcgtcatcac	cttggtgatg	ctgaagaaga	2160
aacagtacac	atccattcat	catggtgtgg	tggaggttga	cgccgctgtc	accccagagg	2220
agcgccacct	gtccaagatg	cagcagaacg	gctacgaaaa	tccaacctac	aagttctttg	2280
agcagatgca	gaactagacc	cccgccacaq	cageetetga	agttggacaq	caaaaccatt	2340
	-					

-continued

-continued	
gcttcactac ccatcggtgt ccatttatag aataatgtgg gaagaaacaa acccgtttta	2400
tgatttactc attatcgcct tttgacagct gtgctgtaac acaagtagat gcctgaactt	2460
gaattaatcc acacatcagt aatgtattct atctctcttt acattttggt ctctatacta	2520
cattattaat gggttttgtg tactgtaaag aatttagctg tatcaaacta gtgcatgaat	2580
agattetete etgattattt ateacatage eeettageea gttgtatatt attettgtgg	2640
tttgtgaccc aattaagtcc tactttacat atgctttaag aatcgatggg ggatgcttca	2700
tgtgaacgtg ggagttcagc tgcttctctt gcctaagtat tcctttcctg atcactatgc	2760
attttaaagt taaacatttt taagtatttc agatgcttta gagagatttt ttttccatga	2820
ctgcatttta ctgtacagat tgctgcttct gctatatttg tgatatagga attaagagga	2880
tacacacgtt tgtttcttcg tgcctgtttt atgtgcacac attaggcatt gagacttcaa	2940
gettttettt ttttgteeac gtatetttgg gtetttgata aagaaaagaa teeetgttea	3000
ttgtaagcac ttttacgggg cgggtgggga ggggtgctct gctggtcttc aattaccaag	3060
aattotocaa aacaatttto tgoaggatga ttgtacagaa toattgotta tgacatgato	3120
getttetaca etgtattaca taaataaatt aaataaaata acceegggea agaettttet	3180
ttgaaggatg actacagaca ttaaataatc gaagtaattt tgggtgggga gaagaggcag	3240
attcaatttt ctttaaccag tctgaagttt catttatgat acaaaagaag atgaaaatgg	3300
aagtggcaat ataaggggat gaggaaggca tgcctggaca aacccttctt ttaagatgtg	3360
tetteaattt gtataaaatg gtgtttteat gtaaataaat acattettgg aggageacea	3420
ttg	3423
	3123
<pre><210> SEQ ID NO 3 <211> LENGTH: 3204 <212> TYPE: DNA <213> ORGANISM: Artificial sequence <220> FEATURE: <223> OTHER INFORMATION: Description of sequence: amyloid precurso: protein coding sequence</pre>	
<210> SEQ ID NO 3 <211> LENGTH: 3204 <212> TYPE: DNA <213> ORGANISM: Artificial sequence <220> FEATURE: <223> OTHER INFORMATION: Description of sequence: amyloid precurso:	
<pre><210> SEQ ID NO 3 <211> LENGTH: 3204 <212> TYPE: DNA <213> ORGANISM: Artificial sequence <220> FEATURE: <223> OTHER INFORMATION: Description of sequence: amyloid precurso:</pre>	
<pre><210> SEQ ID NO 3 <211> LENGTH: 3204 <212> TYPE: DNA <213> ORGANISM: Artificial sequence <220> FEATURE: <223> OTHER INFORMATION: Description of sequence: amyloid precurso:</pre>	c
<pre><210> SEQ ID NO 3 <211> LENGTH: 3204 <212> TYPE: DNA <213> ORGANISM: Artificial sequence <220> FEATURE: <223> OTHER INFORMATION: Description of sequence: amyloid precurso:</pre>	60
<pre><210> SEQ ID NO 3 <211> LENGTH: 3204 <212> TYPE: DNA <213> ORGANISM: Artificial sequence <220> FEATURE: <223> OTHER INFORMATION: Description of sequence: amyloid precurso:</pre>	60 120
<pre><210> SEQ ID NO 3 <211> LENGTH: 3204 <212> TYPE: DNA <213> ORGANISM: Artificial sequence <220> FEATURE: <223> OTHER INFORMATION: Description of sequence: amyloid precurso:</pre>	60 120 180
<pre><210> SEQ ID NO 3 <211> LENGTH: 3204 <212> TYPE: DNA <213> ORGANISM: Artificial sequence <220> FEATURE: <223> OTHER INFORMATION: Description of sequence: amyloid precursor protein coding sequence <400> SEQUENCE: 3 cgccgcgctc gggctccgtc agtttcctcg gcagcggtag gcgagagcac gcggaggagc gtgcgcgggg gccccgggag acggcggcg tggcgcgcg ggcagagcaa ggacgcggcg gatcccactc gcacagcagc gcactcggtg ccccgcgcag ggtcgcgatg ctgcccggtt tggcactgct cctgctggcc gcctggacgg ctcgggcgct ggaggtctac cctgaactgc</pre>	60 120 180 240
<pre><210> SEQ ID NO 3 <211> LENGTH: 3204 <212> TYPE: DNA <213> ORGANISM: Artificial sequence <220> FEATURE: <222> OTHER INFORMATION: Description of sequence: amyloid precurso:</pre>	60 120 180 240
<pre><210> SEQ ID NO 3 <211> LENGTH: 3204 <212> TYPE: DNA <213> ORGANISM: Artificial sequence <220> FEATURE: <223> OTHER INFORMATION: Description of sequence: amyloid precursor protein coding sequence <400> SEQUENCE: 3 cgccgcgctc gggctccgtc agtttcctcg gcagcggtag gcgagagcac gcggaggagc gtgcgcgggg gccccgggag acggcgcgg tggcggcgc ggcagagcaa ggacgcgcg gatcccactc gcacagcagc gcactcggtg ccccgcgcag ggtcgcgatg ctgcccggtt tggcactgct cctgctggcc gcctggacgg ctcgggcgct ggaggtctac cctgaactgc agatcaccaa tgtggtagaa gccaaccaac cagtgaccat ccagaactgg tgcaagcgg gccgcaagca gtgcaagcag gccgcaagca gtgcaagcac catcccact ttgtgattcc ctaccgctgc ttagttggtg</pre>	60 120 180 240 300 360
<pre><210> SEQ ID NO 3 <211> LENGTH: 3204 <212> TYPE: DNA <213> ORGANISM: Artificial sequence <220> FEATURE: <222> OTHER INFORMATION: Description of sequence: amyloid precurso:</pre>	60 120 180 240 300 360 420
<pre><210> SEQ ID NO 3 <211> LENGTH: 3204 <212> TYPE: DNA <213> ORGANISM: Artificial sequence <220> FEATURE: <222> OTHER INFORMATION: Description of sequence: amyloid precursor protein coding sequence <400> SEQUENCE: 3 cgccgcgctc gggctccgtc agtttcctcg gcagcggtag gcgagagcac gcggaggagc gtgcgcgggg gccccgggag acggcggcg tggcggcgc ggcagagcaa ggacgcggcg gatcccactc gcacagcagc gcactcggtg ccccgcgcag ggtcgcgatg ctgcccggtt tggcactgct cctgctggcc gcctggacg ctcgggcgct ggaggtctac cctgaactgc agatcaccaa tgtggtagaa gccaaccaac cagtgaccat ccagaactgg tgcaagcgg gccgcaagca gtgcaagcac catcccact ttgtgattcc ctaccgctg ttagttggtg agtttgtaag tgatgccctt ctcgttcctg acaagtgcaa attcttacac caggagagga tggatgtttg cgaaactcat cttcactggc acaccgtcgc caaagagca tgcagtgaga tggatgtttg cgaaactcat cttcactggc acaccgtcgc caaagagca tgcagtgaga</pre>	60 120 180 240 300 360 420
<pre><210> SEQ ID NO 3 <211> LENGTH: 3204 <212> TYPE: DNA <213> ORGANISM: Artificial sequence <220> FEATURE: <223> OTHER INFORMATION: Description of sequence: amyloid precursor protein coding sequence <400> SEQUENCE: 3 cgccgcgctc gggctccgtc agtttcctcg gcagcggtag gcgagagcac gcggaggagc gtgcgcgggg gccccgggag acggcggcg tggcggcgg ggcagagcaa ggacgcggcg gatcccactc gcacagcagc gcactcggtg ccccgcgcag ggtcgcgatg ctgcccggtt tggcactgct cctgctggcc gcctggacgg ctcgggcgct ggaggtctac cctgaactgc agatcaccaa tgtggtagaa gccaaccaac cagtgaccat ccagaactgg tgcaagcggg gccgcaagca gtgcaagacc catccccact ttgtgattcc ctaccgctgc ttagttggtg agtttgtaag tgatgccctt ctcgttcctg acaagtgcaa attcttacac caggagagga tggatgtttg cgaaactcat cttcactggc acaccgtcgc caaagagca tgcagtgaga agagtactac cttgcatgac tctcactggc acaccgtcgc caaagagca tgcagtgaga agagtaccaa cttgcatgac taccgcatgt tgctgccctg cggaattgac aagttccgag agagtaccaa cttgcatgac taccgcatgt tgctgccctg cggaattgac aagttccgag agagtaccaa cttgcatgac taccgcatgt tgctgccctg cggaattgac aagttccgag</pre>	60 120 180 240 300 360 420 480
<pre><210> SEQ ID NO 3 <211> LENGTH: 3204 <212> TYPE: DNA <213> ORGANISM: Artificial sequence <220> FEATURE: <223> OTHER INFORMATION: Description of sequence: amyloid precurso:</pre>	60 120 180 240 300 360 420 480 540
<pre><210> SEQ ID NO 3 <211> LENGTH: 3204 <212> TYPE: DNA <213> ORGANISM: Artificial sequence <220> FEATURE: <223> OTHER INFORMATION: Description of sequence: amyloid precurso: protein coding sequence <400> SEQUENCE: 3 cgccgcgctc gggctccgtc agtttcctcg gcagcggtag gcgagagcac gcggaggagc gtgcgcgggg gccccgggag acggcggggg tggcggcgg ggcagagcaa ggacgcgggg gatcccactc gcacagcagc gcactcggt ccccgcgag ggtcgcata ctgcccggtt tggcactgct cctgctggcc gcctggacgg ctcgggcgct ggaggtctac cctgaactgc agatcaccaa tgtggtagaa gccaaccaac cagtgaccat ccagaactgg tgcaagcgg gccgcaagca gtgcaagcag gtcgcaagcag gtcgcaagca gtgcaagcag gccgcaagca gtgcaagcac catccccact ttgtgattcc ctaccgctgc ttagttggtg agtttgtaag tgatgccctt ctcgttcctg acaagtgcaa attcttacac caggagagga tggatgtttg cgaaactcat cttcactggc acaccgtcgc caaagagcaa tgcagtgaga agagtaccaa cttgcatgac tacggcatgt tgctgcctt cggaattgac aagttccgag gggtagagtt tgtgtgttgc ccactggctg aagaaagtga caatgtggat tctgctgatg cggaggagga tgactcggat gtctggtgg gcggagcaga cacagactat gcagatgga cggaggagga tgactcggat gtctggtggg gcggagcaga cacagactat gcagatgga</pre>	60 120 180 240 300 360 420 480 540 600

840

cctacgaaga agccacagag agaaccacca gcattgccac caccaccacc accaccacag

agtctgtgga agaggtggtt cgagaggtgt gctctgaaca agccgagacg gggccgtgcc

-continued

gagcaatgat	ctcccgctgg	tactttgatg	tgactgaagg	gaagtgtgcc	ccattcttt	960
				agagtactgc		1020
gtggcagcgc	catgtcccaa	agtttactca	agactaccca	ggaacctctt	gcccgagatc	1080
ctgttaaact	tcctacaaca	gcagccagta	cccctgatgc	cgttgacaag	tatctcgaga	1140
cacctgggga	tgagaatgaa	catgcccatt	tccagaaagc	caaagagagg	cttgaggcca	1200
agcaccgaga	gagaatgtcc	cagcctcgtc	acgtgttcaa	tatgctaaag	aagtatgtcc	1260
gcgcagaaca	gaaggacaga	cagcacaccc	taaagcattt	cgagcatgtg	cgcatggtgg	1320
atcccaagaa	agccgctcag	atccggtccc	aggttatgac	acacctccgt	gtgatttatg	1380
agcgcatgaa	tcagtctctc	tecetgetet	acaacgtgcc	tgcagtggcc	gaggagattc	1440
aggatgaagt	tgatgagctg	cttcagaaag	agcaaaacta	ttcagatgac	gtcttggcca	1500
acatgattag	tgaaccaagg	atcagttacg	gaaacgatgc	tctcatgcca	tctttgaccg	1560
aaacgaaaac	caccgtggag	ctccttcccg	tgaatggaga	gttcagcctg	gacgatctcc	1620
agccgtggca	ttcttttggg	gctgactctg	tgccagccaa	cacagaaaac	gaagttgagc	1680
ctgttgatgc	ccgccctgct	gccgaccgag	gactgaccac	tcgaccaggt	tctgggttga	1740
caaatatcaa	gacggaggag	atctctgaag	tgaagatgga	tgcagaattc	cgacatgact	1800
caggatatga	agttcatcat	caaaaattgg	tgttctttgc	agaagatgtg	ggttcaaaca	1860
aaggtgcaat	cattggactc	atggtgggcg	gtgttgtcat	agcgacagtg	atcgtcatca	1920
ccttggtgat	gctgaagaag	aaacagtaca	catccattca	tcatggtgtg	gtggaggttg	1980
acgccgctgt	caccccagag	gagcgccacc	tgtccaagat	gcagcagaac	ggctacgaaa	2040
atccaaccta	caagttcttt	gagcagatgc	agaactagac	ccccgccaca	gcagcctctg	2100
aagttggaca	gcaaaaccat	tgcttcacta	cccatcggtg	tccatttata	gaataatgtg	2160
ggaagaaaca	aacccgtttt	atgatttact	cattatcgcc	ttttgacagc	tgtgctgtaa	2220
cacaagtaga	tgcctgaact	tgaattaatc	cacacatcag	taatgtattc	tatctctctt	2280
tacattttgg	tctctatact	acattattaa	tgggttttgt	gtactgtaaa	gaatttagct	2340
gtatcaaact	agtgcatgaa	tagattctct	cctgattatt	tatcacatag	ccccttagcc	2400
agttgtatat	tattcttgtg	gtttgtgacc	caattaagtc	ctactttaca	tatgctttaa	2460
gaatcgatgg	gggatgcttc	atgtgaacgt	gggagttcag	ctgcttctct	tgcctaagta	2520
ttcctttcct	gatcactatg	cattttaaag	ttaaacattt	ttaagtattt	cagatgcttt	2580
agagagattt	tttttccatg	actgcatttt	actgtacaga	ttgctgcttc	tgctatattt	2640
gtgatatagg	aattaagagg	atacacacgt	ttgtttcttc	gtgcctgttt	tatgtgcaca	2700
cattaggcat	tgagacttca	agcttttctt	tttttgtcca	cgtatctttg	ggtctttgat	2760
aaagaaaaga	atccctgttc	attgtaagca	cttttacggg	gcgggtgggg	aggggtgctc	2820
tgctggtctt	caattaccaa	gaattctcca	aaacaatttt	ctgcaggatg	attgtacaga	2880
atcattgctt	atgacatgat	cgctttctac	actgtattac	ataaataaat	taaataaaat	2940
aaccccgggc	aagacttttc	tttgaaggat	gactacagac	attaaataat	cgaagtaatt	3000
ttgggtgggg	agaagaggca	gattcaattt	tctttaacca	gtctgaagtt	tcatttatga	3060
tacaaaagaa	gatgaaaatg	gaagtggcaa	tataagggga	tgaggaaggc	atgeetggae	3120
aaacccttct	tttaagatgt	gtcttcaatt	tgtataaaat	ggtgttttca	tgtaaataaa	3180
tacattcttg	gaggagcacc	attg				3204

74 73

<210> SEQ ID NO 4
<211> LENGTH: 3495
<212> TYPE: DNA
<213> ORGANISM: Artificial sequence

<220> FEATURE:
<223> OTHER INFORMATION: Description of sequence: amyloid precursor protein coding sequence

<400> SEQUENCE: 4

cgccgcgctc	gggeteegte	agtttcctcg	gcagcggtag	gcgagagcac	gcggaggagc	60
gtgcgcgggg	gccccgggag	acggcggcgg	tggeggegeg	ggcagagcaa	ggacgcggcg	120
gateceaete	gcacagcagc	gcactcggtg	ccccgcgcag	ggtcgcgatg	ctgcccggtt	180
tggcactgct	cctgctggcc	gcctggacgg	ctcgggcgct	ggaggtaccc	actgatggta	240
atgctggcct	gctggctgaa	ccccagattg	ccatgttctg	tggcagactg	aacatgcaca	300
tgaatgtcca	gaatgggaag	tgggattcag	atccatcagg	gaccaaaacc	tgcattgata	360
ccaaggaagg	catcctgcag	tattgccaag	aagtctaccc	tgaactgcag	atcaccaatg	420
tggtagaagc	caaccaacca	gtgaccatcc	agaactggtg	caagcggggc	cgcaagcagt	480
gcaagaccca	tccccacttt	gtgattccct	accgctgctt	agttggtgag	tttgtaagtg	540
atgecettet	cgttcctgac	aagtgcaaat	tcttacacca	ggagaggatg	gatgtttgcg	600
aaactcatct	tcactggcac	accgtcgcca	aagagacatg	cagtgagaag	agtaccaact	660
tgcatgacta	cggcatgttg	ctgccctgcg	gaattgacaa	gttccgaggg	gtagagtttg	720
tgtgttgccc	actggctgaa	gaaagtgaca	atgtggattc	tgctgatgcg	gaggaggatg	780
actcggatgt	ctggtggggc	ggagcagaca	cagactatgc	agatgggagt	gaagacaaag	840
tagtagaagt	agcagaggag	gaagaagtgg	ctgaggtgga	agaagaagaa	gccgatgatg	900
acgaggacga	tgaggatggt	gatgaggtag	aggaagaggc	tgaggaaccc	tacgaagaag	960
ccacagagag	aaccaccagc	attgccacca	ccaccaccac	caccacagag	tctgtggaag	1020
aggtggttcg	agaggtgtgc	tctgaacaag	ccgagacggg	gccgtgccga	gcaatgatct	1080
cccgctggta	ctttgatgtg	actgaaggga	agtgtgcccc	attcttttac	ggcggatgtg	1140
gcggcaaccg	gaacaacttt	gacacagaag	agtactgcat	ggccgtgtgt	ggcagcgcca	1200
ttcctacaac	agcagccagt	acccctgatg	ccgttgacaa	gtatctcgag	acacctgggg	1260
atgagaatga	acatgcccat	ttccagaaag	ccaaagagag	gcttgaggcc	aagcaccgag	1320
agagaatgtc	ccaggtcatg	agagaatggg	aagaggcaga	acgtcaagca	aagaacttgc	1380
ctaaagctga	taagaaggca	gttatccagc	atttccagga	gaaagtggaa	tctttggaac	1440
aggaagcagc	caacgagaga	cagcagctgg	tggagacaca	catggccaga	gtggaagcca	1500
tgctcaatga	cegeegeege	ctggccctgg	agaactacat	caccgctctg	caggetgtte	1560
ctcctcggcc	tegteaegtg	ttcaatatgc	taaagaagta	tgtccgcgca	gaacagaagg	1620
acagacagca	caccctaaag	catttcgagc	atgtgcgcat	ggtggatccc	aagaaagccg	1680
ctcagatccg	gtcccaggtt	atgacacacc	tccgtgtgat	ttatgagcgc	atgaatcagt	1740
ctctctccct	gctctacaac	gtgcctgcag	tggccgagga	gattcaggat	gaagttgatg	1800
agctgcttca	gaaagagcaa	aactattcag	atgacgtctt	ggccaacatg	attagtgaac	1860
caaggatcag	ttacggaaac	gatgctctca	tgccatcttt	gaccgaaacg	aaaaccaccg	1920
tggagctcct	tcccgtgaat	ggagagttca	gcctggacga	tctccagccg	tggcattctt	1980
ttggggctga	ctctgtgcca	gccaacacag	aaaacgaagg	ttctgggttg	acaaatatca	2040
		gtgaagatgg				2100
					3	

-continued

aagttcat	ca	tcaaaaattg	gtgttctttg	cagaagatgt	gggttcaaac	aaaggtgcaa	2160
tcattgga	ct	catggtgggc	ggtgttgtca	tagcgacagt	gatcgtcatc	accttggtga	2220
tgctgaag	jaa	gaaacagtac	acatccattc	atcatggtgt	ggtggaggtt	gacgccgctg	2280
tcacccca	ıga	ggagcgccac	ctgtccaaga	tgcagcagaa	cggctacgaa	aatccaacct	2340
acaagtto	tt	tgagcagatg	cagaactaga	ccccgccac	agcagcctct	gaagttggac	2400
agcaaaac	ca	ttgcttcact	acccatcggt	gtccatttat	agaataatgt	gggaagaaac	2460
aaacccgt	tt	tatgatttac	tcattatcgc	cttttgacag	ctgtgctgta	acacaagtag	2520
atgcctga	ac	ttgaattaat	ccacacatca	gtaatgtatt	ctatctctct	ttacattttg	2580
gtctctat	ac	tacattatta	atgggttttg	tgtactgtaa	agaatttagc	tgtatcaaac	2640
tagtgcat	ga	atagattctc	tcctgattat	ttatcacata	gccccttagc	cagttgtata	2700
ttattctt	gt	ggtttgtgac	ccaattaagt	cctactttac	atatgcttta	agaatcgatg	2760
ggggatgd	tt	catgtgaacg	tgggagttca	gctgcttctc	ttgcctaagt	attcctttcc	2820
tgatcact	at	gcattttaaa	gttaaacatt	tttaagtatt	tcagatgctt	tagagagatt	2880
ttttttcc	at	gactgcattt	tactgtacag	attgctgctt	ctgctatatt	tgtgatatag	2940
gaattaag	jag	gatacacacg	tttgtttctt	cgtgcctgtt	ttatgtgcac	acattaggca	3000
ttgagact	tc	aagcttttct	ttttttgtcc	acgtatcttt	gggtctttga	taaagaaaag	3060
aatccctg	jtt	cattgtaagc	acttttacgg	ggcgggtggg	gaggggtgct	ctgctggtct	3120
tcaattac	ca	agaattctcc	aaaacaattt	tctgcaggat	gattgtacag	aatcattgct	3180
tatgacat	ga	tegettteta	cactgtatta	cataaataaa	ttaaataaaa	taaccccggg	3240
caagactt	tt	ctttgaagga	tgactacaga	cattaaataa	tcgaagtaat	tttgggtggg	3300
gagaagag	gc	agattcaatt	ttctttaacc	agtctgaagt	ttcatttatg	atacaaaaga	3360
agatgaaa	at	ggaagtggca	atataagggg	atgaggaagg	catgcctgga	caaacccttc	3420
ttttaaga	ıtg	tgtcttcaat	ttgtataaaa	tggtgtttc	atgtaaataa	atacattctt	3480
ggaggagc	ac	cattg					3495
<220> FE <223> OT	ENGT PE: RGAN EATU THER	H: 3254 DNA ISM: Artifi RE:			uence: amylo	oid precursor	
<400> SE	QUE	NCE: 5					
cgccgcgc	tc	gggctccgtc	agtttcctcg	gcagcggtag	gcgagagcac	gcggaggagc	60
gtgcgcgg	199	gccccgggag	acggcggcgg	tggcggcgcg	ggcagagcaa	ggacgcggcg	120
gateceae	etc	gcacagcagc	gcactcggtg	ccccgcgcag	ggtcgcgatg	ctgcccggtt	180
tggcactg	gct	cctgctggcc	gcctggacgg	ctcgggcgct	ggaggtaccc	actgatggta	240
atgctggc	ct	gctggctgaa	ccccagattg	ccatgttctg	tggcagactg	aacatgcaca	300
tgaatgto	ca	gaatgggaag	tgggattcag	atccatcagg	gaccaaaacc	tgcattgata	360
ccaaggaa	ıgg	catcctgcag	tattgccaag	aagtctaccc	tgaactgcag	atcaccaatg	420
tggtagaa	ıgc	caaccaacca	gtgaccatcc	agaactggtg	caagegggge	cgcaagcagt	480
							E40

gcaagaccca tccccacttt gtgattccct accgctgctt agttggtgag tttgtaagtg

atgcccttct cgttcctgac aagtgcaaat tcttacacca ggagaggatg gatgtttgcg

	tcactggcac					660
	cggcatgttg					720
	actggctgaa					780
	ctggtggggc					840
tagtagaagt	agcagaggag	gaagaagtgg	ctgaggtgga	agaagaagaa	gccgatgatg	900
acgaggacga	tgaggatggt	gatgaggtag	aggaagaggc	tgaggaaccc	tacgaagaag	960
ccacagagag	aaccaccagc	attgccacca	ccaccaccac	caccacagag	tctgtggaag	1020
aggtggttcg	agaggtgtgc	tctgaacaag	ccgagacggg	gccgtgccga	gcaatgatct	1080
cccgctggta	ctttgatgtg	actgaaggga	agtgtgcccc	attcttttac	ggcggatgtg	1140
geggeaaceg	gaacaacttt	gacacagaag	agtactgcat	ggccgtgtgt	ggcagcgcca	1200
tgtcccaaag	tttactcaag	actacccagg	aacctcttgc	ccgagatcct	gttaaacttc	1260
ctacaacagc	agccagtacc	cctgatgccg	ttgacaagta	tctcgagaca	cctggggatg	1320
agaatgaaca	tgcccatttc	cagaaagcca	aagagaggct	tgaggccaag	caccgagaga	1380
gaatgtccca	ggtcatgaga	gaatgggaag	aggcagaacg	tcaagcaaag	aacttgccta	1440
aagctgataa	gaaggcagtt	atccagcatt	tccaggagaa	agtggaatct	ttggaacagg	1500
aagcagccaa	cgagagacag	cagctggtgg	agacacacat	ggccagagtg	gaagccatgc	1560
tcaatgaccg	ccgccgcctg	gccctggaga	actacatcac	cgctctgcag	gctgttcctc	1620
ctcggcctcg	tcacgtgttc	aatatgctaa	agaagtatgt	ccgcgcagaa	cagaaggaca	1680
gacagcacac	cctaaagcat	ttcgagcatg	tgcgcatggt	ggatcccaag	aaagccgctc	1740
agatccggtc	ccaggttatg	acacacctcc	gtgtgattta	tgagcgcatg	aatcagtctc	1800
tetecetget	ctacaacgtg	cctgcagtgg	ccgaggagat	tcaggatgaa	gttgatgagc	1860
tgcttcagaa	agagcaaaac	tattcagatg	acgtcttggc	caacatgatt	agtgaaccaa	1920
ggatcagtta	cggaaacgat	gctctcatgc	catctttgac	cgaaacgaaa	accaccgtgg	1980
agctccttcc	cgtgaatgga	gagttcagcc	tggacgatct	ccagccgtgg	cattcttttg	2040
gggctgactc	tgtgccagcc	aacacagaaa	acgaaggttc	tgggttgaca	aatatcaaga	2100
cggaggagat	ctctgaagtg	aagatggatg	cagaattccg	acatgactca	ggatatgaag	2160
ttcatcatca	aaaattggtg	ttctttgcag	aagatgtggg	ttcaaacaaa	ggtgcaatca	2220
ttggactcat	ggtgggcggt	gttgtcatag	cgacagtgat	cgtcatcacc	ttggtgatgc	2280
tgaagaagaa	acagtacaca	tccattcatc	atggtgtggt	ggaggttgac	gccgctgtca	2340
ccccagagga	gcgccacctg	tccaagatgc	agcagaacgg	ctacgaaaat	ccaacctaca	2400
agttetttga	gcagatgcag	aactagaccc	ccgccacagc	agcctctgaa	gttggacagc	2460
aaaaccattg	cttcactacc	catcggtgtc	catttataga	ataatgtggg	aagaaacaaa	2520
cccgttttat	gatttactca	ttatcgcctt	ttgacagctg	tgctgtaaca	caagtagatg	2580
cctqaacttq	aattaatcca	cacatcaqta	atqtattcta	tctctcttta	cattttqqtc	2640
	attattaatg					2700
	gattetetee					2760
		_	_		_	
	ttgtgaccca					2820
gatgetteat	gtgaacgtgg	gagttcagct	gettetettg	cctaagtatt	cctttcctga	2880
tcactatgca	ttttaaagtt	aaacattttt	aagtatttca	gatgctttag	agagattttt	2940

-continue

-continued	
tttccatgat cgctttctac actgtattac ataaataaat taaataaaat aaccccgggc	3000
aagacttttc tttgaaggat gactacagac attaaataat cgaagtaatt ttgggtgggg	3060
agaagaggca gattcaattt totttaacca gtotgaagtt toatttatga tacaaaagaa	3120
gatgaaaatg gaagtggcaa tataagggga tgaggaaggc atgcctggac aaacccttct	3180
tttaagatgt gtcttcaatt tgtataaaat ggtgttttca tgtaaataaa tacattcttg	3240
gaggagcacc attg	3254
<210> SEQ ID NO 6 <211> LENGTH: 3467 <212> TYPE: DNA <213> ORGANISM: Artificial sequence <220> FEATURE: <223> OTHER INFORMATION: Description of sequence: amyloid precursor protein coding sequence <400> SEQUENCE: 6	
	60
cageagegea eteggtgeee egegeagggt egegatgetg eeeggtttgg caetgeteet	120
gctggccgcc tggacggctc gggcgctgga ggtacccact gatggtaatg ctggcctgct ggctgaaccc cagattgcca tgttctgtgg cagactgaac atgcacatga atgtccagaa	180
tgggaagtgg gattcagatc catcagggac caaaacctgc attgatacca aggaaggcat	240
cotgoagtat tgccaagaag totaccotga actgcagatc accaatgtgg tagaagccaa	300
ccaaccagtg accatccaga actggtgcaa goggggcogc aagcagtgca agacccatcc	360
ccactttgtg attocctace getgettagt tggtgagttt gtaagtgatg cecttetegt	420
tectgacaag tgcaaattet tacaccagga gaggatggat gtttgegaaa etcatettea	480
ctggcacacc gtcgccaaag agacatgcag tgagaagagt accaacttgc atgactacgg	540
catgitigctig coctgoggaa tigacaagti cogaggggta gagittigtig gitigoccact	600
ggctgaagaa agtgacaatg tggattctgc tgatgcggag gaggatgact cggatgtctg	660
gtggggcgga gcagacacag actatgcaga tgggagtgaa gacaaagtag tagaagtagc	720
agaggaggaa gaagtggctg aggtggaaga agaagaagcc gatgatgacg aggacgatga	780
ggatggtgat gaggtagagg aagaggctga ggaaccctac gaagaagcca cagagagaac	840
caccagcatt gccaccacca ccaccaccac cacagagtct gtggaagagg tggttcgaga	900
ggtgtgctct gaacaagccg agacggggcc gtgccgagca atgatctccc gctggtactt	960
tgatgtgact gaagggaagt gtgccccatt cttttacggc ggatgtggcg gcaaccggaa	1020
caactttgac acagaagagt actgcatggc cgtgtgtggc agcgccatgt cccaaagttt	1080
actcaagact acccaggaac ctcttgcccg agatcctgtt aaacttccta caacagcagc	1140
cagtaccect gatgeegttg acaagtatet egagacaect ggggatgaga atgaacatge	1200
ccatttccag aaagccaaag agaggcttga ggccaagcac cgagagagaa tgtcccaggt	1260
catgagagaa tgggaagagg cagaacgtca agcaaagaac ttgcctaaag ctgataagaa	1320
ggcagttatc cagcatttcc aggagaaagt ggaatctttg gaacaggaag cagccaacga	1380
gagacagcag ctggtggaga cacacatggc cagagtggaa gccatgctca atgaccgccg	1440
cogoctggcc ctggagaact acateacoge tetgeagget gtteeteete ggeetegtea	1500
cgtgttcaat atgctaaaga agtatgtccg cgcagaacag aaggacagac agcacaccct	1560
aaagcatttc gagcatgtgc gcatggtgga toccaagaaa gccgctcaga tocggtccca	1620
anageneers gageacgege gearggegga becoudagada geogebouga bebygbbbba	1010

ggttatgaca cacctccgtg tgatttatga gcgcatgaat cagtctctct ccctgctcta 1680

-continued

caacgtgcct	gcagtggccg	aggagattca	ggatgaagtt	gatgagctgc	ttcagaaaga	1740		
gcaaaactat	tcagatgacg	tcttggccaa	catgattagt	gaaccaagga	tcagttacgg	1800		
aaacgatgct	ctcatgccat	ctttgaccga	aacgaaaacc	accgtggagc	teetteeegt	1860		
gaatggagag	ttcagcctgg	acgatctcca	gccgtggcat	tcttttgggg	ctgactctgt	1920		
gccagccaac	acagaaaacg	aagttgagcc	tgttgatgcc	cgccctgctg	ccgaccgagg	1980		
actgaccact	cgaccaggtt	ctgggttgac	aaatatcaag	acggaggaga	tctctgaagt	2040		
gaagatggat	gcagaattcc	gacatgactc	aggatatgaa	gttcatcatc	aaaaattggt	2100		
gttctttgca	gaagatgtgg	gttcaaacaa	aggtgcaatc	attggactca	tggtgggcgg	2160		
tgttgtcata	gcgacagtga	tcgtcatcac	cttggtgatg	ctgaagaaga	aacagtacac	2220		
atccattcat	catggtgtgg	tggaggttga	cgccgctgtc	accccagagg	agcgccacct	2280		
gtccaagatg	cagcagaacg	gctacgaaaa	tccaacctac	aagttctttg	agcagatgca	2340		
gaactagacc	cccgccacag	cagcctctga	agttggacag	caaaaccatt	gcttcactac	2400		
ccatcggtgt	ccatttatag	aataatgtgg	gaagaaacaa	acccgtttta	tgatttactc	2460		
attatcgcct	tttgacagct	gtgctgtaac	acaagtagat	gcctgaactt	gaattaatcc	2520		
acacatcagt	aatgtattct	atctctcttt	acattttggt	ctctatacta	cattattaat	2580		
gggttttgtg	tactgtaaag	aatttagctg	tatcaaacta	gtgcatgaat	agattetete	2640		
ctgattattt	atcacatagc	cccttagcca	gttgtatatt	attcttgtgg	tttgtgaccc	2700		
aattaagtcc	tactttacat	atgctttaag	aatcgatggg	ggatgcttca	tgtgaacgtg	2760		
ggagttcagc	tgcttctctt	gcctaagtat	teettteetg	atcactatgc	attttaaagt	2820		
taaacatttt	taagtatttc	agatgcttta	gagagatttt	ttttccatga	ctgcatttta	2880		
ctgtacagat	tgctgcttct	gctatatttg	tgatatagga	attaagagga	tacacacgtt	2940		
tgtttcttcg	tgcctgtttt	atgtgcacac	attaggcatt	gagacttcaa	gcttttcttt	3000		
ttttgtccac	gtatctttgg	gtctttgata	aagaaaagaa	tccctgttca	ttgtaagcac	3060		
ttttacgggg	cgggtgggga	ggggtgctct	getggtette	aattaccaag	aattctccaa	3120		
aacaattttc	tgcaggatga	ttgtacagaa	tcattgctta	tgacatgatc	gctttctaca	3180		
ctgtattaca	taaataaatt	aaataaaata	accccgggca	agacttttct	ttgaaggatg	3240		
actacagaca	ttaaataatc	gaagtaattt	tgggtgggga	gaagaggcag	attcaatttt	3300		
ctttaaccag	tctgaagttt	catttatgat	acaaaagaag	atgaaaatgg	aagtggcaat	3360		
ataaggggat	gaggaaggca	tgcctggaca	aacccttctt	ttaagatgtg	tcttcaattt	3420		
gtataaaatg	gtgttttcat	gtaaataaat	acattcttgg	aggagca		3467		
<pre><210> SEQ ID NO 7 <211> LENGTH: 3355 <212> TYPE: DNA <213> ORGANISM: Artificial sequence <220> FEATURE: <223> OTHER INFORMATION: Description of sequence: amyloid precursor</pre>								
<400> SEQUI		aaaaaaa	aaaaaaaa.	atagaa	aaaaaa	60		
					gccccgggag	60		
					gcacagcagc	120		
qcactcqqtq	ccccqcqcaq	gqtcqcqatq	ctqcccqqtt	tqqcactqct	cctgctggcc	180		

gcctggacgg ctcgggcgct ggaggtaccc actgatggta atgctggcct gctggctgaa

ccccagattg	ccatgttctg	tggcagactg	aacatgcaca	tgaatgtcca	gaatgggaag	300
tgggattcag	atccatcagg	gaccaaaacc	tgcattgata	ccaaggaagg	catcctgcag	360
tattgccaag	aagtctaccc	tgaactgcag	atcaccaatg	tggtagaagc	caaccaacca	420
gtgaccatcc	agaactggtg	caagcggggc	cgcaagcagt	gcaagaccca	tccccacttt	480
gtgattccct	accgctgctt	agttggtgag	tttgtaagtg	atgcccttct	cgttcctgac	540
aagtgcaaat	tcttacacca	ggagaggatg	gatgtttgcg	aaactcatct	tcactggcac	600
accgtcgcca	aagagacatg	cagtgagaag	agtaccaact	tgcatgacta	cggcatgttg	660
ctgccctgcg	gaattgacaa	gttccgaggg	gtagagtttg	tgtgttgccc	actggctgaa	720
gaaagtgaca	atgtggattc	tgctgatgcg	gaggaggatg	actcggatgt	ctggtggggc	780
ggagcagaca	cagactatgc	agatgggagt	gaagacaaag	tagtagaagt	agcagaggag	840
gaagaagtgg	ctgaggtgga	agaagaagaa	gccgatgatg	acgaggacga	tgaggatggt	900
gatgaggtag	aggaagaggc	tgaggaaccc	tacgaagaag	ccacagagag	aaccaccagc	960
attgccacca	ccaccaccac	caccacagag	tctgtggaag	aggtggttcg	agttcctaca	1020
acagcagcca	gtacccctga	tgccgttgac	aagtatctcg	agacacctgg	ggatgagaat	1080
gaacatgccc	atttccagaa	agccaaagag	aggettgagg	ccaagcaccg	agagagaatg	1140
tcccaggtca	tgagagaatg	ggaagaggca	gaacgtcaag	caaagaactt	gcctaaagct	1200
gataagaagg	cagttatcca	gcatttccag	gagaaagtgg	aatctttgga	acaggaagca	1260
gccaacgaga	gacagcagct	ggtggagaca	cacatggcca	gagtggaagc	catgctcaat	1320
gaccgccgcc	gcctggccct	ggagaactac	atcaccgctc	tgcaggctgt	tectectegg	1380
cctcgtcacg	tgttcaatat	gctaaagaag	tatgtccgcg	cagaacagaa	ggacagacag	1440
cacaccctaa	agcatttcga	gcatgtgcgc	atggtggatc	ccaagaaagc	cgctcagatc	1500
cggtcccagg	ttatgacaca	cctccgtgtg	atttatgagc	gcatgaatca	gtctctctcc	1560
ctgctctaca	acgtgcctgc	agtggccgag	gagattcagg	atgaagttga	tgagctgctt	1620
cagaaagagc	aaaactattc	agatgacgtc	ttggccaaca	tgattagtga	accaaggatc	1680
agttacggaa	acgatgctct	catgccatct	ttgaccgaaa	cgaaaaccac	cgtggagctc	1740
cttcccgtga	atggagagtt	cagcctggac	gatctccagc	cgtggcattc	ttttggggct	1800
gactctgtgc	cagccaacac	agaaaacgaa	gttgagcctg	ttgatgcccg	ccctgctgcc	1860
gaccgaggac	tgaccactcg	accaggttct	gggttgacaa	atatcaagac	ggaggagatc	1920
tctgaagtga	agatggatgc	agaattccga	catgactcag	gatatgaagt	tcatcatcaa	1980
aaattggtgt	tctttgcaga	agatgtgggt	tcaaacaaag	gtgcaatcat	tggactcatg	2040
gtgggcggtg	ttgtcatagc	gacagtgatc	gtcatcacct	tggtgatgct	gaagaagaaa	2100
cagtacacat	ccattcatca	tggtgtggtg	gaggttgacg	ccgctgtcac	cccagaggag	2160
cgccacctgt	ccaagatgca	gcagaacggc	tacgaaaatc	caacctacaa	gttctttgag	2220
cagatgcaga	actagacccc	cgccacagca	gcctctgaag	ttggacagca	aaaccattgc	2280
ttcactaccc	ateggtgtee	atttatagaa	taatgtggga	agaaacaaac	ccgttttatg	2340
atttactcat	tatcgccttt	tgacagctgt	gctgtaacac	aagtagatgc	ctgaacttga	2400
attaatccac	acatcagtaa	tgtattctat	ctctctttac	attttggtct	ctatactaca	2460
ttattaatgg	gttttgtgta	ctgtaaagaa	tttagctgta	tcaaactagt	gcatgaatag	2520
attctctcct	gattatttat	cacatagece	cttagccagt	tgtatattat	tcttgtggtt	2580
			gctttaagaa			2640
5 5	3		55.44	5 55599	5	

-continued

tgaacgtggg	agttcagctg	cttctcttgc	ctaagtattc	ctttcctgat	cactatgcat	2700
tttaaagtta	aacattttta	agtatttcag	atgctttaga	gagattttt	ttccatgact	2760
gcattttact	gtacagattg	ctgcttctgc	tatatttgtg	atataggaat	taagaggata	2820
cacacgtttg	tttcttcgtg	cctgttttat	gtgcacacat	taggcattga	gacttcaagc	2880
ttttctttt	ttgtccacgt	atctttgggt	ctttgataaa	gaaaagaatc	cctgttcatt	2940
gtaagcactt	ttacggggcg	ggtggggagg	ggtgctctgc	tggtcttcaa	ttaccaagaa	3000
ttctccaaaa	caattttctg	caggatgatt	gtacagaatc	attgcttatg	acatgatcgc	3060
tttctacact	gtattacata	aataaattaa	ataaaataac	cccgggcaag	acttttcttt	3120
gaaggatgac	tacagacatt	aaataatcga	agtaattttg	ggtggggaga	agaggcagat	3180
tcaattttct	ttaaccagtc	tgaagtttca	tttatgatac	aaaagaagat	gaaaatggaa	3240
gtggcaatat	aaggggatga	ggaaggcatg	cctggacaaa	cccttcttt	aagatgtgtc	3300
ttcaatttgt	ataaaatggt	gttttcatgt	aaataaatac	attcttggag	gagca	3355
<210> SEQ ID NO 8 <211> LENGTH: 3167 <212> TYPE: DNA						

<400> SEQUENCE: 8

60 gegagageac geggaggage gtgegegggg geecegggag aeggeggegg tggeggege ggcagagcaa ggacgcggcg gatcccactc gcacagcagc gcactcggtg ccccgcgcag 120 ggtcgcgatg ctgcccggtt tggcactgct cctgctggcc gcctggacgg ctcgggcgct 180 ggaggtetac cetgaactge agateaceaa tgtggtagaa gecaaceaac cagtgaceat 240 ccagaactgg tgcaagcggg gccgcaagca gtgcaagacc catccccact ttgtgattcc 300 ctaccgctgc ttagttggtg agtttgtaag tgatgccctt ctcgttcctg acaagtgcaa 360 attettacae caggagagga tggatgtttg cgaaacteat etteaetgge acaeegtege 420 caaagagaca tgcagtgaga agagtaccaa cttgcatgac tacggcatgt tgctgccctg 480 cggaattgac aagttccgag gggtagagtt tgtgtgttgc ccactggctg aagaaagtga 540 600 caatgtggat tetgetgatg eggaggagga tgaeteggat gtetggtggg geggageaga cacagactat gcagatggga gtgaagacaa agtagtagaa gtagcagagg aggaagaagt 660 ggctgaggtg gaagaagaag aagccgatga tgacgaggac gatgaggatg gtgatgaggt 720 agaggaagag gctgaggaac cctacgaaga agccacagag agaaccacca gcattgccac caccaccacc accaccacag agtctgtgga agaggtggtt cgagttccta caacagcagc 840 caqtaccct qatqccqttq acaaqtatct cqaqacacct qqqqatqaqa atqaacatqc 900 ccatttccag aaagccaaag agaggettga ggccaagcac cgagagagaa tgtcccaggt 960 catgagagaa tgggaagagg cagaacgtca agcaaagaac ttgcctaaag ctgataagaa ggcagttatc cagcatttcc aggagaaagt ggaatctttg gaacaggaag cagccaacga 1080 gagacagcag ctggtggaga cacacatggc cagagtggaa gccatgctca atgaccgccg 1140 ccgcctggcc ctggagaact acatcaccgc tctgcaggct gttcctcctc ggcctcgtca 1200 cgtgttcaat atgctaaaga agtatgtccg cgcagaacag aaggacagac agcacaccct 1260 aaagcatttc gagcatgtgc gcatggtgga tcccaagaaa gccgctcaga tccggtccca 1320

<213> ORGANISM: Artificial sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of sequence: amyloid precursor protein coding sequence

ggttatgaca	cacctccgtg	tgatttatga	gcgcatgaat	cagtetetet	ccctgctcta	1380
caacgtgcct	gcagtggccg	aggagattca	ggatgaagtt	gatgagctgc	ttcagaaaga	1440
gcaaaactat	tcagatgacg	tcttggccaa	catgattagt	gaaccaagga	tcagttacgg	1500
aaacgatgct	ctcatgccat	ctttgaccga	aacgaaaacc	accgtggagc	tccttcccgt	1560
gaatggagag	ttcagcctgg	acgatctcca	gccgtggcat	tcttttgggg	ctgactctgt	1620
gccagccaac	acagaaaacg	aagttgagcc	tgttgatgcc	cgccctgctg	ccgaccgagg	1680
actgaccact	cgaccaggtt	ctgggttgac	aaatatcaag	acggaggaga	tctctgaagt	1740
gaagatggat	gcagaattcc	gacatgactc	aggatatgaa	gttcatcatc	aaaaattggt	1800
gttctttgca	gaagatgtgg	gttcaaacaa	aggtgcaatc	attggactca	tggtgggcgg	1860
tgttgtcata	gcgacagtga	tcgtcatcac	cttggtgatg	ctgaagaaga	aacagtacac	1920
atccattcat	catggtgtgg	tggaggttga	cgccgctgtc	accccagagg	agegeeacet	1980
gtccaagatg	cagcagaacg	gctacgaaaa	tccaacctac	aagttctttg	agcagatgca	2040
gaactagacc	cccgccacag	cagcctctga	agttggacag	caaaaccatt	gcttcactac	2100
ccatcggtgt	ccatttatag	aataatgtgg	gaagaaacaa	acccgtttta	tgatttactc	2160
attatcgcct	tttgacagct	gtgctgtaac	acaagtagat	gcctgaactt	gaattaatcc	2220
acacatcagt	aatgtattct	atctctcttt	acattttggt	ctctatacta	cattattaat	2280
gggttttgtg	tactgtaaag	aatttagctg	tatcaaacta	gtgcatgaat	agattctctc	2340
ctgattattt	atcacatagc	cccttagcca	gttgtatatt	attcttgtgg	tttgtgaccc	2400
aattaagtcc	tactttacat	atgctttaag	aatcgatggg	ggatgcttca	tgtgaacgtg	2460
ggagttcagc	tgcttctctt	gcctaagtat	tcctttcctg	atcactatgc	attttaaagt	2520
taaacatttt	taagtatttc	agatgcttta	gagagatttt	ttttccatga	ctgcatttta	2580
ctgtacagat	tgctgcttct	gctatatttg	tgatatagga	attaagagga	tacacacgtt	2640
tgtttcttcg	tgcctgtttt	atgtgcacac	attaggcatt	gagacttcaa	gcttttcttt	2700
ttttgtccac	gtatctttgg	gtctttgata	aagaaaagaa	tccctgttca	ttgtaagcac	2760
ttttacgggg	cgggtgggga	ggggtgetet	getggtette	aattaccaag	aattctccaa	2820
aacaattttc	tgcaggatga	ttgtacagaa	tcattgctta	tgacatgatc	gctttctaca	2880
ctgtattaca	taaataaatt	aaataaaata	accccgggca	agacttttct	ttgaaggatg	2940
actacagaca	ttaaataatc	gaagtaattt	tgggtgggga	gaagaggcag	attcaatttt	3000
ctttaaccag	tctgaagttt	catttatgat	acaaaagaag	atgaaaatgg	aagtggcaat	3060
ataaggggat	gaggaaggca	tgcctggaca	aacccttctt	ttaagatgtg	tcttcaattt	3120
gtataaaatg	gtgttttcat	gtaaataaat	acattettgg	aggagca		3167
<210> SEQ : <211> LENG: <212> TYPE	TH: 3543					

<400> SEQUENCE: 9

cgccgcgctc	gggctccgtc	agtttcctcg	gcagcggtag	gcgagagcac	gcggaggagc	60
gtgcgcgggg	gccccgggag	acggcggcgg	tggcggcgcg	ggcagagcaa	ggacgcggcg	120
gatcccactc	gcacagcagc	gcactcggtg	ccccgcgcag	ggtcgcgatg	ctgcccggtt	180

<212> TYPE: DNA <213> ORGANISM: Artificial sequence

<223> OTHER INFORMATION: Description of sequence: amyloid precursor
 protein coding sequence

tggcactgct cctgctggcc	gcctggacgg	ctcgggcgct	ggaggtaccc	actgatggta	240
atgctggcct gctggctgaa	ccccagattg	ccatgttctg	tggcagactg	aacatgcaca	300
tgaatgtcca gaatgggaag	tgggattcag	atccatcagg	gaccaaaacc	tgcattgata	360
ccaaggaagg catcctgcag	tattgccaag	aagtctaccc	tgaactgcag	atcaccaatg	420
tggtagaagc caaccaacca	gtgaccatcc	agaactggtg	caagcggggc	cgcaagcagt	480
gcaagaccca tccccacttt	gtgattccct	accgctgctt	agttggtgag	tttgtaagtg	540
atgecettet egtteetgae	aagtgcaaat	tcttacacca	ggagaggatg	gatgtttgcg	600
aaactcatct tcactggcac	accgtcgcca	aagagacatg	cagtgagaag	agtaccaact	660
tgcatgacta cggcatgttg	ctgccctgcg	gaattgacaa	gttccgaggg	gtagagtttg	720
tgtgttgccc actggctgaa	gaaagtgaca	atgtggattc	tgctgatgcg	gaggaggatg	780
actcggatgt ctggtggggc	ggagcagaca	cagactatgc	agatgggagt	gaagacaaag	840
tagtagaagt agcagaggag	gaagaagtgg	ctgaggtgga	agaagaagaa	gccgatgatg	900
acgaggacga tgaggatggt	gatgaggtag	aggaagaggc	tgaggaaccc	tacgaagaag	960
ccacagagag aaccaccagc	attgccacca	ccaccaccac	caccacagag	tctgtggaag	1020
aggtggttcg agaggtgtgc	tctgaacaag	ccgagacggg	gccgtgccga	gcaatgatct	1080
cccgctggta ctttgatgtg	actgaaggga	agtgtgcccc	attcttttac	ggcggatgtg	1140
gcggcaaccg gaacaacttt	gacacagaag	agtactgcat	ggccgtgtgt	ggcagcgcca	1200
ttcctacaac agcagccagt	acccctgatg	ccgttgacaa	gtatctcgag	acacctgggg	1260
atgagaatga acatgcccat	ttccagaaag	ccaaagagag	gcttgaggcc	aagcaccgag	1320
agagaatgtc ccaggtcatg	agagaatggg	aagaggcaga	acgtcaagca	aagaacttgc	1380
ctaaagctga taagaaggca	gttatccagc	atttccagga	gaaagtggaa	tctttggaac	1440
aggaagcagc caacgagaga	cagcagctgg	tggagacaca	catggccaga	gtggaagcca	1500
tgctcaatga ccgccgccgc	ctggccctgg	agaactacat	caccgctctg	caggctgttc	1560
ctcctcggcc tcgtcacgtg	ttcaatatgc	taaagaagta	tgtccgcgca	gaacagaagg	1620
acagacagca caccctaaag	catttcgagc	atgtgcgcat	ggtggatccc	aagaaagccg	1680
ctcagatccg gtcccaggtt	atgacacacc	teegtgtgat	ttatgagcgc	atgaatcagt	1740
ctctctccct gctctacaac	gtgcctgcag	tggccgagga	gattcaggat	gaagttgatg	1800
agctgcttca gaaagagcaa	aactattcag	atgacgtctt	ggccaacatg	attagtgaac	1860
caaggatcag ttacggaaac	gatgctctca	tgccatcttt	gaccgaaacg	aaaaccaccg	1920
tggagctcct tcccgtgaat	ggagagttca	gcctggacga	tctccagccg	tggcattctt	1980
ttggggctga ctctgtgcca	gccaacacag	aaaacgaagt	tgagcctgtt	gatgcccgcc	2040
ctgctgccga ccgaggactg	accactcgac	caggttctgg	gttgacaaat	atcaagacgg	2100
aggagatete tgaagtgaag	atggatgcag	aattccgaca	tgactcagga	tatgaagttc	2160
atcatcaaaa attggtgttc	tttgcagaag	atgtgggttc	aaacaaaggt	gcaatcattg	2220
gactcatggt gggcggtgtt	gtcatagcga	cagtgatcgt	catcaccttg	gtgatgctga	2280
agaagaaaca gtacacatcc	attcatcatg	gtgtggtgga	ggttgacgcc	gctgtcaccc	2340
cagaggagcg ccacctgtcc	aagatgcagc	agaacggcta	cgaaaatcca	acctacaagt	2400
tctttgagca gatgcagaac	tagacccccg	ccacagcagc	ctctgaagtt	ggacagcaaa	2460
accattgctt cactacccat					2520

			-conti	iuea		
gttttatgat ttactcatta	tegeettttg	acagetgtge	tgtaacacaa	gtagatgcct	2580	
gaacttgaat taatccacac	atcagtaatg	tattctatct	ctctttacat	tttggtctct	2640	
atactacatt attaatgggt	tttgtgtact	gtaaagaatt	tagctgtatc	aaactagtgc	2700	
atgaatagat teteteetga	ttatttatca	catageceet	tagccagttg	tatattattc	2760	
ttgtggtttg tgacccaatt	aagtcctact	ttacatatgc	tttaagaatc	gatgggggat	2820	
gcttcatgtg aacgtgggag	ttcagctgct	tctcttgcct	aagtattcct	ttcctgatca	2880	
ctatgcattt taaagttaaa	catttttaag	tatttcagat	gctttagaga	gattttttt	2940	
ccatgactgc attttactgt	acagattgct	gcttctgcta	tatttgtgat	ataggaatta	3000	
agaggataca cacgtttgtt	tcttcgtgcc	tgttttatgt	gcacacatta	ggcattgaga	3060	
cttcaagctt ttctttttt	gtccacgtat	ctttgggtct	ttgataaaga	aaagaatccc	3120	
tgttcattgt aagcactttt	acggggcggg	tggggagggg	tgctctgctg	gtcttcaatt	3180	
accaagaatt ctccaaaaca	attttctgca	ggatgattgt	acagaatcat	tgcttatgac	3240	
atgategett tetacaetgt	attacataaa	taaattaaat	aaaataaccc	cgggcaagac	3300	
ttttctttga aggatgacta	cagacattaa	ataatcgaag	taattttggg	tggggagaag	3360	
aggcagattc aattttcttt	aaccagtctg	aagtttcatt	tatgatacaa	aagaagatga	3420	
aaatggaagt ggcaatataa	ggggatgagg	aaggcatgcc	tggacaaacc	cttcttttaa	3480	
gatgtgtctt caatttgtat	aaaatggtgt	tttcatgtaa	ataaatacat	tcttggagga	3540	
gca					3543	
<210> SEQ ID NO 10 <211> LENGTH: 690 <212> TYPE: DNA 213> ORGANISM: Artif <220> FEATURE: <223> OTHER INFORMATI protein coding	ON: Descript		uence: amylo	oid precursor		
<400> SEQUENCE: 10						
ctttatcact ttactatgca	atttttatga	ctatgcttaa	ggagagtaaa	tttttcgaag	60	
ttattgaggc aatggagagt	ctttggaatg	aggataatta	ggcctgagga	cacagaggaa	120	
tcatgaggaa gaattctcca	gtttcattcc	tttttctggg	tacagtttgt	ttctccttct	180	
aagtaagttc ctagatatag	aatgaattgg	aaaaaatgaa	acgtgaggtt	tgctacgtct	240	
ataacagtat cacatttcat	tttttaaaac	tgccaatgct	ttcagtgagg	accagaaagt	300	
acagtgagaa aaaaaaattc	ctcaaatatt	agttttcatg	ctcttgcacg	catttttata	360	
aaggcaaaag tcattctggt	gcctgtatac	aatctaaagg	cataatctcc	tggagccttc	420	
agtgctggtt ttggggtttt	ctggagatca	atccacagtg	tcccattttt	tctgctggag	480	
ctctgaaccc actaagagag	agcaagaaga	gatgtaaacc	tctcctttgc	ttctgataaa	540	
gccaagccct tactagtcca	catgatgctt	tctctgggga	gtgagtcaca	tacaggagac	600	
atggcttgtc cagctgcgtg	ctggactgaa	tttcagctcc	aacctgaacc	ttccaacagg	660	
acaagggagg gaggagaatg	ggccgtagca				690	
<210> SEQ ID NO 11 <211> LENGTH: 905						

<211> LENGTH: 905

<212> TYPE: DNA <213> ORGANISM: Artificial sequence

<220> FEATURE:

<223> OTHER INFORMATION: Description of sequence: amyloid precursor protein coding sequence

-continued

<400> SEOUENCE: 11

gtgtgtaccc ctaaacccag cttattattt ttttgacttt ttgtagaaac agggtctccc 60 catgttgccc aggctggtct taaactcctg ggctcaaatg atcctcctgc ctcagcctcc 120 catagggcta ggattacagg tgtgagccac catgcctggc cttttatact gtttattccc 180 tttagataca gttaatggac attaataagc agtttatgcc aatccctttt catagctaat 240 aagaagtett atettggata aataaaacet ageeactaat getgeeacae eeaaataaae 300 tctctatgca tctgaacttc ttgaggttaa taatgcttca ttgtaatatt ttataaaatc 360 accactttgg aagtgaacac cactagaaat tcacatggcc agtttataga tggggactgg gggaagcagg gaggatetet geaatecagt agttaggete tgecagaatg tatttagagt tgtctctaaa tacattctga gtctctgctt cattttttt ttcaatgaaa atgacaatgt 540 ctgtcatccc atgttcaaga caaatataac aagtttctaa gaatccttat atttttgtta 600 ttgcatataa gcatgagttt taaaaaacctc tgaatgttta aaggatcacc tgggggaata 660 agaaaaatgc agatctctgt aggtctgagg tagagcccaa gaatctgtat ttttaactag 720 aatteeteta aattaetgtg etteaettgg eeceaattae acattaggag acaatgattt 780 caggatgaca atcagccttt tccatccaag gacttaaagc agctaaaccg aagacaccga 840 caaataccaq atacttttct caqtctactq qctqatqqca caaaaqtqca qaaqtcacqt 900 905 agggc <210 > SEO TD NO 12 <211> LENGTH: 1320 <212> TYPE: DNA <213 > ORGANISM: Artificial sequence <220> FEATURE: <223> OTHER INFORMATION: Description of sequence: amyloid precursor protein coding sequence <400> SEQUENCE: 12 catgaggaac tccttgggcc ttgaccattt ttagcacttt cacagtttct gattttgatc 60 aagccactta atcacccagg attctgaatc tgaaaaccag gagggtttaa ttccactttc 120 atgttccctt gaggagctgt tggcagcagg atgaaggcag gtccatacag aacatgggaa 180 ggaagccagg aagccagctt ttcctttcac atcaaagaga tctagaaagc aaaacctgtc 240 tcacatttgc atacaatatt agacttacat atggatgcca tgtctgtcaa aagacaggct 300 aattagggca ttagtttctt taatggttgc gatttagtaa ttcacaaata gtcccactta 360 atttttcatc ctatacctaa aggatctact tcacacttga agtttaagaa ggcttctccc ttaagataga aagaaggcat tcaagtatca aaatactggt ttcctgccaa aaaataaggg atgagaaaaa gcagacactt agcttatcaa tcaaaatgct ggcagggaaa gactactgga 540 ttaccaaqtt cattccccta qcctqcactq attcctcttt ttctctaaaq tttcttattt 600 tttcagtttt tctcatgata ctgacattgc caaccagcag tctggaaact gttcaggttg 660 attottagca gaaaatogag gggototoot gttactgtta atatoottaa aacaottaaa tttggttagt ttgcttcaag cattctcagt atattacaaa aaaaaaaagt actcaagaat 780 ttctagactt tattttgact gacatcagct accctaatga acaggagggg acaacagcaa 840 ggtatattag gagcatctcc ttccttttta atcagaatta tataggaatt aagaactcta 900 aggccacagt agagtatagt atcttggaag aagaaagcgg agaatgtctg acattttcac 960

tgatcgttta ggctgatggc ttaaaccatt tccacccaag tttcttacaa gttagcattt

-continued

ccagccaaca ttacctactg caatttctct ataatcttaa gggtattgag cccccaaatg 1080 agagagagaa aagagatgta aactaaacag gagtcagaga aggggaaact gagtctgttg 1140 cacatcattt accetttaac atgattttaa aggtaataat gettataaaa atattagtag 1200 tagtaaggga tatcaggtga caagcagaag tgcccctctc cacagatatg ccagtgtatc 1260 tgtagaaata cggtgctaaa attagaaaag actgaacatt ttaatttatt aggtagaccc 1320 <210> SEQ ID NO 13 <211> LENGTH: 3552 <212> TYPE: DNA <213> ORGANISM: Artificial sequence <223> OTHER INFORMATION: Description of sequence: amyloid precursor protein coding sequence <400> SEQUENCE: 13 egeogeque qqqeteeqte aqttteeteq qeaqeqqtaq qeqaqaqeae qeqqaqqaqe 60 120 gtgcgcgggg gccccgggag acggcggcgg tggcggcgg ggcagagcaa ggacgcggcg gateceacte geacageage geacteggtg eccegegeag ggtegegatg etgeceggtt 180 tggcactgct cctgctggcc gcctggacgg ctcgggcgct ggaggtaccc actgatggta 240 atgctggcct gctggctgaa ccccagattg ccatgttctg tggcagactg aacatgcaca 300 tgaatgtcca gaatgggaag tgggattcag atccatcagg gaccaaaacc tgcattgata 360 ccaaggaagg catcctgcag tattgccaag aagtctaccc tgaactgcag atcaccaatg 420 tqqtaqaaqc caaccaacca qtqaccatcc aqaactqqtq caaqcqqqqc cqcaaqcaqt 480 gcaagaccca tccccacttt gtgattccct accgctgctt agttggtgag tttgtaagtg 540 atgcccttct cgttcctgac aagtgcaaat tcttacacca ggagaggatg gatgtttgcg 600 aaactcatct tcactggcac accgtcgcca aagagacatg cagtgagaag agtaccaact 660 tgcatgacta cggcatgttg ctgccctgcg gaattgacaa gttccgaggg gtagagtttg 720 tgtgttgccc actggctgaa gaaagtgaca atgtggattc tgctgatgcg gaggaggatg 780 actoggatgt ctggtggggc ggagcagaca cagactatgc agatgggagt gaagacaaag 840 900 tagtagaagt agcagaggag gaagaagtgg ctgaggtgga agaagaagaa gccgatgatg 960 acgaggacga tgaggatggt gatgaggtag aggaagaggc tgaggaaccc tacgaagaag 1020 ccacagagag aaccaccagc attgccacca ccaccaccac caccacagag tctgtggaag aggtggttcg agaggtgtgc tctgaacaag ccgagacggg gccgtgccga gcaatgatct 1080 cccgctggta ctttgatgtg actgaaggga agtgtgcccc attcttttac ggcggatgtg 1140 geggeaaccg gaacaacttt gacacagaag agtactgcat ggeegtgtgt ggeagegeca tqtcccaaaq tttactcaaq actacccaqq aacctcttqc ccqaqatcct qttaaacttc 1260 1320 ctacaacaqc aqccaqtacc cctqatqccq ttqacaaqta tctcqaqaca cctqqqqatq agaatgaaca tgcccatttc cagaaagcca aagagaggct tgaggccaag caccgagaga 1380 gaatgtccca ggtcatgaga gaatgggaag aggcagaacg tcaagcaaag aacttgccta aagctgataa gaaggcagtt atccagcatt tccaggagaa agtggaatct ttggaacagg 1500 aagcagccaa cgagagacag cagctggtgg agacacacat ggccagagtg gaagccatgc 1560 tcaatgaccg ccgccgcctg gccctggaga actacatcac cgctctgcag gctgttcctc 1620

ctcggcctcg tcacgtgttc aatatgctaa agaagtatgt ccgcgcagaa cagaaggaca

gacagcacac cctaaagcat ttcgagcatg tgcgcatggt ggatcccaag aaagccgctc

1680

-continued

agateeggte	ccaggttatg	acacacctcc	gtgtgattta	tgagcgcatg	aatcagtctc	1800
tctccctgct	ctacaacgtg	cctgcagtgg	ccgaggagat	tcaggatgaa	gttgatgagc	1860
tgcttcagaa	agagcaaaac	tattcagatg	acgtcttggc	caacatgatt	agtgaaccaa	1920
ggatcagtta	cggaaacgat	gctctcatgc	catctttgac	cgaaacgaaa	accaccgtgg	1980
agctccttcc	cgtgaatgga	gagttcagcc	tggacgatct	ccagccgtgg	cattcttttg	2040
gggctgactc	tgtgccagcc	aacacagaaa	acgaaggttc	tgggttgaca	aatatcaaga	2100
cggaggagat	ctctgaagtg	aagatggatg	cagaattccg	acatgactca	ggatatgaag	2160
ttcatcatca	aaaattggtg	ttctttgcag	aagatgtggg	ttcaaacaaa	ggtgcaatca	2220
ttggactcat	ggtgggcggt	gttgtcatag	cgacagtgat	cgtcatcacc	ttggtgatgc	2280
tgaagaagaa	acagtacaca	tccattcatc	atggtgtggt	ggaggttgac	gccgctgtca	2340
ccccagagga	gcgccacctg	tccaagatgc	agcagaacgg	ctacgaaaat	ccaacctaca	2400
agttctttga	gcagatgcag	aactagaccc	ccgccacagc	agcctctgaa	gttggacagc	2460
aaaaccattg	cttcactacc	catcggtgtc	catttataga	ataatgtggg	aagaaacaaa	2520
cccgttttat	gatttactca	ttatcgcctt	ttgacagctg	tgctgtaaca	caagtagatg	2580
cctgaacttg	aattaatcca	cacatcagta	atgtattcta	tctctcttta	cattttggtc	2640
tctatactac	attattaatg	ggttttgtgt	actgtaaaga	atttagctgt	atcaaactag	2700
tgcatgaata	gattctctcc	tgattattta	tcacatagcc	ccttagccag	ttgtatatta	2760
ttcttgtggt	ttgtgaccca	attaagtcct	actttacata	tgctttaaga	atcgatgggg	2820
gatgcttcat	gtgaacgtgg	gagttcagct	gcttctcttg	cctaagtatt	cctttcctga	2880
tcactatgca	ttttaaagtt	aaacattttt	aagtatttca	gatgctttag	agagattttt	2940
tttccatgac	tgcattttac	tgtacagatt	gctgcttctg	ctatatttgt	gatataggaa	3000
ttaagaggat	acacacgttt	gtttcttcgt	gcctgtttta	tgtgcacaca	ttaggcattg	3060
agacttcaag	ctttcttt	tttgtccacg	tatctttggg	tctttgataa	agaaaagaat	3120
ccctgttcat	tgtaagcact	tttacggggc	gggtggggag	gggtgctctg	ctggtcttca	3180
attaccaaga	attctccaaa	acaattttct	gcaggatgat	tgtacagaat	cattgcttat	3240
gacatgatcg	ctttctacac	tgtattacat	aaataaatta	aataaaataa	ccccgggcaa	3300
gacttttctt	tgaaggatga	ctacagacat	taaataatcg	aagtaatttt	gggtggggag	3360
aagaggcaga	ttcaattttc	tttaaccagt	ctgaagtttc	atttatgata	caaaagaaga	3420
tgaaaatgga	agtggcaata	taaggggatg	aggaaggcat	gcctggacaa	accettettt	3480
taagatgtgt	cttcaatttg	tataaaatgg	tgttttcatg	taaataaata	cattettgga	3540
ggagcaccat	tg					3552
<210> SEQ ID NO 14 <211> LENGTH: 2366 <212> TYPE: DNA <213> ORGANISM: Artificial sequence <220> FEATURE: <223> OTHER INFORMATION: Description of sequence: amyloid precursor protein coding sequence						

<400> SEQUENCE: 14

gatcccactc	gcacagcagc	gcactcggtg	ccccgcgcag	ggtcgcgatg	ctgcccggtt	60
tggcactgct	cctgctggcc	gcctggacgg	ctcgggcgct	ggaggtaccc	actgatggta	120
atqctqqcct	qctqqctqaa	ccccagattq	ccatqttctq	tqqcaqactq	aacatqcaca	180

protein coding sequence

-continued

tgaatgtcca	gaatgggaag	tgggattcag	atccatcagg	gaccaaaacc	tgcattgata	240
ccaaggaagg	catcctgcag	tattgccaag	aagtctaccc	tgaactgcag	atcaccaatg	300
tggtagaagc	caaccaacca	gtgaccatcc	agaactggtg	caagcggggc	cgcaagcagt	360
gcaagaccca	tccccacttt	gtgattccct	accgctgctt	agttggtgag	tttgtaagtg	420
atgcccttct	cgttcctgac	aagtgcaaat	tcttacacca	ggagaggatg	gatgtttgcg	480
aaactcatct	tcactggcac	accgtcgcca	aagagacatg	cagtgagaag	agtaccaact	540
tgcatgacta	cggcatgttg	ctgccctgcg	gaattgacaa	gttccgaggg	gtagagtttg	600
tgtgttgccc	actggctgaa	gaaagtgaca	atgtggattc	tgctgatgcg	gaggaggatg	660
actcggatgt	ctggtggggc	ggagcagaca	cagactatgc	agatgggagt	gaagacaaag	720
tagtagaagt	agcagaggag	gaagaagtgg	ctgaggtgga	agaagaagaa	gccgatgatg	780
acgaggacga	tgaggatggt	gatgaggtag	aggaagaggc	tgaggaaccc	tacgaagaag	840
ccacagagag	aaccaccagc	attgccacca	ccaccaccac	caccacagag	tctgtggaag	900
aggtggttcg	agaggtgtgc	tctgaacaag	ccgagacggg	gccgtgccga	gcaatgatct	960
cccgctggta	ctttgatgtg	actgaaggga	agtgtgcccc	attcttttac	ggcggatgtg	1020
gcggcaaccg	gaacaacttt	gacacagaag	agtactgcat	ggccgtgtgt	ggcagcgcca	1080
tgtcccaaag	tttactcaag	actacccagg	aacctcttgc	ccgagatcct	gttaaacttc	1140
ctacaacagc	agccagtacc	cctgatgccg	ttgacaagta	tctcgagaca	cctggggatg	1200
agaatgaaca	tgcccatttc	cagaaagcca	aagagaggct	tgaggccaag	caccgagaga	1260
gaatgtccca	ggtcatgaga	gaatgggaag	aggcagaacg	tcaagcaaag	aacttgccta	1320
aagctgataa	gaaggcagtt	atccagcatt	tccaggagaa	agtggaatct	ttggaacagg	1380
aagcagccaa	cgagagacag	cagctggtgg	agacacacat	ggccagagtg	gaagccatgc	1440
tcaatgaccg	ccgccgcctg	gccctggaga	actacatcac	cgctctgcag	gctgttcctc	1500
ctcggcctcg	tcacgtgttc	aatatgctaa	agaagtatgt	ccgcgcagaa	cagaaggaca	1560
gacagcacac	cctaaagcat	ttcgagcatg	tgcgcatggt	ggatcccaag	aaagccgctc	1620
agatccggtc	ccaggttatg	acacacctcc	gtgtgattta	tgagcgcatg	aatcagtctc	1680
tctccctgct	ctacaacgtg	cctgcagtgg	ccgaggagat	tcaggatgaa	gttgatgagc	1740
tgcttcagaa	agagcaaaac	tattcagatg	acgtcttggc	caacatgatt	agtgaaccaa	1800
ggatcagtta	cggaaacgat	gctctcatgc	catctttgac	cgaaacgaaa	accaccgtgg	1860
agctccttcc	cgtgaatgga	gagttcagcc	tggacgatct	ccagccgtgg	cattcttttg	1920
gggctgactc	tgtgccagcc	aacacagaaa	acgaaggttc	tgggttgaca	aatatcaaga	1980
cggaggagat	ctctgaagtg	aagatggatg	cagaattccg	acatgactca	ggatatgaag	2040
ttcatcatca	aaaattggtg	ttctttgcag	aagatgtggg	ttcaaacaaa	ggtgcaatca	2100
ttggactcat	ggtgggcggt	gttgtcatag	cgacagtgat	cgtcatcacc	ttggtgatgc	2160
tgaagaagaa	acagtacaca	tccattcatc	atggtgtggt	ggaggttgac	gccgctgtca	2220
ccccagagga	gcgccacctg	tccaagatgc	agcagaacgg	ctacgaaaat	ccaacctaca	2280
agttctttga	gcagatgcag	aactagaccc	ccgccacagc	agcctctgaa	gttggacagc	2340
aaaaccattg	cttcactacc	catcgg				2366

<210> SEQ ID NO 15 <211> LENGTH: 3294 <212> TYPE: DNA

102 101

<213> ORGANISM: Artificial sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of sequence: amyloid precursor protein coding sequence

<400> SEQUENCE: 15

~						
gtcggatgat	tcaagctcac	ggggacgagc	aggagcgctc	tegaetttte	tagagcctca	60
gcgtcctagg	actcaccttt	ccctgatcct	gcaccgtccc	teteetggee	ccagactctc	120
cctcccactg	ttcacgaagc	ccaggtaccc	actgatggta	atgctggcct	gctggctgaa	180
ccccagattg	ccatgttctg	tggcagactg	aacatgcaca	tgaatgtcca	gaatgggaag	240
tgggattcag	atccatcagg	gaccaaaacc	tgcattgata	ccaaggaagg	catcctgcag	300
tattgccaag	aagtctaccc	tgaactgcag	atcaccaatg	tggtagaagc	caaccaacca	360
gtgaccatcc	agaactggtg	caagcggggc	cgcaagcagt	gcaagaccca	tccccacttt	420
gtgattccct	accgctgctt	agttggtgag	tttgtaagtg	atgecettet	cgttcctgac	480
aagtgcaaat	tcttacacca	ggagaggatg	gatgtttgcg	aaactcatct	tcactggcac	540
accgtcgcca	aagagacatg	cagtgagaag	agtaccaact	tgcatgacta	cggcatgttg	600
ctgccctgcg	gaattgacaa	gttccgaggg	gtagagtttg	tgtgttgccc	actggctgaa	660
gaaagtgaca	atgtggattc	tgctgatgcg	gaggaggatg	actcggatgt	ctggtggggc	720
ggagcagaca	cagactatgc	agatgggagt	gaagacaaag	tagtagaagt	agcagaggag	780
gaagaagtgg	ctgaggtgga	agaagaagaa	gccgatgatg	acgaggacga	tgaggatggt	840
gatgaggtag	aggaagaggc	tgaggaaccc	tacgaagaag	ccacagagag	aaccaccagc	900
attgccacca	ccaccaccac	caccacagag	tctgtggaag	aggtggttcg	agttcctaca	960
acagcagcca	gtacccctga	tgccgttgac	aagtatctcg	agacacctgg	ggatgagaat	1020
gaacatgccc	atttccagaa	agccaaagag	aggcttgagg	ccaagcaccg	agagagaatg	1080
tcccaggtca	tgagagaatg	ggaagaggca	gaacgtcaag	caaagaactt	gcctaaagct	1140
gataagaagg	cagttatcca	gcatttccag	gagaaagtgg	aatctttgga	acaggaagca	1200
gccaacgaga	gacagcagct	ggtggagaca	cacatggcca	gagtggaagc	catgctcaat	1260
gaccgccgcc	gcctggccct	ggagaactac	atcaccgctc	tgcaggctgt	tectectegg	1320
cctcgtcacg	tgttcaatat	gctaaagaag	tatgtccgcg	cagaacagaa	ggacagacag	1380
cacaccctaa	agcatttcga	gcatgtgcgc	atggtggatc	ccaagaaagc	cgctcagatc	1440
cggtcccagg	ttatgacaca	cctccgtgtg	atttatgagc	gcatgaatca	gtctctctcc	1500
ctgctctaca	acgtgcctgc	agtggccgag	gagattcagg	atgaagttga	tgagctgctt	1560
cagaaagagc	aaaactattc	agatgacgtc	ttggccaaca	tgattagtga	accaaggatc	1620
agttacggaa	acgatgctct	catgccatct	ttgaccgaaa	cgaaaaccac	cgtggagctc	1680
cttcccgtga	atggagagtt	cagcctggac	gatetecage	cgtggcattc	ttttggggct	1740
gactctgtgc	cagccaacac	agaaaacgaa	gttgagcctg	ttgatgcccg	ccctgctgcc	1800
gaccgaggac	tgaccactcg	accaggttct	gggttgacaa	atatcaagac	ggaggagatc	1860
tctgaagtga	agatggatgc	agaattccga	catgactcag	gatatgaagt	tcatcatcaa	1920
aaattggtgt	tctttgcaga	agatgtgggt	tcaaacaaag	gtgcaatcat	tggactcatg	1980
gtgggcggtg	ttgtcatagc	gacagtgatc	gtcatcacct	tggtgatgct	gaagaagaaa	2040
cagtacacat	ccattcatca	tggtgtggtg	gaggttgacg	ccgctgtcac	cccagaggag	2100
		gcagaacggc				2160
, J-	5 5	_ 5 55-	-			

-continued

-continued					
cagatgcaga actagacccc cgccacagca gcctctgaag ttggacagca aaaccattgc	2220				
ttcactaccc atcggtgtcc atttatagaa taatgtggga agaaacaaac ccgttttatg	2280				
atttactcat tatcgccttt tgacagctgt gctgtaacac aagtagatgc ctgaacttga	2340				
attaatccac acatcagtaa tgtattctat ctctctttac attttggtct ctatactaca	2400				
ttattaatgg gttttgtgta ctgtaaagaa tttagctgta tcaaactagt gcatgaatag	2460				
atteteteet gattatttat cacatageee ettageeagt tgtatattat tettgtggtt	2520				
tgtgacccaa ttaagtccta ctttacatat gctttaagaa tcgatggggg atgcttcatg	2580				
tgaacgtggg agttcagctg cttctcttgc ctaagtattc ctttcctgat cactatgcat	2640				
tttaaagtta aacattttta agtatttcag atgctttaga gagatttttt ttccatgact	2700				
gcattttact gtacagattg ctgcttctgc tatatttgtg atataggaat taagaggata	2760				
cacacgtttg tttcttcgtg cctgttttat gtgcacacat taggcattga gacttcaagc	2820				
ttttcttttt ttgtccacgt atctttgggt ctttgataaa gaaaagaatc cctgttcatt	2880				
gtaagcactt ttacggggcg ggtggggagg ggtgctctgc tggtcttcaa ttaccaagaa	2940				
ttctccaaaa caattttctg caggatgatt gtacagaatc attgcttatg acatgatcgc	3000				
tttctacact gtattacata aataaattaa ataaaataac cccgggcaag acttttcttt	3060				
gaaggatgac tacagacatt aaataatcga agtaattttg ggtggggaga agaggcagat	3120				
tcaattttct ttaaccagtc tgaagtttca tttatgatac aaaagaagat gaaaatggaa	3180				
gtggcaatat aaggggatga ggaaggcatg cctggacaaa cccttctttt aagatgtgtc	3240				
ttcaatttgt ataaaatggt gttttcatgt aaataaatac attcttggag gagc	3294				
<210> SEQ ID NO 16 <211> LENGTH: 3633 <212> TYPE: DNA <213> ORGANISM: Artificial sequence <220> FEATURE: <223> OTHER INFORMATION: Description of sequence: amyloid precursor					
<211> LENGTH: 3633 <212> TYPE: DNA <213> ORGANISM: Artificial sequence <220> FEATURE:	r				
<pre><211> LENGTH: 3633 <212> TYPE: DNA <213> ORGANISM: Artificial sequence <220> FEATURE: <223> OTHER INFORMATION: Description of sequence: amyloid precurso</pre>	r				
<211> LENGTH: 3633 <212> TYPE: DNA <213> ORGANISM: Artificial sequence <220> FEATURE: <223> OTHER INFORMATION: Description of sequence: amyloid precurso protein coding sequence	r 60				
<211> LENGTH: 3633 <212> TYPE: DNA <213> ORGANISM: Artificial sequence <220> FEATURE: <223> OTHER INFORMATION: Description of sequence: amyloid precurso protein coding sequence <400> SEQUENCE: 16					
<pre><211> LENGTH: 3633 <212> TYPE: DNA <213> ORGANISM: Artificial sequence <220> FEATURE: <223> OTHER INFORMATION: Description of sequence: amyloid precurso protein coding sequence <400> SEQUENCE: 16 agagttccgg aggctttggt tgtccattgt tagcttagaa gttggcgcag tgtgcgtgtg</pre>	60				
<pre><211> LENGTH: 3633 <212> TYPE: DNA <213> ORGANISM: Artificial sequence <220> FEATURE: <223> OTHER INFORMATION: Description of sequence: amyloid precurso protein coding sequence <400> SEQUENCE: 16 agagttccgg aggctttggt tgtccattgt tagcttagaa gttggcgcag tgtgcgtgtg atccacgcct aaatagcaca gccttgctgt gcgtggtaga agttgggtta gtgttgacat</pre>	60 120				
<pre><211> LENGTH: 3633 <212> TYPE: DNA <213> ORGANISM: Artificial sequence <220> FEATURE: <223> OTHER INFORMATION: Description of sequence: amyloid precurso</pre>	60 120 180				
<pre><211> LENGTH: 3633 <212> TYPE: DNA <213> ORGANISM: Artificial sequence <220> FEATURE: <223> OTHER IMFORMATION: Description of sequence: amyloid precurso protein coding sequence <400> SEQUENCE: 16 agagttccgg aggctttggt tgtccattgt tagcttagaa gttggcgcag tgtgcgtgtg atccacgcct aaatagcaca gccttgctgt gcgtggtaga agttgggtta gtgttgacat gctgttgact caccctcccg aggatggaag ctctggcctg ggtcaagttg tggtcactgc agttaacagt ttgttgatct cagggagtat tccacagttg ctgatgtaat tgacaatgat</pre>	60 120 180 240				
<pre><211> LENGTH: 3633 <212> TYPE: DNA <213> ORGANISM: Artificial sequence <220> FEATURE: <223> OTHER INFORMATION: Description of sequence: amyloid precurso</pre>	60 120 180 240 300				
<pre><211> LENGTH: 3633 <212> TYPE: DNA <213> ORGANISM: Artificial sequence <220> FEATURE: <223> OTHER INFORMATION: Description of sequence: amyloid precurso protein coding sequence <400> SEQUENCE: 16 agagttccgg aggctttggt tgtccattgt tagcttagaa gttggcgcag tgtgcgtgtg atccacgcct aaatagcaca gccttgctgt gcgtggtaga agttgggtta gtgttgacat gctgttgact caccctcccg aggatggaag ctctggcctg ggtcaagttg tggtcactgc agttaacagt ttgttgatct cagggagtat tccacagttg ctgatgtaat tgacaatgat tggagccagc tcttccccag attcaaatgg accaattaga ggacttgttg gttctgtta tcaactatgt acccactgat ggtaatgctg gcctgctggc tgaaccccag attgccatgt</pre>	60 120 180 240 300 360				
<pre><211> LENGTH: 3633 <212> TYPE: DNA <213> ORGANISM: Artificial sequence <220> FEATURE: <223> OTHER INFORMATION: Description of sequence: amyloid precurso</pre>	60 120 180 240 300 360 420				
<pre><211> LENGTH: 3633 <212> TYPE: DNA <213> ORGANISM: Artificial sequence <220> FEATURE: <223> OTHER INFORMATION: Description of sequence: amyloid precurso</pre>	60 120 180 240 300 360 420 480				
<pre><211> LENGTH: 3633 <212> TYPE: DNA <213> ORGANISM: Artificial sequence <220> FEATURE: <223> OTHER INFORMATION: Description of sequence: amyloid precurso</pre>	60 120 180 240 300 360 420 480				
<pre><211> LENGTH: 3633 <212> TYPE: DNA <213> ORGANISM: Artificial sequence <220> FEATURE: <223> OTHER INFORMATION: Description of sequence: amyloid precurso</pre>	60 120 180 240 300 360 420 480 540				
<pre><211> LENGTH: 3633 <212> TYPE: DNA <213> ORGANISM: Artificial sequence <220> FEATURE: <223> OTHER INFORMATION: Description of sequence: amyloid precurso</pre>	60 120 180 240 300 360 420 480 540 600				

attctgctga tgcggaggag gatgactcgg atgtctggtg gggcggagca gacacagact

atgcagatgg	gagtgaagac	aaagtagtag	aagtagcaga	ggaggaagaa	gtggctgagg	960
tggaagaaga	agaagccgat	gatgacgagg	acgatgagga	tggtgatgag	gtagaggaag	1020
aggetgagga	accctacgaa	gaagccacag	agagaaccac	cagcattgcc	accaccacca	1080
ccaccaccac	agagtctgtg	gaagaggtgg	ttcgagaggt	gtgctctgaa	caagccgaga	1140
cggggccgtg	ccgagcaatg	atctcccgct	ggtactttga	tgtgactgaa	gggaagtgtg	1200
ccccattctt	ttacggcgga	tgtggcggca	accggaacaa	ctttgacaca	gaagagtact	1260
gcatggccgt	gtgtggcagc	gccattccta	caacagcagc	cagtacccct	gatgccgttg	1320
acaagtatct	cgagacacct	ggggatgaga	atgaacatgc	ccatttccag	aaagccaaag	1380
agaggcttga	ggccaagcac	cgagagagaa	tgtcccaggt	catgagagaa	tgggaagagg	1440
cagaacgtca	agcaaagaac	ttgcctaaag	ctgataagaa	ggcagttatc	cagcatttcc	1500
aggagaaagt	ggaatctttg	gaacaggaag	cagccaacga	gagacagcag	ctggtggaga	1560
cacacatggc	cagagtggaa	gccatgctca	atgaccgccg	ccgcctggcc	ctggagaact	1620
acatcaccgc	tctgcaggct	gttcctcctc	ggcctcgtca	cgtgttcaat	atgctaaaga	1680
agtatgtccg	cgcagaacag	aaggacagac	agcacaccct	aaagcatttc	gagcatgtgc	1740
gcatggtgga	tcccaagaaa	gccgctcaga	tccggtccca	ggttatgaca	cacctccgtg	1800
tgatttatga	gcgcatgaat	cagtctctct	ccctgctcta	caacgtgcct	gcagtggccg	1860
aggagattca	ggatgaagtt	gatgagctgc	ttcagaaaga	gcaaaactat	tcagatgacg	1920
tcttggccaa	catgattagt	gaaccaagga	tcagttacgg	aaacgatgct	ctcatgccat	1980
ctttgaccga	aacgaaaacc	accgtggagc	tccttcccgt	gaatggagag	ttcagcctgg	2040
acgatctcca	gccgtggcat	tcttttgggg	ctgactctgt	gccagccaac	acagaaaacg	2100
aagttgagcc	tgttgatgcc	cgccctgctg	ccgaccgagg	actgaccact	cgaccaggtt	2160
ctgggttgac	aaatatcaag	acggaggaga	tctctgaagt	gaagatggat	gcagaattcc	2220
gacatgactc	aggatatgaa	gttcatcatc	aaaaattggt	gttctttgca	gaagatgtgg	2280
gttcaaacaa	aggtgcaatc	attggactca	tggtgggegg	tgttgtcata	gcgacagtga	2340
tegteateae	cttggtgatg	ctgaagaaga	aacagtacac	atccattcat	catggtgtgg	2400
tggaggttga	cgccgctgtc	accccagagg	agegeeacet	gtccaagatg	cagcagaacg	2460
gctacgaaaa	tccaacctac	aagttctttg	agcagatgca	gaactagacc	cccgccacag	2520
cagcctctga	agttggacag	caaaaccatt	gcttcactac	ccatcggtgt	ccatttatag	2580
aataatgtgg	gaagaaacaa	acccgtttta	tgatttactc	attatcgcct	tttgacagct	2640
gtgctgtaac	acaagtagat	gcctgaactt	gaattaatcc	acacatcagt	aatgtattct	2700
atctctcttt	acattttggt	ctctatacta	cattattaat	gggttttgtg	tactgtaaag	2760
aatttagctg	tatcaaacta	gtgcatgaat	agattctctc	ctgattattt	atcacatagc	2820
cccttagcca	gttgtatatt	attcttgtgg	tttgtgaccc	aattaagtcc	tactttacat	2880
atgctttaag	aatcgatggg	ggatgcttca	tgtgaacgtg	ggagttcagc	tgcttctctt	2940
gcctaagtat	tcctttcctg	atcactatgc	attttaaagt	taaacatttt	taagtatttc	3000
agatgcttta	gagagatttt	ttttccatga	ctgcatttta	ctgtacagat	tgctgcttct	3060
gctatatttg	tgatatagga	attaagagga	tacacacgtt	tgtttcttcg	tgcctgtttt	3120
atgtgcacac	attaggcatt	gagacttcaa	gcttttcttt	ttttgtccac	gtatctttgg	3180
gtctttgata	aagaaaagaa	tccctgttca	ttgtaagcac	ttttacgggg	cgggtgggga	3240
ggggtgctct	gctggtcttc	aattaccaag	aattctccaa	aacaattttc	tgcaggatga	3300
		_				

ttgtacagaa tcatt	getta tgacatgate	gctttctaca	ctgtattaca	taaataaatt	3360
aaataaaata acccc	gggca agacttttct	ttgaaggatg	actacagaca	ttaaataatc	3420
gaagtaattt tgggt	gggga gaagaggcag	attcaatttt	ctttaaccag	tctgaagttt	3480
catttatgat acaaa	agaag atgaaaatgg	aagtggcaat	ataaggggat	gaggaaggca	3540
tgcctggaca aaccc	ttctt ttaagatgtg	tcttcaattt	gtataaaatg	gtgttttcat	3600
gtaaataaat acatt	cttgg aggagcacca	ttg			3633
	46 Artificial seque RMATION: Descrip ding sequence		uence: amylo	oid precursor	
<400> SEQUENCE:					
agagttccgg aggct					60
atccacgcct aaata					120
getgttgaet cacce					180
agttaacagt ttgtt					240
tggagccagc tette	-	_			300
tcaactatgt accca					360
tctgtggcag actga	acatg cacatgaatg	tccagaatgg	gaagtgggat	tcagatccat	420
cagggaccaa aacct	gcatt gataccaagg	aaggcatcct	gcagtattgc	caagaagtct	480
accctgaact gcaga	tcacc aatgtggtag	aagccaacca	accagtgacc	atccagaact	540
ggtgcaagcg gggcc	gcaag cagtgcaaga	cccatcccca	ctttgtgatt	ccctaccgct	600
gcttagttgg tgagt	ttgta agtgatgccc	ttctcgttcc	tgacaagtgc	aaattcttac	660
accaggagag gatgg	atgtt tgcgaaactc	atcttcactg	gcacaccgtc	gccaaagaga	720
catgcagtga gaaga	gtacc aacttgcatg	actacggcat	gttgctgccc	tgcggaattg	780
acaagttccg agggg	tagag tttgtgtgtt	gcccactggc	tgaagaaagt	gacaatgtgg	840
attetgetga tgegg	aggag gatgactcgg	atgtctggtg	gggcggagca	gacacagact	900
atgcagatgg gagtg	aagac aaagtagtag	aagtagcaga	ggaggaagaa	gtggctgagg	960
tggaagaaga agaag	ccgat gatgacgagg	acgatgagga	tggtgatgag	gtagaggaag	1020
aggetgagga accet	acgaa gaagccacag	agagaaccac	cagcattgcc	accaccacca	1080
ccaccaccac agagt	ctgtg gaagaggtgg	ttcgagaggt	gtgctctgaa	caagccgaga	1140
cggggccgtg ccgag	caatg atctcccgct	ggtactttga	tgtgactgaa	gggaagtgtg	1200
ccccattctt ttacg	gcgga tgtggcggca	accggaacaa	ctttgacaca	gaagagtact	1260
gcatggccgt gtgtg	gcagc gccattccta	caacagcagc	cagtacccct	gatgccgttg	1320
acaagtatct cgaga	cacct ggggatgaga	atgaacatgc	ccatttccag	aaagccaaag	1380
agaggettga ggeea	agcac cgagagagaa	tgtcccaggt	catgagagaa	tgggaagagg	1440
cagaacgtca agcaa	agaac ttgcctaaag	ctgataagaa	ggcagttatc	cagcatttcc	1500
aggagaaagt ggaat	ctttg gaacaggaag	cagccaacga	gagacagcag	ctggtggaga	1560
cacacatggc cagag	tggaa gccatgctca	atgaccgccg	ccgcctggcc	ctggagaact	1620
acatcacege tetge					1680
5 5					

agtatgtccg cgcagaacag aaggacagac agcacaccct aaagcatttc gagcatgtgc	1740
gcatggtgga teccaagaaa geegeteaga teeggteeca ggttatgaca caeeteegtg	1800
tgatttatga gegeatgaat eagtetetet eeetgeteta eaaegtgeet geagtggeeg	1860
aggagattca ggatgaagtt gatgagctgc ttcagaaaga gcaaaactat tcagatgacg	1920
tettggecaa eatgattagt gaaceaagga teagttaegg aaaegatget eteatgeeat	1980
ctttgaccga aacgaaaacc accgtggagc tccttcccgt gaatggagag ttcagcctgg	2040
acgateteca geogtggeat tettttgggg etgaetetgt gecagecaae acagaaaaeg	2100
aagttgagee tgttgatgee egeeetgetg eegaeegagg aetgaeeact egaeeaggtt	2160
ctgggttgac aaatatcaag acggaggaga tctctgaagt gaagatggat gcagaattcc	2220
gacatgactc aggatatgaa gttcatcatc aaaaattggt gttctttgca gaagatgtgg	2280
gttcaaacaa aggtgcaatc attggactca tggtgggcgg tgttgtcata gcgacagtga	2340
togtcatcac cttggtgatg ctgaagaaga aacagtacac atccattcat catggtgtgg	2400
tggaggttga cgccgctgtc accccagagg agcgccacct gtccaagatg cagcagaacg	2460
gctacgaaaa tccaacctac aagttetttg agcagatgca gaactagacc cccgccacag	2520
cageetetga agttggacag caaaaceatt getteactae ceateggtgt eeatttatag	2580
aataatgtgg gaagaaacaa accegtttta tgatttactc attategeet tttgacaget	2640
gtgctgtaac acaagtagat gcctgaactt gaattaatcc acacatcagt aatgtattct	2700
atctctcttt acattttggt ctctatacta cattattaat gggttttgtg tactgtaaag	2760
aatttagctg tatcaaacta gtgcatgaat agattctctc ctgattattt atcacatagc	2820
cccttagcca gttgtatatt attctt	2846
<pre><210> SEQ ID NO 18 <211> LENGTH: 1846 <212> TYPE: DNA <213> ORGANISM: Artificial sequence <220> FEATURE: <223> OTHER INFORMATION: Description of sequence: amyloid precurso:</pre>	
<210> SEQ ID NO 18 <211> LENGTH: 1846 <212> TYPE: DNA <213> ORGANISM: Artificial sequence <220> FEATURE: <223> OTHER INFORMATION: Description of sequence: amyloid precurso:	
<210> SEQ ID NO 18 <211> LENGTH: 1846 <212> TYPE: DNA <213> ORGANISM: Artificial sequence <220> FEATURE: <223> OTHER INFORMATION: Description of sequence: amyloid precurso: protein coding sequence	
<210> SEQ ID NO 18 <211> LENGTH: 1846 <212> TYPE: DNA <213> ORGANISM: Artificial sequence <220> FEATURE: <223> OTHER INFORMATION: Description of sequence: amyloid precurso: protein coding sequence <400> SEQUENCE: 18	c
<pre><210> SEQ ID NO 18 <211> LENGTH: 1846 <212> TYPE: DNA <213> ORGANISM: Artificial sequence <220> FEATURE: <223> OTHER INFORMATION: Description of sequence: amyloid precurso:</pre>	60
<pre><210> SEQ ID NO 18 <211> LENGTH: 1846 <212> TYPE: DNA <213> ORGANISM: Artificial sequence <220> FEATURE: <223> OTHER INFORMATION: Description of sequence: amyloid precurso:</pre>	60
<pre><210> SEQ ID NO 18 <211> LENGTH: 1846 <212> TYPE: DNA <213> ORGANISM: Artificial sequence <220> FEATURE: <223> OTHER INFORMATION: Description of sequence: amyloid precurso:</pre>	60 120 180
<pre><210> SEQ ID NO 18 <211> LENGTH: 1846 <212> TYPE: DNA <213> ORGANISM: Artificial sequence <220> FEATURE: <223> OTHER INFORMATION: Description of sequence: amyloid precurso:</pre>	60 120 180 240
<pre><210> SEQ ID NO 18 <211> LENGTH: 1846 <212> TYPE: DNA <213> ORGANISM: Artificial sequence <220> FEATURE: <223> OTHER INFORMATION: Description of sequence: amyloid precurso:</pre>	60 120 180 240 300
<pre><210> SEQ ID NO 18 <211> LENGTH: 1846 <212> TYPE: DNA <213> ORGANISM: Artificial sequence <220> FEATURE: <223> OTHER INFORMATION: Description of sequence: amyloid precurso:</pre>	60 120 180 240 300 360
<pre><210> SEQ ID NO 18 <211> LENGTH: 1846 <212> TYPE: DNA <213> ORGANISM: Artificial sequence <220> FEATURE: <223> OTHER INFORMATION: Description of sequence: amyloid precurso:</pre>	60 120 180 240 300 360 420
<pre><210> SEQ ID NO 18 <211> LENGTH: 1846 <212> TYPE: DNA <213> ORGANISM: Artificial sequence <220> FEATURE: <223> OTHER INFORMATION: Description of sequence: amyloid precurso:</pre>	60 120 180 240 300 360 420 480
<pre><210> SEQ ID NO 18 <211> LENGTH: 1846 <212> TYPE: DNA <213> ORGANISM: Artificial sequence <220> FEATURE: <223> OTHER INFORMATION: Description of sequence: amyloid precurso:</pre>	60 120 180 240 300 360 420 480 540
<pre><210> SEQ ID NO 18 <211> LENGTH: 1846 <212> TYPE: DNA <213> ORGANISM: Artificial sequence <220> FEATURE: <223> OTHER INFORMATION: Description of sequence: amyloid precurso:</pre>	60 120 180 240 300 360 420 480 540 600
<pre><210> SEQ ID NO 18 <211> LENGTH: 1846 <212> TYPE: DNA <213> ORGANISM: Artificial sequence <220> FEATURE: <223> OTHER INFORMATION: Description of sequence: amyloid precurso:</pre>	60 120 180 240 300 360 420 480 540 600

cgtgtgtggc agcgccattc ctacaacagc agccagtacc cctgatgccg ttgacaagta

tctcgagaca	cctggggatg	agaatgaaca	tgcccatttc	cagaaagcca	aagagaggct	900
tgaggccaag	caccgagaga	gaatgtccca	ggtcatgaga	gaatgggaag	aggcagaacg	960
tcaagcaaag	aacttgccta	aagctgataa	gaaggcagtt	atccagcatt	tccaggagaa	1020
agtggaatct	ttggaacagg	aagcagccaa	cgagagacag	cagetggtgg	agacacacat	1080
ggccagagtg	gaagccatgc	tcaatgaccg	ccgccgcctg	gccctggaga	actacatcac	1140
cgctctgcag	gctgttcctc	ctcggcctcg	tcacgtgttc	aatatgctaa	agaagtatgt	1200
ccgcgcagaa	cagaaggaca	gacagcacac	cctaaagcat	ttcgagcatg	tgcgcatggt	1260
ggatcccaag	aaagccgctc	agatccggtc	ccaggttatg	acacacctcc	gtgtgattta	1320
tgagcgcatg	aatcagtctc	tctccctgct	ctacaacgtg	cctgcagtgg	ccgaggagat	1380
tcaggatgaa	gttggtgcag	tggctcatgc	ctgtaattcc	agcattttgg	gaggccaagg	1440
tgggcagatg	acttgagccc	agaagttcaa	gaccagaatg	ggaaacatgg	caagaccaca	1500
tttctacaaa	aaaattatcc	aggcatgata	acatctattt	gtagtcccag	ctactcagga	1560
ggctgtggtg	ggaggatctc	ctgagcctgg	ggtggctgag	gctgcagtga	gccttgatca	1620
cgccacctgg	gcaatagagc	aagaccctgt	ctcaaaaaaa	ggaagaaaaa	gactattatt	1680
tcccccattg	aatggtcttg	gcactattac	acaaaatcaa	ttgtccatag	ataatatggg	1740
tttatttctt	aattcttagt	tctttcttt	gatctgtgtg	cctgtgctta	ctgtagtacc	1800
acactgtttt	gattattgta	gctttgtagt	aaattttgaa	atcagc		1846
<210> SEQ :						
<pre><211> LENG' <212> TYPE <213> ORGAI <220> FEAT' <223> OTHEI</pre>	: DNA NISM: Artif: URE: R INFORMATIC ein coding s	DN: Descript		uence: amylo	oid precursor	
<211> LENG' <212> TYPE <213> ORGAI <220> FEAT' <223> OTHEI prote <4400> SEQUI	: DNA NISM: Artif: URE: R INFORMATIC ein coding s	DN: Descript	tion of sequ			60
<211> LENG <212> TYPE <213> ORGA1 <220> FEAT <223> OTHE prote <400> SEQUE cagcagcgca	: DNA NISM: Artif: URE: R INFORMATIO ein coding s	DN: Descript sequence cgcgcagggt	cion of sequ	cccggtttgg	cactgctcct	
<211> LENG <212> TYPE <213> ORGA1 <220> FEAT <223> OTHE prote <400> SEQUI cagcagcgca gctggccgcc	: DNA NISM: Artif: URE: R INFORMATI(ein coding : ENCE: 19 ctcggtgccc	DN: Descript sequence cgcgcagggt gggcgctgga	cion of sequences	cccggtttgg gaactgcaga	cactgctcct	60
<211> LENG <212> TYPE <213> ORGA <220> FEAT <223> OTHE prote <400> SEQUE cagcagcgca gctggccgcc ggtagaagcc	: DNA NISM: Artif: URE: R INFORMATIO ein coding: ENCE: 19 ctcggtgccc tggacggctc	ON: Descript sequence cgcgcagggt gggcgctgga tgaccatcca	cgcgatgctg ggtctaccct	cccggtttgg gaactgcaga aagcggggcc	cactgeteet teaceaatgt geaageagtg	60 120
<211> LENG <212> TYPE <213> ORGAI <220> FEAT <223> OTHE prote <400> SEQUI cagcagcgca gctggccgcc ggtagaagcc caagacccat	: DNA NISM: Artif: URE: R INFORMATIC ein coding : ENCE: 19 ctcggtgccc tggacggctc aaccaaccag	ON: Descript sequence cgcgcagggt gggcgctgga tgaccatcca tgattcccta	cgcgatgctg ggtctaccct gaactggtgc	cccggtttgg gaactgcaga aagcggggcc gttggtgagt	cactgeteet teaceaatgt geaageagtg ttgtaagtga	60 120 180
<211> LENG <212> TYPE <213> ORGA <220> FEAT <223> OTHE prote <400> SEQUI cagcagcgca gctggccgcc ggtagaagcc caagacccat tgcccttctc	: DNA NISM: Artif: URE: R INFORMATIO ein coding: ENCE: 19 ctcggtgccc tggacggctc aaccaaccag ccccactttg	ON: Descript sequence cgcgcagggt gggcgctgga tgaccatcca tgattcccta agtgcaaatt	cgcgatgctg ggtctaccct gaactggtgc ccgctgctta	cccggtttgg gaactgcaga aagcggggcc gttggtgagt gagaggatgg	cactgctcct tcaccaatgt gcaagcagtg ttgtaagtga atgtttgcga	60 120 180 240
<211> LENG <212> TYPE <213> ORGAN <220> FEAT <223> OTHE prote <400> SEQUI cagcagcgca gctggccgcc ggtagaagcc caagacccat tgcccttctc aactcatctt	: DNA NISM: Artif: URE: R INFORMATIC ein coding s ENCE: 19 ctcggtgccc tggacggctc aaccaaccag ccccactttg gttcctgaca	DN: Descript sequence cgcgcagggt gggcgctgga tgaccatcca tgattcccta agtgcaaatt ccgtcgccaa	cgcgatgctg ggtctaccct gaactggtgc ccgctgctta cttacaccag agagacatgc	cccggtttgg gaactgcaga aagcggggcc gttggtgagt gagaggatgg agtgagaaga	cactgeteet teaceaatgt geaageagtg ttgtaagtga atgtttgega gtaceaactt	60 120 180 240 300
<211> LENG <212> TYPE <213> ORGAJ <220> FEAT <223> OTHEI prote <400> SEQUI cagcagcgca gctggccgcc ggtagaagcc caagacccat tgcccttctc aactcatctt gcatgactac	EDNA NISM: Artif: URE: RINFORMATIC ein coding: ENCE: 19 ctcggtgccc tggacggctc aaccaaccag ccccactttg gttcctgaca cactggcaca	cgcgcagggt gggcgctgga tgaccatcca tgattcccta agtgcaaatt ccgtcgccaa	cgcgatgctg ggtctaccct gaactggtgc ccgctgctta cttacaccag agagacatgc aattgacaag	cccggtttgg gaactgcaga aagcggggcc gttggtgagt gagaggatgg agtgagaaga ttccgagggg	cactgeteet teaceaatgt geaageagtg ttgtaagtga atgtttgega gtaceaactt tagagtttgt	60 120 180 240 300 360
<211> LENG <212> TYPE <213> ORGA <220> FEAT <223> OTHE prote <400> SEQUI cagcagcgca gctggccgcc ggtagaagcc caagacccat tgcccttctc aactcatctt gcatgactac gtgttgccca	EDNA NISM: Artif: URE: R INFORMATIC ein coding s ENCE: 19 ctcggtgccc tggacggctc aaccaaccag ccccactttg gttcctgaca cactggcaca ggcatgttgc	DN: Descript sequence cgcgcagggt gggcgctgga tgaccatcca tgattcccta agtgcaaatt ccgtcgccaa tgccctgcgg aaagtgacaa	cgcgatgctg ggtctaccct gaactggtgc ccgctgctta cttacaccag agagacatgc aattgacaag	cccggtttgg gaactgcaga aagcggggcc gttggtgagt gagaggatgg agtgagaaga ttccgagggg	cactgctcct tcaccaatgt gcaagcagtg ttgtaagtga atgtttgcga gtaccaactt tagagtttgt aggaggatga	60 120 180 240 300 360 420
<211> LENG <212> TYPE <213> ORGA <220> FEAT <223> OTHE prote <400> SEQUI cagcagcgca gctggccgcc ggtagaagcc caagacccat tgcccttctc aactcatctt gcatgactac gtgttgccca ctcggatgtcca	EDNA NISM: Artif: URE: URE: URE: URE: URE: URE: URE: URE	cgcgcagggt gggcgctgga tgaccatcca tgattcccta agtgcaaatt ccgtcgccaa tgccttgcg	cgcgatgctg ggtctaccct gaactggtgc ccgctgctta cttacaccag agagacatgc aattgacaag tgtggattct agactatgca	cccggtttgg gaactgcaga aagcggggcc gttggtgagt gagaggatgg agtgagaaga ttccgagggg gctgatgcgg gatgggagtg	cactgeteet teaceaatgt geaageagtg ttgtaagtga atgtttgega gtaceaaett tagagtttgt aggaggatga aagacaaagt	60 120 180 240 300 360 420 480
<211> LENG <212> TYPE <213> ORGAN <220> FEAT <223> OTHE prote <400> SEQUI cagcagcgca gctggccgcc ggtagaagcc caagacccat tgcccttctc aactcatctt gcatgactac gtgttgccca ctcggatgtc agtagaagta	EDNA NISM: Artif: URE: R INFORMATIO ein coding: ENCE: 19 ctcggtgccc tggacggctc aaccaaccag ccccactttg gttcctgaca cactggcaca ggcatgttgc ctggctgaag tggtggggcg	cgcgcagggt gggcgctgga tgaccatcca tgattcccta agtgcaaatt ccgtcgccaa tgccctgcgg aaagtgacaa gagcagacac aagaagtggc	cgcgatgctg ggtctaccct gaactggtgc ccgctgctta cttacaccag agagacatgc aattgacaag tgtggattct agactatgca	cccggtttgg gaactgcaga aagcggggcc gttggtgagt gagaggatgg agtgagaaga ttccgagggg gctgatgcgg gatgggagtg	cactgctcct tcaccaatgt gcaagcagtg ttgtaagtga atgtttgcga gtaccaactt tagagtttgt aggaggatga aagacaaagt ccgatgatga	60 120 180 240 300 360 420 480 540
<211> LENG' <212> TYPE <2113 ORGAI <220> FEATI <223> OTHEI prote <400> SEQUI cagcagcgca gctggccgcc ggtagaagcc caagacccat tgcccttctc aactcatctt gcatgactac gtgttgccca ctcggatgtc agtagaagta ctcggatgtc agtagaagta ctcggatgtc agtagaagta cgagagacgat	EDNA NISM: Artif: URE: R INFORMATIC ein coding s ENCE: 19 ctcggtgccc tggacggctc aaccaaccag cccactttg gttcctgaca cactggcaca ggcatgttgc ctggctgaag tggtggggcg gcagaggagg	cgcgcagggt gggcgctgga tgaccatcca tgattcccta agtgcaaatt ccgtcgccaa tgccctgcgg aaagtgacaa gagcagacac aagaagtgaca	cgcgatgctg ggtctaccct gaactggtgc ccgctgctta cttacaccag agagacatgc aattgacaag tgtggattct agactatgca tgaggtggaa	cccggtttgg gaactgcaga aagcggggcc gttggtgagt gagaggatgg agtgagaaga ttccgagggg gctgatgcgg gatggagttg gaagaagaag	cactgctcct tcaccaatgt gcaagcagtg ttgtaagtga atgtttgcga gtaccaactt tagagtttgt aggaggatga aagacaaagt ccgatgatga acgaagaagc	60 120 180 240 300 360 420 480 540
<211> LENG <211> TYPE <2113 ORGAN <220> FEAT <223> OTHEN prote <400> SEQUI cagcagcgca gctggccgcc ggtagaagcc caagacccat tgcccttctc aactcatctt gcatgactac gtgttgccca ctcggatgtc agtagaagta ccgaggacgat cacagagacgat cacagagacgat cacagagaga	EDNA NISM: Artif: URE: R INFORMATIO ein coding s ENCE: 19 ctcggtgccc tggacggctc aaccaaccag ccccactttg gttcctgaca cactggcaca ggcatgttgc ctggctgaag tggtggggcg gcagaggagg	cgcgcagggt gggcgctgga tgaccatcca tgattcccta agtgcaaatt ccgtcgccaa tgccctgcgg aaagtgacaa gagcagacac agagagacac atgaggtaga	cgcgatgctg ggtctaccct gaactggtgc ccgctgctta cttacaccag agagacatgc aattgacaag tgtggattct agactatgca tgaggtggaa ggaagaggct caccaccacc	cccggtttgg gaactgcaga aagcggggcc gttggtgagt gagaggatgg agtgagaaga ttccgagggg gctgatgcgg gatgggagtg gaagaagaag gaagaagaag	cactgctcct tcaccaatgt gcaagcagtg ttgtaagtga atgtttgcga gtaccaactt tagagtttgt aggaggatga aagacaaagt ccgatgatga acgaagaagc ctgtggaaga	60 120 180 240 300 360 420 480 540 600
<211> LENG <212> TYPE <213> ORGAN <220> FEAT <223> OTHEN prote <400> SEQUE cagcagcgca gctggccgcc ggtagaagcc caagacccat tgcccttctc aactcatctt gcatgactac ctcggatgtc agtagaagta cgaggacgat cacagagacgat cacagagacgat cacagagacgat cacagagacgat ggtggttcga	EDNA NISM: Artif: URE: R INFORMATIC ein coding s ENCE: 19 ctcggtgccc tggacggctc aaccaaccag cccactttg gttcctgaca cactggcaca ggcatgttgc ctggctgaag tggtgggggg gagaggagg	cgcgcagggt gggcgctgga tgaccatcca tgattcccta agtgcaaatt ccgtcgccaa tgccctgcgg aaagtgacaa gagcagacac aagaagtgaca ttgacgcaacac atgatgacac	cgcgatgctg ggtctaccct gaactggtgc ccgctgctta cttacaccag agagacatgc aattgacaag tgtggattct agactatgca tgaggtggaa ggaagaggct caccaccacc	cccggtttgg gaactgcaga aagcggggcc gttggtgagt gagaggatgg agtgagaaga ttccgagggg gctgatgcgg gatgggagtg gaagaagaag gaagaaccct accacagagt ccgtgccgag	cactgctcct tcaccaatgt gcaagcagtg ttgtaagtga atgtttgcga gtaccaactt tagagtttgt aggaggatga aagacaaagt ccgatgatga acgaagaagc ctgtggaaga caatgatctc	60 120 180 240 300 360 420 480 540 600 660

gtcccaaagt ttactcaaga ctacccagga acctcttgcc cgagatcctg ttaaacttcc

tacaacagca gccagtaccc ctgatgccgt tgacaagtat ctcgagacac ctggggatga

-continued

gaatgaacat	gcccatttcc	agaaagccaa	agagaggett	gaggccaagc	accgagagag	1080
aatgtcccag	gtcatgagag	aatgggaaga	ggcagaacgt	caagcaaaga	acttgcctaa	1140
agctgataag	aaggcagtta	tccagcattt	ccaggagaaa	gtggaatctt	tggaacagga	1200
agcagccaac	gagagacagc	agctggtgga	gacacacatg	gccagagtgg	aagccatgct	1260
caatgaccgc	egeegeetgg	ccctggagaa	ctacatcacc	gctctgcagg	ctgttcctcc	1320
teggeetegt	cacgtgttca	atatgctaaa	gaagtatgtc	cgcgcagaac	agaaggacag	1380
acagcacacc	ctaaagcatt	tcgagcatgt	gcgcatggtg	gatcccaaga	aagccgctca	1440
gateeggtee	caggttatga	cacacctccg	tgtgatttat	gagcgcatga	atcagtctct	1500
ctccctgctc	tacaacgtgc	ctgcagtggc	cgaggagatt	caggatgaag	ttgatgagct	1560
gcttcagaaa	gagcaaaact	attcagatga	cgtcttggcc	aacatgatta	gtgaaccaag	1620
gatcagttac	ggaaacgatg	ctctcatgcc	atctttgacc	gaaacgaaaa	ccaccgtgga	1680
gctccttccc	gtgaatggag	agttcagcct	ggacgatctc	cagccgtggc	attcttttgg	1740
ggctgactct	gtgccagcca	acacagaaaa	cgaagttgag	cctgttgatg	cccgccctgc	1800
tgccgaccga	ggactgacca	ctcgaccagg	ttctgggttg	acaaatatca	agacggagga	1860
gatctctgaa	gtgaagatgg	atgcagaatt	ccgacatgac	tcaggatatg	aagttcatca	1920
tcaaaaattg	gtgttctttg	cagaagatgt	gggttcaaac	aaaggtgcaa	tcattggact	1980
catggtgggc	ggtgttgtca	tagcgacagt	gatcgtcatc	accttggtga	tgctgaagaa	2040
gaaacagtac	acatccattc	atcatggtgt	ggtggaggtt	gacgccgctg	tcaccccaga	2100
ggagcgccac	ctgtccaaga	tgcagcagaa	cggctacgaa	aatccaacct	acaagttctt	2160
tgagcagatg	cagaactaga	cccccgccac	agcagcctct	gaagttggac	agcaaaacca	2220
ttgcttcact	acccatcggt	gtccatttat	agaataatgt	gggaagaaac	aaacccgttt	2280
tatgatttac	tcattatcgc	cttttgacag	ctgtgctgta	acacaagtag	atgcctgaac	2340
ttgaattaat	ccacacatca	gtaatgtatt	ctatctctct	ttacattttg	gtctctatac	2400
tacattatta	atgggttttg	tgtactgtaa	agaatttagc	tgtatcaaac	tagtgcatga	2460
atagattete	tcctgattat	ttatcacata	gccccttagc	cagttgtata	ttattct	2517
<220> FEATURE <223> OTHER	TH: 541 : DNA NISM: Artif: URE:	DN: Descript		uence: amylo	oid precursor	
<400> SEQUI	ENCE: 20					
gggcggagca	gacacagact	atgcagatgg	gagtgaagac	aaagtagtag	aagtagcaga	60
ggaggaagaa	gtggctgagg	tggaagaaga	agaagccgat	gatgacgagg	acgatgagga	120
tggtgatgag	gtagaggaag	aggetgagga	accctacgaa	gaagccacag	agagaaccac	180
cagcattgcc	accaccacca	ccaccaccac	agagtctgtg	gaagaggtgg	ttcgagtgtc	240
ccaaagttta	ctcaagacta	cccaggaacc	tcttgcccga	gatcctgtta	aacttcctac	300
aacagcagcc	agtacccctg	atgccgttga	caagtatctc	gagacacctg	gggatgagaa	360
tgaacatgcc	catttccaga	aagccaaaga	gaggettgag	gccaagcacc	gagagagaat	420
atacaeaata	atgagagaat	aaaaaaaa	adaacdtcaa	acaaaaact	tacctaaaac	480

gtcccaggtc atgagagaat gggaagaggc agaacgtcaa gcaaagaact tgcctaaagc

tgataagaag gcagttatcc agcatttcca ggagaaagtg gaatctttgg aacaggaagc

480

-continued

541 <210> SEQ ID NO 21 <211> LENGTH: 816 <212> TYPE: DNA <213> ORGANISM: Artificial sequence <220> FEATURE: <223> OTHER INFORMATION: Description of sequence: amyloid precursor protein coding sequence <400> SEQUENCE: 21 atccttgcca acctctcaac caggatttaa cttctgcttt tcccccattt tcaaaaaatta 60 tagcatgtat ttaaaggcag cagaagcett actttcaggt ttcccttacc ctttcatttc tttttgttca aaataggtag taattgaagt tttaaatata gggtatcatt tttctttaag agtcatttat caattttctt ctaacttcag gcctagaaag aagttttggg taggctttgt cttacaqtqt tattatttat qaqtaaaact aattqqttqt cctqcatact ttaattatqa 300 tgtaatacag gttctgggtt gacaaatatc aagacggagg agatctctga agtgaagatg 360 gatgcagaat tccgacatga ctcaggatat gaagttcatc atcaaaaatt ggtgttcttt 420 480 gcagaagatg tgggttcaaa caaaggtgca atcattggac tcatggtggg cggtgttgtc atagcgacag tgatcgtcat caccttggtg atgctgaaga agaaacagta cacatccatt 540 catcatggtg tggtggaggt tgacgccgct gtcaccccag aggagcgcca cctgtccaag 600 atgcagcaga acggctacga aaatccaacc tacaagttct ttgagcagat gcagaactag 660 accccgcca cagcagcctc tgaagttgga cagcaaaacc attgcttcac tacccatcgg 720 tgtccattta tagaataatg tgggaagaaa caaacccgtt ttatgattta ctcattatcg 780 ccttttgaca gctgtgctgt aacacaagta gatgcc 816 <210> SEQ ID NO 22 <211> LENGTH: 619 <212> TYPE: DNA <213> ORGANISM: Artificial sequence <220> FEATURE: <223> OTHER INFORMATION: Description of sequence: amyloid precursor protein coding sequence <400> SEQUENCE: 22 cagactatgc agatgggagt gaagacaaag tagtagaagt agcagaggag gaagaagtgg 60 ctgaggtgga agaagaagaa gccgatgatg acgaggacga tgaggatggt gatgaggtag aggaagaggc tgaggaaccc tacgaagaag ccacagagag aaccaccagc attgccacca ccaccaccac caccacagag tctgtggaag aggtggttcg agaggtgtgc tctgaacaag 240 ccgagacggg gccgtgccga gcaatgatct cccgctggta ctttgatgtg actgaaggga 300 agtgtgcccc attcttttac ggcggatgtg gcggcaaccg gaacaacttt gacacagaag 360 agtactgcat ggccgtgtgt ggcagcgcca tgtcccaaag tttactcaag actacccagg 420 aacctcttgc ccgagatcct gttaaacgta cgttgtcatt cacctgaggg aagggaagag 480 gggaggagga tgctgcttgg ttcacataac tccagcatca tcaccttctt tgcatggttt 540 tgtgtttctt gaacacctgt cttagtaaaa tgtttcttcc cattaccttg cttgtaatta 600 catctgattt tgccagaca 619 <210> SEQ ID NO 23

<211> LENGTH: 1309

<212> TYPE: DNA

-continued

<pre><213> ORGANISM: Artificial sequence <220> FEATURE: <223> OTHER INFORMATION: Description of sequence: amyloid precursor protein coding sequence</pre>
<400> SEQUENCE: 23
cgagagcacg cggaggagcg tgcgcggggg ccccgggaga cggcggcggt ggcggcgcgg 6
gcagagcaag gacgcggcgg atcccactcg cacagcagcg cactcggtgc cccgcgcagg 12
gtegegatge tgeeeggttt ggeaetgete etgetggeeg eetggaegge tegggegetg 18
gaggtaccca ctgatggtaa tgctggcctg ctggctgaac cccagattgc catgttctgt 24
ggcagactga acatgcacat gaatgtccag aatgggaagt gggattcaga tccatcaggg 30
accaaaacct gcattgatac caaggaaggc atcctgcagt attgccaaga agtctaccct 36
gaactgcaga tcaccaatgt ggtagaagcc aaccaaccag tgaccatcca gaactggtgc 42
aageggggee geaageagtg caagaceeat ecceaetttg tgatteeeta eegetgetta 48
gttggtgagt ttgtaagtga tgcccttctc gttcctgaca agtgcaaatt cttacaccag 54
gagaggatgg atgtttgcga aactcatctt cactggcaca ccgtcgccaa agagacatgc 60
agtgagaaga gtaccaactt gcatgactac ggcatgttgc tgccctgcgg aattgacaag 66
ttccgagggg tagagtttgt gtgttgccca ctggctgaag aaagtgacaa tgtggattct 72
gctgatgcgg aggaggatga ctcggatgtc tggtggggcg gagcagacac agactatgca 78
gatgggagtg aagacaaagt agtagaagta gcagaggagg aagaagtggc tgaggtggaa 84
gaagaagaag ccgatgatga cgaggacgat gaggatggtg atgaggtaga ggaagaggct 900
gaggaaccet acgaagaage cacagagaga accaccagca ttgccaccac caccaccacc 96
accacagagt ctgtggaaga ggtggttcga gagaagtggt ataaggaagt acattctggc 102
caggicacgat ggctcatgct gtaatcccag cactttggga ggccgaggtg ggtgcatcac 108
ctgaggtcag gagtttgaga ccagcctggc caacatggtg aaacccctcg ctactaaaaa 114
tacaaaaatt agccgggcgt ggtggcacac acctgtggtc ccagctactc gggaggctga 1200
agcaggagaa tegettgaac eegggagaeg gaggttgeag taageegagt teactecatt 126
gtactctagc ctgggtgaca gagcgagatt cgtctcaaaa aaaaaaaaa 130
<210> SEQ ID NO 24 <211> LENGTH: 582 <212> TYPE: DNA <213> ORGANISM: Artificial sequence <220> FEATURE: <223> OTHER INFORMATION: Description of sequence: amyloid precursor protein coding sequence <400> SEQUENCE: 24
gtaacattct aaaggtagta gggtcttgat tgggttgctt aggcattaaa aggctgttta 60
acttgtcttg aagtctatct ttccttgatg tcttctgcgg taagaacact gtgatacaga 12
tggaatgacg ggaagtggtt ttcctttctt tcagttggtg agtttgtaag tgatgccctt 180
ctcgttcctg acaagtgcaa attcttacac caggagagga tggatgtttg cgaaactcat 24
cttcactggc acaccgtcgc caaagagaca tgcagtgaga agagtaccaa cttgcatgac 300
tacggcatgt tgctgccctg cggaattgac aagttccgag gggtagagtt tgtgtgttgc 360
ccactggctg aagaaagtga caatgtggat tctgctgatg cggaggagga tgactcggat 42
gtctggtggg gcggagcaga cacagactat gcagatggga gtgaagacaa agtagtagaa 48

gtagcagagg aggaagaagt ggctgaggtg gaagaagaag aagccgatga tgacgaggac

```
gatgaggatg gtgatgaggt agaggaagag gctgaggaac cc
                                                                 582
<210> SEQ ID NO 25
<211> LENGTH: 361
<212> TYPE: DNA
<213> ORGANISM: Artificial sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of sequence: amyloid precursor
     protein coding sequence
<400> SEQUENCE: 25
actggagggc tgagaagaga ctgatggcat ttgttgttct tgaccttgaa agaagagttg
                                                                  60
cagattgttg gagcaaggcc agatggtaat aggttggaaa gaacaagtga ggggcgtgag
agtgacagtc tacaaccccg ttaagaagtt atctgtgaaa atgcctcttc ctgtcttgat
tatageetee etegeacatg getttetgag tatgttggtg agtttgtaag tgatgeeett
                                                                 240
ctcqttcctq acaaqtqcaa attcttacac caqqaqaqqa tqqatqtttq cqaaactcat
                                                                 300
cttcactggc acaccgtcgc caaagagaca tgcagtgaga agagtaccaa cttgcatgac
                                                                 360
                                                                 361
<210> SEQ ID NO 26
<211> LENGTH: 667
<212> TYPE: DNA
<213> ORGANISM: Artificial sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of sequence: amyloid precursor
     protein coding sequence
<400> SEQUENCE: 26
ctgaacatgc acatgaatgt ccagaatggg aagtgggatt cagatccatc agggaccaaa
                                                                  60
acctgcattg ataccaagga aggcatcctg cagtattgcc aagaagtcta ccctgaactg
                                                                 120
cagatcacca atgtggtaga agccaaccaa ccagtgacca tccagaactg gtgcaagcgg
                                                                 180
ggccgcaagc agtgcaagac ccatccccac tttgtgattc cctaccgctg cttaggtgag
                                                                 240
ccggccggcc gtggggctgg tgttgattgg gggcctggtc ttgagggaag aaaaagagga
                                                                 300
tgctcctgtt aggtcacata cacagacttg ttcttcagca cattgccact ctgtgttgta
                                                                 360
ctgtgttttg gactcttgca gttacattct gtgcactgac cctataggag cagtattttt
                                                                 420
gagttccctg cctcagaatg aatttaccca gggtgtatat tgaaattaca aattcctggg
ccagttccag gactcctgaa tgaaaaatgc ctatagtagc ggatccggga attcttattt
                                                                 540
taccgtatcg catagatgat tctcatgaac aggggccttg tgtgtttctt cacatagact
660
aaaaaaa
                                                                 667
<210> SEQ ID NO 27
<211> LENGTH: 374
<212> TYPE: DNA
<213 > ORGANISM: Artificial sequence
<220> FEATURE:
<223> OTHER INFORMATION: Description of sequence: amyloid precursor
     protein coding sequence
<400> SEQUENCE: 27
qqcqcqqcct cttccctqqc aqctctqqqq actctqqttt aqttcccctq qqqqcacaqq
                                                                  60
atgctgggga gggtccgaag ggtctttttt ttagggtgca gataaaagga tcgaattgag
                                                                 120
180
```

gctgcagcct	agtgaaatcc	acccaccact	aggtacccac	tgatggtaat	gctggcctgc	240
tggctgaacc	ccagattgcc	atgttctgtg	gcagactgaa	catgcacatg	aatgtccaga	300
atgggaagtg	ggattcagat	ccatcaggga	ccaaaacctg	cattgatacc	aaggaaggca	360
tcctgcagta	ttgc					374

What is claimed is:

- 1. A method for diagnosing biliary atresia (BA) or assessing risk of developing BA in an infant, comprising:
 - (i) determining expression level of amyloid precursor 15 protein (APP) in a liver sample taken from the infant;
 - (ii) detecting an increase in the APP expression level from step (i) when compared with a standard control value; and
 - (iii) determining the infant as having BA or at risk of 20 developing BA.
- 2. The method of claim 1, wherein the APP expression level is APP mRNA level.
- 3. The method of claim 1, wherein the APP expression $_{\ \, 25}$ level is APP protein level.
- **4**. The method of claim **2**, wherein step (i) comprises a reverse transcription polymerase chain reaction (RT-PCR).
- 5. The method of claim 3, wherein step (i) comprises an immunoassay.
- **6**. The method of claim **1**, wherein the liver sample is a liver biopsy.
- 7. The method of claim 1, further comprising a step, following step (iii), of performing at least one additional diagnostic test for BA.

- **8**. The method of claim **7**, further comprising a step, following step (iii), of treating the infant with Kasai procedure.
- **9**. A method for assessing effectiveness of Kasai procedure in an infant who has BA and has undergone Kasai procedure, comprising:
 - (i) determining expression level of amyloid precursor protein (APP) in a liver sample taken from the infant;
 - (ii) detecting an increase in the APP expression level from step (i) when compared with a standard control value;
 - (iii) determining the Kasai procedure as ineffective.
- 10. The method of claim 9, wherein the APP expression level is APP mRNA level.
- 11. The method of claim 9, wherein the APP expression level is APP protein level.
- 12. The method of claim 10, wherein step (i) comprises an RT-PCR.
- ${f 13}.$ The method of claim ${f 11},$ wherein step (i) comprises an $_{30}$ immunoassay.
 - **14**. The method of claim **9**, wherein the liver sample is a liver biopsy.
 - 15. The method of claim 9, further comprising a step, following step (iii), of performing liver transplant.

* * * * *